THE

REGISTRAR-GENERAL'S

STATISTICAL REVIEW

OF

ENGLAND AND WALES,

FOR THE YEAR.

1924.

(New Annual Series No. 4.)

TABLES, PART I. MEDICAL.

17 DEC. 1926

LONDON:

PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.

1925.

Price 15*s*. 0*d*. net.

TABLE OF CONTENTS.

PART I.—Medical.

Note.—The reference which is given after the description of each Table indicates where the information for 1920 which corresponds most nearly to that given here for 1924 may be found.

Page.

Table 1. Deaths, Death-rates and Infant Mortality, England and Wales, 1838–1924 1

Deaths (persons, males and females); death-rates, crude and standardized (persons, males and females); infant mortality (total, legitimate and illegitimate); total for 1838–1924; totals for decennia, 1841–1850 to 1911–1920; totals for quinquennia, 1841–1845 to 1916–1920; and for single years, 1881 to 1924. All deaths registered. *Annual Report*, Tables 2, 3, pp. 4, 5.

Table 2. Deaths and Death-rates in Quarters, England and Wales, 1838–1924 3

Deaths in each of the four quarters; total for 1838–1924; totals for decennia, 1841–1850 to 1911–1920; and in single years, 1915–1924 (males, females and persons); death-rates for quarters in the same years and groups of years (persons only). All deaths registered. *Annual Report*, Table 4, p. 6.

Table 3. Standardized Death-rates, Death-rates for Twelve Age-groups, and Infant Mortality, England and Wales, 1838–1924 4

Death-rates for period, 1838–1924; for decennia, 1841–1850 to 1911–1920; for quinquennia, 1841–1845 to 1916–1920; and for single years, 1884–1924; males, females and persons. All deaths registered. *Annual Report*, Tables, 6–8, pp. 7–9.

Table 4. Deaths according to Causes, England and Wales, 1914–1924 7

Deaths from each cause in the International List of Causes of Death as revised for 1921 onwards; all ages; males and females. All deaths registered. *Annual Report*, Table 9, pp. 10–19.

Table 5. Death-rates according to Causes of Death, England and Wales, 1914–1924 23

Crude rates per million living from each cause in the International List of Causes of Death as revised for 1921 onwards (causes omitted with mortality of less than 5 per million in 1921); males, females and persons. All deaths registered. *Annual Report*, Table 10, pp. 20–29.

Table 6. Death-rates from the principal Epidemic Diseases, from Tuberculosis and from Cancer, England and Wales, 1838–1924 35

Rates per million living, at all ages, and for epidemic diseases at ages under 15 years; in decennia, 1851–60 to 1911–1920; in quinquennia (with one exception), 1838–1842 to 1916–1920; and in single years, 1884–1924. All deaths registered. *Annual Report*, Table 12, p. 35.

Page

Table 7. Mortality from the principal Epidemic Diseases and from certain other causes, Administrative Counties and County Boroughs, 1923 and 1924 36

Death-rates per million (epidemic diseases and tuberculosis); deaths per 1,000 births (all causes under one year—infant diarrhœa, childbirth, puerperal sepsis); civilian population only. *Annual Report*, Table 13, pp. 36–40.

Table 8. Deaths of Infants by Cause in each Year 1914 to 1924, England and Wales 41

Deaths under one year of age (without distinction of sex or precise age) from each of the principal causes of infantile mortality, and from groups of causes. *Annual Report*, Table 14, p. 41.

Table 9. Infant Mortality by Cause in each Year 1914 to 1924, England and Wales 42

Death-rates under one year (without distinction of sex or precise age) from each of the principal causes of infantile mortality and from groups of causes. *Annual Report*, Table 15, p. 42.

Table 10. Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1924 43

Rates per 1,000 births; causes as in Tables 8 and 9; five sub-divisions of age under one year; males, females and persons. *Annual Report*, Table 16, pp. 43, 44.

Table 11. Infant Mortality by Age, Cause and Legitimacy and by Class of Administrative Area, 1924 48

Rates per 1,000 births; causes as in Tables 8 and 9; five sub-divisions of age; for London and aggregates of County Boroughs, other Urban Districts, Rural Districts and all Urban Districts (combined). *Annual Report*, Table 17, pp. 45–49.

Table 12. Infant Mortality in Different Parts of England and Wales and in Different Classes of Administrative Area, 1924 54

All infants; certain causes and groups of causes; five sub-divisions of age under one year; for London, and for aggregates of County Boroughs, other Urban Districts and Rural Districts; in the North, Midlands and South of England, and in Wales. *Annual Report*, Table 18, pp. 50, 51.

Table 13. Deaths of Infants by Legitimacy and Age in Administrative Areas, 1924 57

Deaths by seven sub-divisions of age under one year in England and Wales and in aggregates of County Boroughs, other Urban Districts, and Rural Districts in the North, Midlands and South of England, and in Wales; in London and in each Metropolitan Borough; in each County Borough; and in aggregates of Urban Districts and Rural Districts in each Administrative County. Death rates per 1,000 births under four weeks and under one year. *Annual Report*, pp. 120–124.

(11/25) (18067) (20567) Wt. 19323/1440 375 12/25 Harrow G.94/14A B*

Page.

Table 14. Population, Births, Deaths, Total and Infant Mortality and Natural Increase in Administrative Areas, 1924 62

Estimated population ; births, total, males and females, legitimate and illegitimate, birth-rate per 1,000 population; deaths, total, males and females; civilian mortality (per 1,000 living) ; and infant mortality (per 1,000 births) ; natural increase per 1,000 population.

(*a*) In the North, Midlands and South of England, and in Wales ; and in the aggregates of County Boroughs, other Urban Districts and Rural Districts in these areas ;

(*b*) In each County Borough and Administrative County ; in aggregates of Urban Districts and of Rural Districts in each Administrative County ; and in each Municipal Borough, Urban District and Rural District. Civilian population only. *Annual Report*, pp. 87–119.

Table 15. Deaths at each Year of Age, England and Wales, 1924 113

Total deaths registered ; persons, males and females (with distinction for females of single, married and widowed) ; quinquennial totals. *Annual Report*, p. 125.

Table 16. Deaths at Ages in Sections of the Country and Classes of Area, Greater London, Metropolitan Boroughs, County Boroughs and Administrative Counties, 1924 114

Deaths at four periods of age under one year, in single years up to five years, and in five-yearly groups up to 85 years of age ; males and females ; civilian population only ; aggregates of Urban and of Rural Districts in Administrative Counties. *Annual Report*, pp. 126–139.

Table 17. Deaths by Cause, Sex and Age, 1924 131

Causes according to International List for 1921 onwards ; ages 0–1, 1–5, in five-yearly groups up to 80 years of age, and 80 and upwards ; England and Wales, total deaths registered (civilians and non-civilians) ; London (Administrative County), aggregates of County Boroughs, other Urban Districts, and Rural Districts (civilian deaths only). *Annual Report*, pp. 140–241.

Table 17*a*. Deaths by Cause and by Ages under Five Years, England and Wales, 1924 216

Causes of chief importance in early life ; four groups of age under one year ; single years up to five years ; males and females. *Annual Report*, pp. 140–241.

Table 18. Deaths by Cause and by Month of Occurrence, England and Wales, October, 1923—September, 1924 220

Causes according to International List for 1921 onwards ; males and females. All deaths registered. *New Table.*

Table 19. Deaths of Non-Civilians by Cause and by Age, England and Wales, 1924 233

Causes of chief importance ; five-yearly age-periods, 15 to 55. *Annual Report*, p. 260.

Page.

Table 20. Deaths by Condensed List of Causes and by Sex and Age, 1924 234

England and Wales (total deaths registered). Nine age-periods. London Administrative County, aggregates of County Boroughs, other Urban Districts and Rural Districts in England and Wales, and in the Northern, Midland, Southern and Welsh Groups of Counties; Metropolitan Boroughs, County Boroughs, and aggregates of Urban Districts and of Rural Districts in Administrative Counties (civilian deaths only). *Annual Report*, pp. 276–403.

Table 21. Deaths by Cause in certain Administrative Areas, 1924 373

Causes according to Condensed List; Municipal Boroughs, Urban Districts and Rural Districts with civilian populations over 10,000 at Census of 1921; males and females (civilian deaths) only. *Annual Report*, pp. 404–502.

Table 22. Violent Deaths by Sex, Age and Form of Violence, England and Wales, 1924 423

Detailed causes grouped according to International List; twelve age-periods. Civilians and non-civilians. *Annual Report*, pp. 504–518.

Table 23. Infectious Diseases, Cases Notified per 1,000 Population, England and Wales, in each year 1914–1924.. 433

*Small-pox, scarlet fever, diphtheria, enteric fever, puerperal fever, erysipelas, cerebro-spinal fever, and poliomyelitis, for England and Wales, England, Wales, London; and for aggregates of Administrative Counties, County Boroughs, Municipal Boroughs and Urban Districts, and Rural Districts in England and in Wales. *Reports on Public Health and Medical Subjects*, No. 6, pp. 7, 8.

Table 24. Infectious Diseases, Seasonal Incidence, England and Wales, 1924 436

*Scarlet fever, diphtheria, enteric fever, cerebro-spinal fever, poliomyelitis, and encephalitis lethargica; comparative figures for each week in the year. *Reports on Public Health and Medical Subjects*, No. 6, p. 6.

Table 25. Tuberculosis, Notifications in each year 1915–1924 .. 437

*England and Wales, England (excluding London), London, Wales; cases notified of tuberculosis of respiratory system and of other tuberculosis, and rates per 1,000 persons. *Reports on Public Health and Medical Subjects*, No. 6, p. 11.

Table 26. Infectious Diseases, Cases notified in the larger Administrative Areas, 1924 438

*England and Wales, Administrative Counties, County Boroughs; period of 53 weeks ended 3rd January, 1925. *Reports on Public Health and Medical Subjects*, No. 6, pp. 12–17.

* Cases of infectious disease occurring among men in establishments of the armed forces are excluded.

Page.

Table 27. Infectious Diseases, Cases notified, England and Wales, in each year 1914-1924 445

Civilians, non-civilians and cases at ports. *New Table.*

Table 28. Infectious Diseases, Cases notified in all Administrative Areas in England and Wales, 1924 448

*Small-pox, scarlet fever, diphtheria, enteric fever, puerperal fever and erysipelas; number of cases notified and rates per 1,000 population. *Reports on Public Health and Medical Subjects*, No. 6, pp. 18–57.

Table 29. Air Temperature, Rainfall and Sunshine, England and Wales, 1924 490

Annual Report, Table 28, p. 67.

Table 30. Quarterly Meteorological Elements, Greenwich, 1924 491

Annual Report, Table 27, p. 66.

Table 31. Meteorological Elements, Greenwich, 1875–1924 .. 492

Annual Report, Table 26, pp. 64, 65.

---

* *See* footnote on the preceding page.

General Register Office,
Somerset House,
London, W.C.2.

October, 1925.

TABLE I.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838–1924,

Period.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838–1924	†42,114,751	21,620,312	20,494,439	18·3	19·5	17·2	17·8	19·2	16·5	1,161	138	—	—
1841–1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851–1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861–1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871–1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881–1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891–1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901–1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911–1920	† 5,188,052	2,684,511	2,503,541	14·3	15·9	13·0	13·5	15·1	12·1	1,246	100	96	194
1841–1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846–1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851–1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856–1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861–1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866–1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871–1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876–1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881–1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886–1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891–1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896–1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901–1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906–1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911–1915	† 2,598,719	1,344,171	1,254,548	14·3	15·4	13·2	13·7	15·2	12·4	1,226	110	105	210
1916–1920	† 2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	13·4	15·2	11·9	1,284	90	85	179
1881	491,935	253,605	238,330	18·9	20·0	17·8	18·2	19·6	17·0	1,154	130	—	—
1882	516,654	265,767	250,887	19·6	20·7	18·5	18·8	20·2	17·6	1,145	141	—	—
1883	522,997	269,262	253,735	19·6	20·8	18·5	19·0	20·4	17·7	1,153	137	—	—
1884	530,828	273,522	257,306	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	522,750	268,305	254,445	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	537,276	275,874	261,402	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	530,758	272,137	258,621	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915–20 the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 1.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838–1924—*continued.*

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17·1	18·1	16·1	16·9	18·3	15·7	1,163	148	—	—
1897	541,487	280,211	261,276	17·4	18·6	16·2	17·3	18·8	15·9	1,187	156	—	—
1898	552,141	283,981	268,160	17·5	18·6	16·5	17·4	18·9	16·1	1,172	160	—	—
1899	581,799	299,472	282,327	18·2	19·4	17·2	18·2	19·8	16·8	1,176	163	—	—
1900	587,830	303,823	284,007	18·2	19·5	17·1	18·2	19·9	16·7	1,189	154	—	—
1901	551,585	285,618	265,967	16·9	18·1	15·8	16·9	18·5	15·5	1,192	151	—	—
1902	535,538	277,216	258,322	16·3	17·4	15·2	16·2	17·7	14·8	1,195	133	—	—
1903	514,628	266,290	248,338	15·5	16·5	14·4	15·4	16·8	14·1	1,196	132	—	—
1904	549,784	283,206	266,578	16·3	17·4	15·3	16·2	17·6	14·9	1,185	145	—	—
1905	520,031	267,601	252,430	15·3	16·3	14·4	15·2	16·5	13·9	1,188	128	—	—
1906	531,281	274,233	257,048	15·5	16·5	14·5	15·3	16·8	14·0	1,195	132	127	261
1907	524,221	269,259	254,962	15·1	16·0	14·2	14·9	16·2	13·6	1,190	118	113	220
1908	520,456	268,714	251,742	14·8	15·8	13·9	14·5	16·0	13·3	1,204	120	116	233
1909	518,003	265,203	252,800	14·6	15·5	13·8	14·3	15·6	13·1	1,192	109	104	211
1910	483,247	249,016	234,231	13·5	14·4	12·7	13·2	14·5	12·0	1,205	105	102	195
1911	527,810	272,512	255,298	14·6	15·6	13·7	14·2	15·7	12·9	1,211	130	125	245
1912	486,939	250,232	236,707	13·4	14·2	12·6	12·9	14·2	11·7	1,212	95	91	181
1913	504,975	261,687	243,288	13·8	14·8	12·9	13·3	14·8	12·0	1,228	108	104	213
1914	516,742	267,359	249,383	14·0	14·9	13·1	13·5	14·9	12·2	1,225	105	100	207
1915†	562,253	292,381	269,872	15·7	17·7	14·0	14·6	16·4	13·0	1,267	110	105	203
1916†	508,217	265,030	243,187	14·3	16·6	12·5	13·1	15·1	11·4	1,315	91	87	183
1917†	498,922	262,215	236,707	14·2	17·1	12·1	13·1	15·3	11·1	1,373	96	90	201
1918†	611,861	314,704	297,157	17·3	20·1	15·2	16·8	19·4	14·5	1,335	97	91	186
1919†	504,203	258,089	246,114	14·0	15·7	12·6	13·0	14·7	11·6	1,269	89	84	173
1920†	466,130	240,302	225,828	12·4	13·5	11·5	11·9	13·2	10·6	1,243	80	76	156
1921	458,629	234,291	224,338	12·1	13·0	11·3	11·3	12·5	10·2	1,223	83	79	158
1922	486,780	247,221	239,559	12·8	13·6	12·0	11·6	12·9	10·6	1,215	77	74	139
1923	444,785	226,858	217,927	11·6	12·4	10·9	10·3	11·4	9·3	1,229	69	67	132
1924	473,235	240,620	232,615	12·2	12·9	11·5	10·7	11·8	9·7	1,222	75	73	133

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915–20 the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 2.—ENGLAND AND WALES.—NUMBERS OF DEATHS AND ANNUAL DEATH-RATES IN EACH QUARTER IN GROUPS OF YEARS, 1838–1924, AND IN EACH YEAR 1915–1924.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths: Males.				Deaths: Females.			
1838–1924*	6,034,947	5,277,496	4,941,667	5,366,202	5,809,639	4,908,183	4,605,929	5,170,688
1841–50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851–60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861–70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871–80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881–90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891–1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901–10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911–20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1915*	90,613	72,860	58,001	70,907	86,630	65,715	51,405	66,122
1916*	74,250	66,324	54,643	69,813	68,733	60,210	47,792	66,452
1917*	85,443	68,193	50,131	58,448	78,476	59,514	44,429	54,288
1918*	71,528	63,051	60,088	120,037	66,467	55,511	54,074	121,105
1919*	97,572	55,605	46,214	58,698	94,345	52,834	42,873	56,062
1920*	70,073	62,017	48,712	59,500	67,543	57,254	44,960	56,071
1921	65,716	55,782	51,405	61,388	63,557	52,687	47,691	60,403
1922	82,552	61,439	47,323	55,907	82,941	58,863	43,604	54,151
1923	63,362	58,237	47,239	58,020	61,349	55,807	44,011	56,760
1924	79,690	58,954	46,692	55,284	80,584	55,234	43,446	53,351
	Deaths: Persons.				Death-Rates per 1,000 persons living.			
1838–1924*	11,844,586	10,185,679	9,547,596	10,536,890	21·7	18·7	17·4	19·0
1841–50	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851–60	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861–70	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871–80	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881–90	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891–1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901–10	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911–20*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	15·0
1915*	177,243	138,575	109,406	137,029	20·1	15·5	12·1	15·2
1916*	142,983	126,534	102,435	136,265	16·3	14·4	11·3	15·3
1917*	163,919	127,707	94,560	112,736	19·0	14·6	10·7	12·8
1918*	137,995	118,562	114,162	241,142	16·1	13·5	12·8	26·6
1919*	191,917	108,439	89,087	114,760	21·3	12·1	9·9	12·8
1920*	137,616	119,271	93,672	115,571	14·7	12·8	10·0	12·3
1921	129,273	108,469	99,096	121,791	13·8	11·5	10·4	12·8
1922	165,493	120,302	90,927	110,058	17·6	12·6	9·5	11·4
1923	124,711	114,044	91,250	114,780	13·2	11·9	9·4	11·9
1924	160,274	114,188	90,138	108,635	16·6	11·8	9·2	11·1

* *See* Note † to Table 1.

TABLE 3.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1924*—MALES.

Period.	Deaths of Males per 1,000 living at subjoined ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Standardized).†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1924‡	19·2	59·3	5·7	3·2	4·6	6·3	7·6	11·0	17·1	31·8	66·5	144·0	295·0	151
1841–50	22·5	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3	167
1851–60	22·1	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2	168
1861–70	22·6	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0	168
1871–80	21·8	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4	163
1881–90	20·0	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8	155
1891–1900	19·5	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8	168
1901–10	16·6	50·0	3·5	2·1	3·1	4·2	5·6	9·2	16·2	31·8	64·8	137·7	279·2	140
1911–20‡	15·1	37·8	3·6	2·2	3·4	4·9	6·5	8·6	14·4	29·0	64·6	140·7	269·9	112
1841–45	21·6	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1	162
1846–50	23·4	73·7	9·5	5·4	7·4	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851–55	22·7	73·9	8·8	5·2	7·0	9·2	10·0	12·9	18·6	31·6	66·7	150·9	310·9	172
1856–60	21·6	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·5	30·4	64·3	142·7	305·3	166
1861–65	22·6	74·1	8·5	4·7	6·4	8·6	9·8	13·2	18·9	32·8	66·4	145·9	316·6	166
1866–70	22·6	72·9	7·9	4·3	6·0	8·3	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–75	22·4	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–80	21·3	67·1	6·3	3·4	4·8	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–85	20·1	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–90	20·0	61·9	4·9	2·8	4·1	5·5	7·4	12·1	19·4	35·2	72·1	147·9	313·7	159
1891–95	20·0	62·9	4·5	2·6	4·0	5·2	7·1	11·9	19·5	35·8	72·5	149·2	290·8	165
1896–1900	19·1	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·4	34·1	68·3	143·1	282·8	170
1901–05	17·4	54·7	3·7	2·1	3·2	4·4	5·9	9·7	17·0	32·4	65·3	137·6	274·6	151
1906–10	15·8	45·4	3·3	2·0	3·0	4·0	5·3	8·6	15·5	31·2	64·4	137·7	283·0	129
1911–15‡	15·2	40·8	3·4	2·0	3·0	4·0	5·1	8·2	14·9	30·2	65·4	141·3	274·5	121
1916–20‡	15·2	34·3	3·8	2·4	3·9	6·6	8·6	9·0	14·0	27·9	64·0	140·1	265·6	101
1884	20·4	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1	160
1885	20·0	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2	151
1886	20·4	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1	163
1887	20·0	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1	158
1888	19·2	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7	150
1889	19·2	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6	157
1890	21·0	62·9	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5	165
1891	21·7	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1	164
1892	20·2	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4	162
1893	20·4	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8	173
1894	17·7	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6	150
1895	19·9	66·0	4·1	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1	176
1896	18·3	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9	161
1897	18·8	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·1	170
1898	18·9	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6	175
1899	19·8	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1	177
1900	19·9	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3	169
1901	18·5	59·0	4·0	2·3	3·5	4·7	6.2	10·6	18·0	33·5	67·8	139·8	276·5	166
1902	17·7	54·1	3·9	2·2	3·3	4·6	6·2	10·4	17·8	33·3	66·7	138·5	270·0	147
1903	16·8	52·5	3·5	2·0	3·0	4·2	5·8	9·4	16·6	31·6	63·3	132·8	260·3	145
1904	17·6	57·4	3·6	2·1	3·1	4·3	5·7	9·4	16·5	32·3	65·5	139·7	287·6	159
1905	16·5	50·3	3·4	2·1	3·1	4·2	5·6	9·0	16·1	31·5	63·3	137·2	278·2	141
1906	16·8	51·2	3·5	2·0	3·2	4·1	5·5	9·1	16·1	32·4	64·3	137·3	298·5	145
1907	16·2	46·8	3·4	2·0	3·0	4·0	5·5	9·0	16·1	32·3	65·2	138·8	291·7	130
1908	16·0	46·9	3·3	2·0	2·9	4·0	5·3	8·6	15·4	31·4	64·3	138·4	277·2	133
1909	15·6	42·8	3·4	2·0	3·0	3·9	5·2	8·5	15·6	31·1	66·4	142·5	289·9	120
1910	14·5	39·7	3·0	1·9	2·7	3·7	4·7	7·9	14·5	29·4	61·8	131·6	259·7	116
1911	15·7	46·7	3·5	2·1	3·1	3·8	5·0	8·1	14·9	29·6	63·2	140·5	268·0	142
1912	14·2	35·8	3·1	1·8	2·9	3·6	4·8	7·9	14·6	29·4	63·9	137·1	266·7	106
1913	14·8	40·3	3·2	1·9	2·8	3·6	4·8	7·9	14·7	29·9	64·2	138·0	258·1	120
1914	14·9	39·4	3·4	2·1	3·1	3·9	5·1	8·3	14·9	30·0	64·7	135·3	269·5	116
1915‡	16·4	42·0	3·9	2·3	3·3	5·8	6·5	8·9	15·4	31·9	70·7	155·2	309·3	123
1916‡	15·1	32·4	3·3	2·2	3·4	6·8	7·2	8·6	14·4	29·5	67·9	150·3	296·3	102
1917‡	15·3	31·8	3·3	2·2	3·6	7·9	8·5	9·1	14·1	29·2	67·5	149·4	286·5	108
1918‡	19·4	38·9	5·5	3·5	6·2	13·8	19·6	12·6	16·4	29·3	65·7	132·1	234·4	108
1919‡	14·7	32·8	3·5	2·3	3·6	5·5	8·1	8·6	13·3	27·2	63·5	145·5	277·6	100
1920‡	13·2	36·2	3·3	1·9	2·9	3·9	4·7	7·0	12·0	24·5	56·0	124·6	235·2	90
1921	12·5	32·3	2·8	1·8	2·8	3·6	4·2	6·5	11·4	24·4	55·8	128·7	262·8	93
1922	12·9	30·2	2·6	1·7	2·7	3·7	4·4	6·9	12·0	26·0	61·2	143·9	271·3	87
1923	11·4	24·3	2·3	1·6	2·6	3·4	4·0	6·3	11·2	24·1	56·0	130·2	262·0	78
1924	11·8	25·1	2·4	1·6	2·5	3·4	3·9	6·5	11·5	24·9	60·0	137·5	271·4	85

* The age rates for intercensal years are based upon estimated populations.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among males at the various dates, but also for differences in age constitution between the two sexes; *see* the Annual Report for 1911 (pages xxvii-xxxi) and the Annual Report for 1913 (p. xx).

‡ Including civilian mortality only in 1915-20.

TABLE 3 (*contd.*).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1924.*—FEMALES.

Period.	Deaths of Females per 1,000 living at subjoined Ages.													Deaths of Female Infants under 1 year of age per 1,000 Female Births.
	All Ages. (Standard-ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.	
1838–1924	16·5	50·5	5·5	3·3	4·7	5·6	6·9	9·3	13·5	25·7	56·2	126·3	265·6	124
1841–50	20·7	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851–60	20·3	62·7	8·4	5·1	7·4	8·5	9·9	12·1	15·2	27·0	58·7	134·5	288·9	139
1861–70	20·2	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1	139
1871–80	19·0	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4	134
1881–90	17·3	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8	128
1891–1900	16·7	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4	138
1901–10	13·9	41·9	3·6	2·2	2·9	3·5	4·7	7·5	12·5	24·8	53·9	119·8	250·3	114
1911–20	12·1	31·3	3·6	2·3	3·2	3·9	4·8	6·4	10·9	21·5	50·1	115·9	239·9	89
1841–45	19·8	58·6	8·6	5·2	7·7	8·6	9·9	12·1	15·1	27·2	59·1	131·8	288·6	133
1846–50	21·6	63·6	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851–55	20·7	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856–60	19·9	62·3	8·4	4·8	7·1	8·2	9·6	11·8	14·8	26·5	58·1	131·9	285·8	137
1861–65	20·3	64·2	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·8	287·9	136
1866–70	20·0	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·3	142
1871–75	19·5	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·3	135·3	293·9	138
1876–80	18·4	56·8	5·9	3·5	5·0	6·2	8·0	11·3	15·3	28·6	60·8	135·5	299·0	130
1881–85	17·5	51·9	5·7	3·3	4·7	5·9	7·9	10·9	15·2	28·1	59·1	129·0	265·5	125
1886–90	17·2	52·0	4·9	2·9	4·2	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–95	17·2	52·8	4·6	2·7	4·0	4·8	6·6	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900	16·2	52·7	4·2	2·4	3·4	4·1	5·6	9·1	14·3	27·4	58·5	127·0	258·7	141
1901–05	14·6	45·8	3·8	2·2	3·0	3·7	5·0	8·0	13·1	25·4	54·8	119·9	249·4	124
1906–10	13·2	38·0	3·4	2·1	2·8	3·3	4·5	7·1	12·0	24·3	53·1	119·6	250·9	105
1911–15	12·4	34·0	3·4	2·1	2·7	3·2	4·1	6·5	11·4	22·7	52·2	117·2	242·0	97
1916–20	11·9	28·4	3·8	2·6	3·7	4·5	5·5	6·4	10·4	20·4	48·1	114·7	237·9	79
1884	17·7	54·9	5·8	3·4	4·7	5·9	7·8	10·9	15·3	27·5	57·7	126·8	247·4	133
1885	17·4	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8	124
1886	17·7	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1	135
1887	17·3	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1	131
1888	16·4	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1	122
1889	16·6	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3	129
1890	17·8	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6	136
1891	18·5	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7	133
1892	17·5	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4	132
1893	17·6	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0	143
1894	15·2	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6	124
1895	17·3	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2	144
1896	15·7	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4	134
1897	15·9	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55 7	121·2	252·6	141
1898	16·1	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6	145
1899	16·8	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2	148
1900	16·7	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9	139
1901	15·5	49·5	4·1	2·4	3·2	3·8	5·3	8·7	13·8	26·5	56·5	122·6	247·1	136
1902	14·8	45·0	4·2	2·3	3·1	3·9	5·3	8·4	13·4	25·9	55·7	122·1	252·3	118
1903	14·1	43·7	3·6	2·1	2·9	3·5	4·9	7·9	12·8	24·4	52·9	114·7	233·9	118
1904	14·9	48·5	3·6	2·2	3·0	3·5	4·9	7·7	12·8	25·6	55·1	123·2	256·1	131
1905	13·9	42·1	3·5	2·2	2·9	3·6	4·8	7·5	12·5	24·8	53·8	117·2	256·7	115
1906	14·0	43·1	3·7	2·3	2·9	3·5	4·7	7·5	12·4	24·8	52·5	119·6	258·7	120
1907	13·6	39·1	3·5	2·1	2·9	3·4	4·6	7·4	12·4	25·3	55·1	122·6	259·4	104
1908	13·3	39·0	3·4	2·0	2·7	3·4	4·4	6·9	12·1	24·2	52·7	119·4	248·8	107
1909	13·1	35·7	3·5	2·1	2·8	3·3	4·4	6·9	12·1	24·8	55·5	124·2	256·2	97
1910	12·0	33·1	3·1	2·0	2·6	3·1	4·1	6·5	11·1	22·4	49·8	112·3	232·8	94
1911	12·9	39·5	3·4	2·1	2·7	3·3	4·2	6·6	11·4	22·8	50·9	115·1	229·4	117
1912	11·7	29·8	3·1	2·0	2·7	3·2	4·0	6·3	11·1	22·3	51·6	115·1	239·3	84
1913	12·0	33·3	3·2	2·0	2·6	3·2	4·0	6·4	11·3	22·3	50·7	111·4	230·9	96
1914	12·2	32·9	3·4	2·2	2·7	3·2	4·1	6·5	11·5	22·4	51·4	113·8	238·7	93
1915	13·0	34·4	3·8	2·3	3·0	3·4	4·2	6·5	11·7	23·6	56·2	129·8	269·9	96
1916	11·4	26·4	3·2	2·2	3·0	3·4	4·0	6·1	10·6	21·5	52·2	122·6	262·5	80
1917	11·1	26·3	3·2	2·2	3·2	3·4	3·9	5·8	10·1	20·7	49·2	118·9	246·8	85
1918	14·5	34·1	5·9	4·0	6·0	7·9	9·8	8·5	12·3	21·4	48·3	107·5	216·7	86
1919	11·6	26·4	3·6	2·3	3·4	4·3	5·4	6·1	10·1	20·5	48·8	120·4	251·7	78
1920	10·6	28·8	3·2	2·0	2·7	3·3	4·2	5·4	8·9	18·1	42·6	104·9	213·6	69
1921	10·2	25·8	2·7	1·8	2·7	3·2	3·7	5·2	8·8	18·2	43·6	108·9	232·3	72
1922	10·6	24·5	2·5	1·8	2·6	3·2	3·9	5·3	9·3	19·7	48·6	120·9	251·0	66
1923	9·3	19·6	2·2	1·6	2·5	3·0	3·4	4·8	8·5	18·2	44·1	108·5	231·9	60
1924	9·7	20·2	2·2	1·7	2·5	3·1	3·5	5·0	8·6	18·9	47·3	116·0	249·5	65

* See Note * on first page of Table.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among females at the various dates, but also for differences in age constitution between the two sexes.

TABLE 3 (*contd*).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1924.*—PERSONS.

Period.	Deaths of Persons per 1,000 living at subjoined ages.													Deaths of Infants under 1 year of age per 1,000 Births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1924‡	17·8	54·9	5·6	3·2	4·6	5·9	7·2	10·1	15·3	28·6	60·8	133·8	276·5	138
1841–50	21·6	66·0	9·0	5·3	7·5	9·3	10·2	12·9	17·0	29·9	63·6	141·5	301·0	153
1851–60	21·2	67·6	8·5	5·0	7·0	8·7	9·8	12·3	16·5	28·9	61·7	139·9	296·5	154
1861–70	21·3	68·6	8·0	4·5	6·4	8·2	9·8	12·7	17·4	30·4	62·8	140·4	296·6	154
1871–80	20·3	63·4	6·5	3·7	5·4	7·1	9·0	12·7	17·8	31·6	65·0	142·2	308·3	149
1881–90	18·6	56·8	5·3	3·0	4·4	5·6	7·6	11·5	17·1	31·4	65·0	137·6	284·0	142
1891–1900	18·1	57·7	4·3	2·5	3·7	4·7	6·4	10·5	16·8	31·5	65·0	137·2	270·8	153
1901–10	15·2	46·0	3·6	2·1	3·0	3·8	5·1	8·3	14·3	28·1	58·8	127·2	260·8	128
1911–20‡	13·5	34·6	3·6	2·3	3·3	4·3	5·5	7·4	12·6	25·0	56·5	125 7	250·2	100
1841–45	20·6	63·6	8·7	5·0	7·2	8·8	9 7	12·2	16·1	28·7	62·0	137·2	295·3	148
1846–50	22·4	68·7	9·4	5·6	7·7	9·8	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851–55	21·7	68·9	8·6	5·2	7·4	9·1	10·2	12·7	17·2	29·6	62·9	143·2	299·6	156
1856–60	20·7	66·9	8·3	4·7	6·7	8·3	9·4	12·0	16·1	28·4	61·0	136·7	293·4	152
1861–65	21·4	69·1	8·4	4·7	6·6	8·4	9·8	12·6	17·2	30·3	62·5	139·1	299·0	151
1866–70	21·2	68·1	7·6	4·3	6·2	8·0	9·9	12·9	17·6	30·6	63·2	141·7	294·3	157
1871–75	20·9	64·9	6·9	4·0	5·8	7·7	9·6	13·1	18·0	31·6	65·3	141·7	305·2	153
1876–80	19·8	61·9	6·1	3·5	4·9	6·5	8·3	12·3	17·5	31·6	64·7	142·9	311·5	145
1881–85	18·7	56·6	5·8	3·2	4·6	6·0	8·0	11·8	17·2	31·0	63·5	136·2	277·9	139
1886–90	18·5	56·9	4·9	2·8	4·1	5·3	7·2	11·1	17·1	31·8	66·4	139·0	290·1	145
1891–95	18·5	57·8	4·6	2·7	4·0	5·0	6·8	11·0	17·3	32·5	67·3	140·7	273·9	151
1896–1900	17·6	57·6	4·1	2·4	3·5	4·5	6·0	10·1	16·2	30·5	62·9	133·8	267·7	156
1901–05	16·0	50·2	3·7	2·2	3·1	4·0	5·4	8·9	14·9	28·7	59·4	127·3	258·6	138
1906–10	14·4	41·7	3·4	2·0	2·9	3·6	4·8	7·8	13·7	27·5	58·1	127·0	262·4	117
1911–15‡	13·7	37·4	3·4	2·1	2·9	3·6	4·6	7·3	13·1	26·2	58·0	126·7	253·3	110
1916–20‡	13·4	31·4	3·8	2·5	3·8	5·1	6·5	7·5	12·1	23·9	55·1	124·8	247·3	90
1884	19·0	59·9	5·8	3·3	4·6	6·0	7·9	11·7	17·3	30·4	62·6	133·5	263·6	147
1885	18·7	55·8	5·1	3·0	4·4	5·8	7·8	11·6	17·2	31·4	66·2	141·1	295·4	138
1886	19·0	59·3	4·8	2·9	4·4	5·5	7·4	11·2	17·0	31·8	67·5	143·8	316·0	149
1887	18·6	57·6	5·1	2·9	4·2	5·4	7·2	11·1	16·9	31·7	66·6	139·3	286·4	145
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1	136
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6	144
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4	151
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5	149
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9	148
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·5	32·2	66·5	134·6	258·5	159
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5	137
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3	161
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3	148
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	60·2	129·9	259·8	156
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1	160
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9	163
1900	18·2	56·7	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2	154
1901	16·9	54·2	4·1	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·5	129·8	258·0	151
1902	16·2	49·6	4·1	2·3	3·2	4·2	5·7	9·3	15·5	29·4	60·6	129·0	258·8	133
1903	15·4	48·1	3·5	2·1	3·0	3·8	5·4	8·6	14·6	27·7	57·5	122·2	243·6	132
1904	16·2	53·0	3·6	2·1	3·1	3·9	5·3	8·5	14·6	28·7	59·7	130·1	267·6	145
1905	15·2	46·2	3·5	2·1	3·0	3·9	5·2	8·3	14·2	28·0	58·0	125·5	264·5	128
1906	15·3	47·2	3·6	2·1	3·0	3·8	5·1	8·2	14·2	28·2	57·7	126·9	273·1	132
1907	14·9	42·9	3·5	2·1	2·9	3·7	5·0	8·2	14·2	28·6	59·6	129·3	271·0	118
1908	14·5	43·0	3·4	2·0	2·8	3·7	4·9	7·8	13·7	27·6	57·8	127·2	259·0	120
1909	14·3	39·2	3·4	2·1	2·9	3·6	4·8	7·7	13·8	27·8	60·4	131·7	268·3	109
1910	13·2	36·4	3·0	1·9	2·7	3·4	4·4	7·2	12·7	25·7	55·2	120·1	242·4	105
1911	14·2	43·1	3·4	2·1	2·9	3·5	4·6	7·3	13·1	26·0	56·4	125·1	243·0	130
1912	12·9	32·8	3·1	1·9	2·8	3·4	4·4	7·1	12·8	25·6	57·0	123·9	248·9	95
1913	13·3	36·8	3·2	2·0	2·7	3·3	4·3	7·1	12·9	25·9	56·7	122·0	240·5	108
1914	13·5	36·2	3·4	2·1	2·9	3·5	4·6	7·3	13·2	26·0	57·3	122·3	249·4	105
1915‡	14·6	38·2	3·8	2·3	3·1	4·3	5·1	7·6	13·5	27·5	62·6	139·8	283·4	110
1916‡	13·1	29·4	3·2	2·2	3·2	4·3	5·1	7·2	12·4	25·3	59·2	133·6	274·1	91
1917‡	13·1	29·1	3·2	2·2	3·4	4·5	5·3	7·2	12·0	24·7	57·3	131·0	260·2	96
1918‡	16·8	36·5	5·7	3·7	6·1	9·3	12·4	10·1	14·2	25·1	55·9	117·3	222·7	97
1919‡	13·0	29·6	3·5	2·3	3·5	4·7	6·4	7·2	11·6	23·7	55·2	130·4	260·5	89
1920‡	11·9	32·5	3·3	2·0	2·8	3·6	4·4	6·1	10·4	21·1	48·5	112·6	220·8	80
1921	11·3	29·1	2·8	1·8	2·8	3·4	3·9	5·8	10·0	21·1	49·0	116·7	242·3	83
1922	11·6	27·4	2·6	1·8	2·6	3·5	4·1	6·1	10·6	22·7	54·2	129·9	257·7	77
1923	10·3	22·0	2·3	1·6	2·5	3·2	3·7	5·5	9·8	21·0	49·4	117·0	241·8	69
1924	10·7	22·6	2·3	1·7	2·5	3·3	3·7	5·7	10·0	21·7	53·0	124·5	256·8	75

* See note * on first page of Table.

† The death-rates in this column are standardized to the sex and age constitution of the population enumerated in 1901.

‡ Including civilian mortality only in 1915–20.

Table 4.—England and Wales.—Deaths from Various Causes at All Ages, 1914–1924.—Males and Females.

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
	ALL CAUSES	M.	**267359**	**292381**	**265030**	**262215**	**314704**	**258089**	**240302**	**234291**	**247221**	**226858**	**240620**
		F.	**249383**	**269872**	**243187**	**236707**	**297157**	**246114**	**225828**	**224338**	**239559**	**217927**	**232615**
1–42	**I.—Epidemic, Endemic and Infectious Diseases** ..	M.	**47980**	**57216**	**47222**	**48880**	**101344**	**57283**	**41319**	**36875**	**44970**	**35656**	**40670**
		F.	**41425**	**49121**	**40769**	**42315**	**101359**	**52064**	**36828**	**33622**	**41606**	**31381**	**37117**
1	Enteric fever	M.	1016	822	633	511	458	317	291	312	245	227	244
		F.	689	566	489	466	492	260	246	301	220	223	252
	(*a*) Typhoid fever ..	M.	?	?	?	?	?	?	?	304	230	211	232
		F.	?	?	?	?	?	?	?	291	214	208	229
	(*b*) Paratyphoid fever ..	M.	?	?	?	?	?	?	?	8	15	16	12
		F.	?	?	?	?	?	?	?	10	6	15	23
2	Typhus	M.	2	5	4	1	2	1	—	—	3	1	1
		F.	2	4	—	—	1	—	—	—	1	—	4
3	Relapsing fever (Spirillum obermeieri)	M.	1	1	1	—	—	1	1	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
4	Mediterranean fever ..	M.	3	—	1	1	1	1	1	1	1	—	2
		F.	—	—	—	—	—	1	—	1	—	1	—
5	Malaria	M.	56	55	59	122	188	264	240	139	113	76	91
		F.	4	10	3	4	9	4	10	4	10	5	6
6	Small-pox	M.	2	7	11	3	1	18	12	5	21	5	5
		F.	2	6	7	—	1	10	18	—	6	2	8
7	Measles	M.	4701	8583	2881	5564	5147	1816	3760	1188	2988	2881	2564
		F.	4443	7862	2532	4974	4640	1718	3430	1053	2706	2435	2270
8	Scarlet fever..	M.	1396	1226	696	398	507	566	695	631	654	503	417
		F.	1447	1180	685	370	513	655	735	674	728	490	471
9	Whooping cough	M.	3596	3694	2681	1908	4391	1145	1969	2046	2864	1909	1864
		F.	4444	4449	3394	2601	5507	1460	2432	2530	3506	2253	2119
10	Diphtheria	M.	2898	2857	2621	2193	2322	2350	2699	2298	2048	1317	1212
		F.	2965	3008	2745	2284	2481	2538	2949	2474	2027	1405	1289
11	Influenza	M.	3106	5228	4283	3726	53883	23198	5635	4511	10353	4305	9142
		F.	2858	5256	4508	3563	58446	21603	5030	4484	11145	4156	9844
	(*a*) 1. With pneumonic complications ..	M	?	?	?	?	?	?	?	2096	5198	2021	4498
		F.	?	?	?	?	?	?	?	1757	5107	1561	4047
	(*a*) 2 With other pulmonary complications	M.	?	?	?	?	?	?	?	776	2261	755	1911
		F.	?	?	?	?	?	?	?	916	2584	907	2555
	(*b*) 1. With non-pulmonary complications ..	M.	?	?	?	?	?	?	?	964	1578	952	1586
		F.	?	?	?	?	?	?	?	1008	1817	963	1758
	(*b*) 2. Without stated complication	M.	?	?	?	?	?	?	?	675	1316	577	1147
		F.	?	?	?	?	?	?	?	803	1637	725	1484
12	Miliary fever	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
13	Mumps	M.	27	16	27	22	25	17	16	11	8	12	7
		F.	30	13	15	16	16	19	11	19	6	7	7
14	Asiatic cholera	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
15	Cholera nostras	M.	7	11	5	8	8	2	5	6	1	—	1
		F.	12	10	3	4	3	—	3	4	—	—	—
16	Dysentery	M.	118	338	319	527	485	272	155	127	100	91	69
		F.	157	274	229	370	353	163	99	134	116	58	61
	(*a*) Amœbic	M.	?	?	?	?	?	?	?	10	8	8	8
		F.	?	?	?	?	?	?	?	1	2	5	—
	(*b*) Bacillary	M.	?	?	?	?	?	?	?	9	9	7	4
		F.	?	?	?	?	?	?	?	8	12	5	9
	(*c*) Other or unspecified ..	M.	?	?	?	?	?	?	?	108	83	76	57
		F.	?	?	?	?	?	?	?	125	102	48	52

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
17	Plague	M.	2	—	4	4	2	5	2	—	—	—	—
		F.	1	—	1	—	2	—	1	—	—	—	—
	(*a*) Bubonic	M.	?	—	?	?	?	?	?	—	—	—	—
		F.	?	—	?	—	?	—	?	—	—	—	—
	(*b*) Pneumonic	M.	?	—	?	?	?	?	?	—	—	—	—
		F.	?	—	?	—	?	—	?	—	—	—	—
	(*c*) Septicæmic	M.	?	—	?	?	?	?	?	—	—	—	—
		F.	?	—	?	—	?	—	?	—	—	—	—
	(*d*) Not otherwise defined	M.	?	—	?	?	?	?	?	—	—	—	—
		F.	?	—	?	—	?	—	?	—	—	—	—
18	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	1	—	—	—	—	—
19	Spirochætosis ictero-hæmorrhagica	M.	—	—	—	—	—	—	—	—	1	—	1
		F.	—	—	—	—	—	—	—	—	1	1	—
20	Leprosy	M.	2	1	5	—	5	3	3	1	—	2	2
		F.	—	—	—	—	—	—	—	—	—	—	—
21	Erysipelas	M.	599	590	404	303	326	362	416	367	379	306	353
		F.	546	487	341	285	283	298	422	362	324	316	323
22	Acute poliomyelitis ..	M.	97	84	98	90	116	99	78	90	60	60	88
		F.	80	88	92	78	121	84	56	79	76	59	69
	(1) Poliomyelitis	M.	?	?	?	?	?	?	?	69	45	36	62
		F.	?	?	?	?	?	?	?	60	64	43	60
	(2) Polioencephalitis ..	M.	?	?	?	?	?	?	?	21	15	24	26
		F.	?	?	?	?	?	?	?	19	12	16	9
23	Encephalitis lethargica ..	M.	—	—	—	—	5	138	239	351	160	276	732
		F.	—	—	—	—	11	156	241	378	179	255	675
24	Meningococcal meningitis ..	M.	215	1475	926	1159	633	433	300	232	202	144	174
		F.	181	728	442	492	293	261	233	184	158	140	127
25	Other epidemic diseases ..	M.	74	71	84	122	87	55	66	53	35	47	42
		F.	72	103	64	80	56	38	43	34	25	28	35
	(1) German measles ..	M.	13	32	49	68	44	16	12	9	7	7	5
		F.	11	48	33	47	25	13	13	6	8	10	7
	(2) Varicella	M.	61	39	34	36	24	30	41	32	24	36	34
		F.	61	53	31	33	30	25	30	25	16	16	25
	(3) Other diseases included under 25	M.	—	—	1	18	19	9	13	12	4	4	3
		F.	—	2	—	—	1	—	—	3	1	2	3
26	Glanders	M.	2	—	3	—	—	—	—	1	—	—	—
		F.	1	—	—	—	—	—	—	1	—	—	—
27	Anthrax	M.	13	23	24	20	10	16	12	10	9	13	9
		F.	—	1	4	2	2	3	2	1	—	—	1
28	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
29	Tetanus	M.	160	127	133	147	126	121	116	114	111	127	110
		F.	37	29	33	32	30	34	33	51	31	47	25
30	Mycoses	M.	118	91	78	70	62	65	69	59	71	77	73
		F.	59	59	43	48	34	29	51	40	39	51	43
	(1) Actinomycosis ..	M.	18	23	20	19	17	21	25	21	28	33	31
		F.	10	3	9	8	7	8	11	10	14	15	16
	(2) Other mycoses ..	M.	100	68	58	51	45	44	44	38	43	44	42
		F.	49	56	34	40	27	21	40	30	25	36	27

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review*, 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
31–37	Tuberculosis (all forms) ..	M.	28076	30345	29726	30359	31027	24550	22918	22899	23316	22085	22350
		F.	22222	23950	24132	25575	27046	21762	19627	19779	19461	18703	18753
31	Respiratory system ..	M.	21417	23167	22850	23276	24371	19248	17872	18121	18656	17571	17970
		F.	16421	17636	17919	19059	20967	16736	14919	15384	15263	14526	14720
32	Nervous system	M.	2482	2788	2590	2557	2283	1887	1885	1781	1780	1677	1606
		F.	2185	2541	2390	2439	2096	1809	1700	1584	1563	1579	1489
33	Intestines and peritoneum	M.	1784	1898	1722	1797	1642	1154	1031	1064	931	951	917
		F.	1673	1717	1770	1740	1598	1256	1161	1083	955	1001	936
34	Vertebral column	M.	339	331	386	414	451	370	396	349	377	332	317
		F.	266	282	277	315	401	293	280	318	307	271	295
35	Joints	M.	203	206	235	258	273	223	208	160	185	156	185
		F.	123	150	139	146	178	153	138	135	129	118	109
36	Other organs	M.	353	340	388	390	366	348	336	303	295	305	287
		F.	274	309	322	379	362	368	283	313	280	259	292
	(*a*) Skin and subcutaneous tissue	M.	?	?	?	?	?	?	?	36	33	25	36
		F.	?	?	?	?	?	?	?	52	40	48	67
	(*b*) Bones (vertebral column excepted) ..	M.	?	?	?	?	?	?	?	70	47	58	45
		F.	?	?	?	?	?	?	?	52	49	40	42
	(*c*) Lymphatic system (abdominal glands excepted)	M.	?	?	?	?	?	?	?	60	61	47	46
		F.	?	?	?	?	?	?	?	72	68	60	53
	(*d*) Genito-urinary system	M.	?	?	?	?	?	?	?	126	141	158	138
		F.	?	?	?	?	?	?	?	113	109	102	114
	(*e*) Others in 36	M.	?	?	?	?	?	?	?	11	13	17	22
		F.	?	?	?	?	?	?	?	24	14	9	16
37	Disseminated tuberculosis	M.	1498	1615	1555	1667	1641	1320	1190	1121	1092	1093	1068
		F.	1280	1315	1315	1497	1444	1147	1146	962	964	949	912
	(*a*) Acute	M.	395	463	388	394	385	333	312	234	284	393	416
		F.	404	410	388	384	354	345	366	230	277	404	388
	(*b*) Chronic or unstated ..	M.	1103	1152	1167	1273	1256	987	878	887	808	700	652
		F.	876	905	927	1113	1090	802	780	732	687	545	524
38	Syphilis	M.	1235	1090	1154	1252	1171	1102	1154	1038	848	857	781
		F.	911	795	792	875	823	755	869	761	624	532	515
39	Soft chancre	M.	—	1	—	1	1	—	1	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
40	Gonococcal infection ..	M.	33	40	35	54	47	55	41	31	25	21	31
		F.	28	20	26	31	24	34	38	40	17	21	17
	(1) Gonococcal infection (ophthalmia excepted)	M.	11	15	17	20	22	19	19	13	9	15	18
		F.	13	9	15	15	17	20	14	18	8	11	11
	(2) Gonorrhœal or purulent ophthalmia ..	M.	22	25	18	34	25	36	22	18	16	6	13
		F.	15	11	11	16	7	14	24	22	9	10	6
41	Purulent infection, septicæmia	M.	424	431	324	310	305	311	421	353	350	311	304
		F.	234	222	189	164	172	177	244	232	198	188	203
42	Other infectious diseases ..	M.	1	4	2	5	3	—	4	1	2	3	1
		F.	—	1	—	1	—	1	5	2	2	5	—
	(1) Vaccinia	M.	1	4	2	5	3	—	4	1	2	3	1
		F.	—	1	—	1	—	1	5	2	2	5	—
	(2) Other diseases included under 42	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—

Table 4.—England and Wales.—Deaths from Various Causes at All Ages, 1914–1924.—Males and Females—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I.*)

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
43–69	**II.—General Diseases not included in I. 1-42*†**	M.	**24780**	**25098**	**25123**	**24613**	**24086**	**24743**	**26060**	**27216**	**28230**	**28664**	**29799**
		F.	**39476**	**31082**	**31330**	**30621**	**30267**	**30870**	**31911**	**33850**	**34546**	**35270**	**36075**
43–49	Cancer, Malignant disease..	M.	17363	17421	17787	18145	18078	18723	19659	20649	21266	22065	23099
		F.	22154	22426	22843	23013	23149	23421	24028	25373	25637	26603	27290
43	Buccal cavity	M.	2093	2110	2216	2293	2357	2387	2449	2482	2415	2548	2506
		F.	347	353	370	402	377	378	369	358	361	414	423
44	Pharynx, œsophagus, stomach, liver and annexa	M.	6994	6914	7057	7075	6938	7259	7477	7926	8179	8335	8552
		F.	6495	6537	6579	6347	6378	6289	6576	6818	7007	7070	7153
45	Peritoneum, intestines and rectum	M.	3719	3815	3892	4029	3914	4178	4439	4683	4790	5010	5437
		F.	4161	4201	4370	4411	4649	4617	4780	5059	4964	5338	5528
46	Female genital organs ..	F.	4772	4767	4839	5033	4997	5000	5005	5436	5354	5572	5626
47	Breast	M.	37	34	28	39	37	28	35	33	42	34	38
		F.	3800	3920	4131	4185	4082	4309	4488	4684	4826	4996	5153
48	Skin	M.	605	611	644	640	647	714	702	719	727	756	826
		F.	350	392	365	392	392	416	385	401	439	427	460
49	Other or unspecified organs	M.	3915	3937	3950	4069	4185	4157	4557	4806	5113	5382	5740
		F.	2229	2256	2189	2243	2274	2412	2425	2617	2686	2786	2947
50	Tumours not returned as malignant (brain and female genital organs excepted)	M.	270	294	307	286	313	313	324	357	361	397	401
		F.	238	263	273	234	233	247	287	302	296	325	335
51	Rheumatic fever	M.	966	1030	878	673	723	686	975	868	821	770	757
		F.	1094	1121	1009	783	797	825	1149	947	956	857	906
52	Chronic rheumatism, osteo-arthritis, gout*	M.	795	913	863	873	766	804	727	749	899	829	895
		F.	1195	1420	1466	1340	1438	1409	1379	1526	1590	1595	1580
	(1) Chronic rheumatism, chronic arthritis* ..	M.	182	186	208	217	185	189	165	185	199	179	190
		F.	241	294	325	258	266	248	241	273	251	233	221
	(2) Rheumatoid and osteo-arthritis	M.	325	421	374	408	382	417	386	406	509	502	546
		F.	889	1034	1081	1030	1129	1130	1113	1219	1302	1331	1329
	(3) Gout	M.	288	306	281	248	199	198	176	158	191	148	159
		F.	65	92	60	52	43	31	25	34	37	31	30
53	Scurvy	M.	13	13	22	21	16	12	16	30	13	11	19
		F.	10	20	17	16	29	8	15	23	13	11	14
54	Pellagra	M.	1	3	3	—	—	—	—	—	2	4	2
		F.	2	13	7	9	1	—	2	4	12	9	7
55	Beri-beri	M.	11	4	4	7	4	8	4	3	2	1	1
		F.	—	—	—	—	—	—	—	—	—	—	—
56	Rickets	M.	528	524	508	483	387	279	313	278	240	280	301
		F.	382	335	389	386	341	198	199	214	179	193	187
57	Diabetes	M.	2250	2335	2316	1929	1790	1897	1762	1901	2106	1927	1896
		F.	2257	2324	2228	1887	1778	1960	1987	2191	2439	2439	2358
58	Anæmia, chlorosis	M.	1009	1122	1083	1065	978	986	1097	1124	1243	1110	1161
		F.	1369	1459	1454	1457	1181	1385	1400	1656	1692	1556	1642
	(*a*) Pernicious anæmia ..	M.	?	?	?	?	?	?	986	997	1109	998	1036
		F.	?	?	?	?	?	?	1231	1460	1485	1366	1486
	(*b*) Other anæmias and chlorosis	M.	?	?	?	?	?	?	111	127	134	112	125
		F.	?	?	?	?	?	?	169	196	207	190	156
59	Diseases of the pituitary gland‡	M.	?	?	?	?	?	?	?	4	5	9	8
		F.	?	?	?	?	?	?	?	1	17	6	5

* Previous to 1921 deaths from Chronic arthritis were included under the heading Diseases of the joints (156).

† Previous to 1924 deaths from Tetany (61 : 1) were chiefly included under the heading Other diseases of the nervous system (84 : 5).

‡ Previous to 1921 deaths from Diseases of the pituitary gland were included under the heading Other general diseases (69).

Table 4.—England and Wales.—Deaths from Various Causes at All Ages, 1914–1924.—Males and Females—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
60	Diseases of the thyroid gland†	M.	94	113	110	102	125	120	88	118	126	134	116
		F.	705	669	670	632	598	717	665	822	877	834	883
	(*a*) Exophthalmic goitre ..	M.	38	32	47	40	46	56	46	54	63	56	46
		F.	434	400	399	395	357	473	464	533	591	569	574
	(*b*) 2. Cretinism	M.	20	21	21	25	30	31	21	27	23	26	20
		F.	36	32	49	43	38	23	25	34	36	27	31
	(*b*) 1. Myxœdema ..	M.								15	18	19	20
		F.	36	60	42	37	49	33	21	130	147	138	169
	(*b*) 3. Other diseases of the thyroid gland†	M.	235	237	222	194	203	221	176	22	22	33	30
		F.								125	103	100	109
61	Diseases of the parathyroid glands*†	M.	?	?	?	?	?	?	?	?	?	?	21
		F.	?	?	?	?	?	?	?	?	?	?	20
	(1) Tetany*	M.	?	?	?	?	?	?	?	?	?	?	21
		F.	?	?	?	?	?	?	?	?	?	?	20
	(2) Other diseases of the parathyroid glands†	M.	?	?	?	?	?	?	?	—	2	1	—
		F.	?	?	?	?	?	?	?	—	—	1	—
62	Diseases of the thymus ..	M.	143	120	116	69	73	68	85	106	106	106	95
		F.	95	79	82	77	59	42	58	69	70	52	61
63	Diseases of the adrenals ..	M.	95	102	100	102	95	66	93	88	90	101	97
		F.	140	138	132	129	118	108	133	127	131	126	122
64	Diseases of the spleen ..	M.	29	23	32	14	16	18	17	23	20	17	11
		F.	28	21	21	22	23	22	20	12	13	15	16
65	Leukæmia, lymphadenoma	M.	413	414	425	373	397	389	448	488	521	494	544
		F.	311	310	319	290	283	800	320	311	334	383	387
	(*a*) Leukæmia	M.	228	226	225	211	209	198	237	248	269	270	276
		F.	206	207	217	193	176	191	195	198	206	236	235
	(*b*) Lymphadenoma (Hodgkin's disease) ..	M.	185	188	200	162	188	191	211	240	252	224	268
		F.	105	103	102	97	107	109	125	113	128	147	152
66	Alcoholism (acute or chronic)	M.	441	293	237	124	61	88	166	127	117	104	94
		F.	235	204	119	84	20	27	50	55	47	47	33
67	Chronic poisoning by mineral substances	M.	?	?	?	?	?	?	?	57	50	55	49
		F.	?	?	?	?	?	?	?	2	6	6	2
	(1) Occupational lead poisoning	M.	79	68	54	49	35	48	56	56	43	51	47
		F.	—	—	1	2	1	—	5	2	5	4	2
	(2) Other chronic poisoning by mineral substances.	M.								1	7	4	2
		F.	16	18	38	19	8	10	4	—	1	2	—
68	Chronic poisoning by organic substances	M.	10	14	45	44	11	9	4	3	8	1	9
		F.								2	6	5	4
69	Other general diseases‡ ..	M.	264	288	240	279	221	228	226	243	232	248	223
		F.	251	266	255	216	207	192	210	213	231	207	223
	(1) Purpura	M.	153	156	138	169	135	120	111	123	137	110	114
		F.	163	186	170	151	143	120	139	128	143	135	128
	(2) Hæmophilia	M.	65	77	62	65	40	54	70	63	66	81	70
		F.	44	35	37	31	26	31	21	37	33	29	36
	(3) Other diseases included under 69‡	M.	46	55	40	45	46	54	45	57	29	57	39
		F.	44	45	48	34	38	41	50	48	55	43	59

* Previous to 1924 deaths from Tetany (61 : 1) were included chiefly under Other diseases of the Nervous system (84 : 5).
† Previous to 1921 deaths from Other diseases of the parathyroid glands (61 : 2) were included under Diseases of the thyroid gland (60).
‡ Previous to 1921 deaths from Diseases of the pituitary gland (59) were included under this heading.

Table 4.—England and Wales.—Deaths from Various Causes at All Ages, 1914–1924.—Males and Females—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
70–86	**III.—Diseases of the Nervous System and Sense Organs†**	M.	**28611**	**29944**	**28480**	**28550**	**26119**	**24887**	**24136**	**23685**	**24131**	**23195**	**23212**
		F.	**28302**	**29417**	**27358**	**27089**	**25615**	**25229**	**24642**	**24472**	**24969**	**24444**	**24066**
70	Encephalitis	M.	209	169	183	161	202	196	226	178	179	176	149
		F.	122	133	119	112	148	173	155	130	132	130	120
	(1) Cerebral abscess ..	M.	?	?	?	?	?	?	116	115	127	113	111
		F.	?	?	?	?	?	?	70	74	69	74	63
	(2) Other diseases included under 70	M.	?	?	?	?	?	?	110	63	52	63	38
		F.	?	?	?	?	?	?	85	56	63	56	57
71	Meningitis	M.	2067	2113	1735	1693	1580	1421	1304	1306	1211	1097	1069
		F.	1812	1799	1553	1417	1387	1155	1098	1129	1001	971	856
72	Tabes dorsalis (locomotor ataxy)	M.	600	625	685	641	582	581	522	576	665	597	627
		F.	120	110	101	116	103	82	87	116	136	131	118
73	Other diseases of the spinal cord*	M.	1422	1462	1515	1381	1385	1468	1350	716	774	823	862
		F.	1184	1190	1174	1150	1086	1155	1131	582	603	614	613
74	Cerebral hæmorrhage, apoplexy, etc...	M.	11959	12617	12172	12433	11161	11574	11316	11339	11884	11641	11864
		F.	14726	15444	14635	14844	14002	14833	14325	14324	15063	14905	14921
	(*a*) 1. Cerebral hæmorrhage, so returned ..	M.	8339	8863	8534	8860	8142	8472	8490	8600	9105	9012	9274
		F.	10178	10654	10258	10594	10025	10745	10626	10686	11416	11430	11450
	(*a*) 2. Apoplexy, lesion unstated	M.	2442	2515	2429	2389	2011	1980	1669	1550	1434	1271	1181
		F.	2812	3046	2740	2711	2499	2434	2033	1832	1780	1610	1438
	(*b*) 1. Cerebral embolism	M.								294	342	303	327
		F.	1178	1239	1209	1184	1008	1122	1157	491	486	440	465
	(*b*) 2. Cerebral thrombosis	M.								895	1003	1055	1082
		F.	1736	1744	1637	1539	1478	1654	1666	1315	1381	1425	1568
75	Paralysis of unstated origin	M.	1169	1319	1298	1255	1084	1119	1009	1045	1082	981	984
		F.	1502	1664	1561	1445	1335	1339	1283	1231	1280	1282	1218
	(*a*) Hemiplegia	M.	943	1039	1019	1005	887	957	852	880	931	860	854
		F.	1312	1395	1296	1192	1121	1161	1096	1060	1136	1143	1068
	(*b*) Other forms of paralysis	M.	226	280	279	250	197	162	157	165	151	121	130
		F.	190	269	265	253	214	178	187	171	144	139	150
76	General paralysis of the insane	M.	1831	1829	1729	1940	1731	1336	1270	1254	1398	1402	1257
		F.	434	434	371	425	342	272	234	283	300	305	287
77	Other forms of insanity ..	M.	423	449	483	624	617	433	316	292	348	284	286
		F.	587	657	682	702	723	537	540	548	560	528	516
78	Epilepsy	M.	1526	1649	1758	2040	1937	1459	1152	1114	1150	1096	1136
		F.	1286	1425	1470	1572	1562	1315	1048	1097	1123	1041	1065
79, 80	Convulsions (non-puerperal)	M.	4862	4977	4309	3797	3405	3045	3509	3058	2497	2226	2032
		F.	3637	3744	3118	2881	2620	2252	2594	2140	1819	1613	1494
81	Chorea	M.	36	43	26	19	26	25	46	25	21	15	30
		F.	140	110	90	58	59	66	93	68	64	55	83
82	Hysteria and neuritis ..	M.	164	189	123	131	99	87	98	107	118	93	98
		F.	360	325	237	168	113	129	131	164	173	155	148
83	Cerebral softening	M.	707	718	637	657	564	498	386	396	376	379	410
		F.	748	754	647	665	594	568	443	483	506	423	439
84	Other diseases of the nervous system*†	M.	955	1058	1148	1165	1201	1008	928	1567	1710	1689	1758
		F.	1042	1088	1096	1076	1109	922	914	1605	1680	1755	1690
	(1) Idiocy, imbecility ..	M.	114	137	149	207	213	158	106	124	121	126	131
		F.	111	126	143	163	162	115	106	119	152	155	160

* Previous to 1921 deaths from Disseminated sclerosis (84 : 3) and Paralysis agitans (84 : 4) were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany (61 : 1) previous to 1924.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921, (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
	Other diseases of the nervous system—*cont.*												
	(2) Cerebral tumour ..	M.	452	508	527	472	422	466	478	521	516	541	553
		F.	454	501	487	449	431	434	475	509	512	524	498
	(3) Disseminated sclerosis*	M.	?	?	?	?	?	?	?	283	368	326	366
		F.	?	?	?	?	?	?	?	349	348	370	351
	(4) Paralysis agitans* ..	M.	?	?	?	?	?	?	?	339	381	389	432
		F.	?	?	?	?	?	?	?	314	340	399	381
	(5) Other diseases included under 84†	M.	389	413	472	486	566	384	344	300	324	307	276
		F.	477	461	466	464	516	373	333	314	328	307	300
85	Diseases of the eye and annexa	M.	22	28	24	30	24	30	28	27	32	39	34
		F.	35	22	24	24	13	27	26	28	23	31	37
86	Diseases of the ear and of the mastoid sinus ..	M.	659	699	655	583	521	607	676	685	686	657	616
		F.	567	518	480	434	419	404	540	544	506	505	461
	(1) Diseases of the mastoid sinus	M.	164	202	177	142	133	176	186	188	191	200	188
		F.	139	127	127	101	87	101	154	152	173	136	141
	(2) Diseases of the ear ..	M.	495	497	478	441	388	431	490	497	495	457	428
		F.	428	391	353	333	332	303	386	392	333	369	320
87–96	**IV.—Diseases of the Circulatory System‡** ..	M.	**31549**	**35157**	**33984**	**33386**	**31573**	**33071**	**32541**	**33389**	**37196**	**36078**	**38803**
		F.	**32800**	**35481**	**34685**	**33123**	**31343**	**33980**	**33104**	**34789**	**39206**	**37850**	**40625**
87–90	Heart diseases‡	M.	25551	28821	27835	26831	25164	25978	25111	24956	27565	26223	28009
		F.	28841	31343	30553	28847	27053	28946	27804	28754	32272	30663	32641
87	Pericarditis‡	M.	263	278	217	187	204	157	204	194	215	205	192
		F.	197	225	189	163	147	148	156	157	166	118	157
88	Acute endocarditis and myocarditis§	M.	914	871	782	680	711	977	1215	1152	1031	956	964
		F.	951	958	835	791	749	775	1097	943	959	931	980
	(1) Infective endocarditis..	M.	328	250	265	259	273	444	573	724	651	553	510
		F.	323	284	251	264	274	262	422	479	509	479	507
	(2) Other acute endocarditis§	M.	410	420	340	267	280	331	380	314	252	274	263
		F.	478	503	419	383	337	364	428	345	310	286	290
	(3) Acute myocarditis§ ..	M.	176	201	177	154	158	202	262	114	128	129	191
		F.	150	171	165	144	138	149	247	119	140	166	183
89	Angina pectoris	M.	786	847	723	637	640	722	687	743	986	1058	1226
		F.	394	407	341	325	284	333	342	343	460	505	537
90	Other diseases of the heart§	M.	23588	26825	26113	25327	23609	24122	23005	22867	25333	24004	25627
		F.	27299	29753	29188	27568	25873	27690	26209	27311	30687	29109	30967
	(1) Aortic valve disease ..	M.								1917	2064	1965	1972
		F.								850	920	971	888
	(2) Mitral valve disease ..	M.								3219	3514	3321	3244
		F.								5372	5879	5528	5623
	(3) Aortic and mitral valve disease	M.	10332	11670	11725	11823	11314	11616	11586	489	480	451	450
		F.	12326	13414	13231	12985	12748	13352	12891	364	381	403	372
	(4) Other or unspecified valve disease§ ..	M.								5681	5762	5356	5573
		F.								6742	7400	6643	7041

* Previous to 1921 deaths from Disseminated sclerosis and Paralysis agitans were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany previous to 1924.

‡ Previous to 1921 certain deaths from Diseases of the mediastinum (107 (*b*)) were included under this heading.

§ Previous to 1921 deaths of persons aged 45–60 from Endocarditis (unqualified) were included under the heading Other acute endocarditis (88 : 2), and from Myocarditis (unqualified) aged 45–60, under the heading Acute myocarditis (88 : 3). From 1921 these deaths are included under the headings Other or unspecified valve disease (90 : 4) and Other or unspecified myocardial disease (90 : 7), respectively.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
	Other diseases of the heart —*cont.*												
	(5) Fatty heart	M.	1487	1527	1329	1190	918	1032	1052	1092	1251	1230	1205
		F.	1828	1824	1713	1438	1089	1326	1221	1325	1541	1540	1513
	(6) Cardiac dilatation, cause unspecified	M.								487	486	418	379
		F.								525	568	446	353
	(7) Other or unspecified myocardial disease*	M.	11703	13539	12975	12218	11285	11346	10204	4366	5718	6098	7520
		F.	13061	14399	14149	13036	11918	12857	11897	5258	6919	7347	8817
	(9) Heart disease (undefined)	M.								5389	5787	4833	4853
		F.								6584	6734	5756	5710
	(8) Disordered action of the heart	M.	66	89	84	96	92	128	163	227	271	332	431
		F.	84	116	95	109	118	155	200	291	345	475	650
91	Diseases of the arteries ..	M.	5633	5932	5765	6192	6085	6763	7091	8087	9265	9510	10420
		F.	3411	3680	3727	3859	3917	4641	4823	5572	6462	6711	7490
	(*a*) Aneurysm	M.	902	896	800	770	696	711	782	787	825	774	824
		F.	229	245	202	225	168	180	183	205	217	218	204
	(*b*) Arterio-sclerosis ..	M.	4641	4960	4888	5362	5312	5975	6222	7202	8340	8622	9499
		F.	3128	3374	3478	3590	3705	4380	4582	5281	6163	6397	7183
	(1) With record of cerebral vascular lesion ..	M.	?	?	?	?	?	?	?	2139	2532	2685	2775
		F.	?	?	?	?	?	?	?	1857	2198	2292	2555
	(2) Without record of cerebral vascular lesion .	M.	?	?	?	?	?	?	?	5063	5808	5937	6724
		F.	?	?	?	?	?	?	?	3424	3965	4105	4628
	(*c*) Other diseases of the arteries	M.	90	76	77	60	77	77	87	98	100	114	97
		F.	54	61	47	44	44	81	58	86	82	96	103
92	Embolism and thrombosis (not cerebral)	M.	152	169	131	133	123	143	138	137	166	149	176
		F.	225	180	145	140	132	138	169	179	168	173	181
93	Diseases of the veins (varices hæmorrhoids, phlebitis, etc.)	M.	120	126	154	123	91	94	118	112	129	134	123
		F.	234	194	184	182	160	183	221	225	251	254	242
94	Diseases of the lymphatic system (lymphangitis, etc.)	M.	50	72	57	67	69	48	45	62	47	44	47
		F.	56	50	47	55	50	38	46	41	43	33	45
95	Hæmorrhage without stated cause	M.	43	37	42	40	41	45	38	35	24	18	28
		F.	33	34	29	40	31	34	41	18	10	16	26
96	Other diseases of the circulatory system	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
97–107	**V.—Diseases of the Respiratory System†‡§** ..	M.	**46803**	**57609**	**47418**	**49253**	**58117**	**48094**	**44317**	**39975**	**46881**	**38551**	**43739**
		F.	**40833**	**50311**	**40842**	**39760**	**49497**	**42823**	**36817**	**34124**	**41163**	**33160**	**38874**
97	Diseases of the nasal fossæ and annexa†‡	M.	40	34	29	27	28	26	42	69	79	79	93
		F.	41	27	17	21	20	28	24	60	50	63	51
	(1) Diseases of the nose† ..	M.	40	34	29	27	28	26	42	28	27	24	31
		F.	41	27	17	21	20	28	24	22	15	20	19
	(2) Diseases of the accessory nasal sinuses‡ ..	M.	?	?	?	?	?	?	?	41	52	55	62
		F.	?	?	?	?	?	?	?	38	35	43	32

* Previous to 1921 deaths of persons aged 45–60 from Myocarditis (unqualified) were included under the heading Acute myocarditis (88 : 3.)

† Including deaths from Adenoids (109 : 1 pt.) previous to 1921.

‡ Previous to 1921 deaths from Diseases of the accessory nasal sinuses were included under the heading Diseases of the bones (155).

§ Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Cellulitis, acute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES. 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

Inter-ational List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
98	Diseases of the larynx ..	M.	679	728	615	520	461	446	500	367	332	243	260
		F.	526	544	456	431	394	384	427	286	228	183	153
	(1) Laryngismus stridulus	M.	157	152	131	92	77	77	93	88	74	64	63
		F.	94	91	81	97	64	50	86	49	52	43	23
	(2) Laryngitis	M.	510	568	473	424	375	357	393	267	255	174	189
		F.	420	443	370	327	324	329	336	228	171	137	125
	(3) Other diseases of the larynx	M.	12	8	11	4	9	12	14	12	3	5	8
		F.	12	10	5	7	6	5	5	9	5	3	5
99	Bronchitis*	M.	19617	25068	21538	21581	20981	22462	19312	16791	20079	16106	18346
		F.	20572	25906	21874	20826	20492	23081	18688	16893	20833	16601	19440
	(*a*) Acute	M.	?	?	?	?	?	?	?	3960	4832	3640	4429
		F.	?	?	?	?	?	?	?	4765	5922	4605	5654
	(*b*) Chronic	M.	?	?	?	?	?	?	?	5562	6657	5888	6500
		F.	?	?	?	?	?	?	?	4428	5543	4735	5314
	(*c* and *d*) Not stated whether acute or chronic	M.	?	?	?	?	?	?	?	7269	8590	6578	7417
		F.	?	?	?	?	?	?	?	7700	9368	7261	8472
00, 101	Pneumonia (all forms)* ..	M.	23016	27914	21805	23647	33451	21981	21608	19955	23322	19283	22099
		F.	17054	20960	16111	16185	26215	16968	15541	14753	17608	14130	16871
100	Broncho-pneumonia* ..	M.	10029	12455	9229	10073	13416	10186	10312	9349	12096	8941	11498
		F.	8770	10785	7938	8296	11944	8797	8435	8096	10488	7676	10072
101	Pneumonia (lobar or not otherwise defined)	M.	12987	15459	12576	13574	20035	11795	11296	10606	11226	10342	10601
		F.	8284	10175	8173	7889	14271	8171	7106	6657	7120	6454	6799
	(*a*) Lobar	M.	5667	6548	5444	5936	8065	4864	5360	5106	5769	5807	5859
		F.	3338	4139	3336	3246	5190	3132	3105	3049	3412	3382	3580
	(*b*) Not otherwise defined	M.	7320	8911	7132	7638	11970	6931	5936	5500	5457	4535	4742
		F.	4946	6036	4837	4643	9081	5039	4001	3608	3708	3072	3219
102	Pleurisy	M.	880	897	860	938	849	768	785	786	769	797	738
		F.	613	639	565	586	549	524	548	506	519	503	509
	(1) Empyema	M.	315	295	318	306	331	305	309	320	335	308	314
		F.	182	172	150	150	130	126	146	143	173	140	148
	(2) Other pleurisy ..	M.	565	602	542	632	518	463	476	466	434	489	424
		F.	431	467	415	436	419	398	402	363	346	363	361
103	Congestion and hæmorrhagic infarct of lung	M.	759	818	731	645	559	597	542	569	576	531	535
		F.	902	897	767	715	687	640	632	716	724	674	720
104	Gangrene of the lung ..	M.	52	52	42	71	60	36	38	35	30	48	31
		F.	41	28	19	39	37	25	19	24	22	14	15
105	Asthma	M.	1020	1336	1186	1218	1228	1244	1028	964	1219	1016	1171
		F.	777	979	790	770	899	939	757	707	998	834	918
106	Pulmonary emphysema ..	M.	312	367	245	226	165	200	158	125	177	160	192
		F.	121	169	106	70	56	75	64	45	66	42	70
107	Other diseases of the respiratory system†	M.	428	395	367	380	335	334	304	314	298	288	274
		F.	186	162	137	117	148	159	117	134	115	116	127
	(*a*) Chronic interstitial pneumonia	M.	262	220	209	228	181	189	178	177	184	175	189
		F.	74	65	64	39	59	75	46	54	55	53	63
	(*b*) Diseases of the mediastinum†	M.	?	?	?	?	?	?	?	7	3	2	4
		F.	?	?	?	?	?	?	?	3	2	5	3
	(*c*) Other diseases included under 107	M.	166	175	158	152	154	145	126	130	111	111	81
		F.	112	97	73	78	89	84	71	77	58	58	61

* Previous to 1921 deaths from Capillary bronchitis were included under the heading Bronchitis (99). They are now cluded under Broncho-pneumonia (100).

† Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), Cellulitis, acute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
108–127	**VI.—Diseases of the Digestive System***	M.	**23582**	**21832**	**18135**	**16643**	**15445**	**14180**	**15803**	**19198**	**13601**	**14380**	**13916**
		F.	**21134**	**19208**	**16235**	**15051**	**14126**	**12865**	**13373**	**16156**	**11878**	**12431**	**11822**
108	Diseases of the buccal cavity and annexa	M.	235	193	209	188	174	181	230	231	236	260	254
		F.	221	169	175	153	167	164	185	221	218	210	230
	(1) Diseases of the teeth and gums	M.	174	150	160	143	117	123	159	150	156	173	157
		F.	169	128	146	116	102	117	135	147	149	149	150
	(2) Ludwig's angina ..	M.	25	21	30	22	33	43	55	56	55	64	55
		F.	19	17	12	12	25	33	28	43	40	35	44
	(3) Other diseases included under 108	M.	36	22	19	23	24	15	16	25	25	23	42
		F.	33	24	17	25	40	14	22	31	29	26	36
109	Diseases of the pharynx and tonsils*	M.	397	359	303	239	269	341	337	336	287	241	251
		F.	341	318	271	238	232	321	281	298	272	245	232
	(1) Tonsillitis, etc., adenoid vegetations* ..	M.	302	274	223	185	205	284	258	244	220	198	204
		F.	255	243	211	196	184	258	239	231	227	199	178
	(2) Other diseases included under 109	M.	95	85	80	54	64	57	79	92	67	43	47
		F.	86	75	60	42	48	63	42	67	45	46	54
110	Diseases of the œsophagus	M.	41	41	33	31	38	27	27	35	34	38	27
		F.	22	24	27	17	10	17	26	21	24	23	19
111	Ulcer of the stomach or duodenum..	M.	1600	1532	1535	1474	1520	1481	1693	1587	1720	2106	2131
		F.	1122	1076	1071	1096	1053	912	963	839	863	906	887
	(*a*) Ulcer of the stomach ..	M.	1023	1001	1000	988	1067	1002	1141	1020	1134	1353	1370
		F.	1007	945	945	956	923	800	834	729	739	752	729
	(*b*) Ulcer of the duodenum	M.	577	531	535	486	453	479	552	567	586	753	761
		F.	115	131	126	140	130	112	129	110	124	154	158
112	Other diseases of the stomach	M.	1942	2046	1923	1686	1524	1431	1653	1490	1250	1137	1095
		F.	2057	2039	1929	1681	1555	1575	1551	1451	1307	1130	1105
	(1) Inflammation of the stomach	M.	1569	1701	1563	1430	1274	1194	1406	1275	1046	935	910
		F.	1707	1702	1594	1443	1310	1313	1350	1269	1118	988	970
	(2) Other diseases included under 112.	M.	373	345	360	256	250	237	247	215	204	202	185
		F.	350	337	335	238	245	262	201	182	189	142	135
113, 114	Diarrhœa and enteritis ..	M.	12320	10618	7476	6752	6174	5430	6088	9512	3992	4515	4075
		F.	10498	8871	6565	5933	5316	4573	4918	7574	3293	3867	3385
	(1) Ulceration of the intestines	M.	151	163	125	132	109	96	86	114	108	116	104
		F.	190	167	160	147	170	129	151	139	118	155	174
	(2) Colitis	M.	12169	10455	7351	6620	6065	5334	6002	246	195	194	181
		F.	10308	8704	6405	5786	5146	4444	4767	296	229	271	217
	(3) Other diseases included under 113, 114 ..	M.								9152	3689	4205	3790
		F.								7139	2946	3441	2994
115	Ankylostomiasis	M.	—	—	2	—	2	1	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
116	Diseases due to other intestinal parasites	M.	9	14	13	8	12	7	5	5	8	6	11
		F.	11	17	17	5	11	9	8	11	10	8	10
	(*a*) Cestodes (hydatids of the liver excepted) ..	M.	?	?	?	?	?	?	?	3	4	1	7
		F.	?	?	?	?	?	?	?	1	6	5	4
	(*b*) Trematodes	M.	?	?	?	?	?	?	?	—	1	—	—
		F.	?	?	?	?	?	?	?	—	1	—	—
	(*c*) Nematodes	M.	?	?	?	?	?	?	?	2	1	3	3
		F.	?	?	?	?	?	?	?	6	1	1	5

* Previous to 1921 deaths from Adenoids were included under the heading Diseases of the nose (97 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
	Diseases due to other intestinal parasites—*cont.*												
	(*d*) Coccidia	M.	?	?	?	?	?	?	?	—	—	—	—
		F.	?	?	?	?	?	?	?	—	—	—	—
	(*e*) Other parasites ..	M.	?	?	?	?	?	?	?	—	—	—	—
		F.	?	?	?	?	?	?	?	—	—	—	—
	(*f*) Undefined parasites ..	M.	?	?	?	?	?	?	?	—	2	2	1
		F.	?	?	?	?	?	?	?	4	2	2	1
117	Appendicitis and typhlitis..	M.	1513	1441	1474	1390	1298	1278	1389	1474	1524	1608	1545
		F.	1111	1062	1129	1053	1118	1151	1142	1237	1211	1218	1211
118	Hernia, intestinal obstruction	M.	1969	2189	2132	2265	2313	2010	2092	2100	2127	2106	2167
		F.	2073	2263	2156	2574	2707	2101	2084	2087	2102	2172	2098
	(*a*) Hernia	M.	738	898	840	983	944	777	795	752	830	822	867
		F.	892	1010	1021	1273	1266	863	875	900	885	916	947
	(*b*) Intestinal obstruction..	M.	1231	1291	1292	1282	1369	1233	1297	1348	1297	1284	1300
		F.	1181	1253	1135	1301	1441	1238	1209	1187	1217	1256	1151
119	Other diseases of the intestines	M.	218	253	213	243	201	221	227	225	230	234	221
		F.	268	262	243	221	222	207	214	234	218	238	233
	1. Intestinal stasis ..	M.	?	?	?	?	?	?	?	?	?	?	74
		F.	?	?	?	?	?	?	?	?	?	?	97
	2. Other diseases included under 119	M.	?	?	?	?	?	?	?	?	?	?	147
		F.	?	?	?	?	?	?	?	?	?	?	136
120	Acute yellow atrophy of the liver	M.	30	22	27	33	35	26	25	32	19	22	20
		F.	49	30	38	36	34	36	51	38	55	51	80
121	Hydatid tumour of the liver	M.	5	9	13	15	10	13	8	11	6	13	5
		F.	17	9	16	10	9	7	11	13	6	10	12
122	Cirrhosis of the liver ..	M.	2327	2154	1869	1511	1121	969	1180	1288	1271	1169	1126
		F.	1821	1582	1210	845	609	538	583	639	635	605	630
	(*a*) Returned as alcoholic ..	M.	174	160	133	88	58	69	95	100	103	98	90
		F.	201	161	114	70	34	28	33	54	47	54	57
	(*b*) Not returned as alcoholic	M.	2153	1994	1736	1423	1063	900	1085	1188	1168	1071	1036
		F.	1620	1421	1096	775	575	510	550	585	588	551	573
123	Biliary calculi	M.	237	222	208	198	189	218	212	259	281	261	298
		F.	608	582	565	487	423	542	569	670	706	769	737
124	Other diseases of the liver ..	M.	409	403	403	334	340	333	348	341	369	390	409
		F.	516	511	455	380	387	385	438	501	571	576	579
125	Diseases of the pancreas ..	M.	97	89	69	71	49	59	103	105	101	122	136
		F.	76	89	69	54	49	72	86	92	109	138	143
126	Peritonitis of unstated origin	M.	233	247	233	205	176	154	185	167	146	152	145
		F.	323	304	299	268	224	255	263	230	278	265	231
127	Other diseases of the digestive system	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
128–142	**VII.—Non-venereal Diseases of the Genito-urinary System .. ..**	M.	**11735**	**12260**	**11590**	**11818**	**10849**	**10355**	**10217**	**19438**	**10500**	**10511**	**10875**
		F.	**8851**	**8957**	**8164**	**7820**	**7314**	**7134**	**7384**	**7477**	**7760**	**7780**	**7637**
128	Acute nephritis (including unspecified under 10 years of age)	M.	1088	1177	1150	1166	1031	852	836	787	763	711	725
		F.	910	1006	874	840	807	753	757	677	647	633	674
129	Chronic nephritis (including unspecified over 10 years of age)	M.	7290	7553	6930	6870	6225	5844	5771	5686	5870	5755	5931
		F.	6388	6333	5695	5422	5016	4858	4920	5034	5400	5401	5233
130	Chyluria	M.	2	—	1	1	—	—	1	—	1	—	—
		F.	—	1	—	—	1	—	—	—	—	—	—

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
131	Other diseases of the kidneys and annexa	M.	245	231	255	257	255	254	273	288	303	284	367
		F.	252	247	222	217	211	222	260	279	288	297	354
132	Calculi of the urinary passages	M.	189	185	189	188	173	183	178	183	198	213	200
		F.	65	85	81	71	71	66	91	113	95	99	88
133	Diseases of the bladder ..	M.	872	1078	986	1000	906	928	873	908	803	791	722
		F.	233	258	219	232	213	201	207	229	226	255	224
	(1) Cystitis	M.	?	?	?	?	?	?	?	809	731	732	684
		F.	?	?	?	?	?	?	?	212	216	235	204
	(2) Other diseases of the bladder	M.	?	?	?	?	?	?	?	99	72	59	38
		F.	?	?	?	?	?	?	?	17	10	20	20
134	Diseases of the urethra, urinary abscess, etc. ..	M.	407	419	418	470	429	387	372	386	383	411	386
		F.	8	4	4	8	3	8	3	4	8	10	10
	(*a*) Stricture of the urethra	M.	?	?	?	?	?	?	?	308	309	336	315
	(*b*) Other diseases of the urethra, etc.	M.	?	?	?	?	?	?	?	78	74	75	71
		F.	?	?	?	?	?	?	?	4	8	10	10
135	Diseases of the prostate ..	M.	1545	1542	1603	1789	1778	1841	1835	2124	2121	2288	2479
136	Non-venereal diseases of the male genital organs ..	M.	90	69	55	73	51	61	77	71	55	54	64
137	Cysts and other tumours of the ovary not returned as malignant	F.	304	300	307	284	273	273	309	297	284	272	279
138	Salpingitis and pelvic abscess in females* ..	F.	?	?	?	?	?	?	?	255	250	247	228
	(1) Salpingitis*	F.	?	?	?	?	?	?	?	214	195	195	183
	(2) Pelvic abscess in females*	F.	?	?	?	?	?	?	?	41	55	52	45
139	Tumours of the uterus not returned as malignant ..	F.	298	328	321	331	308	313	348	365	357	358	368
140	Non-puerperal uterine hæmorrhage	F.	18	24	31	32	34	26	37	40	39	33	29
141	Other diseases of the female genital organs*	F.	360	352	395	357	358	388	422	167	149	154	135
	(1) Other diseases of the uterus*	F.	157	147	177	156	140	163	207	132	116	121	103
	(2) Diseases of the other female genital organs not included in other headings*	F.	203	205	218	201	218	225	215	35	33	33	32
142	Non-puerperal diseases of the breast	M.	7	6	3	4	1	5	1	5	3	4	1
		F.	15	19	15	26	19	26	30	17	17	21	15
143–150	**VIII.—The Puerperal State**	F.	**3667**	**3408**	**3239**	**2598**	**2509**	**3028**	**4144**	**3322**	**2971**	**2892**	**2847**
143	Accidents of pregnancy ..	F.	403	365	323	278	258	287	329	334	310	352	326
	(*a*) Abortion	F.	125	126	106	119	106	121	111	107	92	100	112
	(*b*) Ectopic gestation ..	F.	75	74	74	51	58	73	79	83	86	97	73
	(*c*) Other accidents ..	F.	203	165	143	108	94	93	139	144	132	155	141
144	Puerperal hæmorrhage ..	F	465	465	447	357	321	380	521	469	390	429	390
145	Other accidents of childbirth	F.	396	409	390	272	290	332	418	382	304	304	321
146	Puerperal sepsis	F.	1365	1201	1083	873	845	1157	1730	1171	1079	985	1018

* Previous to 1921 deaths from Salpingitis were included under the heading Diseases of the other female genital organs (141 : 2), and those from Pelvic abscess in females under Other diseases of the uterus (141 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
147	Puerperal phlegmasia alba dolens, embolism, sudden death	F.	332	292	307	243	218	230	347	326	296	277	244
	(1) Puerperal phlegmasia alba dolens not returned as septic ..	F.	57	50	64	43	42	51	54	64	54	61	58
	(2) Puerperal embolism and sudden death ..	F.	275	242	243	200	176	179	293	262	242	216	186
148	Puerperal albuminuria and convulsions	F.	659	626	656	541	543	595	749	604	556	518	524
149	Childbirth not assignable to other headings (puerperal insanity)	F.	40	34	27	19	25	37	40	29	30	23	20
150	Puerperal diseases of the breast	F.	7	16	6	15	9	10	10	7	6	4	4
151–154	**IX.—Diseases of the Skin and Cellular Tissue*** ..	M.	**2033**	**2042**	**1924**	**1876**	**1665**	**1846**	**1853**	**1753**	**1651**	**1581**	**1645**
		F.	**1854**	**1795**	**1741**	**1678**	**1471**	**1538**	**1590**	**1456**	**1453**	**1410**	**1411**
151	Gangrene	M.	828	879	886	807	707	787	690	724	677	555	687
		F.	754	744	732	718	663	663	657	574	620	586	575
	(1) Senile gangrene ..	M.	722	782	780	700	620	694	613	654	616	520	633
		F.	635	634	633	617	536	587	586	508	541	534	517
	(2) Other gangrene ..	M.	106	97	106	107	87	93	77	70	61	35	54
		F.	119	110	99	101	127	76	71	66	79	52	58
152	Carbuncle, boil	M.	180	198	161	200	221	207	204	216	205	234	203
		F.	91	86	107	96	99	110	90	104	101	109	97
153	Cellulitis, acute abscess* ..	M.	456	448	390	431	336	427	485	382	396	367	362
		F.	347	374	320	274	249	299	353	324	274	297	273
	(1) Cellulitis*	M.	320	293	252	277	244	282	333	252	277	263	265
		F.	213	215	184	163	163	178	231	213	183	199	198
	(2) Acute abscess* ..	M.	136	155	138	154	92	145	152	130	119	104	97
		F.	134	159	136	111	86	121	122	111	91	98	75
154	Other diseases of the skin and its annexa	M.	569	517	487	438	401	425	474	431	373	425	393
		F.	662	591	582	590	460	466	490	454	458	418	466
	(1) Ulcer, bedsore.. ..	M.	194	178	135	166	135	114	124	108	100	126	81
		F.	351	335	284	310	235	235	225	212	219	156	201
	(2) Eczema	M.	152	145	136	85	95	119	121	88	82	93	70
		F.	91	76	84	70	64	59	63	63	48	45	33
	(3) Pemphigus	M.	77	61	87	68	52	73	72	88	71	72	96
		F.	69	52	73	60	53	54	55	52	58	77	87
	(4) Other diseases included under 154	M.	146	133	129	119	119	119	157	147	120	134	146
		F.	151	128	141	150	108	118	147	127	133	140	145
155–158	**X.—Diseases of the Bones and Organs of Locomotion†‡**	M.	**472**	**454**	**461**	**487**	**416**	**506**	**479**	**481**	**493**	**518**	**539**
		F.	**309**	**306**	**305**	**320**	**287**	**353**	**362**	**291**	**323**	**285**	**333**
155	Diseases of the bones† ..	M.	372	336	343	387	316	386	379	373	392	399	412
		F.	230	228	215	218	198	242	240	224	240	214	244
	(1) Acute infective osteomyelitis and periostitis..	M.	?	?	?	?	?	?	?	277	313	301	319
		F.	?	?	?	?	?	?	?	126	148	123	151
	(2) Other diseases of the bones	M.	?	?	?	?	?	?	?	96	79	98	93
		F.	?	?	?	?	?	?	?	98	92	91	93

* Previous to 1921 certain deaths from Diseases of the mediastinum (107 (*b*)) were included under these headings.
† Including deaths from Diseases of the accessory nasal sinuses (97 : 2) previous to 1921.
‡ Including deaths from Chronic arthritis (52 : 1 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914-1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
156	Diseases of the joints* ..	M.	71	83	96	77	76	98	87	86	81	89	101
		F.	64	67	72	77	77	89	101	52	63	54	77
157	Amputation	M.	1	—	1	—	2	—	—	—	1	—	—
		F.	1	1	—	—	—	1	1	—	—	—	—
158	Other diseases of the organs of locomotion	M.	28	35	21	23	22	22	13	22	19	30	26
		F.	14	10	18	25	12	21	20	15	20	17	12
159	**XI.—Congenital Malformations.. .. ..**	**M.**	**2188**	**2120**	**2084**	**1796**	**1583**	**1732**	**2317**	**2149**	**2050**	**2033**	**1976**
		F.	**1727**	**1705**	**1679**	**1546**	**1320**	**1350**	**1913**	**1681**	**1687**	**1565**	**1507**
	(1) Congenital hydrocephalus	M.	227	208	201	188	181	159	175	191	152	195	148
		F.	127	148	139	145	125	97	139	110	133	116	116
	(2) Congenital malformation of heart.. ..	M.	892	849	805	735	652	733	952	822	829	803	806
		F.	676	697	633	544	504	545	715	620	616	580	544
	(3) Other congenital malformations	M.	1069	1063	1078	873	750	840	1190	1136	1069	1035	1022
		F.	924	860	907	857	691	708	1059	951	938	869	847
160–163	**XII.—Diseases of Early Infancy .. ..**	**M.**	**17966**	**16285**	**15084**	**12962**	**12650**	**14030**	**16769**	**15150**	**13205**	**12047**	**12129**
		F.	**13455**	**12236**	**11112**	**9877**	**9608**	**10551**	**12325**	**11292**	**9619**	**8939**	**9106**
160	Congenital debility, sclerema and icterus	M.	6398	5886	5233	4427	4021	4192	5057	4062	3224	2933	2810
		F.	4522	4314	3589	3303	2984	2923	3375	2802	2204	1951	1855
	(1) Congenital debility and sclerema	M.	5968	5459	4862	4122	3692	3853	4630	3681	2879	2570	2498
		F.	4254	4074	3382	3114	2816	2719	3121	2569	2025	1761	1684
	(2) Icterus neonatorum ..	M.	430	427	371	305	329	339	427	381	345	363	312
		F.	268	240	207	189	168	204	254	233	179	190	171
161	Premature birth, injury at birth	M.	10373	9268	8820	7646	7808	8897	10451	9982	8952	8190	8356
		F.	8022	7093	6711	5869	5987	6886	8013	7608	6654	6245	6401
	(1) Premature birth ..	M.	9724	8715	8282	7169	7426	8409	9714	9265	8285	7564	7712
		F.	7620	6716	6345	5578	5709	6600	7586	7146	6286	5815	6026
	(2) Injury at birth ..	M.	649	553	538	477	382	488	737	717	667	626	644
		F.	402	377	366	291	278	286	427	462	368	430	375
162	Other diseases peculiar to early infancy	M.	1100	1013	897	760	692	797	1077	958	898	810	820
		F.	795	714	681	570	519	592	802	753	644	624	702
	(2) Atelectasis	M.	909	820	718	622	569	668	879	783	730	671	641
		F.	614	530	516	452	406	459	622	586	483	457	530
	(1) Diseases of the umbilicus	M.								69	72	62	69
		F.	191	193	179	138	123	129	198	74	55	57	59
	(3) Other diseases included under 162	M.	181	184	165	118	113	133	180	106	96	77	110
		F.								93	106	110	113
163	Lack of care	M.	95	118	134	129	129	144	184	148	131	114	143
		F.	116	115	131	135	118	150	135	129	117	119	148
164	**XIII.—Old Age .. ..**	**M.**	**12775**	**13759**	**13560**	**13616**	**12055**	**12994**	**10917**	**11268**	**11806**	**10549**	**10434**
		F.	**17388**	**19207**	**18379**	**17784**	**15956**	**18018**	**15471**	**16138**	**16659**	**14795**	**15301**
	(1) Senile dementia ..	M.	448	548	534	686	628	562	535	572	655	645	653
		F.	686	713	700	768	747	673	733	839	897	796	858
	(2) Other forms of senile decay..	M.	12327	13211	13026	12930	11427	12432	10382	10696	11151	9904	9781
		F.	16702	18494	17679	17016	15209	17345	14738	15299	15762	13999	14443

* Including deaths from Chronic arthritis (52 : 1 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
165–203	**XIV.—External Causes** ..	M.	**15471**	**16965**	**18384**	**16995**	**17475**	**13033**	**12464**	**11626**	**11473**	**12113**	**11953**
		F.	**5889**	**6255**	**6101**	**5980**	**5365**	**5292**	**5117**	**4874**	**4922**	**4994**	**5230**
165–174	Suicide	M.	2802	2029	2063	1740	1845	2340	2427	2763	2817	2887	2635
		F.	922	937	792	755	920	1008	998	996	1059	1062	1085
165, 166	By solid or liquid poisons and corrosive substances	M.	283	156	130	102	96	121	185	203	237	240	214
		F.	223	168	115	94	122	135	129	172	196	177	197
167	By poisonous gas	M.	111	106	77	75	96	116	160	233	330	449	373
		F.	38	59	46	90	80	97	110	132	173	239	212
168	By hanging or strangulation	M.	759	517	552	462	462	649	567	676	666	619	579
		F.	159	182	152	127	154	185	155	166	150	130	148
169	By drowning	M.	537	371	364	291	339	425	490	585	522	537	504
		F.	305	336	319	269	349	349	397	323	331	315	320
170	By firearms	M.	297	241	243	213	205	206	238	248	249	231	190
		F.	10	11	8	8	17	12	15	10	7	16	9
171	By cutting or piercing instruments	M.	583	455	544	469	494	618	583	598	581	568	532
		F.	132	89	97	90	124	124	108	112	114	101	99
172	By jumping from high places	M.	67	76	54	40	66	63	57	69	75	72	69
		F.	25	52	33	39	41	53	42	38	51	54	43
173	By crushing	M.	160	98	94	77	82	133	138	146	148	163	170
		F.	24	31	17	29	28	33	22	23	19	18	35
174	By other means	M.	5	9	5	11	5	9	9	5	9	8	4
		F.	6	9	5	9	5	20	20	20	18	12	22
175–196, 201–203	Violent deaths excluding suicide and homicide ..	M.	12536	14807	16205	15142	15530	10545	9895	8746	8571	9096	9199
		F.	4813	5176	5168	5083	4333	4135	3973	3748	3746	3822	4040
175	Food poisoning	M.	76	54	60	36	52	29	32	29	21	21	20
		F.	39	39	39	31	43	26	26	31	20	17	14
176	Poisoning by venomous animals	M.	3	6	5	4	3	3	4	5	4	5	4
		F.	10	6	1	4	4	3	7	10	3	12	8
177	Other acute accidental poisonings..	M.	128	93	71	78	83	67	69	84	78	67	66
		F.	91	73	57	51	51	56	47	52	43	44	40
178	Conflagration	M.	39	38	34	29	31	29	43	22	20	20	29
		F.	29	34	44	50	29	20	45	28	21	12	14
179	Accidental burns (conflagration excepted) ..	M.	871	1002	955	962	958	830	747	696	738	752	660
		F.	1310	1424	1403	1624	1309	1265	1038	892	984	856	905
180	Accidental mechanical suffocation	M.	810	717	508	517	390	384	428	415	346	321	322
		F.	666	570	420	394	341	286	336	305	255	225	251
181	Accidental absorption of irrespirable or poisonous gas	M.	72	99	108	128	100	91	100	94	114	92	88
		F.	26	41	52	58	49	40	36	56	62	60	45
182	Accidental drowning ..	M.	2111	2257	2343	2015	1704	1537	1520	1564	1244	1385	1250
		F.	374	474	459	363	402	341	358	333	271	310	305
	Accidental injury :—												
183	By firearms	M.	126	151	143	126	125	107	90	80	82	76	71
		F.	10	18	14	14	16	9	12	7	4	6	8
184	By cutting or piercing instruments	M.	28	31	28	13	30	20	16	15	14	13	14
		F.	11	8	3	2	6	6	6	4	3	1	—
185	By fall	M.	2042	2117	2118	1866	1636	1695	1694	1503	1444	1361	1439
		F.	1410	1445	1546	1349	1113	1168	1206	1105	1271	1302	1327
186	In mining and quarrying	M.	1586	1165	1164	1226	1118	1144	964	671	928	1106	1116
		F.	—	—	—	—	1	1	1	—	1	1	—

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1914–1924.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
	Accidental injury—*cont.*												
187	By machinery	M.	242	331	311	347	352	305	317	183	185	202	222
		F.	8	9	23	12	38	21	22	6	7	11	7
188	By other forms of crushing (vehicles, railways, etc.)	M.	3011	3672	3544	3348	3836	3014	3126	2785	2835	3009	3459
		F.	589	777	719	702	645	716	700	711	650	742	977
189	Injury by animals (poisoning excepted)	M.	105	105	104	96	105	97	61	74	57	57	59
		F.	9	8	7	7	5	4	8	10	6	6	7
190	Wounds of war	M.	671	2115	3909	3585	4290	695	229	101	72	75	61
		F.	47	89	142	215	93	—	—	—	—	—	—
191	Execution of civilians by belligerent armies ..	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
192	Hunger or thirst	M.	23	25	16	18	12	7	14	11	8	9	10
		F.	6	13	15	12	1	4	2	8	6	3	5
193	Excessive cold	M.	61	111	148	128	59	54	29	29	38	23	31
		F.	23	21	29	38	13	19	10	4	21	11	9
194	Excessive heat	M.	94	50	88	65	44	63	13	132	54	217	18
		F.	41	19	45	25	17	35	13	115	29	107	12
195	Lightning	M.	24	20	11	20	13	5	11	3	4	8	12
		F.	7	1	1	—	—	—	—	—	1	—	3
196	Electricity (lightning excepted)	M.	20	29	34	24	40	32	26	19	21	25	37
		F.	—	—	—	—	—	—	—	—	1	—	1
197–199	Homicide	M.	133	129	116	113	100	148	142	117	85	130	119
		F.	154	142	141	142	112	149	146	130	117	110	105
197	By firearms	M.	28	13	8	12	8	21	6	11	5	12	7
		F.	16	7	8	9	5	16	12	14	11	13	3
198	By cutting or piercing instruments	M.	19	23	20	19	16	33	23	14	11	15	12
		F.	38	30	27	24	29	36	34	31	31	25	27
199	By other means	M.	86	93	88	82	76	94	113	92	69	103	100
		F.	100	105	106	109	78	97	100	85	75	72	75
* 201	Fracture (cause not specified)	M.	57	67	53	55	65	45	34	32	39	26	27
		F.	16	23	21	18	16	23	17	11	10	5	4
202	Other and unstated forms of accidental violence, execution	M.	283	471	426	438	466	274	310	186	210	216	165
		F.	76	67	119	102	130	82	75	56	66	87	87
203	Violent deaths of unknown causation	M.	53	81	24	18	18	18	18	13	15	10	19
		F.	15	17	9	12	11	10	8	4	11	4	11
204, 205	**XV.—Ill-defined Diseases** ..	M.	**1414**	**1640**	**1581**	**1340**	**1327**	**1335**	**1110**	**1088**	**1034**	**982**	**930**
		F.	**1273**	**1383**	**1248**	**1145**	**1120**	**1019**	**847**	**794**	**797**	**731**	**664**
204	Sudden death	M.	122	176	170	125	124	158	122	191	200	200	162
		F.	101	123	131	93	97	99	87	114	118	125	96
205	Cause of death unstated or ill-defined	M.	1292	1464	1411	1215	1203	1177	988	897	834	782	768
		F.	1172	1260	1117	1052	1023	920	760	680	679	606	568
	(1) Heart failure (1–70 years)	M.	723	806	771	698	664	721	621	540	557	504	489
		F.	598	629	589	570	579	569	462	374	389	373	352
	(2) Other ill-defined causes	M.	505	594	569	428	414	332	304	314	236	234	233
		F.	534	574	477	424	400	301	259	273	261	210	177
	(3) Cause not specified ..	M.	64	64	71	89	125	124	63	43	41	44	46
		F.	40	57	51	58	44	50	39	33	29	23	39

* 200 Infanticide. Deaths from this cause are included under headings 197–199—Homicide.

Table 5.—England and Wales.—Crude Annual Death-Rates from Certain Causes at All Ages to a Million Living, 1914–1924.—Males, Females, and Persons.

List of Causes as in use for 1921, but restricted in this table to headings showing a mortality of 5 or more per million in 1921. Other headings showing a mortality of 5 or more per million in any subsequent year are dealt with in footnotes. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 4. The figures for "Other Diseases" in any particular class (e.g., 84, "Other Diseases of the Nervous System") relate to that heading of the International List, and do not include the diseases omitted from the table under the above rule.

List	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
	ALL CAUSES	M.	14,949	17,722	16,638	17,070	20,139	15,715	13,548	12,962	13,565	12,368	12,939
		F.	13,069	13,997	12,488	12,116	15,168	12,583	11,452	11,324	12,018	10,863	11,484
		P.	13,978	15,686	14,312	14,240	17,277	13,986	12,442	12,105	12,757	11,582	12,180
1–42	I. Epidemic, Endemic and Infectious Diseases.	M.	2,683	3,446	2,967	3,168	6,336	3,350	2,318	2,040	2,467	1,944	2,187
		F.	2,171	2,548	2,094	2,166	5,174	2,662	1,867	1,697	2,087	1,564	1,832
		P.	2,419	2,955	2,478	2,596	5,667	2,970	2,080	1,861	2,269	1,746	2,002
1	Enteric fever	M.	57	43	36	32	28	18	16	17	13	12	13
		F.	36	29	25	24	25	13	12	15	11	11	12
		P.	46	35	30	28	26	16	14	16	12	12	13
	(a) Typhoid fever	M.	?	?	?	?	?	?	?	17	13	12	12
		F.	?	?	?	?	?	?	?	15	11	10	11
		P.	?	?	?	?	?	?	?	16	12	11	12
5	Malaria	M.	3	3	2	6	6	11	13	8	6	4	5
		F.	0	1	0	0	0	0	1	0	1	0	0
		P.	2	2	1	3	3	5	6	4	3	2	2
7	Measles	M.	263	530	184	369	348	114	213	66	164	157	138
		F.	233	408	130	254	237	88	174	53	136	121	112
		P.	247	463	154	304	284	100	192	59	149	138	124
8	Scarlet fever	M.	78	71	43	25	32	35	39	35	36	27	22
		F.	76	61	35	19	26	33	37	34	37	24	23
		P.	77	66	39	22	29	34	38	34	36	26	23
9	Whooping cough	M.	201	231	175	130	305	72	112	113	157	104	100
		F.	233	231	175	134	282	74	123	128	176	112	105
		P.	218	230	175	132	291	74	118	121	167	108	103
10	Diphtheria	M.	162	177	169	148	158	147	153	127	112	72	65
		F.	155	156	141	117	127	129	149	125	102	70	64
		P.	159	165	153	130	140	137	151	126	107	71	64
11	Influenza	M.	174	319	275	248	3,207	1,276	311	250	568	234	492
		F.	150	272	232	183	2,983	1,104	255	226	559	207	486
		P.	161	294	251	210	3,078	1,181	282	237	563	220	489
	(a) 1. With pneumonic complications.	M.	?	?	?	?	?	?	?	116	285	110	242
		F.	?	?	?	?	?	?	?	89	256	78	200
		P.	?	?	?	?	?	?	?	101	270	93	220
	(a) 2. With other pulmonary complications.	M.	?	?	?	?	?	?	?	43	124	41	103
		F.	?	?	?	?	?	?	?	46	130	45	126
		P.	?	?	?	?	?	?	?	45	127	43	115
	(b) 1. With non-pulmonary complications.	M.	?	?	?	?	?	?	?	53	87	52	85
		F.	?	?	?	?	?	?	?	51	91	48	87
		P.	?	?	?	?	?	?	?	52	89	50	86
	(b) 2. Without stated complication.	M.	?	?	?	?	?	?	?	37	72	31	62
		F.	?	?	?	?	?	?	?	41	82	36	73
		P.	?	?	?	?	?	?	?	39	77	34	68
16	Dysentery	M.	7	12	16	32	31	14	8	7	5	5	4
		F.	8	14	12	19	18	8	5	7	6	3	3
		P.	7	13	13	25	24	11	7	7	6	4	3
	(c) Unspecified, or other than Amœbic or Bacillary.	M.	?	?	?	?	?	?	?	6	5	4	3
		F.	?	?	?	?	?	?	?	6	5	2	3
		P.	?	?	?	?	?	?	?	6	5	3	3
21	Erysipelas	M.	34	35	26	19	20	22	24	20	21	17	19
		F.	29	25	17	15	14	15	21	18	16	16	16
		P.	31	30	21	17	17	18	22	19	18	16	17
23	Encephalitis lethargica ..	M.	—	—	—	—	0	8	13	19	9	15	39
		F.	—	—	—	—	1	8	12	19	9	13	33
		P.	—	—	—	—	0	8	13	19	9	14	36
24	Meningococcal meningitis ..	M.	12	54	31	36	23	23	17	13	11	8	9
		F.	9	37	23	25	15	13	12	9	8	7	6
		P.	10	45	26	31	18	17	14	11	9	7	8
29	Tetanus	M.	9	7	8	9	9	7	7	6	6	7	6
		F.	2	1	2	2	2	2	2	3	2	2	1
		P.	5	4	4	5	4	4	4	4	4	5	3

* Based upon civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
31–37	Tuberculosis (all forms) ..	M.	1,570	1,850	1,886	1,991	2,056	1,495	1,287	1,267	1,279	1,204	1,202
		F.	1,163	1,242	1,239	1,308	1,380	1,112	997	998	976	932	926
		P.	1,361	1,517	1,523	1,602	1,668	1,284	1,133	1,126	1,121	1,062	1,058
31	Respiratory system ..	M.	1,197	1,410	1,447	1,525	1,615	1,173	1,003	1,003	1,024	958	966
		F.	860	915	920	975	1,070	856	757	777	766	724	727
		P.	1,024	1,139	1,151	1,211	1,302	998	873	884	889	836	841
32	Nervous system ..	M.	139	171	166	170	153	116	107	99	98	91	86
		F.	114	132	123	125	107	92	86	80	78	79	74
		P.	126	149	141	144	126	103	96	89	88	85	80
33	Intestines and peritoneum	M.	100	117	110	119	110	70	58	59	51	52	49
		F.	88	88	91	88	81	64	59	55	48	50	46
		P.	94	102	100	102	92	67	59	57	49	51	48
34	Vertebral column	M.	19	20	24	27	29	22	22	19	21	18	17
		F.	14	15	14	16	20	15	14	16	15	14	15
		P.	16	17	19	21	24	18	18	18	18	16	16
35	Joints	M.	11	13	15	17	18	14	12	9	10	9	10
		F.	6	8	7	7	9	8	7	7	6	6	5
		P.	9	10	11	12	13	10	9	8	8	7	8
36	Other organs	M.	20	20	25	25	24	21	19	17	16	17	15
		F.	14	16	16	19	19	19	15	16	14	13	14
		P.	16	17	21	22	21	20	16	16	15	15	15
	(*d*) Genito-urinary system	M.	?	?	?	?	?	?	?	7	8	9	7
		F.	?	?	?	?	?	?	?	6	5	5	6
		P.	?	?	?	?	?	?	?	6	7	7	6
37	Disseminated tuberculosis ..	M.	84	99	99	108	107	79	66	62	59	59	57
		F.	67	68	68	78	74	58	59	49	49	46	45
		P.	76	83	80	90	90	68	62	55	54	52	51
	(*a*) Acute	M.	22	27	24	24	24	19	17	13	16	21	22
		F.	21	21	20	20	18	18	19	12	14	20	19
		P.	22	24	22	22	21	18	18	12	15	21	21
	(*b*) Chronic or unstated ..	M.	62	72	75	84	83	60	49	49	43	38	35
		F.	46	47	48	58	56	40	40	37	35	26	26
		P.	54	59	58	68	69	50	44	43	39	31	30
38	Syphilis	M.	69	67	74	82	77	68	65	57	47	47	42
		F.	48	41	41	45	42	38	44	38	31	27	25
		P.	58	53	55	60	57	52	54	47	39	36	33
41	Purulent infection, septicæmia	M.	24	25	20	18	18	18	23	20	19	17	16
		F.	12	12	10	8	9	9	12	12	10	9	10
		P.	18	18	14	13	13	13	18	15	14	13	13
43–69	II. General Diseases not included in I. 1–42.†	M.	1,385	1,543	1,610	1,642	1,625	1,535	1,472	1,506	1,549	1,563	1,602
		F.	1,597	1,612	1,609	1,567	1,545	1,578	1,618	1,709	1,733	1,758	1,781
		P.	1,495	1,581	1,609	1,599	1,578	1,559	1,549	1,612	1,645	1,665	1,696
43–49	Cancer, malignant disease..	M.	971	1,076	1,145	1,214	1,222	1,164	1,110	1,142	1,167	1,203	1,242
		F.	1,161	1,163	1,172	1,178	1,181	1,198	1,219	1,281	1,286	1,326	1,347
		P.	1,069	1,122	1,161	1,192	1,199	1,182	1,166	1,215	1,229	1,267	1,297
43	Buccal cavity	M.	117	131	144	155	161	149	138	137	133	139	135
		F.	18	18	19	20	19	19	19	18	18	21	21
		P.	66	69	74	78	80	77	75	75	73	77	75
44	Pharynx, œsophagus, stomach, liver and annexa	M.	391	427	453	474	471	451	422	439	449	454	460
		F.	340	339	338	324	326	322	333	344	352	352	353
		P.	365	379	389	388	387	380	375	389	398	401	404
45	Peritoneum, intestines and rectum.	M.	208	236	251	271	266	261	251	259	263	273	292
		F.	218	218	224	226	237	236	242	255	249	266	273
		P.	213	226	236	245	250	247	246	257	256	269	282
46	Female genital organs ..	F.	250	247	248	257	255	256	254	274	269	278	278
47	Breast	M.	2	2	2	3	3	2	2	2	2	2	2
		F.	199	203	212	214	208	221	228	236	242	249	254
		P.	104	112	120	123	121	122	121	125	128	131	134
48	Skin..	M.	34	38	42	43	44	45	40	40	40	41	44
		F.	18	20	19	20	20	21	20	20	22	21	23
		P.	26	28	29	30	30	32	29	30	31	31	33

* Based upon civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
	Cancer, malignant disease—*contd.*												
49	Other or unspecified organs	M.	219	242	253	268	277	256	257	266	280	294	309
		F.	118	118	112	117	116	123	123	132	134	139	145
		P.	166	173	174	181	184	183	186	196	203	213	224
50	Tumours not returned as malignant (brain and female genital organs excepted).	M.	15	18	19	19	21	19	18	20	20	22	22
		F.	12	14	14	12	12	13	15	15	15	16	17
		P.	14	16	16	15	16	16	16	17	17	19	19
51	Rheumatic fever	M.	54	62	55	44	48	42	55	48	45	42	41
		F.	57	58	52	40	40	42	58	48	48	43	45
		P.	56	60	53	41	43	42	57	48	47	42	43
52	Chronic rheumatism, osteo-arthritis, gout.†	M.	44	57	58	59	52	50	41	41	49	45	48
		F.	63	73	75	68	73	73	69	77	80	80	78
		P.	54	66	67	65	64	62	56	60	65	64	64
	1. Chronic rheumatism, chronic arthritis.†	M.	10	12	14	14	12	12	9	10	11	10	10
		F.	13	15	17	13	14	13	12	14	13	12	11
		P.	11	14	15	14	13	12	11	12	12	11	11
	2. Rheumatoid and osteo-arthritis.	M.	18	26	25	28	27	26	22	22	28	27	29
		F.	47	53	55	52	57	58	56	62	65	66	66
		P.	33	41	42	42	44	44	40	43	47	48	48
	3. Gout	M.	16	19	19	17	13	12	10	9	10	8	9
		F.	3	5	3	3	2	2	1	2	2	2	1
		P.	10	11	10	9	7	6	5	5	6	5	5
56	Rickets	M.	30	33	34	33	27	18	18	15	13	15	16
		F.	20	17	20	20	17	10	10	11	9	10	9
		P.	25	24	26	26	22	13	14	13	11	12	13
57	Diabetes	M.	126	142	148	128	120	118	100	105	116	105	102
		F.	118	121	114	96	90	100	101	111	122	122	116
		P.	122	130	129	110	103	108	100	108	119	114	109
58	Anæmia, chlorosis	M.	56	69	68	71	66	61	62	62	68	60	62
		F.	72	75	74	74	60	71	71	84	84	77	81
		P.	64	72	72	73	63	66	66	73	77	70	72
	(*a*) Pernicious anæmia ..	M.	?	?	?	?	?	?	56	55	61	54	56
		F.	?	?	?	?	?	?	62	74	74	68	73
		P.	?	?	?	?	?	?	59	65	68	62	65
	(*b*) Other anæmias and chlorosis.	M.	?	?	?	?	?	?	6	7	7	6	7
		F.	?	?	?	?	?	?	9	10	10	9	8
		P.	?	?	?	?	?	?	7	9	9	8	7
60	Diseases of the thyroid gland†	M.	?	?	?	?	?	?	?	7	6	7	6
		F.	?	?	?	?	?	?	?	41	44	41	44
		P.	?	?	?	?	?	?	?	25	26	25	26
	(*a*) Exophthalmic goitre ..	M.	2	2	3	3	3	4	3	3	3	3	2
		F.	23	21	20	20	18	24	24	27	30	28	28
		P.	13	12	13	13	12	15	14	15	17	16	16
	(*b*) (1) Myxœdema ..	M.	?	?	?	?	?	?	?	1	1	1	1
		F.	?	?	?	?	?	?	?	7	7	7	8
		P.	?	?	?	?	?	?	?	4	4	4	5
	(*b*) (2) and (3) Cretinism and other diseases of the thyroid gland.†	M.	?	?	?	?	?	?	?	3	2	3	3
		F.	?	?	?	?	?	?	?	8	7	6	7
		P.	?	?	?	?	?	?	?	6	5	5	5
62	Diseases of the thymus ..	M.	8	7	8	5	5	4	5	6	6	6	5
		F.	5	4	4	4	3	2	3	3	4	3	3
		P.	6	6	6	4	4	3	4	5	5	4	4
63	Diseases of the adrenals ..	M.	5	6	6	7	6	4	5	5	5	6	5
		F.	7	7	7	7	6	6	7	6	7	6	6
		P.	6	7	6	7	6	5	6	6	6	6	6
65	Leukæmia, lymphadenoma..	M.	23	24	26	24	24	23	25	27	29	27	29
		F.	17	16	16	15	14	16	16	16	16	19	19
		P.	20	20	20	18	19	19	20	21	22	23	24
	(*a*) Leukæmia	M.	13	13	14	13	12	12	13	14	15	15	15
		F.	11	11	11	10	9	10	10	10	10	12	12
		P.	12	12	12	11	11	11	11	12	12	13	13
	(*b*) Lymphadenoma (Hodgkin's disease).	M.	10	11	12	11	12	11	12	13	14	12	14
		F.	6	5	5	5	5	6	6	6	6	7	8
		P.	8	8	8	7	8	8	9	9	10	10	11
66	Alcoholism (acute or chronic)	M.	25	18	14	8	4	5	9	7	6	6	5
		F.	12	11	6	4	1	1	3	3	2	2	2
		P.	18	14	10	6	2	3	6	5	4	4	3

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
69	Other general diseases† ..	M.	16	17	14	18	15	13	13	13	13	14	12
		F.	13	14	14	12	10	10	11	11	12	10	11
		P.	15	16	14	14	13	12	12	12	12	12	11
	I. Purpura	M.	9	9	8	11	9	7	6	7	8	6	6
		F.	9	10	9	8	7	6	7	6	7	7	6
		P.	9	10	8	9	8	7	7	7	7	6	6
70–86	III. Diseases of the Nervous System and Sense Organs.†	M.	1,599	1,846	1,833	1,904	1,759	1,541	1,360	1,310	1,324	1,265	1,248
		F.	1,483	1,526	1,405	1,386	1,307	1,290	1,250	1,235	1,253	1,218	1,188
		P.	1,540	1,672	1,593	1,609	1,499	1,402	1,302	1,271	1,287	1,241	1,217
70	Encephalitis	M.	12	10	11	10	11	11	13	10	10	10	8
		F.	6	7	6	6	8	9	8	7	7	6	6
		P.	9	8	8	7	9	10	10	8	8	8	7
	1. Cerebral abscess	M.	?	?	?	?	?	?	7	6	7	6	6
		F.	?	?	?	?	?	?	4	4	3	4	3
		P.	?	?	?	?	?	?	5	5	5	5	4
71	Meningitis	M.	116	129	110	110	105	87	74	72	66	60	57
		F.	95	93	79	72	70	59	56	57	50	48	42
		P.	105	109	94	89	86	72	64	64	58	54	50
72	Tabes dorsalis (locomotor ataxy).	M.	34	39	44	43	40	36	29	32	36	33	34
		F.	6	6	5	6	5	4	4	6	7	7	6
		P.	19	21	23	22	20	19	16	18	21	19	19
73	Other diseases of the spinal cord.†	M.	80	90	98	92	94	91	76	40	42	45	46
		F.	62	61	60	59	55	59	57	29	30	31	30
		P.	71	75	77	73	72	73	66	34	36	37	38
74	Cerebral hæmorrhage, apoplexy, etc.	M.	668	782	790	839	764	726	641	627	653	635	638
		F.	771	800	752	759	715	758	728	723	755	743	737
		P.	722	791	769	794	736	743	686	677	706	691	689
	(a) 1. Cerebral hæmorrhage so returned.	M.	466	549	554	598	557	532	481	476	500	491	499
		F.	533	552	527	542	512	550	539	539	573	570	565
		P.	501	550	539	566	531	541	511	509	538	532	533
	(a) 2. Apoplexy, lesion unstated.	M.	136	156	158	161	138	124	94	86	79	69	64
		F.	147	158	141	139	128	124	104	92	89	80	71
		P.	142	157	148	149	132	124	99	89	84	75	67
	(b) 1. Cerebral embolism..	M.								16	19	17	18
		F.								25	24	22	23
		P.	66	77	78	80	69	70	66	21	22	19	20
	(b) 2. Cerebral thrombosis	M.	91	90	84	78	75	84	85				
		F.	79	84	82	79	73	78	76	50	55	58	58
		P.								66	69	71	77
										58	62	65	68
75	Paralysis of unstated origin ..	M.	65	83	85	84	74	70	57	58	59	54	53
		F.	79	86	79	74	68	68	66	62	64	64	60
		P.	73	84	82	79	71	70	61	60	62	59	57
	(a) Hemiplegia	M.	53	65	67	68	61	60	48	49	51	47	46
		F.	69	72	66	61	57	59	56	54	57	57	53
		P.	61	69	67	64	59	60	52	51	54	52	49
	(b) Other forms of paralysis	M.	12	18	18	16	13	10	9	9	8	7	7
		F.	10	14	13	13	11	9	10	9	7	7	7
		P.	12	15	15	15	12	10	9	9	8	7	7
76	General paralysis of the insane.	M.	102	111	107	121	106	74	66	69	77	76	68
		F.	23	22	19	22	17	14	12	14	15	15	14
		P.	61	63	58	64	55	41	38	41	44	44	40
77	Other forms of insanity ..	M.	24	27	31	40	40	25	18	16	19	15	15
		F.	31	34	35	36	37	27	27	28	28	26	25
		P.	27	31	33	37	38	27	23	22	24	21	21
78	Epilepsy	M.	85	101	113	136	132	90	65	62	63	60	61
		F.	67	74	75	80	79	67	53	55	56	52	53
		P.	76	86	92	104	102	78	59	58	60	56	57
79 & 80	Convulsions (non-puerperal)..	M.	273	311	283	259	237	192	199	169	137	121	109
		F.	191	194	161	148	134	115	131	108	91	80	74
		P.	230	248	214	195	178	150	163	137	113	100	91
82	Hysteria and neuritis ..	M.	10	12	8	9	7	5	6	6	6	5	5
		F.	19	16	12	9	5	7	6	8	9	8	7
		P.	14	14	11	9	7	6	6	7	8	6	6

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
83	Cerebral softening	M.	40	45	41	45	39	31	22	22	21	21	22
		F.	39	39	33	34	30	29	22	24	25	21	22
		P.	39	42	37	38	34	30	22	23	23	21	22
84	Other diseases of the nervous system.†	M.	?	?	?	?	?	?	?	87	94	92	95
		F.	?	?	?	?	?	?	?	81	84	87	83
		P.	?	?	?	?	?	?	?	84	89	90	89
	1. Idiocy, imbecility ..	M.	6	9	10	14	14	10	6	7	7	7	7
		F.	6	7	7	8	8	6	5	6	8	8	8
		P.	6	7	8	11	11	8	6	6	7	7	7
	2. Cerebral tumour	M.	25	30	33	29	27	28	27	29	28	29	30
		F.	24	26	25	23	22	22	24	26	26	26	25
		P.	25	28	28	26	24	25	25	27	27	28	27
	3 Disseminated sclerosis† ..	M.	?	?	?	?	?	?	?	16	20	18	20
		F.	?	?	?	?	?	?	?	18	17	18	17
		P.	?	?	?	?	?	?	?	17	19	18	18
	4. Paralysis agitans† ..	M.	?	?	?	?	?	?	?	19	21	21	23
		F.	?	?	?	?	?	?	?	16	17	20	19
		P.	?	?	?	?	?	?	?	17	19	21	21
	5. Other diseases included under 84.†	M.	22	25	31	33	38	24	19	17	18	17	15
		F.	25	24	24	24	26	19	17	16	16	15	15
		P.	23	24	27	28	31	21	18	16	17	16	15
86	Diseases of the ear and of the mastoid sinus.	M.	37	40	38	35	31	35	37	38	37	36	33
		F.	29	27	24	22	21	20	28	27	26	25	23
		P.	33	33	30	28	26	27	32	32	32	31	28
	1. Diseases of the mastoid sinus.	M.	9	12	10	9	8	10	10	10	10	11	10
		F.	7	7	6	5	4	5	8	8	9	7	7
		P.	8	9	8	7	6	7	9	9	10	9	8
	2. Diseases of the ear ..	M.	28	28	28	26	23	25	27	27	27	25	23
		F.	22	20	18	17	17	15	20	20	17	18	16
		P.	25	24	22	21	20	20	23	23	22	22	19
87–96	IV. Diseases of the Circulatory System.†	M.	1,764	2,167	2,193	2,240	2,143	2,054	1,839	1,847	2,041	1,966	2,087
		F.	1,719	1,840	1,781	1,696	1,600	1,737	1,678	1,756	1,967	1,888	2,006
		P.	1,741	1,988	1,962	1,929	1,830	1,879	1,754	1,800	2,002	1,926	2,044
87–90	Heart diseases†	M.	1,430	1,779	1,798	1,801	1,707	1,610	1,417	1,381	1,514	1,429	1,506
		F.	1,511	1,626	1,569	1,476	1,379	1,481	1,411	1,451	1,618	1,528	1,611
		P.	1,472	1,695	1,668	1,617	1,519	1,538	1,416	1,418	1,568	1,480	1,561
87	Pericarditis†	M.	15	16	13	12	12	10	11	11	12	11	10
		F.	10	12	10	8	7	8	8	8	8	6	8
		P.	12	14	11	10	10	8	10	9	10	8	9
88	Acute endocarditis and myocarditis.†	M.	51	51	46	40	40	53	67	64	57	52	52
		F.	50	50	42	40	38	40	56	48	49	46	48
		P.	51	50	43	42	39	46	62	55	52	50	50
	1. Infective endocarditis ..	M.	18	14	14	14	11	22	31	40	36	30	27
		F.	17	15	13	13	14	13	21	24	26	24	25
		P.	18	14	13	14	13	17	26	32	30	27	26
	2. Other acute endocarditis†	M.	23	25	21	16	18	19	21	17	14	15	14
		F.	25	26	21	20	17	19	22	17	16	14	14
		P.	24	26	21	19	18	19	22	17	15	15	14
	3. Acute myocarditis† ..	M.	10	12	11	10	11	12	15	6	7	7	10
		F.	8	9	8	7	7	8	13	6	7	8	9
		P.	9	10	9	9	8	10	14	6	7	8	10
89	Angina pectoris	M.	44	52	46	43	44	45	39	41	54	58	66
		F.	21	21	17	17	14	17	17	17	23	25	27
		P.	32	35	30	28	27	30	27	29	38	41	45
90	Other diseases of the heart†..	M.	1,320	1,660	1,693	1,706	1,611	1,502	1,300	1,265	1,391	1,308	1,378
		F.	1,430	1,543	1,500	1,411	1,320	1,416	1,330	1,379	1,538	1,451	1,529
		P.	1,377	1,596	1,584	1,537	1,443	1,454	1,317	1,324	1,468	1,381	1,457

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
	Other diseases of the heart—*contd.*												
	1. Aortic valve disease ..	M.								106	113	107	106
		F.								43	46	48	44
		P								73	78	76	74
	2. Mitral valve disease ..	M.								178	193	181	174
		F.								271	295	276	278
		P.	578	721	758	793	767	720	654	227	246	230	228
	3. Aortic and mitral valve disease.	M.	646	696	680	665	651	683	654				
		F.	613	707	714	720	700	699	654	27	26	25	24
		P.								18	19	20	18
										23	23	22	21
	4. Other or unspecified valve disease.†	M.								314	316	292	300
		F.								340	371	331	348
		P.								328	345	312	325
	5. Fatty heart	M.	83	94	86	80	62	64	59	60	69	67	65
		F.	96	94	88	73	55	68	62	67	77	77	75
		P.	90	94	87	76	58	66	61	64	73	72	70
	6. Cardiac dilatation, cause unspecified.	M.								27	27	23	20
		F.								27	28	22	17
		P.								27	28	22	19
	7. Other or unspecified myocardial disease.†	M.	655	840	843	827	775	710	578	242	314	332	404
		F.	684	747	727	667	608	657	604	265	347	366	435
		P.	670	789	778	735	679	681	592	254	331	350	420
	9. Heart disease (undefined)	M.								298	318	263	261
		F.								332	338	287	282
		P.								316	328	276	272
	8. Disordered action of the heart.	M.	4	5	6	6	7	8	9	13	15	18	23
		F.	4	6	5	6	6	8	10	15	17	24	32
		P.	4	6	5	6	6	8	10	14	16	21	28
91	Diseases of the arteries ..	M.	315	366	372	417	416	423	401	447	508	518	560
		F.	179	191	190	197	200	238	245	281	324	335	370
		P.	245	270	272	292	292	320	318	361	412	422	461
	(*a*) Aneurysm	M.	50	52	49	49	44	43	44	44	45	42	44
		F.	12	13	10	11	9	9	9	10	11	11	10
		P.	31	31	28	28	24	24	25	26	27	26	26
	(*b*) Arterio-sclerosis ..	M.	260	309	318	364	366	375	352	398	458	470	511
		F.	164	175	178	184	189	225	233	267	309	319	355
		P.	210	235	240	261	264	292	289	329	380	391	429
	1. With record of cerebral vascular lesion.	M.	?	?	?	?	?	?	?	118	139	146	149
		F.	?	?	?	?	?	?	?	94	110	114	126
		P.	?	?	?	?	?	?	?	105	124	130	137
	2. Without record of cerebral vascular lesion.	M.	?	?	?	?	?	?	?	280	319	324	362
		F.	?	?	?	?	?	?	?	173	199	205	228
		P.	?	?	?	?	?	?	?	224	256	261	292
	(*c*) Other diseases of the arteries.	M.	5	5	5	4	6	5	5	5	5	6	5
		F.	3	3	2	2	2	4	3	4	4	5	5
		P.	4	4	4	3	4	4	4	5	5	5	5
92	Embolism and thrombosis (not cerebral).	M.	9	10	8	9	8	9	8	8	9	8	9
		F.	12	9	7	7	7	7	9	9	8	9	9
		P.	10	10	8	8	7	8	8	8	9	8	9
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	6	7	9	8	6	6	7	6	7	7	7
		F.	12	10	10	9	8	9	11	11	13	13	12
		P.	10	9	10	9	7	8	9	9	10	10	9
97–107	**V. Diseases of the Respiratory System.†**	M.	2,617	3,525	3,013	3,235	3,699	2,941	2,504	2,212	2,572	2,102	2,352
		F.	2,140	2,609	2,098	2,035	2,527	2,190	1,867	1,722	2,064	1,653	1,919
		P.	2,371	3,024	2,500	2,549	3,023	2,526	2,168	1,956	2,308	1,868	2,126
98	Diseases of the larynx ..	M.	39	45	42	36	33	28	28	20	18	13	14
		F.	28	29	23	21	20	20	21	14	11	9	8
		P.	33	36	30	29	25	23	26	17	15	11	11
	(2) Laryngitis	M.	29	35	32	29	26	22	22	15	14	9	10
		F.	22	23	19	16	17	17	17	12	9	7	6
		P.	25	29	24	23	21	19	20	13	11	8	8
99	Bronchitis†	M.	1,097	1,556	1,396	1,453	1,436	1,409	1,094	929	1,101	878	987
		F.	1,078	1,344	1,123	1,066	1,046	1,180	948	853	1,045	828	960
		P.	1,087	1,440	1,243	1,231	1,212	1,282	1,017	889	1,073	852	973
	(*a*) Acute	M.	?	?	?	?	?	?	?	219	265	198	238
		F.	?	?	?	?	?	?	?	241	297	230	279
		P.	?	?	?	?	?	?	?	230	282	215	260

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920*.	1921.	1922.	1923.	1924.
	Bronchitis—*contd.*												
	(*b*) Chronic	M.	?	?	?	?	?	?	?	308	365	321	350
		F.	?	?	?	?	?	?	?	224	278	236	262
		P.	?	?	?	?	?	?	?	264	320	277	304
	(*c* and *d*) Not stated whether acute or chronic.	M.	?	?	?	?	?	?	?	402	471	359	399
		F.	?	?	?	?	?	?	?	389	470	362	418
		P.	?	?	?	?	?	?	?	395	471	360	409
100 & 101	Pneumonia (all forms)† ..	M.	1,287	1,686	1,359	1,519	2,018	1,307	1,218	1,104	1,280	1,051	1,188
		F.	894	1,087	828	829	1,337	867	788	745	883	705	833
		P.	1,084	1,359	1,061	1,124	1,627	1,064	991	916	1,073	870	1,003
100	Broncho-pneumonia† ..	M.	561	769	593	661	857	623	583	517	664	487	618
		F.	460	559	408	425	609	449	427	409	526	383	497
		P.	509	654	488	525	715	527	501	460	592	433	555
101	Pneumonia (lobar or not otherwise defined).	M.	726	917	766	858	1,161	684	635	587	616	564	570
		F.	434	528	420	404	728	418	361	336	357	322	336
		P.	575	705	573	599	912	537	490	456	481	437	448
	(*a*) Lobar	M.	317	385	329	372	454	283	301	282	317	317	315
		F.	175	215	172	166	264	160	158	154	171	169	177
		P.	244	292	241	254	345	215	225	215	241	239	243
	(*b*) Not otherwise defined..	M.	409	532	437	486	707	401	334	304	299	247	255
		F.	259	313	248	238	464	258	203	182	186	153	159
		P.	331	413	332	345	567	322	265	240	240	198	205
102	Pleurisy	M.	50	53	54	58	51	45	44	43	42	44	40
		F.	33	33	29	30	28	26	27	25	26	25	25
		P.	40	42	40	43	38	35	36	34	33	34	32
	1. Empyema	M.	18	17	20	18	17	17	17	18	18	17	17
		F.	10	9	8	8	7	6	7	7	9	7	7
		P.	13	13	13	12	11	11	12	12	13	12	12
	2. Other pleurisy	M.	32	36	34	40	34	28	27	26	24	27	23
		F.	23	24	21	22	21	20	20	18	17	18	18
		P.	27	29	27	31	27	24	24	22	20	22	20
103	Congestion and hæmorrhagic infarct of lung.	M.	43	50	47	42	38	37	31	31	32	29	29
		F.	47	46	39	36	35	33	31	36	36	34	36
		P.	45	48	43	38	36	35	31	34	34	31	32
105	Asthma	M.	57	82	75	80	84	78	58	53	67	55	63
		F.	41	51	40	39	46	48	38	36	50	42	45
		P.	49	65	56	57	62	61	48	44	58	48	54
106	Pulmonary emphysema ..	M.	17	23	16	15	11	13	9	7	10	9	10
		F.	6	9	5	4	3	4	3	2	3	2	3
		P.	12	15	10	9	6	8	6	4	6	5	7
107	Other diseases of the respiratory system.†	M.	?	?	?	?	?	?	?	17	16	16	15
		F.	?	?	?	?	?	?	?	7	6	6	6
		P.	?	?	?	?	?	?	?	12	11	11	10
	(*a*) Chronic interstitial pneumonia.	M.	15	14	14	15	12	12	10	10	10	10	10
		F.	4	3	3	2	3	4	2	3	3	3	3
		P.	9	8	8	8	7	7	6	6	6	6	6
	(*b* and *c*) Other diseases included under 107, including disease of the mediastinum.†	M.	?	?	?	?	?	?	?	8	6	6	5
		F.	?	?	?	?	?	?	?	4	3	3	3
		P.	?	?	?	?	?	?	?	6	5	5	4
108–127	VI. Diseases of the Digestive System.†	M.	1,318	1,333	1,150	1,092	1,023	874	892	1,062	746	784	748
		F.	1,107	996	833	771	721	658	678	815	596	620	584
		P.	1,210	1,149	973	909	849	755	779	933	668	698	662
108	Diseases of the buccal cavity and annexa.	M.	13	11	13	12	11	11	13	13	13	14	14
		F.	12	9	9	8	8	9	9	11	11	10	11
		P.	12	10	11	9	10	10	11	12	12	12	12
	1. Diseases of the teeth and gums.	M.	10	9	10	9	7	8	9	8	9	9	8
		F.	9	7	7	6	5	6	7	7	7	7	7
		P.	9	8	9	7	6	7	8	8	8	8	8
109	Diseases of the pharynx and tonsils.†	M.	22	21	18	15	16	20	18	19	16	13	13
		F.	18	17	14	12	11	16	14	15	14	12	11
		P.	20	18	16	14	14	18	16	17	15	13	12
	1. Tonsillitis, etc., adenoid vegetations.†	M.	17	16	13	12	12	17	14	13	12	11	11
		F.	13	13	11	10	9	13	12	12	11	10	9
		P.	15	14	12	11	11	15	13	13	12	10	10

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
111	Ulcer of the stomach or duodenum.	M.	89	89	92	91	96	90	95	88	94	115	115
		F.	59	56	54	56	54	47	49	42	43	45	44
		P.	74	71	72	71	72	66	70	64	68	79	78
	(*a*) Ulcer of the stomach ..	M.	57	58	60	61	68	61	64	56	62	74	74
		F.	53	49	48	49	47	41	42	37	37	37	36
		P.	55	53	54	54	56	50	52	46	49	55	54
	(*b*) Ulcer of the duodenum	M.	32	31	32	30	28	29	31	31	32	41	41
		F.	6	7	6	7	7	6	7	6	6	8	8
		P.	19	18	18	17	16	16	18	18	19	24	24
112	Other diseases of the stomach	M.	109	127	124	114	105	90	94	82	68	62	59
		F.	107	105	99	86	79	80	78	73	65	56	55
		P.	109	115	111	98	91	85	86	78	67	59	57
	1. Inflammation of the stomach.	M.	88	106	101	97	88	75	80	71	57	51	49
		F.	89	88	82	74	67	67	68	64	56	49	48
		P.	89	96	91	84	76	71	74	67	57	50	48
	2. Other diseases included under 112.	M.	21	21	23	17	17	15	14	12	11	11	10
		F.	18	17	17	12	12	13	10	9	9	7	7
		P.	20	19	20	14	15	14	12	10	10	9	8
113, 114	Diarrhœa and enteritis ..	M.	690	662	489	458	425	341	345	526	219	246	219
		F.	550	460	337	303	272	234	249	382	165	194	167
		P.	617	551	402	370	337	281	294	451	191	218	192
	1. Ulceration of the intestines.	M.	8	9	8	8	7	6	5	6	6	6	6
		F.	10	9	8	7	9	7	8	7	6	8	9
		P.	9	9	8	8	8	6	6	7	6	7	7
	2. Colitis	M.								14	11	11	10
		F.								15	11	14	11
		P.	682	653	481	450	418	335	340	14	11	12	10
	3. Other diseases included under 113, 114.	M.	540	451	329	296	263	227	241				
		F.	608	542	394	362	329	275	288	506	202	229	204
		P.								360	148	172	148
										430	174	199	175
117	Appendicitis and typhlitis ..	M.	85	81	85	82	75	74	78	82	84	88	83
		F.	58	55	58	54	57	59	58	62	61	61	60
		P.	71	67	70	66	65	66	67	72	72	74	71
118	Hernia, intestinal obstruction	M.	110	133	135	150	155	123	118	116	117	115	117
		F.	109	117	110	131	137	107	105	105	105	109	104
		P.	109	124	122	139	145	115	112	111	111	111	110
	(*a*) Hernia	M.	41	55	54	65	64	48	45	42	46	45	47
		F.	47	52	52	65	64	44	44	45	44	46	47
		P.	44	53	53	65	64	46	45	44	45	45	47
	(*b*) Intestinal obstruction..	M.	69	78	81	85	91	75	73	75	71	70	70
		F.	62	65	58	66	73	63	61	60	61	63	57
		P.	65	71	69	74	81	69	67	67	66	66	63
119	Other diseases of the intestines	M.	12	15	13	15	13	13	13	12	13	13	12
		F.	14	14	12	11	11	11	11	12	11	12	12
		P.	13	14	13	13	12	12	12	12	12	12	12
	1. Intestinal stasis ..	M.	?	?	?	?	?	?	?	?	?	?	4
		F.	?	?	?	?	?	?	?	?	?	?	5
		P.	?	?	?	?	?	?	?	?	?	?	4
	2. Other diseases included under 119.	M.	?	?	?	?	?	?	?	?	?	?	8
		F	?	?	?	?	?	?	?	?	?	?	7
		P.	?	?	?	?	?	?	?	?	?	?	7
122	Cirrhosis of the liver	M.	130	133	121	101	76	60	66	71	70	63	61
		F.	96	81	62	43	31	27	30	33	31	30	31
		P.	112	105	89	69	50	43	47	51	50	46	45
	(*a*) Returned as alcoholic..	M.	10	10	9	6	4	4	5	6	6	5	5
		F.	11	8	6	4	2	1	2	3	2	3	3
		P.	10	9	7	5	3	3	3	4	4	4	4
	(*b*) Not returned as alcoholic.	M.	120	123	112	95	72	56	61	66	64	58	56
		F.	85	73	56	39	29	26	28	30	29	27	28
		P.	102	96	82	64	47	40	44	47	46	42	41
123	Biliary calculi	M.	13	14	13	13	12	13	12	14	15	14	16
		F.	32	30	29	25	21	28	29	34	35	38	36
		P.	23	23	22	20	18	21	21	25	26	27	27

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
124	Other diseases of the liver ..	M.	23	24	24	21	21	20	19	19	20	21	22
		F.	27	26	23	19	20	20	22	25	29	29	29
		P.	25	25	24	20	21	20	21	22	25	25	25
125	Diseases of the pancreas ..	M.	5	5	4	4	3	4	6	6	6	7	7
		F.	4	5	4	3	2	4	4	5	5	7	7
		P.	5	5	4	3	3	4	5	5	6	7	7
126	Peritonitis of unstated origin	M.	13	15	15	13	11	9	10	9	8	8	8
		F.	17	16	15	14	11	13	13	12	14	13	11
		P.	15	15	15	14	11	11	12	10	11	11	10
128–142	VII. Non-venereal Diseases of the Genito-urinary System	M.	656	750	736	773	723	639	577	577	576	573	585
		F.	464	465	420	400	373	365	375	377	389	388	377
		P.	557	593	559	560	521	487	470	473	479	476	476
128	Acute nephritis (including unspecified under 10 years of age).	M.	61	69	70	69	62	50	47	44	42	39	39
		F.	48	52	45	43	41	38	38	34	32	32	33
		P.	54	60	56	54	50	44	42	39	37	35	36
129	Chronic nephritis (including unspecified over 10 years of age).	M.	407	463	442	453	416	360	326	315	322	314	319
		F.	335	328	292	278	256	249	250	254	271	269	258
		P.	370	389	359	352	325	298	286	283	295	290	287
131	Other diseases of the kidneys and annexa.	M.	14	13	15	15	15	15	15	16	17	15	20
		F.	13	13	11	11	11	11	13	14	14	15	17
		P.	13	13	13	13	13	13	14	15	16	15	19
132	Calculi of the urinary passages.	M.	11	11	11	12	11	11	10	10	11	12	11
		F.	3	4	4	4	4	3	5	6	5	5	4
		P.	7	8	7	7	7	7	7	8	8	8	7
133	Diseases of the bladder ..	M.	49	67	64	67	62	58	49	50	44	43	39
		F.	12	13	11	12	11	10	11	12	11	13	11
		P.	30	38	34	35	32	32	29	30	27	27	24
	1. Cystitis	M.	?	?	?	?	?	?	?	45	40	40	37
		F.	?	?	?	?	?	?	?	11	11	12	10
		P.	?	?	?	?	?	?	?	27	25	25	23
134	Diseases of the urethra, urinary abscess, etc.	M.	23	26	25	30	29	24	21	21	21	22	21
		F.	0	0	0	0	0	0	0	0	0	0	0
		P.	11	12	12	14	13	11	10	10	10	11	10
	(*a*) Stricture of the urethra	M.	?	?	?	?	?	?	?	17	17	18	17
135	Diseases of the prostate ..	M.	86	96	104	122	123	116	104	118	116	125	133
137	Cysts and other tumours of the ovary not returned as malignant	F.	16	15	16	14	14	14	16	15	14	14	14
138	Salpingitis and pelvic abscess in females.†	F.	?	?	?	?	?	?	?	13	13	12	11
	1. Salpingitis†	F.	?	?	?	?	?	?	?	11	10	10	9
139	Tumours of the uterus not returned as malignant	F.	16	17	16	17	16	16	18	18	18	18	18
141	Other diseases of the female genital organs.†	F.	19	19	20	18	19	20	22	8	7	8	7
	1. Other diseases of the uterus.†	F.	8	8	9	8	7	9	11	7	6	6	5
143–150	VIII. The Puerperal State ..	F.	192	177	167	133	128	154	210	168	149	144	141
143	Accidents of pregnancy ..	F.	22	20	16	14	13	14	18	17	16	18	16
	(*a*) Abortion	F.	7	7	5	6	5	6	6	5	5	5	6
	(*b* and *c*) Other accidents including ectopic gestation.	F.	15	13	11	8	8	8	12	11	11	13	11
144	Puerperal hæmorrhage ..	F.	24	24	23	18	16	19	26	24	20	21	19
145	Other accidents of childbirth	F.	21	21	20	14	15	17	21	19	15	15	16

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
146	Puerperal sepsis	F.	72	62	55	44	43	59	88	59	54	49	50
147	Puerperal phlegmasia alba dolens, embolism, sudden death.	F.	17	15	15	12	11	12	18	16	15	14	12
	(2) Puerperal embolism and sudden death.	F.	14	12	12	10	9	9	15	13	12	11	9
148	Puerperal albuminuria and convulsions.	F.	34	32	34	28	28	30	38	30	28	26	26
151–154	**IX. Diseases of the Skin and Cellular Tissue.†**	M.	**114**	**126**	**123**	**123**	**111**	**113**	**105**	**97**	**90**	**86**	**88**
		F.	**97**	**93**	**89**	**86**	**75**	**78**	**81**	**73**	**73**	**70**	**70**
		P.	**105**	**108**	**105**	**102**	**91**	**94**	**92**	**85**	**81**	**78**	**79**
151	Gangrene	M.	46	54	57	55	49	50	39	40	37	30	37
		F.	39	39	37	36	33	34	34	29	31	29	28
		P.	43	47	47	43	39	41	36	34	34	30	32
	1. Senile gangrene.. ..	M.	40	49	51	48	43	44	35	36	34	28	34
		F.	33	33	32	31	27	30	30	26	27	27	26
		P.	37	40	41	38	34	36	32	31	30	27	30
152	Carbuncle, boil	M.	10	12	10	12	13	12	12	12	11	13	11
		F.	5	4	5	5	5	6	5	5	5	5	5
		P.	7	8	7	8	9	9	8	8	8	9	8
153	Cellulitis, acute abscess† ..	M.	26	28	25	27	21	25	28	21	22	20	19
		F.	18	19	16	14	12	15	18	16	14	15	13
		P.	21	23	20	20	17	19	22	19	18	17	16
	1. Cellulitis†	M.	18	18	16	17	15	16	19	14	15	14	14
		F.	11	11	9	8	8	9	12	11	9	10	10
		P.	14	14	12	12	12	12	15	12	12	12	12
	2. Acute abscess†	M.	8	10	9	10	6	9	9	7	7	6	5
		F.	7	8	7	6	4	6	6	6	5	5	4
		P.	7	9	8	8	5	7	7	6	6	5	4
154	Other diseases of the skin and its annexa.	M.	32	32	33	31	29	25	27	24	20	23	21
		F.	35	31	30	31	23	24	24	23	23	21	23
		P.	34	30	31	31	26	26	25	23	21	22	22
	1. Ulcer, bedsore	M.	11	11	9	12	10	7	7	6	5	7	4
		F.	18	17	15	16	12	12	11	11	11	8	10
		P.	15	14	12	14	11	10	9	8	8	7	7
	2–4. Other diseases under 154, including eczema and pemphigus.	M.	21	21	24	19	19	18	20	18	15	16	17
		F.	17	14	15	15	11	12	13	12	12	13	13
		P.	19	16	19	17	15	16	16	15	13	15	15
155–158	**X. Diseases of the Bones and Organs of Locomotion.†**	M.	**26**	**27**	**28**	**31**	**27**	**30**	**27**	**27**	**27**	**28**	**29**
		F.	**16**	**16**	**16**	**16**	**15**	**18**	**18**	**15**	**16**	**14**	**16**
		P.	**21**	**21**	**21**	**23**	**20**	**23**	**22**	**20**	**21**	**21**	**22**
155	Diseases of the bones† ..	M.	21	20	21	25	20	23	21	21	21	21	22
		F.	12	12	11	11	10	12	12	11	12	11	12
		P.	16	15	15	17	14	17	16	16	16	16	17
	1. Acute infective osteomyelitis and periostitis.	M.	?	?	?	?	?	?	?	15	17	16	17
		F.	?	?	?	?	?	?	?	6	7	6	7
		P.	?	?	?	?	?	?	?	11	12	11	12
	2. Other diseases of the bones.	M.	?	?	?	?	?	?	?	5	4	5	5
		F.	?	?	?	?	?	?	?	5	5	5	5
		P.	?	?	?	?	?	?	?	5	4	5	5
159	**XI. Congenital malformations**	M.	**122**	**133**	**136**	**122**	**110**	**109**	**131**	**119**	**112**	**111**	**106**
		F.	**90**	**88**	**86**	**79**	**67**	**69**	**97**	**85**	**85**	**78**	**74**
		P.	**106**	**108**	**109**	**98**	**86**	**87**	**113**	**101**	**98**	**94**	**90**
	1. Congenital hydrocephalus.	M.	13	13	13	12	12	10	10	11	8	11	8
		F.	7	8	7	7	6	5	7	6	7	6	6
		P.	10	10	10	10	9	7	8	8	7	8	7
	2. Congenital malformation of heart.	M.	50	53	53	50	45	46	54	45	45	44	43
		F.	35	36	32	28	26	28	36	31	31	29	27
		P.	42	44	42	37	34	36	45	38	38	36	35
	3. Other congenital malformations.	M.	60	67	71	60	53	53	67	63	59	56	55
		F.	48	44	46	44	35	36	54	48	47	43	42
		P.	54	54	57	50	42	44	60	55	53	50	48

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
160–163	**XII. Diseases of Early Infancy**	M.	1,005	1,017	988	884	876	884	951	838	725	657	652
		F.	705	635	570	505	491	540	625	570	482	445	450
		P.	850	809	754	667	654	694	779	698	599	545	547
160	Congenital debility, sclerema and icterus.	M.	358	369	343	302	279	264	287	225	177	160	151
		F.	237	224	185	170	153	148	171	141	111	97	92
		P.	296	290	255	227	207	201	226	181	143	127	120
	1. Congenital debility and sclerema.	M.	334	342	318	281	256	243	263	204	158	140	134
		F.	223	212	174	160	144	138	158	130	102	88	83
		P.	277	271	238	212	192	186	208	165	129	113	108
	2. Icterus neonatorum ..	M.	24	27	25	21	23	21	24	21	19	20	17
		F.	14	12	11	10	9	10	13	12	9	9	8
		P.	19	19	17	15	15	15	18	16	14	14	12
161	Premature birth, injury at birth.	M.	580	579	578	521	542	561	593	552	492	446	449
		F.	420	368	344	300	306	352	407	384	333	311	316
		P.	497	463	445	394	406	446	494	464	409	375	380
	1. Premature birth ..	M.	544	544	543	488	515	530	551	513	455	412	415
		F.	399	349	325	285	292	337	385	361	315	290	297
		P.	469	437	419	371	386	424	463	433	382	348	354
	2. Injury at birth ..	M.	36	35	35	33	27	31	42	40	37	34	35
		F.	21	19	19	15	14	15	22	23	18	21	19
		P.	28	26	26	23	20	22	31	31	27	27	26
162	Other diseases peculiar to early infancy.	M.	61	63	59	52	48	50	61	53	49	45	44
		F.	41	37	35	29	27	30	42	38	32	31	35
		P.	51	49	46	40	36	39	50	45	41	37	39
	2. Atelectasis	M.	51	51	47	42	39	42	50	43	40	37	34
		F.	32	27	26	23	21	23	32	30	24	23	26
		P.	41	38	36	32	29	32	40	36	32	29	30
	1. and 3. Other diseases under 162, including diseases of umbilicus.	M.	10	12	12	10	9	8	11	10	9	8	10
		F.	9	10	9	6	6	7	10	9	8	8	8
		P.	10	11	10	8	7	7	10	9	9	8	9
163	Lack of care	M.	5	7	9	9	9	9	10	8	7	6	8
		F.	6	6	7	7	6	8	7	7	6	6	7
		P.	6	7	8	8	7	8	9	7	6	6	7
164	**XIII. Old Age**	M.	715	859	888	928	834	819	619	623	648	575	561
		F.	911	996	944	910	814	921	785	815	836	738	755
		P.	816	934	919	918	823	875	706	723	746	660	662
	1. Senile dementia ..	M.	25	34	35	47	44	35	30	32	36	35	35
		F.	36	37	36	39	38	34	37	42	45	40	42
		P.	31	36	36	42	40	35	34	37	41	38	39
	2. Other forms of senile decay.	M.	690	826	853	881	790	783	589	592	612	540	526
		F.	875	959	908	871	776	887	748	772	791	698	713
		P.	785	898	883	875	783	840	673	686	705	622	623
165–203	**XIV. External Causes** ..	M.	865	848	872	839	785	744	691	643	631	660	643
		F.	309	324	313	306	273	271	260	246	248	249	258
		P.	578	562	559	534	491	483	463	436	428	445	442
165–174	Suicide	M.	157	113	115	97	111	136	134	153	156	157	142
		F.	48	48	41	38	47	51	51	50	54	53	54
		P.	100	78	73	64	75	88	90	99	100	103	96
165, 166	By solid or liquid poisons and corrosive substances.	M.	16	9	8	6	7	7	10	11	13	13	12
		F.	12	9	6	5	6	7	7	9	10	9	10
		P.	14	9	7	5	6	7	8	10	11	11	11
167	By poisonous gas.. ..	M.	6	6	5	5	7	7	9	13	18	24	20
		F.	2	3	2	5	4	5	6	7	9	12	10
		P.	4	5	3	5	5	6	7	10	13	18	15
168	By hanging or strangulation.	M.	42	30	34	27	28	39	32	37	37	34	31
		F.	8	9	8	6	8	9	8	8	8	6	7
		P.	25	19	20	15	17	22	19	22	21	20	19
169	By drowning	M.	30	23	22	18	22	25	27	32	29	29	27
		F.	16	16	17	14	19	17	20	16	17	16	16
		P.	23	20	19	16	20	21	24	24	22	22	21

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1914–1924.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1914.	1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.
	Suicide—*contd.*												
170	By firearms	M.	17	10	10	10	10	11	12	14	14	13	10
		F.	1	1	0	0	1	1	1	1	0	1	0
		P.	8	5	4	4	5	5	6	7	7	6	5
171	By cutting or piercing instruments.	M.	33	24	28	23	28	35	32	33	32	31	29
		F.	7	5	5	5	6	6	5	6	6	5	5
		P.	19	13	15	13	16	19	18	19	18	17	16
172–174	By other means	M.	13	11	8	8	9	12	12	12	13	13	13
		F.	2	5	3	3	3	6	4	4	4	4	5
		P.	7	7	5	6	6	8	8	8	8	9	9
175–196, 201–203	Violent deaths, excluding suicide and homicide.	M.	700	729	752	737	670	599	549	484	470	496	495
		F.	253	269	266	261	221	212	201	189	188	191	199
		P.	469	477	479	465	412	385	365	330	323	336	341
175–177	Accidental poisoning ..	M.	11	8	8	7	8	6	6	7	6	5	5
		F.	8	6	5	5	5	4	3	5	3	4	3
		P.	9	6	6	6	7	5	5	6	4	4	4
179	Accidental burns (conflagration excepted).	M.	49	62	62	65	62	52	42	39	40	41	35
		F.	69	74	72	83	66	64	53	45	49	43	45
		P.	59	68	68	75	65	59	48	42	45	42	40
180	Accidental mechanical suffocation.	M.	45	45	33	35	27	24	24	23	19	18	17
		F.	35	29	21	20	17	15	17	15	13	11	12
		P.	40	36	27	27	22	19	20	19	16	14	15
181	(*See* Footnote †)												
182	Accidental drowning ..	M.	118	124	133	119	103	89	83	87	68	76	67
		F.	20	24	23	18	20	17	18	17	14	15	15
		P.	67	69	72	62	56	49	49	50	40	44	40
185	Accidental injury by fall ..	M.	114	125	131	121	107	102	95	83	79	74	77
		F.	74	75	79	69	57	60	61	56	64	65	66
		P.	93	97	103	92	78	79	77	69	71	69	71
186	Accidental injury in mining and quarrying.	M.	89	73	76	84	77	72	55	37	51	60	60
		F.	—	—	—	—	0	0	0	—	0	0	—
		P.	43	33	34	35	32	32	26	18	24	29	29
187	Accidental injury by machinery	M.	14	21	21	23	23	19	18	10	10	11	12
		F.	0	0	1	1	2	1	1	0	0	1	0
		P.	7	10	10	10	11	9	9	5	5	6	6
188	Accidental injury by other forms of crushing (vehicles, railways, &c.).	M.	168	205	202	179	169	175	174	154	156	164	186
		F.	31	40	37	36	33	36	36	36	33	37	48
		P.	97	115	110	98	91	99	101	92	91	98	114
190	Wounds of war	M.	38	11	20	39	32	12	9	6	4	4	3
		F.	2	5	7	11	5	—	—	—	—	—	—
		P.	19	7	13	23	17	6	4	3	2	2	2
194	Excessive heat	M.	5	3	6	4	3	4	1	7	3	12	1
		F.	2	1	2	1	1	2	1	6	1	5	1
		P.	4	2	4	3	2	3	1	7	2	8	1
197–199	Homicide	M.	8	7	7	6	6	9	7	6	5	7	6
		F.	8	7	6	7	5	8	8	7	6	5	5
		P.	8	7	7	6	5	8	8	7	5	6	6
202	Other and unstated forms of accidental violence, execution	M.	16	15	22	23	25	16	17	10	12	12	9
		F.	4	3	6	5	7	4	4	3	3	4	4
		P.	10	9	13	13	15	9	10	6	7	8	6
204–205	XV. Ill-defined Diseases ..	M.	79	100	100	87	89	83	63	60	57	54	50
		F.	67	71	64	58	57	52	43	40	40	36	33
		P.	73	84	80	71	71	66	52	50	48	44	41
204	Sudden death	M.	7	10	11	8	8	10	7	11	11	11	9
		F.	5	6	7	5	5	5	4	6	6	6	5
		P.	6	8	8	6	6	7	6	8	8	8	7
205	Cause of death unstated or ill defined.	M.	72	90	88	80	82	73	56	50	46	43	41
		F.	61	65	57	54	52	47	38	34	34	30	28
		P.	67	76	72	65	65	59	47	42	40	36	34
	1. Heart failure (1-70 yrs.)	M.	40	49	48	45	44	45	35	30	31	27	26
		F.	31	32	30	29	29	29	23	19	20	19	17
		P.	36	40	38	36	35	36	29	24	25	23	22
	2. Other ill-defined causes	M.	28	37	36	29	29	21	17	17	13	13	13
		F.	28	30	24	22	20	15	13	14	13	10	9
		P.	28	33	30	25	24	18	15	15	13	12	11

* Based on civilian deaths and civilian population.

† 181. Accidental absorption of irrespirable or poisonous gas. Mortality (1922)—Males 6, Females 3, Persons 5.

Table 6.—England and Wales.—Annual Death-Rates from the Principal Epidemic or General Diseases, 1838–1924.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Tuberculosis (All forms).†	Tuberculosis of Respiratory System.†	Cancer.	Measles	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1851–60	222	412	982		?	505	3,476	2,685	317	1,151	2,650		?	1,418
1861–70	162	443	971	187	435	530	3,255	2,485	386	1,221	2,617	460	1,148	1,475
1871–80	245	379	719	121	291	513	2,877	2,125	470	1,038	1,908	300	765	1,415
1881–90	46	441	338	163	308	451	2,431	1,730	591	1,227	903	421	823	1,259
1891–1900	13	414	158	263	315	378	2,011	1,390	757	1,217	439	742	894	1,115
1901–10	13	309	106	179	192	277	1,653	1,161	904	973	311	545	584	876
1911–20*	0	275	47	141	142	183	1,427	1,076	1,117	891	141	444	447	596
1838–42 (5 years)	575	539	797		?	504	4,419	3,782	173	?	?		?	?
1847–50 (4 years)	292	403	884		?	480	3,714	2,889	274	1,115	2,385		?	1,345
1851–55	249	399	911		?	511	3,638	2,805	306	1,114	2,481		?	1,439
1856–60	195	425	806	246	520	498	3,323	2,572	327	1,185	2,201	609	1,379	1,398
1861–65	219	457	982	248	535	516	3,313	2,527	367	1,265	2,646	617	1,422	1,437
1866–70	105	428	960	127	335	545	3,201	2,447	403	1,180	2,589	314	891	1,511
1871–75	411	373	759	121	305	499	2,942	2,217	445	1,023	2,018	298	807	1,378
1876–80	78	385	680	122	276	527	2,817	2,038	494	1,051	1,806	302	726	1,450
1881–85	78	413	436	156	320	459	2,543	1,830	548	1,138	1,160	396	848	1,269
1886–90	14	468	241	170	295	444	2,324	1,635	632	1,313	656	445	799	1,250
1891–95	20	407	182	253	323	398	2,122	1,461	712	1,174	498	694	896	1,151
1896–1900	7	421	135	272	307	359	1,906	1,323	800	1,260	380	790	893	1,079
1901–05	25	327	126	205	222	301	1,743	1,218	867	1,016	366	615	668	940
1906–10	1	291	86	154	162	253	1,566	1,106	939	930	257	476	503	813
1911–15*	0	342	61	140	141	209	1,414	1,047	1,055	1,110	185	440	444	681
1916–20*	0	205	32	143	144	156	1,441	1,107	1,182	665	96	447	449	509
1884	82	419	402	186	362	425	2,574	1,827	563	1,156	1,082	473	961	1,180
1885	103	533	233	164	320	481	2,433	1,770	572	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	2,476	1,739	590	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	2,286	1,615	615	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	2,224	1,568	621	972	614	447	810	1,227
1889	1	518	235	189	303	430	2,261	1,573	656	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	2,378	1,682	676	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	2,303	1,599	692	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	2,139	1,468	690	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	2,143	1,466	710	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	1,971	1,383	712	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2,062	1,395	753	1,106	418	729	889	927
1896	17	570	177	291	342	429	1,890	1,303	762	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	1,926	1,336	785	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1,910	1,311	799	1,256	320	705	788	973
1899	5	314	117	292	324	318	1,904	1,330	826	948	334	857	953	965
1900	3	394	119	290	316	356	1,902	1,333	829	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1,807	1,264	842	850	380	809	888	965
1902	75	392	148	237	255	298	1,742	1,234	846	1,211	427	710	768	924
1903	23	275	125	183	196	286	1,747	1,206	874	854	364	550	592	893
1904	15	365	112	170	184	353	1,784	1,241	879	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1,639	1,146	889	1,025	333	489	532	809
1906	1	275	101	178	191	242	1,654	1,157	922	871	301	545	587	768
1907	0	364	93	165	176	296	1,617	1,148	915	1,157	275	507	541	944
1908	0	228	80	158	167	280	1,595	1,123	931	729	236	492	521	899
1909	1	356	91	148	155	203	1,537	1,091	962	1,145	273	462	484	654
1910	1	232	66	120	122	246	1,434	1,015	967	750	200	377	384	798
1911	1	364	52	136	138	217	1,469	1,064	992	1,173	158	427	433	705
1912	0	353	55	118	119	230	1,374	1,024	1,024	1,150	168	372	376	756
1913	0	291	57	121	122	149	1,352	990	1,065	951	175	388	392	492
1914	0	247	77	159	160	218	1,361	1,024	1,069	816	233	507	510	722
1915*	0	463	66	165	166	230	1,517	1,139	1,122	1,458	189	507	510	730
1916*	0	154	39	153	154	175	1,523	1,151	1,161	478	112	465	468	546
1917*	0	304	22	130	131	132	1,602	1,211	1,192	941	62	391	393	411
1918*	0	284	29	140	141	291	1,668	1,302	1,199	892	82	427	430	918
1919*	1	100	34	137	138	74	1,284	998	1,182	334	104	445	447	248
1920*	1	192	38	151	151	118	1,133	873	1,166	675	119	508	510	417
1921	0	59	34	126	126	121	1,126	884	1,215	212	106	432	432	435
1922	1	149	36	107	107	167	1,121	889	1,229	542	109	373	373	607
1923	0	138	26	71	71	108	1,062	836	1,267	508	83	250	250	399
1924	0	124	23	64	65	103	1,058	841	1,297	464	74	230	231	384

* The mortality for the years 1915–1920 relates to civilians only.

† Standardized death-rates from these causes are shown in Table XXXIII pp. 49 and 50 of the Statistical Review, 1921. (Text).

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES, 1923 AND 1924.

(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.*																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Sepsis.	
	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.
England and Wales ..	0	0	12	13	1,062	1,058	836	841	138	124	108	103	26	23	71	64	69	75	8·12	7·58	2·52	2·51	1·30	1·39
Administrative Counties (including London).	*0*	*0*	*13*	*14*	*976*	*972*	*764*	*771*	*116*	*109*	*96*	*88*	*22*	*20*	*69*	*63*	*64*	*68*	*6·74*	*6·25*	*2·47*	*2·51*	*1·24*	*1·31*
Bedfordshire	—	—	14	76	951	939	737	806	24	47	62	71	5	5	43	90	55	56	3·55	3·52	2·45	2·35	1·36	0·29
Berkshire	—	—	—	30	881	799	707	591	35	99	90	30	40	10	144	25	52	57	4·43	2·18	1·48	4·67	0·59	1·24
Buckinghamshire ..	—	—	4	8	784	684	594	563	34	42	51	42	25	25	51	38	42	48	1·94	2·51	1·46	3·51	0·73	—
Cambridgeshire ..	—	—	8	—	857	917	687	724	15	31	46	46	8	8	93	54	51	53	2·80	2·01	3·74	4·01	1·40	1·51
Cheshire	—	—	20	8	767	796	541	563	57	187	94	44	14	22	38	44	65	70	5·51	5·52	3·16	2·81	1·36	1·31
Cornwall	—	—	25	16	1,145	1,211	927	1,007	82	19	50	79	—	6	13	13	55	62	4·20	3·85	3·65	2·12	1·09	0·58
Cumberland	—	—	5	9	965	887	660	692	228	32	59	208	41	27	155	41	74	73	9·90	4·89	4·95	4·00	0·65	1·78
Derbyshire	—	2	12	7	757	783	575	591	133	64	135	81	8	15	42	53	75	71	6·70	6·42	3·63	2·54	1·42	1·35
Devonshire	—	—	24	26	1,077	945	881	765	78	23	50	33	12	5	36	9	48	52	5·70	3·29	2·71	3·14	1·14	0·90
Dorsetshire	—	—	9	—	968	883	764	681	23	13	73	18	5	9	5	13	58	53	2·60	2·65	2·34	1·85	0·26	1·32
Durham	—	1	11	23	1,206	1,173	815	817	450	64	241	192	40	34	62	66	86	96	9·06	12·55	2·70	2·48	1·15	1·57
Ely, Isle of	—	—	—	—	771	684	545	473	53	79	93	118	—	13	13	92	64	59	7·95	2·10	3·97	2·10	1·99	2·80
Essex	—	—	11	9	829	892	666	724	10	89	54	73	6	11	42	44	46	52	4·73	4·81	2·31	1·85	0·92	1·29
Gloucestershire ..	—	6	27	6	859	948	630	733	66	75	69	54	24	6	45	57	48	54	3·02	4·31	2·18	2·70	2·18	0·90
Herefordshire	—	—	18	18	874	894	768	762	194	18	203	79	—	9	44	9	65	50	4·28	4·68	2·57	3·27	1·28	0·47
Hertfordshire	—	—	6	29	743	773	598	613	24	26	21	46	15	9	36	26	42	51	2·58	3·46	2·23	2·00	0·69	1·27
Huntingdonshire ..	—	—	18	—	1,064	826	740	664	90	18	108	36	—	—	—	—	59	60	4·62	7·30	1·85	2·09	—	2·09
Kent	—	—	8	11	950	971	776	780	36	67	48	41	17	12	43	55	48	53	5·33	4·37	1·86	2·40	1·36	0·87
Lancashire	—	—	21	16	938	872	705	682	74	148	117	103	33	24	54	52	80	82	7·11	7·93	3·06	3·49	1·37	1·56
Leicestershire	—	—	22	7	912	1,007	763	806	134	18	112	55	7	7	112	66	62	60	6·39	4·48	1·88	2·14	0·56	0·58
Lincolnshire, Holland	—	—	—	11	877	984	681	755	23	—	127	46	—	11	12	23	64	65	6·85	12·11	4·74	2·20	0·53	0·55
,, Kesteven	—	—	9	—	923	980	634	738	47	—	84	84	9	—	19	47	55	63	2·37	2·38	1·42	1·43	0·95	0·48
,, Lindsey	—	—	23	15	959	985	725	693	58	35	78	62	8	8	39	62	62	60	3·64	3·51	1·72	2·53	1·34	1·36
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
London	0	—	9	12	1,158	1,162	971	980	85	291	95	113	25	28	135	123	61	69	10·32	8·73	1·52	1·84	1·37	1·24
Middlesex	1	2	5	8	879	921	719	765	27	148	60	54	13	12	94	78	52	56	5·61	4·64	2·07	1·50	1·55	1·55
Norfolk	—	—	13	12	815	844	649	664	82	16	91	53	9	31	19	19	58	55	2·70	4·57	2·53	2·29	0·51	0·70
Northamptonshire ..	—	—	14	23	919	911	742	785	65	23	37	28	28	23	42	74	61	53	5·97	4·29	4·07	1·43	1·63	2·00
Northumberland ..	—	2	10	12	1,151	1,128	850	821	335	37	190	132	37	17	30	37	76	83	6·55	7·56	2·62	1·97	1·42	0·66
Nottinghamshire ..	—	5	13	13	959	909	688	730	222	31	111	153	23	38	62	74	77	79	5·73	5·44	2·49	2·60	0·87	1·24
Oxfordshire	—	—	8	—	811	797	668	641	30	15	53	7	30	7	68	15	49	50	2·88	0·44	2·06	2·62	1·64	2·62
Peterborough, Soke of	—	—	—	21	793	599	668	496	21	21	42	62	—	—	—	21	44	60	1·17	3·92	2·33	—	3·50	—
Rutlandshire	—	—	—	54	381	380	326	272	—	54	—	217	—	—	54	—	56	73	—	3·15	—	3·15	—	3·15
Shropshire	—	—	12	16	867	755	639	585	53	97	122	37	24	16	49	20	59	58	3·27	2·60	3·27	2·81	1·22	1·08
Somersetshire.. ..	—	—	13	10	902	796	696	656	41	28	82	40	18	20	31	33	46	54	4·10	3·38	1·91	2·92	0·59	0·77
Southampton ..	—	—	10	20	871	927	679	746	45	50	111	79	20	15	63	50	51	55	3·50	2·96	1·87	2·06	0·62	1·55
Staffordshire	—	—	14	7	942	906	700	692	375	63	94	84	32	28	51	53	73	79	8·99	6·63	2·61	1·80	1·30	0·96
Suffolk, East	—	—	10	19	931	985	744	776	29	43	29	33	—	14	53	29	49	58	3·22	1·84	2·48	2·10	0·25	1·31
,, West.. ..	—	—	—	—	1,112	856	884	728	9	73	64	9	9	—	46	—	49	45	3·54	5·03	2·53	2·23	0·51	0·56
Surrey..	—	—	9	12	716	802	586	645	33	78	52	39	18	17	31	62	45	52	4·04	2·76	1·85	2·14	0·84	1·43
Sussex, East	—	—	12	12	922	872	749	705	35	19	24	19	20	12	32	12	45	48	2·84	1·66	2·33	2·21	0·52	1·10
,, West	—	—	27	10	753	782	577	667	32	79	48	37	—	5	27	16	43	43	3·16	2·14	2·11	1·78	1·05	0·36
Warwickshire.. ..	—	—	17	14	833	888	659	687	153	17	114	103	20	14	80	73	62	60	5·90	4·02	1·58	2·98	1·29	1·34
Westmorland ..	—	—	—	—	611	753	386	593	64	64	96	16	16	48	32	—	60	68	2·73	5·66	2·73	3·77	—	0·94
Wight, Isle of.. ..	—	—	12	12	1,062	931	863	757	12	151	93	12	23	—	—	35	38	71	5·48	5·63	1·56	8·85	2·35	1·61
Wiltshire	—	—	—	—	818	834	602	617	31	37	62	68	7	10	41	41	51	55	2·58	2·29	1·66	2·10	0·74	1·91
Worcestershire ..	—	—	7	6	857	877	687	692	137	39	88	68	36	36	26	10	65	62	7·05	4·72	1·59	1·81	0·70	1·27
Yorkshire, East Riding	—	—	18	6	884	880	642	651	42	18	54	121	6	6	36	—	58	62	6·47	2·93	3·70	2·93	1·54	2·61
,, North ,,	—	—	10	35	904	957	652	733	319	22	73	171	19	38	22	44	70	77	5·45	6·61	1·76	2·90	0·16	1·13
,, West ,,	—	—	23	24	992	950	710	700	149	100	107	127	35	24	44	46	81	83	8·49	8·01	2·58	2·99	1·74	1·58
Anglesey	—	—	19	—	1,598	1,473	1,251	994	19	—	135	478	—	38	154	76	84	97	4·00	5·43	8·00	3·26	—	5·43
Brecknockshire ..	—	—	81	32	859	1,159	664	885	194	32	162	113	16	16	97	129	72	81	6·53	6·64	5·71	4·98	0·82	3·32
Cardiganshire.. ..	—	—	17	—	1,746	1,887	1,521	1,561	—	17	121	86	35	—	138	69	76	78	8·81	3·42	6·61	4·56	—	5·70
Carmarthenshire ..	—	—	22	28	1,416	1,223	1,111	997	83	—	39	110	28	28	94	110	72	82	7·41	5·70	4·23	4·34	0·79	1·63
Carnarvonshire ..	—	—	8	17	1,630	1,705	1,431	1,447	25	33	25	25	33	8	17	8	78	71	3·94	4·22	3·94	4·22	0·99	1·06
Denbighshire	—	—	19	6	931	887	745	709	51	44	141	89	—	13	6	32	72	79	6·43	7·57	5·08	3·62	2·71	1·65
Flintshire	—	—	48	—	1,083	834	813	700	39	144	97	58	10	19	58	38	68	61	4·36	4·39	2·91	4·87	0·48	1·95
Glamorganshire ..	—	—	10	6	1,012	1,047	788	798	318	17	141	122	43	21	116	83	75	77	7·73	6·90	4·12	3·50	2·01	1·54
Merionethshire ..	—	—	—	—	1,536	1,910	1,252	1,421	95	—	118	—	24	—	95	70	76	72	7·77	3·84	5·18	5·12	1·30	2·56
Monmouthshire ..	—	—	11	24	865	884	652	684	410	35	218	72	11	29	92	96	73	76	4·81	5·74	3·32	2·75	1·03	1·20
Montgomeryshire ..	—	—	—	19	1,151	910	1,034	736	39	39	195	—	—	—	78	58	58	62	5·93	6·01	2·97	5·01	0·99	—
Pembrokeshire ..	—	—	11	11	1,312	1,350	1,017	1,056	11	33	98	120	—	—	109	98	68	70	9·47	8·25	2·79	3·54	2·23	0·59
Radnorshire	—	—	91	—	1,222	991	951	901	—	—	45	180	—	—	—	45	48	64	7·13	2·48	9·50	2·48	—	2·48

* Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1923 AND 1924—*continued.*

(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two years.		Childbirth (Mothers).		Puerperal Sepsis.	
	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.
County Boroughs	*0*	*0*	*9*	*11*	*1,237*	*1,242*	*981*	*991*	*184*	*157*	*134*	*133*	*34*	*29*	*76*	*68*	80	*88*	*10·72*	*10·05*	*2·60*	*2·50*	*1·41*	*1·56*
Barnsley	—	14	—	14	1,198	1,134	913	949	228	312	71	85	—	28	114	43	97	98	13·17	19·23	5·15	3·21	1·72	4·27
Barrow-in-Furness ..	—	—	13	—	991	1,007	763	694	134	27	94	136	67	14	13	54	89	73	6·65	4·84	2·95	1·61	0·74	—
Bath	—	—	—	—	713	837	553	736	131	—	102	43	—	—	29	87	47	85	1·95	3·28	0·98	2·19	—	3·28
Birkenhead	—	—	—	6	1,017	1,259	733	909	13	260	40	273	26	26	92	45	64	95	10·26	15·92	3·11	2·18	1·24	1·56
Birmingham	—	—	4	5	1,067	1,109	885	943	195	83	46	195	41	24	146	105	72	82	10·85	9·00	1·63	1·91	1·78	2·02
Blackburn	—	—	8	—	977	854	698	643	47	157	54	63	8	8	8	16	100	84	9·07	8·08	3·82	4·55	2·39	1·52
Blackpool	—	—	27	—	892	956	652	698	27	39	40	52	13	13	27	52	71	74	5·48	2·57	7·31	1·71	1·83	5·14
Bolton	—	—	—	39	1,142	1,104	873	861	27	66	60	155	27	11	49	33	86	91	12·48	10·09	2·81	5·36	1·56	2·84
Bootle	—	—	—	—	1,679	1,444	1,312	1,131	306	217	172	144	37	84	25	24	86	99	9·00	12·87	1·50	3·09	—	2·06
Bournemouth.. ..	—	—	—	24	1,131	1,101	973	959	61	—	122	12	24	—	12	36	60	45	0·94	1·80	0·94	0·90	1·87	—
Bradford	—	—	17	10	1,069	1,072	839	858	220	41	76	93	21	14	62	31	78	92	6·24	6·88	1·89	2·22	3·02	1·42
Brighton	—	—	7	—	943	1,113	751	960	118	15	59	95	15	15	184	51	60	59	4·12	4·78	0·43	1·43	0·46	2·39
Bristol	—	—	10	8	1,209	1,137	949	917	91	41	202	21	47	21	124	155	62	71	8·03	5·76	2·45	2·74	0·82	1·15
Burnley	—	—	29	58	1,288	1,035	973	745	115	97	162	29	86	—	67	77	103	126	7·13	11·76	2·74	5·29	1·10	1·18
Burton-upon-Trent ..	—	—	—	—	1,127	1,007	906	785	101	—	141	81	40	20	20	—	75	61	5·95	4·12	1·98	5·15	—	2·06
Bury	—	—	—	18	1,083	950	978	792	227	—	70	70	52	18	—	—	100	70	6·93	3·41	—	4·54	3·46	1·14
Canterbury	—	—	—	—	1,107	1,157	937	1,157	—	—	43	—	—	—	—	—	49	47	8·97	4·48	4·48	4·48	2·24	2·24
Carlisle	—	—	—	—	1,055	1,366	704	965	833	55	148	146	37	73	204	164	87	94	11·10	9·72	8·54	1·77	0·85	—
Chester	24	—	—	—	1,376	1,462	1,014	1,126	24	264	193	48	—	24	48	24	86	89	10·00	12·25	—	2·45	1·25	2·45
Coventry	—	—	8	—	1,181	1,170	991	945	61	8	99	116	—	8	53	62	67	79	2·69	6·55	2·24	2·34	1·79	1·87
Croydon	—	—	—	10	1,055	974	843	806	47	26	62	61	10	10	109	41	53	56	5·93	5·79	2·37	2·60	0·89	0·58
Darlington	—	—	—	—	1,217	1,237	994	932	757	29	—	29	30	29	30	44	67	94	4·15	10·08	2·07	7·20	0·69	0·72
Derby	—	—	—	—	1,077	1,047	798	785	30	120	188	30	15	30	23	202	67	66	6·84	3·33	1·21	1·25	2·01	0·83
Dewsbury	—	—	18	—	871	1,095	599	949	472	18	73	164	54	37	36	55	83	96	5·31	6·87	4·25	6·87	3·18	1·96
Dudley	—	—	17	17	877	1,007	739	870	946	34	52	154	17	—	52	51	78	91	14·30	11·44	3·76	2·29	0·75	1·53
Eastbourne	—	—	—	—	835	875	686	730	—	—	19	55	—	—	—	18	39	59	1·39	—	—	4·50	1·39	1·50
East Ham	—	—	7	—	1,101	973	882	790	55	123	48	129	14	7	27	34	51	54	6·69	2·96	1·76	—	1·76	1·11
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter..	—	—	—	50	846	1,219	763	985	133	67	50	17	—	—	66	17	61	60	7·84	6·93	4·90	1·98	0·98	0·99
Gateshead	—	—	8	—	1,568	1,826	1,162	1,352	710	—	242	241	8	16	39	109	90	103	11·86	16·76	2·67	2·53	0·59	2 85
Gloucester	76	—	38	—	1,211	1,319	927	923	227	57	132	38	76	19	76	188	69	88	2·83	8·00	3·78	3·00	0·94	1·00
Great Yarmouth ..	—	—	17	—	1,398	1,385	1,136	1,073	87	17	70	35	17	17	35	52	59	63	12·95	6·71	1·85	0·96	0·93	1·92
Grimsby	—	—	—	—	1,320	1,221	1,121	991	—	161	187	184	12	—	23	81	78	99	8·66	13·57	4·08	2·71	0·51	1·09
Halifax	—	—	10	10	1,042	729	781	506	50	81	—	61	10	10	20	51	90	97	7·90	7·43	3·95	4·05	0·66	—
Hastings	—	—	—	—	831	1,273	732	1,074	67	—	33	50	—	—	17	—	43	69	4·78	2·57	4·78	2·57	2·39	2·57
Huddersfield	—	—	54	45	1,252	1,134	993	982	36	143	63	107	27	18	36	36	72	97	4·00	3·07	5·14	1·23	1·71	1·23
Ipswich	—	—	—	—	1,016	955	808	798	24	24	12	48	37	12	37	—	51	52	0·65	4·18	1·29	1·39	0·65	1·39
Kingston-upon-Hull ..	—	—	13	10	1,233	1,354	983	1,071	47	182	165	135	—	7	77	71	83	87	16·96	11·10	3·04	3·15	1·59	1·35
Leeds	—	—	4	13	1,371	1,410	1,068	1,088	109	93	68	189	66	42	43	57	89	108	13·36	11·79	3·57	2·69	2·07	1·28
Leicester	—	—	8	4	1,439	1,493	1,222	1,208	104	8	134	79	13	12	46	141	83	79	15·24	16·44	1·96	2·28	1·74	2·51
Lincoln	—	—	—	15	927	1,212	732	898	120	—	60	90	15	15	45	60	64	72	2·56	4·40	1·71	1·76	0·85	0·88
Liverpool	—	—	7	8	1,608	1,526	1,251	1,242	430	169	186	204	49	74	98	82	100	103	17·30	15·13	2·17	1·99	1·11	1·41
Manchester	—	—	12	17	1,534	1,506	1,245	1,205	112	494	247	148	41	45	62	81	88	100	13·58	12·84	2·47	2·76	1·30	2·14
Middlesbrough ..	—	15	—	7	1,425	1,775	1,137	1,431	598	198	—	565	140	110	74	51	87	135	11·53	11·70	3·49	2·51	0·80	1·67
Newcastle-on-Tyne ..	—	—	4	10	1,476	1,459	1,099	1,119	536	210	282	98	18	14	35	63	98	100	12·41	10·19	2·36	1·43	1·73	0·95
Northampton.. ..	—	—	—	32	1,062	1,111	890	940	75	11	—	150	64	64	43	11	57	52	6·02	3·26	3·01	1·30	1·20	2·61
Norwich	—	—	8	—	1,214	1,219	1,044	1,017	227	8	57	56	105	73	251	145	65	62	4·99	4·57	1·25	1·37	1·25	0·46
Nottingham	—	—	7	—	1,181	1,184	899	943	100	15	126	141	41	15	45	41	86	85	12·23	11·13	2·41	2·11	1·30	0·96
Oldham	—	—	7	7	1,268	1,161	922	842	88	170	319	75	34	7	75	20	115	111	7·65	10·48	4·97	2·10	1·91	1·26
Oxford..	—	—	—	—	685	838	439	646	35	—	88	52	88	35	35	17	45	52	—	3·42	3·42	1·14	—	2·28
Plymouth	—	—	21	10	1,321	1,275	1,067	1,032	31	135	41	166	5	5	47	114	51	82	5·55	4·53	2·65	4·26	1·21	2·40
Portsmouth	—	—	48	17	1,045	1,228	854	1,000	173	65	48	172	22	34	204	78	54	67	6·87	4·58	2·67	2·39	1·34	1·79
Preston	—	—	25	8	1,142	1,129	863	853	49	171	181	32	33	16	82	49	98	97	9·07	8·16	3·71	3·87	1·24	2·15
Reading	—	—	11	11	1,191	1,070	1,009	973	107	64	64	21	21	11	21	11	51	55	4·69	2·50	4·11	3·12	1·76	—
Rochdale	—	—	11	11	1,240	960	928	765	43	194	43	65	86	54	76	11	76	77	3·77	4·14	4·40	1·38	0·63	0·69
Rotherham	—	—	—	28	996	1,237	826	953	—	185	256	43	28	85	—	57	106	99	5·57	21·47	0·62	1·23	0·62	1·23
St. Helens	—	—	9	18	1,046	1,334	794	1,086	—	267	93	101	37	9	75	37	91	104	7·27	8·75	0·76	4·57	0·38	1·90
Salford	—	—	25	16	1,627	1,588	1,353	1,284	54	624	199	263	79	16	132	62	97	121	14·24	19·16	2·73	2·50	0·98	1·46
Sheffield	—	—	15	19	1,023	1,027	851	813	19	219	248	59	23	17	32	38	90	89	12·75	9·06	2·55	1·96	1·37	2·47
Smethwick	—	—	—	—	1,147	850	956	660	293	25	51	152	51	13	242	89	65	74	7·56	6·91	0·63	2·51	6·30	1·26
Southampton.. ..	—	—	12	54	1,362	1,237	1,108	1,034	139	6	169	42	12	18	115	102	54	62	6·17	6·00	4·01	1·26	1·23	0·63
Southend-on-Sea ..	—	—	—	—	1,096	1,058	902	933	—	114	43	73	21	—	54	—	47	52	3·30	6·27	1·32	2·09	1·32	0·70
Southport	—	—	14	14	1,008	1,100	760	896	124	41	—	68	—	—	14	—	65	63	9·04	5·35	1·00	—	1·00	1·07
South Shields.. ..	—	—	—	8	1,839	1,619	1,357	1,232	667	47	458	63	40	55	80	118	94	103	8·59	16.28	2·54	4·23	0·95	0·98
Stockport	—	—	—	16	1,169	1,127	947	849	72	341	88	56	8	48	111	40	92	87	6·75	4·36	3·15	2·91	1·35	1·94
Stoke-on-Trent ..	—	—	11	11	1,228	1,158	978	896	348	554	29	162	87	101	36	32	93	100	19·48	10·09	2·80	3·01	1·48	1·36
Sunderland	—	—	12	6	1,482	1,442	1,128	1,024	457	133	427	73	24	—	30	48	98	101	17·48	26·65	2·95	4·05	0·98	0·71
Tynemouth	—	—	—	45	1,469	1,653	1,179	1,274	796	15	459	15	15	15	77	15	89	86	14·62	11·79	3·18	1·31	1·91	1·31

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1923 AND 1924—*continued.*

(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at all Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Sepsis.	
	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.	1923.	1924.
Wakefield	—	—	19	19	1,186	1,187	945	816	222	167	93	130	19	19	19	37	95	89	17·51	14·14	5·53	2·83	2·76	0·94
Wallasey	—	—	11	11	878	1,046	700	881	—	88	67	66	—	11	11	11	59	57	4·90	4·97	4·20	3·55	2·10	—
Walsall	—	—	—	—	1,145	1,133	906	897	369	20	349	—	20	49	70	266	94	78	16·65	8·06	1·28	2·12	0·43	3·82
Warrington	—	—	13	13	1,445	1,408	1,166	1,293	228	230	266	64	13	141	38	13	75	85	7·92	10·96	3·39	3·05	3·96	1·22
West Bromwich ..	—	—	—	—	812	864	619	622	503	89	26	191	90	89	490	64	88	89	13·40	6·44	2·68	1·07	—	1·07
West Ham	—	—	3	13	1,177	1,191	951	970	38	359	73	265	22	13	86	104	60	78	8·97	10·41	1·67	0·97	1·41	0·69
West Hartlepool ..	—	—	28	—	1,128	1,312	832	866	141	363	70	98	42	42	85	42	92	89	5·17	8·38	2·30	3·59	0·57	1·80
Wigan..	—	—	11	11	1,004	1,009	862	647	—	877	153	373	22	22	33	33	101	109	7·29	10·02	3·89	4·51	1·46	3·00
Wolverhampton ..	—	—	—	—	900	961	675	758	244	83	75	102	19	9	19	46	76	84	13·61	10·00	4·39	0·48	1·76	1·43
Worcester	—	—	20	40	1,143	1,035	923	876	100	—	100	119	—	20	—	20	57	52	7·52	9·25	3·22	2·31	—	—
York	—	—	—	—	888	1,101	607	912	164	59	70	485	12	12	12	47	50	96	4·25	2·54	2·43	1·27	—	0·63
Cardiff..	—	—	13	—	1,693	1,521	1,340	1,247	115	155	146	195	9	9	49	44	73	79	13·86	10·31	1·78	3·51	2·77	2·27
Merthyr Tydfil ..	—	—	—	12	1,196	1,270	967	971	701	12	205	24	12	—	181	144	87	81	9·55	9·52	2·81	4·48	1·68	0·56
Newport (Mon.) ..	—	—	—	42	1,204	1,211	953	1,054	398	83	272	31	10	10	63	—	65	73	8·53	2·91	3·79	—	1·90	1·45
Swansea	—	—	—	—	1,342	1,407	1,051	1,156	118	6	130	172	62	25	87	74	78	81	8·78	7·68	3·22	4·14	0·88	0·30

TABLE 8.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES UNDER ONE YEAR OF AGE, 1914–1924.

Cause of Death.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
All Causes	91,971	89,380	71,646	64,483	64,386	61,715	76,552	70,250	60,121	52,582	54,813
I—Common Infectious Diseases (6–10, 25 : 2)	6,110	7,332	4,101	3,830	5,259	1,902	4,027	3,084	4,097	3,216	2,876
II—Tuberculous Diseases (31–37) ..	2,515	2,339	1,879	1,838	1,282	1,111	1,405	1,311	1,091	1,036	990
III—Diarrhœa and Enteritis (113) ..	15,297	12,333	8,313	6,885	6,319	6,039	7,641	11,705	4,347	5,169	4,616
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	33,174	30,343	27,967	24,404	23,518	25,952	31,088	28,021	24,504	22,547	22,637
V—Miscellaneous Diseases—(Remainder)	34,875	37,033	29,386	27,526	28,008	26,711	32,391	26,129	26,082	20,614	23,694
Measles (7)	1,879	3,367	1,127	1,825	1,510	650	1,532	526	1,220	1,134	990
Whooping cough (9)	3,845	3,630	2,710	1,787	3,551	1,054	2,152	2,287	2,620	1,907	1,720
Diphtheria (10)	234	217	180	149	152	143	249	199	193	119	104
Influenza (11)	253	429	216	250	2,478	1,622	530	439	973	291	814
Tuberculosis of nervous system (32)	866	888	762	716	548	484	639	595	526	496	464
Tuberculosis of intestines and peritoneum (33)	986	868	623	633	403	323	367	386	274	229	224
Other tuberculous diseases (31, 34–37)	663	583	494	489	331	304	399	330	291	311	302
Syphilis (38)	1,361	1,169	1,232	1,354	1,262	1,217	1,443	1,214	874	797	666
Meningitis (71)	1,066	989	758	678	575	574	678	591	562	511	461
Convulsions (80)	7,137	7,077	5,967	5,271	4,617	4,361	5,347	4,322	3,538	3,171	2,916
Bronchitis (99)	6,821	7,738	5,871	5,636	5,454	5,791	7,208	4,538	4,821	3,446	4,045
Pneumonia (100, 101) ..	9,166	10,994	7,727	7,645	8,028	7,282	9,422	8,001	9,275	6,732	9,156
Other respiratory diseases (97, 98, 102–107)*	558	539	489	432	308	323	443	332	314	273	275
Inflammation of the stomach (112 : 1)	1,426	1,452	1,263	1,080	959	897	1,216	1,033	701	610	544
Diarrhœa and enteritis (113)	15,297	12,333	8,313	6,885	6,319	6,039	7,641	11,705	4,347	5,169	4,616
Hernia, intestinal obstruction (118)	483	464	449	442	393	404	617	536	514	468	405
Congenital malformations (159)	3,387	3,362	3,284	2,853	2,403	2,701	3,855	3,377	3,292	3,156	3,063
Congenital debility and sclerema (160 : 1)	10,222	9,533	8,244	7,236	6,508	6,572	7,751	6,250	4,904	4,331	4,182
Icterus (160 : 2)	698	667	578	494	497	543	681	614	524	553	483
Premature birth (161 : 1) ..	17,344	15,431	14,627	12 747	13,135	15,009	17,300	16,411	14,571	13,379	13,738
Injury at birth (161 : 2) ..	1,051	930	904	768	660	774	1,164	1,179	1,035	1,056	1,019
Disease of umbilicus (162 : 1)†	342	341	300	235	206	221	348	143	127	119	128
Atelectasis (162 : 2)	1,523	1,350	1,234	1,074	975	1,127	1,501	1,369	1,213	1,128	1,171
Suffocation—in bed or not stated how (180 pt.) ..	1,233	1,020	742	704	557	525	593	502	443	415	430
Other causes	4,130	4,009	3,552	3,100	2,557	2,775	3,476	3,371	2,969	2,781	2,897

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.
† Including other hæmorrhages of the newborn previous to 1921.

TABLE 9.—ENGLAND AND WALES.—INFANT MORTALITY FROM VARIOUS CAUSES 1914–1924.

Cause of Death.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
All Causes	104·62	109·72	91·21	96·48	97·16	89·13	79·93	82·76	77·07	69·36	75·09
I—Common Infectious Diseases (6–10, 25 : 2)	6·95	9·00	5·22	5·73	7·94	2·75	4·20	3·63	5·25	4·24	3·94
II—Tuberculous Diseases (31–37)	2·86	2·88	2·39	2·75	1·94	1·61	1·47	1·54	1·39	1·36	1·36
III—Diarrhoea and Enteritis (113)	17·40	15·14	10·58	10·30	9·54	8·72	7·98	13·79	5·57	6·82	6·32
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	37·73	37·25	35·60	36·52	35·49	37·48	32·45	33·00	31·41	29·74	31·01
V—Miscellaneous Diseases (Remainder) ..	39·68	45·45	37·42	41·18	42·25	38·57	33·83	30·80	33·45	27·20	32·46
Measles (7)	2·14	4·13	1·43	2·73	2·28	0·94	1·60	0·62	1·56	1·50	1·36
Whooping cough (9)	4·37	4·46	3·45	2·67	5·36	1·52	2·25	2·69	3·36	2·52	2·36
Diphtheria (10)	0·27	0·27	0·23	0·22	0·23	0·21	0·26	0·23	0·25	0·16	0·14
Influenza (11)	0·29	0·53	0·27	0·37	3·74	2·34	0·55	0·52	1·25	0·38	1·12
Tuberculosis of nervous system (32) ..	0·99	1·09	0·97	1·07	0·83	0·70	0·67	0·70	0·67	0·65	0·64
Tuberculosis of intestines and peritoneum (33)	1·12	1·07	0·79	0·95	0·61	0·47	0·38	0·45	0·35	0·30	0·31
Other tuberculous diseases (31, 34–37) ..	0·75	0·72	0·63	0·73	0·50	0·44	0·42	0·39	0·37	0·41	0·41
Syphilis (38)	1·55	1·44	1·57	2·03	1·90	1·76	1·51	1·43	1·12	1·05	0·91
Meningitis (71)	1·21	1·21	0·96	1·01	0·87	0·83	0·71	0·70	0·72	0·67	0·63
Convulsions (80)	8·12	8·69	7·60	7·89	6·97	6·30	5·58	5·09	4·54	4·18	3·99
Bronchitis (99)	7·76	9·50	7·47	8·43	8·23	8·36	7·53	5·35	6·18	4·55	5·54
Pneumonia (100, 101)	10·43	13·50	9·84	11·44	12·11	10·52	9·84	9·43	11·89	8·88	12·54
Other respiratory diseases (97, 98, 102–107) *	0·63	0·66	0·62	0·65	0·46	0·47	0·46	0·39	0·40	0·36	0·38
Inflammation of the stomach (112 : 1) ..	1·62	1·78	1·61	1·62	1·45	1·30	1·27	1·22	0·90	0·80	0·75
Diarrhoea and enteritis (113)	17·40	15·14	10·58	10·30	9·54	8·72	7·98	13·79	5·57	6·82	6·32
Hernia, intestinal obstruction (118) ..	0·55	0·57	0·57	0·66	0·59	0·58	0·64	0·63	0·66	0·62	0·55
Congenital malformations (159)	3·85	4·13	4·18	4·27	3·63	3·90	4·02	3·98	4·22	4·16	4·20
Congenital debility and sclerema (160 : 1)	11·63	11·70	10·49	10·83	9·82	9·49	8·09	7·36	6·29	5·71	5·73
Icterus (160 : 2)	0·79	0·82	0·74	0·74	0·75	0·78	0·71	0·72	0·67	0·73	0·66
Premature birth (161 : 1)	19·73	18·94	18·62	19·07	19·82	21·68	18·06	19·33	18·68	17·65	18·82
Injury at birth (161 : 2)	1·20	1·14	1·15	1·15	1·00	1·12	1·22	1·39	1·33	1·39	1·40
Disease of umbilicus (162 : 1)†	0·39	0·42	0·38	0·35	0·31	0·32	0·36	0·17	0·16	0·16	0·18
Atelectasis (162 : 2)	1·73	1·66	1·57	1·61	1·47	1·63	1·57	1·61	1·55	1·49	1·60
Suffocation—in bed or not stated how (180 pt.)	1·40	1·25	0·94	1·05	0·84	0·76	0·62	0·59	0·57	0·55	0·59
Other causes	4·70	4·90	4·55	4·64	3·85	3·99	3·63	3·98	3·81	3·67	3·98

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.
† Including other hæmorrhages of the newborn previous to 1921.

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1924.

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Causes	M	37·14	14·39	12·54	10·83	9·76	84·66	35·81	13·82	12·06	10·55	9·64	81·88	67·99	27·64	23·62	17·39	12·59	149·22
	F	28·81	10·50	9·19	8·17	8·40	65·08	27·78	10·07	8·86	7·91	8·24	62·86	52·54	20·49	16·80	14·18	12·09	116·11
	P	33·07	12·49	10·90	9·53	9·10	75·09	31·89	11·99	10·50	9·26	8·96	72·59	60·40	24·13	20·27	15·81	12·34	132·95
I. Common Infectious Diseases (6–10, 25 : 2) ..	M	0·09	0·49	0·64	1·17	1·69	4·08	0·09	0·48	0·63	1·13	1·69	4·02	0·06	0·65	1·04	2·01	1·75	5·51
	F	0·08	0·44	0·59	1·08	1·60	3·79	0·08	0·45	0·60	1·04	1·55	3·72	—	0·34	0·54	1·88	2·69	5·44
	P	0·08	0·47	0·62	1·12	1·65	3·94	0·09	0·46	0·61	1·09	1·62	3·87	0·03	0·50	0·79	1·95	2·21	5·48
II. Tuberculous Diseases (31–37)	M	0·01	0·12	0·41	0·49	0·50	1·53	0·01	0·12	0·40	0·48	0·50	1·51	—	0·06	0·58	0·65	0·58	1·88
	F	0·01	0·08	0·27	0·40	0·42	1·17	0·01	0·08	0·26	0·38	0·42	1·14	0·07	0·13	0·47	0·67	0·60	1·95
	P	0·01	0·10	0·34	0·44	0·46	1·36	0·01	0·09	0·33	0·43	0·46	1·33	0·03	0·10	0·53	0·66	0·59	1·91
III. Diarrhœa and Enteritis (113)	M	0·81	1·85	2·36	1·43	0·95	7·40	0·78	1·73	2·21	1·35	0·91	6·97	1·56	4·54	5·90	3·44	1·82	17·26
	F	0·48	1·25	1·68	0·97	0·83	5·20	0·46	1·15	1·59	0·91	0·80	4·91	0·81	3·49	3·70	2·22	1·61	11·83
	P	0·65	1·55	2·03	1·21	0·89	6·32	0·62	1·45	1·91	1·13	0·85	5·97	1·19	4·03	4·82	2·84	1·72	14·59
IV. Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2) ..	M	27·51	4·61	1·65	0·55	0·28	34·61	26·73	4·41	1·55	0·53	0·27	33·49	45·55	9·41	4·09	1·10	0·52	60·66
	F	22·01	3·29	1·22	0·44	0·28	27·25	21·60	3·12	1·16	0·41	0·27	26·57	31·31	7·32	2·55	1·08	0·54	42·80
	P	24·82	3·97	1·44	0·50	0·28	31·01	24·23	3·78	1·36	0·47	0·27	30·11	38·55	8·38	3·33	1·09	0·53	51·89
V. Miscellaneous Diseases (Remainder)	M	8·71	7·32	7·48	7·19	6·34	37·05	8·19	7·08	7·28	7·06	6·27	35·89	20·83	12·98	12·00	10·19	7·92	63·91
	F	6·24	5·44	5·43	5·29	5·27	27·66	5·63	5·28	5·25	5·16	5·21	26·51	20·36	9·21	9·54	8·33	6·65	54·09
	P	7·51	6·40	6·47	6·26	5·82	32·46	6·94	6·20	6·29	6·13	5·75	31·31	20·60	11·12	10·79	9·28	7·29	59·08

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1924—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Measles (7)	M	0·02	0·05	0·10	0·44	0·88	1·50	0·02	0·05	0·10	0·42	0·88	1·48	0·06	0·06	0·26	0·84	0·91	2·14
	F	0·01	0·02	0·08	0·33	0·77	1·20	0·01	0·02	0·08	0·30	0·74	1·15	–	0·07	–	1·01	1·41	2·49
	P	0·02	0·04	0·09	0·39	0·82	1·36	0·02	0·04	0·09	0·36	0·81	1·31	0·03	0·07	0·13	0·92	1·16	2·31
Whooping cough (9)	M	0·06	0·42	0·52	0·66	0·69	2·35	0·06	0·42	0·51	0·65	0·69	2·32	–	0·52	0·78	1·04	0·78	3·11
	F	0·06	0·41	0·49	0·66	0·75	2·36	0·06	0·41	0·49	0·66	0·73	2·35	–	0·27	0·40	0·81	1·21	2·69
	P	0·06	0·41	0·50	0·66	0·72	2·36	0·06	0·41	0·50	0·65	0·71	2·33	–	0·40	0·59	0·92	0·99	2·90
Diphtheria (10)	M	0·00	0·01	0·01	0·05	0·07	0·14	0·00	0·01	0·01	0·04	0·07	0·14	–	0·06	–	0·13	0·06	0·26
	F	0·01	0·01	0·01	0·05	0·06	0·14	0·01	0·01	0·01	0·05	0·06	0·14	–	–	–	–	0·07	0·07
	P	0·01	0·01	0·01	0·05	0·07	0·14	0·01	0·01	0·01	0·05	0·07	0·14	–	0·03	–	0·07	0·07	0·17
Influenza (11)	M	0·13	0·21	0·32	0·36	0·31	1·33	0·13	0·21	0·32	0·36	0·29	1·31	–	0·26	0·39	0·39	0·84	1·88
	F	0·07	0·19	0·15	0·24	0·25	0·89	0·07	0·19	0·15	0·23	0·25	0·88	–	0·20	0·13	0·40	0·34	1·08
	P	0·10	0·20	0·24	0·30	0·28	1·12	0·10	0·20	0·24	0·29	0·27	1·10	–	0·23	0·26	0·40	0·59	1·49
Tuberculosis of nervous system (32)	M	–	0·05	0·15	0·22	0·25	0·67	–	0·05	0·15	0·22	0·25	0·67	–	–	0·19	0·19	0·32	0·71
	F	0·00	0·03	0·13	0·21	0·22	0·60	–	0·03	0·12	0·21	0·22	0·58	0·07	0·13	0·27	0·20	0·27	0·94
	P	0·00	0·04	0·14	0·22	0·23	0·64	–	0·04	0·14	0·22	0·23	0·63	0·03	0·07	0·23	0·20	0·30	0·83
Tuberculosis of intestines and peritoneum (33)	M	0·01	0·03	0·13	0·14	0·09	0·39	0·01	0·03	0·12	0·13	0·09	0·39	–	–	0·26	0·19	0·06	0·52
	F	0·00	0·03	0·04	0·06	0·08	0·22	0·00	0·03	0·05	0·06	0·08	0·22	–	–	–	0·13	0·13	0·27
	P	0·00	0·03	0·09	0·10	0·09	0·31	0·00	0·03	0·08	0·10	0·09	0·30	–	–	0·13	0·17	0·10	0·40
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Other tuberculous diseases (31, 34–37)	M	0·01	0·03	0·13	0·13	0·16	0·47	0·01	0·03	0·13	0·12	0·16	0·46	–	0·06	0·13	0·26	0·19	0·65
	F	0·00	0·02	0·10	0·12	0·12	0·36	0·00	0·02	0·09	0·11	0·12	0·34	–	–	0·20	0·34	0·20	0·74
	P	0·01	0·03	0·11	0·12	0·14	0·41	0·01	0·03	0·11	0·12	0·14	0·40	–	0·03	0·17	0·30	0·20	0·69
Syphilis (38)	M	0·36	0·44	0·17	0·04	0·04	1·04	0·30	0·37	0·12	0·03	0·03	0·85	1·69	2·14	1·30	0·19	0·26	5·58
	F	0·28	0·25	0·16	0·05	0·04	0·77	0·24	0·21	0·12	0·04	0·03	0·64	1·28	1·14	1·01	0·34	0·13	3·90
	P	0·32	0·35	0·16	0·04	0·04	0·91	0·27	0·29	0·12	0·03	0·03	0·75	1·49	1·65	1·16	0·26	0·20	4·75
Meningitis (71)	M	0·04	0·08	0·20	0·22	0·17	0·72	0·04	0·08	0·21	0·22	0·18	0·73	–	0·13	0·13	0·13	0·06	0·45
	F	0·02	0·08	0·14	0·15	0·15	0·54	0·02	0·08	0·15	0·15	0·15	0·54	0·07	0·13	0·07	0·13	0·13	0·54
	P	0·03	0·08	0·17	0·18	0·16	0·63	0·03	0·08	0·18	0·19	0·16	0·64	0·03	0·13	0·10	0·13	0·10	0·50
Convulsions (80)	M	2·20	0·94	0·68	0·47	0·32	4·61	2·17	0·90	0·65	0·45	0·31	4·49	2·79	1·88	1·36	0·91	0·52	7·46
	F	1·39	0·78	0·51	0·38	0·29	3·35	1·37	0·74	0·48	0·36	0·28	3·23	1·88	1·68	1·21	0·81	0·47	6·05
	P	1·80	0·86	0·60	0·42	0·31	3·99	1·78	0·82	0·57	0·41	0·30	3·87	2·34	1·78	1·29	0·86	0·50	6·77
Bronchitis (99)	M	0·85	1·86	1·43	1·27	0·91	6·33	0·88	1·83	1·41	1·24	0·90	6·26	0·32	2·53	1·95	2·01	1·04	7·85
	F	0·61	1·32	1·09	0·94	0·76	4·72	0·63	1·30	1·06	0·90	0·74	4·63	0·34	1·61	1·75	1·95	1·14	6·79
	P	0·74	1·59	1·26	1·11	0·83	5·54	0·75	1·57	1·24	1·07	0·82	5·46	0·33	2·08	1·85	1·98	1·09	7·33
Pneumonia (100, 101) ..	M	0·88	2·38	3·36	3·88	3·73	14·24	0·86	2·34	3·31	3·82	3·72	14·04	1·43	3·50	4·61	5·26	3·96	18·75
	F	0·70	1·81	2·37	2·80	3·08	10·77	0·68	1·78	2·34	2·77	3·06	10·62	1·28	2·62	3·23	3·56	3·43	14·11
	P	0·80	2·10	2·88	3·36	3·41	12·54	0·77	2·06	2·83	3·31	3·40	12·37	1·35	3·07	3·93	4·42	3·70	16·47
Other respiratory diseases (97, 98, 102–107)	M	0·13	0·06	0·09	0·05	0·10	0·43	0·12	0·05	0·09	0·06	0·10	0·42	0·19	0·26	0·06	–	0·13	0·65
	F	0·06	0·05	0·08	0·07	0·06	0·32	0·06	0·04	0·08	0·06	0·06	0·30	–	0·13	0·27	0·27	0·13	0·81
	P	0·09	0·05	0·09	0·06	0·08	0·38	0·09	0·05	0·08	0·06	0·08	0·36	0·10	0·20	0·17	0·13	0·13	0·73
Inflammation of the stomach (112 : 1)	M	0·17	0·32	0·25	0·08	0·04	0·85	0·16	0·31	0·24	0·08	0·04	0·82	0·32	0·52	0·58	0·06	–	1·49
	F	0·10	0·21	0·17	0·08	0·08	0·63	0·09	0·20	0·15	0·07	0·08	0·60	0·13	0·54	0·60	0·13	0·07	1·48
	P	0·13	0·27	0·21	0·08	0·06	0·75	0·13	0·26	0·19	0·07	0·06	0·71	0·23	0·53	0·59	0·10	0·03	1·49
Diarrhœa and enteritis (113)	M	0·81	1·85	2·36	1·43	0·95	7·40	0·78	1·73	2·21	1·35	0·91	6·97	1·56	4·54	5·90	3·44	1·82	17·26
	F	0·48	1·25	1·68	0·97	0·83	5·20	0·46	1·15	1·59	0·91	0·80	4·91	0·81	3·49	3·70	2·22	1·61	11·83
	P	0·65	1·55	2·03	1·21	0·89	6·32	0·62	1·45	1·91	1·13	0·85	5·97	1·19	4·03	4·82	2·84	1·72	14·59
Hernia, intestinal obstruction (118)	M	0·10	0·12	0·20	0·23	0·10	0·74	0·10	0·12	0·20	0·23	0·10	0·75	0·13	0·06	0·13	0·13	0·06	0·52
	F	0·06	0·04	0·11	0·10	0·04	0·36	0·06	0·04	0·12	0·10	0·05	0·36	–	–	–	0·20	–	0·20
	P	0·08	0·08	0·16	0·16	0·07	0·55	0·08	0·08	0·16	0·16	0·08	0·56	0·07	0·03	0·07	0·17	0·03	0·36

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1924—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Congenital malformations (159)	M	2·87	0·99	0·48	0·21	0·15	4·70	2·87	0·98	0·48	0·20	0·14	4·67	2·85	1·43	0·65	0·26	0·32	5·51
	F	2·36	0·66	0·35	0·17	0·13	3·67	2·37	0·67	0·35	0·17	0·13	3·68	2·15	0·47	0·34	0·27	0·13	3·36
	P	2·62	0·83	0·42	0·19	0·14	4·20	2·63	0·83	0·41	0·19	0·13	4·19	2·51	0·96	0·50	0·26	0·23	4·46
Congenital debility and sclerema (160 : 1)	M	3·51	1·79	0·96	0·31	0·12	6·69	3·42	1·65	0·88	0·29	0·12	6·36	5·58	5·06	2·85	0·71	0·19	14·40
	F	2·59	1·08	0·68	0·23	0·15	4·72	2·55	0·95	0·62	0·21	0·13	4·47	3·43	4·10	1·88	0·74	0·40	10·55
	P	3·06	1·44	0·82	0·27	0·13	5·73	3·00	1·31	0·75	0·25	0·13	5·44	4·52	4·59	2·38	0·73	0·30	12·51
Icterus (160 : 2)	M	0·74	0·09	0·00	–	–	0·84	0·75	0·09	0·00	–	–	0·85	0·58	–	–	–	–	0·58
	F	0·41	0·05	0·01	0·01	–	0·48	0·41	0·05	0·00	0·01	–	0·47	0·60	0·07	0·07	–	–	0·74
	P	0·58	0·07	0·00	0·00	–	0·66	0·58	0·07	0·00	0·00	–	0·66	0·59	0·03	0·03	–	–	0·66
Premature birth (161 : 1) ..	M	18·71	1·70	0·21	0·04	0·01	20·66	18·07	1·65	0·19	0·03	0·01	19·95	33·61	2·85	0·58	0·13	–	37·18
	F	15·22	1·44	0·19	0·03	0·01	16·90	14·89	1·39	0·19	0·03	0·01	16·51	22·84	2·49	0·27	0·07	–	25·67
	P	17·01	1·57	0·20	0·04	0·01	18·82	16·52	1·52	0·19	0·03	0·01	18·27	28·32	2·67	0·43	0·10	–	31·52
Injury at birth (161 : 2) ..	M	1·70	0·02	0·00	–	0·00	1·73	1·67	0·03	0·00	–	0·00	1·70	2·40	–	–	–	–	2·40
	F	1·02	0·03	0·01	–	–	1·05	0·97	0·02	0·01	–	–	1·00	2·08	0·07	–	–	–	2·15
	P	1·37	0·02	0·00	–	0·00	1·40	1·33	0·02	0·00	–	0·00	1·36	2·24	0·03	–	–	–	2·28
Disease of umbilicus (162 : 1)	M	0·16	0·03	–	–	–	0·18	0·15	0·03	–	–	–	0·18	0·19	0·06	–	–	–	0·26
	F	0·15	0·01	–	–	–	0·17	0·15	0·01	–	–	–	0·16	0·20	–	–	–	–	0·20
	P	0·15	0·02	–	–	–	0·18	0·15	0·02	–	–	–	0·17	0·20	0·03	–	–	–	0·23
		(1)	(2)	(3)	(4)	(5)	(6	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Atelectasis (162 : 2)	M	1·67	0·05	–	–	–	1·72	1·62	0·04	–	–	–	1·66	2·92	0·06	–	–	–	2·98
	F	1·43	0·06	–	–	–	1·49	1·39	0·05	–	–	–	1·44	2·28	0·20	–	–	–	2·49
	P	1·55	0·05	–	–	–	1·60	1·51	0·05	–	–	–	1·56	2·61	0·13	–	–	–	2·74
Suffocation—in bed or not stated how (180 pt.) ..	M	0·25	0·18	0·12	0·03	0·01	0·59	0·23	0·17	0·11	0·03	0·01	0·54	0·84	0·32	0·32	0·06	0·06	1·62
	F	0·23	0·21	0·12	0·02	0·01	0·59	0·19	0·21	0·11	0·02	0·01	0·55	1·14	0·20	0·20	–	–	1·55
	P	0·24	0·19	0·12	0·02	0·01	0·59	0·21	0·19	0·11	0·02	0·01	0·55	0·99	0·26	0·26	0·03	0·03	1·58
Other causes	M	1·76	0·69	0·65	0·59	0·64	4·34	1·39	0·67	0·64	0·57	0·62	3·88	10·52	1·29	1·16	1·02	0·97	14·99
	F	1·55	0·48	0·53	0·50	0·53	3·58	1·10	0·47	0·50	0·49	0·52	3·07	11·96	0·87	1·21	0·60	0·80	15·45
	P	1·65	0·59	0·60	0·54	0·60	3·98	1·24	0·56	0·57	0·53	0·58	3·49	11·23	1·10	1·19	0·82	0·89	15·22

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1924.

Cause of Death.	Proportion of Deaths to 1,000 Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Causes—																		
London	27·19	11·17	11·13	9·74	10·11	69·34	25·68	10·55	10·53	9·50	9·87	66·14	62·34	25·74	25·16	15·16	15·73	144·12
County Boroughs	35·61	14·87	13·85	11·84	11·73	87·90	34·34	14·34	13·23	11·50	11·56	84·97	65·81	27·45	28·62	19·96	15·77	157·61
Other Urban Districts ..	32·95	11·94	9·67	8·69	7·95	71·20	31·82	11·51	9·36	8·40	7·87	68·97	60·30	22·46	16·95	15·60	9·88	125·18
Rural Districts	32·28	10·04	7·73	6·81	5·85	62·72	31·34	9·52	7·62	6·64	5·70	60·82	51·53	20·70	9·99	10·28	8·97	101·46
All Urban Districts ..	33·27	13·11	11·71	10·22	9·92	78·23	32·03	12·61	11·22	9·92	9·78	75·55	63·03	25·14	23·30	17·45	13·34	142·26
I—Common Infectious Diseases (6–10, 25 : 2)—																		
London	0·13	0·35	0·73	1·77	3·12	6·11	0·12	0·33	0·69	1·70	3·06	5·90	0·29	0·86	1·72	3·43	4·58	10·87
County Boroughs	0·05	0·53	0·72	1·38	1·92	4·60	0·05	0·54	0·71	1·36	1·87	4·54	—	0·29	0·97	1·85	2·92	6·04
Other Urban Districts ..	0·08	0·42	0·56	0·90	1·37	3·33	0·08	0·40	0·57	0·85	1·36	3·27	—	0·83	0·42	1·98	1·46	4·68
Rural Districts	0·13	0·49	0·47	0·68	0·78	2·56	0·14	0·51	0·47	0·65	0·77	2·53	—	0·14	0·58	1·30	1·01	3·04
All Urban Districts ..	0·07	0·46	0·66	1·24	1·86	4·29	0·08	0·45	0·65	1·20	1·84	4·21	0·04	0·60	0·86	2·14	2·57	6·20
II—Tuberculous Diseases (31–37)—																		
London	—	0·06	0·39	0·27	0·48	1·20	—	0·06	0·40	0·26	0·49	1·21	—	—	—	0·57	0·29	0·86
County Boroughs	0·01	0·14	0·43	0·52	0·57	1·67	0·01	0·14	0·42	0·53	0·56	1·66	0·10	0·10	0·78	0·39	0·58	1·95
Other Urban Districts ..	0·01	0·09	0·27	0·45	0·46	1·28	0·01	0·09	0·25	0·43	0·44	1·23	—	0·21	0·62	0·83	0·83	2·50
Rural Districts	0·01	0·06	0·27	0·39	0·29	1·04	0·01	0·07	0·27	0·37	0·28	1·01	—	—	0·29	0·87	0·43	1·59
All Urban Districts ..	0·01	0·11	0·36	0·45	0·51	1·44	0·01	0·11	0·35	0·45	0·50	1·41	0·04	0·13	0·60	0·60	0·64	2·01
III—Diarrhœa and Enteritis (113)																		
London	0·60	1·74	2·91	1·59	1·06	7·89	0·55	1·47	2·63	1·53	0·96	7·14	1·72	8·01	9·44	2·86	3·43	25·45
County Boroughs	0·81	1·97	2·67	1·65	1·19	8·28	0·80	1·84	2·53	1·52	1·15	7·83	0·88	5·16	5·94	4·87	2·14	18·98
Other Urban Districts ..	0·65	1·38	1·60	0·90	0·74	5·27	0·62	1·30	1·50	0·86	0·72	4·99	1·35	3·33	4·16	1·98	1·25	12·06
Rural Districts	0·40	1·01	1·11	0·71	0·53	3·76	0·36	1·00	1·08	0·70	0·51	3·65	1·16	1·30	1·74	1·01	0·87	6·08
All Urban Districts ..	0·71	1·69	2·26	1·33	0·98	6·97	0·69	1·56	2·11	1·24	0·94	6·55	1·20	4·83	5·73	3·38	1·97	17·10
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)—																		
London	19·91	3·57	1·28	0·54	0·22	25·52	19·35	3·39	1·08	0·50	0·22	24·54	32·89	7·72	6·01	1·43	0·29	48·33
County Boroughs	26·37	4·52	1·91	0·57	0·34	33·71	25·61	4·39	1·80	0·54	0·32	32·66	44·49	7·59	4·67	1·07	0·88	58·70
Other Urban Districts ..	24·86	3·82	1·21	0·40	0·24	30·54	24·32	3·64	1·17	0·37	0·24	29·75	37·85	8·21	2·08	1·25	0·31	49·70
Rural Districts	24·92	3·49	1·11	0·50	0·28	30·31	24·50	3·17	1·08	0·49	0·27	29·50	33·58	10·13	1·74	0·72	0·43	46·61
All Urban Districts ..	24·80	4·09	1·53	0·49	0·28	31·19	24·16	3·93	1·43	0·47	0·27	30·26	40·02	7·87	3·81	1·20	0·56	53·45
V—Miscellaneous Diseases (Remainder)—																		
London	6·55	5·45	5·83	5·57	5·23	28·62	5·66	5·29	5·73	5·51	5·14	27·34	27·45	9·15	8·01	6·86	7·15	58·62
County Boroughs ..	8·37	7·72	8·12	7·72	7·72	39·63	7·86	7·44	7·77	7·54	7·65	38·27	20·35	14·31	16·26	11·78	9·25	71·94
Other Urban Districts ..	7·35	6·23	6·02	6·04	5·15	30·78	6·79	6·07	5·87	5·89	5·11	29·73	21·11	9·88	9·67	9·57	6·03	56·25
Rural Districts	6·82	4·98	4·76	4·53	3·97	25·06	6·33	4·77	4·72	4·44	3·86	24·12	16·79	9·12	5·64	6·37	6·22	44·15
All Urban Districts ..	7·68	6·76	6·91	6·70	6·28	34·34	7·09	6·56	6·68	6·56	6·23	33·12	21·72	11·72	12·31	10·13	7·61	63·50
Measles (7)—																		
London	0·04	0·04	0·28	0·95	2·07	3·37	0·02	0·02	0·24	0·91	2·00	3·20	0·29	0·29	1·14	2·00	3·72	7·43
County Boroughs	0·01	0·05	0·11	0·46	0·94	1·57	0·01	0·05	0·11	0·44	0·93	1·55	—	—	—	0·97	1·17	2·14
Other Urban Districts ..	0·02	0·05	0·05	0·31	0·62	1·04	0·02	0·04	0·05	0·27	0·61	1·00	—	0·10	—	1·14	0·73	1·98
Rural Districts	0·01	0·01	0·02	0·06	0·24	0·35	0·01	0·01	0·02	0·06	0·23	0·34	—	—	—	—	0·43	0·43
All Urban Districts ..	0·02	0·04	0·11	0·47	0·97	1·61	0·02	0·04	0·11	0·44	0·96	1·56	0·04	0·09	0·17	1·20	1·37	2·86
Whooping cough (9)—																		
London	0·08	0·27	0·40	0·66	0·89	2·30	0·09	0·27	0·39	0·62	0·89	2·27	—	0·29	0·57	1·43	0·86	3·15
County Boroughs	0·04	0·46	0·58	0·82	0·85	2·76	0·05	0·47	0·57	0·82	0·82	2·73	—	0·29	0·88	0·78	1·56	3·50
Other Urban Districts ..	0·05	0·37	0·49	0·54	0·66	2·11	0·05	0·36	0·50	0·54	0·65	2·10	—	0·73	0·31	0·62	0·73	2·39
Rural Districts	0·08	0·47	0·45	0·60	0·49	2·09	0·09	0·49	0·44	0·56	0·49	2·07	—	0·14	0·58	1·30	0·58	2·61
All Urban Districts ..	0·05	0·40	0·52	0·68	0·78	2·42	0·05	0·39	0·52	0·67	0·76	2·40	—	0·47	0·60	0·81	1·11	2·99
Diphtheria (10)—																		
London	0·01	0·05	0·05	0·15	0·09	0·35	0·01	0·04	0·05	0·16	0·10	0·36	—	0·29	—	—	—	0·29
County Boroughs	—	0·01	0·01	0·06	0·09	0·16	—	0·01	0·01	0·06	0·08	0·16	—	—	—	0·10	0·19	0·29
Other Urban Districts ..	0·00	0·00	0·01	0·02	0·07	0·11	0·00	0·00	0·01	0·02	0·07	0·11	—	—	—	0·10	—	0·10
Rural Districts	0·01	0·01	—	0·01	0·01	0·05	0·01	0·01	—	0·01	0·01	0·05	—	—	—	—	—	—
All Urban Districts ..	0·00	0·01	0·02	0·06	0·08	0·17	0·00	0·01	0·02	0·06	0·08	0·16	—	0·04	—	0·09	0·09	0·21
Influenza (11)—																		
London	0·09	0·06	0·15	0·19	0·13	0·62	0·10	0·06	0·16	0·18	0·12	0·62	—	—	—	0·29	0·29	0·57
County Boroughs	0·11	0·20	0·27	0·32	0·33	1·23	0·11	0·20	0·25	0·32	0·32	1·20	—	0·19	0·58	0·39	0·68	1·85
Other Urban Districts ..	0·08	0·19	0·23	0·32	0·29	1·12	0·09	0·18	0·24	0·31	0·29	1·11	—	0·31	0·10	0·52	0·42	1·35
Rural Districts	0·11	0·30	0·24	0·29	0·26	1·20	0·11	0·30	0·25	0·29	0·23	1·18	—	0·29	0·14	0·29	0·87	1·59
All Urban Districts ..	0·09	0·18	0·24	0·30	0·29	1·09	0·10	0·18	0·23	0·30	0·28	1·08	—	0·21	0·30	0·43	0·51	1·45

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1924—*continued.*

Cause of Death.	Proportion of Deaths to 1,000 Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Tuberculosis of nervous system (32)—																		
London	—	—	0·13	0·13	0·23	0·49	—	—	0·13	0·13	0·24	0·51	—	—	—	—	—	—
County Boroughs	0·00	0·07	0·19	0·28	0·27	0·81	—	0·07	0·19	0·28	0·27	0·81	0·10	0·10	0·29	0·19	0·29	0·97
Other Urban Districts ..	—	0·04	0·11	0·22	0·24	0·61	—	0·04	0·10	0·22	0·23	0·59	—	0·10	0·31	0·21	0·42	1·04
Rural Districts	—	0·02	0·11	0·16	0·17	0·46	—	0·02	0·11	0·16	0·16	0·45	—	—	0·14	0·29	0·29	0·72
All Urban Districts ..	0·00	0·05	0·15	0·23	0·25	0·68	—	0·05	0·14	0·23	0·25	0·67	0·04	0·09	0·26	0·17	0·30	0·86
Tuberculosis of intestines and peritoneum (33)—																		
London	—	—	0·06	0·05	—	0·11	—	—	0·06	0·04	—	0·10	—	—	—	0·29	—	0·29
County Boroughs	0·01	0·04	0·10	0·09	0·12	0·36	0·01	0·04	0·10	0·10	0·12	0·37	—	—	0·10	—	0·10	0·19
Other Urban Districts ..	—	0·03	0·09	0·11	0·09	0·32	—	0·03	0·09	0·10	0·09	0·30	—	—	0·21	0·31	0·10	0·62
Rural Districts	0·01	0·03	0·07	0·14	0·07	0·31	0·01	0·04	0·06	0·14	0·06	0·31	—	—	0·14	0·14	0·14	0·43
All Urban Districts ..	0·00	0·03	0·09	0·09	0·09	0·31	0·00	0·03	0·09	0·09	0·09	0·30	—	—	0·13	0·17	0·09	0·38
Other tuberculous diseases (31, 34–37)—																		
London	—	0·06	0·20	0·09	0·25	0·60	—	0·06	0·21	0·09	0·24	0·60	—	—	—	0·29	0·29	0·57
County Boroughs	—	0·03	0·14	0·15	0·18	0·49	—	0·03	0·13	0·15	0·18	0·48	—	—	0·39	0·19	0·19	0·78
Other Urban Districts ..	0·01	0·02	0·07	0·12	0·13	0·35	0·01	0·02	0·07	0·12	0·12	0·33	—	0·10	0·10	0·31	0·31	0·83
Rural Districts	0·01	0·01	0·09	0·09	0·05	0·26	0·01	0·01	0·10	0·08	0·06	0·26	—	—	—	0·43	—	0·43
All Urban Districts ..	0·01	0·03	0·12	0·13	0·17	0·45	0·01	0·03	0·11	0·13	0·16	0·44	—	0·04	0·21	0·26	0·26	0·77
Syphilis (38)—																		
London	0·32	0·32	0·16	0·05	0·02	0·87	0·31	0·23	0·10	0·04	0·01	0·69	0·57	2·29	1·72	0·29	0·29	5·15
County Boroughs	0·46	0·50	0·30	0·07	0·05	1·38	0·39	0·44	0·23	0·06	0·04	1·16	2·04	1·95	2·04	0·39	0·29	6·72
Other Urban Districts ..	0·26	0·30	0·09	0·03	0·03	0·71	0·22	0·24	0·06	0·03	0·02	0·57	1·35	1·77	0·62	0·10	0·21	4·05
Rural Districts	0·19	0·16	0·06	0·01	0·03	0·46	0·14	0·14	0·05	—	0·04	0·36	1·30	0·72	0·29	0·29	—	2·61
All Urban Districts ..	0·36	0·39	0·19	0·05	0·04	1·03	0·31	0·33	0·14	0·04	0·03	0·84	1·54	1·92	1·41	0·26	0·26	5·39
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Meningitis (71)—																		
London	0·02	0·05	0·15	0·12	0·12	0·46	0·02	0·05	0·16	0·11	0·11	0·45	—	—	—	0·29	0·29	0·57
County Boroughs ..	0·04	0·10	0·19	0·24	0·18	0·75	0·05	0·09	0·20	0·24	0·18	0·76	—	0·19	0·10	0·19	0·10	0·58
Other Urban Districts ..	0·02	0·07	0·16	0·18	0·14	0·58	0·03	0·07	0·16	0·18	0·14	0·58	—	0·10	0·21	0·10	0·10	0·52
Rural Districts	0·03	0·08	0·17	0·14	0·19	0·60	0·02	0·08	0·18	0·14	0·20	0·62	0·14	0·14	—	—	—	0·29
All Urban Districts ..	0·03	0·08	0·18	0·20	0·15	0·64	0·03	0·08	0·18	0·20	0·15	0·64	—	0·13	0·13	0·17	0·13	0·56
Convulsions (80)—																		
London	0·88	0·27	0·28	0·13	0·14	1·70	0·86	0·27	0·28	0·13	0·12	1·67	1·43	0·29	0·29	—	0·57	2·57
County Boroughs ..	1·88	1·01	0·64	0·45	0·35	4·33	1·87	0·94	0·60	0·44	0·34	4·20	2·14	2·53	1·56	0·58	0·58	7·40
Other Urban Districts ..	1·93	0·93	0·71	0·50	0·30	4·37	1·91	0·91	0·67	0·47	0·30	4·26	2·29	1·35	1·66	1·35	0·52	7·17
Rural Districts	1·99	0·85	0·53	0·43	0·32	4·12	1·93	0·80	0·51	0·40	0·32	3·96	3·18	2·03	0·87	1·01	0·29	7·38
All Urban Districts ..	1·75	0·87	0·62	0·42	0·30	3·96	1·74	0·83	0·58	0·41	0·29	3·85	2·10	1·71	1·41	0·81	0·56	6·58
Bronchitis (99)—																		
London	0·58	0·93	0·92	0·62	0·58	3·62	0·59	0·91	0·89	0·61	0·59	3·59	0·29	1·43	1·43	0·86	0·29	4·29
County Boroughs ..	0·92	1·97	1·61	1·37	1·06	6·92	0·93	1·96	1·55	1·31	1·06	6·82	0·49	2·34	2·92	2·73	0·97	9·44
Other Urban Districts ..	0·70	1·67	1·19	1·17	0·78	5·51	0·71	1·66	1·18	1·14	0·76	5·45	0·31	1·98	1·56	1·87	1·25	6·97
Rural Districts	0·59	1·20	0·99	0·86	0·68	4·33	0·61	1·15	1·00	0·83	0·65	4·23	0·14	2·17	0·87	1·59	1·45	6·22
All Urban Districts ..	0·77	1·69	1·33	1·18	0·87	5·85	0·79	1·68	1·30	1·14	0·87	5·77	0·38	2·05	2·14	2·10	0·98	7·65
Pneumonia (100, 101)—																		
London	1·16	2·70	3·25	3·63	3·38	14·13	1·15	2·68	3·25	3·60	3·32	14·00	1·43	3·15	3·43	4·29	4·86	17·16
County Boroughs	0·95	2·56	3·68	4·32	4·75	16·26	0·93	2·48	3·59	4·24	4·72	15·95	1·56	4 58	5·65	6·33	5·45	23·56
Other Urban Districts ..	0·70	1·87	2·60	3·02	2·90	11·09	0·66	1·85	2·54	2·98	2·91	10·94	1·67	2·39	4·05	4·05	2·60	14·76
Rural Districts	0·48	1·36	1·74	2·08	1·95	7·61	0·48	1·34	1·76	2·08	1·95	7·60	0·58	1·74	1·45	2·17	2·03	7·96
All Urban Districts ..	0·88	2·29	3·17	3·68	3·78	13·79	0·85	2·24	3·11	3·62	3·76	13·57	1·58	3·46	4·66	5·09	4·19	18·98
Other respiratory diseases (97, 98, 102–107)—																		
London	0·06	0·05	0·06	0·02	0·08	0·27	0·05	0·05	0·06	0·02	0·09	0·27	0·29	—	—	—	—	0·29
County Boroughs	0·09	0·05	0·09	0·07	0·11	0·41	0·09	0·05	0·09	0·07	0·11	0·41	0·10	0·19	0·19	—	0·10	0·58
Other Urban Districts ..	0·09	0·04	0·09	0·08	0·09	0·39	0·10	0·03	0·08	0·07	0·09	0·37	—	0·21	0·21	0·21	0·10	0·73
Rural Districts	0·12	0·07	0·09	0·04	0·04	0·36	0·11	0·06	0·09	0·03	0·03	0·32	0·14	0·29	0·14	0·29	0·29	1·16
All Urban Districts ..	0·09	0·05	0·09	0·07	0·10	0·38	0·09	0·04	0·08	0·06	0·10	0·37	0·09	0·17	0·17	0·09	0·09	0·60
Inflammation of the stomach (112 : 1)—																		
London	0·08	0·09	0·12	0·07	0·02	0·39	0·09	0·09	0·11	0·06	0·02	0·37	—	0·29	0·29	0·29	—	0·86
County Boroughs	0·17	0·34	0·27	0·08	0·05	0·92	0·16	0·34	0·24	0·08	0·05	0·87	0·29	0·49	1·07	0·10	0·10	2·04
Other Urban Districts ..	0·12	0·28	0·20	0·09	0·09	0·77	0·12	0·27	0·19	0·09	0·09	0·75	0·21	0·62	0·31	0·10	—	1·25
Rural Districts	0·12	0·22	0·18	0·05	0·05	0·62	0·11	0·20	0·17	0·06	0·05	0·58	0·29	0·58	0·43	—	—	1·30
All Urban Districts ..	0·14	0·28	0·22	0·08	0·06	0·78	0·13	0·27	0·20	0·08	0·06	0·75	0·21	0·51	0·64	0·13	0·04	1·54

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1924—*continued.*

Cause of Death.	Proportion of Deaths to 1,000 Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Diarrhœa and enteritis (113)—																		
London	0·60	1·74	2·91	1·59	1·06	7·89	0·55	1·47	2·63	1·53	0·96	7·14	1·72	8·01	9·44	2·86	3·43	25·45
County Boroughs	0·81	1·97	2·67	1·65	1·19	8·28	0·80	1·84	2·53	1·52	1·15	7·83	0·88	5·16	5·94	4·87	2·14	18·98
Other Urban Districts ..	0·65	1·38	1·60	0·90	0·74	5·27	0·62	1·30	1·50	0·86	0·72	4·99	1·35	3·33	4·16	1·98	1·25	12·06
Rural Districts	0·40	1·01	1·11	0·71	0·53	3·76	0·36	1·00	1·08	0·70	0·51	3·65	1·16	1·30	1·74	1·01	0·87	6·08
All Urban Districts ..	0·71	1·69	2·26	1·33	0·98	6·97	0·69	1·56	2·11	1·24	0·94	6·55	1·20	4·83	5·73	3·38	1·97	17·10
Hernia, intestinal obstruction (118)—																		
London	0·09	0·05	0·13	0·26	0·05	0·58	0·10	0·05	0·13	0·26	0·05	0·59	—	—	—	0·29	—	0·29
County Boroughs	0·07	0·06	0·23	0·17	0·11	0·64	0·07	0·06	0·24	0·18	0·11	0·65	—	—	0·10	0·10	—	0·19
Other Urban Districts ..	0·07	0·12	0·12	0·14	0·07	0·51	0·07	0·12	0·12	0·13	0·06	0·51	0·21	0·10	—	0·21	0·10	0·62
Rural Districts	0·11	0·07	0·11	0·14	0·05	0·47	0·11	0·07	0·11	0·14	0·05	0·48	—	—	0·14	0·14	—	0·29
All Urban Districts ..	0·07	0·08	0·17	0·17	0·08	0·58	0·07	0·08	0·18	0·17	0·08	0·58	0·09	0·04	0·04	0·17	0·04	0·38
Congenital malformations (159)																		
London	1·98	0·81	0·36	0·21	0·14	3·51	1·95	0·80	0·37	0·20	0·13	3·44	2·86	1·14	0·29	0·57	0·29	5·15
County Boroughs	2·63	0·88	0·44	0·18	0·14	4·27	2·64	0·88	0·42	0·18	0·13	4·24	2·43	0·97	0·97	0·19	0·39	4·96
Other Urban Districts ..	2·82	0·80	0·40	0·16	0·12	4·30	2·82	0·81	0·41	0·15	0·12	4·30	2·91	0·73	0·21	0·42	—	4·26
Rural Districts	2·64	0·81	0·43	0·25	0·17	4·30	2·67	0·80	0·43	0·26	0·16	4·33	1·88	1·16	0·29	—	0·29	3·62
All Urban Districts ..	2·62	0·84	0·41	0·17	0·13	4·17	2·61	0·84	0·41	0·17	0·13	4·15	2·69	0·90	0·56	0·34	0·21	4·70
Congenital debility and sclerema (160 : 1)—																		
London	1·62	1·08	0·82	0·29	0·08	3·90	1·54	1·00	0·65	0·28	0·09	3·56	3·43	2·86	4·86	0·57	—	11·72
County Boroughs	2·95	1·75	1·21	0·35	0·18	6·45	2·89	1·66	1·12	0·33	0·17	6·17	4·38	3·99	3·41	0·88	0·49	13·14
Other Urban Districts ..	3·44	1·36	0·59	0·20	0·12	5·72	3·39	1·23	0·57	0·18	0·11	5·48	4·68	4·57	1·25	0·73	0·31	11·54
Rural Districts	3·45	1·25	0·52	0·22	0·10	5·55	3·37	1·00	0·49	0·21	0·10	5·17	5·07	6·37	1·16	0·58	0·14	13·32
All Urban Districts ..	2·96	1·49	0·90	0·28	0·14	5·77	2·90	1·38	0·82	0·26	0·13	5·50	4·36	4·06	2·74	0·77	0·34	12·27
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Icterus (160 : 2)—																		
London	0·41	0·13	0·01	—	—	0·55	0·40	0·13	—	—	—	0·54	0·57	—	0·29	—	—	0·86
County Boroughs	0·66	0·07	0·01	0·00	—	0·74	0·65	0·07	0·01	0·00	—	0·74	0·68	—	—	—	—	0·68
Other Urban Districts ..	0·52	0·05	—	—	—	0·57	0·51	0·06	—	—	—	0·57	0·62	—	—	—	—	0·62
Rural Districts	0·66	0·07	—	0·01	—	0·74	0·68	0·06	—	0·01	—	0·75	0·43	0·14	—	—	—	0·58
All Urban Districts ..	0·56	0·07	0·01	0·00	—	0·64	0·56	0·08	0·00	0·00	—	0·64	0·64	—	0·04	—	—	0·68
Premature birth (161 : 1)—																		
London	14·33	1·44	0·08	0·04	—	15·89	13·91	1·36	0·06	0·02	—	15·36	24·02	3·43	0·57	0·29	—	28·31
County Boroughs	18·43	1·75	0·25	0·04	0·02	20·49	17·80	1·72	0·25	0·04	0·02	19·83	33·39	2·43	0·29	—	—	36·12
Other Urban Districts ..	16·66	1·57	0·21	0·05	0·01	18·49	16·22	1·51	0·19	0·04	0·01	17·98	27·24	2·81	0·62	0·10	—	30·78
Rural Districts	16·67	1·33	0·16	0·02	0·01	18·19	16·29	1·27	0·16	0·01	0·01	17·74	24·46	2·46	0·29	0·14	—	27·36
All Urban Districts ..	17·09	1·63	0·21	0·04	0·01	18·98	16·57	1·58	0·20	0·04	0·01	18·40	29·46	2·74	0·47	0·09	—	32·75
Injury at birth (161 : 2)—																		
London	1·16	0·02	0·01	—	—	1·20	1·11	0·02	0·01	—	—	1·15	2·29	—	—	—	—	2·29
County Boroughs	1·44	0·03	—	—	—	1·47	1·40	0·03	—	—	—	1·43	2·43	0·10	—	—	—	2·53
Other Urban Districts ..	1·39	0·02	0·00	—	0·00	1·42	1·35	0·02	0·00	—	0·00	1·38	2·39	—	—	—	—	2·39
Rural Districts	1·32	0·02	0·01	—	—	1·34	1·29	0·02	0·01	—	—	1·32	1·74	—	—	—	—	1·74
All Urban Districts ..	1·38	0·03	0·00	—	0·00	1·41	1·34	0·02	0·00	—	0·00	1·37	2·39	0·04	—	—	—	2·44
Disease of umbilicus (162 : 1)—																		
London	0·19	0·04	—	—	—	0·22	0·17	0·02	—	—	—	0·20	0·57	0·29	—	—	—	0·86
County Boroughs	0·15	0·02	—	—	—	0·18	0·15	0·02	—	—	—	0·18	0·19	—	—	—	—	0·19
Other Urban Districts ..	0·18	0·02	—	—	—	0·20	0·18	0·02	—	—	—	0·21	—	—	—	—	—	—
Rural Districts	0·09	0·01	—	—	—	0·11	0·09	0·01	—	—	—	0·10	0·29	—	—	—	—	0·29
All Urban Districts ..	0·17	0·02	—	—	—	0·19	0·17	0·02	—	—	—	0·19	0·17	0·04	—	—	—	0·21
Atelectasis (162 : 2)—																		
London	1·56	0·11	—	—	—	1·67	1·54	0·10	—	—	—	1·64	2·00	0·29	—	—	—	2·29
County Boroughs	1·70	0·06	—	—	—	1·77	1·63	0·06	—	—	—	1·68	3·60	0·19	—	—	—	3·80
Other Urban Districts ..	1·42	0·04	—	—	—	1·46	1·38	0·03	—	—	—	1·42	2·39	0·10	—	—	—	2·50
Rural Districts	1·50	0·03	—	—	—	1·53	1·49	0·02	—	—	—	1·52	1·74	—	—	—	—	1·74
All Urban Districts ..	1·57	0·06	—	—	—	1·62	1·51	0·05	—	—	—	1·57	2·86	0·17	—	—	—	3·04
Suffocation—in bed or not stated how (180 pt.)—																		
London	0·20	0·21	0·13	0·02	—	0·56	0·20	0·21	0·13	0·02	—	0·56	0·29	0·29	—	—	—	0·57
County Boroughs	0·32	0·22	0·11	0·02	0·01	0·68	0·29	0·22	0·09	0·01	0·01	0·63	1·17	0·10	0·58	0·10	—	1·95
Other Urban Districts ..	0·21	0·18	0·13	0·04	0·01	0·57	0·16	0·17	0·13	0·04	0·01	0·52	1·25	0·42	0·10	—	—	1·77
Rural Districts	0·19	0·18	0·09	0·01	0·01	0·48	0·16	0·17	0·09	0·01	0·01	0·44	0·72	0·29	0·14	—	0·14	1·30
All Urban Districts ..	0·26	0·20	0·12	0·03	0·01	0·62	0·22	0·20	0·12	0·03	0·01	0·57	1·07	0·26	0·30	0·04	—	1·67
Other causes—																		
London	1·72	0·67	0·46	0·47	0·78	4·08	0·92	0·64	0·44	0·47	0·79	3·28	20·30	1·14	0·86	0·29	0·58	23·16
County Boroughs	1·78	0·66	0·74	0·65	0·75	4·56	1·43	0·61	0·71	0·64	0·73	4·13	9·93	1·65	1·55	0·88	0·98	14·99
Other Urban Districts ..	1·61	0·53	0·51	0·50	0·47	3·63	1·20	0·53	0·49	0·48	0·47	3·18	11·43	0·62	0·94	1·13	0·72	14·86
Rural Districts	1·50	0·47	0·55	0·47	0·41	3·42	1·19	0·45	0·52	0·47	0·38	2·99	8·25	0·86	1·15	0·57	1·16	12·01
All Urban Districts ..	1·71	0·60	0·60	0·56	0·64	4·10	1·27	0·58	0·58	0·55	0·63	3·61	12·10	1·16	1·20	0·90	0·81	16·16

Table 12.—Infant Mortality in Different Parts of England and Wales, 1924.

(For list of Counties in the several Geographical Divisions, *see* Footnote to Table 14, page 62).

Area.	Proportion of Deaths to 1,000 Births.																	
	All Causes.						I.—Common Infectious Diseases (6–10, 25 : 2).						II.—Tuberculous Diseases (31–37).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Areas:																		
North	37·88	15·44	13·42	12·50	12·02	91·26	0·09	0·54	0·72	1·39	2·00	4·74	0·02	0·13	0·42	0·53	0·54	1·63
Midlands	31·38	10·68	9·50	8·05	7·02	66·65	0·08	0·45	0·55	0·90	1·18	3·17	0·01	0·08	0·27	0·43	0·46	1·24
South	28·02	10·16	8·96	7·43	7·75	62·32	0·08	0·34	0·58	1·12	1·92	4·04	—	0·08	0·32	0·34	0·42	1·16
Wales	34·32	13·81	11·35	8·72	8·45	76·66	0·07	0·63	0·54	0·84	1·01	3·08	—	0·12	0·31	0·44	0·30	1·17
England and Wales	33·07	12·49	10·90	9·53	9·10	75·09	0·08	0·47	0·62	1·12	1·65	3·94	0·01	0·10	0·34	0·44	0·46	1·36
London	27·19	11·17	11·13	9·74	10·11	69·34	0·13	0·35	0·73	1·77	3·12	6·11	—	0·06	0·39	0·27	0·48	1·20
County Boroughs:																		
North	38·15	16·85	15·38	14·18	13·96	98·52	0·06	0·52	0·71	1·70	2·23	5·22	0·01	0·16	0·47	0·53	0·63	1·81
Midlands	33·19	12·62	12·32	9·91	9·74	77·77	0·05	0·53	0·72	1·08	1·86	4·24	0·01	0·13	0·40	0·53	0·54	1·61
South	30·43	11·20	10·57	5·99	6·41	64·60	—	0·46	0·79	0·50	0·96	2·71	—	0·08	0·29	0·46	0·42	1·25
Wales	32·61	14·32	12·83	9·19	9·77	78·71	—	0·83	0·66	1·49	0·58	3·56	—	0·08	0·50	0·50	0·25	1·32
England and Wales	35·61	14·87	13·85	11·84	11·73	87·90	0·05	0·53	0·72	1·38	1·92	4·60	0·01	0·14	0·43	0·52	0·57	1·67
Other Urban Districts:																		
North	37·16	14·41	11·84	11·11	10·61	85·13	0·12	0·56	0·73	1·08	2·03	4·51	0·01	0·09	0·31	0·59	0·41	1·42
Midlands	30·58	10·43	8·70	7·65	6·15	63·52	0·08	0·32	0·51	0·81	0·97	2·68	0·02	0·07	0·22	0·38	0·52	1·21
South	28·87	8·97	6·22	5·72	5·88	55·66	0·02	0·38	0·43	0·85	1·02	2·70	—	0·09	0·24	0·33	0·50	1·16
Wales	33·69	13·61	11·21	9·04	8·59	76·15	0·03	0·38	0·45	0·72	1·13	2·72	—	0·14	0·34	0·41	0·34	1·24
England and Wales	32·95	11·94	9·67	8·69	7·95	71·20	0·08	0·42	0·56	0·90	1·37	3·33	0·01	0·09	0·27	0·45	0·46	1·28
Rural Districts:																		
North	38·49	12·48	9·57	9·29	7·85	77·67	0·14	0·55	0·75	0·92	1·03	3·38	0·06	0·08	0·47	0·39	0·47	1·47
Midlands	30·19	8·55	7·01	6·22	4·76	56·73	0·13	0·52	0·40	0·81	0·60	2·46	—	0·03	0·18	0·36	0·26	0·83
South	27·31	8·35	5·71	4·76	5·06	51·18	0·09	0·18	0·24	0·24	0·69	1·44	—	0·09	0·30	0·45	0·18	1·02
Wales	36·73	13·78	10·52	7·81	7·20	76·04	0·18	0·92	0·62	0·55	1·11	3·38	—	0·12	0·12	0·43	0·25	0·92
England and Wales	32·28	10·04	7·73	6·81	5·85	62·72	0·13	0·49	0·47	0·68	0·78	2·56	0·01	0·06	0·27	0·39	0·29	1·04

Area.	III.—Diarrhœa and Enteritis (113).						IV.—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2).						V.—Miscellaneous Diseases (Remainder).					
All Areas:																		
North	0·89	2·03	2·49	1·64	1·22	8·27	27·82	4·74	1·76	0·58	0·35	35·24	9·06	8·02	8·03	8·37	7·91	41·38
Midlands	0·48	1·26	1·78	0·96	0·67	5·15	24·37	3·55	1·35	0·47	0·24	29·98	6·43	5·35	5·55	5·29	4·49	27·11
South	0·48	1·26	1·85	0·96	0·74	5·29	21·05	3·39	1·16	0·43	0·21	26·24	6·40	5·09	5·05	4·58	4·45	25·57
Wales	0·73	1·55	1·51	0·99	0·75	5·54	25·22	4·01	1·29	0·44	0·40	31·34	8·31	7·51	7·70	6·03	5·99	35·52
England and Wales	0·65	1·55	2·03	1·21	0·89	6·32	24·82	3·97	1·44	0·50	0·28	31·01	7·51	6·40	6·47	6·26	5·82	32·46
London	0·60	1·74	2·91	1·59	1·06	7·89	19·91	3·57	1·28	0·54	0·22	25·52	6·55	5·45	5·83	5·57	5·23	28·62
County Boroughs:																		
North	0·96	2·27	2·94	2·01	1·48	9·66	27·57	5·09	2·25	0·63	0·37	35·90	9·54	8·82	9·00	9·31	9·25	45·92
Midlands	0·67	1·65	2·64	1·43	0·99	7·38	25·45	3·90	1·66	0·53	0·30	31·84	7·01	6·42	6·89	6·34	6·05	32·71
South	0·29	1·37	1·33	0·62	0·42	4·04	23·35	3·75	1·08	0·33	0·21	28·72	6·79	5·54	7·08	4·08	4·37	27·85
Wales	0·91	1·90	2·32	0·99	0·66	6·79	24·75	3·56	1·32	0·58	0·58	30·79	6·95	7·95	8·03	5·63	7·70	36·25
England and Wales	0·81	1·97	2·67	1·65	1·19	8·28	26·37	4·52	1·91	0·57	0·34	33·71	8·37	7·72	8·12	7·72	7·72	39·63
Other Urban Districts:																		
North	0·87	1·90	2·06	1·26	1·05	7·15	27·61	4·54	1·25	0·50	0·32	34·22	8·55	7·32	7·49	7·68	6·80	37·83
Midlands	0·46	1·09	1·53	0·74	0·58	4·40	23·59	3·42	1·25	0·39	0·17	28·82	6·43	5·53	5·19	5·34	3·91	26·41
South	0·62	0·81	0·85	0·31	0·38	2·97	21·83	2·78	1·04	0·26	0·19	26·10	6·41	4·91	3·65	3·96	3·80	22·73
Wales	0·58	1·58	1·58	1·20	0·83	5·78	25·06	4·47	1·17	0·38	0·31	31·39	8·01	7·05	7·67	6·33	5·98	35·03
England and Wales	0·65	1·38	1·60	0·90	0·74	5·27	24·86	3·82	1·21	0·40	0·24	30·54	7·35	6·23	6·02	6·04	5·15	30·78
Rural Districts:																		
North	0·64	1·39	1·75	1·08	0·67	5·52	29·25	3·85	1·05	0·58	0·33	35·08	8·40	6·60	5·55	6·32	5·35	32·22
Midlands	0·28	0·99	1·02	0·66	0·37	3·32	24·10	3·29	1·09	0·52	0·24	29·23	5·68	3·72	4·32	3·87	3·29	20·89
South	0·15	0·54	0·75	0·45	0·60	2·48	21·33	3·47	1·05	0·42	0·21	26·47	5·74	4·07	3·38	3·20	3·38	19·77
Wales	0·86	1·23	0·80	0·62	0·63	4·18	25·84	3·51	1·48	0·43	0·43	31·68	9·84	8·00	7·51	5·78	4·74	35·87
England and Wales	0·40	1·01	1·11	0·71	0·53	3·76	24·92	3·49	1·11	0·50	0·28	30·31	6·82	4·98	4·76	4·53	3·97	25·06

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1924—*continued.*

Area.	Proportion of Deaths to 1,000 Births.																	
	Measles (7).						Whooping cough (9).						Syphilis (38).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Areas:																		
North	0·02	0·05	0·10	0·45	1·03	1·65	0·07	0·46	0·60	0·83	0·87	2·83	0·50	0·52	0·27	0·07	0·05	1·41
Midlands	0·01	0·04	0·04	0·27	0·50	0·85	0·06	0·40	0·49	0·61	0·60	2·16	0·22	0·21	0·08	0·04	0·03	0·58
South	0·03	0·02	0·16	0·54	1·15	1·89	0·05	0·30	0·39	0·47	0·66	1·87	0·25	0·30	0·14	0·03	0·02	0·73
Wales	—	0·02	0·03	0·09	0·16	0·30	0·03	0·59	0·49	0·75	0·70	2·56	0·14	0·23	0·12	0·02	0·05	0·56
England and Wales	0·02	0·04	0·09	0·39	0·82	1·36	0·06	0·41	0·50	0·66	0·72	2·36	0·32	0·35	0·16	0·04	0·04	0·91
London	0·04	0·04	0·28	0·95	2·07	3·37	0·08	0·27	0·40	0·66	0·89	2·30	0·32	0·32	0·16	0·05	0·02	0·87
County Boroughs:																		
North	0·01	0·06	0·13	0·61	1·27	2·08	0·05	0·43	0·55	0·94	0·86	2·84	0·61	0·66	0·38	0·09	0·07	1·82
Midlands	—	0·04	0·09	0·35	0·70	1·18	0·05	0·48	0·60	0·69	0·98	2·81	0·30	0·21	0·13	0·05	0·01	0·70
South	—	—	0·08	0·08	0·25	0·42	—	0·46	0·67	0·33	0·62	2·08	0·12	0·58	0·37	—	—	1·08
Wales	—	0·08	0·08	0·25	0·17	0·58	—	0·74	0·58	1·24	0·41	2·98	0·41	0·41	0·33	0·08	0·17	1·41
England and Wales	0·01	0·05	0·11	0·46	0·94	1·57	0·04	0·46	0·58	0·82	0·85	2·76	0·46	0·50	0·30	0·07	0·05	1·38
Other Urban Districts:																		
North	0·02	0·07	0·08	0·31	0·97	1·45	0·08	0·47	0·61	0·69	0·98	2·84	0·39	0·38	0·17	0·05	0·04	1·02
Midlands	0·02	0·05	0·01	0·37	0·47	0·92	0·06	0·28	0·47	0·41	0·44	1·66	0·22	0·32	0·06	0·03	0·05	0·68
South	0·02	0·02	0·05	0·36	0·52	0·97	—	0·36	0·36	0·43	0·40	1·54	0·24	0·21	0·02	—	—	0·47
Wales	—	—	0·03	0·07	0·17	0·28	—	0·38	0·41	0·65	0·72	2·17	0·07	0·14	0·03	—	—	0·24
England and Wales	0·02	0·05	0·05	0·31	0·62	1·04	0·05	0·37	0·49	0·54	0·66	2·11	0·26	0·30	0·09	0·03	0·03	0·71
Rural Districts:																		
North	—	—	—	0·17	0·28	0·44	0·08	0·55	0·75	0·72	0·69	2·80	0·36	0·31	0·08	—	—	0·75
Midlands	0·02	0·02	0·03	0·02	0·26	0·34	0·08	0·49	0·37	0·78	0·32	2·04	0·13	0·06	0·05	0·02	0·03	0·29
South	0·03	—	0·03	0·06	0·24	0·36	0·06	0·18	0·21	0·15	0·42	1·02	0·18	0·15	0·03	0·03	0·06	0·45
Wales	—	—	—	—	0·12	0·12	0·12	0·83	0·55	0·55	0·86	2·95	0·06	0·25	0·12	—	0·06	0·49
England and Wales	0·01	0·01	0·02	0·06	0·24	0·35	0·08	0·47	0·45	0·60	0·49	2·09	0·19	0·16	0·06	0·01	0·03	0·46

Area.	Meningitis (71).						Convulsions (80).						Bronchitis (99).					
All Areas:																		
North	0·05	0·11	0·20	0·26	0·22	0·84	2·33	1·23	0·77	0·55	0·40	5·29	0·98	2·10	1·56	1·67	1·17	7·47
Midlands	0·02	0·07	0·13	0·16	0·14	0·52	1·42	0·55	0·45	0·38	0·27	3·08	0·67	1·44	1·15	0·91	0·62	4·79
South	0·02	0·04	0·17	0·11	0·13	0·47	1·01	0·44	0·34	0·19	0·15	2·14	0·53	1·00	0·82	0·64	0·55	3·53
Wales	0·03	0·14	0·21	0·19	0·10	0·68	3·47	1·78	1·25	0·77	0·50	7·77	0·59	1·85	1·81	0·91	1·10	6·25
England and Wales	0·03	0·08	0·17	0·18	0·16	0·63	1·80	0·86	0·60	0·42	0·31	3·99	0·74	1·59	1·26	1·11	0·83	5·54
London	0·02	0·05	0·15	0·12	0·12	0·46	0·88	0·27	0·28	0·13	0·14	1·70	0·58	0·93	0·92	0·62	0·58	3·62
County Boroughs:																		
North	0·05	0·12	0·18	0·30	0·21	0·86	2·29	1·29	0·76	0·53	0·40	5·27	1·01	2·10	1·74	1·76	1·26	7·87
Midlands	0·03	0·09	0·18	0·18	0·14	0·60	1·35	0·62	0·40	0·40	0·35	3·12	0·89	1·95	1·36	0·97	0·88	6·05
South	0·04	—	0·37	0·12	0·21	0·75	0·96	0·62	0·58	0·17	0·04	2·37	0·79	1·17	1·46	0·62	0·50	4·54
Wales	0·08	0·08	0·08	0·17	0·08	0·50	2·57	1·08	0·91	0·33	0·41	5·30	0·25	2·23	1·99	0·99	0·99	6·46
England and Wales	0·04	0·10	0·19	0·24	0·18	0·75	1·88	1·01	0·64	0·45	0·35	4·33	0·92	1·97	1·61	1·37	1·06	6·92
Other Urban Districts:																		
North	0·05	0·08	0·22	0·24	0·20	0·79	2·36	1·19	0·97	0·56	0·40	5·48	0·95	2·17	1·35	1·65	1·00	7·13
Midlands	0·01	0·07	0·13	0·16	0·12	0·48	1·32	0·56	0·49	0·41	0·20	2·99	0·59	1·30	1·11	1·00	0·48	4·48
South	—	0·07	0·09	0·09	0·07	0·33	1·14	0·57	0·19	0·36	0·21	2·47	0·55	1·28	0·57	0·71	0·59	3·70
Wales	0·03	0·07	0·21	0·21	0·10	0·62	3·61	1·75	1·34	0·83	0·48	8·01	0·52	1·86	1·93	0·89	1·31	6·50
England and Wales	0·02	0·07	0·16	0·18	0·14	0·58	1·93	0·93	0·71	0·50	0·30	4·37	0·70	1·67	1·19	1·17	0·78	5·51
Rural Districts:																		
North	0·06	0·11	0·25	0·14	0·28	0·83	2·44	1·11	0·33	0·61	0·39	4·88	0·94	1·89	1·36	1·33	1·22	6·74
Midlands	0·03	0·05	0·08	0·13	0·16	0·45	1·65	0·45	0·45	0·31	0·28	3·14	0·50	0·97	0·96	0·71	0·47	3·61
South	—	—	0·18	0·12	0·18	0·48	1·23	0·60	0·48	0·18	0·18	2·66	0·18	0·72	0·42	0·63	0·45	2·39
Wales	—	0·31	0·31	0·18	0·12	0·92	3·88	2·34	1·35	0·98	0·62	9·17	0·98	1·54	1·48	0·86	0·80	5·66
England and Wales	0·03	0·08	0·17	0·14	0·19	0·60	1·99	0·85	0·53	0·43	0·32	4·12	0·59	1·20	0·99	0·86	0·68	4·33

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1924—*continued.*

Area.	Proportion of Deaths to 1,000 Births.																	
	Pneumonia (100, 101).						Congenital malformations (159).						Congenital debility and sclerema (160 : 1).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Areas:																		
North	0·85	2·46	3·61	4·45	4·66	16·02	2·85	0·99	0·40	0·20	0·15	4·59	3·83	1·79	1·10	0·33	0·18	7·23
Midlands	0·66	1·82	2·42	2·69	2·58	10·17	2·58	0·63	0·44	0·18	0·11	3·93	2·93	1·36	0·69	0·27	0·12	5·37
South	0·89	2·04	2·41	2·72	2·71	10·76	2·33	0·83	0·40	0·19	0·14	3·90	2·09	1·11	0·64	0·21	0·07	4·11
Wales	0·82	1·83	2·96	3·12	3·27	12·00	2·70	0·94	0·47	0·14	0·16	4·41	3·22	1·27	0·68	0·19	0·19	5·55
England and Wales	0·80	2·10	2·88	3·36	3·41	12·54	2·62	0·83	0·42	0·19	0·14	4·20	3·06	1·44	0·82	0·27	0·13	5·73
London	1·16	2·70	3·25	3·63	3·38	14·13	1·98	0·81	0·36	0·21	0·14	3·51	1·62	1·08	0·82	0·29	0·08	3·90
County Boroughs:																		
North	0·98	2·87	4·08	5·14	5·61	18·68	2·63	0·99	0·42	0·17	0·14	4·34	3·14	2·04	1·53	0·43	0·21	7·35
Midlands	0·93	2·20	3·33	3·62	3·76	13·85	2·58	0·57	0·44	0·19	0·13	3·90	2·81	1·56	0·97	0·30	0·16	5·80
South	0·87	2·16	2·62	2·62	2·87	11·16	3·00	1·29	0·50	0·21	0·08	5·08	2·62	1·08	0·42	0·08	0·12	4·33
Wales	0·91	2·15	3·39	2·90	5·05	14·40	2·32	0·91	0·50	0·17	0·33	4·22	2·48	0·99	0·83	0·25	0·17	4·72
England and Wales	0·95	2·56	3·68	4·32	4·75	16·26	2·63	0·88	0·44	0·18	0·14	4·27	2·95	1·75	1·21	0·35	0·18	6·45
Other Urban Districts:																		
North	0·73	2·15	3·42	3·96	3·98	14·24	3·03	0·99	0·37	0·25	0·14	4·78	4·54	1·67	0·65	0·19	0·18	7·22
Midlands	0·61	1·98	2·19	2·52	2·13	9·43	2·66	0·60	0·41	0·12	0·07	3·86	2·90	1·24	0·60	0·25	0·10	5·10
South	0·74	1·28	1·64	2·02	2·23	7·90	2·61	0·69	0·45	0·09	0·17	4·01	2·28	0·90	0·47	0·14	0·02	3·82
Wales	0·79	1·58	2·89	3·23	2·99	11·48	3·03	1·03	0·41	0·10	0·10	4·68	3·54	1·31	0·58	0·17	0·14	5·95
England and Wales	0·70	1·87	2·60	3·02	2·90	11·09	2·82	0·80	0·40	0·16	0·12	4·30	3·44	1·36	0·59	0·20	0·12	5·72
Rural Districts:																		
North	0·61	1·61	2·22	2·94	2·58	9·95	3·30	1·00	0·36	0·25	0·25	5·16	4·85	1·11	0·53	0·28	0·06	6·82
Midlands	0·37	1·12	1·55	1·72	1·70	6·46	2·46	0·74	0·47	0·26	0·15	4·08	3·13	1·28	0·45	0·24	0·10	5·20
South	0·39	1·20	1·08	1·35	1·50	5·50	2·36	0·75	0·36	0·27	0·15	3·89	2·66	1·47	0·54	0·15	0·06	4·88
Wales	0·80	2·03	2·77	3·08	2·46	11·14	2·40	0·80	0·55	0·18	0·12	4·06	3·20	1·05	0·74	0·18	0·31	5·48
England and Wales	0·48	1·36	1·74	2·08	1·95	7·61	2·64	0·81	0·43	0·25	0·17	4·30	3·45	1·25	0·52	0·22	0·10	5·55

Area.	Premature birth (161 : 1).						Injury at birth (161 : 2).						Suffocation—in bed or not stated how (180 pt.).					
All Areas:																		
North	18·81	1·79	0·26	0·04	0·02	20·93	1·62	0·04	—	—	—	1·66	0·25	0·17	0·08	0·02	0·00	0·52
Midlands	16·79	1·47	0·22	0·02	0·00	18·51	1·16	0·02	0·01	—	—	1·18	0·32	0·20	0·15	0·04	0·02	0·72
South	14·77	1·32	0·11	0·03	—	16·23	1·31	0·01	0·01	—	0·01	1·33	0·18	0·23	0·13	0·02	0·02	0·58
Wales	16·87	1·72	0·14	0·09	0·05	18·88	1·24	0·03	—	—	—	1·27	0·12	0·19	0·09	—	—	0·40
England and Wales	17·01	1·57	0·20	0·04	0·01	18·82	1·37	0·02	0·00	—	0·00	1·40	0·24	0·19	0·12	0·02	0·01	0·59
London	14·33	1·44	0·08	0·04	—	15·89	1·16	0·02	0·01	—	—	1·20	0·20	0·21	0·13	0·02	—	0·56
County Boroughs:																		
North	19·44	1·86	0·30	0·03	0·02	21·65	1·68	0·05	—	—	—	1·73	0·32	0·20	0·11	0·01	0·01	0·65
Midlands	17·69	1·71	0·24	0·03	0·01	19·67	1·14	0·01	—	—	—	1·16	0·42	0·26	0·15	0·03	0·03	0·88
South	15·57	1·33	0·17	0·04	—	17·11	1·25	—	—	—	—	1·25	0·17	0·17	0·08	0·04	—	0·46
Wales	17·30	1·66	—	0·17	0·08	19·20	1·08	—	—	—	—	1·08	—	0·17	—	—	—	0·17
England and Wales	18·43	1·75	0·25	0·04	0·02	20·49	1·44	0·03	—	—	—	1·47	0·32	0·22	0·11	0·02	0·01	0·68
Other Urban Districts:																		
North	17·91	1·77	0·24	0·06	—	19·97	1·57	0·02	—	—	—	1·60	0·12	0·12	0·06	0·05	—	0·34
Midlands	16·13	1·46	0·24	0·02	—	17·85	1·29	0·02	0·01	—	—	1·32	0·31	0·20	0·17	0·07	0·02	0·77
South	15·30	1·16	0·12	0·02	—	16·61	1·40	—	—	—	0·02	1·42	0·24	0·28	0·19	—	0·02	0·74
Wales	16·57	1·86	0·17	0·10	0·07	18·77	1·13	0·03	—	—	—	1·17	0·10	0·14	0·14	—	—	0·38
England and Wales	16·66	1·57	0·21	0·05	0·01	18·49	1·39	0·02	0·00	—	0·00	1·42	0·21	0·18	0·13	0·04	0·01	0·57
Rural Districts:																		
North	18·52	1·61	0·17	0·06	0·03	20·38	1·50	0·03	—	—	—	1·53	0·25	0·17	0·06	—	—	0·47
Midlands	16·58	1·18	0·16	0·02	—	17·94	0·99	0·02	0·02	—	—	1·02	0·19	0·11	0·11	0·02	—	0·44
South	14·63	1·20	0·15	—	—	15·97	1·62	—	—	—	—	1·62	0·09	0·24	0·09	0·03	0·06	0·51
Wales	17·10	1·54	0·18	—	—	18·82	1·54	0·06	—	—	—	1·60	0·25	0·31	0·06	—	—	0·62
England and Wales	16·67	1·33	0·16	0·02	0·01	18·19	1·32	0·02	0·01	—	—	1·34	0·19	0·18	0·09	0·01	0·01	0·48

TABLE 13.—INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1924.

All Infants.										Area.	Illegitimate Infants.									
Deaths.								Deaths per 1,000 Births.			Deaths per 1,000 Births.		Deaths.							
Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
SUMMARY*.																				
										All Areas.										
7761	8165	8224	9117	7959	6947	6640	54813	33	75	England and Wales	60	133	753	534	543	731	614	479	374	4028
3058	3214	3562	4010	3484	3246	3121	23695	38	91	North	65	150	263	206	240	283	255	229	165	1641
2332	2457	2380	2437	2168	1827	1603	15204	31	67	Midlands	55	116	213	151	141	186	158	116	95	1060
1758	1783	1635	1877	1655	1373	1431	11512	28	62	South†	59	128	220	130	123	203	156	105	93	1030
613	711	647	793	652	501	485	4402	34	77	Wales	65	136	57	47	39	59	45	29	21	297
773	739	803	951	948	829	861	5904	27	69	London Administrative County.	62	144	111	55	52	90	88	53	55	504
										County Boroughs.										
2823	2948	3304	3786	3525	3004	2986	22376	36	88	England and Wales	66	158	278	202	196	282	294	205	162	1619
1624	1668	2010	2341	2137	1971	1940	13691	38	99	North	69	169	169	119	120	167	174	142	105	996
799	892	957	1003	979	778	775	6183	33	78	Midlands	59	132	65	51	55	60	68	41	41	381
254	262	215	269	254	144	153	1551	30	65	South	59	155	31	22	13	41	38	18	11	174
146	126	122	173	155	111	118	951	33	79	Wales	88	193	13	10	8	14	14	4	5	68
										Other Urban Districts.										
2545	2798	2655	2899	2346	2109	1930	17282	33	71	England and Wales	60	125	233	166	181	216	163	150	95	1204
981	1055	1108	1219	1002	940	898	7203	37	85	North	62	136	62	59	87	84	61	60	46	459
865	933	859	906	756	665	534	5518	31	64	Midlands	57	120	87	58	44	68	61	47	33	398
420	429	368	378	262	241	248	2346	29	56	South	63	113	54	28	38	39	21	24	10	214
279	381	320	396	326	263	250	2215	34	76	Wales	62	130	30	21	12	25	20	19	6	133
										Rural Districts.										
1620	1680	1462	1481	1140	1005	863	9251	32	63	England and Wales	52	101	131	111	114	143	69	71	62	701
453	491	444	450	345	335	283	2801	38	78	North	57	113	32	28	33	32	20	27	14	186
668	632	564	528	433	384	294	3503	30	57	Midlands	50	97	61	42	42	58	29	28	21	281
311	353	249	279	191	159	169	1711	27	51	South	45	89	24	25	20	33	9	10	17	138
188	204	205	224	171	127	117	1236	37	76	Wales	60	118	14	16	19	20	11	6	10	96

* The Counties in the four sections North, Midlands, South and Wales, are shewn in footnote || to Table 14.

† Including London.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1924.

All Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	All Infants. Deaths per 1,000 Births. Under 4 weeks.	Total under 1 year.	Area.	Illegitimate Infants. Deaths per 1,000 Births. Under 4 weeks.	Total under 1 year.	Illegitimate Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
GREATER LONDON AND METROPOLITAN BOROUGHS.																				
1253	1229	1288	1476	1377	1200	1226	9049	27	65	Greater London* ..	63	144	175	79	78	139	123	88	76	758
3	—	1	—	4	2	1	11	43	117	London, City of ..	750	1000	3	—	—	—	1	—	—	4
—	—	—	—	—	—	—	—	—	—	The Inner & Middle Temples.	—	—	—	—	—	—	—	—	—	—
21	29	27	29	30	25	35	196	25	62	Battersea	93	148	6	2	2	3	1	2	—	16
25	36	31	25	36	40	40	233	31	79	Bermondsey ..	80	160	1	1	4	—	3	—	3	12
23	25	32	37	33	29	24	203	30	77	Bethnal Green ..	34	85	1	—	1	1	2	—	—	5
48	37	63	83	45	47	38	361	29	70	Camberwell ..	78	206	6	3	2	8	2	5	3	29
13	2	4	6	7	13	14	59	21	64	Chelsea	71	200	4	—	1	2	2	3	2	14
23	31	20	29	17	25	35	180	31	76	Deptford	138	172	3	4	1	1	1	—	—	10
17	20	17	17	24	14	21	130	32	78	Finsbury	45	104	2	1	—	1	2	1	—	7
28	30	30	36	35	25	31	215	30	72	Fulham	61	129	4	3	1	1	1	2	5	17
22	19	12	28	25	25	21	152	26	74	Greenwich	133	267	4	1	1	—	3	1	2	12
39	32	37	45	43	27	26	249	26	59	Hackney	59	169	4	1	2	6	5	1	1	20
27	23	23	26	29	23	21	172	30	72	Hammersmith ..	67	163	2	2	5	7	3	2	1	22
15	10	8	12	11	4	6	66	28	56	Hampstead.. ..	49	136	3	—	1	3	2	1	1	11
6	8	7	11	5	8	2	47	36	81	Holborn	130	196	1	2	3	1	—	2	—	9
53	53	85	57	61	62	75	446	28	67	Islington	56	124	6	3	5	6	4	4	3	31
24	26	24	38	29	40	38	219	25	75	Kensington.. ..	59	141	4	5	2	8	4	1	2	26
55	59	51	63	65	45	56	394	28	67	Lambeth	73	123	8	9	6	5	3	2	6	39
32	20	23	22	27	9	13	146	25	48	Lewisham	59	89	5	—	1	—	1	2	—	9
16	23	19	40	39	33	26	196	23	78	Paddington ..	34	174	3	2	2	13	11	3	2	36
41	25	37	30	40	43	59	275	27	72	Poplar	85	128	4	2	2	1	—	2	1	12
16	19	13	22	20	18	15	123	31	80	St. Marylebone ..	68	167	6	3	2	6	6	2	2	27
30	22	45	48	65	42	49	301	24	74	St. Pancras.. ..	33	147	5	1	2	3	9	7	9	36
18	27	26	31	37	45	38	222	27	84	Shoreditch	54	162	1	2	1	—	4	3	1	12
33	37	37	42	56	46	48	299	25	71	Southwark	41	101	2	2	3	3	2	2	3	17
58	44	39	71	79	65	55	411	26	76	Stepney	44	133	5	1	—	4	6	2	—	18
4	8	11	9	8	3	6	49	26	56	Stoke Newington ..	95	190	1	1	—	1	1	—	—	4
39	39	46	48	35	36	41	284	25	57	Wandsworth ..	56	135	8	—	2	3	4	1	6	24
17	14	13	12	19	11	11	97	28	61	Westminster ..	48	97	5	2	—	1	5	1	—	14
27	21	22	34	24	24	16	168	27	65	Woolwich	81	149	4	2	—	2	—	1	2	11

* Greater London consists of the City of London, the Metropolitan Boroughs and the Outer Ring. For the detailed constitution *see* Census of England and Wales, 1921, Preliminary Report, pp. 58, 59.(Cmd. 1485.)

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1924.

All Infants. Deaths.								Deaths per 1,000 Births.		Area.	Illegitimate Infants. Deaths per 1,000 Births		Illegitimate Infants. Deaths.							
Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 Year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
										COUNTY BOROUGHS.										
										ENGLAND.										
16	23	40	35	25	24	21	184	42	98	Barnsley	71	152	3	—	4	3	1	2	2	15
11	15	16	11	10	14	14	91	34	73	Barrow-in-Furness	44	111	1	—	1	1	—	2	—	5
17	13	12	16	7	6	7	78	46	85	Bath	73	145	—	3	1	2	—	2	—	8
39	42	37	50	38	44	53	303	37	95	Birkenhead.. ..	63	135	4	2	1	2	2	3	1	15
13	215	214	246	238	188	190	1504	35	82	Birmingham ..	68	157	20	11	7	15	14	9	12	88
18	20	21	37	33	21	16	166	30	84	Blackburn	55	121	3	1	1	1	3	1	1	11
16	17	18	15	7	8	5	83	44	74	Blackpool	67	124	4	2	1	1	2	1	2	13
28	39	45	63	37	40	38	290	35	91	Bolton	61	145	2	1	5	5	2	4	—	19
13	16	37	27	32	31	36	192	34	99	Bootle	120	160	2	—	4	—	—	2	—	8
9	11	9	8	8	2	3	50	26	45	Bournemouth ..	63	111	2	1	1	1	2	—	—	7
67	62	67	86	73	51	51	457	40	92	Bradford	57	145	5	4	7	12	5	4	4	41
19	20	18	26	20	11	10	124	27	59	Brighton	17	64	3	—	—	1	4	1	2	11
50	86	102	81	66	52	56	493	34	71	Bristol	57	123	2	4	6	4	3	3	4	26
16	22	24	44	43	33	33	215	36	126	Burnley	46	202	1	2	2	6	2	3	6	22
10	9	10	14	7	3	6	59	30	61	Burton-upon-Trent	60	103	—	—	2	1	—	—	—	3
10	13	10	10	4	6	9	62	37	70	Bury	104	146	3	1	1	—	1	1	—	7
1	9	2	2	1	3	3	21	27	47	Canterbury.. ..	100	150	1	1	—	1	—	—	—	3
13	6	16	26	12	22	11	106	31	94	Carlisle	35	70	2	—	—	1	—	1	—	4
4	7	16	16	6	18	6	73	33	89	Chester	100	150	1	1	2	1	—	1	—	6
25	27	27	34	25	17	13	168	37	79	Coventry	73	145	—	3	1	—	3	1	—	8
34	37	27	37	33	17	9	194	28	56	Croydon	36	234	2	1	3	12	13	5	3	39
19	10	22	30	18	19	12	130	37	94	Darlington	105	158	3	1	2	1	—	—	2	9
20	15	28	30	21	18	26	158	26	66	Derby	37	99	—	2	1	—	2	—	3	8
9	21	19	13	9	15	12	98	48	96	Dewsbury	104	167	2	3	—	1	1	1	—	8
12	25	19	13	20	15	15	119	43	91	Dudley	176	324	1	2	3	—	3	1	1	11
13	9	5	5	3	—	4	39	41	59	Eastbourne.. ..	130	196	3	3	—	—	2	—	1	9
25	26	22	23	14	18	19	147	27	54	East Ham	102	169	6	—	—	—	1	1	2	10
8	6	8	14	13	5	7	61	22	60	Exeter	—	63	—	—	—	2	1	—	—	3
42	39	47	62	47	53	37	327	40	103	Gateshead	43	113	4	1	—	3	2	1	2	13
12	12	11	11	21	11	10	88	35	88	Gloucester	73	195	1	—	2	1	3	—	1	8
12	7	15	7	14	5	6	66	33	63	Gt. Yarmouth ..	—	19	—	—	—	—	1	—	—	1
19	29	19	25	30	28	33	183	36	99	Grimsby	28	102	3	—	—	2	3	—	3	11
25	21	33	26	13	10	10	143	57	97	Halifax	56	125	2	1	1	2	—	1	2	9
6	10	13	10	9	3	3	54	37	69	Hastings	159	227	1	3	3	2	1	—	—	10
25	19	35	25	20	13	21	158	49	97	Huddersfield ..	66	118	2	1	2	3	—	—	1	9
9	16	12	19	9	5	5	75	26	52	Ipswich	—	—	—	—	—	—	—	—	—	—
74	55	74	109	118	75	78	583	30	87	Kingston-upon-Hull	73	175	7	9	2	5	11	8	1	43
83	102	146	157	154	150	129	921	39	108	Leeds	63	190	8	11	8	11	21	10	12	81
34	45	46	57	67	46	50	345	29	79	Leicester	77	169	4	8	3	4	8	2	4	33
13	14	13	12	9	12	9	82	35	72	Lincoln	36	125	—	1	1	3	—	2	—	7
30	211	287	380	371	316	322	2117	35	103	Liverpool	62	177	23	15	12	27	34	17	15	143
32	174	192	241	234	235	216	1454	36	100	Manchester.. ..	84	210	25	13	17	20	23	30	10	138
46	51	61	66	65	110	84	483	44	135	Middlesbrough ..	126	210	6	5	4	1	1	5	3	25
97	82	92	91	90	97	78	627	43	100	Newcastle-on-Tyne	71	174	7	5	6	10	6	4	6	44
9	14	15	12	14	8	8	80	25	52	Northampton ..	18	89	1	—	—	2	2	—	—	5
15	22	19	28	16	20	15	135	26	62	Norwich	35	58	—	—	3	1	—	1	—	5
65	57	78	69	79	63	30	441	38	85	Nottingham ..	63	142	8	6	6	6	8	7	4	45
44	34	44	33	40	28	43	266	51	111	Oldham	116	164	7	4	6	—	5	—	2	24
9	6	7	12	6	6	—	46	25	52	Oxford	25	75	1	—	—	2	—	—	—	3
46	45	38	48	58	32	40	307	34	82	Plymouth	98	210	7	6	1	6	6	2	2	30
58	42	44	60	56	34	44	338	29	67	Portsmouth ..	48	154	3	4	2	7	4	7	2	29
30	35	36	33	31	32	28	225	43	97	Preston	71	205	4	1	3	8	3	2	2	23
16	14	13	16	9	12	8	88	27	55	Reading	15	74	1	—	—	2	1	—	1	5
17	17	16	21	14	10	17	112	34	77	Rochdale	46	115	—	1	3	3	1	1	1	10
19	11	38	20	30	21	23	162	42	99	Rotherham.. ..	27	93	1	—	1	—	2	1	2	7
43	37	38	44	41	34	35	272	45	104	St. Helens	43	157	2	1	—	3	4	—	1	11
60	50	85	91	102	89	102	579	41	121	Salford	108	276	7	6	7	7	10	5	9	51
42	143	141	127	104	96	116	869	44	89	Sheffield	85	172	14	9	7	9	6	9	7	61
15	11	16	20	20	18	18	118	26	74	Smethwick	—	79	—	—	—	1	2	—	—	3
27	46	26	27	37	19	15	197	31	62	Southampton ..	90	180	8	—	2	5	4	1	—	20
21	8	14	7	9	9	7	75	30	52	Southend-on-Sea ..	103	154	5	1	2	2	1	1	—	12
9	15	5	10	7	8	5	59	31	63	Southport	34	138	1	—	1	2	1	2	1	8
39	42	47	49	58	42	38	315	42	103	South Shields ..	64	170	2	3	1	2	3	4	1	16
18	20	22	37	28	22	33	180	29	87	Stockport	21	117	1	1	—	4	1	2	2	11
81	99	99	96	102	83	107	667	42	100	Stoke-on-Trent ..	81	135	6	7	12	7	4	4	2	42

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1924.

All Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Deaths per 1,000 Births. Under 4 weeks.	Total under 1 year.	Area.	Illegitimate Infants. Deaths per 1,000 Births. Under 4 weeks.	Total under 1 year.	Deaths. Under 1 day.	1–7 days.	1–4 weeks	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
										COUNTY BOROUGHS.—*continued.*										
35	58	57	74	72	56	72	424	36	101	Sunderland.. ..	113	213	3	10	3	3	7	3	1	30
7	21	24	21	20	15	23	131	34	86	Tynemouth.. ..	65	129	—	1	3	1	1	1	1	8
8	19	8	23	13	14	9	94	33	89	Wakefield	16	95	—	1	—	2	3	—	—	6
17	14	10	14	8	6	11	80	29	57	Wallasey	104	188	4	1	—	1	1	2	—	9
30	29	44	26	19	23	13	184	44	78	Walsall	59	118	1	1	2	2	—	1	1	8
18	19	15	26	30	16	15	139	32	85	Warrington.. ..	36	109	—	1	1	1	1	1	1	6
17	26	32	19	31	23	17	165	40	89	West Bromwich ..	75	175	1	1	1	1	1	1	1	7
55	67	64	100	96	83	99	564	26	78	West Ham	45	124	2	4	3	4	3	7	2	25
18	23	18	20	23	19	27	148	35	89	West Hartlepool ..	—	88	—	—	—	—	3	2	1	6
16	24	26	44	33	39	36	218	33	109	Wigan	14	211	—	—	1	4	4	4	2	15
19	21	26	33	39	19	19	176	31	84	Wolverhampton ..	15	104	1	—	—	1	4	—	1	7
9	6	5	9	7	5	4	45	23	52	Worcester	45	114	2	—	—	1	2	—	—	5
21	19	20	34	24	19	15	152	38	96	York	41	81	3	—	—	—	1	1	1	6
										WALES.										
58	45	35	80	67	54	43	382	28	79	Cardiff	85	209	6	5	2	6	6	3	4	32
23	25	15	26	20	18	17	144	35	81	Merthyr Tydfil ..	93	241	2	3	—	4	3	1	—	13
29	24	28	22	21	13	14	151	39	73	Newport, Mon. ..	48	95	2	—	—	1	1	—	—	4
36	32	44	45	47	26	44	274	33	81	Swansea	107	184	3	2	6	3	4	—	1	19

ADMINISTRATIVE COUNTIES.

NOTE :—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.

										ENGLAND.										
19	30	24	11	9	11	11	115	37	58	Bedford .. U.D.	43	64	1	2	1	1	—	1	—	6
9	12	15	19	12	5	4	76	25	53	R.D.	37	111	1	—	1	1	2	—	1	6
10	8	18	10	4	8	9	67	33	61	Berks .. U.D.	29	57	—	2	—	2	—	—	—	4
19	20	16	20	16	11	13	115	26	55	R.D.	78	176	4	2	2	3	3	—	4	18
13	16	9	10	8	7	9	72	24	45	Bucks .. U.D.	129	143	5	4	—	—	1	—	—	10
32	26	26	14	10	7	6	121	35	51	R.D.	50	76	2	1	3	1	—	1	1	9
8	6	4	8	8	4	8	46	21	53	Cambs .. U.D.	40	140	2	—	—	—	4	—	1	7
17	11	9	7	3	4	8	59	33	52	R.D.	34	68	1	1	—	1	—	—	1	4
75	67	93	92	62	59	70	518	32	70	Cheshire .. U.D.	42	111	4	2	6	6	2	7	5	32
40	46	39	31	23	24	27	230	38	71	R.D.	22	66	1	—	2	3	1	2	—	9
18	32	23	25	18	14	15	145	34	67	Cornwall .. U.D.	25	58	1	1	1	1	3	—	—	7
30	32	27	29	20	11	27	176	29	58	R.D.	47	108	2	3	2	3	1	1	4	16
23	31	38	43	26	27	24	212	35	81	Cumberland U.D.	51	103	3	2	2	3	1	2	1	14
9	28	14	20	17	13	14	115	27	61	R.D.	59	76	1	4	2	1	—	1	—	9
74	80	70	81	67	60	39	471	35	74	Derby .. U.D.	69	129	5	4	7	3	4	4	3	30
82	65	60	66	62	44	40	419	33	67	R.D.	63	121	5	5	5	8	2	4	—	29
31	38	21	22	16	14	18	160	29	52	Devon .. U.D.	90	124	4	3	6	1	3	—	1	18
31	31	31	38	28	20	11	190	26	53	R.D.	36	66	1	4	1	1	2	2	—	11
25	16	17	16	9	11	10	104	29	52	Dorset .. U.D.	58	116	1	2	2	4	—	1	—	10
26	23	19	12	8	5	4	97	38	54	R.D.	67	80	2	1	2	—	—	1	—	6
197	185	197	205	206	225	175	1390	40	96	Durham .. U.D.	56	148	11	6	12	14	10	13	10	76
194	157	163	160	136	118	129	1057	47	96	R.D.	52	121	4	7	11	10	5	10	4	51
6	6	10	6	4	5	3	40	30	55	Ely, I. of .. U.D.	43	106	—	—	2	1	—	—	2	5
8	10	8	6	5	3	4	44	37	63	R.D.	—	36	—	—	—	—	—	1	—	1
85	98	106	99	87	64	67	606	26	54	Essex .. U.D.	77	148	13	5	5	3	5	6	7	44
46	36	31	43	33	28	23	240	22	47	R.D.	42	103	3	1	5	4	4	1	4	22
19	15	14	12	13	15	9	97	31	62	Gloucester .. U.D.	97	125	4	1	2	—	1	1	—	9
38	32	32	31	19	28	21	201	25	50	R.D.	54	103	4	5	1	1	2	3	3	19
8	4	8	7	8	6	1	42	26	54	Hereford .. U.D.	—	57	—	—	—	1	1	1	—	3
12	14	3	8	10	10	8	65	21	48	R.D.	30	80	1	2	—	2	1	2	—	8
32	46	32	26	30	18	18	202	29	53	Hertford .. U.D.	43	73	1	5	1	1	3	—	1	12
15	18	18	10	5	11	2	79	30	47	R.D.	14	42	—	1	—	1	—	1	—	3
3	5	5	6	2	4	3	28	29	63	Huntingdon U.D.	—	45	—	—	—	—	—	—	1	1
11	10	2	4	1	2	—	30	45	59	R.D.	34	103	1	—	—	2	—	—	—	3
124	126	109	101	94	70	90	714	28	56	Kent .. U.D.	56	115	17	3	10	11	10	5	5	61
33	51	34	51	31	30	26	256	22	47	R.D.	32	67	3	2	3	7	—	1	1	17
289	314	343	391	267	268	276	2148	37	84	Lancs .. U.D.	72	147	18	19	29	26	14	17	12	135
46	50	56	36	34	32	18	272	38	68	R.D.	137	205	10	4	6	3	3	3	1	30
22	28	22	26	17	20	16	151	33	68	Leicester .. U.D.	38	76	1	2	—	1	1	—	1	6
20	37	23	21	21	20	16	158	27	54	R.D.	76	120	3	2	2	3	—	1	—	11
2	4	6	11	11	7	4	45	15	58	Lincs, Holland U.D.	—	178	—	—	—	4	1	1	2	8
15	11	13	12	8	8	7	74	37	71	R.D.	—	65	—	—	—	3	—	—	1	4
5	10	5	12	5	5	4	46	27	63	Lincs, Kesteven U.D.	50	150	—	2	—	2	—	1	1	6
18	19	25	3	7	6	8	86	45	63	R.D.	106	128	1	4	5	—	—	—	2	12
26	23	15	24	27	25	19	159	27	67	Lincs, Lindsey U.D.	23	63	1	2	—	1	3	1	—	8
27	33	25	17	16	18	13	149	31	54	R.D.	18	53	2	1	—	2	2	1	1	9
179	191	205	195	150	133	121	1174	28	56	Middlesex .. U.D.	62	121	24	9	11	18	11	10	3	86
10	10	8	15	2	5	3	53	25	48	R.D.	75	100	1	1	1	1	—	—	—	4
15	9	5	13	4	6	5	57	27	54	Norfolk .. U.D.	90	179	5	1	—	3	1	2	—	12
47	43	47	37	36	23	20	253	30	55	R.D.	49	95	8	3	4	7	3	1	3	29

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1924.

All Infants.										Area.		Illegitimate Infants.								
Deaths.								Deaths per 1,000 Births.				Deaths per 1,000 Births.		Deaths.						
Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.			Under 4 weeks.	Total under 1 year.	Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
ADMINISTRATIVE COUNTIES.—*continued.*																					
16	14	22	17	12	10	4	95	32	59	Northants ..	U.D.	83	83	2	2	1	—	—	—	—	5
16	14	16	13	12	7	12	90	24	48		R.D.	74	99	4	1	1	2	—	—	—	8
98	85	85	113	103	65	79	628	37	87	North'berland	U.D.	38	140	3	4	4	14	8	3	4	40
23	34	22	20	9	7	10	125	41	65		R.D.	45	68	1	2	1	1	1	—	—	6
67	77	63	75	67	66	34	449	38	83	Notts ..	U.D.	43	124	4	4	2	10	5	2	2	29
30	48	29	26	27	20	13	193	40	72		R.D.	27	63	—	2	1	2	1	1	—	7
3	7	—	4	2	6	3	25	17	43	Oxford ..	U.D.	81	162	1	2	—	1	1	1	—	6
22	13	23	12	7	9	3	89	34	52		R.D.	35	71	1	—	2	3	—	—	—	6
7	5	4	6	5	2	3	32	30	60	Peterborough,	U.D.	31	94	1	—	—	—	1	1	—	3
3	2	2	3	3	—	1	14	31	61	Soke of	R.D.	—	—	—	—	—	—	—	—	—	—
—	—	—	2	1	—	—	3	—	60	Rutland ..	U.D.	—	—	—	—	—	—	—	—	—	—
3	7	5	—	4	—	1	20	56	75		R.D.	214	286	1	1	1	—	—	—	1	4
21	18	21	32	12	18	5	127	28	60	Salop ..	U.D.	48	127	2	1	3	3	2	5	—	16
33	27	18	24	14	12	14	142	31	57		R.D.	42	78	2	1	4	3	—	2	1	13
33	25	27	27	11	16	10	149	33	57	Somerset	U.D.	83	102	3	2	4	2	—	—	—	11
31	38	30	38	23	16	25	201	25	51		R.D.	39	99	3	1	3	6	1	1	3	18
36	38	29	38	30	21	21	213	29	60	Southants. ..	U.D.	69	117	3	4	3	3	1	2	1	17
32	56	30	29	23	21	22	213	28	51		R.D.	50	86	4	6	1	2	—	2	4	19
131	146	141	156	140	116	106	936	37	84	Staffs ..	U.D.	32	142	4	1	5	10	11	8	6	45
58	42	49	47	38	41	22	297	34	68		R.D.	75	138	7	4	2	2	6	2	1	24
20	24	12	16	11	10	6	99	35	62	Suffolk, East	U.D.	76	101	3	2	1	1	1	—	—	8
29	25	18	14	14	15	7	122	33	55		R.D.	65	101	4	2	3	1	—	4	—	14
8	7	6	4	2	3	3	33	32	51	Suffolk, West	U.D.	48	71	1	1	—	—	—	1	—	3
9	4	7	11	6	5	5	47	18	41		R.D.	17	68	1	—	—	1	2	—	—	4
90	79	75	78	50	47	48	467	28	53	Surrey ..	U.D.	87	153	16	7	10	11	2	9	3	58
25	23	20	16	13	14	8	119	28	50		R.D.	38	95	1	1	2	4	1	1	—	10
14	17	14	12	7	15	6	85	26	50	Sussex, East	U.D.	71	112	5	1	1	1	1	2	—	11
24	25	11	8	6	9	7	90	31	47		R.D.	41	95	2	1	—	3	—	—	1	7
14	10	7	12	7	4	5	59	24	46	Sussex, West	U.D.	14	29	1	—	—	1	—	—	—	2
15	12	11	7	7	5	6	63	25	41		R.D.	38	89	1	2	—	3	—	1	—	7
37	31	18	23	17	15	13	154	32	57	Warwick ..	U.D.	93	121	4	4	2	1	2	—	—	13
42	42	32	42	35	38	21	252	29	62		R.D.	77	154	7	2	—	3	3	2	1	18
6	9	10	5	5	1	—	36	54	78	Westmorland	U.D.	136	136	1	1	1	—	—	—	—	3
5	11	7	2	4	5	2	36	38	60		R.D.	88	118	2	1	—	—	1	—	—	4
10	14	9	18	5	8	4	68	40	83	Wight, I. of	U.D.	88	140	2	2	1	2	—	1	—	8
6	6	—	1	3	2	2	20	28	47		R.D.	—	67	—	—	—	1	—	—	—	1
15	26	19	19	11	13	12	115	28	53	Wilts ..	U.D.	22	76	1	1	—	—	1	4	—	7
39	36	20	30	13	15	18	171	31	56		R.D.	54	62	1	2	4	—	1	—	—	8
39	33	32	24	37	29	20	214	33	68	Worcester ..	U.D.	67	142	3	4	1	3	2	1	3	17
16	21	20	23	23	15	12	130	24	55		R.D.	45	112	1	2	1	4	1	1	—	10
11	13	10	12	12	10	6	74	29	64	Yorks, E.R.	U.D.	65	97	3	—	3	1	—	2	—	9
18	18	22	28	10	9	10	115	30	60		R.D.	57	100	5	1	2	3	1	—	2	14
41	38	50	55	34	40	44	302	35	82	Yorks, N.R.	U.D.	32	91	2	—	4	3	3	3	2	17
27	29	27	42	19	22	10	176	33	70		R.D.	58	123	3	3	3	5	1	3	1	19
241	313	282	303	287	245	224	1895	38	86	Yorks, W.R.	U.D.	73	144	17	25	26	17	23	13	12	133
91	118	94	111	93	105	63	675	34	75		R.D.	43	110	5	6	6	6	7	8	6	44
										WALES.											
7	3	5	9	6	6	4	40	41	109	Anglesey ..	U.D.	59	118	—	—	1	1	—	—	—	2
8	7	6	9	5	7	7	49	38	88		R.D.	63	159	2	1	1	2	1	1	2	10
2	3	4	5	1	6	4	25	25	69	Brecon ..	U.D.	48	95	1	—	—	—	—	1	—	2
11	16	13	9	9	6	9	73	47	87		R.D.	29	88	—	—	1	1	—	—	1	3
2	2	4	6	1	1	1	17	38	81	Cardigan ..	U.D.	—	—	—	—	—	—	—	—	—	—
8	8	11	7	7	6	4	51	40	76		R.D.	20	60	—	—	1	—	1	—	1	3
14	22	9	23	18	23	11	120	30	79	Carmarthen	U.D.	17	34	—	1	—	—	1	—	—	2
27	31	39	37	26	9	15	184	45	85		R.D.	92	145	1	4	2	2	1	—	1	11
6	11	10	12	6	2	8	55	30	61	Carnarvon ..	U.D.	70	116	1	1	1	1	—	1	—	5
11	14	9	17	20	3	5	79	34	80		R.D.	53	107	1	2	1	3	1	—	—	8
4	9	8	17	10	8	7	63	22	66	Denbigh ..	U.D.	15	62	—	1	—	1	1	1	—	4
32	30	25	29	24	18	20	178	42	85		R.D.	63	117	3	3	2	3	2	—	2	15
8	10	9	12	5	7	6	57	33	70	Flint ..	U.D.	56	167	1	1	—	3	1	—	—	6
9	13	9	10	13	9	5	68	25	55		R.D.	21	125	—	1	—	—	2	2	1	6
146	193	171	207	174	134	130	1155	34	77	Glamorgan ..	U.D.	77	171	18	11	7	13	16	10	5	80
46	43	55	64	47	53	33	341	32	76		R.D.	63	120	5	1	3	3	3	2	—	17
6	6	2	3	1	4	1	23	42	69	Merioneth ..	U.D.	30	91	1	—	—	1	—	1	—	3
3	10	7	8	2	1	2	33	45	73		R.D.	108	189	1	2	1	3	—	—	—	7
69	110	85	87	94	66	66	577	35	77	Monmouth ..	U.D.	71	114	7	5	3	4	1	4	—	24
15	13	7	8	5	5	3	56	40	64		R.D.	88	88	1	—	2	—	—	—	—	3
3	4	4	6	1	—	2	20	30	55	Montgomery	U.D.	38	77	—	1	—	1	—	—	—	2
6	8	12	7	3	5	1	42	41	66		R.D.	113	129	—	2	5	—	—	1	—	8
12	6	8	9	9	5	10	59	34	76	Pembroke ..	U.D.	33	67	1	—	—	—	—	—	1	2
9	8	10	13	9	3	8	60	29	65		R.D.	—	44	—	—	—	1	—	—	1	2
—	2	1	—	—	1	—	4	34	45	Radnor ..	U.D.	—	167	—	—	—	—	—	1	—	1
3	3	2	6	1	2	5	22	25	70		R.D.	—	136	—	—	—	2		—	1	3

TABLE 14.—Population, Births, Deaths, Infant Mortality, Natural Increase, 1924.—Counties, County Boroughs, Municipal Boroughs and Urban Districts, Rural Districts.

NOTE.—The estimates of population shown in the following table have been based primarily on the 1921 Census returns (*See* Section "Population" in Text). In the case of districts marked with an *, changes in boundaries have occurred during the year, and the populations have been adjusted in order to make them comparable with the records of births and deaths. Particulars of the changes of boundary will be found in Table AA, Part II. The births and deaths exclude stillbirths. Deaths are transferred to the area of residence of the deceased person; births occurring away from home have been transferred to the area of residence of the parents. Deaths of non-civilians have been excluded throughout this table, the districts in which this exclusion appreciably affects the rates being referred to in footnotes.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
‖ALL AREAS:														
England & Wales.	38,746,000	357,857	341,780	15,413	14,883	729,933	18·8	240,100	232,615	472715§	12·2	54,813	75	6·6
North ..	13,034,370	127,426	121,302	5,536	5,375	259,639	19·9	88,270	83,618	171,888	13·2†	23,695	91	6·7
Midlands..	12,278,930	111,871	107,124	4,647	4,474	228,116	18·6	71,248	69,155	140,403	11·5†	15,204	67	7·1
South‡ ..	10,702,530	90,210	86,469	4,132	3,941	184,752	17·3	63,372	64,233	127,605	12·1†	11,512	62	5·2
Wales ..	2,730,170	28,350	26,885	1,098	1,093	57,426	21·0	17,210	15,609	32,819	12·0†	4,402	77	9·0
London ..	4,586,000	41,797	39,853	1,760	1,737	85,147	18·6	28,402	27,485	55,887	12·2†	5,904	69	6·4
COUNTY BORO'S:														
England & Wales.	12,985,320	124,974	119,320	5,264	5,008	254,566	19·6	85,524	81,790	167,314	12·9†	22,376	88	6·7
North ..	6,916,350	68,309	64,755	3,022	2,881	138,967	20·1	48,690	46,044	94,734	13·7†	13,691	99	6·4
Midlands..	4,095,940	39,038	37,563	1,470	1,422	79,493	19·4	24,818	23,579	48,397	11·8†	6,183	78	7·6
South ..	1,404,680	11,579	11,319	581	544	24,023	17·1	8,333	9,092	17,425	12·7†	1,551	65	4·4
Wales ..	568,350	6,048	5,683	191	161	12,083	21·3	3,683	3,075	6,758	11·9†	951	79	9·4
OTHER URBAN DISTRICTS:														
England & Wales.	13,216,780*	119,177	113,926	4,873	4,745	242,721	18·4	78,140	77,499	155,639	11·8†	17,282	71	6·6
North ..	4,373,152*	41,535	39,703	1,696	1,673	84,607	19·3	28,523	27,573	56,096	12·8†	7,203	85	6·5
Midlands..	4,834,756*	42,674	40,878	1,672	1,652	86,876	18·0	26,648	26,386	53,034	11·0†	5,518	64	7·0
South ..	2,671,503*	20,545	19,703	993	909	42,150	15·8	14,903	16,210	31,113	11·9†	2,346	56	3·9
Wales ..	1,337,369*	14,423	13,642	512	511	29,088	21·8	8,066	7,330	15,396	11·5†	2,215	76	10·3
RURAL DISTS.:														
England & Wales.	7,957,900*	71,909	68,681	3,516	3,393	147,499	18·5	48,034	45,841	93,875	11·9†	9,251	63	6·6
North ..	1,744,868*	17,582	16,844	818	821	36,065	20·7	11,057	10,001	21,058	12·1†	2,801	78	8·6
Midlands..	3,348,234*	30,159	28,683	1,505	1,400	61,747	18·4	19,782	19,190	38,972	11·7†	3,503	57	6·7
South ..	2,040,347*	16,289	15,594	798	751	33,432	16·4	11,734	11,446	23,180	11·5†	1,711	51	4·9
Wales ..	824,451*	7,879	7,560	395	421	16,255	19·7	5,461	5,204	10,665	13·0†	1,236	76	6·7

† Death-rates based upon estimated civilian populations as follows:—All Areas—North, 13,026,820; Midlands, 12,253,450; South, 10,578,845; Wales, 2,727,370; London, 4,576,505. County Boroughs—North, 6,913,050; Midlands, 4,094,520; South, 1,371,450; Wales, 568,150. Total, 12,947,170. Other Urban Districts—North, 4,371,152*; Midlands, 4,824,906*; South, 2,623,503*; Wales, 1,336,139.* Total, 13,155,700*; Rural Districts—North, 1,742,618*; Midlands, 3,334,024*; South, 2,007,387*; Wales, 823,081.* Total, 7,907,110.*

‡ Including London.

§ The number of deaths differs from the total given elsewhere by the exclusion of deaths of non-civilians.

‖ The counties in the four areas: North, Midlands, South and Wales, are as follows:—

North.	Midlands.		South.	Wales.
Cheshire.	Middlesex.	Gloucestershire.	London.	Monmouthshire.
Lancashire.	Hertfordshire.	Herefordshire.	Surrey.	Glamorganshire.
Yorks, West Riding.	Buckinghamshire.	Shropshire.	Kent.	Carmarthenshire.
,, East Riding.	Oxfordshire.	Staffordshire.	Sussex, East.	Pembrokeshire.
,, North Riding.	Northamptonshire.	Worcestershire.	,, West.	Cardiganshire.
Durham.	Soke of Peterborough.	Warwickshire.	Southampton.	Brecknockshire.
Northumberland.	Huntingdonshire.	Leicestershire.	Isle of Wight.	Radnorshire.
Cumberland.	Bedfordshire.	Rutlandshire.	Berkshire.	Montgomeryshire.
Westmorland.	Cambridgeshire.	Lincolnshire.	Wiltshire.	Flintshire.
	Isle of Ely.	Parts of Holland.	Dorsetshire.	Denbighshire.
	Essex.	,, Kesteven.	Devonshire.	Merionethshire.
	Suffolk, East.	,, Lindsey.	Cornwall.	Carnarvonshire.
	,, West.	Nottinghamshire.	Somersetshire.	Anglesey.
	Norfolk.	Derbyshire.		

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NGLAND (exclud	ing Mon	mouth.)												
EDFORDSHIRE:														
Administrative County.	212,700	1,702	1,561	75	73	3,411	16·0	1,209	1,280	2,489	11·8†	191	56	4·2
UNICIPAL BORO'S AND URBAN DISTRICTS.	129,600	989	894	55	39	1,977	15·3	677	735	1,412	10·9†	115	58	4·4
Ampthill ..	2,172	8	13	—	—	21	9·7	25	11	36	16·6	—	—	−6·9
Bedford M.B...	41,620	302	248	21	11	582	14·0	220	236	456	11·0	31	53	3·0
Biggleswade ..	5,537	52	41	3	4	100	18·1	38	40	78	14·1	7	70	4·0
Dunstable M.B.	8,953	62	69	5	2	138	15·4	35	63	98	10·9	7	51	4·5
Kempston ..	5,295	50	45	—	—	95	17·9	27	26	53	10·4†	6	63	7·5
Leighton Buzzard.	6,803	54	67	5	3	129	19·0	51	40	91	13·4	8	62	5·6
Luton M.B. ..	59,220	461	411	21	19	912	15·4	281	319	600	10·1	56	61	5·3
RAL DISTRICTS	83,100	713	667	20	34	1,434	17·3	532	545	1,077	13·2†	76	53	4·1
Ampthill ..	19,250	158	167	5	10	340	17·7	157	149	306	15·9	26	76	1·8
Bedford	20,020	153	140	4	6	303	15·1	130	141	271	13·5	17	56	1·6
Biggleswade ..	24,790	208	204	7	9	428	17·3	143	145	288	12·4†	18	42	4·9
Eaton Bray ..	3,839	41	40	1	1	83	21·6	29	29	58	15·1	7	84	6·5
Eaton Socon:—														
No. 1	2,355	23	16	1	2	42	17·8	13	10	23	9·8	—	—	8·0
No. 2	996	11	5	—	1	17	17·1	6	6	12	12·0	—	—	5·1
Luton	11,850	119	95	2	5	221	18·6	54	65	119	10·0	8	36	8·6
ERKSHIRE:														
UNTY BORO:														
Reading	93,680	791	744	34	34	1,603	17·1	480	531	1,011	10·8†	88	55	6·3
DMINISTRATIVE COUNTY.	203,560	1,578	1,463	95	77	3,213	15·8	1,143	1,159	2,302	11·4†	182	57	4·4
UNICIPAL BORO'S AND URBAN DISTRICTS.	67,760	553	481	31	39	1,104	16·3	389	429	818	12·2†	67	61	4·1
Abingdon M.B.	7,302	61	50	4	5	120	16·4	35	50	85	11·6	3	25	4·8
Maidenhead M.B.	16,750	136	95	10	7	248	14·8	99	99	198	11·8	19	77	3·0
Newbury M.B.	12,380	90	102	9	11	212	17·1	80	81	161	13·0	12	57	4·1
New Windsor M.B.	20,220	172	151	5	9	337	16·7	106	113	219	11·4†	22	65	5·3
Wallingford M.B.	2,735	16	13	—	2	31	11·3	16	21	37	13·5	1	32	−2·2
Wantage ..	3,990	35	32	1	2	70	17·5	18	28	46	11·5	5	71	6·0
Wokingham M.B.	4,383	43	38	2	3	86	19·6	35	37	72	16·4	5	58	3·2
RAL DISTRICTS	135,800	1,025	982	64	38	2,109	15·5	754	730	1,484	11·0†	115	55	4·5
Abingdon ..	10,660	81	87	5	2	175	16·4	51	59	110	10·3	10	57	6·1
Bradfield.. ..	14,490	114	83	5	7	209	14·4	94	81	175	12·1	8	38	2·3
Cookham ..	13,680	96	76	4	3	179	13·1	73	91	164	12·0	8	45	1·1
Easthampstead	18,840	110	120	6	8	244	13·0	76	86	162	9·0†	10	41	4·0
Faringdon (part of)‡	10,100	91	88	6	2	187	18·5	61	58	119	11·8	8	43	6·7
Hungerford ..	8,634	73	66	6	3	148	17·1	63	62	125	14·5	17	115	2·6
Newbury.. ..	10,630	85	85	6	4	180	16·9	68	50	118	11·1	11	61	5·8
Wallingford ..	8,386	63	58	5	1	127	15·1	43	33	76	9·4†	9	71	5·7
Wantage	11,910	102	112	11	3	228	19·1	65	59	124	10·4	11	48	8·7
Windsor	9,530	64	63	4	—	131	13·7	47	45	92	9·7	6	46	4·0
Wokingham ..	18,940	146	144	6	5	301	15·9	113	106	219	11·6	17	56	4·3

† Death-rates based upon estimated civilian populations as follows:—Bedfordshire—Administrative County, 210,880; Municipal Boroughs and Urban Districts, 129,400; Kempston U.D. 5,095; Rural Districts, 81,480; Biggleswade R.D., 23,170. Berkshire—Reading C.B., 93,480; Administrative County, 201,480; Municipal Boroughs and Urban Districts, 66,780; New Windsor M.B., 19,240. Rural Districts, 134,700; Easthampstead R.D., 18,010; Wallingford, R.D., 8,116.

‡The remainder of the Faringdon Rural District is in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKINGHAMSHIRE Administrative County	242,900	1,924	1,878	106	83	3,991	16·4	1,334	1,284	2,618	10·9†	193	48	5·5
MUNICIPAL BORO'S AND URBAN DISTRICTS.	102,700	757	782	36	34	1,609	15·7	533	497	1,030	10·0	72	45	5·7
Aylesbury M.B.	12,600	103	91	6	5	205	16·3	90	74	164	13·0	12	59	3·3
Beaconsfield ..	3,775	20	32	3	1	56	14·8	22	17	39	10·3	5	89	4·5
Bletchley ..	5,473	49	44	3	4	100	18·3	31	24	55	10·0	4	40	8·3
Buckingham M.B.	2,987	27	16	1	1	45	15·1	19	25	44	14·7	1	22	0·4
Chepping Wycombe M.B.	22,920	170	177	6	12	365	15·9	95	88	183	8·0	10	27	7·9
Chesham	8,880	67	74	4	—	145	16·3	46	48	94	10·6	6	41	5·7
Eton	3,389	11	19	—	—	30	8·9	10	9	19	5·6	1	33	3·3
Linslade	2,335	15	24	—	—	39	16·7	11	12	23	9·9	—	—	6·8
Marlow	5,182	55	51	1	3	110	21·2	33	27	60	11·6	4	36	9·6
Newport Pagnell.	4,079	32	34	—	1	67	16·4	22	23	45	11·0	4	60	5·4
Slough	16,900	124	143	9	5	281	16·6	88	73	161	9·5	11	39	7·1
Wolverton ..	14,180	84	77	3	2	166	11·7	66	77	143	10·1	14	84	1·6
RURAL DISTRICTS.	140,200	1,167	1,096	70	49	2,382	17·0	801	787	1,588	11·6†	121	51	5·4
Amersham ..	23,370	177	187	12	11	387	16·6	113	119	232	9·9	19	49	6·7
Aylesbury ..	20,350*	128	142	11	4	285	14·0	103	103	206	12·0†	11	39	2·0
Buckingham ..	7,382	69	62	4	3	138	18·7	46	66	112	15·2	7	51	3·5
Eton	29,330	276	222	14	10	522	17·8	185	141	326	11·1	26	50	6·7
Hambleden ..	1,964	11	13	2	—	26	13·2	10	5	15	7·6	—	—	5·6
Long Crendon..	3,769	36	31	1	2	70	18·6	26	27	53	14·1	5	71	4·5
Newport Pagnell.	14,580	113	122	6	5	246	16·9	78	93	171	11·7	9	37	5·2
Wing	5,571	44	44	3	4	95	17·1	39	40	79	14·2	4	42	2·9
Winslow	6,204	60	48	7	4	119	19·2	42	43	85	13·7	9	76	5·5
Wycombe ..	27,680*	253	225	10	6	494	17·8	159	150	309	11·2	31	63	6·6
CAMBRIDGESHIRE: Administrative County	130,070	959	925	58	51	1,993	15·3	739	870	1,609	12·4†	105	53	2·9
MUNICIPAL BORO: Cambridge M.B.	59,120	412	405	29	21	867	14·7	317	382	699	11·8	46	53	2·9
RURAL DISTRICTS.	70,950	547	520	29	30	1,126	15·9	422	488	910	12·9†	59	52	3·0
Caxton and Arrington.	7,362	48	49	4	—	101	13·7	43	56	99	13·4	7	69	0·3
Chesterton ..	24,180	184	145	6	12	347	14·4	135	173	308	12·7	21	61	1·7
Linton	9,780	72	79	4	8	163	16·7	52	62	114	12·0†	6	37	4·7
Melbourn ..	8,118	58	60	5	2	125	15·4	55	52	107	13·2	7	56	2·2
Newmarket ..	19,020	163	162	9	6	340	17·9	117	126	243	12·8	16	47	5·1
Swavesey ..	2,490	22	25	1	2	50	20·1	20	19	39	15·7	2	40	4·4
CHESHIRE:														
COUNTY BORO'S	412,620	3,657	3,544	152	141	7,494	18·2	2,595	2,599	5,194	12·6	636	85	5·6
Birkenhead ..	154,100	1,603	1,490	56	55	3,204	20·8	967	885	1,852	12·0	303	95	8·8
Chester	41,730	413	363	19	21	816	19·6	287	290	577	13·8	73	89	5·8
Stockport ..	126,000	963	1,008	48	46	2,065	16·4	841	905	1,746	13·9	180	87	2·5
Wallasey.. ..	90,790	678	683	29	19	1,409	15·5	500	519	1,019	11·2	80	57	4·3

† Death-rates based upon estimated civilian populations as follows:—Buckinghamshire Administrative County, 239,700; Rural Districts, 137,000; Aylesbury R.D., 17,150*; Cambridgeshire Administrative County, 129,800; Rural Districts, 70,680; Linton R.D., 9,510.

* Population adjusted to allow for change in boundary during the year.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ESHIRE—*cont.*														
MINISTRATIVE COUNTY.	643,300	5,286	4,975	217	209	10,687	16·6	3,810	3,791	7,601	11·8†	748	70	4·8
NICIPAL BORO'S AND URBAN DISTRICTS.	444,700	3,667	3,477	148	141	7,433	16·7	2,676	2,726	5,402	12·1	518	70	4·6
Alderley Edge	3,085	22	22	1	2	47	15·2	13	26	39	12·6	3	64	2·6
Alsager	2,656	16	17	2	—	35	13·2	15	16	31	11·7	1	29	1·5
Altrincham ..	20,990	163	149	5	11	328	15·6	133	124	257	12·2	21	64	3·4
Ashton-upon-Mersey.	8,034	66	64	—	1	131	16·3	48	47	95	11·8	8	61	4·5
Bebington and Bromborough	20,230	174	160	3	4	341	16·9	88	80	168	8·3	15	44	8·6
Bollington ..	5,241	40	28	1	1	70	13·4	43	37	80	15·3	10	143	−1·9
Bowdon	2,954	26	19	1	1	47	15·9	12	16	28	9·5	1	21	6·4
Bredbury and Romiley.	9,215	60	55	3	—	118	12·8	44	58	102	11·1	5	42	1·7
Buglawton ..	1,812	14	20	—	1	35	19·3	6	8	14	7·7	1	29	11·6
Cheadle and Gatley.	11,590	84	68	4	1	157	13·5	74	70	144	12·4	6	38	1·1
Compstall ..	968	10	8	—	—	18	18·6	4	7	11	11·4	1	56	7·2
Congleton M.B.	12,140	117	119	4	5	245	20·2	91	100	191	15·7	24	98	4·5
Crewe M.B. ..	47,520	338	359	18	19	734	15·4	286	263	549	11·6	50	68	3·8
Dukinfield M.B.	19,880	160	168	5	6	339	17·1	124	124	248	12·5	22	65	4·6
Ellesmere Port and Whitby.	14,370	201	179	3	6	389	27·1	85	51	136	9·5	25	64	17·6
Hale	9,331	63	76	4	3	146	15·6	41	50	91	9·8	4	27	5·8
Handforth ..	1,003	6	6	1	—	13	13·0	3	9	12	12·0	—	—	1·0
Hazel Grove and Bramhall.	10,500	80	69	2	3	154	14·7	81	63	144	13·7	12	78	1·0
Hollingworth ..	2,454	20	14	1	1	36	14·7	13	20	33	13·4	7	194	1·3
Hoole	6,055	47	37	1	5	90	14·9	30	25	55	9·1	4	44	5·8
Hoylake and West Kirby	16,880	101	91	6	3	201	11·9	81	99	180	10·7	9	45	1·2
Hyde M.B. ..	33,770	239	240	14	4	497	14·7	225	248	473	14·0	51	103	0·7
Knutsford ..	5,482	38	43	2	1	84	15·3	44	34	78	14·2	6	71	1·1
Lymm	5,464	56	28	1	—	85	15·6	31	28	59	10·8	5	59	4·8
Macclesfield M.B.	35,020	286	244	17	15	562	16·0	203	248	451	12·9	48	85	3·1
Marple	6,631	44	44	3	1	92	13·9	28	43	71	10·7	1	11	3·2
Middlewich ..	5,609	64	51	3	—	118	21·0	40	24	64	11·4	14	119	9·6
Mottram-in-Longdendale.	2,849	17	18	—	1	36	12·6	20	19	39	13·7	2	56	−1·1
Nantwich ..	7,467	81	58	4	2	145	19·4	50	47	97	13·0	7	48	6·4
Neston and Parkgate	5,397	61	49	1	2	113	20·9	29	31	60	11·1	9	80	9·8
Northwich ..	18,830	177	172	7	8	364	19·3	119	126	245	13·0	26	71	6·3
Runcorn	19,270	209	204	6	5	424	22·0	125	101	226	11·7	33	78	10·3
Sale	16,380	131	126	4	7	268	16·4	87	105	192	11·7	16	60	4·7
Sandbach ..	6,086	69	72	1	—	142	23·3	43	36	79	13·0	8	56	10·3
Stalybridge M.B.	25,400	200	201	9	11	421	16·6	179	202	381	15·0	43	102	1·6
Tarporley ..	2,493	15	24	1	1	41	16·4	11	17	28	11·2	4	98	5·2
Wilmslow ..	8,490	58	63	5	3	129	15·2	38	41	79	9·3	1	8	5·9
Winsford.. ..	11,480	101	101	5	7	214	18·6	81	69	150	13·1	14	65	5·5
Yeardsley-cum Whaley	1,674	13	11	—	—	24	14·3	8	14	22	13·1	1	42	1·2

† Death-rate based upon estimated civilian population of 643,000.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

Area.	Estimated Population (Middle 1924).	Births. Legitimate. M.	Births. Legitimate. F.	Births. Illegitimate. M.	Births. Illegitimate. F.	Births. Total.	Births. Crude Rate per 1,000. Total Population.	Deaths. M.	Deaths. F.	Deaths. Total.	Deaths. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—*cont.*														
RURAL DISTRICTS	198,600	1,619	1,498	69	68	3,254	16·4	1,134	1,065	2,199	11·1†	230	71	5·3
Bucklow.. ..	22,320	154	143	5	6	308	13·8	125	114	239	10·7	10	32	3·1
Chester	13,610	87	82	6	5	180	13·2	66	71	137	10·3†	13	72	2·9
Congleton ..	13,480	123	112	4	2	241	17·9	68	84	152	11·3	19	79	6·6
Disley	3,044	24	24	—	—	48	15·8	18	12	30	9·9	3	63	5·9
Macclesfield ..	17,500	136	127	3	3	269	15·4	109	91	200	11·4	22	82	4·0
Malpas	4,454	39	33	1	4	77	17·3	30	25	55	12·3	4	52	5·0
Nantwich ..	25,650	202	206	8	4	420	16·4	165	159	324	12·6	43	102	3·8
Northwich ..	25,680	273	226	9	12	520	20·2	166	139	305	11·9	42	81	8·3
Runcorn.. ..	29,370	222	192	15	9	438	14·9	140	153	293	10·0	18	41	4·9
Tarvin	13,540	116	99	9	10	234	17·3	69	88	157	11·6	18	77	5·7
Tintwistle ..	2,052	21	18	1	1	41	20·0	15	8	23	11·2	5	122	8·8
Wirral	27,900	222	236	8	12	478	17·1	163	121	284	10·2	33	69	6·9
CORNWALL: Administrative County.	318,100	2,518	2,412	145	124	5,199	16·3	2,009	2,223	4,232	13·3†	321	62	3·0
MUNICIPAL BORO'S AND URBAN DISTRICTS.	139,100	1,047	1,006	64	57	2,174	15·6	916	1,009	1,925	13·9†	145	67	1·7
Bodmin M.B. ..	5,687	27	32	3	2	64	11·3	26	24	50	9·1†	5	78	2·2
Callington ..	1,743	14	11	—	—	25	14·3	13	12	25	14·3	4	160	—
Camborne ..	14,550	111	98	10	4	223	15·3	88	117	205	14·1	10	45	1·2
Falmouth M.B.	13,210	117	104	8	2	231	17·5	95	67	162	12·3	12	52	5·2
Fowey M.B. ..	1,998	15	17	1	—	33	16·5	13	4	17	8·5	1	30	8·0
Hayle	962	5	7	—	3	15	15·6	11	12	23	23·9	1	67	−8·3
Helston M.B. ..	2,724	12	12	3	1	28	10·3	14	19	33	12·1	2	71	−1·8
Launceston M.B.	3,907	21	27	1	2	51	13·1	31	27	58	14·8	1	20	−1·7
Liskeard M.B.	4,349	33	35	2	—	70	16·1	36	25	61	14·0	5	71	2·1
Looe	2,737	14	17	1	1	33	12·1	16	19	35	12·8	3	91	−0·7
Lostwithiel M.B.	1,288	12	6	1	—	19	14·8	8	15	23	17·9	—	—	−3·1
Ludgvan.. ..	2,051	17	14	—	—	31	15·1	17	14	31	15·1	1	32	—
Madron	3,482	18	19	1	1	39	11·2	15	23	38	10·9	2	51	0·3
Newquay ..	5,110	38	22	2	1	63	12·3	23	27	50	9·8	4	63	2·5
Padstow	1,638	7	14	—	2	23	14·0	18	16	34	20·8	2	87	−6·8
Paul	5,723	35	35	1	3	74	12·9	50	38	88	15·4	4	54	−2·5
Penryn M.B. ..	3,203	30	34	2	4	70	21·9	11	37	48	15·0	7	100	6·9
Penzance M.B.	11,550	94	60	2	7	163	14·1	77	101	178	15·4	15	92	−1·3
Phillack	3,375	24	26	4	3	57	16·9	21	25	46	13·6	7	123	3·3
Redruth	9,937	79	99	2	6	186	18·7	66	85	151	15·2	20	108	3·5
St. Austell ..	3,372	21	28	2	1	52	15·4	23	22	45	13·3	4	77	2·1
St. Ives M.B. ..	6,446	56	47	3	5	111	17·2	48	58	106	16·4	3	27	0·8
St. Just	5,269	60	40	1	2	103	19·5	39	52	91	17·3	7	68	2·2
Saltash M.B. ..	3,600	27	31	1	1	60	16·7	20	25	45	12·5	6	100	4·2
Stratton and Bude.	3,164	13	25	4	1	43	13·6	29	24	53	16·8	1	23	−3·2
Torpoint.. ..	4,490	26	39	2	1	68	15·1	18	21	39	8·7	3	44	6·4
Truro M.B. ..	11,190	109	82	7	3	201	18·0	67	76	143	12·8	14	70	5·2
Wadebridge ..	2,345	12	25	—	1	38	16·2	23	24	47	20·0	1	26	−3·8
RURAL DISTRICTS	179,000	1,471	1,406	81	67	3,025	16·9	1,093	1,214	2,307	12·9	176	58	4·0
Bodmin	10,120	82	79	7	4	172	17·0	60	63	123	12·2	5	29	4·8
Calstock	4,748	32	31	—	1	64	13·5	29	37	66	13·9	4	63	−0·4
Camelford ..	7,644	54	73	3	5	135	17·7	36	51	87	11·4	7	52	6·3

† Death-rates based upon estimated civilian populations as follows:—Cheshire—Rural Districts, 198,300; Chester R.D., 13,310; Cornwall—Administrative County, 317,900; Municipal Boroughs and Urban Districts, 138,900; Bodmin M.B., 5,487.

TABLE 14.—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CORNWALL—*cont.*														
RURAL DISTRICTS —*cont.*														
East Kerrier ..	8,261	75	73	3	—	151	18·3	61	61	122	14·8	8	53	3·5
Helston	16,470	129	111	7	2	249	15·1	95	99	194	11·8	12	48	3·3
Holsworthy (part of)‡	371	4	2	—	—	6	16·2	2	1	3	8·1	—	—	8·1
Launceston ..	7,256	54	66	4	6	130	17·9	34	47	81	11·2	4	31	6·7
Liskeard ..	14,860	148	117	7	4	276	18·6	100	94	194	13·1	19	69	5·5
Redruth	17,230	107	145	12	10	274	15·9	108	135	243	14·1	23	84	1·8
St. Austell ..	31,810	331	277	13	7	628	19·7	208	205	413	13·0	39	62	6·7
St. Columb Major.	11,850	95	97	4	7	203	17·1	73	76	149	12·6	14	69	4·5
St. Germans ..	12,040	96	97	2	2	197	16·4	71	83	154	12·8	11	56	3·6
Scilly, Isles of..	1,694	17	15	2	—	34	20·1	9	6	15	8·9	1	29	11·2
Stratton	5,116	40	47	3	2	92	18·0	28	25	53	10·4	3	33	7·6
Truro	19,060	123	111	11	13	258	13·5	112	156	268	14·1	12	47	—0·6
West Penwith	10,470	84	65	3	4	156	14·9	67	75	142	13·6	14	90	1·3
CUMBERLAND:														
COUNTY BORO':														
Carlisle	55,090	534	541	29	28	1,132	20·5	374	404	778	14·2†	106	94	6·3
ADMINISTRATIVE COUNTY.	221,010	2,137	2,104	128	127	4,496	20·3	1,500	1,375	2,875	13·0	327	73	7·3
MUNICIPAL BORO'S AND URBAN DISTRICTS.	123,000	1,241	1,237	64	72	2,614	21·3	871	778	1,649	13·4	212	81	7·9
Arlecdon and Frizington.	5,254	75	48	2	5	130	24·7	54	37	91	17·3	13	100	7·4
Aspatria	3,664	32	36	1	5	74	20·2	27	30	57	15·6	4	54	4·6
Cleator Moor ..	8,449	81	84	1	6	172	20·4	53	43	96	11·4	22	128	9·0
Cockermouth ..	4,877	45	42	3	1	91	18·7	27	39	66	13·5	12	132	5·2
Egremont ..	7,180	70	63	2	4	139	19·4	53	39	92	12·8	14	101	6·6
Harrington ..	4,568	43	43	5	2	93	20·4	23	22	45	9·9	7	75	10·5
Holme Cultram	4,847	34	41	1	2	78	16·1	29	26	55	11·3	3	38	4·8
Keswick	4,230	29	39	3	3	74	17·5	28	30	58	13·7	2	27	3·8
Maryport ..	11,200	136	139	9	10	294	26·3	71	76	147	13·1	24	82	13·2
Millom	8,649	79	69	4	1	153	17·7	60	53	113	13·1	18	118	4·6
Penrith	8,276	73	95	12	7	187	22·6	63	64	127	15·3	7	37	7·3
Whitehaven M.B.	20,580	251	245	9	11	516	25·1	163	143	306	14·9	38	74	10·2
Wigton	3,776	31	32	2	1	66	17·5	31	28	59	15·6	4	61	1·9
WorkingtonM.B.	27,450	262	261	10	14	547	19·9	189	148	337	12·3	44	80	7·6
RURAL DISTRICTS	93,010	896	867	64	55	1,882	19·2	629	597	1,226	12·5	115	61	6·7
Alston with Garrigill.	2,731	22	20	1	1	44	16·1	20	18	38	13·9	2	45	2·2
Bootle	6,052	43	37	5	1	86	14·2	49	32	81	13·4	7	81	0·8
Brampton ..	8,142	68	77	9	6	160	19·7	59	66	125	15·4	12	75	4·3
Carlisle	11,990	105	100	7	7	219	18·3	68	76	144	12·0	14	64	6·3
Cockermouth ..	23,200	235	242	14	9	500	21·6	152	144	296	12·8	38	76	8·8
Longtown ..	6,505	52	55	4	6	117	18·0	45	34	79	12·1	4	34	5·9
Penrith	12,210	109	97	11	12	229	18·8	85	84	169	13·8	14	61	5·0
Whitehaven ..	15,550	146	143	5	6	300	19·3	78	66	144	9·3	14	47	10·0
Wigton	11,630	116	96	8	7	227	19·5	73	77	150	12·9	10	44	6·6

‡ The remainder of Holsworthy Rural District is in Devonshire.
† Death-rate based upon estimated civilian population of 54,910.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE:														
COUNTY BORO':														
Derby	133,900	1,159	1,162	38	43	2,402	17·9	800	718	1,518	11·4†	158	66	6·5
ADMINISTRATIVE COUNTY.	607,600	6,182	5,961	230	242	12,615	20·8	3,450	3,236	6,686	11·0	890	71	9·8
MUNICIPAL BORO'S AND URBAN DISTRICTS.	317,692*	3,077	3,039	112	121	6,349	20·0	1,829	1,740	3,569	11·2	471	74	8·8
Alfreton	21,770	208	225	4	7	444	20·4	102	100	202	9·3	31	70	11·1
Alvaston and Boulton.	1,597	16	15	2	2	35	21·9	13	9	22	13·8	1	29	8·1
Ashbourne ..	4,461*	30	38	1	2	71	15·9	17	31	48	10·8	5	70	5·1
Bakewell ..	2,989	26	18	—	1	45	15·1	19	25	44	14·7	5	111	0·4
Baslow and Bubnell.	824	8	5	—	—	13	15·8	12	1	13	15·8	1	77	—
Belper	12,840	117	120	4	4	245	19·1	72	71	143	11·1	22	90	8·0
Bolsover ..	12,560	155	166	9	4	334	26·6	77	63	140	11·1	33	99	15·5
Bonsall	1,202	12	12	—	—	24	20·0	4	9	13	10·8	3	125	9·2
Brampton and Walton.	2,156	17	15	1	—	33	15·3	9	10	19	8·8	1	30	6·5
Buxton M.B. ..	15,280	100	121	6	1	228	14·9	86	82	168	11·0	13	57	3·9
Chesterfield M.B.	64,770	718	715	25	32	1,490	23·0	399	350	749	11·6	120	81	11·4
Clay Cross ..	9,400	103	105	8	3	222	23·6	63	52	115	12·2	26	117	11·4
Dronfield ..	4,460	33	33	2	4	72	16·1	27	21	48	10·8	5	69	5·3
Glossop M.B...	20,440	155	134	6	10	305	14·9	137	174	311	15·2	25	82	−0·3
Heage	4,080	37	43	—	1	81	19·9	24	10	34	8·3	—	—	11·6
Heanor	22,240	220	214	4	10	448	20·1	101	95	196	8·8	19	42	11·3
Ilkeston M.B.	33,620	355	349	15	9	728	21·7	178	191	369	11·0	55	76	10·7
Long Eaton ..	22,370	193	179	7	7	386	17·3	123	112	235	10·5	26	67	6·8
Matlock‡.. ..	4,710*	49	46	2	2	99	21·0	31	33	64	13·6	7	71	7·4
Matlock Bath and Scarthin Nick‡.	1,289*	7	11	—	—	18	14·0	8	8	16	12·4	1	56	1·6
New Mills ..	8,930	64	52	2	1	119	13·3	56	39	95	10·6	6	50	2·7
North Darley	3,371	31	14	1	2	48	14·2	22	23	45	13·3	2	42	0·9
Ripley	13,810	139	126	2	7	274	19·8	88	68	156	11·3	25	91	8·5
South Darley	699	5	5	1	—	11	15·7	6	4	10	14·3	—	—	1·4
Swadlincote District.	21,510	212	218	8	8	446	20·7	112	112	224	10·4	37	83	10·3
The Matlocks§	2,434*	18	21	2	1	42	17·3	11	18	29	11·9	—	—	5·4
Wirksworth ..	3,880	46	39	—	3	88	22·7	32	29	61	15·7	2	23	7·0
RURAL DISTRICTS	289,908*	3,105	2,922	118	121	6,266	21·6	1,621	1,496	3,117	10·8	419	67	10·8
Ashbourne ..	10,490*	106	109	9	6	230	21·9	54	77	131	12·5	16	70	9·4
Bakewell ..	19,568*	147	156	4	7	314	16·0	113	126	239	12·2	25	80	3·8
Belper	23,990	230	216	14	6	466	19·4	147	124	271	11·3	29	62	8·1
Blackwell ..	44,870	619	554	22	22	1,217	27·1	268	192	460	10·3	98	81	16·8
Chapel-en-le-Frith.	16,230	140	160	3	6	309	19·0	103	103	206	12·7	21	68	6·3
Chesterfield ..	80,190	961	861	28	45	1,895	23·6	446	356	802	10·0	115	61	13·6
Clowne	18,500	216	201	13	8	438	23·7	108	68	176	9·5	33	75	14·2
Glossop Dale ..	3,760	21	22	1	1	45	12·0	22	27	49	13·0	3	67	−1·0
Hartshorn and Seals.	8,802	87	69	3	4	163	18·5	45	51	96	10·9	9	55	7·6
Hayfield	4,374	26	29	1	2	58	13·3	24	28	52	11·9	5	86	1·4
Norton	4,432	32	37	1	—	70	15·8	20	26	46	10·4	2	29	5·4
Repton	16,990	160	156	4	8	328	19·3	84	100	184	10·8	17	52	8·5
Shardlow ..	33,590	326	314	13	6	659	19·6	162	197	359	10·7	39	59	8·9
Sudbury	2,566	26	25	2	—	53	20·7	18	16	34	13·3	4	75	7·4

* Population adjusted to allow for change in boundary during the year.
† Death-rate based upon estimated civilian population 133,700.
‡ Abolished on 1st October, 1924.
§ Created on 1st October, 1924.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE—*cont.*														
RURAL DISTRICTS—*cont.*														
Codnor Park and Shipley Civil Parishes administered by R.D. Council of Basford (Notts).	1,556	8	13	—	—	21	13·5	7	5	12	7·7	3	143	5·8
DEVONSHIRE:														
COUNTY BORO'S	266,760	2,272	2,300	104	87	4,763	17·9	1,631	1,844	3,475	13·7†	368	77	4·2
Exeter	60,160	488	474	27	21	1,010	16·8	354	425	779	13·0†	61	60	3·8
Plymouth ..	206,600	1,784	1,826	77	66	3,753	18·2	1,277	1,419	2,696	14·0†	307	82	4·2
ADMINISTRATIVE COUNTY.	432,500	3,223	3,145	147	165	6,680	15·4	2,696	3,008	5,704	13·3†	350	52	2·1
MUNICIPAL BORO'S AND URBAN DISTRICTS.	209,100	1,488	1,473	71	74	3,106	14·9	1,339	1,670	3,009	14·4†	160	52	0·5
Ashburton ..	2,424	19	23	2	1	45	18·6	19	17	36	14·9	2	44	3·7
Axminster ..	2,141	17	16	1	—	34	15·9	11	15	26	12·1	—	—	3·8
Bampton ..	1,491	13	13	—	—	26	17·4	6	5	11	7·4	2	77	10·0
Barnstaple M.B.	14,680	112	121	2	9	244	16·6	101	124	225	15·3	16	66	1·3
Bideford M.B...	9,163	64	76	3	2	145	15·8	55	65	120	13·1	7	48	2·7
Brixham ..	8,058	80	49	1	1	131	16·3	39	67	106	13·2	5	38	3·1
Buckfastleigh	2,330	13	14	1	—	28	12·0	14	15	29	12·4	—	—	—0·4
Budleigh Salterton.	2,448	18	9	—	1	28	11·4	12	26	38	15·5	1	36	—4·1
Crediton	3,513	32	25	2	—	59	16·8	33	30	63	17·9	6	102	—1·1
Dartmouth M.B.	7,280	53	60	1	1	115	15·8	48	50	98	14·7†	4	35	1·1
Dawlish	4,417	35	21	2	—	58	13·1	25	38	63	14·3	1	17	—1·2
Exmouth ..	13,120	73	76	2	6	157	12·0	79	111	190	14·5	9	57	—2·5
Great Torrington M.B.	3,011	28	25	1	2	56	18·6	25	21	46	15·3	6	107	3·3
Holsworthy ..	1,462	12	13	1	—	26	17·8	5	7	12	8·2	2	77	9·6
Honiton M.B...	3,088	29	26	1	1	57	18·5	18	25	43	13·9	3	53	4·6
Ilfracombe ..	8,879	52	58	—	2	112	12·6	53	91	144	16·2	6	54	—3·6
Ivybridge ..	1,676	8	11	—	—	19	11·3	10	7	17	10·1	—	—	1·2
Kingsbridge ..	2,928	25	32	—	1	58	19·8	24	17	41	14·0	1	17	5·8
Lynton	1,792	14	13	—	1	28	15·6	10	10	20	11·2	—	—	4·4
Newton Abbot	14,170	104	91	4	5	204	14·4	91	121	212	15·0	12	59	—0·6
Northam ..	5,972	57	47	1	3	108	18·1	34	37	71	11·9	6	56	6·2
Okehampton M.B.	3,424	22	29	—	—	51	14·9	28	20	48	14·0	2	39	0·9
Ottery St. Mary	3,619	28	24	—	2	54	14·9	22	28	50	13·8	3	56	1·1
Paignton ..	13,890	87	95	8	5	195	14·0	81	131	212	15·3	15	77	—1·3
Salcombe ..	2,052	15	5	—	—	20	9·7	18	16	34	16·6	—	—	—6·9
Seaton	1,813	8	12	1	3	24	13·2	11	15	26	14·3	1	42	—1·1
Sidmouth ..	5,110	31	24	2	2	59	11·5	29	33	62	12·1	3	51	—0·6
South Molton M.B.	2,804	14	25	3	—	42	15·0	12	25	37	13·2	3	71	1·8

† Death-rates based upon estimated civilian populations as follows:—Devonshire County Boroughs, 252,780; Exeter C.B., 59,880; Plymouth C.B., 192,900; Administrative County, 429,800; Municipal Boroughs and Urban Districts, 208,500; Dartmouth M.B., 6,680.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Tavistock ..	4,340	29	22	—	4	55	12·7	26	35	61	14·1	2	36	−1·4
Teignmouth ..	9,553	54	67	5	3	129	13·5	69	66	135	14·1	6	47	−0·6
Tiverton M.B.	9,460	69	73	4	3	149	15·8	59	65	124	13·1	6	40	2·7
Torquay M.B...	34,940	239	246	21	15	521	14·9	252	308	560	16·0	28	54	−1·1
Totnes M.B. ..	4,052	34	32	2	1	69	17·0	20	29	49	12·1	2	29	4·9
RURAL DISTRICTS:	223,400	1,735	1,672	76	91	3,574	16·0	1,357	1,338	2,695	12·2†	190	53	3·8
Axminster ..	9,913	94	87	2	7	190	19·2	67	69	136	13·7	3	16	5·5
Barnstaple ..	18,520	108	139	6	11	264	14·3	120	108	228	12·3	11	42	2·0
Bideford	6,121	51	38	4	2	95	15·5	49	39	88	14·4	6	63	1·1
Broadwood Widger	2,288	24	22	—	1	47	20·5	10	8	18	7·9	3	64	12·6
Crediton	10,190	85	89	3	6	183	18·0	82	50	132	13·0	13	71	5·0
Culmstock ..	3,231	33	34	—	1	68	21·0	24	17	41	12·7	3	44	8·3
Holsworthy (part of)‡	6,882	65	57	2	2	126	18·3	35	38	73	10·6	10	79	7·7
Honiton	9,382	68	76	1	—	145	15·5	51	64	115	12·3	4	28	3·2
Kingsbridge ..	11,280	77	87	5	1	170	15·1	85	68	153	13·6	10	59	1·5
Newton Abbot	20,470	153	159	7	9	328	16·0	126	141	267	13·0	18	55	3·0
Okehampton ..	14,470	115	93	4	4	216	14·9	88	89	177	13·2†	17	79	1·7
Plympton St. Mary	23,170	187	176	9	11	383	16·5	117	144	261	11·8†	20	52	4·7
St. Thomas ..	26,670	207	177	11	8	403	15·1	155	152	307	11·5	15	37	3·6
South Molton..	10,120	74	86	3	7	170	16·8	61	66	127	12·5	10	59	4·3
Tavistock ..	15,420	117	100	5	3	225	14·6	84	75	159	10·3	12	53	4·3
Tiverton	14,460	123	108	2	7	240	16·6	82	87	169	11·7	15	63	4·9
Torrington ..	8,633	60	65	8	6	139	16·1	51	50	101	11·7	8	58	4·4
Totnes	12,180	94	79	4	5	182	14·9	70	73	143	11·7	12	66	3·2
DORSETSHIRE: Administrative County.	228,400	1,848	1,769	88	73	3,778	16·5	1,316	1,387	2,703	12·1†	201	53	4·4
MUNICIPAL BORO'S AND URBAN DISTRICTS.	121,500	971	938	45	41	1,995	16·4	663	751	1,414	11·9†	104	52	4·5
Blandford Forum M.B.	3,224	23	24	—	2	49	15·2	18	24	42	13·0	1	20	2·2
Bridport M.B.	5,842	45	45	2	3	95	16·3	50	45	95	16·3	3	32	—
Dorchester M.B.	9,896	75	85	4	4	168	17·0	60	52	112	11·5†	8	48	5·5
Lyme Regis M.B.	2,311	17	20	3	1	41	17·7	12	17	29	12·5	1	24	5·2
Poole M.B. ..	45,150	391	396	19	17	823	18·2	244	282	526	11·7	52	63	6·5
Portland ..	12,830	101	105	4	—	210	16·4	45	53	98	9·6†	10	48	6·8
Shaftesbury M.B.	2,399	13	16	—	1	30	12·5	12	17	29	12·1	1	33	0·4
Sherborne ..	6,406	46	29	1	3	79	12·3	33	41	74	11·6	4	51	0·7
Swanage	5,589	29	31	—	—	60	10·7	25	29	54	9·7	1	17	1·0
Wareham M.B.	2,033	26	24	—	1	51	25·1	10	21	31	15·2	3	59	9·9
Weymouth and Melcombe Regis M.B.	22,170	171	144	10	7	332	15·0	132	140	272	12·3	15	45	2·7
Wimborne Minster	3,650	34	19	2	2	57	15·6	22	30	52	14·2	5	88	1·4
RURAL DISTRICTS:	106,900	877	831	43	32	1,783	16·7	653	636	1,289	12·3†	97	54	4·4
Beaminster ..	8,425	88	70	5	5	168	19·9	61	58	119	14·1	11	65	5·8
Blandford ..	8,087	75	60	7	6	148	18·3	54	56	110	13·6	15	101	4·7

† Death-rates based upon estimated civilian populations as follows:—Devonshire—Rural Districts, 221,300 Okehampton R.D., 13,370; Plympton St. Mary R.D., 22,170. Dorsetshire—Administrative County, 223,100; Municipal Boroughs and Urban Districts, 118,700; Dorchester M.B., 9,706; Portland U.D., 10,220; Rural Districts, 104,400.

‡ The remainder of Holsworthy Rural District is in Cornwall.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DORSETSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Bridport	6,977	52	53	2	1	108	15·5	35	39	74	10·6	5	46	4·9
Cerne	4,516	32	35	3	2	72	15·9	46	34	80	17·7	6	83	—1·8
Dorchester ..	8,809	66	64	1	1	132	15·0	59	55	114	12·9	6	45	2·1
Poole	7,893	79	69	4	1	153	19·4	44	41	85	10·8	5	33	8·6
Shaftesbury ..	9,660	68	85	6	2	161	16·7	59	45	104	10·8	10	62	5·9
Sherborne ..	5,524	49	32	2	—	83	15·0	31	29	60	10·9	3	36	4·1
Sturminster ..	7,965	64	52	2	4	122	15·3	48	53	101	12·7	3	25	2·6
Wareham and Purbeck.	14,900	129	123	4	2	258	17·3	71	61	132	10·6†	12	47	6·7
Weymouth ..	8,824	56	62	4	3	125	14·2	54	75	129	14·6	11	88	—0·4
Wimborne and Cranborne.	15,320	119	126	3	5	253	16·5	91	90	181	11·8	10	40	4·7
DURHAM:														
COUNTY BORO'S	560,710	6,657	6,363	241	234	13,495	24·1	4,238	3,753	7,991	14·3	1344	100	9·8
Darlington ..	68,690	682	650	28	29	1,389	20·2	444	429	873	12·7	130	94	7·5
Gateshead ..	128,700	1,557	1,491	69	46	3,163	24·6	943	891	1,834	14·3	327	103	10·3
South Shields	126,600	1,516	1,461	36	58	3,071	24·3	964	868	1,832	14·5	315	103	9·8
Sunderland ..	165,100	2,029	2,032	72	69	4,202	25·5	1,314	1,134	2,448	14·8	424	101	10·7
West Hartlepool	71,620	873	729	36	32	1,670	23·3	573	431	1,004	14·0	148	89	9·3
ADMINISTRATIVE COUNTY.	988,600	12,512	11,981	467	468	25,428	25·7	6,808	5,906	12,714	12·9	2447	96	12·8
MUNICIPAL BORO'S AND URBAN DISTRICTS.	560,400	7,111	6,806	258	256	14,431	25·8	3,886	3,494	7,380	13·2	1390	96	12·6
Annfield Plain	17,000	222	228	10	5	465	27·4	99	86	185	10·9	45	97	16·5
Barnard Castle	4,850	29	39	3	2	73	15·1	30	29	59	12·2	5	68	2·9
Benfieldside ..	9,086	110	80	9	1	200	22·0	52	46	98	10·8	15	75	11·2
Billingham ..	9,107	108	105	1	2	216	23·7	58	44	102	11·2	20	93	12·5
Bishop Auckland	14,520	151	154	7	10	322	22·2	115	91	206	14·2	37	115	8·0
Blaydon	35,000	440	400	20	21	881	25·2	193	181	374	10·7	78	89	14·5
Brandon and Byshottles.	19,440	253	234	5	6	498	25·6	144	95	239	12·3	49	98	13·3
Chester-le-Street	17,610	228	193	5	7	433	24·6	118	96	214	12·2	36	83	12·4
Consett	13,110	192	165	8	4	369	28·1	103	85	188	14·3	31	84	13·8
Crook	13,310	166	133	4	7	310	23·3	79	91	170	12·8	32	103	10·5
Durham M.B.	17,390	202	173	8	16	399	22·9	143	115	258	14·8	33	83	8·1
Felling	27,550	303	342	15	6	666	24·2	179	176	355	12·9	64	96	11·3
Hartlepool M.B.	21,810	309	287	13	10	619	28·4	205	161	366	16·8	79	128	11·6
Hebburn ..	25,730	382	376	12	14	784	30·5	180	165	345	13·4	63	80	17·1
Hetton	18,100	263	263	11	8	545	30·1	121	129	250	13·8	46	84	16·3
Houghton-le-Spring.	10,940	154	163	4	8	329	30·1	78	53	131	12·0	37	112	18·1
Jarrow M.B. ..	36,450	469	455	13	20	957	26·3	318	282	600	16·5	106	111	9·8
Leadgate.. ..	5,970	82	100	3	5	190	31·8	37	45	82	13·7	13	68	18·1
Ryton	15,430	189	171	5	10	375	24·3	68	84	152	9·9	21	56	14·4
Seaham Harbour	18,130	253	299	8	8	568	31·3	152	136	288	15·9	76	134	15·4
Shildon	14,850	179	165	7	4	355	23·9	92	95	187	12·6	29	82	11·3
Southwick-on-Wear.	15,910	223	206	8	11	448	28·2	117	102	219	13·8	48	107	14·4
Spennymoor ..	18,850	261	227	3	6	497	26·4	139	142	281	14·9	51	103	11·5
Stanhope ..	1,930	12	11	—	1	24	12·4	14	12	26	13·5	2	83	—1·1
Stanley	27,860	369	366	17	10	762	27·4	162	145	307	11·0	67	88	16·4
Stockton-on-Tees, M.B.	67,620	780	747	30	22	1,579	23·4	519	463	982	14·5	176	111	8·9

† Death-rate based upon estimated civilian population of 12,400.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DURHAM—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Tanfield	10,820	106	130	4	5	245	22·6	60	69	129	11·9	19	78	10·7
Tow Law ..	4,307	42	44	2	5	93	21·6	29	29	58	13·5	10	108	8·1
Washington ..	17,700	270	225	11	11	517	29·2	112	117	229	12·9	62	120	16·3
Whickham ..	20,260	245	243	7	9	504	24·9	118	96	214	10·6	34	67	14·3
Willington ..	9,760	119	82	5	2	208	21·3	52	34	86	8·8	6	29	12·5
RURAL DISTRICTS	428,200	5,401	5,175	209	212	10,997	25·7	2,922	2,412	5,334	12·5	1,057	96	13·2
Auckland ..	62,700	740	705	34	25	1,504	24·0	408	353	761	12·1	128	85	11·9
Barnard Castle	11,690	118	108	7	4	237	20·3	79	71	150	12·8	13	55	7·5
Chester-le-Street	56,770	772	755	29	26	1,582	27·9	373	316	689	12·1	168	106	15·8
Darlington ..	9,924	122	99	3	5	229	23·1	78	50	128	12·9	16	70	10·2
Durham	32,910	419	417	16	16	868	26·4	195	206	401	12·2	81	93	14·2
Easington ..	80,480	1,154	1,116	43	37	2,350	29·2	621	453	1,074	13·3	273	116	15·9
Hartlepool ..	3,880	31	33	3	3	70	18·0	25	13	38	9·8	1	14	8·2
Houghton-le-Spring.	29,160	460	382	15	16	873	29·9	218	168	386	13·2	82	94	16·7
Lanchester ..	35,450	441	425	16	25	907	25·6	243	189	432	12·2	71	78	13·4
Sedgefield ..	38,810	478	436	17	27	958	24·7	244	216	460	11·9	101	105	12·8
South Shields	18,100	170	195	5	9	379	20·9	116	104	220	12·2	31	82	8·7
Stockton ..	6,807	50	74	1	1	126	18·5	34	35	69	10·1	5	40	8·4
Sunderland ..	31,950	379	374	15	10	778	24·4	228	169	397	12·4	78	100	12·0
Weardale ..	9,569	67	56	5	8	136	14·2	60	69	129	13·5	9	66	0·7
ELY, ISLE OF:														
ADMINISTRATIVE COUNTY.	76,070	716	636	38	37	1,427	18·8	460	412	872	11·5	84	59	7·3
MUNICIPAL BORO AND URBAN DISTRICTS.	38,320	368	313	27	20	728	19·0	222	216	438	11·4	40	55	7·6
Chatteris ..	5,228	56	44	4	7	111	21·2	42	35	77	14·7	10	90	6·5
Ely	7,643	76	56	4	2	138	18·1	40	47	87	11·4	6	43	6·7
March	9,538	90	87	6	2	185	19·4	40	48	88	9·2	5	27	10·2
Whittlesey ..	4,261	47	38	1	6	92	21·6	28	24	52	12·2	3	33	9·4
Wisbech M.B...	11,650	99	88	12	3	202	17·3	72	62	134	11·5	16	79	5·8
RURAL DISTRICTS	37,750	348	323	11	17	699	18·5	238	196	434	11·5	44	63	7·0
Ely	13,020	121	117	1	7	246	18·9	98	85	183	14·1	17	69	4·8
North Witchford	5,163	39	52	5	4	100	19·4	32	31	63	12·2	6	60	7·2
Thorney	2,494	23	20	1	1	45	18·0	10	8	18	7·2	1	22	10·8
Whittlesey ..	3,513	39	31	1	1	72	20·5	21	16	37	10·5	5	69	10·0
Wisbech	13,560	126	103	3	4	236	17·4	77	56	133	9·8	15	64	7·6
ESSEX:														
COUNTY BORO'S..	560,750	5,580	5,419	166	172	11,337	20·2	3,176	3,029	6,205	11·1	786	69	9·1
East Ham ..	146,900	1,354	1,287	26	33	2,700	18·4	736	699	1,435	9·8	147	54	8·6
Southend-on Sea	96,450	686	671	38	40	1,435	14·9	527	591	1,118	11·6	75	52	3·3
West Ham ..	317,400	3,540	3,461	102	99	7,202	22·7	1,913	1,739	3,652	11·5	564	78	11·2
ADMINISTRATIVE COUNTY.	953,700	8,000	7,707	240	271	16,218	17·0	5,221	4,924	10,145	10·7†	846	52	6·3
MUNICIPAL BORO'S AND URBAN DISTRICTS.	665,300	5,493	5,365	123	174	11,155	16·7	3,478	3,300	6,778	10·3†	606	54	6·4
Barking Town	37,890	417	409	9	11	846	22·3	211	168	379	10·0	72	85	12·3
Braintree ..	7,090	58	59	1	3	121	17·1	64	57	121	17·1	5	41	—

† Death-rates based upon estimated civilian populations as follows:—Essex Administrative County, 948,800; Municipal Boroughs and Urban Districts, 660,600.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ESSEX—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Brentwood ..	7,056	53	37	4	3	97	13·7	29	41	70	9·9	6	62	3·8
Brightlingsea	4,380	39	26	1	1	67	15·3	27	29	56	12·8	2	30	2·5
Buckhurst Hill	5,068	39	33	1	2	75	14·8	24	30	54	10·7	4	53	4·1
Burnham-on-Crouch.	3,438	22	21	—	2	45	13·1	30	17	47	13·7	3	67	—0·6
ChelmsfordM.B.	21,680	163	166	6	6	341	15·7	102	111	213	9·8	13	38	5·9
Chingford ..	9,958	86	96	5	2	189	19·0	59	42	101	10·1	6	32	8·9
Clacton	12,210	74	63	3	4	144	11·8	64	66	130	10·6	4	28	1·2
Colchester M.B.	47,640	423	347	10	25	805	16·9	257	241	498	11·3†	36	45	5·6
Epping	4,427	24	30	3	1	58	13·1	26	25	51	11·5	4	69	1·6
Frinton-on-Sea	2,039	12	7	1	1	21	10·3	8	10	18	8·8	—	—	1·5
Grays Thurrock	18,150	179	165	2	3	349	19·2	86	68	154	8·5	17	49	10·7
Halstead ..	5,968	49	39	3	—	91	15·2	28	54	82	13·7	4	44	1·5
Harwich M.B.	12,710	127	134	1	2	264	20·8	62	72	134	10·9†	17	64	9·9
Ilford	92,400	706	699	11	20	1,436	15·5	415	462	877	9·5	62	43	6·0
Leyton	133,500	999	1,053	25	24	2,101	15·7	704	621	1,325	9·9	108	51	5·8
Loughton ..	5,866	37	43	—	2	82	14·0	20	19	39	6·6	3	37	7·4
Maldon M.B. ..	6,326	44	44	1	2	91	14·4	35	40	75	11·9	2	22	2·5
Romford ..	20,390	171	171	2	1	345	16·9	132	96	228	11·2	18	52	5·7
Saffron Walden M.B.	5,656	41	45	1	3	90	15·9	49	40	89	15·7	6	67	0·2
Shoeburyness	5,710	66	53	2	1	122	21·4	33	23	56	11·0†	8	66	10·4
Tilbury	12,090	152	157	2	8	319	26·4	50	47	97	8·0	20	63	18·4
Waltham Holy Cross.	6,941	53	52	3	5	113	16·3	37	35	72	10·4	9	80	5·9
Walthamstow	131,100	1,143	1,105	18	25	2,291	17·5	678	650	1,328	10·1	147	64	7·4
Walton on the Naze.	2,548	23	16	2	4	45	17·7	14	14	28	11·0	2	44	6·7
Wanstead ..	15,380	90	83	2	6	181	11·8	78	87	165	10·7	7	39	1·1
Witham	3,741	17	27	1	2	47	12·6	28	26	54	14·4	4	85	—1·8
Wivenhoe ..	2,338	19	12	—	1	32	13·7	20	15	35	15·0	2	63	—1·3
Woodford ..	21,610	167	173	3	4	347	16·1	108	94	202	9·3	15	43	6·8
RURAL DISTRICTS	288,400	2,507	2,342	117	97	5,063	17·6	1,743	1,624	3,367	11·7†	240	47	5·9
Belchamp ..	4,183	37	26	1	3	67	16·0	33	36	69	16·5	5	75	—0·5
Billericay ..	26,490	187	221	10	8	426	16·1	148	131	279	10·6†	19	45	5·5
Braintree ..	19,070	134	141	2	4	281	14·7	107	119	226	11·9	11	39	2·8
Bumpstead ..	2,378	29	16	1	3	49	20·6	25	21	46	19·3	4	82	1·3
Chelmsford ..	25,710	220	220	11	6	457	17·8	155	147	302	11·7	23	50	6·1
Dunmow ..	15,250	102	104	6	3	215	14·1	93	100	193	12·7	5	23	1·4
Epping	15,090	126	112	2	4	244	16·2	85	75	160	10·6	7	29	5·6
Halstead ..	9,803	52	56	4	4	116	11·8	66	45	111	11·3	6	52	0·5
Lexden and Winstree.	19,570	137	121	12	8	278	14·2	117	118	235	12·0	15	54	2·2
Maldon	16,600	131	88	12	5	236	14·2	119	92	211	12·7	9	38	1·5
Ongar	10,290	94	92	4	4	194	18·9	54	56	110	10·7	7	36	8·2
Orsett	23,470	227	205	6	7	445	19·0	125	106	231	9·8	12	27	9·2
Rochford.. ..	25,950	231	237	12	11	491	18·9	144	147	291	11·2	25	51	7·7
Romford ..	35,330	474	402	12	11	899	25·4	221	193	414	11·7	60	67	13·7
Saffron Walden	10,050	83	77	2	4	166	16·5	69	63	132	13·1	11	66	3·4
Stansted ..	6,936	48	56	3	2	109	15·7	41	42	83	12·0	1	9	3·7
Tendring ..	22,230	195	168	17	10	390	17·5	141	133	274	12·3	20	51	5·2

† Death-rates based upon estimated civilian populations as follows:—Colchester M.B., 43,940; Harwich M.B., 12,310; Shoeburyness U.D., 5,110; Rural Districts, 288,200; Billericay R.D., 26,290.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLOUCESTERSHIRE:														
COUNTY BORO's:	439,490	3,947	3,740	129	124	7,940	18·1	2,637	2,735	5,372	12·2†	581	73	5·9
Bristol	386,400	3,441	3,287	103	109	6,940	18·0	2,322	2,379	4,701	12·2†	493	71	5·8
Gloucester ..	53,090	506	453	26	15	1,000	18·8	315	356	671	12·6	88	88	6·2
ADMINISTRATIVE COUNTY.	334,400	2,790	2,517	137	119	5,563	16·6	2,035	2,153	4,188	12·5	298	54	4·1
MUNICIPAL BORO's AND URBAN DISTRICTS.	100,900	786	702	41	31	1,560	15·5	656	724	1,380	13·7	97	62	1·8
Awre	1,184	14	5	1	—	20	16·9	9	6	15	12·7	1	50	4·2
Charlton Kings	4,328	30	26	—	1	57	13·2	22	29	51	11·8	2	35	1·4
Cheltenham M.B.	48,810	332	319	23	20	694	14·2	313	394	707	14·5	45	65	−0·3
Cirencester ..	7,558	65	40	1	2	108	14·3	32	43	75	9·9	4	37	4·4
Coleford	2,854	22	29	5	—	56	19·6	12	16	28	9·8	2	36	9·8
Kingswood ..	13,650	127	95	3	1	226	16·6	101	69	170	12·5	23	102	4·1
Nailsworth ..	3,273	29	17	1	1	48	14·7	19	29	48	14·7	2	42	—
Newnham ..	1,237	12	14	—	2	28	22·6	6	6	12	9·7	2	71	12·9
Stow-on-the-Wold	1,202	11	7	—	—	18	15·0	13	19	32	26·6	1	56	−11·6
Stroud	8,614	62	64	3	1	130	15·1	67	68	135	15·7	7	54	−0·6
Tetbury	1,555	24	15	1	1	41	26·4	15	16	31	19·9	4	98	6·5
Tewkesbury M.B.	4,774	45	47	3	1	96	20·1	31	21	52	10·9	4	42	9·2
Westbury-on-Severn	1,861	13	24	—	1	38	20·4	16	8	24	12·9	—	—	7·5
RURAL DISTRICTS.	233,500	2,004	1,815	96	88	4,003	17·1	1,379	1,429	2,808	12·0	201	50	5·1
Campden ..	5,383	37	49	3	1	90	16·7	45	37	82	15·2	2	22	1·5
Cheltenham ..	5,359	38	32	2	3	75	14·0	38	32	70	13·1	6	80	0·9
Chipping Sodbury	21,970	174	170	6	7	357	16·2	134	146	280	12·7	21	59	3·5
Cirencester ..	11,990	118	83	5	4	210	17·5	80	81	161	13·4	10	48	4·1
Dursley	12,750	101	87	5	5	198	15·5	62	58	120	9·4	13	66	6·1
East Dean and United Parishes	21,360	247	191	15	12	465	21·8	123	124	247	11·6	35	75	10·2
Faringdon (part of)‡	1,047	10	9	—	—	19	18·1	6	12	18	17·2	1	53	0·9
Gloucester ..	13,190	94	85	3	4	186	14·1	59	82	141	10·7	8	43	3·4
Lydney	10,030	87	70	3	7	167	16·7	62	52	114	11·4	10	60	5·3
Marston Sicca..	1,675	16	5	1	—	22	13·1	12	6	18	10·7	1	45	2·4
Newent	6,648	59	61	3	2	125	18·8	57	44	101	15·2	7	56	3·6
Northleach ..	7,515	69	62	3	4	138	18·4	47	48	95	12·6	9	65	5·8
Pebworth ..	3,292	35	29	1	—	65	19·7	24	19	43	13·1	3	46	6·6
Stow-on-the-Wold (pt. of)‡	6,159	53	49	2	2	106	17·2	35	40	75	12·2	4	38	5·0
Stroud	28,590	189	188	13	8	398	13·9	155	214	369	12·9	21	53	1·0
Tetbury (pt. of)‡	3,558	36	29	2	1	68	19·1	16	26	42	11·8	2	29	7·3
Tewkesbury (part of)‡	4,616	38	35	3	1	77	16·7	31	34	65	14·1	3	39	2·6
Thornbury ..	18,950	154	150	10	9	323	17·0	115	93	208	11·0	5	15	6·0
Warmley.. ..	19,270	153	139	3	7	302	15·7	90	110	200	10·4	13	43	5·3
West Dean ..	15,030	164	160	3	10	337	22·4	96	84	180	12·0	18	53	10·4
Wheatenhurst	6,258	58	56	5	—	119	19·0	39	34	73	11·7	6	50	7·3
Winchcomb (part of)‡	8,860	74	76	5	1	156	17·6	53	53	106	12·0	3	19	5·6

† Death-rates based upon estimated civilian populations as follows:—County Boroughs, 439,290; Bristol C.B., 386,200.
‡ The remainder of Faringdon Rural District is in Berkshire. The remaining parts of Stow-on-the-Wold, Tewkesbury and Winchcomb Rural Districts are in Worcestershire. The remainder of Tetbury Rural District is in Wiltshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HEREFORDSHIRE: Administrative County.	114,140	1,002	983	81	72	2,138	18·7	732	796	1,528	13·4	107	50	5·3
MUNICIPAL BORO'S AND URBAN DISTRICTS.	41,070	339	386	26	27	778	18·9	250	298	548	13·3	42	54	5·6
Bromyard ..	1,531	10	14	1	2	27	17·6	12	8	20	13·1	2	74	4·5
Hereford M.B.	24,140	189	235	15	13	452	18·7	144	176	320	13·3	22	49	5·4
Kington	1,695	13	19	—	—	32	18·9	10	12	22	13·0	1	31	5·9
Ledbury	3,205	35	27	1	1	64	20·0	26	20	46	14·4	6	94	5·6
LeominsterM.B.	5,709	46	39	3	8	96	16·8	30	45	75	13·1	6	63	3·7
Ross	4,790	46	52	6	3	107	22·3	28	37	65	13·6	5	47	8·7
RURAL DISTRICTS.	73,070	663	597	55	45	1,360	18·6	482	498	980	13·4	65	48	5·2
Bredwardine ..	2,008	21	16	—	3	40	19·9	12	20	32	15·9	1	25	4·0
Bromyard ..	7,850	69	62	8	7	146	18·6	49	56	105	13·4	8	55	5·2
Dore	6,264	57	66	6	2	131	20·9	50	34	84	13·4	11	84	7·5
Hereford ..	13,540	115	127	8	10	260	19·2	81	97	178	13·1	11	42	6·1
Kington	4,876	43	35	3	4	85	17·4	27	29	56	11·5	—	—	5·9
Ledbury	9,012	86	58	7	1	152	6·9	62	61	123	13·6	5	33	3·3
Leominster ..	7,556	67	51	3	6	127	16·8	56	62	118	15·6	5	39	1·2
Ross	10,130	85	78	5	8	176	17·4	65	71	136	13·4	11	63	4·0
Weobley	6,509	65	57	11	—	133	20·4	41	42	83	12·8	8	60	7·6
Whitchurch ..	1,726	18	13	1	1	33	19·1	14	6	20	11·6	1	30	7·5
Wigmore.. ..	3,599	37	34	3	3	77	21·4	25	20	45	12·5	4	52	8·9
HERTFORDSHIRE: Administrative County.	344,200	2,684	2,576	126	110	5,496	16·0	1,842	1,794	3,636	10·6	281	51	5·4
MUNICIPAL BORO'S AND URBAN DISTRICTS.	236,595*	1,859	1,775	86	78	3,798	16·1	1,259	1,236	2,495	10·5	202	53	5·6
Baldock	2,694	24	17	1	—	42	15·6	25	17	42	15·6	2	48	—
Barnet	12,070	77	73	1	5	156	12·9	58	62	120	9·9	7	45	3·0
Bishop's Stortford	8,764	55	74	3	5	137	15·6	52	60	112	12·8	9	66	2·8
Bushey	8,320	62	43	3	3	111	13·3	42	43	85	10·2	10	90	3·1
Cheshunt ..	14,250	113	146	8	5	272	19·1	83	53	136	9·5	11	40	9·6
Chorleywood ..	2,458	23	15	1	1	40	16·3	17	12	29	11·8	1	25	4·5
East Barnet Valley.	14,120	108	108	7	4	227	16·1	62	80	142	10·1	11	48	6·0
GreatBerkhampstead.	7,434	46	47	5	2	100	13·5	40	32	72	9·7	3	30	3·8
Harpenden ..	6,655	32	38	—	1	71	10·7	37	33	70	10·5	2	28	0·2
Hemel Hempstead M.B.	14,080	99	108	3	4	214	15·2	74	66	140	9·9	11	51	5·3
Hertford M.B.	10,910	93	75	6	4	178	16·3	64	51	115	10·5	6	34	5·8
Hitchin	13,380	103	101	4	7	215	16·1	70	78	148	11·1	10	47	5·0
Hoddesdon ..	5,489	47	48	1	3	99	18·0	32	39	71	12·9	4	40	5·1
Letchworth ..	11,530	120	98	7	5	230	19·9	44	51	95	8·2	11	48	11·7
Rickmansworth	8,374*	80	69	3	1	153	18·3	47	47	94	11·2	11	72	7·1
Royston	3,769	24	19	3	1	47	12·5	24	26	50	13·3	6	128	—0·8
St. Albans M.B.	25,930	183	151	6	7	347	13·4	127	169	296	11·4	29	84	2·0
Sawbridgeworth	2,347	17	18	3	1	39	16·6	15	9	24	10·2	3	77	6·4
Stevenage ..	5,091	38	38	2	2	80	15·7	28	30	58	11·4	2	25	4·3
Tring	4,272	30	44	3	—	77	18·0	30	23	53	12·4	4	52	5·6
Ware	6,030	56	54	3	3	116	19·2	29	33	62	10·3	2	17	8·9
Watford M.B.	48,628*	429	391	13	14	847	17·4	259	222	481	9·9	47	55	7·5

* Population adjusted to allow for change in boundary during the year.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HERTFORDSHIRE —*cont.*														
RURAL DISTRICTS:	107,605*	825	801	40	32	1,698	15·8	583	558	1,141	10·6	79	47	5·
Ashwell	3,601	28	23	3	1	55	15·3	22	17	39	10·8	2	36	4·
Barnet	4,761	36	40	1	2	79	16·6	22	18	40	8·4	1	13	8·
Berkhampstead	4,752	34	35	3	—	72	15·2	20	29	49	10·3	5	69	4·
Buntingford ..	4,970	42	42	1	3	88	17·7	25	39	64	12·9	3	34	4·
Hadham ..	5,433	39	30	3	2	74	13·6	38	34	72	13·3	6	81	0·
Hatfield	8,573	74	64	3	3	144	16·8	47	48	95	11·1	7	49	5·
Hemel Hempstead.	7,252	58	66	—	3	127	17·5	46	46	92	12·7	9	71	4·
Hertford ..	7,217	53	46	2	1	102	14·1	50	37	87	12·1	7	69	2·
Hitchin	13,510	100	108	6	2	216	16·0	94	93	187	13·8	13	60	2·
St. Albans ..	15,480	134	112	8	3	257	16·6	79	66	145	9·4	14	54	7·
Ware	11,430	87	98	3	4	192	16·8	70	61	131	11·5	6	31	5·
Watford	16,445*	90	101	5	7	203	12·3	52	55	107	6·5	4	20	5·
Welwyn	4,181	50	36	2	1	89	21·3	18	15	33	7·9	2	22	13·
HUNTINGDONSHIRE:														
Administrative County.	55,700	474	434	25	26	959	17·2	366	332	698	12·5	58	60	4·
MUNICIPAL BORO'S AND URBAN DISTRICTS.	24,460	230	196	11	11	448	18·3	158	142	300	12·3	28	63	6·
Godmanchester M.B.	2,075	13	17	1	1	32	15·4	17	17	34	16·4	2	63	—1·
Huntingdon M.B.	4,003	31	27	—	1	59	14·7	31	32	63	15·7	6	102	—1·
Old Fletton ..	5,964	55	57	1	4	117	19·6	40	31	71	11·9	11	94	7·
Ramsey	5,334	67	45	3	2	117	21·9	23	18	41	7·7	6	51	14·
St. Ives M.B.	2,866	26	17	1	—	44	15·4	22	18	40	14·0	1	23	1·
St. Neots ..	4,218	38	33	5	3	79	18·7	25	26	51	12·1	2	25	6·
RURAL DISTRICTS	31,240	244	238	14	15	511	16·4	208	190	398	12·7	30	59	3·
Huntingdon ..	6,752	51	64	2	3	120	17·8	46	47	93	13·8	6	50	4·
Norman Cross	5,632	54	41	4	—	99	17·6	36	39	75	13·3	5	51	4·
Oundle (part of)‡	1,008	8	5	—	1	14	13·9	6	3	9	8·9	1	71	5·
St. Ives ..	9,741	68	67	2	8	145	14·9	64	52	116	11·9	14	97	3·
St. Neots:—														
No. 1 ..	2,341	17	15	—	1	33	14·1	15	13	28	12·0	—	—	2·
No. 2 ..	351	—	2	—	—	2	5·7	1	2	3	8·5	—	—	—2·
No. 3 ..	2,237	15	11	3	1	30	13·4	17	14	31	13·9	1	33	—0·
No. 4 ..	1,926	16	20	3	1	40	20·8	12	10	22	11·4	1	25	9·
Thrapston (part of)‡	838	9	6	—	—	15	17·9	7	5	12	14·3	—	—	3·
C.P. of Sibson cum Stibbington, administered by R.D. C. of Barnack (Soke of Peterborough).	414	6	7	—	—	13	31·4	4	5	9	21·7	2	154	9·
KENT:														
COUNTY BORO':														
Canterbury ..	24,080	196	230	10	10	446	18·5	169	140	309	13·2†	21	47	5·
ADMINISTRATIVE COUNTY.	1,107,800	8,842	8,699	380	405	18,326	16·5	6,091	5,955	12,046	11·1†	970	53	5·4

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Kent—Canterbury C.B., 23,330; Administrative County, 1,086,000.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENT—*cont.*														
UNICIPAL BORO'S AND URBAN DISTRICTS.	778,300	6,220	6,104	258	274	12,856	16·5	4,265	4,268	8,533	11·2†	714	56	5·3
Ashford	13,900	135	130	3	5	273	19·6	92	75	167	12·0	14	51	7·6
Beckenham ..	33,460	227	236	7	3	473	14·1	158	180	338	10·1	20	42	4·0
Bexley	22,970	213	187	6	7	413	18·0	117	104	221	9·6	24	58	8·4
Broadstairs and St. Peter's.	11,320	57	57	5	5	124	11·0	59	76	135	11·9	7	56	—0·9
Bromley M.B...	35,230	268	234	20	13	535	15·2	197	197	394	11·3	31	58	3·9
Chatham M.B.	43,940	404	423	15	23	865	19·7	308	252	560	13·3†	72	83	6·4
Cheriton	7,003	66	77	2	4	149	21·3	28	33	61	11·7†	6	40	9·6
Chislehurst ..	9,081	50	64	3	2	119	13·1	32	37	69	7·6	2	17	5·5
Crayford	12,910	118	128	3	5	254	19·7	54	64	118	9·1	8	31	10·6
Dartford ..	27,190	199	174	11	8	392	14·4	126	114	240	8·8	31	79	5·6
Deal M.B. ..	12,230	102	88	2	3	195	15·9	76	86	162	13·2	9	46	2·7
Dover M.B. ..	43,160	411	404	16	17	848	19·6	225	212	437	10·8†	36	42	8·8
Erith	33,050	261	283	6	8	558	16·9	162	142	304	9·2	31	56	7·7
Faversham M.B.	10,760	77	84	5	7	173	16·1	62	53	115	10·7	8	46	5·4
Folkestone M.B.	34,070	228	268	19	18	533	15·6	190	205	395	11·6	32	60	4·0
Gillingham M.B.	56,230	482	437	8	15	942	16·8	261	260	521	10·8†	49	52	6·0
Gravesend M.B.	32,640	280	302	5	9	596	18·3	210	185	395	12·1†	41	69	6·2
Herne Bay ..	10,190	55	41	10	8	114	11·2	50	62	112	11·0	7	61	0·2
Hythe M.B. ..	7,302	43	48	2	4	97	13·3	44	40	84	11·5	5	52	1·8
Lydd M.B. ..	2,637	18	25	1	2	46	17·4	20	20	40	17·9†	4	87	—0·5
Maidstone M.B.	39,290	315	283	16	15	629	16·0	207	200	407	10·4†	32	51	5·6
Margate M.B...	28,380	202	192	13	7	414	14·6	141	177	318	11·2	16	39	3·4
Milton Regis ..	7,659	75	67	4	3	149	19·5	55	26	81	10·6	7	47	8·9
New Romney M.B.	1,484	15	10	—	—	25	16·8	12	7	19	12·8	3	120	4·0
Northfleet ..	16,900	178	172	3	6	359	21·2	100	79	179	10·6	20	56	10·6
Penge	27,000	250	233	6	9	498	18·4	143	161	304	11·3	29	58	7·1
Queenborough M.B.	3,242	31	25	1	—	57	17·6	12	12	24	7·4	4	70	10·2
Ramsgate M.B.	30,470	262	242	12	16	532	17·5	202	212	414	13·6	32	60	3·9
Rochester M.B.	32,490	251	271	11	13	546	16·8	178	191	369	11·5†	33	60	5·3
Royal Tunbridge Wells M.B.	34,330	207	187	7	14	415	12·1	179	239	418	12·2	16	39	—0·1
Sandgate ..	2,570	25	14	—	—	39	15·2	12	15	27	12·4†	1	26	2·8
Sandwich M.B.	3,166	33	20	3	1	57	18·0	20	22	42	13·3	8	140	4·7
Sevenoaks ..	9,171	56	62	3	2	123	13·4	52	56	108	11·8	4	33	1·6
Sheerness ..	19,390	151	150	5	2	308	15·9	110	69	179	10·6†	22	71	5·3
Sidcup	8,924	50	56	6	4	116	13·0	53	34	87	9·7	1	9	3·3
Sittingbourne..	9,788	93	93	3	4	193	19·7	56	66	122	12·5	16	83	7·2
Southborough..	7,082	65	53	2	1	121	17·1	47	64	111	15·7	2	17	1·4
Tenterden M.B.	3,234	22	32	1	2	57	17·6	16	18	34	10·5	2	35	7·1
Tonbridge ..	15,880	117	119	8	4	248	15·6	89	106	195	12·3	15	60	3·3
Walmer	4,588	38	39	—	3	80	17·4	27	29	56	12·5†	2	25	4·9
Whitstable ..	9,700	45	57	4	1	107	11·0	53	63	116	12·0	2	19	—1·0
Wrotham ..	4,289	45	37	1	1	84	19·6	30	25	55	12·8	10	119	6·8
URAL DISTRICTS:	329,500	2,622	2,595	122	131	5,470	16·6	1,826	1,687	3,513	10·8†	256	47	5·8
Blean	8,728	75	64	6		148	17·0	45	37	82	9·4	7	47	7·6
Bridge	11,240	83	86	3		177	15·7	60	54	114	10·1	5	28	5·6
Bromley	26,800	233	219	12		472	17·6	161	127	288	10·8†	27	57	6·8
Cranbrook ..	12,910	111	106	9	6	232	18·0	71	88	159	12·3	10	43	5·7
Dartford ..	39,890	267	334	18	15	634	15·9	180	146	326	8·2	40	63	7·7

† Death-rates based upon estimated civilian populations as follows:—Kent—Municipal Boroughs and Urban Districts, 759,700; Chatham M.B., 42,040; Cheriton U.D., 5,203; Dover M.B., 40,460; Gillingham M.B., 48,130; Gravesend M.B., 32,540; Lydd M.B., 2,237; Maidstone. M.B., 39,090; Rochester M.B., 32,090; Sandgate U.D., 2,170; Sheerness U.D., 16,890; Walmer U.D., 4,488; Rural Districts, 326,300; Bromley R.D., 26,600.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—*cont.*														
RURAL DISTRICTS —*cont.*														
Dover	8,556	60	65	4	1	130	15·2	40	49	89	10·8†	10	77	4·4
East Ashford ..	15,310	127	120	2	4	253	16·5	111	101	212	13·8	12	47	2·7
Eastry	13,410	111	97	3	5	216	16·1	71	64	135	10·1	16	74	6·0
Elham	8,057	61	55	1	3	120	14·9	58	41	99	12·7†	6	50	2·2
Faversham ..	14,390	114	133	5	11	263	18·3	83	83	166	11·5	16	61	6·8
Hollingbourne	13,380	110	87	6	8	211	15·8	86	91	177	13·2	7	33	2·6
Hoo	4,701	58	34	1	2	95	20·2	31	22	53	11·3	6	63	8·9
Isle of Thanet..	13,560	68	73	1	6	148	10·9	57	61	118	9·9†	7	47	1·0
Maidstone ..	17,130	142	148	7	7	304	17·7	107	84	191	11·2	13	43	6·5
Malling	26,020	203	207	12	12	434	16·7	162	145	307	11·8	16	37	4·9
Milton	14,280	118	127	2	2	249	17·4	63	75	138	9·7	10	40	7·7
Romney Marsh	3,136	34	28	2	4	68	21·7	22	10	32	10·2	4	59	11·5
Sevenoaks ..	24,130	199	176	6	9	390	16·2	147	142	289	12·0	10	26	4·2
Sheppey	5,329	53	34	1	3	91	17·1	23	11	34	7·4†	2	22	9·7
Strood	16,720	148	148	5	3	304	18·2	65	62	127	7·7†	5	16	10·5
Tenterden ..	5,922	45	47	2	1	95	16·0	43	54	97	16·4	7	74	—0·4
Tonbridge ..	18,050	138	154	10	9	311	17·2	95	89	184	10·2	15	48	7·0
West Ashford..	7,851	64	53	4	4	125	15·9	45	51	96	12·2	5	40	3·7
LANCASHIRE:														
COUNTY BORO's.	3268800	32,045	30,423	1,438	1,389	65,295	20·0	22,859	22,022	44,881	13·7†	6543	100	6·3
Barrow-in-Furness	73,490	605	590	18	27	1,240	16·9	457	408	865	11·8	91	73	5·1
Blackburn ..	127,600	974	915	48	43	1,980	15·5	873	938	1,811	14·2	166	84	1·3
Blackpool ..	77,410	560	503	46	59	1,168	15·1	581	621	1,202	15·5	86	74	—0·4
Bolton	181,100	1,570	1,472	61	70	3,173	17·5	1,237	1,258	2,495	13·8	290	91	3·7
Bootle	83,130	984	908	18	32	1,942	23·4	497	469	966	11·6	192	99	11·8
Burnley	103,400	821	771	46	63	1,701	16·5	761	767	1,528	14·8	215	126	1·7
Bury	57,060	422	411	29	19	881	15·4	405	426	831	14·6†	62	70	0·8
Liverpool ..	851,800	10,083	9,669	419	388	20,559	24·1	5,854	5,570	11,424	13·4	2117	103	10·7
Manchester ..	755,000	7,056	6,770	340	317	14,483	19·2	5,503	5,060	10,563	14·0	1454	100	5·2
Oldham	147,300	1,148	1,092	79	67	2,386	16·2	1,000	995	1,995	13·5	266	111	2·7
Preston	123,100	1,120	1,096	65	47	2,328	18·9	862	851	1,713	13·9	225	97	5·0
Rochdale ..	92,750	697	667	43	44	1,451	15·6	682	668	1,350	14·6	112	77	1·0
St. Helens ..	108,700	1,309	1,249	39	31	2,628	24·2	673	635	1,308	12·0	272	104	12·2
Salford	243,700	2,381	2,236	99	86	4,802	19·7	1,859	1,705	3,564	14·6	579	121	5·1
Southport ..	73,650	459	417	28	30	934	12·7	447	556	1,003	13·6	59	63	—0·9
Warrington ..	78,430	872	715	28	27	1,642	20·9	488	448	936	12·0†	139	85	8·9
Wigan	91,180	984	942	32	39	1,997	21·9	680	647	1,327	14·6	218	109	7·3
ADMINISTRATIVE COUNTY.	1784000	14,623	13,833	510	553	29,519	16·5	11,308	11,045	22,353	12·5†	2420	82	4·0
MUNICIPAL BORO's AND URBAN DISTRICTS.	1536000	12,699	11,921	448	469	25,537	16·6	9,795	9,641	19,436	12·7†	2148	84	3·9
Abram	6,930	51	72	1	—	124	17·9	42	29	71	10·2	11	89	7·7
AccringtonM.B.	43,860	314	262	8	5	589	13·4	312	300	612	14·0	45	76	—0·6
Adlington ..	4,552	43	33	2	3	81	17·8	17	23	40	8·8	6	74	9·0
Ashton-in-Makerfield.	23,750	247	227	7	9	490	20·6	152	120	272	11·5	41	84	9·1
Ashton-under-Lyne M.B.	44,040	373	359	23	21	776	17·6	305	278	583	13·2	60	77	4·4
Aspull	8,205	83	87	—	3	173	21·1	60	60	120	14·6	22	127	6·5
Atherton ..	20,470	187	155	4	3	349	17·0	123	101	224	10·9	21	60	6·1

† Death-rates based upon estimated civilian populations as follows :—Dover R.D., 8,276; Elham R.D. 7,817; Isle of Thanet R.D., 11,950; Sheppey R.D. 4,619. Strood, R.D., 16,560. Lancashire—County Boroughs, 3,268,260; Bury C.B., 56,830; Warrington C.B., 78,120; Administrative County, 1,782,800; Municipal Boroughs and Urban Districts, 1,535,000.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Audenshaw ..	8,222	60	58	—	4	122	14·8	47	50	97	11·8	14	115	3·0
Bacup M.B. ..	21,290	178	176	6	8	368	17·3	156	173	329	15·5	31	84	1·8
Barrowford ..	5,639	35	25	2	1	63	11·2	37	54	91	16·1	8	127	−4·9
Billinge	5,263	43	38	4	—	85	16·2	41	29	70	13·3	15	176	2·9
Blackrod ..	3,988	45	40	—	—	85	21·3	23	19	42	10·5	3	35	10·8
Brierfield ..	8,354	44	37	3	1	85	10·2	46	60	106	12·7	15	176	−2·5
Carnforth ..	3,280	38	32	—	3	73	22·3	21	13	34	10·4	8	110	11·9
Chadderton ..	29,160	235	188	7	11	441	15·1	157	150	307	10·5	35	79	4·6
Chorley M.B.	31,490	259	266	11	12	548	17·4	194	207	401	12·7	57	104	4·7
Church	6,866	48	57	4	4	113	16·5	58	49	107	15·6	14	124	0·9
Clayton-le-Moors	8,740	77	67	1	—	145	16·6	52	61	113	12·9	14	97	3·7
Clitheroe M.B.	12,410	87	70	2	5	164	13·2	69	84	153	12·3	17	104	0·9
Colne M.B. ..	25,380	191	143	13	14	361	14·2	171	148	319	12·6	38	105	1·6
Crompton ..	15,370	115	117	4	3	239	15·5	98	101	199	12·9	26	109	2·6
Croston	1,952	20	9	—	—	29	14·9	10	16	26	13·3	1	34	1·6
Dalton-in-Furness	12,240	112	82	4	7	205	16·7	71	57	128	10·5	11	54	6·2
Darwen M.B. ..	39,060	325	288	8	15	636	16·3	274	308	582	14·9	43	68	1·4
Denton	17,900	129	125	6	3	263	14·7	105	107	212	11·8	30	114	2·9
Droylsden ..	14,030	146	109	7	—	262	18·6	88	97	185	13·2	21	80	5·4
Eccles M.B. ..	46,020	404	347	10	12	773	16·8	286	258	544	11·8	71	92	5·0
Failsworth ..	17,220	131	121	4	4	260	15·1	105	83	188	10·9	14	54	4·2
Farnworth ..	28,930	253	240	8	11	512	17·7	163	177	340	11·8	53	104	5·9
Fleetwood ..	20,340	220	230	10	3	463	22·8	120	116	236	11·6	31	67	11·2
Formby	6,611	54	36	1	1	92	13·9	29	31	60	9·1	4	43	4·8
Fulwood ..	6,740	33	23	1	2	59	8·8	48	48	96	15·6†	3	51	−6·8
Golborne ..	7,598	85	76	1	1	163	21·5	38	45	83	10·9	8	49	10·6
Grange	2,047	13	5	—	1	19	9·3	7	16	23	11·2	—	—	−1·9
Great Crosby	13,860	95	89	4	2	190	13·7	80	74	154	11·1	14	74	2·6
Great Harwood	13,890	107	92	3	4	206	14·8	79	95	174	12·5	18	87	2·3
HaslingdenM.B.	17,580	111	87	7	4	209	11·9	118	125	243	13·8	18	86	−1·9
Haydock ..	11,060	136	141	4	4	285	25·8	68	53	121	10·9	26	91	14·9
Heysham ..	4,226	23	20	2	2	47	11·1	41	32	73	17·3	2	43	−6·2
Heywood M.B.	26,990	233	201	10	8	452	16·7	199	203	402	14·9	35	77	1·8
Hindley	24,850	223	239	3	11	476	19·2	150	153	303	12·2	41	86	7·0
Horwich	16,060	127	122	5	2	256	15·9	93	84	177	11·0	21	82	4·9
Hurst	8,245	59	60	2	3	124	15·0	47	64	111	13·5	19	153	1·5
Huyton with Roby.	5,315	30	46	2	2	80	15·1	21	26	47	8·8	9	113	6·3
Ince in Makerfield.	24,530	279	266	7	14	566	23·1	202	162	364	14·8	86	152	8·3
Irlam	11,800	132	149	1	3	285	24·2	60	44	104	8·8	8	28	15·4
Kearsley ..	10,360	93	96	3	3	195	18·8	53	74	127	12·3	16	82	6·5
Kirkham ..	3,803	34	37	—	3	74	19·5	36	31	67	17·6	7	95	1·9
Lancaster M.B.	40,780	315	301	9	13	638	15·6	274	291	565	13·9†	45	71	1·7
Lathom and Burscough.	7,697	62	60	3	1	126	16·4	37	44	81	10·5	10	79	5·9
Lees	4,853	37	38	1	1	77	15·9	21	39	60	12·4	4	52	3·5
Leigh M.B. ..	46,960	395	396	18	22	831	17·7	287	283	570	12·1	70	84	5·6
Leyland	9,297	73	74	1	1	149	16·0	52	51	103	11·1	11	74	4·9
Litherland ..	17,320	178	180	5	5	368	21·2	107	118	225	13·0	32	87	8·2
Littleborough..	11,640	90	89	4	5	188	16·2	78	83	161	13·8	19	101	2·4
Little Crosby ..	1,226	5	8	—	—	13	10·6	5	6	11	9·0	—	—	1·6
Little Hulton..	8,172	73	59	2	2	136	16·6	53	44	97	11·9	11	81	4·7
Little Lever ..	5,110	41	31	2	1	75	14·7	31	19	50	9·8	6	80	4·9

† Death-rates based upon estimated civilian populations as follows :—Fulwood U.D., 6,140; Lancaster M.B., 40,580.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Longridge ..	4,301	34	39	1	3	77	17·9	42	23	65	15·1	6	78	2·8
Lytham	21,600	123	114	11	4	252	11·7	139	162	301	13·9	16	63	−2·2
St. Anne's M.B.														
Middleton M.B.	28,790	217	208	7	7	439	15·2	187	178	365	12·7	24	55	2·5
Milnrow	8,670	54	55	5	1	115	13·3	58	63	121	14·0	13	113	−0·7
Morecambe M.B.	14,140	89	94	2	9	194	13·7	110	118	228	16·1	17	88	−2·4
Mossley M.B. ..	12,630	84	83	4	5	176	13·9	86	73	159	12·6	13	74	1·3
Nelson M.B. ..	40,220	234	217	13	18	482	12·0	256	280	536	13·3	35	73	−1·3
Newton-in-Makerfield.	19,840	205	180	10	6	401	20·2	125	108	233	11·7	32	80	8·5
Norden	4,185	25	29	1	—	55	13·1	21	30	51	12·2	2	36	0·9
Ormskirk ..	7,575	83	66	3	5	157	20·7	64	52	116	15·3	10	64	5·4
Orrell	7,126	61	61	2	1	125	17·5	42	44	86	12·1	16	128	5·4
Oswaldtwistle	15,310	120	133	7	4	264	17·2	102	123	225	14·7	24	91	2·5
Padiham ..	12,550	89	94	7	9	199	15·9	93	99	192	15·3	23	116	0·6
Poulton le Fylde	2,803	21	25	1	2	49	17·5	27	22	49	17·5	3	61	—
Preesall	1,788	17	12	—	1	30	16·8	8	19	27	15·1	—	—	1·7
Prescot	9,830	84	94	2	2	182	18·5	48	55	103	10·5	20	110	8·0
Prestwich ..	19,450	131	124	3	10	268	13·8	84	78	162	8·3	10	37	5·5
Radcliffe ..	25,290	186	192	7	5	390	15·4	167	190	357	14·1	40	103	1·3
Rainford ..	3,705	31	36	3	2	72	19·4	28	20	48	13·0	6	83	6·4
Ramsbottom ..	15,230	121	104	7	2	234	15·4	96	110	206	13·5	17	73	1·9
Rawtenstall .. M.B.	29,200	244	221	5	10	480	16·4	204	222	426	14·6	50	104	1·8
Rishton	7,147	47	46	3	3	99	13·9	51	53	104	14·6	6	61	−0·7
Royton	17,640	140	139	9	2	290	16·4	119	113	232	13·2	26	90	3·2
Skelmersdale ..	7,019	66	48	—	—	114	16·2	34	31	65	9·3	6	53	6·9
Standish with Langtree.	7,657	72	66	2	5	145	18·9	56	52	108	14·1	17	117	4·8
Stretford ..	48,670	387	328	10	8	733	15·1	321	280	601	12·3	49	67	2·8
Swinton and Pendlebury	32,660	253	252	6	7	518	15·9	221	186	407	12·5	63	122	3·4
Thornton ..	5,910	52	47	2	1	102	17·3	34	34	68	11·5	5	49	5·8
Tottington ..	6,883	46	46	1	2	95	13·8	52	53	105	15·3	7	74	−1·5
Trawden ..	2,727	12	18	—	1	31	11·4	16	20	36	13·2	4	129	−1·8
Turton	12,290	95	88	2	—	185	15·1	65	56	121	9·8	8	43	5·3
Tyldesley with Shakerley.	16,180	144	150	5	4	303	18·7	105	68	173	10·7	23	76	8·0
Ulverston ..	9,992	78	79	4	3	164	16·4	75	57	132	13·2	8	49	3·2
Upholland ..	5,599	58	53	1	2	114	20·4	33	22	55	9·8	9	79	10·6
Urmston ..	8,383	70	63	1	—	134	16·0	43	41	84	10·0	8	60	6·0
Walton-le-Dale	12,220	96	101	1	2	200	16·4	83	86	169	13·8	14	70	2·6
Wardle	4,571	27	36	1	2	66	14·4	31	27	58	12·7	5	76	1·7
Waterloo with Seaforth.	30,220	267	284	16	9	576	19·1	131	174	305	10·2†	34	59	8·9
Westhoughton	16,600	159	133	5	7	304	18·3	97	99	196	11·8	25	82	6·5
Whitefield ..	7,179	48	53	2	2	105	14·6	40	43	83	11·6	3	29	3·0
Whitworth ..	8,801	74	55	3	4	136	15·5	60	61	121	13·7	9	66	1·8
Widnes M.B. ..	41,890	486	451	11	11	959	22·9	312	242	554	13·2	102	106	9·7
Withnell ..	3,498	27	23	2	2	54	15·4	18	15	33	9·4	4	74	6·0
Worsley	14,430	113	100	—	—	213	14·8	94	93	187	13·0	17	80	1·8

† Death-rate based upon estimated civilian population of 30,020.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—*cont.*														
RURAL DISTRICTS.	248,000	1,924	1,912	62	84	3,982	16·1	1,513	1,404	2,917	11·8†	272	68	4·3
Barton-upon-Irwell	10,090	62	71	1	—	134	13·3	68	56	124	12·3	9	67	1·0
Blackburn ..	10,330	61	87	1	1	150	14·5	66	55	121	11·7	11	73	2·8
Burnley	19,520	132	129	2	4	267	13·7	130	133	266	13·6	27	101	0·1
Bury	9,725	70	67	1	5	143	14·7	64	60	124	12·8	14	98	1·9
Chorley	22,510	198	177	7	5	387	17·2	138	135	273	12·1	25	65	5·1
Clitheroe.. ..	6,903	58	51	—	2	111	16·1	36	34	70	10·1	5	45	6·0
Fylde	13,160	103	109	9	4	225	17·1	79	71	150	11·4	18	80	5·7
Garstang.. ..	11,150	89	98	5	6	198	17·8	63	53	116	10·4	5	25	7·4
Lancaster ..	9,252	89	75	6	3	173	18·7	70	83	153	16·5	16	92	2·2
Leigh	11,560	98	110	2	5	215	18·6	76	54	130	11·2	14	65	7·4
Limehurst ..	9,471	88	69	3	1	161	17·0	73	38	111	12·0†	16	99	5·0
Lunesdale ..	6,469	57	43	2	3	105	16·2	33	34	67	10·4	3	29	5·8
Preston	24,000	163	163	5	4	335	14·0	112	119	231	9·6	19	57	4·4
Sefton	4,513	33	32	—	2	67	14·8	38	31	69	15·3	11	164	—0·5
Ulverston ..	17,580	146	122	6	16	290	16·5	116	104	220	12·5	14	48	4·0
Warrington ..	12,830	96	124	2	6	228	17·8	70	67	137	10·7	13	57	7·1
West Lancashire	22,010	166	187	4	4	361	16·4	123	140	263	11·9	21	58	4·5
Whiston	20,570	167	146	4	10	327	15·9	111	95	206	10·0	24	73	5·9
Wigan	6,354	48	52	2	3	105	16·5	47	39	86	13·5	7	67	3·0
LEICESTERSHIRE:														
COUNTY BORO':														
Leicester ..	241,800	2,154	2,031	102	93	4,380	18·1	1,504	1,420	2,924	12·1	345	79	6·0
ADMINISTRATIVE COUNTY.	273,300	2,495	2,464	87	84	5,130	18·8	1,579	1,611	3,190	11·7†	309	60	7·1
MUNICIPAL BORO' AND URBAN DISTRICTS.	113,595*	1,123	1,003	34	45	2,205	19·4	675	658	1,333	11·7	151	68	7·7
Ashby de la Zouch.	5,184	54	38	2	3	97	18·7	27	22	49	9·5	5	52	9·2
Ashby Woulds	3,528	53	36	—	3	92	26·1	24	21	45	12·8	9	98	13·3
Coalville	21,980	248	240	5	12	505	23·0	122	123	245	11·1	39	77	11·9
Hinckley ..	14,480	153	144	5	4	306	21·1	92	91	183	12·6	15	49	8·5
Loughborough M.B.	26,550	225	217	6	11	459	17·3	162	149	311	11·7	34	74	5·6
Market Harboro'	8,807*	84	59	4	1	148	16·8	40	50	90	10·2	9	61	6·6
Melton Mowbray	9,828	96	75	5	8	184	18·7	69	63	132	13·4	14	76	5·3
Oadby	3,171	20	26	—	—	46	14·5	14	16	30	9·5	1	22	5·0
Quorndon ..	2,501	21	17	—	—	38	15·2	15	23	38	15·2	5	132	—
Shepshed ..	5,768	47	45	4	2	98	17·0	31	26	57	9·9	2	20	7·1
Thurmaston ..	2,473	32	33	2	—	67	27·1	16	18	34	13·7	8	119	13·4
Wigston Magna	9,325	90	73	1	1	165	17·7	63	56	119	12·8	10	61	4·9
RURAL DISTRICTS.	159,705*	1,372	1,461	53	39	2,925	18·3	904	953	1,857	11·6†	158	54	6·7
Ashby de la Zouch.	17,910	195	206	6	4	411	22·9	96	97	193	10·8	21	51	12·1
Barrow upon Soar.	26,590	204	220	7	5	436	16·4	141	172	313	11·8	28	64	4·6
Belvoir	3,328	31	30	3	—	64	19·2	25	22	47	14·1	1	16	5·1
Billesdon.. ..	8,223	66	59	4	1	130	15·8	40	50	90	10·9	6	46	4·9
Blaby	18,420	145	149	5	6	305	16·6	91	83	174	9·5†	15	49	7·1
Castle Donington	6,367	52	55	3	1	111	17·4	32	38	70	11·0	5	45	6·4
Hallaton ..	1,786	17	11	—	—	28	15·7	10	15	25	14·0	1	36	1·7
Hinckley ..	15,480	135	160	—	4	299	19·3	94	84	178	11·5	14	47	7·8

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Lancashire—Rural Districts, 247,800; Limehurst R.D. 9,271. Leicestershire—Administrative County, 273,100; Rural Districts, 159,505*; Blaby R.D., 18,220.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LEICESTERSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Loughborough	4,567	30	39	3	1	73	16·0	29	37	66	14·5	2	27	1·5
Lutterworth ..	10,380	80	94	6	2	182	17·5	53	85	138	13·3	9	49	4·2
Market Bosworth	24,130	249	255	7	5	516	21·4	146	126	272	11·3	34	66	10·1
Market Harboro'	7,664*	34	60	1	2	97	12·7	50	56	106	13·8	10	103	−1·1
Melton Mowbray	14,860	134	123	8	8	273	18·4	97	88	185	12·4	12	44	6·0
LINCOLNSHIRE: (Pts. of Holland) ADMINISTRATIVE COUNTY.	87,400	873	837	50	57	1,817	20·8	509	516	1,025	11·7	119	65	9·1
MUNICIPAL BORO' AND URBAN DISTRICTS.	38,490	386	345	20	25	776	20·2	220	232	452	11·7	45	58	8·5
Boston M.B. ..	16,220	160	159	13	11	343	21·1	105	106	211	13·0	28	82	8·1
Holbeach ..	5,705	64	50	1	2	117	20·5	29	33	62	10·9	7	60	9·6
Long Sutton ..	3,305	22	30	2	1	55	16·6	13	21	34	10·3	1	18	6·3
Spalding ..	10,840	112	83	4	9	208	19·2	57	61	118	10·9	7	34	8·3
Sutton Bridge	2,420	28	23	—	2	53	21·9	16	11	27	11·2	2	38	10·7
RURAL DISTRICTS.	48,910	487	492	30	32	1,041	21·3	289	284	573	11·7	74	71	9·6
Boston	22,570	209	229	16	18	472	20·9	121	145	266	11·8	25	53	9·1
Crowland ..	2,774	29	34	4	3	70	25·2	19	17	36	13·0	4	57	12·2
East Elloe ..	9,946	104	89	3	3	199	20·0	75	49	124	12·5	20	101	7·5
Spalding (pt.) ‡	13,620	145	140	7	8	300	22·0	74	73	147	10·8	25	83	11·2
LINCOLNSHIRE: (Parts of Kesteven) ADMINISTRATIVE COUNTY.	110,170	1,016	954	70	64	2,104	19·1	665	628	1,293	12·1†	132	63	7·0
MUNICIPAL BORO'S AND URBAN DISTRICTS.	41,580	343	349	19	21	732	17·6	218	245	463	11·1	46	63	6·5
Bourne	4,370	34	38	1	—	73	16·7	25	24	49	11·2	5	68	5·5
Grantham M.B.	19,150	160	162	10	10	342	17·9	102	107	209	10·9	21	61	7·0
Ruskington ..	1,122	4	9	—	—	13	11·6	11	7	18	16·0	1	77	−4·4
Sleaford	6,984	67	51	5	3	126	18·0	32	32	64	9·2	4	32	8·8
Stamford M.B.	9,954	78	89	3	8	178	17·9	48	75	123	12·4	15	84	5·5
RURAL DISTRICTS.	68,590	673	605	51	43	1,372	20·0	447	383	830	12·7†	86	63	7·3
Bourne	12,800	158	136	5	7	306	23·9	94	82	176	13·8	21	69	10·1
Branston.. ..	13,550	122	113	17	9	261	19·3	89	69	158	11·7	16	61	7·6
Claypole	7,842	80	57	4	2	143	18·2	70	44	114	14·5	8	56	3·7
Grantham ..	12,450	136	120	12	11	279	22·4	80	70	150	12·5†	15	54	9·9
Sleaford	19,860	160	158	10	12	340	17·1	106	106	212	12·3†	24	71	4·8
Spalding (pt.)§	650	7	6	1	—	14	21·5	4	3	7	10·8	1	71	10·7
Uffington ..	1,438	10	15	2	2	29	20·2	4	9	13	9·0	1	34	11·2
LINCOLNSHIRE: (Pts. of Lindsey) COUNTY BORO'S.	153,870	1,375	1,440	80	84	2,979	19·4	999	907	1,906	12·4†	265	89	7·0
Grimsby	86,810	820	914	46	62	1,842	21·2	569	526	1,095	12·6	183	99	8·6
Lincoln	67,060	555	526	34	22	1,137	17·0	430	381	811	12·1†	82	72	4·9
ADMINISTRATIVE COUNTY.	259,900	2,472	2,365	147	150	5,134	19·8	1,559	1,519	3,078	11·8	308	60	8·0

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Lincolnshire (Kesteven) Administrative County, 107,110; Rural Districts 65,530; Grantham R.D., 12,020; Sleaford R.D., 17,230. Lincolnshire (Lindsey)—County Boroughs 153,660; Lincoln C.B., 66,850.

‡ The remainder of Spalding Rural District is in Lincolnshire (Kesteven).

§ The remainder of Spalding Rural District is in Lincolnshire (Holland).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LINCOLNSHIRE: (Pts. of Lindsey) —*cont.*														
MUNICIPAL BORO' AND URBAN DISTRICTS.	120,200	1,152	1,083	67	61	2,363	19·7	693	737	1,430	11·9	159	67	7·8
Alford	2,207	16	26	4	4	50	22·7	10	17	27	12·2	1	20	10·5
Barton-upon-Humber.	6,450	56	53	1	—	110	17·1	34	54	88	13·6	8	73	3·5
Brigg	3,433	30	30	4	3	67	19·5	22	22	44	12·8	5	75	6·7
Cleethorpes ..	28,750	235	250	12	16	513	17·8	137	157	294	10·2	38	74	7·6
Crowle	2,995	32	30	5	1	68	22·7	18	24	42	14·0	2	29	8·7
Gainsborough..	19,820	177	154	10	9	350	17·7	111	110	221	11·2	22	63	6·5
Horncastle ..	3,399	33	28	2	2	65	19·1	30	28	58	17·1	3	46	2·0
Louth M.B. ..	9,500	81	79	9	6	175	18·4	66	87	153	16·1	9	51	2·3
Mablethorpe ..	2,102	10	12	2	—	24	11·4	14	13	27	12·8	—	—	−1·4
Market Rasen	2,079	16	10	1	—	27	13·0	17	26	43	20·7	1	37	−7·7
Roxby-cum-Risby.	630	6	3	—	1	10	15·9	1	7	8	12·7	1	100	3·2
Scunthorpe and Frodingham.	30,970	399	358	11	18	786	25·4	187	137	324	10·5	60	76	14·9
Skegness ..	4,695	35	26	1	1	63	13·4	26	31	57	12·1	5	79	1·3
Winterton ..	1,761	23	18	3	—	44	25·0	10	12	22	12·5	2	45	12·5
Woodhall Spa	1,409	3	6	2	—	11	7·8	10	12	22	15·6	2	182	−7·8
RURAL DISTRICTS.	139,700	1,320	1,282	80	89	2,771	19·8	866	782	1,648	11·8	149	54	8·0
Caistor	13,040	123	113	5	12	253	19·4	89	64	153	11·7	4	16	7·7
Gainsborough..	14,380	127	111	7	7	252	17·5	87	82	169	11·8	17	67	5·7
Glanford Brigg	27,630	283	275	19	14	591	21·4	148	153	301	10·9	27	46	10·5
Grimsby	13,330	154	163	6	2	325	24·4	85	65	150	11·3	22	68	13·1
Horncastle ..	12,000	108	92	4	7	211	17·6	74	76	150	12·5	12	57	5·1
Isle of Axholme	6,886	75	74	7	3	159	23·1	51	36	87	12·6	13	82	10·5
Louth	17,330	144	145	14	11	314	18·1	113	102	215	12·4	16	51	5·7
Sibsey	3,064	22	37	1	3	63	20·6	23	21	44	14·4	10	159	6·2
Spilsby	21,070	187	189	11	16	403	19·1	123	129	252	12·0	21	52	7·1
Welton	10,970	97	83	6	14	200	18·2	73	54	127	11·6	7	35	6·6
GREATER LONDON‡	7679218	68,086	65,668	2,645	2,626	139,025	18·1	44,499	43,737	88,236	11·5†	9,049	65	6·6
LONDON: Administrative County, City and Inner and Middle Temples.	4586000	41,797	39,853	1,760	1,737	85,147	18·6	28,402	27,485	55,887	12·2†	5,904	69	6·4
CITY OF LONDON.	13,330	44	46	1	3	94	7·1	82	74	156	11·7	11	117	−4·6
INNER AND MIDDLE TEMPLES.	291	3	1	—	—	4	13·7	5	3	8	27·5	—	—	−13·8
METROPOLITAN BOROUGHS:														
Battersea ..	171,000	1,597	1,434	61	47	3,139	18·4	989	1,029	2,018	11·8	196	62	6·6
Bermondsey ..	122,100	1,441	1,446	41	34	2,962	24·3	905	764	1,669	13·7	233	79	10·6
Bethnal Green	119,200	1,287	1,294	27	32	2,640	22·1	746	717	1,463	12·3	203	77	9·8
Camberwell ..	273,700	2,460	2,545	68	73	5,146	18·8	1,582	1,542	3,124	11·4	361	70	7·4
Chelsea	64,580	444	412	39	31	926	14·3	443	413	856	13·3	59	64	1·0

† Death-rates based upon estimated civilian populations as follows:—Greater London, 7,665,833; London 4,576,505.
‡ See footnote on second page of Table 13

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES. COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LONDON—*cont.*														
METROPOLITAN BORO'S—*cont.*														
Deptford ..	115,200	1,202	1,116	30	28	2,376	20·6	760	619	1,379	12·0	180	76	8·6
Finsbury ..	77,180	837	762	35	32	1,666	21·6	555	549	1,104	14·3	130	78	7·3
Fulham	163,100	1,400	1,435	71	61	2,967	18·2	939	877	1,816	11·1	215	72	7·1
Greenwich ..	103,395	1,043	979	26	19	2,067	20·0	616	563	1,179	11·5†	152	74	8·5
Hackney	226,900	2,067	2,029	63	55	4,214	18·6	1,236	1,317	2,553	11·3	249	59	7·3
Hammersmith	134,200	1,176	1,088	64	71	2,399	17·9	812	837	1,649	12·3	172	72	5·6
Hampstead ..	87,600	560	545	41	40	1,186	13·5	470	559	1,029	11·7	66	56	1·8
Holborn	43,250	280	252	28	18	578	13·4	305	224	529	12·2	47	81	1·2
Islington ..	337,400	3,285	3,170	124	127	6,706	19·9	2,085	2,101	4,186	12·4	446	67	7·5
Kensington ..	178,700	1,418	1,305	94	91	2,908	16·3	1,050	1,282	2,332	13·1†	219	75	3·2
Lambeth ..	309,300	2,855	2,715	160	157	5,887	19·0	2,007	1,902	3,909	12·6	394	67	6·4
Lewisham ..	184,900	1,488	1,444	56	45	3,033	16·4	925	1,004	1,929	10·4	146	48	6·0
Paddington ..	146,400	1,196	1,098	102	105	2,501	17·1	944	978	1,922	13·1	196	78	4·0
Poplar	167,300	1,871	1,866	45	49	3,831	22·9	1,089	937	2,026	12·1	275	72	10·8
St. Marylebone	105,300	717	652	82	80	1,531	14·5	693	725	1,418	13·5	123	80	1·0
St. Pancras ..	214,600	1,946	1,858	118	127	4,049	18·9	1,457	1,358	2,815	13·1†	301	74	5·8
Shoreditch ..	106,500	1,343	1,241	36	38	2,658	25·0	797	648	1,445	13·6	222	84	11·4
Southwark ..	187,714	2,082	1,969	76	93	4,220	22·5	1,496	1,150	2,646	14·1	299	71	8·4
Stepney	254,340	2,729	2,554	63	72	5,418	21·3	1,692	1,451	3,143	12·4†	411	76	8·9
Stoke Newington	52,920	460	395	12	9	876	16·6	281	330	611	11·5	49	56	5·1
Wandsworth ..	338,200	2,507	2,292	88	90	4,977	14·7	1,732	2,012	3,744	11·1	284	57	3·6
Westminster ..	143,000	763	690	81	64	1,598	11·2	907	779	1,686	12·1†	97	61	—0·9
Woolwich ..	144,400	1,296	1,220	28	46	2,590	17·9	802	741	1,543	11·0†	168	65	6·9
MIDDLESEX. Administrative County	1293010	10,756	10,489	379	369	21,993	17·0	6,518	6,830	13,348	10·4†	1227	56	6·6
MUNICIPAL BORO'S AND URBAN DISTRICTS.	1232822*	10,223	9,963	362	346	20,894	16·9	6,226	6,504	12,730	10·4†	1174	56	6·5
Acton M.B. ..	62,980	537	587	14	20	1,158	18·4	320	394	714	11·3	65	56	7·1
Brentford ..	17,590	178	162	6	10	356	20·2	109	105	214	12·2	40	112	8·0
Chiswick ..	40,610	355	324	17	20	716	17·6	226	285	511	12·6	53	74	5·0
Ealing M.B. ..	68,370	480	459	19	22	980	14·3	349	410	759	11·1	46	47	3·2
Edmonton ..	70,450	719	596	25	23	1,363	19·3	356	342	698	9·9	77	56	9·4
Enfield	62,992*	557	530	10	11	1,108	17·6	287	311	598	9·5	49	44	8·1
Feltham	7,230	79	76	1	3	159	22·0	40	37	77	11·1†	9	57	10·9
Finchley ..	47,810	356	374	20	9	759	15·9	214	243	457	9·6	37	49	6·3
Friern Barnet	18,260	140	138	3	1	282	15·4	67	74	141	7·7	17	60	7·7
Greenford ..	1,488	13	8	1	—	22	14·8	6	5	11	7·4	—	—	7·4
Hampton ..	10,840	72	73	1	2	148	13·7	55	67	122	11·3	6	41	2·4
Hampton Wick	3,081	26	14	1	—	41	13·3	17	17	34	11·0	3	73	2·3
Hanwell	20,910	173	163	6	11	353	16·9	116	128	244	11·7	19	54	5·2
Harrow-on-the-Hill.	20,270	161	134	5	—	300	14·8	96	85	181	8·9	15	50	5·9
Hayes	8,238	89	121	2	2	214	26·0	43	35	78	9·5	10	47	16·5
Hendon	57,760	454	444	23	17	938	16·2	234	297	531	9·2†	40	43	7·0
Heston and Isleworth.	47,700	418	400	15	10	843	17·7	262	245	507	10·8†	51	60	6·9
Hornsey M.B.	87,240	580	576	16	17	1,189	13·6	466	472	938	10·8	49	41	2·8
Kingsbury ..	2,090	31	23	1	1	56	26·8	13	8	21	10·0	6	107	16·8
Ruislip Northwood.	10,020	98	85	4	2	189	18·9	46	32	78	8·0†	5	26	10·9
Southall Norwood.	31,800	239	246	3	7	495	15·6	145	142	287	9·0	31	63	6·6
Southgate ..	39,260	232	237	4	4	477	12·1	180	197	377	9·6	27	57	2·5
Staines	7,470	84	62	—	9	155	20·7	63	38	101	13·5	4	26	7·2

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Metropolitan Boroughs—Greenwich, 102,470; Kensington, 178,550; St. Pancras, 214,300; Stepney, 253,740; Westminster, 139,900; Woolwich, 139,980. Middlesex—Administrative County, 1,289,320. Municipal Boroughs and Urban Districts, 1,229,322*; Feltham U.D., 6,937; Hendon U.D., 57,530; Heston and Isleworth U.D., 46,970; Ruislip Northwood U.D., 9,733.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MIDDLESEX—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTS.—*cont.*														
Sunbury-on-Thames.	5,696	55	65	2	2	124	21·8	36	20	56	9·8	4	32	12·0
Teddington ..	21,840	174	205	11	8	398	18·2	112	114	226	10·3	21	53	7·9
Tottenham ..	153,100	1,388	1,390	37	38	2,853	18·6	801	766	1,567	10·2	180	63	8·4
Twickenham ..	35,100	282	277	16	11	586	16·7	191	221	412	11·7	29	49	5·0
Uxbridge ..	13,840	106	101	6	3	216	15·6	76	69	145	12·2†	11	51	3·4
Wealdstone ..	13,910	121	124	6	6	257	18·5	43	83	126	9·1	15	58	9·4
Wembley ..	18,420	180	146	5	8	339	18·4	79	106	185	10·0	9	27	8·4
Willesden ..	169,100	1,375	1,414	71	56	2,916	17·2	891	865	1,756	10·4	205	70	6·8
Wood Green ..	51,840	397	350	8	7	762	14·7	248	265	513	9·9	32	42	4·8
Yiewsley ..	5,517	74	59	3	6	142	25·7	39	26	65	11·8	9	63	13·9
RURAL DISTRICTS.	60,188*	533	526	17	23	1,099	18·3	292	326	618	10·3†	53	48	8·0
Hendon	18,530	135	145	4	3	287	15·5	82	97	179	9·7	14	49	5·8
South Mimms	3,358*	29	15	1	1	46	13·7	15	12	27	8·0	1	22	5·7
Staines	26,250	243	241	6	16	506	19·3	133	144	277	10·6	24	47	8·7
Uxbridge ..	12,050	126	125	6	3	260	21·6	62	73	135	11·4†	14	54	10·2
NORFOLK:														
COUNTY BORO'S:	182,280	1,543	1,549	77	61	3,230	17·7	1,075	1,085	2,160	11·9†	201	62	5·8
Great Yarmouth	57,780	505	486	32	20	1,043	18·1	363	352	715	12·4	66	63	5·7
Norwich	124,500	1,038	1,063	45	41	2,187	17·6	712	733	1,445	11·7†	135	62	5·9
ADMINISTRATIVE COUNTY.	322,810	2,685	2,629	203	170	5,687	17·6	1,885	1,893	3,778	11·7†	310	55	5·9
MUNICIPAL BORO'S AND URBAN DISTRICTS.	61,610	505	491	39	28	1,063	17·3	350	367	717	11·6	57	54	5·7
Cromer	4,240	28	29	3	—	60	14·2	26	21	47	11·1	4	67	3·1
Diss	3,535	33	24	1	2	60	17·0	14	26	40	11·3	3	50	5·7
DownhamMarket	2,336	27	21	1	—	49	21·0	12	20	32	13·7	2	41	7·3
East Dereham	5,685	47	47	4	1	99	17·4	40	29	69	12·1	7	71	5·3
King's LynnM.B.	20,420	171	192	15	10	388	19·0	112	113	225	11·0	20	52	8·0
New Hunstanton	3,055	12	10	—	2	24	7·9	12	14	26	8·5	2	83	−0·6
North Walsham	4,237	34	22	4	4	64	15·1	32	30	62	14·6	5	78	0·5
Sheringham ..	3,810	24	27	1	3	55	14·4	17	25	42	11·0	2	36	3·4
Swaffham ..	2,861	23	18	3	1	45	15·7	16	21	37	12·9	1	22	2·8
Thetford M.B.	4,757	46	40	3	2	91	19·1	28	29	57	12·0	6	66	7·1
Walsoken ..	3,982	46	41	4	3	94	23·6	25	25	50	12·6	5	53	11·0
Wells	2,692	14	20	—	—	34	12·6	16	14	30	11·1	—	—	1·5
RURAL DISTRICTS.	261,200	2,180	2,138	164	142	4,624	17·7	1,535	1,526	3,061	11·7†	253	55	6·0
Aylsham ..	16,860	132	146	11	12	301	17·9	101	86	187	11·1	12	40	6·8
Blofield	12,780	96	100	7	3	206	16·1	61	62	123	9·6	5	24	6·5
Depwade.. ..	19,130	158	142	8	9	317	16·6	104	117	221	11·6	16	50	5·0
Docking	17,210	143	132	12	9	296	17·2	96	101	197	11·7†	12	41	5·5
Downham ..	15,020	147	147	14	8	316	21·0	100	84	184	12·3	23	73	8·7
East and West Flegg.	10,440	98	79	5	2	184	17·6	73	61	134	12·8	17	92	4·8
Erpingham ..	17,660	163	133	8	10	314	17·8	104	115	219	12·4	25	80	5·4
Forehoe	11,940	113	93	6	8	220	18·4	53	64	117	9·8	6	27	8·6
Freebridge Lynn	11,890	90	101	9	12	212	17·8	70	71	141	11·9	8	38	5·9
Henstead ..	10,210	71	69	7	3	150	14·7	53	61	114	11·2	11	73	3·5

* Population adjusted to allow for change in boundary during the year.

† Death-rate based upon estimated civilian population as follows:—Middlesex, Uxbridge U.D., 11,880; Rural Districts, 59,998*: Uxbridge, R.D., 11,860; Norfolk County Boroughs, 181,680; Norwich C.B., 123,900; Administrative County, 322,410; Rural Districts, 260,800; Docking R.D., 16,810.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORFOLK—*cont.*														
RURAL DISTRICTS—*cont.*														
King's Lynn ..	896	6	10	—	—	16	17·9	6	8	14	15·6	1	63	2·3
Loddon and Clavering	12,380	104	98	7	6	215	17·4	92	73	165	13·3	14	65	4·1
Marshland ..	14,610	137	135	18	10	300	20·5	83	70	153	10·5	23	77	10·0
Mitford and Launditch.	18,160	133	152	13	11	309	17·0	98	114	212	11·7	22	71	5·3
St. Faith's ..	11,490	107	92	5	3	207	18·0	64	54	118	10·3	9	43	7·7
Smallburgh ..	14,110	97	123	10	5	235	16·7	71	88	159	11·3	11	47	5·4
Swaffham ..	7,299	66	48	1	12	127	17·4	44	39	83	11·4	12	94	6·0
Thetford ..	9,485	91	86	3	3	183	19·3	76	66	142	15·0	5	27	4·3
Walsingham ..	16,350	125	143	12	10	290	17·7	106	92	198	12·1	13	45	5·6
Wayland ..	13,280	103	109	8	6	226	17·0	80	100	180	13·6	8	35	3·4
NORTHAMPTONSHIRE:														
COUNTY BORO':														
Northampton	93,800	785	693	26	30	1,534	16·4	527	496	1,023	10·9†	80	52	5·5
ADMINISTRATIVE COUNTY.	215,200	1,742	1,611	68	73	3,494	16·2	1,275	1,219	2,494	11·6	185	53	4·6
MUNICIPAL BORO'S AND URBAN DISTRICTS.	101,600	795	755	29	31	1,610	15·8	566	535	1,101	10·8	95	59	5·0
Brackley M.B.	2,313	15	16	2	2	35	15·1	14	14	28	12·1	3	86	3·0
Burton Latimer	3,485	27	26	3	—	56	16·1	13	19	32	9·2	2	36	6·9
Daventry M.B.	3,524	34	27	2	1	64	18·2	20	23	43	12·2	1	16	6·0
Desborough ..	4,333	41	27	1	1	70	16·2	17	18	35	8·1	5	71	8·1
Finedon	4,149	42	35	—	5	82	19·8	23	20	43	10·4	7	85	9·4
Higham Ferrers M.B.	2,965	20	21	—	1	42	14·2	18	18	36	12·1	2	48	2·1
Irthlingborough	5,001	36	35	2	2	75	15·0	25	21	46	9·2	2	27	5·8
Kettering ..	30,430	241	260	6	12	519	17·1	174	157	331	10·9	35	67	6·2
Oundle	2,682	9	11	1	—	21	7·8	9	10	19	7·1	—	—	0·7
Raunds ..	3,824	36	21	1	2	60	15·7	25	16	41	10·7	5	83	5·0
Rothwell ..	4,534	27	30	1	—	58	12·8	25	32	57	12·6	2	34	0·2
Rushden ..	13,750	116	81	1	—	198	14·4	71	64	135	9·8	11	56	4·6
Wellingborough	20,610	151	165	9	5	330	16·0	132	123	255	12·4	20	61	3·6
RURAL DISTRICTS:	113,600	947	856	39	42	1,884	16·6	709	684	1,393	12·3	90	48	4·3
Brackley ..	6,554	57	59	—	4	120	18·3	41	46	87	13·3	6	50	5·0
Brixworth ..	11,920	99	82	4	7	192	16·1	71	70	141	11·8	10	52	4·3
Crick	2,387	17	21	1	—	39	16·3	10	10	20	8·4	—	—	7·9
Daventry ..	14,080	114	116	4	5	239	17·0	96	87	183	13·0	14	59	4·0
Easton-on-the-Hill.	1,460	18	16	1	1	36	24·7	12	9	21	14·4	1	28	10·3
Gretton	1,388	6	7	1	—	14	10·1	10	7	17	12·2	1	71	−2·1
Hardingstone	7,496	68	55	1	2	126	16·8	52	54	106	14·1	6	48	2·7
Kettering ..	9,470	92	68	4	2	166	17·5	49	51	100	10·6	9	54	6·9
MiddletonCheney	2,444	28	19	—	2	49	20·0	12	9	21	8·6	2	41	11·4
Northampton	7,797	75	65	2	3	145	18·6	37	47	84	10·8	9	62	7·8
Oundle (part of)‡	6,580	55	48	2	4	109	16·6	34	38	72	10·9	3	28	5·7
Oxenden ..	4,003	33	20	1	3	57	14·2	32	32	64	16·0	5	88	−1·8
Potterspury ..	4,761	31	34	—	1	66	13·9	37	20	57	12·0	1	15	1·9
Thrapston (part of)‡.	10,510	88	77	5	2	172	16·4	70	73	143	13·6	5	29	2·8
Towcester ..	10,000	73	79	7	3	162	16·2	60	55	115	11·5	8	49	4·7
Wellingborough	12,750	93	90	6	3	192	15·1	86	76	162	12·7	10	52	2·4

† Death-rate based upon estimated civilian population of 93,590.
‡ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORTHUMBERLAND:														
COUNTY BORO'S.	352,240	3,884	3,611	167	148	7,810	22·2	2,516	2,207	4,723	13·4†	758	97	8·8
Newcastle-upon-Tyne.	286,300	3,113	2,917	133	120	6,283	21·9	2,046	1,778	3,824	13·4†	627	100	8·5
Tynemouth ..	65,940	771	694	34	28	1,527	23·2	470	429	899	13·6	131	86	9·6
ADMINISTRATIVE COUNTY.	411,300	4,434	4,317	179	195	9,125	22·2	2,617	2,334	4,951	12·1†	753	83	10·1
MUNICIPAL BORO'S AND URBAN DISTRICTS.	305,600	3,498	3,419	133	153	7,203	23·6	2,000	1,766	3,766	12·3†	628	87	11·3
Alnwick	7,045	77	65	4	4	150	21·3	50	42	92	13·1	10	67	8·2
Amble	4,673	53	42	4	3	102	21·8	37	35	72	15·4	9	88	6·4
Ashington ..	31,400	444	440	16	25	925	29·5	201	175	376	12·0	106	115	17·5
Bedlingtonshire	28,230	365	335	20	19	739	26·2	197	154	351	12·4	74	100	13·8
Berwick-upon-Tweed M.B.	12,580	149	135	7	9	300	23·8	127	115	242	19·5†	38	127	4·3
Blyth M.B. ..	33,350	424	442	18	8	892	26·7	229	193	422	12·7	72	81	14·0
Cramlington ..	9,309	110	103	2	5	220	23·6	72	51	123	13·2	17	77	10·4
Earsdon	11,930	132	138	4	3	277	23·2	61	62	123	10·3	18	65	12·9
Gosforth ..	15,660	131	119	3	6	259	16·5	74	86	160	10·2	16	62	6·3
Hexham	8,539	72	80	5	6	163	19·1	55	72	127	14·9	15	92	4·2
Longbenton ..	13,880	141	145	2	5	293	21·1	81	79	160	11·5	20	68	9·6
Morpeth M.B.	7,640	74	79	6	6	165	21·6	48	48	96	12·6	14	85	9·0
Newbiggin by the Sea	6,861	95	93	5	1	194	28·3	59	35	94	13·7	23	119	14·6
Newburn.. ..	20,460	264	244	9	7	524	25·6	131	95	226	11·0	38	73	14·6
Prudhoe	9,299	79	99	5	4	187	20·1	44	48	92	9·9	11	59	10·2
Rothbury ..	1,233	5	9	—	—	14	11·4	10	4	14	11·4	—	—	—
Seaton Delaval	8,026	87	79	2	6	174	21·7	52	45	97	12·1	12	69	9·6
Seghill	2,080	25	30	—	—	55	26·4	9	10	19	9·1	1	18	17·3
Wallsend M.B.	45,480	532	521	17	19	1,089	23·9	306	263	569	12·5	100	92	11·4
Weetslade ..	7,405	108	101	1	4	214	28·9	46	40	86	11·6	18	84	17·3
Whitley and Monkseaton	20,520	131	120	3	13	267	13·0	111	114	225	11·0	16	60	2·0
RURAL DISTRICTS	105,700	936	898	46	42	1,922	18·2	617	568	1,185	11·3†	125	65	6·9
Alnwick	12,570	114	103	3	5	225	17·9	74	79	153	12·2	15	67	5·7
Belford	4,943	39	30	4	—	73	14·8	36	32	68	13·8	7	96	1·0
Bellingham ..	6,221	48	56	1	2	107	17·2	34	34	68	11·9†	9	84	5·3
Castle Ward ..	13,060	130	104	7	3	244	18·7	55	60	115	8·8	15	61	9·9
Glendale ..	8,004	62	57	4	4	127	15·9	63	58	121	15·1	8	63	0·8
Haltwhistle ..	9,544	89	100	5	6	200	21·0	48	47	95	10·0	13	65	11·0
Hexham	22,200	177	179	7	10	373	16·8	135	126	261	11·8	26	70	5·0
Morpeth	18,920	185	193	8	5	391	20·7	100	73	173	9·1	25	64	11·6
Newcastle-upon-Tyne (Moot Hall and precincts)	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires	5,372	45	43	5	5	98	18·2	31	35	66	12·3	4	41	5·9
Rothbury ..	4,860	47	33	2	2	84	17·3	41	24	65	13·4	3	36	3·9
NOTTINGHAMSHIRE														
COUNTY BORO':														
Nottingham ..	270,300	2,508	2,387	156	162	5,213	19·3	1,797	1,706	3,503	13·0	441	85	6·3
ADMINISTRATIVE COUNTY.	392,000	3,960	3,781	194	150	8,085	20·6	2,240	2,130	4,370	11·2†	642	79	9·4

† Death-rates based upon estimated civilian populations as follows:—Northumberland—County Boroughs—351,840; Newcastle-upon-Tyne C.B., 285,900; Administrative County, 410,600; Municipal Boroughs and Urban Districts, 305,400; Berwick-upon-Tweed M.B., 12,380; Rural Districts, 105,200; Bellingham R.D., 5,721; Nottinghamshire Administrative County, 391,700.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NOTTINGHAMSHIRE—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS.	253,100	2,618	2,554	128	105	5,405	21·4	1,440	1,307	2,747	10·9	449	83	10·5
Arnold	12,160	122	102	3	2	229	18·8	58	53	111	9·1	13	57	9·7
Beeston	12,890	125	114	5	5	249	19·3	75	74	149	11·6	20	80	7·7
Carlton	19,420	193	203	12	8	416	21·4	105	99	204	10·5	20	48	10·9
East Retford M.B.	13,380	136	137	14	4	291	21·7	88	101	189	14·1	28	96	7·6
Eastwood ..	5,439	54	66	2	2	124	22·8	35	22	57	10·5	13	105	12·3
Hucknall.. ..	17,660	179	189	7	9	384	21·7	105	96	201	11·4	38	99	10·3
Huthwaite ..	5,646	67	66	2	3	138	24·4	41	28	69	12·2	9	65	12·2
Kirkby-in-Ashfield.	18,640	195	181	13	9	398	21·4	109	83	192	10·3	45	113	11·1
Mansfield M.B.	46,760	474	446	18	24	962	20·6	254	207	461	9·9	78	81	10·7
Mansfield Woodhouse.	14,330	192	161	5	3	361	25·1	81	71	152	10·6	47	130	14·5
Newark M.B.	16,730	138	164	7	10	319	19·1	109	105	214	12·8	18	56	6·3
Sutton-in-Ashfield.	24,960	275	269	19	5	568	22·8	145	121	266	10·7	35	62	12·1
Warsop	7,885	93	102	4	4	203	25·7	42	36	78	9·9	19	94	15·8
West Bridgford	13,200	85	71	2	4	162	12·3	64	74	138	10·5	8	49	1·8
Worksop ..	23,970	290	283	15	13	601	25·1	129	137	266	11·1	58	97	14·0
RURAL DISTRICTS:	138,900	1,342	1,227	66	45	2,680	19·3	800	823	1,623	11·7†	193	72	7·6
Basford	44,500	398	405	15	11	829	18·6	249	247	496	11·1	64	77	7·5
Bingham ..	14,510	124	102	6	10	242	16·7	91	112	203	14·0	23	95	2·7
Blyth and Cuckney.	5,603	71	65	5	2	143	25·5	32	39	71	12·7	12	84	12·8
East Retford ..	14,810	128	98	10	7	243	16·4	87	101	188	12·7	16	66	3·7
Leake	3,745	32	32	1	—	65	17·4	21	21	42	11·2	4	62	6·2
Misterton ..	4,225	46	32	3	2	77	18·2	25	17	42	9·9	3	39	8·3
Newark	9,030	102	67	4	2	175	19·4	48	43	91	10·1	10	57	9·3
Nottingham (Shire Hall)	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby	9,831	130	140	4	3	277	28·2	55	62	117	11·9	25	90	16·3
Southwell ..	20,360	186	188	16	2	392	19·3	130	120	250	12·3	20	51	7·0
Stapleford ..	11,870	127	98	2	6	233	19·6	60	61	121	10·5†	15	64	9·1
Civil Parishes of Kingston upon Soar and Ratcliffe upon Soar administered by R.D.C. of Shardlow (Derbyshire).	407	4	—	—	—	4	9·8	2	—	2	4·9	1	250	4·9
OXFORDSHIRE:														
COUNTY BORO':														
Oxford	57,260	430	408	22	18	878	15·3	325	360	685	12·0	46	52	3·3
ADMINISTRATIVE COUNTY.	134,460	1,084	1,082	53	69	2,288	17·0	843	823	1,666	12·4†	114	50	4·6
MUNICIPAL BORO'S AND URBAN DISTRICTS.	35,870	289	253	18	19	579	16·1	205	246	451	12·6	25	43	3·5
Banbury M.B.	13,720	117	100	4	5	226	16·5	67	85	152	11·1	7	31	5·4
Bicester	3,031	29	30	4	7	70	23·1	24	23	47	15·5	5	71	7·6
Chipping Norton M.B.	3,545	28	27	—	—	55	15·5	21	23	44	12·4	1	18	3·1

† Death-rates based upon estimated civilian populations as follows:—Nottinghamshire, Rural Districts 138,600; Stapleford R.D. 11,570; Oxfordshire, Administrative County, 134,190.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
OXFORDSHIRE —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Henley-on-Thames M.B.	6,610	46	38	4	2	90	13·6	45	48	93	14·1	7	78	−0·5
Thame	2,909	16	20	3	3	42	14·4	17	28	45	15·5	1	24	−1·1
Wheatley ..	995	8	6	—	—	14	14·1	7	4	11	11·1	1	71	3·0
Witney	3,488	33	20	2	1	56	16·1	9	29	38	10·9	2	36	5·2
Woodstock M.B.	1,572	12	12	1	1	26	16·5	15	6	21	13·4	1	38	3·1
RURAL DISTRICTS.	98,590	795	829	35	50	1,709	17·3	638	577	1,215	12·4†	89	52	4·9
Banbury ..	11,270	88	92	6	2	188	16·7	86	65	151	13·4	7	37	3·3
Bicester	8,679	66	90	2	3	161	18·6	64	54	118	13·6	10	62	5·0
Chipping Norton	10,340	78	85	3	5	171	16·5	80	70	150	14·5	8	47	2·0
Crowmarsh ..	5,084	46	41	1	2	90	17·7	34	37	71	14·0	3	33	3·7
Culham	2,532	21	23	2	—	46	18·2	12	14	26	10·3	3	65	7·9
Goring	3,236	16	20	—	—	36	11·1	20	19	39	12·1	2	56	−1·0
Headington ..	14,750	129	116	6	13	264	17·9	75	72	147	10·2†	10	38	7·7
Henley	10,900	81	78	2	6	167	15·3	62	68	130	11·9	11	66	3·4
Thame	5,179	44	47	—	4	95	18·3	28	40	68	13·1	7	74	5·2
Witney	16,180	123	146	8	10	287	17·7	109	87	196	12·1	14	49	5·6
Woodstock ..	10,440	103	91	5	5	204	19·5	68	51	119	11·4	14	69	8·1
PETERBOROUGH, SOKE OF: Administrative County.	48,400	379	347	17	23	766	15·8	281	266	547	11·3	46	60	4·5
MUNICIPAL BORO': Peterborough M.B.	36,490	266	239	12	20	537	14·7	215	196	411	11·3	32	60	3·4
RURAL DISTRICTS.	11,910	113	108	5	3	229	19·2	66	70	136	11·4	14	61	7·8
Barnack	1,974	17	17	1	—	35	17·7	12	7	19	9·6	2	57	8·1
Peterborough	9,936	96	91	4	3	194	19·5	54	63	117	11·8	12	62	7·7
RUTLANDSHIRE: Administrative County.	18,400	156	144	14	3	317	17·2	119	100	219	11·9	23	73	5·3
URBAN DISTRICT: Oakham	3,300	21	26	2	1	50	15·2	20	20	40	12·1	3	60	3·1
RURAL DISTRICTS.	15,100	135	118	12	2	267	17·7	99	80	179	11·9	20	75	5·8
Ketton	2,916	25	21	2	—	48	16·5	16	18	34	11·7	3	63	4·8
Oakham	5,994	67	51	7	1	126	21·0	46	35	81	13·5	12	95	7·5
Uppingham ..	6,190	43	46	3	1	93	15·0	37	27	64	10·3	5	54	4·7
SHROPSHIRE: Administrative County.	246,900	2,205	2,124	140	153	4,622	18·7	1,551	1,551	3,102	12·6†	269	58	6·1
MUNICIPAL BORO'S AND URBAN DISTRICTS.	114,500	1,021	972	52	74	2,119	18·5	774	782	1,556	13·7†	127	60	4·8
Bishop's Castle M.B.	1,272	7	11	2	1	21	16·5	5	10	15	11·8	—	—	4·7
Bridgnorth M.B.	5,021	44	32	2	4	82	16·3	34	40	74	14·7	7	85	1·6
Church Stretton	1,582	11	11	—	1	23	14·5	8	11	19	12·0	—	—	2·5
Dawley	7,574	76	78	2	5	161	21·3	55	43	98	12·9	10	62	8·4
Ellesmere ..	1,841	24	12	1	1	38	20·6	10	16	26	14·1	1	26	6·5

† Death rates based upon estimated civilian populations as follows:—Oxfordshire—Rural Districts, 98,320; Headington R.D., 14,480; Shropshire—Administrative County 246,200; Municipal Boroughs and Urban Districts, 113,800.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Ludlow M.B. ..	5,455	47	48	1	3	99	18·1	52	44	96	17·6	5	51	0·5
Market Drayton	4,745	39	33	3	2	77	16·2	44	39	83	17·5	7	91	—1·3
Newport ..	3,133	26	16	3	3	48	15·3	22	18	40	12·8	2	42	2·5
Oakengates ..	11,850	103	89	5	4	201	17·0	65	70	135	11·4	19	95	5·6
Oswestry M.B.	9,908	97	108	4	11	220	22·2	83	83	166	16·8	21	95	5·4
Shrewsbury M.B.	32,360	310	286	14	18	628	19·4	180	196	376	11·9†	29	46	7·5
Wellington ..	8,061	61	58	10	6	135	16·7	63	56	119	14·8	4	30	1·9
Wem	2,235	20	15	1	1	37	16·6	15	15	30	13·4	2	54	3·2
Wenlock M.B.	13,830	112	125	4	12	253	18·3	103	103	206	14·9	14	55	3·4
Whitchurch ..	5,633	44	50	—	2	96	17·0	35	38	73	13·0	6	63	4·0
RURAL DISTRICTS.	132,400	1,184	1,152	88	79	2,503	18·9	777	769	1,546	11·7	142	57	7·2
Atcham	22,470	189	186	12	9	396	17·6	124	108	232	10·3	30	76	7·3
Bridgnorth ..	8,602	83	92	8	3	186	21·6	41	55	96	11·2	12	65	10·4
Burford	1,254	5	9	—	—	14	11·2	7	10	17	13·6	2	143	—2·4
Chirbury ..	3,346	26	35	—	3	64	19·1	27	25	52	15·5	3	47	3·6
Church Stretton	4,511	50	48	8	6	112	24·8	35	27	62	13·7	6	54	11·1
Cleobury Mortimer	7,763	72	82	5	5	164	21·1	37	33	70	9·0	8	49	12·1
Clun..	6,346	52	48	1	2	103	16·2	36	42	78	12·3	5	49	3·9
Drayton	7,343	61	71	3	7	142	19·3	47	42	89	12·1	7	49	7·2
Ellesmere ..	8,120	69	52	3	2	126	15·5	29	44	73	9·0	5	40	6·5
Ludlow	8,966	78	61	6	8	153	17·1	49	49	98	10·9	9	59	6·2
Newport	5,795	49	36	5	5	95	16·4	39	51	90	15·5	7	74	0·9
Oswestry.. ..	16,510	164	160	16	11	351	21·3	89	99	188	11·4	20	57	9·9
Shifnal	7,624	68	67	2	4	141	18·5	57	41	98	12·9	7	50	5·6
Teme	1,664	14	12	—	2	28	16·8	16	12	28	16·8	—	—	—
Wellington ..	11,330	109	99	10	5	223	19·7	81	67	148	13·1	7	31	6·6
Wem	8,645	70	74	8	6	158	18·3	51	46	97	11·2	12	76	7·1
Whitchurch ..	2,111	25	20	1	1	47	22·3	12	18	30	14·2	2	43	8·1
SOMERSETSHIRE:														
COUNTY BORO':														
Bath	69,270	453	407	33	22	915	13·2	400	554	954	13·8	78	85	—0·6
ADMINISTRATIVE COUNTY.	398,300	3,182	3,033	161	128	6,504	16·3	2,395	2,491	4,886	12·3†	350	54	4·0
MUNICIPAL BORO'S AND URBAN DISTRICTS.	167,100	1,264	1,225	65	43	2,597	15·5	974	1,092	2,066	12·4†	149	57	3·1
Bridgwater M.B.	16,430	144	153	9	6	312	19·0	100	106	206	12·5	23	74	6·5
Burnham-on-Sea	4,988	20	33	3	—	56	11·2	26	35	61	12·2	—	—	—1·0
Chard M.B. ..	4,335	34	38	4	2	78	18·0	27	27	54	12·5	6	77	5·5
Clevedon ..	6,256	38	30	2	2	72	11·5	37	59	96	15·3	2	28	—3·8
Crewkerne ..	3,714	28	26	—	—	54	14·5	29	24	53	14·3	1	19	0·2
Frome	10,790	76	74	2	3	155	14·4	65	83	148	13·7	10	65	0·7
Glastonbury M.B.	4,442	30	41	1	1	73	16·4	26	26	52	11·7	3	41	4·7
Highbridge ..	2,559	21	26	—	—	47	18·4	12	13	25	9·8	2	43	8·6
Ilminster.. ..	2,287	14	12	—	1	27	11·8	20	14	34	14·9	2	74	—3·1
Midsomer Norton	8,164	72	63	—	—	135	16·5	39	40	79	9·7	9	67	6·8
Minehead ..	5,385	31	41	4	2	78	14·5	30	47	77	14·3	7	90	0·2
Portishead ..	3,916	28	27	5	1	61	15·6	14	12	26	6·6	3	49	9·0

† Death-rates based upon estimated civilian populations as follows:—Shropshire—Shrewsbury M.B., 31,660; Somersetshire—Administrative County, 398,100; Municipal Boroughs and Urban Districts, 166,900.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES. COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOMERSETSHIRE —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Radstock ..	3,830	24	39	1	—	64	16·7	20	25	45	11·7	3	47	5·0
Shepton Mallet	4,320	40	31	4	2	77	17·8	31	31	62	14·4	6	78	3·4
Street	4,447	33	39	1	—	73	16·4	23	28	51	11·5	3	41	4·9
Taunton M.B.	24,870	195	161	14	10	380	15·3	139	148	287	11·6†	17	45	3·7
Watchet	1,818	16	10	—	1	27	14·9	14	14	28	15·4	4	148	−0·5
Wellington ..	7,089	50	44	1	1	96	13·5	49	45	94	13·3	8	83	0·2
Wells M.B. ..	4,390	46	38	2	—	86	19·6	24	33	57	13·0	2	23	6·6
Weston-super-Mare.	25,750	161	166	5	8	340	13·2	140	196	336	13·0	15	44	0·2
Wiveliscombe..	1,260	11	11	1	—	23	18·3	15	6	21	16·7	1	43	1·6
Yeovil M.B. ..	16,030	152	122	6	3	283	17·6	94	80	174	10·8	22	78	6·8
RURAL DISTRICTS.	231,200	1,918	1,808	96	85	3,907	16·9	1,421	1,399	2,820	12·2	201	51	4·7
Axbridge.. ..	23,830	201	183	13	14	411	17·2	129	145	274	11·5	20	49	5·7
Bath	14,840	117	121	4	5	247	16·6	96	82	178	12·0	16	65	4·6
Bridgwater ..	17,670	153	172	10	11	346	19·6	117	121	238	13·5	26	75	6·1
Chard	12,700	104	122	4	5	235	18·5	103	85	188	14·8	9	38	3·7
Clutton	16,370	158	138	4	9	309	18·9	100	95	195	11·9	18	58	7·0
Dulverton ..	4,605	35	41	5	2	83	18·0	27	23	50	10·9	6	72	7·1
Frome	10,920	100	66	3	3	172	15·8	56	52	108	9·9	14	81	5·9
Keynsham ..	10,930	81	70	7	1	159	14·5	62	52	114	10·4	6	38	4·1
Langport ..	12,880	120	101	9	2	232	18·0	82	81	163	12·7	12	52	5·3
Long Ashton ..	18,690	149	123	4	3	279	14·9	129	101	230	12·3	12	43	2·6
Shepton Mallet	9,931	90	90	3	2	185	18·6	66	56	122	12·3	5	27	6·3
Taunton	16,270	129	118	4	8	259	15·9	98	87	185	11·4	7	27	4·5
Wellington ..	5,854	49	37	—	2	88	15·0	41	42	83	14·2	8	91	0·8
Wells	10,540	91	80	3	6	180	17·1	48	65	113	10·7	7	39	6·4
Williton	11,830	88	85	6	5	184	15·6	63	84	147	12·4	6	33	3·2
Wincanton ..	16,150	105	137	10	4	256	15·9	103	116	219	13·6	11	43	2·3
Yeovil	17,160	148	124	7	3	282	16·4	101	112	213	12·4	18	64	4·0
SOUTHAMPTON:														
COUNTY BORO'S.	501,650	4,590	4,351	172	190	9,303	18·5	3,043	2,969	6,012	12·4†	585	63	6·1
Bournemouth..	84,450	508	541	33	30	1,112	13·2	528	642	1,170	13·9	50	45	−0·7
Portsmouth ..	249,900	2,482	2,352	88	100	5,022	20·1	1,490	1,436	2,926	12·6†	338	67	7·5
Southampton ..	167,300	1,600	1,458	51	60	3,169	18·9	1,025	891	1,916	11·5	197	62	7·4
ADMINISTRATIVE COUNTY.	429,500	3,806	3,586	193	173	7,758	18·1	2,279	2,275	4,554	11·3†	426	55	6·8
MUNICIPAL BORO'S AND URBAN DISTRICTS.	193,800	1,756	1,644	90	55	3,545	18·3	1,017	966	1,983	11·3†	213	60	7·0
Aldershot M.B.	35,990	378	327	21	10	736	20·5	144	133	277	11·1†	47	64	9·4
Alton	5,488	54	46	5	2	107	19·5	36	35	71	12·9	3	28	6·6
Andover M.B.	8,513	75	83	6	5	169	19·9	59	42	101	11·9	11	65	8·0
Basingstoke M.B.	12,980	105	99	1	12	217	16·7	71	73	144	11·1	14	65	5·6
Christchurch M.B.	6,868	57	51	3	1	112	16·3	41	35	76	11·1	3	27	5·2
Eastleigh and Bishopstoke.	16,010	161	149	4	3	317	19·8	83	0	163	10·2	20	63	9·6
Fareham ..	10,190	76	86	6	4	172	16·9	59	46	105	10·3	5	29	6·6
Farnborough ..	15,070	136	135	—	1	272	18·0	65	47	112	10·5†	12	44	7·5

† Death-rates based upon estimated civilian populations as follows:—Somersetshire, Taunton M.B., 24,670; Southampton—County Boroughs, 483,750; Portsmouth C.B., 232,000; Administrative County, 403,300; Municipal Boroughs and Urban Districts, 175,600; Aldershot M.B., 24,930; Farnborough U.D., 10,680.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOUTHAMPTON —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Fleet	3,678	23	32	1	—	56	15·2	11	17	28	7·6	4	71	7·6
Gosport M.B...	32,680	299	298	18	7	622	19·0	169	169	338	11·1†	41	66	7·9
Havant	4,374	32	33	2	1	68	15·5	17	23	40	9·1	3	44	6·4
Lymington M.B.	4,584	42	31	4	1	78	17·0	31	31	62	13·5	4	51	3·5
Petersfield ..	3,944	41	24	3	2	70	17·8	19	22	41	10·4	4	57	7·4
Romsey M.B.	4,848	41	40	3	—	84	17·3	37	26	63	13·0	8	95	4·3
Warblington ..	3,953	32	28	3	1	64	16·2	29	29	58	14·7	5	78	1·5
Winchester M.B.	24,630	204	182	10	5	401	16·3	146	158	304	12·7†	29	72	3·6
RURAL DISTRICTS.	235,700	2,050	1,942	103	118	4,213	17·9	1,262	1,309	2,571	11·3†	213	51	6·6
Alresford.. ..	7,584	64	61	—	4	129	17·0	46	44	90	11·9	11	85	5·1
Alton	18,630	185	149	8	8	350	18·8	97	94	191	12·1†	19	54	6·7
Andover	11,900	143	120	5	10	278	23·4	55	62	117	10·2†	13	47	13·2
Basingstoke ..	13,010	111	102	7	8	228	17·5	65	70	135	10·5†	13	57	7·0
Catherington ..	4,197	37	33	1	2	73	17·4	30	25	55	13·1	3	41	4·3
Christchurch	5,526	48	39	1	3	91	16·5	35	36	71	12·8	8	88	3·7
Droxford.. ..	13,360	107	106	8	14	235	17·6	81	100	181	13·5	10	43	4·1
Fareham ..	16,190	136	116	5	8	265	16·4	68	68	136	8·9†	18	68	7·5
Fordingbridge	6,299	55	55	2	2	114	18·1	50	45	95	15·1	4	35	3·0
Hartley Wintney	20,890	183	189	9	11	392	18·8	96	116	212	10·5†	18	46	8·3
Havant	7,394	50	60	3	—	113	15·3	41	45	86	11·6	7	62	3·7
Hursley	4,754	37	41	3	1	82	17·2	33	32	65	13·7	3	37	3·5
Kingsclere ..	8,604	78	71	7	—	156	18·1	40	48	88	10·2	3	19	7·9
Lymington ..	13,090	89	105	10	4	208	15·9	91	83	174	13·3	12	58	2·6
New Forest ..	19,410	168	181	11	15	375	19·3	95	102	197	10·4†	15	40	8·9
Petersfield ..	12,290	93	105	6	6	210	17·1	67	65	132	11·6†	9	43	5·5
Ringwood ..	7,497	61	51	4	1	117	15·6	54	45	99	13·2	6	51	2·4
Romsey	7,103	68	45	1	3	117	16·5	46	41	87	12·2	7	60	4·3
South Stoneham	12,600	128	111	2	6	247	19·6	61	52	113	9·2†	12	49	10·4
Stockbridge ..	6,288	42	59	4	4	109	17·3	30	47	77	12·2	10	92	5·1
Whitchurch ..	6,474	65	40	2	2	109	16·8	29	37	66	10·2	4	37	6·6
Winchester ..	12,610	102	103	4	6	215	17·0	52	52	104	9·0†	8	37	8·0
STAFFORDSHIRE:														
COUNTY BORO'S.	694,880	7,645	7,323	279	273	15,520	22·3	4,529	4,053	8,582	12·4	1,369	88	9·9
Burton-upon-Trent.	49,660	489	453	15	14	971	19·6	287	294	581	11·7	59	61	7·9
Smethwick ..	78,790	758	795	19	19	1,591	20·2	397	390	787	10·0	118	74	10·2
Stoke-on-Trent	278,000	3,245	3,084	160	150	6,639	23·9	1,991	1,769	3,760	13·5	667	100	10·4
Walsall	101,500	1,155	1,133	25	43	2,356	23·2	633	576	1,209	11·9	184	78	11·3
West Bromwich	78,730	950	872	24	16	1,862	23·7	516	446	962	12·2	165	89	11·5
Wolverhampton	108,200	1,048	986	36	31	2,101	19·4	705	578	1,283	11·9	176	84	7·5
ADMINISTRATIVE COUNTY.	720,100	7,729	7,327	247	243	15,546	21·6	4,332	3,906	8,238	11·5†	1,233	79	10·1

† Death-rates based upon estimated civilian populations as follows:—Southampton—Gosport M.B., 30,580; Winchester M.B., 23,980; Rural Districts, 227,700; Alton R.D., 15,730; Andover R.D., 11,500; Basingstoke R.D., 12,810; Fareham R.D., 15,200; Hartley Wintney R.D., 20,100; New Forest R.D., 18,920; Petersfield R.D., 11,340; South Stoneham R.D., 12,330; Winchester R.D. 11 600; Staffordshire—Administrative County, 718,400

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS.	507,100	5,631	5,242	170	146	11,189	22·1	3,109	2,758	5,867	11·6	933	84	10·5
Amblecote ..	3,273	23	38	—	1	62	18·9	18	16	34	10·4	—	—	8·5
Audley	15,240	148	125	3	9	285	18·7	84	73	157	10·3	22	77	8·4
Biddulph ..	8,495	76	83	2	2	163	19·2	33	42	75	8·8	10	61	10·4
Bilston	30,310	394	381	16	12	803	26·5	197	185	382	12·6	78	97	13·9
Brierley Hill ..	13,000	155	144	1	5	305	23·5	76	61	137	10·5	21	69	13·0
Brownhills ..	20,080	249	220	9	8	486	24·2	114	90	204	10·2	55	113	14·0
Cannock	34,710	424	434	14	15	887	25·6	217	156	373	10·7	72	81	14·9
Coseley	25,780	304	277	3	9	593	23·0	169	149	318	12·3	45	76	10·7
Darlaston ..	19,290	239	219	4	5	467	24·2	126	125	251	13·0	50	107	11·2
Heathtown or Wednesfield Heath.	14,100	146	129	4	4	283	20·1	87	74	161	11·4	23	81	8·7
Kidsgrove ..	10,490	106	89	3	1	199	19·0	66	64	130	12·4	22	111	6·6
Leek	16,870	164	150	12	6	332	19·7	98	125	223	13·2	18	54	6·5
Lichfield M.B.	8,451	68	67	3	5	143	16·9	50	44	94	11·1	15	105	5·8
Newcastle-under-Lyme M.B.	21,430	252	218	10	7	487	22·7	172	141	313	14·6	49	101	8·1
Perry Barr ..	3,049	34	21	—	1	56	18·4	17	11	28	9·2	6	107	9·2
Quarry Bank..	8,414	91	92	6	2	191	22·7	42	45	87	10·3	12	63	12·4
Rowley Regis..	42,460	439	427	7	2	875	20·6	227	206	433	10·2	70	80	10·4
Rugeley	5,037	49	52	1	1	103	20·4	26	30	56	11·1	6	58	9·3
Sedgley	19,180	223	208	5	7	448	23·4	114	138	252	13·1	36	80	10·3
Short Heath ..	4,749	55	68	1	—	124	26·1	25	37	62	13·1	10	81	13·0
Stafford M.B.	28,730	223	208	5	13	449	15·6	147	132	279	9·7	33	73	5·9
Stone	5,640	41	40	3	1	85	15·1	45	34	79	14·0	4	47	1·1
Tamworth M.B.	8,209	97	87	3	2	189	23·0	51	46	97	11·8	17	90	11·2
Tettenhall ..	5,430	37	41	2	—	80	14·7	46	31	77	14·2	6	75	0·5
Tipton	36,930	466	436	8	5	915	24·8	235	180	415	11·2	78	85	13·6
Uttoxeter ..	5,575	48	63	4	3	118	21·2	37	32	69	12·4	8	68	8·8
Wednesbury M.B.	32,880	388	349	15	9	761	23·1	212	210	422	12·8	72	95	10·3
Wednesfield ..	7,998	87	79	2	1	169	21·1	61	27	88	11·0	10	59	10·1
Willenhall ..	21,240	272	232	11	3	518	24·4	136	115	251	11·8	46	89	12·6
Wolstanton United.	30,060	328	265	13	7	613	20·4	181	139	320	10·6	42	69	9·8
RURAL DISTRICTS.	213,000	2,098	2,085	77	97	4,357	20·5	1,223	1,148	2,371	11·2†	297	68	9·3
Blore Heath	2,511	18	18	3	3	42	16·7	14	16	30	11·9	3	71	4·8
Cannock	22,910	270	254	9	12	545	23·8	129	118	247	10·8	44	81	13·0
Cheadle	26,340	267	288	11	13	579	22·0	144	122	266	10·1	51	88	11·9
Dudley	22	—	—	—	—	—	—	—	—	—	—	—	—	—
Gnosall	4,729	42	38	4	2	86	18·2	27	24	51	10·8	5	58	7·4
Kingswinford	22,670	267	223	8	5	503	22·2	135	117	252	11·1	34	68	11·1
Leek	14,620	131	126	4	10	271	18·5	88	91	179	12·2	20	74	6·3
Lichfield ..	32,880	305	306	13	17	641	19·5	175	154	329	10·6†	44	69	8·9
Mayfield	4,002	41	41	1	2	85	21·2	19	30	49	12·2	4	47	9·0
Newcastle-under-Lyme.	6,262	62	60	3	1	126	20·1	40	48	88	14·1	9	71	6·0
Seisdon	17,400	136	151	3	5	295	17·0	110	110	220	12·6	19	64	4·4
Stafford	9,192	89	89	4	3	185	20·1	59	54	113	12·3	12	65	7·8
Stone	12,040	115	125	2	2	244	20·3	85	69	154	12·8	13	53	7·5
Tamworth (part of).§	5,827	75	78	1	1	155	26·6	32	32	64	11·0	9	58	15·6

† Death-rates based upon estimated civilian populations as follows:—Staffordshire—Rural Districts, 211,300; Lichfield R.D., 31,180.

§ The remainder of Tamworth Rural District is in Warwickshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Tutbury	8,939	87	80	4	6	177	19·8	50	54	104	11·6	10	56	8·2
Uttoxeter ..	8,211	63	62	6	7	138	16·8	48	49	97	11·8	6	43	5·0
Walsall	13,760	127	141	1	8	277	20·1	66	59	125	9·1	14	51	11·0
Civil Parishes of Blymhill and Weston under Lizard, administered by R.D.C. of Shifnal (Shropshire).	685	3	5	—	—	8	11·7	2	1	3	4·4	—	—	7·3
SUFFOLK EAST:														
COUNTY BORO':														
Ipswich	82,710	703	670	35	28	1,436	17·4	398	404	802	9·7	75	52	7·7
ADMINISTRATIVE COUNTY.	213,020	1,881	1,704	117	101	3,803	17·9	1,271	1,159	2,430	11·6†	221	58	6·3
MUNICIPAL BORO'S AND URBAN DISTRICTS.	90,420	792	727	43	36	1,598	17·7	517	476	993	11·1†	99	62	6·6
Aldeburgh M.B.	2,468	16	17	—	—	33	13·4	23	22	45	18·2	3	91	−4·8
Beccles M.B. ..	7,082	59	45	2	4	110	15·5	34	38	72	10·2	4	36	5·3
Bungay	3,219	26	33	3	1	63	19·6	24	27	51	15·8	5	79	3·8
Eye M.B. ..	1,850	12	11	1	—	24	13·0	10	8	18	9·7	1	42	3·3
Felixstowe ..	10,130	73	73	8	8	162	16·0	56	50	106	11·1†	13	80	4·9
Halesworth ..	2,118	18	18	—	—	36	17·0	13	13	26	12·3	4	111	4·7
Leiston cum Sizewell.	4,807	33	42	2	1	78	16·2	28	27	55	11·4	5	64	4·8
Lowestoft M.B.	45,700	450	394	18	18	880	19·3	253	220	473	10·4	54	61	8·9
Saxmundham..	1,360	10	11	—	1	22	16·2	8	8	16	11·8	1	4	4·4
Southwold M.B.	2,810	13	18	1	—	32	11·4	17	12	29	10·3	1	31	1·1
Stowmarket ..	4,269	40	28	4	1	73	17·1	25	30	55	12·9	5	68	4·2
Woodbridge ..	4,607	42	37	4	2	85	18·5	26	21	47	10·2	3	35	8·3
RURAL DISTRICTS.	122,600	1,089	977	74	65	2,205	18·0	754	683	1,437	12·0†	122	55	6·0
Blything ..	18,000	169	152	17	9	347	19·3	116	102	218	12·1	19	55	7·2
Bosmere and Claydon.	14,280	139	125	8	8	280	19·6	87	85	172	12·0	14	50	7·6
East Stow ..	6,571	71	55	4	5	135	20·5	48	30	78	11·9	7	52	8·6
Hartismere ..	10,940	89	93	8	6	196	17·9	71	71	142	13·0	9	46	4·9
Hoxne	9,751	83	92	6	3	184	18·9	61	49	110	11·3	10	54	7·6
Mutford and Lothingland.	12,140	108	112	6	9	235	19·4	60	59	119	9·8	9	38	9·6
Plomesgate ..	15,200	146	112	7	11	276	18·2	106	81	187	12·3	16	58	5·9
Samford	14,570	121	96	4	3	224	15·4	70	77	147	11·7†	15	67	3·7
Wangford ..	4,678	36	36	4	4	80	17·1	36	33	69	14·7	8	100	2·4
Woodbridge ..	16,470	127	104	10	7	248	15·1	99	96	195	12·2†	15	60	2·9
SUFFOLK WEST: Administrative County.	110,040	881	809	50	51	1,791	16·3	662	660	1,322	12·0†	80	45	4·3

† Death-rates based upon estimated civilian populations as follows:—Suffolk East—Administrative County, 210,060; Municipal Boroughs and Urban Districts, 89,860; Felixstowe U.D., 9,570; Rural Districts, 120,200; Samford R.D., 12,600; Woodbridge R.D., 16,040. Suffolk West—Administrative County, 109,850.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUFFOLK WEST —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS.	41,760	330	278	20	22	650	15·6	247	233	480	11·5†	33	51	4·1
Bury St. Edmunds M.B.	16,160	129	119	5	7	260	16·1	100	100	200	12·5†	13	50	3·6
Glemsford ..	1,456	7	5	—	—	12	8·2	12	10	22	15·1	—	—	−6·9
Hadleigh ..	3,086	23	17	1	1	42	13·6	24	13	37	12·0	3	71	1·6
Haverhill ..	4,162	42	15	1	4	62	14·9	17	20	37	8·9	2	32	6·0
Newmarket ..	9,844	72	74	7	4	157	15·9	56	47	103	10·5	7	45	5·4
Sudbury M.B.	7,052	57	48	6	6	117	16·6	38	43	81	11·5	8	68	5·1
RURAL DISTRICTS.	68,280	551	531	30	29	1,141	16·7	415	427	842	12·3	47	41	4·4
Brandon ..	5,728	54	45	7	3	109	19·0	29	40	69	12·0	3	28	7·0
Clare	7,414	63	63	3	1	130	17·5	35	57	92	12·4	4	31	5·1
Cosford	10,510	100	76	8	4	188	17·9	69	71	140	13·3	8	43	4·6
Melford	12,340	79	82	5	6	172	13·9	77	70	147	11·9	4	23	2·0
Mildenhall ..	8,188	71	73	2	4	150	18·3	46	43	89	10·9	2	13	7·4
Moulton	2,157	13	11	1	1	26	12·1	9	11	20	9·3	1	38	2·8
Thedwastre ..	8,463	59	69	3	4	135	16·0	56	41	97	11·5	10	74	4·5
Thingoe	13,480	112	112	1	6	231	17·1	94	94	188	13·9	15	65	3·2
SURREY:														
COUNTY BORO':														
Croydon	196,000	1,629	1,660	84	83	3,456	17·6	1,080	1,203	2,283	11·6	194	56	6·0
ADMINISTRATIVE COUNTY.	751,000	5,460	5,269	256	228	11,213	14·9	3,872	4,034	7,906	10·6†	586	52	4·3
MUNICIPAL BORO'S AND URBAN DISTRICTS.	582,663*	4,261	4,176	201	178	8,816	15·1	2,962	3,213	6,175	10·7†	467	53	4·4
Barnes	34,600	234	237	7	4	482	13·9	170	185	355	10·3	26	54	3·6
Beddington and Wallington.	16,550	113	110	4	2	229	13·8	84	82	166	10·0	9	39	3·8
Carshalton ..	15,050	148	123	5	2	278	18·5	75	77	152	10·1	16	58	8·4
Caterham ..	13,230	80	87	1	5	173	13·1	49	57	106	9·2†	10	58	3·9
Chertsey ..	15,430	148	110	7	7	272	17·6	95	80	175	11·3	17	63	6·3
Coulsdon and Purley.	22,830	136	113	4	4	257	11·3	94	89	183	8·0	9	35	3·3
Dorking	7,909	65	59	5	3	132	16·7	56	56	112	14·2	6	45	2·5
East and West Molesey.	7,401	50	66	3	3	122	16·5	49	42	91	12·3	6	49	4·2
Egham	13,500	89	81	7	4	181	13·4	59	75	134	9·9	16	88	3·5
Epsom ‡	19,260	122	113	6	5	246	12·8	86	70	156	8·1	9	37	4·7
Esher and the Dittons.	14,410	95	94	5	4	198	13·7	70	75	145	10·1	13	66	3·6
Farnham.. ..	13,313*	108	112	9	6	235	17·7	77	92	169	12·7	12	51	5·0
Frimley	15,120	118	101	9	7	235	15·5	58	61	119	10·1†	9	38	5·4
Godalming M.B.	9,263	52	54	2	3	111	12·0	43	51	94	10·1	2	18	1·9
Guildford M.B.	25,910	167	202	16	13	398	15·4	139	178	317	12·3†	21	53	3·1
Ham	1,547	15	9	—	—	24	15·5	11	6	17	11·0	—	—	4·5
Haslemere ..	3,834	26	24	3	2	55	14·3	18	26	44	11·5	3	55	2·8
Kingston-on-Thames M.B.	40,430	333	289	12	8	642	15·9	249	253	502	12·5†	43	67	3·4
Leatherhead ..	5,974	50	50	—	2	102	17·1	19	37	56	9·4	6	59	7·7
Merton and Morden.	18,710	152	146	5	8	311	16·6	84	86	170	9·1	16	51	7·5

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Suffolk West—Municipal Boroughs and Urban Districts, 41,570; Bury St. Edmunds, M.B., 15,970; Surrey Administrative County, 742,900; Municipal Boroughs and Urban Districts, 576,463*; Caterham U.D., 11,470; Frimley U.D., 11,760; Guildford M.B., 25,720; Kingston on Thames M.B., 40,230.

‡ A considerable proportion of the population of this area was enumerated in County Lunatic Asylums, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Mitcham ..	37,510	360	373	19	12	764	20·4	176	170	346	9·2	42	55	11·2
Reigate M.B. ..	28,570	170	210	5	5	390	13·7	143	196	339	11·9	17	44	1·8
Richmond M.B.	34,670	230	247	13	26	516	14·9	226	245	471	13·6	22	43	1·3
Surbiton ..	19,660	154	152	7	4	317	16·1	108	124	232	11·8	26	82	4·3
Sutton	21,330	158	146	3	7	314	14·7	98	120	218	10·2	14	45	4·5
The Maldens and Coombe.	15,330	105	125	5	2	237	15·5	74	69	143	9·3	13	55	6·2
Walton-upon-Thames.	14,800	99	108	3	3	213	14·4	63	76	139	9·4	8	38	5·0
Weybridge ..	6,514	50	39	2	2	93	14·3	41	38	79	12·1	4	43	2·2
Wimbledon M.B.	58,090	387	387	21	19	814	14·0	302	343	645	11·1	57	70	2·9
Windlesham ..	4,788	36	41	2	—	79	16·5	27	31	58	12·1	1	13	4·4
Woking	27,130	211	168	11	6	396	14·6	119	123	242	9·2†	14	35	5·4
RURAL DISTRICTS:	168,337*	1,190	1,093	55	50	2,397	14·2	910	821	1,731	10·4†	119	50	3·8
Chertsey ..	11,450	96	66	5	2	169	14·8	59	43	102	8·9	10	59	5·9
Dorking	10,350	76	68	5	4	153	14·8	60	50	110	10·6	9	59	4·2
Epsom	36,020	207	229	7	9	452	12·5	203	162	368	10·2	18	40	2·3
Farnham.. ..	17,437*	152	150	8	9	319	18·3	89	96	185	10·9†	21	66	7·4
Godstone ..	25,440	169	147	6	4	326	12·8	148	125	273	10·7	23	71	2·1
Guildford ..	21,560	158	146	4	8	316	14·7	110	110	220	11·0†	10	32	3·7
Hambledon ..	23,110	168	128	7	7	310	13·4	122	113	235	10·2	16	52	3·2
Reigate	22,970	173	159	13	7	352	15·3	116	122	238	10·4	12	34	4·9
SUSSEX EAST:														
COUNTY BORO'S.	253,240	1,648	1,627	144	118	3,537	14·0	1,530	1,851	3,381	13·4†	217	61	0·6
Brighton ..	137,900	997	925	96	76	2,094	15·2	856	990	1,846	13·4†	124	59	1·8
Eastbourne ..	54,830	308	312	26	20	666	12·1	257	340	597	10·9	39	59	1·2
Hastings ..	60,510	343	390	22	22	777	12·8	417	521	938	15·5	54	69	−2·7
ADMINISTRATIVE COUNTY.	258,600	1,765	1,684	99	73	3,621	14·0	1,446	1,599	3,045	11·9†	175	48	2·1
MUNICIPAL BORO'S AND URBAN DISTRICTS.	125,700	835	768	53	45	1,701	13·5	703	849	1,552	12·3	85	50	1·2
Battle	3,013	23	25	2	—	50	16·6	22	19	41	13·6	3	60	3·0
Bexhill M.B. ..	18,490	108	104	4	9	225	12·2	100	114	214	11·6	8	36	0·6
Burgess Hill ..	5,594	31	28	1	5	65	11·6	32	36	68	12·2	6	92	−0·6
Cuckfield.. ..	1,874	13	10	—	—	23	12·3	16	18	34	18·1	1	43	−5·8
East Grinstead	7,894	61	53	5	2	121	15·3	29	41	70	8·9	1	8	6·4
Haywards Heath	4,932	29	24	—	3	56	11·3	29	30	59	11·9	2	36	−0·6
Hove M.B. ..	44,580	253	238	22	16	529	11·9	270	370	640	14·4	26	49	−2·5
Lewes M.B. ..	11,060	101	77	2	4	184	16·6	67	62	129	11·7	12	65	4·9
Newhaven ..	6,605	70	50	3	2	125	18·9	52	32	84	12·7	10	80	6·2
Portslade-by-Sea	8,094	71	65	7	2	145	17·9	34	38	72	8·9	7	48	9·0
Rye M.B. ..	3,872	16	31	2	1	50	12·9	15	34	49	12·7	2	40	0·2
Seaford	6,276	27	38	3	—	68	10·8	17	24	41	6·5	2	29	4·3
Uckfield	3,386	32	25	2	1	60	17·7	20	31	51	15·1	5	83	2·6
RURAL DISTRICTS.	132,900	930	916	46	28	1,920	14·4	743	750	1,493	11·4†	90	47	3·0
Battle	6,319	49	45	3	3	100	15·8	48	36	84	13·3	4	40	2·5
Chailey	12,780	80	85	3	2	170	13·3	54	62	116	9·1	6	35	4·2
Cuckfield.. ..	16,470	108	103	5	4	220	13·4	103	100	203	12·3	11	50	1·1

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Surrey—Woking U.D., 26,440; Rural Districts, 163,437*; Farnham R.D., 17,037*; Guildford R.D., 20,060; Sussex East—County Boroughs, 252,840; Brighton C.B., 137,500; Administrative County, 256,800; Rural Districts, 131,100.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SSEX EAST —*cont.* URAL DISTRICTS —*cont.*														
Eastbourne ..	5,933	44	42	1	—	87	14·7	35	39	74	12·5	3	34	2·2
East Grinstead	14,050	101	111	3	2	217	15·4	79	76	155	11·0	17	78	4·4
Hailsham ..	18,420	140	163	9	5	317	17·2	111	107	218	11·8	14	44	5·4
Hastings ..	1,896	12	7	1	1	21	11·1	14	9	23	12·1	—	—	−1·0
Newhaven ..	7,352	51	40	2	1	94	12·8	25	26	51	6·9	3	32	5·9
Rye	6,922	50	47	1	—	98	14·2	39	44	83	12·0	2	20	2·2
Steyning East	3,498	24	14	1	—	39	11·1	14	22	36	10·3	2	51	0·8
Ticehurst ..	12,830	96	88	6	5	195	15·2	90	74	164	12·8	6	31	2·4
Uckfield ..	26,430	175	171	11	5	362	13·7	131	155	286	11·6†	22	61	2·1
SSEX WEST: Administrative County.	190,730	1,441	1,220	71	77	2,809	14·7	1,136	1,206	2,342	12·3†	122	43	2·4
UNICIPAL BORO'S AND URBAN DISTRICTS.	92,800	665	542	36	33	1,276	13·8	553	694	1,247	13·5†	59	46	0·3
Arundel M.B.	2,738	17	15	—	—	32	11·7	13	17	30	11·0	—	—	0·7
Bognor	12,180	63	59	1	4	127	10·4	53	61	114	9·4	7	55	1·0
Chichester M.B.	13,010	102	74	7	5	188	14·5	78	75	153	12·0†	7	37	2·5
Horsham ..	11,310	80	76	4	3	163	14·4	75	84	159	14·1	5	31	0·3
Littlehampton	9,017	61	58	2	9	130	14·4	64	63	127	14·1	3	23	0·3
Shoreham-by-Sea.	7,329	64	44	2	2	112	15·3	26	31	57	7·8	6	54	7·5
Southwick ..	4,956	48	46	1	3	98	19·8	36	34	70	14·1	10	102	5·7
Worthing M.B.	32,260	230	170	19	7	426	13·2	208	329	537	16·6	21	49	−3·4
URAL DISTRICTS.	97,930	776	678	35	44	1,533	15·7	583	512	1,095	11·2	63	41	4·5
East Preston..	7,514	54	50	2	2	108	14·4	40	40	80	10·6	6	56	3·8
Horsham ..	21,060	148	147	9	6	310	14·7	128	104	232	11·0	8	26	3·7
Midhurst ..	14,900	126	92	8	8	234	15·7	100	78	178	11·9	18	77	3·8
Petworth ..	8,158	70	55	2	6	133	16·3	55	39	94	11·5	3	23	4·8
Steyning West	10,390	81	71	3	5	160	15·4	48	55	103	9·9	3	19	5·5
Thakeham ..	8,501	80	69	6	2	157	18·5	52	46	98	11·5	11	70	7·0
Westbourne ..	8,987	82	60	1	4	147	16·4	60	57	117	13·0	6	41	3·4
Westhampnett	18,420	135	134	4	11	284	15·4	100	93	193	10·5	8	28	4·9
ARWICKSHIRE:														
OUNTY BORO'S.	1,076,080	10,144	9,708	320	296	20,468	19·0	6,349	5,966	12,315	11·4	1,672	82	7·6
Birmingham ..	946,980	9,100	8,668	291	270	18,329	19·4	5,671	5,370	11,041	11·7	1,504	82	7·7
Coventry.. ..	129,100	1,044	1,040	29	26	2,139	16·6	678	596	1,274	9·9	168	79	6·7
DMINISTRATIVE COUNTY.	358,500	3,391	3,107	121	103	6,722	18·8	1,974	1,961	3,935	11·0†	406	60	7·8
UNICIPAL BORO'S AND URBAN DISTRICTS.	155,862*	1,343	1,236	61	46	2,686	17·2	836	861	1,697	10·9	154	57	6·3
Bulkington ..	2,386	28	22	1	—	51	21·4	13	14	27	11·3	5	98	10·1
Kenilworth ..	7,033	65	65	3	1	134	19·1	36	52	88	12·5	10	75	6·6
Nuneaton M.B.	44,820	515	430	17	9	971	21·7	234	204	438	9·8	52	54	11·9
Royal Leamington Spa M.B.	29,260	228	191	18	15	452	15·4	191	216	407	13·9	29	64	1·5
Rugby	25,840	171	162	7	8	348	13·5	131	121	252	9·8	21	60	3·7
Stratford-on-Avon M.B.	9,593*	79	71	6	2	158	16·5	54	50	104	10·8	7	44	5·7

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Sussex East—Uckfield R.D., 24,630; Sussex West—Administrative County, 190,510; Municipal Boroughs and Urban Districts, 92,580; Chichester M.B., 12,790; Warwickshire, Administrative County, 358,300.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WARWICKSHIRE—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Sutton Coldfield M.B.	23,570	147	171	2	6	326	13·8	108	122	230	9·8	18	55	4·
Warwick M.B.	13,360	110	124	7	5	246	18·4	69	82	151	11·3	12	49	7·
RURAL DISTRICTS	202,638*	2,048	1,871	60	57	4,036	19·9	1,138	1,100	2,238	11·1†	252	62	8·
Alcester ..	12,710	116	86	6	4	212	16·7	83	89	172	13·5	13	61	3·
Atherstone ..	22,300	239	238	6	8	491	22·0	142	102	244	10·9	31	63	11·
Brailes.. ..	5,729	61	34	3	1	99	17·3	47	36	83	14·5	5	51	2·
Coventry ..	6,181	101	88	1	2	192	31·1	31	31	62	10·0	19	99	21·
Farnborough ..	1,398	16	9	—	—	25	17·9	7	6	13	9·3	1	40	8·
Foleshill ..	36,610	449	396	10	6	831	23·5	204	154	358	9·8	62	72	13·
Meriden ..	17,950	154	152	2	9	317	17·7	99	103	202	11·3	18	57	6·
Monks Kirby ..	1,527	11	11	1	—	23	15·1	7	11	18	11·8	2	87	3·
Nuneaton ..	3,865	70	44	1	—	115	29·8	21	14	35	9·1	9	78	20·
Rugby ..	20,550	184	194	5	5	388	18·9	99	119	218	10·6	26	67	8·
Solihull ..	21,530	147	163	3	6	319	14·8	109	116	225	10·5	9	28	4·
Southam ..	10,030	98	94	3	4	199	19·8	67	79	146	14·6	11	55	5·
Stratford-on-Avon.	10,708*	100	81	11	4	196	18·3	53	71	124	11·6	12	61	6·
Tamworth (part of)‡.	18,610	217	172	5	5	399	21·4	103	86	189	10·2	28	70	11·
Warwick ..	12,940	85	109	3	3	200	15·5	66	83	149	11·7†	6	30	3·8
WESTMORLAND: Administrative County.	62,390	501	503	40	16	1,060	17·0	484	437	921	14·8	72	68	2·2
MUNICIPAL BORO'S AND URBAN DISTRICTS.	26,600	206	231	14	8	459	17·3	196	196	392	14·7	36	78	2·6
Ambleside ..	2,271	15	12	1	—	28	12·3	12	17	29	12·8	—	—	—0·5
Appleby M.B...	1,637	10	14	—	—	24	14·7	15	11	26	15·9	1	42	—1·2
Grasmere ..	875	6	8	—	—	14	16·0	1	6	7	8·0	1	71	8·0
Kendal M.B.	14,230	126	140	6	5	277	19·5	117	102	219	15·4	29	105	4·1
Kirkby Lonsdale	1,304	8	11	—	—	19	14·6	11	8	19	14·6	1	53	—
Shap	999	10	7	3	2	22	22·0	9	11	20	20·0	—	—	2·0
Windermere ..	5,284	31	39	4	1	75	14·2	31	41	72	3·6	4	53	0·6
RURAL DISTRICTS.	35,790	295	272	26	8	601	16·8	288	241	529	14·8	36	60	2·0
East Westmorland.	10,950	100	107	10	5	222	20·3	88	93	181	16·5	18	81	3·8
South Westmorland.	18,750	146	119	10	1	276	14·7	155	117	272	14·5	15	54	0·2
West Ward ..	6,090	49	46	6	2	103	16·9	45	31	76	12·5	3	29	4·4
WIGHT, ISLE OF: Administrative County.	86,460	612	559	37	35	1,243	14·4	564	641	1,205	14·0†	88	71	0·4
MUNICIPAL BORO'S AND URBAN DISTRICTS.	57,180	404	356	31	26	817	14·3	392	465	857	15·0	68	83	—0·7
Cowes	10,630	86	67	6	4	163	15·3	72	79	151	14·2	14	86	1·1
East Cowes ..	4,752	33	29	1	4	67	14·1	39	32	71	14·9	6	90	—0·8
Newport M.B.	11,250	97	92	5	7	201	17·9	75	79	154	13·7	12	60	4·2

* Population adjusted to allow for change in boundary during the year.
† Death-rates based upon estimated civilian populations as follows:—Warwickshire—Rural Districts, 202,438* Warwick, R.D., 12,740; Isle of Wight Administrative County, 85,900.
‡ The remainder of Tamworth Rural District is in Staffordshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
IGHT, ISLE OF —*cont.*														
UNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Ryde M.B. ..	10,620	66	56	10	2	134	12·6	82	110	192	18·1	15	112	−5·5
St. Helens ..	5,260	30	37	1	2	70	13·3	27	26	53	10·1	6	86	3·2
Sandown ..	5,450	37	34	3	3	77	14·1	40	56	96	17·6	4	52	−3·5
Shanklin ..	4,246	23	18	2	1	44	10·4	27	45	72	17·0	5	114	−6·6
Ventnor	4,972	32	23	3	3	61	12·3	30	38	68	13·7	6	98	−1·4
URAL DISTRICT.														
Isle of Wight	29,280	208	203	6	9	426	14·5	172	176	348	12·1†	20	47	2·4
ILTSHIRE: Administrative County	306,900	2,559	2,458	119	102	5,238	17·1	1,690	1,678	3,368	11·4†	286	55	5·7
UNICIPAL BORO'S AND URBAN DISTRICTS.	136,500	1,081	990	48	44	2,163	15·8	730	804	1,534	11·2	115	53	4·6
Bradford-on-Avon.	4,972	27	33	2	2	64	12·9	20	26	46	9·3	2	31	3·6
Calne M.B. ..	3,680	22	15	1	2	40	10·9	17	28	45	12·2	2	50	−1·3
Chippenham M.B.	8,005	59	43	3	3	108	13·5	40	50	90	11·2	8	74	2·3
Devizes M.B.	6,028	38	36	1	5	80	13·3	36	45	81	13·4	3	38	−0·1
Malmesbury M.B.	2,397	13	21	3	2	39	16·3	14	19	33	13·8	—	—	2·5
Marlborough M.B.	4,209	29	19	1	—	49	11·6	16	28	44	10·5	3	61	1·1
Melksham ..	3,680	34	28	—	—	62	16·8	11	27	38	10·3	5	81	6·5
Salisbury M.B.	23,320	198	173	13	13	397	17·0	127	125	252	10·8	14	35	6·2
Swindon M.B.	56,570	484	458	13	13	968	17·1	317	293	610	10·8	61	63	6·3
Trowbridge ..	12,300	92	94	7	2	195	15·9	66	91	157	12·8	12	62	3·1
Warminster ..	5,510	31	29	1	—	61	11·1	33	36	69	12·5	2	33	−1·4
Westbury ..	3,805	33	25	2	2	62	16·3	21	19	40	10·5	—	—	5·8
Wilton M.B. ..	2,024	21	16	1	—	38	18·8	12	17	29	14·3	3	79	4·5
URAL DISTRICTS.	170,400	1,478	1,468	71	58	3,075	18·0	960	874	1,834	11·6†	171	56	6·4
Amesbury ..	18,370	199	167	8	8	382	20·8	65	57	122	9·4†	22	58	11·4
Bradford-on-Avon.	5,588	42	53	1	—	96	17·2	26	24	50	8·9	2	21	8·3
Calne	4,767	34	41	3	2	80	16·8	27	29	56	11·7	3	38	5·1
Chippenham ..	14,550	95	131	5	4	235	16·2	90	102	192	13·2	16	68	3·0
Cricklade and Wootton Bassett.	11,130	107	100	2	3	212	19·0	89	58	147	13·2	13	61	5·8
Devizes	12,670	121	114	2	5	242	19·1	73	67	140	11·3†	16	66	7·8
Highworth ..	17,000	177	163	10	9	359	21·1	96	75	171	10·1	21	58	11·0
Malmesbury ..	8,547	61	66	5	1	133	15·6	44	47	91	10·6	5	38	5·0
Marlborough	4,274	39	37	4	3	83	19·4	23	21	44	10·3	2	24	9·1
Melksham ..	5,173	46	40	2	1	89	17·2	29	23	52	10·1	9	101	7·1
Mere	4,611	39	31	3	3	76	16·5	28	41	69	15·0	1	13	1·5
Pewsey	18,740	156	156	10	7	329	17·6	77	72	149	11·5†	22	67	6·1
Ramsbury ..	6,225	50	58	1	1	110	17·7	45	49	94	15·1	9	82	2·6
Salisbury ..	10,510	79	94	3	3	179	17·0	74	52	126	12·5†	9	50	4·5
Tetbury (pt. of)‡	373	2	4	1	—	7	18·8	—	—	—	—	—	—	18·8

† Death-rates based upon estimated civilian populations as follows:—Isle of Wight, R.D., 28,720; Wiltshire Administrative County, 295,100; Rural Districts, 158,600; Amesbury R.D., 13,000; Devizes, R.D., 12,440; Pewsey R.D., 12,930; Salisbury R.D., 10,120.

‡ The remainder of Tetbury Rural District is in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE—*cont.*														
RURAL DISTRICTS—*cont.*														
Tisbury	7,151	53	68	3	3	127	17·8	40	52	92	12·9	9	71	4·9
Warminster ..	6,034	45	48	2	2	97	16·1	34	31	65	10·8	4	41	5·3
Westbury and Whorwellsdown.	6,593	60	46	2	3	111	16·8	55	29	84	12·7	4	36	4·1
Wilton	8,094	73	51	4	—	128	15·8	45	45	90	11·1	4	31	4·7
WORCESTERSHIRE: COUNTY BORO'S.	108,820	1,035	1,033	40	38	2,176	20·0	702	700	1,402	12·9	164	75	7·1
Dudley	58,600	644	633	16	18	1,311	22·4	372	358	730	12·5	119	91	9·9
Worcester ..	50,220	421	400	24	20	865	17·2	330	342	672	13·4	45	52	3·8
ADMINISTRATIVE COUNTY.	307,900	2,695	2,609	104	105	5,513	17·9	1,779	1,723	3,502	11·4†	344	62	6·5
MUNICIPAL BORO'S AND URBAN DISTRICTS.	170,700	1,526	1,505	50	70	3,151	18·5	958	959	1,917	11·2	214	68	7·3
Bewdley M.B...	2,633	22	32	1	—	55	20·9	19	20	39	14·8	6	109	6·1
Bromsgrove ..	9,731	80	102	7	3	192	19·7	57	61	118	12·1	18	94	7·6
Droitwich M.B.	3,858	44	39	2	3	88	22·8	28	34	62	16·1	6	68	6·7
Evesham M.B.	8,554	65	75	2	2	144	16·8	41	54	95	11·1	6	42	5·7
Kidderminster M.B.	27,170	226	204	10	19	459	16·9	180	166	346	12·7	30	65	4·2
Lye and Wollescote.	12,740	114	125	4	5	248	19·5	81	60	141	11·1	22	89	8·4
Malvern	17,160	122	86	3	14	225	13·1	81	111	192	11·2	6	27	1·9
North Bromsgrove.	8,582	70	68	1	2	141	16·4	39	49	88	10·3	6	43	6·1
Oldbury	40,050	409	446	11	10	876	21·9	204	176	380	9·5	60	68	12·4
Redditch.. ..	16,740	141	126	4	6	277	16·5	104	85	189	11·3	24	87	5·2
Stourbridge M.B.	18,570	187	167	5	4	363	19·5	89	105	194	10·4	23	63	9·1
Stourport ..	4,912	46	35	—	2	83	16·9	35	38	73	14·9	7	84	2·0
RURAL DISTRICTS.	137,200	1,169	1,104	54	35	2,362	17·2	821	764	1,585	11·6†	130	55	5·6
Bromsgrove ..	17,580	147	126	4	5	282	16·0	94	111	205	11·7	15	53	4·3
Droitwich ..	11,900	95	78	10	4	187	15·7	74	78	152	12·8	13	70	2·9
Evesham ..	10,130	79	79	3	—	161	15·9	63	40	103	10·2	11	68	5·7
Feckenham ..	5,565	32	43	—	1	76	13·7	36	34	70	12·6	3	39	1·1
Halesowen ..	30,580	287	309	5	3	604	19·8	147	139	286	9·4	38	63	10·4
Kidderminster	7,662	57	57	2	1	117	15·3	48	43	91	11·9	5	43	3·4
Martley	12,570	114	113	8	6	241	19·2	90	72	162	12·9	9	37	6·3
Pershore ..	13,120	116	92	9	4	221	16·8	92	82	174	13·5†	12	54	3·3
Rock	2,184	17	15	—	1	33	15·1	13	16	29	13·3	4	121	1·8
Shipston-on-Stour.	4,288	33	31	2	2	68	15·9	29	32	61	14·2	8	118	1·7
Stow on the Wold (part of)‡	273	6	3	—	—	9	33·0	4	5	9	33·0	—	—	—
Tenbury ..	4,467	43	33	2	1	82	18·4	28	24	52	11·6	1	12	6·8
Tewkesbury (part of)‡	2,136	17	14	1	—	32	15·0	7	11	18	8·4	—	—	6·6
Upton on Severn	13,630	117	98	7	7	229	16·8	86	70	156	11·4	11	48	5·4
Winchcomb (part of)‡	107	1	—	—	—	1	9·3	2	—	2	18·7	—	—	−9·4
Civil Parishes of Redmarley d'Abitôt and Staunton, administered by R.D.C. of Newent (Glos)	1,008	8	10	1	—	19	18·8	8	7	15	14·9	—	—	3·9

† Death-rates based upon estimated civilian populations as follows:—Worcestershire—Administrative County, 307,700; Rural Districts, 137,000; Pershore R.D., 12,920.

‡ The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
RKSHIRE:														
AST RIDING:														
NTY BORO': Kingston-upon-Hull.	296,800	3,259	3,161	129	117	6,666	22·5	2,096	1,934	4,030	13·6	583	87	8·9
MINISTRATIVE COUNTY.	168,120	1,421	1,413	118	115	3,037	18·5	1,018	1,052	2,070	12·5†	189	62	6·0
NICIPAL BORO'S AND URBAN DISTRICTS.	63,450	551	510	52	41	1,154	17·4	427	462	889	13·4	74	64	4·0
everley M.B.	13,730	138	114	6	8	266	19·4	92	111	203	14·8	16	60	4·6
ridlington M.B.	15,990	110	121	10	10	251	15·7	97	118	215	13·4	21	84	2·3
ottingham ..	5,335	52	42	4	2	100	18·7	27	32	59	11·1	4	40	7·6
iley	3,565	34	29	4	4	71	19·9	25	20	45	12·6	4	56	7·3
reat Driffield	5,658	34	53	14	5	106	18·7	39	42	81	14·3	8	75	4·4
edon M.B. ..	1,380	6	11	1	—	18	13·0	10	14	24	17·4	2	111	−4·4
essle	6,245	40	39	4	2	85	13·6	28	47	75	12·0	5	59	1·6
ornsea	3,928	39	29	2	4	74	18·8	28	24	52	13·2	3	41	5·6
orton	3,855	40	22	3	3	68	17·6	36	24	60	15·6	4	59	2·0
ocklington ..	2,686	29	23	3	2	57	21·2	21	12	33	12·3	6	105	8·9
Vithernsea ..	4,078	29	27	1	1	58	14·2	24	18	42	10·3	1	17	3·9
RAL DISTRICTS.	99,670	870	903	66	74	1,913	19·2	591	590	1,181	11·9†	115	60	7·3
everley ..	11,950	105	103	4	9	221	18·5	65	74	139	11·8†	6	27	6·7
ridlington ..	7,794	66	64	5	12	147	18·9	52	40	92	11·8	9	61	7·1
riffield	11,690	91	117	10	10	228	19·5	68	77	145	12·4	16	70	7·1
scrick	5,938	43	57	4	4	108	18·2	33	33	66	11·1	4	37	7·1
howden	12,930	129	119	9	14	271	20·9	77	73	150	11·6	18	66	9·3
orton	5,358	45	46	7	6	104	19·4	37	37	74	13·8	9	87	5·6
atrington ..	7,517	73	74	2	5	154	20·5	52	54	106	14·1	17	110	6·4
ocklington ..	10,950	94	107	11	8	220	20·1	64	67	131	12·0	12	55	8·1
iccall	5,531	57	54	3	1	115	20·8	27	31	58	10·5	8	70	10·3
culcoates ..	10,780	83	74	3	2	162	15·0	56	49	105	9·7	7	43	5·3
herburn.. ..	2,180	17	20	2	2	41	18·8	11	14	25	11·5	1	24	7·3
kirlaugh ..	7,022	67	68	6	1	142	20·2	49	41	90	12·8	8	56	7·4
RKSHIRE:														
ORTH RIDING:														
NTY BORO': Middlesbrough	133,300	1,778	1,692	64	55	3,589	26·3	1,235	1,061	2,296	16·8	483	135	9·5
MINISTRATIVE COUNTY.	318,100	2,922	2,936	176	165	6,199	19·5	2,135	2,048	4,183	13·2†	478	77	6·3
NICIPAL BORO'S AND URBAN DISTRICTS.	179,900	1,714	1,797	97	89	3,697	20·6	1,227	1,171	2,398	13·4†	302	82	7·2
Eston	33,570	410	433	13	15	871	25·9	249	190	439	13·1	90	103	12·8
Guisborough ..	7,041	70	67	4	6	147	20·9	51	52	103	14·6	10	68	6·3
Hinderwell ..	2,565	24	21	—	—	45	17·5	13	13	26	10·1	2	44	7·4
Kirklington cum Upsland	240	—	3	1	—	4	16·7	—	1	1	4·2	—	—	12·5
Loftus	9,358	87	86	6	7	186	19·9	44	42	86	9·2	8	43	10·7
Malton	4,457	29	36	3	3	71	15·9	37	32	69	15·5	4	56	0·4
Masham	2,159	20	19	2	—	41	19·0	21	18	39	18·1	1	24	0·9
Northallerton	4,839	42	39	2	2	85	17·6	31	26	57	11·8	7	82	5·8
Pickering ..	3,399	23	37	4	1	65	19·1	30	25	55	16·2	6	92	2·9
Redcar M.B. ..	15,670	153	159	7	2	321	20·5	98	104	202	12·9	24	75	7·6

† Death-rates based upon estimated civilian populations as follows: Yorkshire—East Riding—Administrative County, 15,970; Rural Districts, 99,520; Beverley R.D., 11,800; North Riding—Administrative County, 316,700; Municipal Boroughs and Urban Districts, 179,600.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
NORTH RIDING —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Richmond M.B.	3,910	35	37	3	1	76	19·4	32	28	60	16·2†	6	79	3·2
Saltburn by the Sea.	3,854	12	32	1	—	45	11·7	18	27	45	11·7	3	67	—
Scalby	1,658	15	9	1	—	25	15·1	8	10	18	11·6†	3	120	3·5
Scarborough M.B.	38,010	273	280	32	19	604	15·9	244	305	549	14·4	37	61	1·5
Skelton and Brotton.	15,760	159	146	5	14	324	20·6	98	90	188	11·9	25	77	8·7
Thornaby-on-Tees M.B.	21,040	254	283	8	12	557	26·5	176	128	304	14·4	62	111	12·1
Whitby	12,370	108	110	5	7	230	18·6	77	80	157	12·7	14	61	5·9
RURAL DISTRICTS.	138,200	1,208	1,139	79	76	2,502	18·1	908	877	1,785	13·0†	176	70	5·1
Aysgarth.. ..	4,301	34	30	1	4	69	16·0	30	22	52	12·1	2	29	3·9
Bedale	6,599	57	44	3	4	108	16·4	55	40	95	14·4	9	83	2·0
Croft	2,249	19	13	—	1	33	14·7	12	16	28	12·4	4	121	2·3
Easingwold ..	9,935	80	72	3	7	162	16·3	58	64	122	12·3	12	74	4·0
Flaxton	10,430	85	89	5	3	182	17·4	48	48	96	9·7†	15	82	7·7
Guisborough ..	8,285	94	70	1	1	166	20·0	65	50	115	13·9	22	133	6·1
Helmsley ..	4,845	37	48	5	3	93	19·2	29	28	57	11·8	7	75	7·4
Kirkby Moorside	4,837	48	35	4	2	89	18·4	45	34	79	16·3	5	56	2·1
Leyburn	6,140	63	45	1	1	110	17·9	40	39	79	12·9	7	64	5·0
Malton	5,897	63	49	2	2	116	19·7	38	38	76	12·9	2	17	6·8
Middlesbrough	2,562	14	14	1	—	29	11·3	10	11	21	8·2	4	138	3·1
Northallerton..	7,797	64	71	9	9	153	19·6	56	45	101	13·0	13	85	6·6
Pickering ..	6,046	50	56	6	6	118	19·5	37	45	82	13·6	4	34	5·9
Reeth	2,400	20	15	1	2	38	15·8	14	26	40	16·7	1	26	−0·9
Richmond ..	9,032	91	75	6	3	175	19·4	58	59	117	13·9†	14	80	5·5
Scarborough ..	6,171	43	44	1	5	93	15·1	34	23	57	9·2	4	43	5·9
Startforth ..	4,698	40	34	3	2	79	16·8	30	35	65	13·8	2	25	3·0
Stokesley ..	12,470	99	118	11	6	234	18·8	90	93	183	14·7	21	90	4·1
Thirsk	12,590	98	120	10	11	239	19·0	89	76	165	13·1	17	71	5·9
Wath	2,059	22	25	1	1	49	23·8	19	15	34	16·5	3	61	7·3
Whitby	8,857	87	72	5	3	167	18·9	51	70	121	13·7	8	48	5·2
YORKSHIRE:														
WEST RIDING:														
COUNTY BORO'S:	1,747,410	15,685	14,728	767	730	31,910	18·3	12,235	11,498	23,733	13·6†	3,086	97	4·7
Barnsley ..	70,570	918	855	49	50	1,872	26·5	503	465	968	13·7	184	98	12·8
Bradford ..	290,200	2,431	2,230	141	142	4,944	17·0	2,174	2,190	4,364	15·0	457	92	2·0
Dewsbury ..	54,790	481	490	22	26	1,019	18·6	412	438	850	15·5	98	96	3·1
Halifax ..	99,000	750	659	39	33	1,481	15·0	734	776	1,510	15·3†	143	97	−0·3
Huddersfield ..	112,000	782	769	31	45	1,627	14·5	759	810	1,569	14·0	158	97	0·5
Leeds	471,600	4,228	3,911	210	216	8,565	18·2	3,475	3,272	6,747	14·3	921	108	3·9
Rotherham ..	70,340	792	763	42	33	1,630	23·2	512	387	899	12·8	162	99	10·4
Sheffield	525,000	4,796	4,560	195	160	9,711	18·5	3,283	2,826	6,109	11·6	869	89	6·9
Wakefield ..	53,910	507	491	38	25	1,061	19·7	383	334	717	13·3	94	89	6·4
ADMINISTRATIVE COUNTY.	1,523,200	15,281	14,485	679	646	31,091	20·4	9,900	9,586	19,486	12·8†	2,570	83	7·6

† Death-rates based upon estimated civilian populations as follows:—Yorkshire, North Riding—Richmond M.B., 3,710; Scalby U.D., 1,558; Rural Districts, 137,100; Flaxton R.D., 9,930; Richmond R.D., 8,432; Yorkshire, West Riding—County Boroughs, 1,747,160; Halifax C.B., 98,750; Administrative County 1,522,700.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KSHIRE:														
EST RIDING —*cont.*														
ICIPAL BORO'S AND URBAN DISTRICTS.	1130502*	10,848	10,305	482	444	22,079	19·5	7,445	7,339	14,784	13·1†	1,895	86	6·4
lwick le Street	14,750	234	239	11	9	493	33·4	71	57	128	8·7	35	71	24·7
tofts	5,263	60	52	—	1	113	21·5	21	28	49	9·3	6	53	12·2
dsley East and West.	8,927	67	82	—	2	151	16·9	68	47	115	12·9	15	99	4·0
ildon	6,650	54	50	2	1	107	16·1	45	44	89	13·4	2	19	2·7
rkisland ..	1,581	16	17	1	—	34	21·5	12	18	30	19·0	4	118	2·5
rnoldswick ..	12,760	91	78	7	5	181	14·2	73	73	146	11·4	18	99	2·8
tley M.B. ..	36,740	317	319	23	14	673	18·3	240	251	491	13·4	42	62	4·9
ntley with Arksey.	14,430	176	165	7	8	356	24·7	66	59	125	8·7	33	93	16·0
ngley	19,220	159	123	3	7	292	15·2	122	151	273	14·2	17	58	1·0
rkenshaw ..	2,688	20	25	1	1	47	17·5	26	15	41	15·3	1	21	2·2
rstal	7,244	58	54	3	4	119	16·4	56	57	113	15·6	12	101	0·8
lton-upon-Dearne	14,050	222	214	12	8	456	32·5	105	84	189	13·5	47	103	19·0
ighouse M.B.	20,100	155	122	8	10	295	14·7	141	142	283	14·1	13	44	0·6
rley in Wharfedale.	3,843	20	36	—	1	57	14·8	19	21	40	10·4	1	18	4·4
lverley ..	3,408	34	18	—	—	52	15·3	17	19	36	10·6	3	58	4·7
stleford ..	25,000	307	288	17	11	623	24·9	193	155	348	13·9	75	120	11·0
ayton	5,111	34	24	4	—	62	12·1	30	35	65	12·7	4	65	−0·6
ayton West..	2,063	13	8	1	—	22	10·7	5	13	18	8·7	3	136	2·0
nisbrough ..	17,080	266	265	10	10	551	32·3	121	82	203	11·9	62	113	20·4
dworth ..	8,271	123	125	10	3	261	31·6	48	42	90	10·9	16	61	20·7
rfield	5,746	65	63	1	5	134	23·3	37	31	68	11·8	17	127	11·5
rton	11,890	171	148	5	6	330	27·8	49	79	128	10·8	16	48	17·0
nby and Cumberworth.	3,659	40	30	—	—	70	19·1	20	20	40	10·9	2	29	8·2
nholme ..	3,066	19	22	3	1	45	14·7	15	24	39	12·7	1	22	2·0
dworth ..	3,484	33	42	3	—	78	22·4	19	24	43	12·3	7	90	10·1
ncaster M.B.	55,150	588	536	30	30	1,184	21·5	367	296	663	12·0	98	83	9·5
ighlington ..	4,147	35	36	4	3	78	18·8	26	30	56	13·5	8	103	5·3
rby	6,033	49	54	4	—	107	17·7	31	33	64	10·6	6	56	7·1
land	10,660	53	67	1	4	125	11·7	49	89	138	12·9	2	16	−1·2
nley	1,747	16	11	—	1	28	16·0	8	9	17	9·7	1	36	6·3
rnley Tyas..	490	3	3	1	—	7	14·3	4	2	6	12·2	—	—	2·1
rsley	6,113	34	26	4	—	64	10·5	41	39	80	13·1	8	125	−2·6
atherstone ..	15,710	163	164	9	8	344	21·9	133	91	224	14·3	42	122	7·6
ockton ..	1,421	6	19	2	—	27	19·0	10	6	16	11·3	3	111	7·7
rforth ..	3,949	50	38	2	2	92	23·3	17	22	39	9·9	5	54	13·4
ldersome ..	2,817	17	14	—	—	31	11·0	27	23	50	17·7	6	194	−6·7
lcar	10,430	71	65	6		144	13·8	54	83	137	13·1	11	76	0·7
ole	19,950	219	229	13	10	471	23·6	156	127	283	14·2	45	96	9·4
easbrough ..	3,228	27	23	—	—	50	15·	18	15	33	10·2	2	40	5·3
eetland ..	4,319	24	21	1	1	47	10·9	19	25	44	10·2	1	21	0·7
iseley	5,474	37	46	2	—	85	15·5	45	37	82	15·0	9	106	0·5
nthwaite and Ingbirchworth	329	5	3	—	—	8	24·3	1	1	2	6·1	—	—	18·2
rrogate M.B.	34,300	240	201	23	21	485	14·1	201	239	440	12·8	31	64	1·3
aworth ..	6,546	45	35	3	4	87	13·3	51	64	115	17·6	13	149	−4·3
ebden Bridge	6,396	40	34	3	—	77	12·0	48	46	94	14·7	6	78	−2·7

* Population adjusted to allow for changes in boundary during the year.
† Death-rate based upon an estimated civilian population of 1,130,002*.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Heckmondwike	8,924	77	69	2	5	153	17·1	81	88	169	18·9	14	92	−1·8
Hemsworth ..	12,630	196	177	9	15	397	31·4	82	61	143	11·3	37	93	20·1
Hipperholme ..	4,710	30	34	1	—	65	13·8	24	42	66	14·0	5	77	−0·2
Holme	356	3	4	—	1	8	22·5	4	4	8	22·5	3	375	—
Holmfirth ..	10,500	91	77	1	1	170	16·2	60	76	136	13·0	10	59	3·2
Honley	4,686	44	26	1	—	71	15·2	33	31	64	13·7	5	70	1·5
Horbury	8,045	64	69	1	1	135	16·8	70	56	126	15·7	17	126	1·1
Horsforth ..	9,791	75	70	6	2	153	15·6	68	68	136	13·9	13	85	1·7
Hoyland Nether	16,000	219	172	11	4	406	25·4	99	89	188	11·8	33	81	13·6
Hoyland Swaine	707	5	4	—	—	9	12·7	6	4	10	14·1	3	333	−1·4
Hunsworth ..	1,306	7	4	—	—	11	8·4	10	12	22	16·8	1	91	−8·4
Ilkley	8,619	57	49	3	4	113	13·1	64	69	133	15·4	3	27	−2·3
Keighley M.B.	41,910	312	293	14	7	626	14·9	321	283	604	14·4	67	107	0·5
Kirkburton ..	3,524	29	26	2	1	58	16·5	25	28	53	15·0	4	69	1·5
Kirkheaton ..	2,753	19	23	1	2	45	16·3	18	17	35	12·7	1	22	3·6
Knaresborough	5,300	39	43	2	—	84	15·8	39	57	96	18·1	9	107	−2·3
Knottingley ..	7,066	99	104	4	4	211	29·9	54	55	109	15·4	28	133	14·5
Lepton	3,231	22	26	—	2	50	15·5	16	22	38	11·8	2	40	3·7
Linthwaite ..	9,871	71	76	3	3	153	15·5	57	59	116	11·8	13	85	3·7
Luddenden Foot	2,839	20	18	2	2	42	14·8	30	22	52	18·3	3	71	−3·5
Maltby‡	2,102*	33	45	3	2	83	39·5	9	11	20	9·5	7	84	30·0
Marsden	5,891	45	54	2	—	101	17·1	37	33	70	11·9	6	59	5·2
Meltham	5,090	36	24	—	2	62	12·2	32	32	64	12·6	5	81	−0·4
Methley	4,580	54	35	1	3	93	20·3	34	14	48	10·5	6	65	9·8
Mexborough ..	16,390	190	196	11	10	407	24·8	99	75	174	10·6	33	81	14·2
Midgley	1,943	12	14	—	1	27	13·9	19	15	34	17·5	3	111	−3·6
Mirfield	12,420	99	94	4	7	204	16·4	92	97	189	15·2	16	78	1·2
Morley M.B. ..	23,980	244	210	6	10	470	19·6	167	179	346	14·4	46	98	5·2
Mytholmroyd..	4,148	29	28	3	1	61	14·7	36	33	69	16·6	8	131	−1·9
New Mill ..	4,489	43	37	—	1	81	18·0	28	26	54	12·0	4	49	6·0
Normanton ..	16,760	226	186	10	3	425	25·4	111	111	222	13·2	46	108	12·2
Oakworth ..	4,096	27	37	—	1	65	15·9	35	40	75	18·3	1	15	−2·4
Ossett M.B. ..	15,050	133	140	5	9	287	19·1	84	116	200	13·3	20	70	5·8
Otley	9,681	94	96	3	3	196	20·2	68	71	139	14·4	15	77	5·8
Oxenhope ..	2,411	22	12	—	1	35	14·5	18	22	40	16.6	4	114	−2·1
Penistone ..	3,955	29	26	1	—	56	14·2	26	25	51	12·9	6	107	1·3
Pontefract M.B.	18,160	246	215	7	17	485	26·7	138	118	256	14·5†	50	103	12·2
Pudsey M.B. ..	14,140	101	95	2	4	202	14·3	84	92	176	12·4	12	59	1·9
Queensbury ..	5,802	48	40	1	1	90	15·5	40	55	95	16·4	9	100	−0·9
Rawdon	3,838	27	27	—	—	54	14·1	18	29	47	12·2	1	19	1·9
Rawmarsh ..	18,500	210	220	6	1	437	23·6	105	115	220	11·9	40	92	11·7
Ripon M.B. ..	8,208	76	54	6	8	144	17·5	53	55	108	13·2	11	76	4·3
Rishworth ..	875	4	3	—	—	7	8·0	12	6	18	20·6	1	143	−12·6
Rothwell ..	15,610	145	129	3	7	284	18·2	80	84	164	10·5	32	113	7·7
Royston	7,065	81	85	1	3	170	24·1	55	36	91	12·9	20	118	11·2
Saddleworth ..	12,560	69	85	3	7	164	13·1	74	80	154	12·3	13	79	0·8
Scammonden ..	405	6	6	—	—	12	29·6	4	3	7	17·3	2	167	12·3
Selby	10,300	96	96	3	3	198	19·2	45	57	102	9·9	12	61	9·3

* Population adjusted to allow for change in boundary during the year.
† Death-rate based upon an estimated civilian population of 17,660.
‡ Created 1st October, 1924.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
RKSHIRE:														
VEST RIDING —*cont.*														
NICIPAL BORO'S AND URBAN DISTRICTS —*cont.*														
helf	2,444	12	16	—	2	30	12·3	23	24	47	19·2	4	133	−6·9
helley	1,710	13	10	—	—	23	13·5	6	9	15	8·8	1	43	4·7
hepley	1,698	11	10	—	—	21	12·4	13	9	22	13·0	1	48	−0·6
hipley	28,600	230	239	11	14	494	17·3	199	231	430	15·0	48	97	2·3
llsden	4,785	30	25	—	1	56	11·7	25	38	63	13·2	3	54	−1·5
kelmanthorpe	3,940	39	25	2	—	66	16·8	29	25	54	13·7	5	76	3·1
kipton	12,130	83	83	3	8	180	14·8	96	91	187	15·4	23	128	−0·6
laithwaite ..	5,337	38	40	2	3	83	15·5	31	24	55	10·2	2	24	5·3
outh Crosland	3,016	18	23	—	2	43	14·3	14	33	47	15·6	5	116	−1·3
outhowram ..	2,683	19	30	4	1	54	20·1	23	15	38	14·1	4	74	6·0
owerby	3,210	24	35	—	1	60	18·7	27	25	52	16·2	4	67	2·5
owerby Bridge	11,510	65	71	2	1	139	12·1	86	93	179	15·6	7	50	−3·5
oyland	2,777	26	13	—	1	40	14·4	27	26	53	19·1	3	75	−4·7
penborough ..	31,330	231	215	8	10	464	14·8	217	219	436	13·9	40	86	0·9
pringhead ..	5,156	37	44	3	—	84	16·3	28	25	53	10·3	5	60	6·0
tainland ..	4,494	27	34	—	1	62	13·8	34	54	88	19·6	2	32	−5·8
tanley	15,180	174	157	2	3	336	22·1	79	75	154	10·1	30	89	12·0
tocksbridge ..	9,416	116	106	5	3	230	24·4	52	42	94	10·0	18	78	14·4
winton	14,520	173	173	13	8	367	25·3	82	76	158	10·9	35	95	14·4
hurlstone ..	2,578	25	16	2	2	45	17·5	19	14	33	12·8	7	156	4·7
hurnscoe ..	6,751	128	138	6	6	278	41·2	38	27	65	9·6	18	65	31·6
hurstonland‡	2,534	5	7	—	—	12	4·7	2	10	12	4·7	2	167	—
ickhill	2,185	30	25	—	—	55	25·2	15	10	25	11·4	1	18	13·8
odmorden M.B.	23,660	152	148	9	5	314	13·3	173	202	375	15·8	33	105	−2·5
Vath-upon-Dearne.	13,830	202	182	3	4	391	28·3	85	77	162	11·7	36	92	16·6
Vhitley Upper	835	4	6	—	—	10	11·6	2	3	5	5·8	1	100	5·8
Vhitwood ..	6,239	73	94	2	2	171	27·4	53	31	84	13·5	18	105	13·9
Vombwell ..	20,330	247	244	10	8	509	25·0	127	96	223	10·9	50	98	14·1
Vorsborough..	12,510	174	146	8	4	332	26·5	88	60	148	11·8	24	72	14·7
eadon	7,521	62	60	3	2	127	16·9	63	54	117	15·6	16	126	1·3
RAL DISTRICTS.	392,693*	4,433	4,180	197	202	9,012	22·9	2,455	2,247	4,702	12·0	675	75	10·9
arnsley ..	4,324	55	55	1	2	113	26·1	22	30	52	12·0	6	53	14·1
ishopthorpe..	2,148	12	11	2	2	27	12·6	14	13	27	12·6	2	74	—
owland ..	5,530	39	32	1	2	74	13·3	39	45	84	15·1	7	95	−1·8
oncaster ..	31,310*	484	455	17	24	980	31·3	168	139	307	9·8	82	84	21·5
oole	8,660	84	102	8	7	201	23·2	58	47	105	12·1	15	75	11·1
reat Ouseburn	11,210	97	104	5	6	212	18·9	63	65	128	11·4	9	42	7·5
alifax	6,225	35	32	—	2	69	11·1	44	46	90	14·5	9	130	−3·4
emsworth ..	40,880	595	599	21	28	1,243	30·4	237	221	458	11·2	111	89	19·2
unslet	7,694	75	71	2	2	150	19·5	53	42	95	12·3	10	67	7·2
eighley.. ..	7,059	47	46	1	—	94	13·3	42	58	100	14·2	8	85	−0·9
iveton Park..	16,470	201	173	8	7	389	23·6	88	69	157	9·5	24	62	14·1
naresborough	8,633	54	57	4	4	119	13·8	42	48	90	10·4	4	34	3·4
ateley Bridge	7,226	69	49	4	3	125	17·3	61	55	116	16·1	5	40	1·2
enistone ..	5,810	76	51	1	3	131	22·5	26	34	60	10·3	7	53	12·2
ontefract ..	21,260	345	328	14	15	702	33·0	138	130	268	12·6	62	88	20·4
ipon	5,072	39	30	3	2	74	14·6	40	35	75	14·8	4	54	−0·2
otherham ..	39,478*	561	514	29	15	1,119	28·3	266	199	465	11·8	80	71	16·5
edbergh.. ..	4,040	35	38	—	1	74	18·3	29	28	57	14·1	6	81	4·2

* Population adjusted to allow for change in boundary during the year.
‡ A considerable proportion of the population of this area was enumerated in a County Lunatic Asylum, the deaths in which allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —*cont.*														
RURAL DISTRICTS —*cont.*														
Selby	6,232	53	52	4	4	113	18·1	31	31	62	9·9	7	62	8·2
Settle	15,000	134	129	4	8	275	18·3	90	92	182	12·1	13	47	6·2
Skipton	18,700	146	129	7	6	288	15·4	127	144	271	14·5	20	69	0·9
Tadcaster ..	29,500	298	313	15	15	641	21·7	164	165	329	11·2	47	73	10·5
Thorne	12,900	207	191	12	12	422	32·7	106	89	195	15·1	41	97	17·6
Todmorden ..	4,454	22	29	1	—	52	11·7	37	35	72	16·2	4	77	−4·5
Wakefield ..	18,230	208	205	10	8	431	23·6	146	119	265	14·5	38	88	9·1
Wetherby ..	14,560	125	99	8	10	242	16·6	86	104	190	13·0	10	41	3·6
Wharfedale:—														
North ..	3,960	39	26	3	1	69	17·4	35	21	56	14·1	9	130	3·3
South ..	7,150	30	37	—	1	68	9·5	27	21	43	6·[illegible]	4	59	2·8
Wortley	28,950	268	223	12	12	515	17·8	176	122	298	10·3	31	60	7·5
COUNTY BORO':														
York	86,380	810	692	35	39	1,576	18·2	542	566	1,108	13·1†	152	96	5·1
WALES AND MONMOUTH.														
ANGLESEY:														
Administrative County.	52,290	434	407	45	35	921	17·6	399	417	816	15·6	89	97	2·0
MUNICIPAL BORO' AND URBAN DISTRICTS.	20,030	180	170	8	9	367	18·3	139	159	298	14·9	40	109	3·4
Amlwch ..	2,651	26	26	2	3	57	21·5	20	24	44	16·6	8	140	4·9
Beaumaris M.B.	1,699	11	11	2	3	27	15·9	14	19	33	19·4	3	111	−3·5
Holyhead ..	12,230	125	105	3	3	236	19·3	74	89	163	13·3	25	106	6·0
Llangefni ..	1,721	10	16	1	—	27	15·7	17	12	29	16·9	4	148	−1·2
Menai Bridge	1,729	8	12	—	—	20	11·6	14	15	29	16·8	—	—	−5·2
RURAL DISTRICTS.	32,260	254	237	37	26	554	17·2	260	258	518	16·1	49	88	1·1
Aethwy	8,364	64	71	7	6	148	17·7	57	61	118	14·1	8	54	3·6
Dwyran	2,912	31	22	3	4	60	20·6	29	24	53	18·2	7	117	2·4
Twrcelyn ..	9,284	60	66	10	9	145	15·6	76	72	148	15·9	13	90	−0·5
Valley	11,700	99	78	17	7	201	17·2	98	101	199	17·0	21	104	0·2
BRECKNOCKSHIRE Administrative County.	62,320	575	574	28	27	1,204	19·3	401	394	795	12·8†	98	81	6·5
MUNICIPAL BORO' AND URBAN DISTRICTS.	18,270	176	164	10	11	361	19·8	99	121	220	12·2†	25	69	7·6
Brecknock, M.B.	5,701	50	56	2	4	112	19·6	31	35	66	12·0†	9	80	7·6
Brynmawr ..	8,657	94	74	2	2	172	19·9	40	45	85	9·8	10	58	10·1
Builth Wells ..	1,600	17	16	—	—	33	20·6	14	20	34	21·3	2	61	−0·7
Hay	1,540	11	12	5	4	32	20·8	12	14	26	16·9	3	94	3·9
Llanwrtyd ..	772	4	6	1	1	12	15·5	2	7	9	11·7	1	83	3·8
RURAL DISTRICTS.	44,050	399	410	18	16	843	19·1	302	273	575	13·1	73	87	6·0
Brecknock:—														
Defynnock Div.	3,276	29	30	—	3	62	18·9	28	27	55	16·8	6	97	2·1
Llangorse Div.	3,340	18	36	—	2	56	16·8	20	19	39	11·7	3	54	5·1
Merthyr Cynog. Div.	2,194	19	27	—	1	47	21·4	8	9	17	7·7	2	43	13·7
Builth	3,992	36	34	1	2	73	18·3	30	26	56	14·0	9	123	4·3
Crickhowell ..	8,284	76	72	2	4	154	18·6	50	60	110	13·3	14	91	5·3
Hay	4,130	25	28	2	1	56	13·6	24	25	49	11·9	6	107	1·7
Vaynor and Penderyn.	5,950	49	52	5	1	107	13·0	58	40	98	16·5	7	65	1·5

† Death-rates based upon estimated civilian populations as follows:—York C.B., 84,450; Brecknockshire—Administrative County, 62,120; Municipal Borough and Urban Districts, 18,070; Brecknock M.B., 5,501.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BRECKNOCKSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Ystradgynlais..	11,870	138	122	7	2	269	22·7	76	62	138	11·6	23	86	11·1
C.P. of Llanwrthwl administered by R.D.C. of Rhayader (Radnor).	359	2	1	—	—	3	8·4	2	1	3	8·4	—	—	—
C.P. of Ystradfellte administered by R.D.C. of Neath (Glam.)	655	7	8	1	—	16	24·4	6	4	10	15·3	3	188	9·1
CARDIGANSHIRE: Administrative County.	58,290	411	405	31	30	877	15·1	487	517	1,004	17·2	68	78	— 2·1
MUNICIPAL BORO'S AND URBAN DISTRICTS.	16,600	98	101	6	5	210	12·7	115	134	249	15·0	17	81	— 2·3
Aberayron ..	1,254	11	8	1	—	20	15·9	15	11	26	20·7	4	200	— 4·8
Aberystwyth M.B.	9,135	42	57	1	4	104	11·4	49	71	120	13·1	7	67	— 1·7
Cardigan M.B.	3,360	28	17	3	—	48	14·3	20	29	49	14·6	3	63	— 0·3
Lampeter M.B.	1,767	10	11	—	—	21	11·9	12	12	24	13·6	2	95	— 1·7
New Quay ..	1,084	7	8	1	1	17	15·7	19	11	30	27·7	1	59	—12·0
RURAL DISTRICTS.	41,690	313	304	25	25	667	16·0	372	383	755	18·1	51	76	— 2·1
Aberayron ..	7,611	51	57	9	6	123	16·2	72	72	144	18·9	9	73	— 2·7
Aberystwyth:—														
North ..	6,898	53	42	2	3	100	14·5	57	68	125	18·1	15	150	— 3·6
South ..	5,082	45	37	3	6	91	17·9	39	50	89	17·5	5	55	0·4
Cardigan ..	3,137	26	21	—	2	49	15·6	28	26	54	17·2	1	20	— 1·6
Lampeter ..	3,537	24	30	4	2	60	17·0	40	34	74	20·9	6	100	— 3·9
Llandyssil ..	8,081	60	56	5	3	124	15·3	66	69	135	16·7	7	56	— 1·4
Tregaron ..	7,015	53	58	2	2	115	16·4	68	63	131	18·7	8	70	— 2·3
Civil Parish of YsguboryCoed administered by R.D.C. of Machynlleth (Montgomeryshire).	329	1	3	—	1	5	15·2	2	1	3	9·1	—	—	6·1
CARMARTHENSHIRE: Administrative County.	181,550	1,790	1,762	57	77	3,686	20·3	1,186	1,147	2,333	12·9	304	82	7·4
MUNICIPAL BORO'S AND URBAN DISTRICTS.	76,650	720	736	26	32	1,514	19·7	468	428	896	11·7	120	79	8·0
Ammanford ..	7,507	73	64	4	2	143	19·0	43	28	71	9·5	11	77	9·5
Burry Port ..	6,482	52	68	2	4	126	19·4	41	30	71	11·0	12	95	8·4
Carmarthen .. M.B.	10,050	61	81	11	7	160	15·9	61	62	123	12·2	8	50	3·7
Cwmamman ..	5,639	51	54	1	3	109	19·3	33	26	59	10·5	10	92	8·8
Kidwelly M.B.	3,346	37	45	1	5	88	26·3	16	22	38	11·4	4	45	14·9
Llandilo	2,049	20	16	2	—	38	18·5	7	9	16	7·8	1	26	10·7
Llandovery M.B.	2,002	12	18	—	1	31	15·5	15	17	32	16·0	4	129	— 0·5
Llanelly M.B.	38,770	410	385	5	10	810	20·9	240	221	461	11·9	69	85	9·0
Newcastle Emlyn	805	4	5	—	—	9	11·2	12	13	25	31·1	1	111	—19 9

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CARMARTHENSHIRE—*cont.*														
RURAL DISTRICTS	104,900	1,070	1,026	31	45	2,172	20·7	718	719	1,437	13·7	184	85	7·0
Carmarthen ..	24,570	235	226	10	11	482	19·6	163	191	354	14·4	45	93	5·2
Llandilo Fawr	22,570	252	217	3	11	483	21·4	158	122	280	12·4	36	75	9·0
Llandovery ..	6,827	55	49	1	4	109	16·0	46	49	95	13·9	6	55	2·1
Llanelly	36,170	411	422	8	12	853	23·6	236	223	459	12·7	72	84	10·9
Llanybyther ..	3,435	25	25	—	1	51	14·8	28	37	65	18·9	8	157	−4·1
Newcastle-in-Emlyn.	6,240	55	35	3	5	98	15·7	43	57	100	16·0	6	61	−0·3
Whitland ..	5,088	37	52	6	1	96	18·9	44	40	84	16·5	11	115	2·4
CARNARVONSHIRE: Administrative County.	120,250	922	855	53	65	1,895	15·8	875	928	1,803	15·0	134	71	0·8
MUNICIPAL BORO'S AND URBAN DISTRICTS.	60,700	445	419	23	20	907	14·9	382	459	841	13·9	55	61	1·0
Bangor M.B. ..	10,840	64	74	4	8	150	13·8	67	82	149	13·7	9	60	0·1
Bethesda.. ..	4,133	43	24	3	1	71	17·2	45	46	91	22·0	3	42	−4·8
Bettws y Coed	867	3	4	—	—	7	8·1	9	10	19	21·9	1	143	−13·8
Carnarvon M.B.	8,242	71	73	—	3	147	17·8	48	71	119	14·4	7	48	3·4
Conway M.B.	6,634	59	54	3	—	116	17·5	48	40	88	13·3	11	95	4·2
Criccieth ..	1,763	9	5	—	1	15	8·5	11	11	22	12·5	—	—	−4·0
Llandudno ..	13,300	77	81	7	—	165	12·4	58	81	139	10·5	9	55	1·9
Llanfairfechan	3,097	29	18	2	2	51	16·5	23	28	51	16·5	1	20	—
Penmaenmawr	4,065	30	27	2	—	59	14·5	26	25	51	12·5	7	119	2·0
Portmadoc ..	4,189	32	28	1	2	63	15·0	30	30	60	14·3	2	32	0·7
Pwllheli M.B.	3,570	28	31	1	3	63	17·6	17	35	52	14·6	5	79	3·0
RURAL DISTRICTS.	59,550	477	436	30	45	988	16·6	493	469	962	16·2	79	80	0·4
Conway	5,780	45	47	1	2	95	16·4	28	32	60	10·4	5	53	6·0
Geirionydd ..	4,119	38	32	5	2	77	18·7	34	33	67	16·3	6	78	2·4
Glaslyn	3,046	21	16	1	2	40	13·1	22	26	48	15·8	1	25	−2·7
Gwyrfai	24,050	213	190	12	18	433	18·0	233	218	451	18·8	35	81	−0·8
Lleyn	16,790	118	118	10	18	264	15·7	134	117	251	15·0	26	98	0·7
Ogwen	5,765	42	33	1	3	79	13·7	42	43	85	14·7	6	76	−1·0
DENBIGHSHIRE: Administrative County.	158,160	1,445	1,399	96	97	3,037	19·2	954	1,012	1,966	12·4†	241	79	6·8
MUNICIPAL BORO'S AND URBAN DISTRICTS.	56,660	465	423	36	29	953	16·8	335	402	737	13·1†	63	66	3·7
Abergele and Pensarn.	2,266	20	11	—	2	33	14·6	14	18	32	14·1	5	152	0·5
Colwyn Bay and Colwyn.	19,730	122	93	10	6	231	11·7	108	133	241	12·2	12	52	−0·5
Denbigh M.B. ..	6,774	54	63	5	6	128	18·9	42	49	91	13·4	13	102	5·5
Llangollen ..	3,253	22	25	4	2	53	16·3	19	35	54	16·6	4	75	−0·3
Llanrwst ..	2,356	15	24	5	1	45	19·1	15	20	35	14·9	2	44	4·2
Ruthin M.B. ..	2,781	15	14	5	2	36	12·9	17	15	32	11·5	1	28	1·4
Wrexham M.B.	19,500	217	193	7	10	427	21·9	120	132	252	13·1†	26	61	8·8
RURAL DISTRICTS	101,500	980	976	60	68	2,084	20·5	619	610	1,229	12·1	178	85	8·4
Chirk	4,857	44	48	2	2	96	19·8	37	24	61	12·6	8	83	7·2
Llangollen ..	3,661	37	33	3	—	73	19·9	20	22	42	11·5	3	41	8·4
Llanrwst ..	4,285	32	31	8	5	76	17·7	27	39	66	15·4	3	39	2·3
Llansilin	2,923	30	21	4	3	58	19·8	28	21	49	16·8	7	121	3·0

† Death-rates based upon estimated civilian population as follows:—Denbighshire—Administrative County, 157,920; Municipal Boroughs and Urban Districts, 56,420; Wrexham M.B., 19,260.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DENBIGHSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Ruthin	9,193	74	81	6	11	172	18·7	55	79	134	14·6	18	105	4·1
St. Asaph (Denbigh).	6,743	59	49	4	4	116	17·2	46	30	76	11·3	8	69	5·9
Uwchaled ..	2,112	16	10	—	5	31	14·7	16	10	26	12·3	4	129	2·4
Wrexham ..	65,930	677	684	33	37	1,431	21·7	384	373	757	11·5	123	86	10·2
C.P. of Llanelianyn Rhôs and Llansantffraid Glan Conway administered by R.D.C. of Conway (Carnarvonshire).	1,796	11	19	—	1	31	17·3	6	12	18	10·0	4	129	7·3
FLINTSHIRE:														
Administrative County.	104,900	1,038	930	40	44	2,052	19·6	651	639	1,290	12·4†	125	61	7·2
MUNICIPAL BORO' AND URBAN DISTRICTS.	40,759*	423	352	19	17	811	19·9	253	239	492	12·1	57	70	7·8
Buckley	6,863	65	63	2	3	133	19·4	35	43	78	11·4	11	83	8·0
Connah's Quay	5,500	69	53	1	1	124	22·5	33	25	58	10·5	8	65	12·0
Flint M.B. ..	6,706	106	69	2	2	179	26·7	39	44	83	12·4	12	67	14·3
Holywell ..	3,006	36	34	3	4	77	25·6	21	25	46	15·3	3	39	10·3
Mold	4,772	53	51	3	4	111	23·3	40	29	69	14·5	9	81	8·8
Prestatyn ..	3,302*	31	13	2	1	47	14·2	15	17	32	9·7	3	64	4·5
Rhyl	10,610	63	69	6	2	140	13·2	70	56	126	11·9	11	79	1·3
RURAL DISTRICTS.	64,141*	615	578	21	27	1,241	19·3	398	400	798	12·6†	68	55	6·7
Hawarden ..	25,570	262	263	5	8	538	21·0	141	136	277	11·1†	34	63	9·9
Holywell:—														
Holywell Div.	17,320	156	158	7	10	331	19·1	121	124	245	14·1	16	48	5·0
Mold Div. ..	8,690	92	60	2	1	155	17·8	59	62	121	13·9	7	45	3·9
Overton	5,205	48	41	5	4	98	18·8	33	30	63	12·1	7	71	6·7
St. Asaph (Flint)	7,356*	57	56	2	4	119	16·2	44	48	92	12·5	4	34	3·7
GLAMORGANSHIRE:														
COUNTY BORO's..	472,540	4,997	4,713	175	135	10,020	21·2	3,086	2,576	5,662	12·0†	800	80	9·2
Cardiff	226,400	2,435	2,262	88	65	4,850	21·4	1,467	1,255	2,722	12·0†	382	79	9·4
Merthyr Tydfil	83,440	849	883	34	20	1,786	21·4	585	443	1,028	12·3	144	81	9·1
Swansea	162,700	1,713	1,568	53	50	3,384	20·8	1,034	878	1,912	11·8	274	81	9·0
ADMINISTRATIVE COUNTY.	839,500	9,586	9,227	296	313	19,422	23·1	4,910	4,218	9,128	10·9	1,496	77	12·2
MUNICIPAL BORO'S AND URBAN DISTRICTS.	634,100	7,360	7,085	223	244	14,912	23·5	3,750	3,251	7,001	11·0	1,155	77	12·5
Aberdare.. ..	58,000	571	507	18	15	1,111	19·2	342	311	653	11·3	94	85	7·9
Barry	40,020	406	432	14	19	871	21·8	255	215	470	11·7	58	67	10·1
Bridgend.. ..	9,515	102	95	4	4	205	21·5	50	57	107	11·2	11	54	10·3
Caerphilly ..	39,850	551	479	15	19	1,064	26·7	246	211	457	11·5	88	83	15·2
Cowbridge M.B.	1,148	18	8	1	1	28	24·4	11	8	19	16·6	1	36	7·8
Gelligaer ..	46,930	591	590	10	17	1,208	25·7	257	241	498	10·6	117	97	15·1
Glyncorwg ..	11,740	166	171	2	7	346	29·5	59	54	113	9·6	18	52	19·9
Maesteg	29,930	378	350	9	15	752	25·1	170	119	289	9·7	49		15·4

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Flintshire—Administrative County, 104,310; Rural Districts, 63,551*; Hawarden R.D., 24,980; Glamorganshire—County Boroughs, 472,310; Cardiff C.B., 226,200.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLAMORGANSHIRE —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Mountain Ash	45,760	546	557	19	13	1,135	24·8	282	228	510	11·1	84	74	13·7
Neath M.B. ..	34,560	353	378	9	6	746	21·6	203	191	394	11·4	47	63	10·2
Ogmore and Garw.	32,090	424	361	17	16	818	25·5	156	149	305	9·5	48	59	16·0
Penarth	17,870	173	161	7	5	346	19·4	113	95	208	11·6	24	69	7·8
Pontypridd ..	49,510	624	579	17	15	1,235	24·9	298	278	576	11·6	115	93	13·3
Porthcawl ..	6,127	39	44	2	—	85	13·9	35	43	78	12·7	9	106	1·2
Port Talbot M.B.	43,150	498	468	8	19	993	23·0	239	230	469	10·9	79	80	12·1
Rhondda.. ..	167,900	1,920	1,905	71	73	3,969	23·6	1,034	821	1,855	11·0	313	79	12·6
RURAL DISTRICTS.	205,400	2,226	2,142	73	69	4,510	22·0	1,160	967	2,127	10·4	341	76	11·6
Cardiff ..	24,660	217	221	6	4	448	18·2	107	119	226	9·2	20	45	9·0
Cowbridge ..	10,460	126	109	7	7	249	23·8	68	66	134	12·8	12	48	11·0
Gower	9,600	89	94	3	1	187	19·5	62	43	105	10·9	15	80	8·6
Llantrisant and Llantwitfardre	26,790	355	354	20	17	746	27·8	191	119	310	11·6	65	87	16·2
Neath	39,650	464	418	8	13	903	22·8	200	189	389	9·8	72	80	13·0
Penybont ..	30,530	325	341	15	10	691	22·6	156	117	273	8·9	38	55	13·7
Pontardawe ..	33,900	384	350	7	7	748	20·3	221	193	414	11·2	68	91	9·1
Swansea	26,810	266	255	7	10	538	20·1	155	121	276	10·3	51	95	9·8
MERIONETHSHIRE Administrative County.	43,710	360	351	35	35	781	17·9	330	354	684	15·9†	56	72	2·0
URBAN DISTRICTS.	18,750	156	143	19	14	332	17·7	169	173	342	18.2	23	69	−0·5
Bala..	1,459	10	7	2	1	20	13·7	13	14	27	18·5	—	—	−4·8
Barmouth ..	2,113	17	11	—	—	28	13·3	17	23	40	18·9	—	—	−5·6
Dolgelly	2,207	16	12	4	4	36	16·3	16	12	28	12·7	3	83	3·6
Ffestiniog ..	8,410	81	77	8	6	172	20·5	80	81	161	19·1	14	81	1·4
Mallwyd	704	8	10	1	1	20	28·4	11	8	19	27·0	2	100	1·4
Towyn	3,857	24	26	4	2	56	14·5	32	35	67	17·4	4	71	−2·9
RURAL DISTRICTS.	24,960	204	208	16	21	449	18·0	161	181	342	14·1†	33	73	3·9
Deudraeth ..	8,111	60	60	5	7	132	16·3	50	70	120	16·4†	17	129	−0·1
Dolgelly	7,786	57	64	5	5	131	16·8	49	50	99	12·7	8	61	4·1
Edeirnion ..	4,958	47	47	2	6	102	20·6	36	35	71	14·3	6	59	6·3
Penllyn	3,688	39	37	3	2	81	22·0	26	25	51	13·8	2	25	8·2
C.P. of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire).	417	1	—	1	1	3	7·2	—	1	1	2·4	—	—	4·8
MONMOUTHSHIRE:														
COUNTY BORO':														
Newport ..	95,810	1,051	970	16	26	2,063	21·5	597	499	1,096	11·4	151	73	10·1
ADMINISTRATIVE COUNTY.	374,340	4,208	3,916	121	123	8,368	22·4	2,169	1,793	3,962	10·6	633	76	11·8

† Death-rates based upon estimated civilian populations as follows:—Merionethshire—Administrative County, 42,930 Rural Districts 24,180; Deudraeth R.D., 7,331.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASES, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MONMOUTHSHIRE —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS.	327,000	3,776	3,507	112	98	7,493	22·9	1,889	1,546	3,435	10·5	577	77	12·4
Abercarn.. ..	21,140	269	249	8	6	532	25·2	122	95	217	10·3	45	85	14·9
Abergavenny M.B.	9,123	90	76	5	4	175	19·2	67	40	107	11·7	9	51	7·5
Abersychan ..	29,010	324	277	4	8	613	21·1	143	126	269	9·3	43	70	11·8
Abertillery ..	39,520	406	389	12	8	815	20·6	192	183	375	9·5	69	85	11·1
Bedwas and Machen.	9,380	134	127	3	1	265	28·3	72	45	117	12·5	30	113	15·8
Bedwellty ..	33,610	471	438	17	16	942	28·0	180	146	326	9·7	79	84	18·3
Blaenavon ..	13,120	136	140	4	3	283	21·6	117	94	211	16·1	36	127	5·5
Caerleon	2,307	16	7	—	—	23	10·0	13	11	24	10·4	1	43	—0·4
Chepstow ..	5,140	65	42	1	2	110	21·4	32	32	64	12·5	10	91	8·9
Ebbw Vale ..	37,110	443	406	9	11	869	23·4	215	179	394	10·6	60	69	12·8
Llanfrechfa Upper.	4,908	50	36	2	—	88	17·9	38	29	67	13·7	5	57	4·2
Llantarnam ..	7,906	95	95	1	2	193	24·4	40	44	84	10·6	10	52	13·8
Monmouth M.B.	5,032	42	42	3	2	89	17·7	33	42	75	14·9	5	56	2·8
Mynyddislwyn	15,830	179	192	5	4	380	24·0	85	68	153	9·7	25	66	14·3
Nantyglo and Blaina.	16,950	179	153	12	6	350	20·6	95	65	160	9·4	24	69	11·2
Panteg	11,560	119	115	4	—	238	20·6	66	43	109	9·4	14	59	11·2
Pontypool ..	7,489	95	83	3	1	182	24·3	37	37	74	9·9	9	49	14·4
Rhymney ..	12,310	155	140	3	5	303	24·6	82	75	157	12·8	29	96	11·8
Risca	17,750	193	198	5	6	402	22·6	87	87	174	9·8	27	67	12·8
Tredegar ..	26,380	306	296	11	13	626	23·7	165	102	267	10·1	46	73	13·6
Usk	1,425	9	6	—	—	15	10·5	8	3	11	7·7	1	67	2·8
RURAL DISTRICTS.	47,340	432	409	9	25	875	18·5	280	247	527	11·1	56	64	7·4
Abergavenny	9,386	75	81	—	5	161	17·2	48	44	92	9·8	8	50	7·4
Chepstow ..	8,874	82	81	3	6	172	19·4	39	57	96	10·8	10	58	8·6
Magor	5,707	59	57	1	2	119	20·9	32	24	56	9·8	7	59	11·1
Monmouth ..	6,672	51	62	2	3	118	17·7	57	49	106	15·9	14	119	1·8
Pontypool ..	5,451	45	42	1	5	93	17·1	32	23	55	10·1	2	22	7·0
St. Mellons ..	11,250	120	86	2	4	212	18·8	72	50	122	10·8	15	71	8·0
MONTGOMERYSHIRE Administrative County.	51,640	483	428	51	37	999	19·3	372	333	705	13·7	62	62	5·6
MUNICIPAL BORO'S AND URBAN DISTRICTS.	18,680	195	143	12	14	364	19·5	130	104	234	12·5	20	55	7·0
Llanfyllin M.B.	1,608	12	12	—	1	25	15·5	9	9	18	11·2	—	—	4·3
Llanidloes M.B.	2,487	23	13	2	2	40	16·1	16	17	33	13·3	4	100	2·8
Machynlleth ..	1,921	15	14	2	3	34	17·7	17	11	28	14·6	2	59	3·1
Montgomery M.B.	947	20	4	—	—	24	25·3	6	6	12	12·7	2	83	12·6
Newtown and Llanllwchaiarn.	5,829	65	43	3	2	113	19·4	45	26	71	12·2	6	53	7·2
Welshpool M.B.	5,888	60	57	5	6	128	21·7	37	35	72	12·2	6	47	9·5
RURAL DISTRICTS.	32,960	288	285	39	23	635	19·3	242	229	471	14·3	42	66	5·0
Forden	5,636	56	41	5	2	104	18·5	43	31	74	13·1	4	38	5·4
Llanfyllin ..	12,090	111	109	20	10	250	20·7	83	94	177	14·6	16	64	6·1
Machynlleth ..	3,844	26	32	4	4	66	17·2	27	39	66	17·2	4	61	—
Newtown and Llanidloes.	11,390	95	103	10	7	215	18·9	89	65	154	13·5	18	84	5·4

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASES, 1924.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1924).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
PEMBROKESHIRE: Administrative County.	92,670	840	782	39	36	1,697	18·3	638	637	1,275	13·9†	119	70	4·4
MUNICIPAL BORO'S AND URBAN DISTRICTS.	43,520	380	366	13	17	776	17·8	293	282	575	13·5†	59	76	4·3
Fishguard ..	3,048	18	21	—	1	40	13·1	16	17	33	10·8	1	25	2·3
Goodwick ..	2,403	20	23	—	2	45	18·7	16	20	36	15·0	4	89	3·7
Haverfordwest M.B.	6,008	60	44	—	1	105	17·5	52	62	114	19·0	8	76	−1·5
Milford Haven	8,504	97	101	4	4	206	24·2	49	42	91	10·7	18	87	13·5
Narberth.. ..	1,150	9	9	—	1	19	16·5	7	7	14	12·2	3	158	4·3
Neyland	2,687	30	19	1	1	51	18·9	17	14	31	11·5	2	39	7·4
Pembroke M.B.	15,590	113	119	4	7	243	15·6	105	81	186	12·6†	14	58	3·0
Tenby M.B. ..	4,120	33	30	4	—	67	16·3	31	39	70	17·0	9	134	−0·7
RURAL DISTRICTS.	49,150	460	416	26	19	921	18·7	345	355	700	14·2	60	65	4·5
Haverfordwest	19,310	200	163	17	9	389	20·1	154	133	287	14·9	36	93	5·2
Llanfyrnach ..	2,335	23	19	—	—	42	18·0	15	19	34	14·6	—	—	3·4
Narberth.. ..	11,000	98	92	4	5	199	18·1	67	94	161	14·6	10	50	3·5
Pembroke ..	8,701	82	76	3	3	164	18·8	42	39	81	9·3	7	43	9·5
St. Dogmells ..	7,804	57	66	2	2	127	16·3	67	70	137	17·6	7	55	−1·3
RADNORSHIRE: Administrative County.	22,200	210	166	15	13	404	18·2	155	145	300	13·5	26	64	4·7
URBAN DISTRICTS.	5,650	49	33	5	1	88	15·6	44	32	76	13·5	4	4	2·1
Knighton ..	1,711	19	19	—	—	38	22·2	18	14	32	18·7	—	—	3·5
Llandrindod Wells.	2,797	21	8	4	—	33	11·8	16	10	26	9·3	2	61	2·5
Presteigne ..	1,142	9	6	1	1	17	14·9	10	8	18	15·8	2	118	−0·9
RURAL DISTRICTS.	16,550	161	133	10	12	316	19·1	111	113	224	13·5	22	70	5·6
Colwyn	2,173	22	24	1	—	47	21·6	8	18	26	12·0	5	106	9·6
Knighton ..	4,280	45	31	4	3	83	19·4	37	25	62	14·5	7	84	4·9
New Radnor ..	2,666	23	24	1	6	54	20·3	19	24	43	16·1	2	37	4·2
Painscastle ..	2,311	26	15	3	2	46	19·9	13	10	23	10·0	5	109	9·9
Rhayader ..	5,120	45	39	1	1	86	16·8	34	36	70	13·7	3	35	3·1

† Death rates based upon estimated civilian populations as follows:—Pembrokeshire—Administrative County, 91,880; Municipal Boroughs and Urban Districts, 42,730; Pembroke M.B., 14,800.

TABLE 15.—ENGLAND AND WALES.—DEATHS at EACH YEAR of AGE REGISTERED in the YEAR 1924. (Total deaths registered.)

Age last birthday.	Persons.	Males.	Females.				Age last birthday.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	**473,235**	**240,620**	**232,615**	**79,154**	**75,784**	**77,677**	**50-54**	**25,771**	**14,183**	**11,588**	**1,891**	**7,883**	**1,814**
							50	4,914	2,657	2,257	393	1,547	317
							51	4,598	2,492	2,106	360	1,455	291
0-4	**83,732**	**46,964**	**36,768**	**36,768**	—	—	52	5,243	2,909	2,334	350	1,645	339
0	54,813	31,602	23,211	23,211	—	—	53	5,201	2,875	2,326	359	1,553	414
1	15,419	8,353	7,066	7,066	—	—	54	5,815	3,250	2,565	429	1,683	453
2	6,356	3,278	3,078	3,078	—	—	**55-59**	**30,730**	**16,923**	**13,807**	**2,096**	**8,577**	**3,134**
3	4,089	2,098	1,991	1,991	—	—	55	5,235	2,875	2,360	373	1,519	468
4	3,055	1,633	1,422	1,422	—	—	56	6,223	3,383	2,840	458	1,805	577
5-9	**6,971**	**3,655**	**3,316**	**3,316**	—	—	57	5,991	3,335	2,656	419	1,672	565
5	1,921	1,021	900	900	—	—	58	6,565	3,608	2,957	410	1,840	707
6	1,389	731	658	658	—	—	59	6,716	3,722	2,994	436	1,741	817
7	1,288	666	622	622	—	—	**60-64**	**37,996**	**20,475**	**17,521**	**2,528**	**9,345**	**5,648**
8	1,200	622	578	578	—	—	60	7,256	3,951	3,305	477	1,859	969
9	1,173	615	558	558	—	—	61	6,669	3,635	3,034	477	1,698	859
10-14	**5,953**	**2,975**	**2,978**	**2,978**	—	—	62	7,566	4,040	3,526	495	1,922	1,109
10	1,147	599	548	548	—	—	63	8,036	4,310	3,726	525	1,942	1,259
11	1,107	557	550	550	—	—	64	8,469	4,539	3,930	554	1,924	1,452
12	1,108	542	566	566	—	—	**65-69**	**43,930**	**23,095**	**20,835**	**2,825**	**8,968**	**9,042**
13	1,196	607	589	589	—	—	65	8,549	4,526	4,023	569	1,932	1,522
14	1,395	670	725	725	—	—	66	7,952	4,101	3,851	548	1,749	1,554
15-19	**9,140**	**4,646**	**4,494**	**4,408**	**86**	—	67	8,545	4,599	3,946	535	1,722	1,689
15	1,516	753	763	763	—	—	68	9,425	4,954	4,471	583	1,852	2,036
16	1,692	830	862	861	1	—	69	9,459	4,915	4,544	590	1,713	2,241
17	1,863	902	961	957	4	—	**70-74**	**48,698**	**23,862**	**24,836**	**3,224**	**7,557**	**14,055**
18	1,964	1,023	941	924	17	—	70	9,542	4,804	4,738	635	1,655	2,448
19	2,105	1,138	967	903	64	—	71	8,896	4,440	4,456	599	1,468	2,389
20-24	**10,886**	**5,572**	**5,314**	**3,754**	**1,547**	**13**	72	10,126	4,956	5,170	639	1,631	2,900
20	2,091	1,114	977	854	123	—	73	10,194	4,902	5,292	685	1,445	3,162
21	2,181	1,133	1,048	831	216	1	74	9,940	4,760	5,180	666	1,358	3,156
22	2,192	1,093	1,099	807	288	4	**75-79**	**43,704**	**19,624**	**24,080**	**2,972**	**4,726**	**16,382**
23	2,256	1,154	1,102	683	416	3	75	9,522	4,383	5,139	635	1,213	3,291
24	2,166	1,078	1,088	579	504	5	76	8,973	4,074	4,899	629	1,027	3,243
25-29	**10,417**	**4,952**	**5,465**	**2,197**	**3,177**	**91**	77	8,466	3,808	4,658	559	912	3,187
25	2,036	969	1,067	522	538	7	78	8,673	3,842	4,831	612	853	3,366
26	2,021	956	1,065	471	579	15	79	8,070	3,517	4,553	537	721	3,295
27	2,202	1,055	1,147	459	667	21	**80-84**	**31,726**	**13,229**	**18,497**	**2,324**	**2,025**	**14,148**
28	2,078	975	1,103	409	673	21	80	7,585	3,228	4,357	558	568	3,231
29	2,080	997	1,083	336	720	27	81	6,397	2,755	3,642	460	476	2,706
30-34	**11,258**	**5,477**	**5,781**	**1,540**	**4,019**	**222**	82	6,322	2,684	3,638	433	387	2,818
30	2,298	1,082	1,216	370	805	41	83	5,950	2,440	3,510	431	322	2,757
31	2,137	987	1,150	307	806	37	84	5,472	2,122	3,350	442	272	2,636
32	2,238	1,130	1,108	289	769	50	**85-89**	**15,171**	**5,591**	**9,580**	**1,292**	**518**	**7,770**
33	2,222	1,099	1,123	294	784	45	85	4,313	1,649	2,664	342	191	2,131
34	2,363	1,179	1,184	280	855	49	86	3,608	1,349	2,259	291	115	1,853
35-39	**13,650**	**7,129**	**6,521**	**1,333**	**4,804**	**384**	87	2,988	1,078	1,910	265	100	1,545
35	2,481	1,292	1,189	248	881	60	88	2,334	877	1,457	208	70	1,179
36	2,644	1,341	1,303	286	953	64	89	1,928	638	1,290	186	42	1,062
37	2,644	1,355	1,289	275	934	80	**90-94**	**4,613**	**1,395**	**3,218**	**398**	**73**	**2,747**
38	2,791	1,487	1,304	239	970	95	90	1,526	466	1,060	134	32	894
39	3,090	1,654	1,436	285	1,066	85	91	1,145	369	776	94	17	665
40-44	**16,929**	**9,062**	**7,867**	**1,510**	**5,734**	**623**	92	821	251	570	74	13	483
40	3,172	1,689	1,483	297	1,086	100	93	631	186	445	50	10	385
41	3,010	1,567	1,443	274	1,077	92	94	490	123	367	46	1	320
42	3,546	1,927	1,619	297	1,199	123	**95-99**	**844**	**222**	**622**	**83**	**12**	**527**
43	3,506	1,897	1,609	303	1,158	148	95	314	88	226	29	7	190
44	3,695	1,982	1,713	339	1,214	160	96	224	56	168	28	3	137
45-49	**21,030**	**11,567**	**9,463**	**1,710**	**6,732**	**1,021**	97	152	38	114	14	—	100
45	3,793	2,128	1,665	325	1,198	142	98	98	28	70	11	1	58
46	3,875	2,108	1,767	335	1,246	186	99	56	12	44	1	1	42
47	4,305	2,373	1,932	358	1,374	200	**100–**	**86**	**22**	**64**	**7**	**1**	**56**
48	4,411	2,411	2,000	358	1,434	208	100	34	11	23	3	1	19
49	4,646	2,547	2,099	334	1,480	285	101–	52	11	41	4	—	37

NOTE.—The 473,235 deaths at all ages include 601 cases (345 males and 256 females) in which only approximate ages were stated; these have been included under the stated age (*e.g.*, age "about 40" under age 40). In 52 cases (42 males and 10 females) the ages were stated to be within certain limits (*e.g.*, age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 10 cases (9 males and 1 female) the ages were stated to be unknown; these have been distributed to the particular ages, with regard as far as possible to the cause of death.

Of the 232,615 deaths of females, 310 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 42 divorced women are included with the deaths of widows.

TABLE 16.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1924.
(Civilian population only).

Age.	Sex.	All Areas.* England and Wales.	All Areas.* North.	All Areas.* Midlands.	All Areas.* South.†	All Areas.* Wales.	London.	County Boroughs. England and Wales.	County Boroughs. North.	County Boroughs. Midlands.	County Boroughs. South.	County Boroughs. Wales.
All Ages ..	M	240100	88270	71248	63372	17210	28402	85524	48690	24818	8333	3683
	F	32615	83618	69155	64233	15609	27485	81790	46044	23579	9092	3075
Under 4 weeks	M	13863	5633	4132	2980	1118	1296	5182	3040	1498	424	220
	F	10277	4201	3027	2196	853	1019	3883	2262	1140	307	174
4 weeks–3 months	M	5371	2329	1463	1127	452	580	2212	1363	595	160	94
	F	3746	1681	974	750	341	371	1574	978	408	109	79
3–6 months	M	4681	2027	1283	986	385	568	2049	1217	596	143	93
	F	3278	1457	885	669	267	380	1476	920	383	111	62
6–12 months	M	7687	3568	1966	1591	562	947	3385	2188	893	172	132
	F	5910	2799	1474	1213	424	743	2615	1723	670	125	97
Total under 1 year	M	31602	13557	8844	6684	2517	3391	12828	7808	3582	899	539
	F	23211	10138	6360	4828	1885	2513	9548	5883	2601	652	412
1—	M	8353	3973	2102	1800	478	1134	3813	2523	956	205	129
	F	7066	3381	1709	1577	399	1030	3207	2134	827	141	105
2—	M	3278	1466	869	752	191	468	1370	853	379	90	48
	F	3078	1406	798	673	201	429	1374	863	397	76	38
3—	M	2098	897	586	471	144	254	873	509	261	63	40
	F	1991	865	528	454	144	273	803	503	221	45	34
4—	M	1633	676	435	391	131	230	627	388	182	33	24
	F	1422	592	389	348	93	209	586	359	175	35	17
Total under 5 years	M	46964	20569	12836	10098	3461	5477	19511	12081	5360	1290	780
	F	36768	16382	9784	7880	2722	4454	15518	9742	4221	949	606
5—	M	3655	1446	1107	827	275	423	1352	797	395	109	51
	F	3316	1340	941	778	257	394	1278	753	385	105	35
10—	M	2975	1191	844	724	216	384	1110	679	302	81	48
	F	2978	1190	849	696	243	325	1146	678	306	94	68
15—	M	4577	1831	1254	1098	394	499	1637	998	422	125	92
	F	4494	1721	1275	1104	394	516	1672	978	443	164	87
20—	M	5419	2021	1568	1338	492	626	1955	1086	590	174	105
	F	5314	1958	1574	1299	483	599	1958	1104	566	194	94
25—	M	4875	1829	1393	1241	412	561	1764	1002	483	174	105
	F	5465	2020	1571	1387	487	652	1993	1131	558	195	109
30—	M	5413	2077	1581	1292	463	609	2057	1169	612	159	117
	F	5781	2173	1686	1420	502	692	2065	1201	568	190	106
35—	M	7059	2674	2056	1805	524	892	2683	1521	788	240	134
	F	6521	2531	1834	1642	514	726	2406	1392	681	240	93
40—	M	9020	3444	2539	2363	674	1223	3519	2011	1024	324	160
	F	7867	2953	2327	2040	547	929	2911	1657	868	268	118
45—	M	11542	4464	3201	3060	817	1546	4585	2687	1287	407	204
	F	9463	3573	2710	2559	621	1190	3509	2004	1029	357	119
50—	M	14171	5276	3952	3936	1007	2048	5420	3096	1581	490	253
	F	11588	4367	3244	3203	774	1481	4251	2476	1170	445	160
55—	M	16917	6316	4768	4641	1192	2207	6264	3586	1806	601	271
	F	13807	5211	3935	3788	873	1698	4940	2880	1378	514	168
60—	M	20473	7558	5922	5518	1475	2555	7393	4227	2113	717	336
	F	17521	6513	5001	4885	1122	2122	6243	3649	1675	699	220
65—	M	23095	8254	6956	6334	1551	2686	7867	4360	2346	850	311
	F	20835	7564	6199	5802	1270	2403	7106	3923	2095	840	248
70—	M	23862	8267	7314	6622	1659	2651	7736	4315	2218	880	323
	F	24836	8637	7482	7217	1500	2795	8274	4598	2367	1038	271
75—	M	19624	6026	6593	5710	1295	1977	5605	2844	1800	757	204
	F	24080	7577	7625	7372	1506	2771	7624	3945	2302	1093	284
80—	M	13229	3451	4634	4271	873	1350	3399	1576	1105	589	129
	F	18497	5014	6342	6032	1109	2171	5399	2541	1765	913	180
85—	M	7230	1576	2730	2494	430	688	1667	655	586	366	60
	F	13484	2894	4776	5129	685	1567	3497	1392	1202	794	109

* The Counties in the four sections North, Midland, South and Wales are shown in footnote || to Table 14.
† Including London.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1924.
(Civilian population only).

Age.	Sex.	Other Urban Districts.					Rural Districts.				
		England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.
All Ages ..	M	78140	28523	26648	14903	8066	48034	11057	19782	11734	5461
	F	77499	27573	26386	16210	7330	45841	10001	19190	11446	5204
Under 4 weeks	M	4597	1809	1523	723	542	2788	784	1111	537	356
	F	3401	1335	1134	494	438	1974	604	753	376	241
4 weeks–3 months	M	1693	702	544	218	229	886	264	324	169	129
	F	1206	517	362	160	167	595	186	204	110	95
3–6 months	M	1387	608	433	157	189	677	202	254	118	103
	F	959	394	323	105	137	463	143	179	73	68
6–12 months	M	2312	1044	687	288	293	1043	336	386	184	137
	F	1727	794	512	201	220	825	282	292	144	107
Total under 1 year	M	9989	4163	3187	1386	1253	5394	1586	2075	1008	725
	F	7293	3040	2331	960	962	3857	1215	1428	703	511
1—	M	2354	1066	767	277	244	1052	384	379	184	105
	F	1950	930	574	242	204	879	317	308	164	90
2—	M	988	448	323	118	99	452	165	167	76	44
	F	907	417	276	99	115	368	126	125	69	48
3—	M	662	280	212	93	77	309	108	113	61	27
	F	630	276	194	90	70	285	86	113	46	40
4—	M	515	225	148	75	67	261	63	105	53	40
	F	433	171	146	61	55	194	62	68	43	21
Total under 5 years	M	14508	6182	4637	1949	1740	7468	2306	2839	1382	941
	F	11213	4834	3521	1452	1406	5583	1806	2042	1025	710
5—	M	1239	481	441	180	137	641	168	271	115	87
	F	1119	432	376	172	139	525	155	180	107	83
10—	M	943	369	319	144	111	538	143	223	115	57
	F	977	386	318	158	115	530	126	225	119	60
15—	M	1569	612	486	268	203	872	221	346	206	99
	F	1532	570	512	245	205	774	173	320	179	102
20—	M	1789	682	587	281	239	1049	253	391	257	148
	F	1792	652	607	301	232	965	202	401	205	157
25—	M	1592	582	545	288	177	958	245	365	218	130
	F	1784	657	595	294	238	1036	232	418	246	140
30—	M	1757	654	590	304	209	990	254	379	220	137
	F	1968	701	688	333	246	1056	271	430	205	150
35—	M	2333	880	815	382	256	1151	273	453	291	134
	F	2159	844	685	378	252	1230	295	468	298	169
40—	M	2874	1070	993	473	338	1404	363	522	343	176
	F	2679	992	899	508	280	1348	304	560	335	149
45—	M	3681	1356	1235	681	409	1730	421	679	426	204
	F	3112	1169	1029	623	291	1652	400	652	389	211
50—	M	4563	1687	1516	874	486	2140	493	855	524	268
	F	3863	1429	1291	780	363	1993	462	783	497	251
55—	M	5470	2062	1793	1038	577	2976	668	1169	795	344
	F	4646	1774	1512	939	421	2523	557	1045	637	284
60—	M	6734	2439	2302	1301	692	3791	892	1507	945	447
	F	5833	2136	1950	1204	543	3323	728	1376	860	359
65—	M	7771	2834	2639	1592	706	4771	1060	1971	1206	534
	F	7093	2695	2361	1469	568	4233	946	1743	1090	454
70—	M	7957	2764	2770	1676	747	5518	1188	2326	1415	589
	F	8484	2989	2849	1964	682	5283	1050	2266	1420	547
75—	M	6665	2151	2404	1582	528	5377	1031	2389	1394	563
	F	8176	2608	2903	2026	639	5509	1024	2420	1482	583
80—	M	4350	1174	1637	1190	349	4130	701	1892	1142	395
	F	6398	1723	2465	1752	458	4529	750	2112	1196	471
85—	M	2345	544	939	700	162	2530	377	1205	740	208
	F	4671	982	1825	1612	252	3749	520	1749	1156	324

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGHS, 1924.
(Civilian population only).

Age.	Sex.	Greater London.*	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages ..	M	44499	82	5	989	905	746	1582	443	760	555	939	616	1236	812	470
	F	43737	74	3	1029	764	717	1542	413	619	549	877	563	1317	837	559
Under 4 weeks	M	2144	3	—	37	56	45	77	8	39	31	45	30	58	38	18
	F	1626	1	—	40	36	35	71	11	35	23	43	23	50	35	15
4 weeks–3 months	M	898	—	—	20	19	20	45	4	17	8	25	16	20	19	8
	F	578	—	—	9	6	17	38	2	12	9	11	12	25	7	4
3–6 months	M	809	2	—	22	25	22	26	4	9	17	19	20	25	16	7
	F	568	2	—	8	11	11	19	3	8	7	16	5	18	13	4
6–12 months	M	1356	1	—	32	41	28	42	14	37	16	33	25	35	24	8
	F	1070	2	—	28	39	25	43	13	23	19	23	21	18	20	2
Total under 1 year	M	5207	6	—	111	141	115	190	30	102	72	122	91	138	97	41
	F	3842	5	—	85	92	88	171	29	78	58	93	61	111	75	25
1—	M	1656	2	—	46	42	32	70	21	29	40	39	21	40	25	10
	F	1443	—	—	35	53	39	55	12	32	30	25	15	43	21	4
2—	M	668	1	—	10	23	16	33	5	12	19	16	7	18	10	2
	F	620	—	—	14	19	14	20	2	5	5	12	14	15	9	4
3—	M	384	—	—	9	11	9	17	4	11	8	6	5	15	7	2
	F	385	—	—	13	11	6	17	2	5	14	3	5	14	6	2
4—	M	318	—	—	10	10	9	12	3	9	9	4	5	12	8	2
	F	299	—	—	9	5	7	12	1	5	6	9	4	7	3	3
Total under 5 years	M	8233	9	—	186	227	181	322	63	163	148	187	129	223	147	57
	F	6589	5	—	156	180	154	275	46	125	113	142	99	190	114	38
5—	M	697	1	—	16	17	16	22	4	13	7	16	5	13	11	7
	F	613	—	—	21	22	16	23	2	11	4	8	6	31	21	6
10—	M	579	—	—	16	16	11	19	2	12	10	12	15	8	17	3
	F	543	—	—	8	15	9	20	4	7	9	11	7	15	10	3
15—	M	812	1	—	18	20	14	22	5	17	9	20	22	25	10	3
	F	824	1	—	16	22	20	37	6	15	12	14	14	18	19	10
20—	M	1016	3	—	21	19	17	39	7	12	17	19	23	34	19	12
	F	953	1	—	31	17	16	36	5	13	14	16	13	29	25	9
25—	M	938	—	—	16	17	14	25	7	13	9	18	17	26	18	12
	F	999	2	—	26	17	21	36	10	18	8	22	18	37	32	16
30—	M	990	—	—	24	18	8	35	11	24	10	26	9	27	10	6
	F	1060	1	—	26	29	13	35	7	21	12	24	12	35	24	8
35—	M	1377	2	—	39	31	21	57	18	29	21	29	24	38	28	12
	F	1191	1	—	26	16	22	45	9	17	16	21	17	38	25	18
40—	M	1858	4	—	42	46	40	59	9	40	23	50	28	59	37	20
	F	1507	5	—	41	25	23	53	13	15	21	31	15	46	21	26
45—	M	2389	10	—	56	57	54	75	25	29	24	64	28	79	51	24
	F	1918	5	1	43	28	20	58	17	20	34	53	24	55	31	25
50—	M	3080	10	1	66	61	49	116	34	51	32	79	33	85	57	28
	F	2329	7	—	53	21	46	72	23	29	29	48	27	71	45	35
55—	M	3369	5	1	81	68	53	120	28	54	39	62	38	94	63	40
	F	2691	6	—	55	46	37	79	28	38	25	57	24	82	45	36
60—	M	3937	9	1	89	71	58	137	38	65	34	78	41	104	86	46
	F	3389	6	1	79	55	52	110	41	45	41	68	40	98	61	54
65—	M	4280	8	1	101	73	65	150	46	83	56	76	61	110	59	51
	F	3716	7	—	90	65	62	118	51	53	45	75	44	112	67	54
70—	M	4147	12	—	82	77	70	158	40	56	50	86	60	121	85	44
	F	4516	6	—	102	67	69	155	47	55	58	78	56	152	69	63
75—	M	3305	3	1	65	46	47	114	45	45	39	57	43	96	55	54
	F	4542	9	1	131	65	67	160	44	67	44	85	70	117	85	47
80—	M	2284	3	—	40	29	22	78	34	38	21	40	29	68	38	31
	F	3640	6	—	73	47	42	143	30	36	43	75	43	105	74	66
85—	M	1208	2	—	31	12	6	34	27	16	6	20	11	26	21	20
	F	2717	6	—	52	27	28	87	30	34	21	49	34	86	69	45

* See footnote on p. 58.

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGHS, 1924.
(Civilian population only).

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages ..	M	305	2085	1050	2007	925	944	1089	693	1457	797	1496	1692	281	1732	907	802
	F	224	2101	1282	1902	1004	978	937	725	1358	648	1150	1451	330	2012	779	741
Under 4 weeks	M	12	117	36	92	40	37	53	30	59	39	65	85	17	72	26	31
	F	9	74	38	73	35	21	50	18	38	32	42	56	6	52	18	39
4 weeks–3 months	M	7	37	22	43	13	27	14	12	31	15	29	45	7	32	7	18
	F	4	20	16	20	9	13	16	10	17	16	13	26	2	16	5	16
3–6 months	M	2	38	16	39	16	19	21	12	43	26	33	45	6	13	12	13
	F	3	23	13	26	11	20	19	8	22	11	23	34	2	22	7	11
6–12 months	M	6	70	36	54	12	37	56	24	52	52	58	74	5	37	13	25
	F	4	67	42	47	10	22	46	9	39	31	36	46	4	40	9	15
Total under 1 year	M	27	262	110	228	81	120	144	78	185	132	185	249	35	154	58	87
	F	20	184	109	166	65	76	131	45	116	90	114	162	14	130	39	81
1—	M	12	88	44	73	23	28	56	30	52	57	73	80	12	61	11	17
	F	6	81	47	55	20	37	48	26	49	59	55	88	7	46	20	22
2—	M	2	37	19	31	7	18	26	6	28	17	30	35	3	20	6	11
	F	3	41	15	28	9	13	22	11	31	18	23	29	6	23	13	11
3—	M	1	18	12	17	8	10	10	3	11	5	17	13	1	12	2	10
	F	—	16	19	15	5	13	15	6	16	14	14	14	4	12	6	6
4—	M	1	20	11	11	8	7	14	5	12	10	11	11	2	4	5	5
	F	—	8	9	12	9	9	11	7	11	8	15	9	3	12	7	8
Total under 5 years	M	43	425	196	360	127	183	250	122	288	221	316	388	53	251	82	130
	F	29	330	199	276	108	148	227	95	223	189	221	302	34	223	85	128
5—	M	3	26	22	33	12	15	19	6	20	10	33	28	—	26	11	11
	F	5	23	15	32	12	10	14	2	13	11	24	20	5	16	12	9
10—	M	2	28	12	29	12	9	18	12	19	8	20	24	2	19	12	17
	F	—	16	14	21	13	9	19	5	17	6	20	25	5	24	6	7
15—	M	1	42	21	25	14	11	20	11	18	23	28	38	3	32	11	15
	F	—	29	17	46	22	5	13	12	31	12	31	32	4	29	5	24
20—	M	6	51	13	48	30	17	20	16	24	17	30	38	4	38	11	21
	F	8	47	16	43	25	16	25	12	22	17	26	34	5	39	19	20
25—	M	10	49	18	53	22	20	27	8	21	9	30	34	3	32	18	15
	F	6	38	17	33	16	22	30	24	27	17	24	46	9	38	14	28
30—	M	5	41	24	49	23	19	25	14	30	14	42	44	4	31	16	20
	F	9	56	29	54	20	21	25	13	31	14	27	43	6	53	19	25
35—	M	7	63	27	70	23	24	39	15	32	26	43	58	8	50	31	27
	F	4	64	29	47	20	28	23	22	39	15	26	41	8	55	18	16
40—	M	14	83	38	91	38	37	47	27	72	31	62	76	12	60	42	36
	F	10	75	34	54	35	31	29	28	47	30	48	50	5	70	27	21
45—	M	21	112	46	97	40	52	56	50	85	39	86	75	15	97	59	40
	F	11	77	49	98	42	40	42	29	61	34	53	62	13	85	45	35
50—	M	21	126	76	127	80	80	76	50	129	49	121	127	17	128	83	56
	F	18	100	65	107	60	56	36	41	84	36	70	100	14	103	45	40
55—	M	20	149	73	177	71	82	78	65	110	68	112	151	24	137	83	61
	F	12	128	92	121	64	65	63	60	95	33	75	110	22	112	54	34
60—	M	38	172	99	186	71	95	99	69	149	65	139	165	25	142	110	74
	F	20	170	116	137	66	63	56	69	113	50	91	115	23	159	77	46
65—	M	36	217	117	195	77	89	90	80	120	70	122	149	31	183	93	77
	F	28	193	105	167	85	112	76	79	114	37	96	120	32	177	86	53
70—	M	42	205	87	169	102	72	100	72	147	66	130	129	28	189	93	79
	F	18	242	124	191	102	101	89	56	144	59	114	142	37	235	89	75
75—	M	19	146	94	143	81	80	64	37	79	44	101	90	18	135	76	60
	F	27	215	157	205	127	93	88	78	113	48	94	114	43	226	83	68
80—	M	10	108	50	107	70	44	39	24	72	23	57	55	22	107	47	44
	F	11	173	108	153	107	90	52	61	111	23	66	56	37	220	54	66
85—	M	7	42	37	48	32	15	22	15	42	14	24	23	12	75	29	19
	F	8	125	96	117	80	68	30	39	73	17	44	39	28	148	41	46

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1924.
(Civilian population only).

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ..	M	503	457	400	967	5671	873	581	1237	497	528	2174	856	2322	761
	F	465	408	554	885	5370	938	621	1258	469	642	2190	990	2379	767
Under 4 weeks	M	48	23	24	62	360	40	28	65	31	15	124	34	133	41
	F	31	19	18	56	272	19	23	47	35	14	72	23	105	21
4 weeks–3 months	M	14	9	11	32	146	17	7	38	13	6	51	16	51	25
	F	21	2	5	18	100	20	8	25	14	2	35	10	30	19
3–6 months	M	14	5	5	26	143	24	1	19	20	3	45	8	43	24
	F	11	5	2	12	95	9	6	18	12	5	28	12	23	19
6–12 months	M	24	11	7	50	223	24	10	33	41	4	69	11	66	42
	F	21	17	6	47	165	13	3	45	26	1	33	10	42	24
Total under 1 year	M	100	48	47	170	872	105	46	155	105	28	289	69	293	132
	F	84	43	31	133	632	61	40	135	87	22	168	55	200	83
1—	M	23	12	2	64	240	30	15	45	33	4	59	16	58	35
	F	33	9	2	52	203	23	9	35	20	—	58	12	46	26
2—	M	6	5	3	26	71	4	6	13	10	2	22	9	24	9
	F	9	3	—	14	96	13	1	16	9	1	25	14	24	11
3—	M	9	11	—	11	60	6	5	7	7	2	13	3	26	10
	F	5	5	—	15	53	9	4	12	3	3	17	7	14	6
4—	M	9	3	1	9	39	2	2	9	5	—	8	3	13	8
	F	5	7	—	9	32	6	5	6	3	3	12	3	17	4
Total under 5 years	M	147	79	53	280	1282	147	74	229	160	36	391	100	414	194
	F	136	67	33	223	1016	112	59	204	122	29	280	91	301	130
5—	M	13	9	4	15	90	17	8	22	5	1	19	3	36	6
	F	13	6	3	19	87	8	1	14	14	5	16	12	33	15
10—	M	6	9	2	15	56	11	12	14	10	5	15	7	36	4
	F	10	6	3	12	62	7	—	16	8	5	23	7	42	7
15—	M	8	12	4	18	101	22	9	22	8	5	34	9	48	17
	F	5	10	6	22	95	13	4	36	13	12	28	15	42	18
20—	M	13	10	8	31	118	22	9	24	13	12	42	16	53	17
	F	10	13	12	29	127	19	16	31	15	13	41	22	39	12
25—	M	10	11	10	16	96	17	13	19	14	6	42	11	52	10
	F	18	6	9	24	140	24	10	34	15	15	44	25	49	17
30—	M	10	8	9	27	156	21	16	26	12	9	49	12	51	19
	F	7	6	11	17	133	28	18	29	17	12	57	13	68	23
35—	M	11	14	10	28	205	23	10	42	12	16	66	23	62	32
	F	20	13	12	21	148	26	21	36	11	16	55	14	78	17
40—	M	19	16	13	34	276	28	27	51	20	18	81	35	87	28
	F	16	13	15	26	204	39	17	41	13	14	64	27	98	28
45—	M	24	34	10	56	331	48	37	71	26	26	140	39	114	48
	F	22	19	17	39	253	49	27	66	22	25	84	33	97	43
50—	M	32	25	28	48	377	54	48	70	27	19	173	46	132	38
	F	26	28	22	48	267	48	44	67	28	30	127	52	110	44
55—	M	27	36	31	72	414	63	44	110	22	33	172	79	178	53
	F	23	17	31	46	340	80	47	79	23	33	167	59	139	55
60—	M	33	32	39	81	490	94	60	130	44	54	229	98	190	62
	F	25	25	38	61	386	96	67	98	24	68	216	78	151	69
65—	M	57	52	45	88	514	104	59	135	41	64	225	88	213	88
	F	25	40	46	70	469	122	77	121	32	65	240	119	222	89
70—	M	45	34	43	67	491	107	63	127	34	78	241	98	239	80
	F	46	51	80	84	533	112	77	149	39	74	277	126	244	85
75—	M	34	50	38	53	347	65	48	77	27	58	149	97	212	44
	F	31	42	64	66	539	85	70	133	40	94	256	112	255	69
80—	M	11	19	35	22	206	22	29	51	16	59	74	61	134	16
	F	23	26	67	49	336	45	38	69	25	76	137	99	234	35
85—	M	3	7	18	16	121	8	15	17	6	29	32	34	71	5
	F	9	20	85	29	235	25	28	35	8	56	78	86	177	11

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1924.
(Civilian population only).

Age.	Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages ..	M	287	405	169	374	287	678	1080	444	800	412	372	257	736	354	943	315
	F	294	426	140	404	290	596	1203	429	718	438	358	340	699	425	891	356
Under 4 weeks	M	18	19	8	18	16	41	62	25	38	32	32	16	44	13	69	22
	F	11	14	4	17	11	38	36	26	25	17	24	11	29	9	59	13
4 weeks–3 months	M	7	6	1	13	7	20	17	13	17	5	6	2	13	10	33	5
	F	7	4	1	13	9	14	20	17	13	8	7	3	10	4	29	6
3–6 months	M	2	1	1	6	3	13	19	9	14	5	9	1	9	5	25	12
	F	5	3	—	6	3	12	14	9	7	4	11	2	5	8	22	9
6–12 months	M	7	8	2	20	14	19	13	19	25	11	16	1	19	7	49	12
	F	2	7	4	13	10	11	13	12	19	16	14	3	18	5	41	9
Total under 1 year	M	34	34	12	57	40	93	111	66	94	53	63	20	85	35	176	51
	F	25	28	9	49	33	75	83	64	64	45	56	19	62	26	151	37
1—	M	8	9	6	12	9	26	27	17	24	6	10	3	19	7	50	10
	F	7	4	1	12	11	13	20	15	20	11	16	3	23	6	57	13
2—	M	2	2	3	2	10	9	8	7	11	1	7	1	9	2	16	4
	F	1	5	2	4	8	8	5	8	11	6	9	—	15	2	19	2
3—	M	3	1	—	3	4	10	7	3	10	4	5	—	6	2	6	1
	F	3	1	—	5	4	3	4	4	3	2	1	2	5	1	13	3
4—	M	2	2	—	2	1	4	4	4	8	7	1	1	2	2	13	2
	F	2	2	—	4	—	7	3	1	6	2	6	—	3	—	8	2
Total under 5 years	M	49	48	21	76	64	142	157	97	147	71	86	25	121	48	261	68
	F	38	40	12	74	56	106	115	92	104	66	88	24	108	35	248	57
5—	M	5	5	1	11	1	17	15	4	22	5	7	2	10	5	16	3
	F	4	3	3	8	1	13	8	3	10	3	3	3	8	6	13	3
10—	M	2	4	1	3	4	11	9	7	13	5	7	1	13	4	18	3
	F	3	3	—	7	8	4	17	7	11	4	5	2	10	4	25	4
15—	M	7	4	—	8	7	13	25	9	19	4	10	3	7	9	30	7
	F	4	5	4	9	3	25	29	9	13	7	8	3	10	6	31	8
20—	M	4	10	2	10	5	23	29	10	19	10	12	4	28	9	26	8
	F	8	7	4	6	6	17	18	18	17	17	13	8	10	9	29	5
25—	M	12	12	7	6	3	10	17	11	9	13	14	9	26	6	19	7
	F	3	8	1	6	7	12	17	8	11	9	13	6	17	8	29	4
30—	M	5	11	2	8	4	17	25	12	14	7	11	6	15	7	26	7
	F	10	10	2	10	3	14	20	9	21	12	11	5	9	9	26	12
35—	M	8	22	4	9	8	26	28	13	26	8	14	8	20	4	28	6
	F	7	23	5	6	11	20	36	15	18	15	9	5	19	7	31	6
40—	M	17	18	4	10	9	31	52	29	38	13	13	6	35	24	42	6
	F	9	16	1	19	7	20	48	16	30	14	12	11	30	10	32	9
45—	M	13	20	6	11	15	43	68	20	30	21	18	10	45	17	37	12
	F	12	27	6	15	18	42	59	15	33	19	13	17	38	12	28	19
50—	M	12	37	9	22	15	43	70	21	54	34	16	13	52	20	48	28
	F	14	16	8	27	16	35	58	20	34	33	12	13	40	17	33	13
55—	M	19	36	16	24	20	49	68	33	57	51	32	15	73	19	64	18
	F	18	27	7	17	20	28	84	30	47	25	18	18	48	33	58	19
60—	M	31	42	10	34	30	60	72	37	76	41	28	24	69	43	69	26
	F	20	39	9	28	18	40	85	25	53	38	23	24	56	32	60	21
65—	M	34	45	19	48	30	59	116	36	76	37	33	32	60	30	86	36
	F	34	63	9	46	20	41	96	36	77	55	32	45	60	40	58	31
70—	M	29	48	18	45	31	50	105	42	89	44	27	29	67	28	82	27
	F	28	56	13	43	32	59	138	44	83	32	34	38	71	50	77	37
75—	M	23	22	15	26	19	35	88	34	63	28	22	33	56	46	50	24
	F	34	49	17	33	31	48	157	40	73	37	28	46	60	51	58	34
80—	M	14	16	19	19	15	33	81	17	34	10	12	18	22	23	26	21
	F	29	19	23	30	22	48	133	26	55	31	27	41	59	45	41	42
85—	M	3	5	15	4	7	16	55	12	14	10	10	19	17	12	15	8
	F	19	15	16	20	11	24	85	16	28	21	9	31	46	51	14	32

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1924.
(Civilian population only).

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages ..	M	363	569	734	417	759	398	2096	3475	1504	430	5854	5503	1235	2046	527	712	1797
	F	352	526	776	521	810	404	1934	3272	1420	381	5570	5060	1061	1778	496	733	1706
Under 4 weeks	M	20	34	48	14	42	23	117	200	73	25	408	283	95	159	27	35	111
	F	14	33	36	15	37	14	86	131	52	15	320	245	63	112	11	21	89
4 weeks–3 months	M	4	12	11	6	13	15	64	103	30	8	210	155	36	49	3	20	42
	F	3	13	15	4	12	4	45	54	27	4	170	86	30	42	9	8	27
3–6 months	M	7	16	7	5	13	4	64	80	47	8	203	125	38	55	11	13	53
	F	7	14	6	4	7	5	54	74	20	1	168	109	27	35	3	3	26
6–12 months	M	7	34	14	3	23	7	83	157	56	14	332	249	100	99	6	16	49
	F	4	27	6	3	11	3	70	122	40	7	306	202	94	76	10	19	44
Total under 1 year	M	38	96	80	28	91	49	328	540	206	55	1153	812	269	362	47	84	255
	F	28	87	63	26	67	26	255	381	139	27	964	642	214	265	33	51	186
1—	M	6	25	19	3	20	6	133	144	41	6	378	331	116	111	8	15	61
	F	4	21	21	5	15	3	104	126	45	9	339	289	127	75	5	11	55
2—	M	2	12	7	5	7	3	38	48	15	5	139	124	46	38	5	7	32
	F	4	14	10	2	8	2	43	56	15	5	126	101	54	32	4	9	24
3—	M	—	6	4	2	5	—	14	33	17	2	64	63	13	19	1	8	16
	F	1	1	2	1	4	1	24	27	12	3	62	58	20	29	2	10	16
4—	M	2	7	10	—	5	—	22	20	11	4	40	60	16	16	3	5	12
	F	1	4	8	1	4	—	17	18	10	1	64	50	10	10	3	4	7
Total under 5 years	M	48	146	120	38	128	58	535	785	290	72	1774	1390	460	546	64	119	376
	F	38	127	104	35	98	32	443	608	221	45	1555	1140	425	411	47	85	288
5—	M	5	11	10	4	7	3	37	34	28	9	99	104	22	41	7	7	18
	F	6	12	5	6	4	5	36	55	15	5	124	65	29	29	8	12	21
10—	M	3	9	5	7	12	1	30	47	19	7	90	74	16	36	6	9	20
	F	4	8	3	4	10	2	42	38	17	7	95	57	16	37	4	9	12
15—	M	8	4	9	4	15	5	34	66	16	7	125	123	22	35	11	11	34
	F	7	15	10	3	13	6	49	72	26	8	126	111	16	46	7	9	27
20—	M	6	11	15	4	14	8	57	66	38	14	129	106	31	64	16	18	29
	F	15	19	11	5	18	10	55	69	41	5	120	116	30	36	10	15	43
25—	M	1	10	6	8	14	8	42	71	23	9	122	104	28	49	9	13	34
	F	13	13	18	6	18	8	45	75	39	10	136	127	34	42	14	17	30
30—	M	7	14	15	7	8	18	46	81	45	8	132	127	41	51	19	16	38
	F	6	7	8	7	16	9	49	87	40	9	141	150	34	47	10	18	40
35—	M	11	21	17	9	19	9	65	108	53	6	187	184	48	78	16	16	57
	F	9	28	17	11	28	13	55	102	44	11	196	164	24	48	16	21	53
40—	M	13	21	31	15	28	15	84	146	46	13	253	249	45	97	18	26	68
	F	9	15	20	11	30	9	63	117	49	15	187	207	36	80	29	27	69
45—	M	24	22	39	16	42	25	123	207	90	28	329	363	68	98	27	26	88
	F	13	23	39	21	42	14	72	143	62	12	216	234	40	77	23	32	68
50—	M	15	35	47	25	60	33	131	237	107	18	344	375	83	114	29	35	132
	F	16	23	44	27	49	19	98	173	87	14	304	283	37	95	35	32	81
55—	M	26	48	86	17	91	31	152	264	104	24	399	408	72	145	32	54	134
	F	12	26	52	18	61	23	100	209	82	16	314	323	52	113	42	35	105
60—	M	30	44	85	33	85	37	157	300	110	35	469	490	73	160	45	45	148
	F	26	27	72	37	74	25	134	270	110	27	396	401	59	117	36	42	132
65—	M	35	56	82	54	90	36	172	352	152	53	428	471	71	160	65	86	198
	F	27	36	79	51	93	39	167	293	135	42	373	404	55	125	56	74	177
70—	M	45	47	74	54	56	32	169	330	137	44	473	453	70	184	58	82	159
	F	34	55	104	73	95	56	171	350	153	51	491	519	61	173	48	77	188
75—	M	42	37	53	54	54	30	128	214	125	44	274	276	45	107	49	72	143
	F	48	36	102	87	80	55	170	297	129	43	395	363	58	161	50	103	168
80—	M	25	21	28	44	27	28	77	121	73	24	166	146	35	57	40	46	86
	F	37	35	50	56	52	47	104	191	95	43	265	257	35	88	36	77	122
85—	M	19	12	12	24	9	21	57	46	48	15	61	60	5	24	16	31	35
	F	32	21	38	63	29	32	81	123	75	18	136	139	20	53	25	48	82

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1924.
(Civilian population only).

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ..	M	1000	325	1277	1490	862	480	682	512	673	1859	3283	397	1025	527	447	964	841
	F	995	360	1419	1436	851	531	668	387	635	1705	2826	390	891	591	556	868	905
Under 4 weeks	M	70	9	73	86	62	24	28	37	68	106	238	25	55	27	16	70	34
	F	52	13	56	58	39	19	22	31	50	89	188	17	44	16	13	58	26
4 weeks–3 months	M	20	6	25	37	21	12	9	11	27	61	71	11	17	5	4	30	22
	F	13	6	23	23	12	4	12	9	17	30	56	9	10	2	6	19	15
3–6 months	M	27	3	37	33	18	4	7	19	21	66	58	6	22	6	6	37	18
	F	13	3	21	23	13	5	7	11	20	36	46	14	15	3	1	21	10
6–12 months	M	42	4	38	49	44	14	20	25	26	110	128	21	23	4	9	43	32
	F	29	2	34	29	16	6	7	19	43	81	84	15	11	12	4	37	23
Total under 1 year	M	159	22	173	205	145	54	64	92	142	343	495	63	117	42	35	180	106
	F	107	24	134	133	80	34	48	70	130	236	374	55	80	33	24	135	74
1—	M	28	9	56	53	26	12	23	26	51	136	142	19	16	11	10	61	37
	F	33	4	33	41	25	6	12	14	37	123	110	14	12	8	10	34	36
2—	M	6	1	21	21	8	5	9	2	13	45	44	9	10	4	4	20	12
	F	18	3	19	23	8	3	4	7	18	40	50	6	5	3	2	18	15
3—	M	8	1	18	24	14	3	8	4	14	27	35	8	2	2	6	17	6
	F	2	—	8	10	4	4	2	3	12	29	23	8	5	4	2	19	9
4—	M	6	5	6	7	9	—	1	2	7	20	13	4	9	2	1	20	3
	F	6	2	7	10	4	2	5	3	4	23	12	—	6	—	—	7	8
Total under 5 years	M	207	38	274	310	202	74	105	126	227	571	729	103	154	61	56	298	164
	F	166	33	201	217	121	49	71	97	201	451	569	83	108	48	38	213	142
5—	M	12	3	20	29	6	3	8	8	21	39	50	6	22	5	4	25	13
	F	6	4	21	17	9	3	4	3	11	24	64	7	18	8	1	39	18
10—	M	10	4	10	13	11	10	7	9	10	29	40	3	12	6	4	24	12
	F	11	6	17	17	19	8	4	8	11	30	56	5	10	7	1	14	9
15—	M	15	5	19	28	17	5	10	13	13	37	75	4	14	6	7	39	18
	F	27	5	37	24	10	5	11	6	14	48	51	5	20	8	7	16	14
20—	M	29	6	28	25	19	13	23	9	14	32	72	10	24	6	5	31	17
	F	20	7	27	36	17	10	14	10	21	44	74	10	30	14	8	27	28
25—	M	19	5	29	23	24	11	14	11	17	44	68	9	37	11	10	28	22
	F	30	5	35	35	17	16	14	11	21	35	65	12	22	14	7	32	23
30—	M	21	6	17	25	28	12	15	16	19	43	90	7	28	11	7	20	13
	F	24	6	33	36	27	12	14	4	20	43	83	8	30	9	16	27	19
35—	M	29	3	35	44	25	19	22	17	24	50	96	13	40	13	13	36	24
	F	26	5	55	45	16	10	20	9	23	46	83	14	24	24	11	34	21
40—	M	42	11	38	60	35	21	35	23	18	73	147	20	38	33	21	25	38
	F	34	13	40	45	31	18	20	18	22	69	106	16	28	24	15	42	35
45—	M	57	13	55	81	49	23	32	25	26	104	182	23	56	28	21	48	43
	F	55	14	54	55	49	18	41	14	22	82	121	10	40	31	16	32	25
50—	M	79	21	66	89	65	27	57	31	34	113	225	18	78	36	22	51	62
	F	64	18	70	71	33	22	42	20	23	88	146	21	55	44	33	34	48
55—	M	88	24	108	104	63	44	54	36	47	136	259	21	67	41	28	55	64
	F	79	15	70	84	64	27	51	25	40	115	173	21	50	43	34	44	60
60—	M	101	30	95	123	71	46	66	41	51	152	298	49	80	62	41	65	76
	F	87	21	107	121	106	34	77	32	39	127	236	29	66	53	43	61	81
65—	M	108	41	111	144	80	45	88	50	56	157	290	39	102	54	48	61	73
	F	106	30	114	119	76	52	92	32	46	120	228	31	84	55	48	54	90
70—	M	96	38	147	147	71	45	70	43	46	136	285	27	88	47	66	69	84
	F	106	47	159	144	93	70	69	31	55	143	271	41	73	65	82	64	107
75—	M	48	46	97	111	55	37	47	29	30	82	208	22	83	49	44	48	59
	F	86	53	157	148	91	72	60	41	33	133	240	37	88	69	76	69	85
80—	M	28	18	75	84	32	26	20	19	14	45	112	18	64	35	34	31	42
	F	51	42	124	123	52	55	43	20	22	71	174	32	71	38	68	39	74
85—	M	11	13	53	50	9	19	9	6	6	16	57	5	38	23	16	10	17
	F	17	36	98	99	20	50	21	6	11	36	86	8	74	37	52	27	26

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1924.
(Civilian population only).

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages ..	M	1991	1314	470	383	500	633	488	516	1913	573	680	705	330	542	1467	585	597	1034
	F	1769	1134	429	334	519	576	448	446	1739	431	647	578	342	566	1255	443	499	878
Under 4 weeks	M	156	89	29	23	26	51	41	46	98	35	34	36	14	41	73	40	41	66
	F	123	61	23	12	15	52	11	29	88	24	32	30	6	19	65	23	40	46
4 weeks–3 months	M	62	50	14	14	6	14	17	9	63	12	27	20	6	23	45	14	12	23
	F	34	24	7	9	8	12	9	10	37	8	17	13	3	11	35	12	10	22
3–6 months	M	63	40	10	9	2	13	17	22	57	11	19	17	5	20	44	9	9	31
	F	39	32	10	4	6	6	13	9	39	12	14	22	2	4	23	11	12	16
6–12 months	M	118	75	23	13	8	19	19	22	101	31	39	23	5	19	55	22	16	39
	F	72	53	15	10	9	17	12	18	81	15	36	15	4	15	42	13	11	31
Total under 1 year	M	399	254	76	59	42	97	94	99	319	89	119	96	30	103	217	85	78	159
	F	268	170	55	35	38	87	45	66	245	59	99	80	15	49	165	59	73	115
1—	M	158	91	28	18	9	22	20	28	108	43	75	30	8	28	60	15	23	31
	F	117	61	18	9	9	26	18	20	116	27	60	18	10	27	46	14	18	27
2—	M	59	36	8	11	1	9	9	13	53	11	22	10	3	6	22	6	8	12
	F	51	34	6	6	2	12	15	15	53	11	19	8	3	9	17	4	6	11
3—	M	32	16	5	2	2	11	9	4	22	7	12	10	—	2	18	8	4	10
	F	30	16	6	8	5	10	3	7	28	4	17	3	—	8	15	6	2	11
4—	M	20	12	1	3	3	5	2	2	21	4	5	7	1	3	10	7	1	6
	F	23	8	1	2	1	8	8	10	21	4	5	5	1	3	9	2	3	3
Total under 5 years	M	668	409	118	93	57	144	134	146	523	154	233	153	42	142	327	121	114	218
	F	489	289	86	60	55	143	89	118	463	105	200	114	29	96	252	85	102	167
5—	M	28	28	13	4	10	18	12	10	30	8	19	11	6	7	24	13	6	8
	F	45	31	8	5	4	11	8	12	40	11	14	9	4	9	8	11	5	11
10—	M	25	31	5	4	6	12	6	8	20	7	11	4	5	6	14	12	6	16
	F	31	19	13	1	2	10	12	6	30	9	10	3	4	8	19	14	17	18
15—	M	36	28	14	9	10	13	14	9	32	12	16	6	3	10	35	14	16	27
	F	39	25	10	14	11	15	14	7	39	14	13	10	5	17	41	13	13	20
20—	M	54	32	10	7	6	13	9	12	58	13	16	19	7	8	42	19	12	32
	F	41	23	14	9	11	18	13	10	45	15	17	11	16	15	41	16	9	28
25—	M	29	23	9	9	8	12	11	6	54	18	7	16	8	8	44	15	22	24
	F	45	24	10	11	13	15	14	12	38	16	20	12	12	14	40	22	14	33
30—	M	37	37	13	10	8	18	11	14	54	15	29	18	6	17	50	18	18	31
	F	43	29	9	12	10	12	19	20	29	12	20	17	7	9	47	18	15	26
35—	M	76	44	22	9	18	22	12	17	54	18	15	23	11	15	51	20	18	45
	F	43	42	11	17	20	24	8	7	46	5	23	15	3	22	35	15	14	29
40—	M	73	51	15	14	26	20	25	24	79	25	21	36	5	19	65	20	30	45
	F	64	42	9	14	22	22	20	13	50	20	18	22	10	19	45	12	24	37
45—	M	87	52	18	19	30	35	24	24	92	32	25	42	7	23	90	25	37	52
	F	72	45	22	19	25	22	18	19	75	17	26	21	11	19	53	11	19	36
50—	M	128	60	33	26	33	45	31	30	121	38	27	51	13	26	112	39	34	68
	F	90	54	27	13	50	23	22	21	84	21	30	23	14	40	68	26	32	34
55—	M	143	71	23	32	53	38	34	38	127	42	30	51	30	27	103	51	37	80
	F	127	60	22	22	33	24	27	20	95	22	35	22	13	36	75	25	24	44
60—	M	166	102	40	30	50	56	44	40	152	33	78	67	27	51	131	52	58	95
	F	124	83	40	25	49	34	35	41	136	26	54	36	26	36	101	32	25	62
65—	M	148	103	36	41	47	54	29	42	158	46	42	65	39	48	111	59	58	83
	F	139	77	36	20	44	52	39	35	106	45	40	57	38	47	111	28	41	68
70—	M	132	121	43	38	51	73	44	46	146	44	55	52	34	54	127	48	60	88
	F	116	92	39	34	53	53	38	35	144	29	61	73	42	63	102	42	50	77
75—	M	92	76	32	20	39	35	32	32	111	38	38	47	42	42	75	33	37	59
	F	109	89	32	34	60	42	33	36	143	35	31	63	47	51	96	50	49	89
80—	M	56	32	21	13	38	18	14	13	68	23	14	33	27	24	49	17	21	42
	F	98	78	27	14	37	37	33	19	97	21	23	46	34	36	75	16	22	67
85—	M	13	14	5	5	10	7	2	5	34	7	4	11	18	15	17	9	13	21
	F	54	32	14	10	20	19	6	15	79	8	12	24	27	29	46	7	24	32

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1924.

(Civilian population only).

Age.	Sex.	Bedfordshire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	677	532	389	754	533	801	317	422	2676	1134	916	1093	871	629	1829	1621
	F	735	545	429	730	497	787	382	488	2726	1065	1009	1214	778	597	1740	1496
Under 4 weeks	M	43	23	27	32	27	51	15	23	137	78	44	50	56	30	125	115
	F	30	13	9	23	11	33	3	14	98	47	29	39	36	21	99	92
4 weeks–3 months	M	6	13	5	14	9	8	2	5	45	18	15	16	25	14	46	43
	F	5	6	5	6	1	6	6	2	47	13	10	13	18	6	35	23
3–6 months	M	6	7	2	13	3	5	4	2	39	12	11	11	17	9	41	34
	F	3	5	2	3	5	5	4	1	23	11	7	9	9	8	26	28
6–12 months	M	11	5	9	14	8	9	6	7	78	21	19	20	33	12	58	44
	F	11	4	8	10	8	4	6	5	51	30	10	18	18	15	41	40
Total under 1 year	M	66	48	43	73	47	73	27	37	299	129	89	97	131	65	270	236
	F	49	28	24	42	25	48	19	22	219	101	56	79	81	50	201	183
1—	M	10	7	9	9	8	5	4	5	100	21	12	24	29	17	64	54
	F	11	7	9	19	9	10	5	6	70	21	15	12	26	18	45	34
2—	M	8	8	3	5	3	2	3	2	33	11	8	6	7	7	26	29
	F	2	3	8	3	4	5	3	2	35	11	4	10	14	6	24	19
3—	M	2	1	3	4	3	2	—	3	27	12	3	5	11	4	15	12
	F	7	4	8	—	2	4	3	2	25	5	7	4	10	4	15	17
4—	M	4	—	3	4	5	4	1	2	23	5	4	4	8	2	7	11
	F	5	2	1	1	1	4	2	3	16	8	5	9	4	4	8	6
Total under 5 years	M	90	64	61	95	66	86	35	49	482	178	116	136	186	95	382	342
	F	74	44	50	65	41	71	32	35	365	146	87	114	135	82	293	259
5—	M	9	7	1	5	10	6	4	3	36	17	9	10	17	9	27	26
	F	14	2	3	9	4	6	5	1	46	13	4	9	13	5	32	17
10—	M	12	4	4	9	3	12	2	3	36	11	4	6	7	5	20	30
	F	7	3	4	7	4	12	3	5	35	7	11	12	13	3	28	16
15—	M	21	9	11	11	10	12	8	8	43	12	17	28	21	15	35	33
	F	15	8	9	11	9	5	1	5	49	12	15	24	13	9	42	23
20—	M	19	13	6	14	11	8	3	6	60	21	18	28	27	15	43	42
	F	15	10	3	10	11	13	14	6	55	18	19	26	24	8	41	30
25—	M	9	17	7	14	13	14	8	5	45	25	23	17	17	5	38	28
	F	16	9	8	15	11	19	6	9	59	23	23	28	22	9	42	41
30—	M	13	8	9	16	10	18	3	5	55	30	22	15	17	8	40	28
	F	12	6	10	14	13	17	6	10	64	19	23	11	17	16	59	50
35—	M	25	10	6	22	10	15	9	8	80	22	24	30	27	8	54	46
	F	15	17	8	14	9	21	6	9	84	38	16	30	19	16	50	47
40—	M	25	11	12	15	19	24	6	11	118	26	25	35	28	22	66	49
	F	26	15	7	22	13	20	21	18	105	23	29	30	28	13	60	52
45—	M	31	18	14	23	24	34	12	6	123	39	38	30	47	19	87	64
	F	27	19	20	15	16	29	19	12	115	51	32	40	26	28	63	46
50—	M	43	23	27	41	22	39	19	18	174	49	51	46	45	24	103	75
	F	40	23	19	16	18	31	17	21	124	58	46	41	38	32	104	61
55—	M	46	27	26	41	32	55	21	22	230	95	64	86	53	39	118	78
	F	44	29	15	54	30	49	17	31	155	68	46	63	52	30	98	83
60—	M	54	37	29	58	60	65	32	38	238	95	82	100	67	59	157	147
	F	57	33	28	42	34	56	30	38	235	85	88	102	59	44	142	117
65—	M	61	49	43	66	50	83	29	49	267	129	95	134	80	61	182	179
	F	54	61	35	55	64	78	34	39	289	108	104	142	79	53	167	139
70—	M	80	57	44	99	74	106	41	54	259	147	104	127	97	105	181	162
	F	84	75	48	101	66	101	48	60	315	119	124	149	82	72	167	166
75—	M	68	84	40	89	65	98	30	69	244	106	104	116	66	54	159	162
	F	95	81	68	98	52	91	52	78	282	115	141	157	62	74	169	156
80—	M	49	60	27	84	37	84	30	51	116	89	76	90	50	55	86	86
	F	89	58	48	80	59	87	43	63	199	96	94	118	63	57	114	124
85—	M	22	34	22	52	17	42	25	17	70	43	44	59	19	31	51	44
	F	51	52	46	102	43	81	28	48	150	66	107	118	33	46	69	69

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1924.

(Civilian population only).

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucestershire.		Herefordshire.		Hertfordshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1339	1357	663	653	3886	2922	222	238	3478	1743	656	1379	250	482	1259	583
	F	1670	1338	751	636	3494	2412	216	196	3300	1624	724	1429	298	498	1236	558
Under 4 weeks	M	47	57	33	40	323	280	15	16	178	64	28	61	11	18	57	29
	F	43	36	25	28	256	234	7	10	111	49	20	41	9	11	53	22
4 weeks–3 months	M	15	27	8	7	106	92	4	2	62	26	9	16	3	2	19	6
	F	7	11	8	5	99	68	2	4	37	17	3	15	4	6	7	4
3–6 months	M	8	14	7	5	125	88	3	5	47	19	8	11	6	7	18	4
	F	8	14	2	3	81	48	1	—	40	14	5	8	2	3	12	1
6–12 months	M	21	19	10	3	217	135	5	1	72	24	18	32	4	9	22	6
	F	11	12	11	6	183	112	3	6	59	27	6	17	3	9	14	7
Total under 1 year	M	91	117	58	55	771	595	27	24	359	133	63	120	24	36	116	45
	F	69	73	46	42	619	462	13	20	247	107	34	81	18	29	86	34
1—	M	19	15	9	10	208	156	6	5	100	35	12	15	4	6	24	11
	F	16	13	11	4	200	128	1	4	66	25	12	26	5	5	16	8
2—	M	6	13	4	1	93	61	2	4	32	9	3	8	3	2	9	1
	F	4	7	4	2	93	49	4	1	38	8	6	9	4	1	4	2
3—	M	8	9	4	1	43	39	2	1	25	8	4	11	1	3	9	1
	F	5	4	4	1	59	25	—	1	26	8	5	5	—	1	7	5
4—	M	3	5	4	2	48	23	1	—	17	10	3	7	1	1	5	6
	F	6	2	1	2	27	23	2	—	14	7	2	5	3	3	7	3
Total under 5 years	M	127	159	79	69	1163	874	38	34	533	195	85	161	33	48	163	64
	F	100	99	66	51	998	687	20	26	391	155	59	126	30	39	120	52
5—	M	9	15	11	9	100	56	4	2	48	23	8	27	1	7	15	4
	F	8	6	7	5	81	61	1	1	39	17	5	11	4	5	17	6
10—	M	18	8	2	9	62	44	1	2	43	11	6	15	—	10	10	6
	F	9	14	7	4	54	51	3	2	46	13	11	27	1	2	11	4
15—	M	24	17	13	9	101	81	2	—	61	22	9	27	8	4	18	7
	F	16	23	10	11	91	56	4	5	56	25	6	14	2	7	26	7
20—	M	28	28	5	15	127	90	2	6	88	40	13	27	5	7	23	13
	F	24	20	11	7	113	56	6	5	88	43	17	29	10	8	23	11
25—	M	28	27	14	16	104	70	3	3	86	29	12	27	8	7	23	10
	F	33	32	4	16	98	55	6	5	74	31	15	35	7	10	23	10
30—	M	28	23	10	14	91	81	5	2	75	30	13	22	4	7	24	10
	F	33	19	17	9	95	70	3	8	92	39	12	37	9	11	29	8
35—	M	37	27	21	11	113	86	2	9	115	39	21	35	6	12	34	14
	F	27	29	22	18	113	80	4	9	95	32	9	35	12	11	31	14
40—	M	33	41	23	14	129	95	3	2	127	54	30	29	5	7	51	16
	F	51	52	24	11	126	91	9	4	118	45	22	36	13	14	49	13
45—	M	54	48	28	31	142	101	7	9	161	68	26	44	10	12	55	22
	F	70	42	27	22	154	78	7	3	146	56	20	49	7	21	51	16
50—	M	75	73	30	17	177	119	12	9	201	82	38	59	13	21	75	35
	F	79	65	31	28	161	103	4	7	175	65	35	51	12	24	62	12
55—	M	103	111	49	48	227	173	14	14	262	105	37	95	26	40	86	43
	F	95	86	46	33	177	119	12	9	198	101	44	74	20	31	74	30
60—	M	117	111	45	69	270	230	15	17	305	145	56	103	20	33	129	37
	F	137	104	47	48	213	155	15	11	274	108	55	96	18	34	96	46
65—	M	150	134	77	54	326	231	13	30	358	186	65	140	25	49	143	64
	F	162	128	77	56	283	200	15	12	300	139	83	140	26	40	117	55
70—	M	155	169	93	65	300	212	36	29	342	202	81	179	39	62	126	65
	F	222	178	109	83	274	185	23	22	356	206	79	173	36	69	148	86
75—	M	163	146	73	84	264	201	38	28	323	212	71	183	22	78	119	82
	F	223	162	84	98	238	176	25	25	355	202	87	194	35	70	144	74
80—	M	119	132	52	68	132	128	14	26	222	169	49	134	17	45	105	54
	F	202	150	75	68	145	125	37	16	287	203	86	166	27	47	122	60
85—	M	71	88	38	51	58	50	13	16	128	131	36	72	8	33	60	37
	F	179	129	87	68	80	64	22	26	210	144	79	136	29	55	93	54

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1924.

(Civilian population only).

Age.	Sex.	Huntingdonshire.		Kent.		Lancashire.		Leicestershire.		Lincolnshire (Parts of Holland).		Lincolnshire (Parts of Kesteven).		Lincolnshire (Parts of Lindsey).		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	158	208	4265	1826	9795	1513	675	904	220	289	218	447	693	866	6226	292
	F	142	190	4268	1687	9641	1404	658	953	232	284	245	383	737	782	6504	326
Under 4 weeks	M	7	17	209	62	544	79	38	48	6	27	14	40	34	49	326	17
	F	6	6	150	56	402	73	34	32	6	12	6	22	30	36	249	11
4 weeks–3 months	M	3	3	53	32	230	22	14	15	7	6	6	2	12	7	121	6
	F	3	1	48	19	161	14	12	6	4	6	6	1	12	10	74	9
3–6 months	M	1	1	54	19	164	18	9	16	6	7	2	5	14	8	80	—
	F	1	—	40	12	103	16	8	5	5	1	3	2	13	8	70	2
6–12 months	M	6	2	96	34	313	28	17	26	6	8	6	9	24	15	148	4
	F	1	—	64	22	231	22	19	10	5	7	3	5	20	16	106	4
Total under 1 year	M	17	23	412	147	1251	147	78	105	25	48	28	56	84	79	675	27
	F	11	7	302	109	897	125	73	53	20	26	18	30	75	70	499	26
1—	M	1	2	89	31	321	38	19	21	5	5	4	10	22	14	190	5
	F	2	—	72	29	271	23	10	21	5	2	3	6	18	11	137	10
2—	M	—	—	47	13	144	21	11	6	1	1	4	2	13	11	76	7
	F	—	—	28	17	105	7	5	9	1	—	1	2	14	5	63	4
3—	M	2	—	25	12	92	8	4	4	1	1	2	2	3	7	51	1
	F	1	—	26	8	67	11	3	6	3	4	2	3	5	2	40	1
4—	M	1	1	31	5	72	7	4	4	1	2	1	1	3	4	28	1
	F	1	—	27	10	57	7	6	—	1	—	—	1	7	—	30	3
Total under 5 years	M	21	26	604	208	1880	221	116	140	33	57	39	71	125	115	1020	41
	F	15	7	455	173	1397	173	97	89	30	32	24	42	119	88	769	44
5—	M	4	2	67	22	124	25	12	13	2	7	5	3	13	12	128	6
	F	3	—	71	11	122	14	12	18	4	5	3	6	10	8	98	2
10—	M	1	2	44	20	127	21	7	8	1	3	1	4	9	7	73	3
	F	—	2	49	20	133	7	5	11	1	6	3	4	8	9	76	5
15—	M	1	7	87	40	209	23	8	14	5	2	4	9	12	20	113	8
	F	1	3	82	22	208	20	13	25	4	8	7	4	23	15	115	4
20—	M	2	6	99	50	215	24	18	24	2	6	5	9	19	17	143	8
	F	2	3	95	38	236	31	12	26	5	7	8	12	18	18	123	6
25—	M	1	2	85	40	178	37	13	15	4	5	3	14	6	17	142	9
	F	4	3	82	39	213	42	13	29	5	6	5	13	16	15	154	11
30—	M	3	3	88	32	243	31	16	30	4	4	4	9	11	15	147	6
	F	2	2	91	34	236	41	14	19	7	7	5	5	20	29	169	6
35—	M	8	4	120	51	301	35	18	23	7	6	4	4	25	16	215	7
	F	2	5	113	48	309	35	14	27	8	4	6	7	14	23	195	8
40—	M	5	5	152	50	375	60	22	23	10	8	7	10	20	28	244	8
	F	2	6	133	47	364	49	23	33	9	7	7	15	20	22	207	18
45—	M	5	9	211	86	549	62	34	31	8	8	4	15	37	19	320	15
	F	3	4	167	50	430	56	33	36	5	5	8	11	32	20	284	12
50—	M	12	6	268	82	631	93	39	28	16	11	7	12	31	33	394	14
	F	5	10	211	87	580	70	34	48	6	9	7	13	37	26	342	16
55—	M	11	18	290	125	751	88	49	50	13	9	15	25	52	53	439	20
	F	11	14	230	78	703	79	43	47	14	11	15	12	34	48	385	20
60—	M	15	10	392	157	969	138	52	74	21	28	19	37	52	72	538	21
	F	8	14	286	123	807	106	46	77	18	14	17	25	50	49	501	18
65—	M	16	22	411	169	1023	187	70	97	24	25	23	35	62	85	634	29
	F	15	19	363	165	978	141	58	84	15	20	19	31	61	64	551	17
70—	M	18	20	448	224	967	189	83	103	19	29	34	58	73	93	593	31
	F	12	19	489	198	1119	187	77	93	30	42	32	44	84	77	680	42
75—	M	11	24	401	205	723	154	58	99	23	30	15	56	67	100	527	30
	F	23	19	513	205	958	169	73	114	33	32	22	56	78	99	744	34
80—	M	12	26	320	151	378	89	43	77	18	30	13	43	47	105	368	20
	F	21	36	450	174	551	111	54	85	21	36	28	45	63	88	615	38
85—	M	12	16	178	114	152	36	17	55	10	21	16	33	32	59	188	16
	F	13	24	388	175	297	73	37	92	17	33	29	38	50	84	496	25

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1924.

(Civilian population only).

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough, Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	350	1535	566	709	2000	617	1440	800	205	638	215	66	20	99	774	777
	F	367	1526	535	684	1766	568	1307	823	246	577	196	70	20	80	782	769
Under 4 weeks	M	14	71	31	32	159	43	111	63	6	32	11	3	—	13	41	47
	F	15	66	21	14	109	36	96	44	4	26	5	4	—	2	19	31
4 weeks–3 months	M	8	22	10	9	73	10	44	16	2	6	4	3	1	—	16	13
	F	5	15	7	4	40	10	31	10	2	6	2	—	1	—	16	11
3–6 months	M	3	21	3	7	65	6	42	11	1	4	2	2	1	3	6	6
	F	1	15	9	5	38	3	25	16	1	3	3	1	—	1	6	8
6–12 months	M	8	28	8	9	79	10	55	16	5	10	3	1	—	1	16	17
	F	3	15	6	10	65	7	45	17	4	2	2	—	—	—	7	9
Total under 1 year	M	33	142	52	57	376	69	252	106	14	52	20	9	2	17	79	83
	F	24	111	43	33	252	56	197	87	11	37	12	5	1	3	48	59
1—	M	3	27	8	12	70	6	52	20	3	8	2	1	1	—	24	12
	F	3	20	11	10	71	9	43	11	4	6	1	—	2	1	15	20
2—	M	3	7	6	7	36	10	21	6	1	2	2	2	—	1	12	11
	F	2	5	3	—	29	2	22	9	1	2	—	2	—	—	6	2
3—	M	3	9	11	2	17	5	11	5	—	3	1	—	—	—	5	6
	F	3	4	1	4	19	3	8	6	—	2	3	—	—	—	8	2
4—	M	1	8	3	3	12	3	5	6	—	2	1	1	—	—	3	4
	F	1	8	5	—	14	—	12	3	—	—	1	—	1	—	8	4
Total under 5 years	M	43	193	80	81	511	93	341	143	18	67	26	13	3	18	123	116
	F	33	148	63	47	385	70	282	116	16	47	17	7	4	4	85	87
5—	M	3	19	6	12	52	5	31	12	1	9	3	1	1	1	7	10
	F	1	8	5	6	46	7	29	12	2	2	2	—	—	1	5	6
10—	M	5	23	8	9	34	3	31	8	4	4	1	—	—	2	8	7
	F	2	15	5	8	24	6	21	17	5	3	—	—	—	1	6	11
15—	M	5	21	9	10	54	14	25	19	4	11	2	1	—	1	14	8
	F	6	23	15	14	41	6	35	13	7	9	5	—	—	—	15	13
20—	M	6	25	8	14	51	10	28	15	1	13	6	—	—	2	11	10
	F	7	31	14	12	36	10	33	20	8	6	3	1	—	—	16	18
25—	M	5	24	20	12	42	11	27	16	5	11	4	1	—	4	13	7
	F	5	22	18	15	47	8	39	23	4	14	4	1	—	—	9	11
30—	M	7	28	17	14	41	8	36	19	1	7	3	2	—	—	20	18
	F	7	28	12	10	53	15	52	20	8	14	4	3	1	1	17	12
35—	M	6	33	10	15	65	16	36	21	3	16	7	2	1	3	21	17
	F	6	34	13	17	44	20	43	22	4	15	5	2	—	—	18	11
40—	M	14	29	24	19	65	19	58	25	6	16	12	—	—	—	22	19
	F	15	49	22	14	59	18	45	20	13	10	5	2	2	3	25	25
45—	M	6	44	26	24	73	23	65	29	8	19	9	6	—	5	37	25
	F	11	51	15	22	72	28	55	39	9	18	3	1	—	4	16	33
50—	M	16	51	36	29	99	20	90	44	15	27	10	1	2	1	46	39
	F	19	56	28	21	78	32	61	42	11	22	11	4	1	2	40	32
55—	M	20	85	46	44	118	41	85	47	17	37	20	—	1	4	66	36
	F	17	75	27	39	106	32	65	42	12	23	11	6	1	6	48	36
60—	M	32	107	50	54	130	62	123	52	11	55	31	4	3	9	66	62
	F	29	103	42	63	139	47	68	59	17	45	12	5	—	6	59	48
65—	M	37	138	56	80	176	59	129	63	23	68	15	4	6	13	67	85
	F	27	127	48	80	145	65	112	73	19	55	13	8	1	8	69	70
70—	M	40	183	63	84	186	82	125	88	30	79	31	13	2	6	89	89
	F	43	198	61	80	175	59	110	91	34	79	30	5	3	8	102	87
75—	M	50	202	47	89	158	75	102	85	25	91	18	8	—	14	67	108
	F	48	205	54	75	139	70	111	100	25	91	27	10	2	17	103	104
80—	M	41	195	43	67	88	46	71	68	16	70	13	5	—	9	63	72
	F	45	195	48	90	109	49	94	76	29	66	23	11	4	13	93	88
85—	M	14	135	17	52	57	30	37	46	17	38	4	5	1	7	34	49
	F	46	158	45	71	68	26	52	38	23	58	21	4	1	6	56	77

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1924.

(Civilian population only).

Age.	Sex.	Somerset-shire.		Southamp-ton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	974	1421	1017	1262	3109	1223	517	754	247	415	2962	910	703	743	553	583
	F	1092	1399	966	1309	2758	1148	476	683	233	427	3213	821	849	750	694	512
Under 4 weeks	M	59	67	63	66	224	84	32	46	14	15	147	44	29	32	16	24
	F	26	32	40	52	194	65	24	26	7	5	97	24	16	28	15	14
4 weeks–3 months	M	16	18	20	18	99	30	8	7	2	10	45	10	10	4	8	6
	F	11	20	18	11	57	17	8	7	2	1	33	6	2	4	4	1
3–6 months	M	6	15	22	13	86	22	9	7	—	1	26	7	4	4	5	6
	F	5	8	8	10	54	16	2	7	2	5	24	6	3	2	2	1
6–12 months	M	18	16	27	25	123	33	10	10	3	6	48	15	15	9	6	5
	F	8	25	15	18	99	30	6	12	3	4	47	7	6	7	3	6
Total under 1 year	M	99	116	132	122	532	169	59	70	19	32	266	76	58	49	35	41
	F	50	85	81	91	404	128	40	52	14	15	201	43	27	41	24	22
1—	M	14	25	27	19	147	37	15	9	3	3	56	18	9	9	13	6
	F	21	20	21	22	103	27	9	5	1	4	49	13	10	4	6	12
2—	M	6	10	7	9	56	12	4	6	1	4	21	7	6	4	1	3
	F	6	9	8	6	52	9	3	6	—	4	25	2	5	4	4	4
3—	M	2	6	6	7	35	12	5	1	—	—	24	4	4	4	4	3
	F	4	7	12	14	35	11	4	3	1	2	10	3	1	1	1	3
4—	M	4	9	10	4	33	9	5	8	2	2	13	6	1	3	1	4
	F	3	4	3	4	16	5	4	4	—	—	10	4	2	2	2	2
Total under 5 years	M	125	166	182	161	803	239	88	94	25	41	380	111	78	69	54	57
	F	84	125	125	137	610	180	60	70	16	25	295	65	45	52	37	43
5—	M	7	11	13	11	61	13	5	7	3	5	37	7	5	9	6	7
	F	9	15	11	21	53	11	5	3	1	3	29	9	10	6	4	5
10—	M	6	13	7	16	42	20	3	4	2	4	41	12	5	5	2	7
	F	3	9	13	18	46	15	3	11	2	1	44	8	5	8	5	4
15—	M	20	22	9	25	57	29	16	14	8	5	56	15	8	7	5	15
	F	16	17	11	18	52	32	10	8	4	8	50	17	15	14	4	8
20—	M	13	25	16	24	78	18	9	14	5	5	56	19	10	16	6	12
	F	27	20	20	19	78	16	8	19	2	3	69	18	9	15	6	10
25—	M	26	29	20	22	55	17	8	14	5	6	56	13	9	15	3	13
	F	18	26	19	31	63	32	7	20	9	2	58	13	17	13	8	4
30—	M	19	23	21	25	74	23	9	17	6	8	64	27	11	13	11	15
	F	25	28	21	36	85	28	8	11	2	9	59	16	15	11	19	14
35—	M	23	45	33	28	91	23	24	21	7	10	65	22	15	20	11	12
	F	21	41	39	38	68	28	12	9	9	6	81	25	20	20	6	12
40—	M	34	33	36	52	116	36	21	22	10	12	86	26	21	28	22	17
	F	34	45	28	36	88	35	19	13	6	11	127	28	17	14	17	9
45—	M	31	47	48	46	148	43	24	26	12	8	164	32	29	21	21	20
	F	32	44	40	55	108	50	13	14	7	15	132	39	26	36	23	17
50—	M	57	78	60	43	157	71	21	19	11	16	172	42	40	39	34	21
	F	53	52	43	61	120	52	16	18	8	17	152	45	46	43	37	21
55—	M	62	89	74	81	162	79	21	37	16	24	201	72	40	41	36	34
	F	72	75	55	70	138	62	21	38	14	22	209	51	55	53	44	27
60—	M	81	119	84	100	231	84	46	53	15	33	262	61	64	44	67	48
	F	84	88	74	103	175	93	41	49	14	37	253	78	73	61	50	37
65—	M	121	155	85	130	290	109	49	68	35	30	350	103	90	92	60	51
	F	91	128	92	113	256	100	46	67	29	43	278	64	72	72	77	61
70—	M	97	160	105	156	291	157	64	105	28	53	324	105	93	102	54	61
	F	153	186	98	156	264	109	50	82	30	49	363	88	108	103	104	56
75—	M	123	177	94	154	245	112	54	92	32	67	303	109	77	91	78	78
	F	128	197	96	144	252	132	48	90	32	52	385	103	131	91	83	66
80—	M	86	147	91	115	136	92	31	81	15	57	205	84	63	88	49	59
	F	132	161	84	130	204	97	63	75	21	68	327	87	110	79	88	51
85—	M	43	82	39	73	72	58	24	66	12	31	140	50	45	43	34	56
	F	110	142	97	123	98	76	46	86	27	56	302	67	75	59	82	67

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1924.

(Civilian population only).

Age.	Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	836	1138	196	288	392	172	730	960	958	821	427	591	1227	908
	F	861	1100	196	241	465	176	804	874	959	764	462	590	1171	877
Under 4 weeks	M	55	68	12	18	15	5	34	58	60	39	19	33	69	47
	F	31	48	13	5	18	7	26	37	44	18	15	25	60	36
4 weeks–3 months	M	17	28	2	1	13	1	10	16	10	20	7	14	26	29
	F	6	14	3	1	5	—	9	14	14	3	5	14	29	13
3–6 months	M	9	21	4	2	5	1	7	10	23	18	3	4	18	13
	F	8	14	1	2	—	2	4	3	14	5	9	6	16	6
6–12 months	M	15	37	1	3	4	3	15	21	30	17	8	12	51	16
	F	13	22	—	4	8	1	10	12	19	10	8	7	33	16
Total under 1 year	M	96	154	19	24	37	10	66	105	123	94	37	63	164	105
	F	58	98	17	12	31	10	49	66	91	36	37	52	138	71
1—	M	15	33	3	7	7	2	13	16	21	17	9	19	53	24
	F	15	17	1	1	3	1	9	15	22	12	12	12	45	13
2—	M	12	12	—	—	4	—	5	5	11	5	4	6	18	7
	F	5	8	2	—	—	—	3	5	9	8	6	6	21	10
3—	M	9	9	1	—	3	1	7	5	8	9	3	6	14	3
	F	2	14	—	1	3	1	9	—	10	2	3	5	10	7
4—	M	9	4	3	2	—	—	1	7	4	4	1	3	9	3
	F	5	4	—	3	—	—	1	3	4	3	1	1	10	7
Total under 5 years	M	141	212	26	33	51	13	92	138	167	129	54	97	258	142
	F	85	141	20	17	37	12	71	89	136	61	59	76	224	108
5—	M	10	21	—	3	6	—	9	9	20	13	5	4	22	6
	F	13	12	4	1	6	3	10	8	9	11	8	5	20	9
10—	M	15	9	—	3	2	1	9	9	11	13	6	8	15	5
	F	11	14	4	1	3	3	5	12	10	8	8	7	13	10
15—	M	13	22	4	2	5	2	13	15	18	23	6	6	24	14
	F	14	22	2	4	6	2	11	12	25	20	5	10	16	11
20—	M	16	26	5	7	6	4	18	22	23	17	6	17	29	14
	F	22	30	6	9	1	2	17	20	23	18	11	10	22	11
25—	M	18	33	3	8	4	2	13	10	16	18	8	6	23	22
	F	19	20	1	3	10	3	14	26	21	12	12	13	21	23
30—	M	23	29	7	5	10	7	11	10	22	17	9	9	36	21
	F	20	26	5	7	7	1	13	12	20	14	10	18	35	17
35—	M	25	28	7	7	11	9	16	14	31	16	16	14	45	20
	F	26	27	2	7	9	5	16	18	11	28	12	16	37	15
40—	M	37	38	7	6	11	7	18	25	33	21	11	16	48	37
	F	33	33	12	5	12	7	29	34	27	27	7	15	33	29
45—	M	34	35	7	9	15	8	28	34	45	41	23	20	43	32
	F	40	36	4	9	21	5	33	24	31	30	14	19	47	32
50—	M	43	52	9	11	23	7	37	35	44	40	29	28	60	32
	F	39	64	10	8	15	14	48	24	39	36	18	11	44	46
55—	M	55	74	15	23	27	6	66	61	63	48	34	31	80	37
	F	55	63	17	16	24	9	48	38	64	44	29	37	53	52
60—	M	82	79	21	21	21	7	57	71	87	51	34	37	83	67
	F	57	80	17	28	27	12	57	62	75	52	27	47	85	69
65—	M	79	121	22	36	39	15	71	103	98	70	38	46	126	95
	F	79	95	14	23	43	15	75	91	83	79	46	58	91	107
70—	M	90	128	24	31	53	21	106	126	97	91	47	85	138	92
	F	94	128	25	34	55	20	91	102	106	75	49	62	121	96
75—	M	75	103	21	36	42	24	84	121	93	83	40	70	91	137
	F	113	131	21	31	67	26	107	135	101	88	58	75	140	108
80—	M	47	79	14	32	44	30	58	94	51	87	35	56	63	80
	F	74	98	15	21	66	19	76	79	101	83	53	45	103	78
85—	M	33	49	4	15	22	9	24	63	39	43	26	41	43	55
	F	67	80	17	17	56	18	83	88	77	78	36	66	66	56

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1924.

(Civilian population only).

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknockshire.		Cardiganshire.		Carmarthenshire.		Carnarvonshire.		Denbighshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	7445	2455	139	260	99	302	115	372	468	718	382	493	335	619
	F	7339	2247	159	258	121	273	134	383	428	719	459	469	402	610
Under 4 weeks	M	490	176	8	11	3	24	4	21	25	51	17	21	11	53
	F	346	127	7	10	6	16	4	6	20	46	10	13	10	34
4 weeks-3 months	M	188	64	6	8	2	5	3	5	14	14	5	10	9	15
	F	115	47	3	1	3	4	3	2	9	23	7	7	8	14
3–6 months	M	173	50	2	3	1	7	1	2	13	15	4	11	5	16
	F	114	43	4	2	—	2	—	5	5	11	2	9	5	8
6–12 months	M	264	99	6	7	7	3	1	8	19	11	5	6	8	20
	F	205	69	4	7	3	12	1	2	15	13	5	2	7	18
Total under 1 year	M	1115	389	22	29	13	39	9	36	71	91	31	48	33	104
	F	780	286	18	20	12	34	8	15	49	93	24	31	30	74
1—	M	273	96	6	2	2	12	—	3	12	16	2	7	9	14
	F	234	92	10	1	—	7	1	2	9	9	2	5	9	14
2—	M	113	42	2	1	1	2	—	2	9	6	3	5	2	8
	F	112	35	3	2	1	6	1	—	5	7	1	2	4	1
3—	M	72	31	2	3	—	1	1	1	5	4	—	—	1	2
	F	83	25	2	1	1	1	1	1	1	6	1	2	2	5
4—	M	49	15	1	—	—	—	—	4	8	10	3	3	1	3
	F	42	9	—	1	—	—	1	2	5	3	—	1	—	4
Total under 5 years	M	1622	573	33	35	16	54	10	46	105	127	39	63	46	131
	F	1251	447	33	25	14	48	12	20	69	118	28	41	45	98
5—	M	125	43	3	5	1	10	1	—	4	8	8	5	2	9
	F	92	40	5	1	2	2	1	2	8	13	3	5	7	11
10—	M	82	43	—	5	2	3	—	3	8	4	6	2	2	12
	F	102	34	1	1	1	2	3	3	5	14	3	6	6	5
15—	M	150	54	1	2	3	8	2	5	18	15	7	7	4	6
	F	145	45	4	5	1	5	2	7	9	15	7	10	5	8
20—	M	162	55	2	4	3	12	3	9	7	23	12	13	6	11
	F	149	49	4	5	1	9	4	10	16	27	11	13	16	18
25—	M	162	61	2	6	3	6	1	7	8	23	6	17	5	14
	F	184	56	5	8	5	8	4	14	14	14	10	11	10	13
30—	M	155	61	6	3	1	8	2	8	8	21	6	4	6	15
	F	186	68	3	5	4	8	2	14	19	25	14	10	8	17
35—	M	226	65	7	5	1	3	2	10	20	25	4	11	8	14
	F	224	68	5	11	5	14	3	9	11	27	13	17	14	22
40—	M	289	82	2	4	1	11	4	13	19	26	22	13	10	20
	F	258	61	7	8	6	8	1	10	15	20	13	7	10	25
45—	M	349	116	5	9	7	21	5	9	18	30	15	14	19	19
	F	307	99	—	7	6	9	3	16	20	21	27	20	15	25
50—	M	463	117	9	10	6	14	6	14	29	40	16	22	19	42
	F	376	102	6	12	3	17	5	14	15	32	26	18	19	26
55—	M	554	141	8	18	5	17	12	20	28	46	40	35	32	31
	F	482	124	5	15	2	16	12	17	24	39	32	30	25	32
60—	M	627	183	8	25	9	17	8	38	45	62	38	43	30	51
	F	554	147	8	16	11	23	12	29	30	37	41	33	18	37
65—	M	776	216	8	22	7	26	19	39	44	67	39	78	32	61
	F	770	191	18	28	13	20	17	39	34	67	46	46	42	56
70—	M	746	245	16	34	18	31	14	47	43	74	47	53	43	66
	F	829	236	15	26	15	23	15	56	51	76	49	56	47	68
75—	M	544	198	13	34	6	31	12	47	36	55	35	64	37	59
	F	710	206	17	40	15	27	13	35	45	69	60	53	46	76
80—	M	298	126	11	26	6	17	8	28	17	45	25	37	24	46
	F	485	168	12	27	11	19	16	50	31	60	47	52	45	40
85—	M	115	76	5	13	4	13	6	29	11	27	17	12	10	12
	F	235	106	11	18	6	15	9	38	12	45	29	41	24	33

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1924.

(Civilian population only.)

Age.	Sex.	Flintshire.		Glamorganshire.		Merionethshire.		Monmouthshire.		Montgomeryshire.		Pembrokeshire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	253	398	3750	1160	169	161	1889	280	130	242	293	345	44	111
	F	239	400	3251	967	173	181	1546	247	104	229	282	355	32	113
Under 4 weeks	M	15	18	280	88	9	7	153	19	6	17	9	20	2	6
	F	12	13	230	56	5	13	111	16	5	9	17	7	1	2
4 weeks–3 months	M	9	6	122	43	1	4	49	3	4	3	5	11	—	2
	F	3	4	85	21	2	4	38	5	2	4	4	2	—	4
3–6 months	M	2	5	103	32	1	1	53	2	1	2	3	7	—	—
	F	3	8	71	15	—	1	41	3	—	1	6	2	—	1
6–12 months	M	9	12	146	49	4	1	78	5	2	3	7	9	1	3
	F	4	2	118	37	1	2	54	3	—	3	8	2	—	4
Total under 1 year	M	35	41	651	212	15	13	333	29	13	25	24	47	3	11
	F	22	27	504	129	8	20	244	27	7	17	35	13	1	11
1—	M	7	12	134	27	3	1	60	3	1	3	7	4	1	1
	F	3	5	102	34	2	—	54	3	1	1	11	8	—	1
2—	M	6	3	50	12	2	—	23	2	—	1	1	2	—	—
	F	2	3	64	15	—	1	29	1	1	4	3	5	1	1
3—	M	1	5	35	8	—	—	30	1	1	1	1	1	—	—
	F	3	3	36	8	1	—	21	1	—	4	1	4	—	4
4—	M	2	1	25	16	—	—	22	—	2	1	3	1	—	1
	F	1	2	27	4	1	1	19	1	—	1	1	1	—	—
Total under 5 years	M	51	62	895	275	20	14	468	35	17	31	36	55	4	13
	F	31	40	733	190	12	22	367	33	9	27	51	31	2	17
5—	M	4	7	78	24	1	2	28	4	2	4	4	7	1	2
	F	2	9	68	29	—	1	40	2	—	3	3	4	—	1
10—	M	2	3	56	18	1	1	28	3	2	1	2	2	2	—
	F	4	3	47	16	1	1	38	2	—	2	6	4	—	1
15—	M	2	10	112	30	2	2	44	1	1	6	6	5	1	2
	F	7	3	112	32	3	6	54	5	—	2	1	2	—	2
20—	M	5	3	119	45	3	2	66	10	3	8	10	5	—	3
	F	7	11	108	30	3	6	49	8	3	7	9	8	1	5
25—	M	3	9	81	28	4	3	49	4	5	2	10	10	—	1
	F	5	11	126	38	4	7	44	4	5	—	6	9	—	3
30—	M	6	11	98	39	5	8	56	7	3	3	10	9	2	1
	F	6	8	127	32	4	4	51	7	1	9	7	5	—	6
35—	M	14	9	121	39	5	2	63	4	1	4	9	6	1	2
	F	4	11	130	36	3	5	55	9	4	1	5	5	—	2
40—	M	14	19	167	44	8	6	78	6	1	3	12	7	—	4
	F	5	9	144	29	7	5	63	10	4	6	5	8	—	4
45—	M	15	11	211	48	10	5	83	15	7	11	13	10	1	2
	F	8	19	134	53	5	13	56	3	5	6	11	16	1	3
50—	M	12	23	247	57	10	6	112	11	6	9	14	15	—	5
	F	16	23	176	57	7	8	72	11	5	15	9	16	4	2
55—	M	15	22	263	89	11	19	132	16	6	10	25	14	—	7
	F	14	30	206	45	7	10	68	16	5	8	15	23	6	3
60—	M	27	28	324	92	14	12	139	30	19	17	25	26	6	6
	F	25	31	207	65	15	11	133	18	9	21	29	31	5	7
65—	M	19	43	290	78	26	18	178	35	13	30	27	30	4	7
	F	17	29	215	59	17	11	115	25	9	22	24	42	1	10
70—	M	25	47	314	96	16	18	159	37	15	24	32	46	5	16
	F	31	52	271	69	28	21	113	25	17	29	27	33	3	13
75—	M	21	44	198	87	14	19	109	25	13	38	23	48	11	12
	F	22	52	235	86	27	16	109	31	9	31	38	53	3	14
80—	M	12	28	136	52	13	14	61	25	12	26	21	29	3	22
	F	25	32	146	63	21	24	63	29	15	25	22	39	4	11
85—	M	6	19	40	19	6	10	36	12	4	15	14	21	3	6
	F	10	27	66	38	9	10	56	9	4	15	14	26	2	9

Causes of Death at different Age-Periods, 1924. (Total Deaths Registered).

Note.—The sequence of causes of death followed in this table is that of the International List of Causes of Death. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus, **2** Typhus 5, 15, 20, *50*, denotes that the deaths of three males in age-groups 5–10, 15–20 and 20–25 and one female in age-group 50–55 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death	All Causes		I. 1–42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1(*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	240620	232615	40670	37117	244	252	232	229	12	23	91	6	2564	2270	417	471
0—1	31602	23211	3169	2508	—	—	—	—	—	—	—	—	561	429	14	12
1—5	15362	13557	6104	5722	6	12	6	10	—	2	—	—	1831	1632	217	230
5—10	3655	3316	1390	1548	12	10	11	8	1	2	1	—	133	163	98	126
10—15	2975	2978	960	1356	18	17	16	15	2	2	—	—	21	22	28	43
15—20	4646	4494	1983	2648	30	37	30	35	—	2	—	—	7	5	21	18
20—25	5572	5314	2840	2984	27	33	25	29	2	4	1	—	2	2	15	12
25—30	4952	5465	2371	2651	28	26	27	25	1	1	13	—	—	4	4	11
30—35	5477	5781	2382	2310	22	27	20	26	2	1	11	—	2	1	3	8
35—40	7129	6521	2709	2076	19	24	17	21	2	3	21	1	1	3	9	4
40—45	9062	7867	2917	1948	21	19	21	18	—	1	14	—	2	3	2	3
45—50	11567	9463	2901	1693	19	16	19	16	—	—	7	1	—	3	2	2
50—55	14183	11588	2595	1521	15	12	14	11	1	1	9	3	—	1	3	1
55—60	16923	13807	2201	1403	10	7	10	5	—	2	4	—	1	—	1	1
60—65	20475	17521	1919	1428	11	3	11	2	—	1	5	—	1	—	—	—
65—70	23095	20835	1642	1426	3	5	2	4	1	1	1	—	1	2	—	—
70—75	23862	24836	1174	1436	2	3	2	3	—	—	4	—	—	—	—	—
75—80	19624	24080	766	1242	1	1	1	1	—	—	—	1	—	—	—	—
80 and upwards	20459	31981	647	1217	—	—	—	—	—	—	—	—	1	—	—	—

* **2.** Typhus 20, *5, 10, 30, 45*; **3.** Relapsing fever (Spirillum obermeieri) —, **4.** Mediterranean fever 20, 30; **6.** Small-pox 0, 0, 0, 5, 15, *0, 0, 1, 1, 10, 35, 35, 50.*

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) 1. With pneumonic complications.		11 (*a*) 2. With other pulmonary complications.		11 (*b*) 1. With non-pulmonary complications.		11 (*b*) 2. Without stated complication.		12* 13 Mumps.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1864	2119	1212	1289	9142	9844	4498	4047	1911	2555	1586	1758	1147	1484	7	7
0—1	877	843	54	50	497	317	237	155	95	50	94	62	71	50	2	1
1—5	949	1197	677	636	618	498	398	319	67	55	124	98	29	26	3	3
5—10	35	61	341	425	106	129	47	45	10	13	40	52	9	19	—	1
10—15	—	5	91	103	92	116	39	43	5	8	41	54	7	11	—	—
15—20	—	3	23	29	233	139	117	69	21	14	60	39	35	17	—	—
20—25	—	—	2	10	239	191	153	103	18	20	55	45	13	23	1	1
25—30	1	—	5	8	193	262	113	158	16	25	42	58	22	21	—	—
30—35	—	2	—	4	315	348	204	213	45	40	46	67	20	28	1	—
35—40	—	—	6	8	447	404	299	251	68	35	57	82	23	36	—	—
40—45	—	1	1	3	537	431	361	235	75	67	68	81	33	48	—	—
45—50	—	1	2	2	578	504	348	272	98	93	99	95	33	44	—	—
50—55	—	1	2	5	653	549	356	271	114	121	127	99	56	58	—	1
55—60	—	—	1	1	764	710	425	307	141	189	117	142	81	72	—	—
60—65	—	—	3	1	832	824	379	314	195	235	155	174	103	101	—	—
65—70	1	—	2	2	921	1036	409	411	232	315	153	165	127	145	—	—
70—75	—	1	2	—	877	1160	290	354	288	420	135	183	164	203	—	—
75—80	1	3	—	1	658	1094	198	306	222	426	95	141	143	221	—	—
80 and upwards	—	1	—	1	582	1132	125	221	201	429	78	121	178	361	—	—

***12** Miliary fever —;

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (TOTAL DEATHS REGISTERED).

Causes of Death.	14* 15 Cholera nostras.		16 Dysentery.		16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17, 18, 19, 20 21 Erysipelas.		22 Acute poliomyelitis.		22 (1) Poliomyelitis	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	69	61	8	—	4	9	57	52	353	323	88	69	62	6
0—1	—	—	2	1	—	—	1	—	1	1	50	35	5	8	2	
1—5	—	—	—	—	—	—	—	—	—	—	9	11	30	27	18	2
5—10	—	—	—	—	—	—	—	—	—	—	1	2	17	9	11	
10—15	—	—	—	—	—	—	—	—	—	—	6	7	11	9	10	
15—20	—	—	4	1	—	—	—	—	4	1	6	6	11	7	10	
20—25	—	—	5	1	2	—	1	—	2	1	9	9	5	1	4	
25—30	—	—	7	1	1	—	1	—	5	1	6	8	1	2	—	
30—35	—	—	9	4	1	—	—	2	8	2	10	13	2	2	2	
35—40	—	—	9	5	3	—	—	—	6	5	13	16	1	1	—	
40—45	—	—	4	4	1	—	—	—	3	4	23	18	1	1	1	
45—50	—	—	3	6	—	—	—	—	3	6	21	25	2	—	2	—
50—55	—	—	8	6	—	—	—	1	8	5	26	28	1	—	1	—
55—60	—	—	3	5	—	—	—	2	3	3	29	22	—	1	—	
60—65	—	—	6	7	—	—	1	2	5	5	34	26	1	—	1	—
65—70	—	—	3	4	—	—	—	—	3	4	30	16	—	1	—	
70—75	1	—	2	11	—	—	—	1	2	10	33	28	—	—	—	—
75—80	—	—	2	3	—	—	—	1	2	2	21	32	—	—	—	—
80 and upwards	—	—	2	2	—	—	—	—	2	2	26	21	—	—	—	—

* **14.** Asiatic cholera —; **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica 30; **20.** Leprosy 40, 6

Causes of Death.	22 (2) Polioencephalitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic diseases.		25 (1) German measles.		25 (2) Varicella.		25 (3) Other diseases included under 25.		26* 27 Anthrax.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	26	9	732	675	174	127	42	35	5	7	34	25	3	3	9	
0—1	3	2	11	17	51	37	14	20	—	3	14	17	—	—	—	—
1—5	12	4	78	72	44	33	20	13	4	3	15	7	1	3	—	—
5—10	6	2	50	38	18	13	2	1	1	1	1	—	—	—	—	—
10—15	1	—	58	42	14	12	—	1	—	—	—	1	—	—	—	—
15—20	1	1	78	72	17	7	—	—	—	—	—	—	—	—	1	—
20—25	1	—	53	50	9	7	—	—	—	—	—	—	—	—	—	—
25—30	1	—	28	47	8	5	—	—	—	—	—	—	—	—	—	—
30—35	—	—	30	30	1	2	—	—	—	—	—	—	—	—	2	—
35—40	1	—	35	47	2	1	1	—	—	—	—	—	1	—	—	—
40—45	—	—	59	59	4	4	1	—	—	—	—	—	1	—	1	
45—50	—	—	56	55	2	2	—	—	—	—	—	—	—	—	2	—
50—55	—	—	51	48	2	1	—	—	—	—	—	—	—	—	—	—
55—60	—	—	57	31	—	1	1	—	—	—	1	—	—	—	1	—
60—65	—	—	45	33	1	1	—	—	—	—	—	—	—	—	1	—
65—70	—	—	25	18	1	1	1	—	—	—	1	—	—	—	1	—
70—75	—	—	15	12	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	1	2	—	—	2	—	—	—	2	—	—	—	—	—

* **26.** Glanders —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	28* 29 Tetanus.		30 Mycoses.		30 (1) Actinomycosis.		30 (2) Other mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	110	25	73	43	31	16	42	27	22350	18753	17970	14720	1606	1489	917	936
0—1	7	3	24	16	—	—	24	16	571	419	55	59	251	213	146	78
1—5	5	2	2	1	—	—	2	1	1569	1302	235	171	739	655	300	239
5—10	8	3	1	—	1	—	—	—	558	553	111	170	232	206	94	78
10—15	12	3	1	—	1	—	—	—	578	956	251	587	120	153	62	79
15—20	16	—	6	1	6	1	—	—	1499	2307	1137	1937	114	89	79	101
20—25	4	1	5	2	4	1	1	1	2446	2643	2158	2360	50	61	52	78
25—30	3	3	3	2	2	1	1	1	2042	2247	1853	2033	19	39	35	64
30—35	1	1	3	4	3	4	—	—	1938	1834	1774	1675	15	26	28	47
35—40	9	2	3	1	2	1	1	—	2083	1522	1943	1391	18	13	28	42
40—45	7	1	2	3	2	3	—	—	2175	1356	2067	1241	16	10	13	33
45—50	7	2	6	3	5	—	1	3	2104	1032	1961	923	11	16	27	24
50—55	11	1	3	3	2	—	1	3	1742	821	1640	751	10	4	19	14
55—60	6	—	2	4	—	3	2	1	1248	584	1167	490	6	4	12	22
60—65	7	—	3	1	1	—	2	1	909	507	833	437	2	—	12	16
65—70	3	2	6	—	2	—	4	—	588	317	524	244	3	—	8	12
70—75	2	1	2	1	—	1	2	—	211	208	187	159	—	—	2	5
75—80	2	—	—	1	—	1	—	—	66	96	57	68	—	—	—	3
80 and upwards	—	—	1	—	—	—	1	—	23	49	17	24	—	—	—	1

* **28.** Rabies —.

Causes of Death.	Tuberculosis—*continued.* 34 Vertebral column.		35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	317	295	185	109	287	292	36	67	45	42	46	53	138	114	22	16
0—1	2	6	2	—	16	9	1	—	1	1	9	5	—	—	5	3
1—5	18	17	7	5	20	22	1	3	7	2	7	14	2	1	3	2
5—10	9	6	14	5	11	9	—	1	3	3	5	1	1	3	2	1
10—15	32	22	22	9	12	12	1	—	1	2	5	6	4	2	1	2
15—20	29	32	24	12	26	21	3	4	5	3	1	7	13	7	4	—
20—25	36	26	18	11	20	12	3	2	4	—	1	2	11	7	1	1
25—30	30	17	13	3	21	30	2	2	1	3	1	1	16	22	1	2
30—35	31	17	8	4	22	23	1	3	2	—	1	1	17	18	1	1
35—40	19	18	9	4	20	22	1	3	2	2	1	1	16	16	—	—
40—45	15	15	7	8	17	12	2	1	5	2	3	2	7	7	—	—
45—50	22	22	5	5	34	14	4	1	3	1	3	—	23	11	1	1
50—55	15	16	13	3	14	8	—	1	2	—	2	1	8	6	2	—
55—60	13	28	9	4	14	20	3	7	2	2	2	1	6	8	1	2
60—65	20	16	8	9	17	14	6	6	3	4	3	2	5	2	—	—
65—70	17	19	13	10	14	19	3	9	3	5	2	3	6	2	—	—
70—75	5	9	8	9	5	17	3	7	1	6	—	2	1	2	—	—
75—80	3	4	3	5	2	14	1	8	—	3	—	2	1	—	—	1
80 and upwards	1	5	2	3	2	14	1	9	—	3	—	2	1	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (TOTAL DEATHS REGISTERED).

Causes of Death.	Tuberculosis—*continued.* 37 Disseminated tuberculosis.		37 (*a*) Acute.		37 (*b*) Chronic or unstated.		38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		41 Purulent infection, septicæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1068	912	416	388	652	524	781	515	31	17	18	11	13	6	304	203
0—1	99	54	58	32	41	22	390	276	12	6	—	—	12	6	23	16
1—5	250	193	125	94	125	99	30	35	1	—	—	—	1	—	15	16
5—10	87	79	37	47	50	32	2	4	—	—	—	—	—	—	6	9
10—15	79	94	31	42	48	52	6	6	—	—	—	—	—	—	24	12
15—20	90	115	26	47	64	68	2	5	1	1	1	1	—	—	27	10
20—25	112	95	24	45	88	50	4	6	1	4	1	4	—	—	10	11
25—30	71	61	28	19	43	42	13	13	1	1	1	1	—	—	15	11
30—35	60	42	18	18	42	24	15	18	—	—	—	—	—	—	15	11
35—40	46	32	15	7	31	25	35	22	1	1	1	1	—	—	14	12
40—45	40	37	13	12	27	25	39	22	3	1	3	1	—	—	20	18
45—50	44	28	8	9	36	19	62	23	3	2	3	2	—	—	25	13
50—55	31	25	13	8	18	17	50	25	3	1	3	1	—	—	16	13
55—60	27	16	14	4	13	12	45	23	2	—	2	—	—	—	26	13
60—65	17	15	2	1	15	14	40	13	2	—	2	—	—	—	18	12
65—70	9	13	2	2	7	11	25	15	—	—	—	—	—	—	29	7
70—75	4	9	1	1	3	8	14	5	—	—	—	—	—	—	9	6
75—80	1	2	1	—	—	2	7	2	—	—	—	—	—	—	6	6
80 and upwards	1	2	—	—	1	2	2	2	1	—	1	—	—	—	6	7

* **39.** Soft chancre —.

Causes of Death.	42 (1, 2)* 42. Other infectious diseases.		II. 43–69 General diseases not included in I. 1–42.		Cancer, Malignant Disease. 43–49 Total Deaths.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines, and rectum.		46 Female genital organs.		47 Breast.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	29799	36075	23099	27290	2507	423	8552	7153	5437	5528	—	5626	38	5153
0—1	1	—	288	194	9	13	1	—	3	—	—	1	—	—	—	—
1—5	—	—	401	297	68	40	1	3	4	1	9	3	—	2	—	—
5—10	—	—	208	195	29	26	3	1	2	—	4	2	—	—	—	—
10—15	—	—	267	296	35	28	—	2	4	—	3	4	—	2	—	—
15—20	—	—	319	327	62	50	3	3	4	3	4	3	—	12	—	—
20—25	—	—	295	325	99	80	2	4	13	7	22	9	—	16	—	4
25—30	—	—	266	381	107	148	4	4	25	19	19	23	—	50	—	13
30—35	—	—	386	601	204	323	10	10	60	46	38	62	—	101	—	57
35—40	—	—	613	1059	381	725	15	10	127	95	68	96	—	271	1	160
40—45	—	—	932	1906	652	1464	33	14	262	242	139	179	—	482	4	355
45—50	—	—	1729	2770	1333	2214	140	31	536	411	265	302	—	651	3	585
50—55	—	—	2804	3661	2274	2993	299	35	910	611	453	446	—	879	5	676
55—60	—	—	3863	4207	3243	3361	414	50	1288	851	681	573	—	763	6	753
60—65	—	—	4797	4985	4006	3987	466	59	1520	1128	930	865	—	802	4	655
65—70	—	—	4833	4857	4065	3839	455	65	1528	1211	1012	888	—	672	9	583
70—75	—	—	3968	4459	3331	3523	305	49	1182	1153	921	937	—	468	6	525
75—80	—	—	2459	3177	2049	2539	215	38	721	843	566	653	—	287	—	390
80 and upwards	—	—	1371	2378	1152	1937	141	45	363	532	303	482	—	168	—	397

* **42.** (1) Vaccinia 0.
(2) Other diseases included under 42 —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Cancer—*continued.* 48 Skin.		49 Other or unspecified organs.		50 Tumours not returned as malignant. (brain and female genital organs excptd).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		52 (1) Chronic rheumatism, chronic arthritis.		52 (2) Rheumatoid and osteo-arthritis.		52 (3) Gout.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	824	460	5741	2947	401	335	757	906	895	1580	190	221	546	1329	159	30
0—1	—	—	5	12	2	—	2	—	—	—	—	—	—	—	—	—
1—5	2	1	52	30	5	9	30	28	2	—	—	—	2	—	—	—
5—10	—	—	20	23	—	3	73	105	1	—	—	—	1	—	—	—
10—15	—	—	28	20	4	—	138	187	—	—	—	—	—	—	—	—
15—20	—	1	51	28	4	1	114	131	1	4	1	—	—	4	—	—
20—25	—	3	62	37	7	6	48	74	4	1	—	—	4	1	—	—
25—30	1	1	58	38	6	9	37	50	4	7	—	—	4	7	—	—
30—35	7	1	89	46	6	4	35	50	7	10	1	—	6	10	—	—
35—40	12	10	158	83	16	10	34	41	10	14	—	—	9	14	1	—
40—45	15	22	199	170	12	11	50	41	25	32	4	3	20	29	1	—
45—50	32	11	357	223	30	22	46	53	26	62	4	4	20	58	2	—
50—55	47	37	560	309	38	23	41	39	56	84	4	8	39	75	13	1
55—60	85	25	769	346	57	30	41	36	56	129	12	6	31	121	13	2
60—65	111	47	975	431	58	43	29	23	126	197	24	24	77	168	25	5
65—70	130	39	931	381	49	30	16	22	152	249	31	31	88	215	33	3
70—75	147	66	770	325	52	46	16	14	183	311	47	45	113	260	23	6
75—80	109	83	438	245	31	41	5	7	144	265	33	49	81	211	30	5
80 and upwards	126	113	219	200	24	47	2	5	98	215	29	51	51	156	18	8

Causes of Death.	53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.		58 (*b*) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	19	14	301	187	1896	2358	1161	1642	1036	1486	125	156	116	883	46	574
0—1	5	4	114	59	—	—	9	8	3	—	6	8	4	8	—	—
1—5	7	7	168	114	11	9	22	18	5	11	17	7	6	15	—	1
5—10	1	1	10	3	14	15	11	7	4	6	7	1	2	4	—	—
10—15	—	—	3	1	22	30	3	9	1	5	2	4	5	10	1	2
15—20	—	—	3	3	45	43	20	25	15	17	5	8	10	23	1	19
20—25	—	—	1	—	55	56	21	31	16	27	5	4	6	41	2	35
25—30	1	—	—	2	50	49	15	48	10	35	5	13	3	28	2	26
30—35	—	—	1	—	50	55	16	59	11	52	5	7	6	55	3	50
35—40	1	—	—	2	65	47	44	104	34	92	10	12	5	69	2	62
40—45	—	—	—	2	64	88	50	121	46	111	4	10	6	79	6	65
45—50	—	—	1	—	95	89	93	156	87	137	6	19	13	107	10	86
50—55	—	1	—	—	149	152	147	184	143	177	4	7	11	110	8	81
55—60	—	—	—	—	187	283	179	207	163	196	16	11	9	94	5	60
60—65	1	1	—	1	296	362	188	236	175	224	13	12	10	90	3	41
65—70	2	—	—	—	298	407	176	192	169	179	7	13	9	63	2	28
70—75	1	—	—	—	245	338	113	133	108	126	5	7	3	51	—	12
75—80	—	—	—	—	173	203	40	81	36	73	4	8	8	21	1	3
80 and upwards	—	—	—	—	77	132	14	23	10	18	4	5	—	15	—	3

* **54** Pellagra 55, 65, *10, 35, 35, 35, 40, 45, 50*; **55** Beri-beri 15; **59** Diseases of the pituitary gland 20, 35, 40, 40, 45, 45, 60, 70, *5, 40, 45, 65, 70.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (TOTAL DEATHS REGISTERED).

Causes of Death.	60 (*b*) (1) Myxœdema.		60 (*b*) (2) Cretinism.		60 (*b*) (3) Other diseases of the thyroid gland.		61 * / 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.		65 (*a*) Leukæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	169	20	31	30	109	95	61	97	122	11	16	544	387	276	233
0—1	—	—	4	5	—	3	60	37	—	1	1	—	7	2	7	[illegible]
1—5	1	—	5	13	—	1	18	11	—	—	—	—	30	21	25	1[illegible]
5—10	—	—	1	4	1	—	9	1	—	—	1	—	37	18	19	[illegible]
10—15	—	—	2	2	2	6	3	3	1	1	—	—	39	16	20	1[illegible]
15—20	—	—	2	1	7	3	1	1	3	2	—	—	40	25	21	1[illegible]
20—25	1	3	2	2	1	1	3	1	2	5	3	—	35	20	15	[illegible]
25—30	1	—	—	1	—	1	—	1	6	6	—	—	31	21	10	1[illegible]
30—35	—	—	2	—	1	5	—	3	10	8	—	1	31	27	15	1[illegible]
35—40	2	1	—	1	1	5	—	2	5	14	—	1	27	19	8	1[illegible]
40—45	—	6	—	1	—	7	1	1	10	17	2	3	31	31	13	2[illegible]
45—50	1	11	2	1	—	9	—	—	9	17	1	—	43	34	26	2[illegible]
50—55	1	14	—	—	2	15	—	—	13	9	1	3	46	33	22	2[illegible]
55—60	1	29	—	—	3	5	—	—	10	16	—	2	49	30	22	2[illegible]
60—65	4	33	—	—	3	16	—	—	15	11	1	—	38	24	23	1[illegible]
65—70	5	24	—	—	2	11	—	—	10	6	—	5	41	30	22	1[illegible]
70—75	1	29	—	—	2	10	—	—	2	4	—	—	14	26	7	1[illegible]
75—80	2	13	—	—	5	5	—	—	—	5	1	1	5	9	1	[illegible]
80 and upwards	—	6	—	—	—	6	—	—	1	—	—	—	—	1	—	—

* **61.** (1) Tetany 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 5, 10, *0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 5, 30, 45, 45, 45*
* **61.** (2) Other diseases of the parathyroid glands —.

Causes of Death.	65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		67 (1) Occupational lead poisoning		67 (2), 68 * / 69 Other general diseases.		69 (1) Purpura.		69 (2) Hæmophilia.		69 (3) Other diseases included under 69.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	268	152	94	33	49	2	47	2	223	223	114	128	70	36	39	5
0—1	—	—	—	—	—	—	—	—	60	51	29	26	26	23	5	
1—5	5	5	—	—	—	—	—	—	30	21	14	11	11	—	5	1
5—10	18	9	—	—	—	—	—	—	19	10	7	4	8	2	4	
10—15	19	5	—	—	—	—	—	—	13	10	6	6	6	3	1	
15—20	19	7	—	—	—	—	—	—	14	18	9	16	2	—	3	
20—25	20	14	—	—	—	—	—	—	9	10	4	8	5	2	—	—
25—30	21	7	2	1	—	—	—	—	4	11	3	5	1	3	—	
30—35	16	12	9	—	3	—	2	—	7	5	4	4	2	—	1	
35—40	19	9	14	2	2	—	2	—	8	6	3	4	2	1	3	
40—45	18	11	14	5	4	—	4	—	8	8	7	5	—	—	1	
45—50	17	11	18	9	9	—	8	—	10	2	6	1	2	—	2	
50—55	24	11	9	5	10	1	10	1	7	22	2	13	1	—	4	
55—60	27	10	8	4	11	1	11	1	11	14	6	6	1	—	4	
60—65	15	9	12	1	7	—	7	—	7	9	5	2	1	1	1	
65—70	19	12	5	2	3	—	3	—	6	10	3	7	1	—	2	
70—75	7	14	2	2	—	—	—	—	5	10	4	4	—	1	1	
75—80	4	5	1	2	—	—	—	—	2	3	—	3	1	—	1	—
80 and upwards	—	1	—	—	—	—	—	—	3	3	2	3	—	—	1	—

* **67.** (2) Other chronic poisoning by mineral substances 30, 45;
68. Chronic poisoning by organic substances 15, 20, 30, 40, 50, 50, 55 ,60, 60, *15, 40, 50, 65.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	III. 70–86 Diseases of the nervous system and sense organs.		70 Encephalitis.		70 (1) Cerebral abscess.		70 (2) Other diseases included under 70.		71 Meningitis.		72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy, etc.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ll Ages	23212	24066	149	120	111	63	38	57	1069	856	627	118	862	613	11864	14921
0—1	2122	1501	6	6	4	2	2	4	268	193	—	—	—	—	3	1
1—5	851	761	9	14	6	5	3	9	338	278	1	—	5	4	5	6
5—10	309	272	9	3	4	2	5	1	115	81	—	—	9	2	6	3
0—15	309	279	15	7	14	5	1	2	55	66	—	—	10	11	11	9
5—20	358	264	15	12	12	10	3	2	65	38	—	—	20	12	16	9
0—25	304	245	14	16	10	10	4	6	27	14	1	1	19	13	26	19
5—30	280	265	6	1	6	1	—	—	27	21	1	2	20	10	24	33
0—35	357	300	10	7	7	5	3	2	18	14	6	4	20	20	37	42
5—40	525	425	7	8	7	2	—	6	15	21	17	5	38	27	76	98
0—45	790	603	17	11	14	8	3	3	24	15	48	8	49	34	179	203
5—50	1098	939	13	7	10	4	3	3	27	17	67	10	76	51	360	487
0—55	1402	1325	9	3	7	2	2	1	18	20	99	24	100	42	609	830
5—60	1835	1772	8	8	5	4	3	4	15	19	113	22	103	85	1069	1199
0—65	2380	2298	5	6	3	—	2	6	19	22	103	21	143	88	1538	1666
5—70	2837	2917	2	7	1	2	1	5	11	13	110	8	106	91	1988	2229
0—75	3092	3512	2	1	1	1	1	—	18	8	40	4	79	58	2388	2825
5—80	2391	3069	1	1	—	—	1	1	5	10	15	4	46	34	1906	2493
0 and owards	1972	3319	1	2	—	—	1	2	4	6	6	5	19	31	1623	2769

Causes of Death.	74 (*a*) (1) Cerebral hæmorrhage so returned.		74 (*a*) (2) Apoplexy, lesion unstated.		74 (*b*) (1) Cerebral embolism.		74 (*b*) (2) Cerebral thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.		76 General paralysis of the insane.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ll Ages	9274	11450	1181	1438	327	465	1082	1568	984	1218	854	1068	130	150	1257	287
0—1	2	—	1	—	—	—	—	1	5	2	2	—	3	2	—	—
1—5	2	3	3	1	—	—	—	2	4	6	—	4	4	2	—	—
5—10	3	1	2	1	—	1	1	—	2	3	2	—	—	3	—	—
0—15	9	5	—	1	—	1	2	2	3	—	—	—	3	—	1	—
5—20	11	3	3	—	—	1	2	5	3	2	1	—	2	2	3	3
0—25	20	12	2	2	1	1	3	4	3	2	—	—	3	2	11	4
5—30	17	24	3	2	1	2	3	5	2	—	2	—	—	—	18	7
0—35	29	27	4	3	2	8	2	4	5	4	2	1	3	3	64	21
5—40	59	72	4	5	6	9	7	12	8	10	6	6	2	4	181	43
0—45	143	166	11	14	7	10	18	13	9	10	6	6	3	4	245	53
5—50	284	403	35	36	16	17	25	31	26	23	22	18	4	5	256	45
0—55	508	682	56	66	10	26	35	56	36	45	26	39	10	6	206	52
5—60	863	959	93	104	29	40	84	96	69	67	56	60	13	7	133	16
0—65	1203	1330	162	157	44	45	129	134	108	119	93	111	15	8	68	20
5—70	1576	1763	178	220	60	54	174	192	182	181	171	160	11	21	45	12
0—75	1880	2156	244	280	58	88	206	301	197	264	175	244	22	20	18	1
5—80	1466	1880	204	260	47	73	189	280	178	230	159	201	19	29	5	7
0 and owards	1199	1964	176	286	46	89	202	430	144	250	131	218	13	32	3	3

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (TOTAL DEATHS REGISTERED).

Causes of Death.	77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal)		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.		84 (1) Idiocy, imbecility,	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	286	516	1136	1065	2032	1494	30	83	98	148	410	439	1758	1690	131	166
0—1	—	—	20	14	1721	1195	—	—	—	—	1	—	27	38	11	26
1—5	—	—	46	35	292	275	3	1	—	1	—	—	71	69	42	38
5—10	1	—	30	28	8	7	6	22	1	—	—	—	49	52	20	23
10—15	—	2	61	54	3	8	7	23	—	—	—	—	55	33	13	[illegible]
15—20	6	8	103	66	1	1	6	18	3	2	—	—	47	42	9	[illegible]
20—25	8	16	109	83	1	—	4	9	—	1	—	—	31	44	3	[illegible]
25—30	11	18	82	94	—	—	2	2	—	3	3	—	40	53	7	[illegible]
30—35	12	25	80	89	1	—	—	3	2	4	—	—	68	49	4	[illegible]
35—40	11	31	66	64	—	1	—	—	5	7	3	4	76	89	2	[illegible]
40—45	22	56	77	71	—	2	1	2	1	14	5	6	84	103	1	[illegible]
45—50	34	61	74	72	—	—	1	1	9	10	8	9	127	130	9	[illegible]
50—55	29	56	65	79	2	1	—	1	13	15	16	10	181	129	3	[illegible]
55—60	47	76	67	66	—	1	—	1	17	16	23	30	161	151	1	[illegible]
60—65	43	68	83	75	—	1	—	—	22	18	59	37	176	146	1	[illegible]
65—70	29	47	60	54	1	1	—	—	8	17	70	79	204	164	3	[illegible]
70—75	24	27	59	65	—	—	—	—	7	16	85	70	170	165	—	[illegible]
75—80	8	15	36	34	1	1	—	—	2	9	65	86	122	140	—	[illegible]
80 and upwards	1	10	18	22	1	—	—	—	8	15	72	108	69	93	2	[illegible]

Causes of Death.	84 (2) Cerebral tumour.		84 (3) Dissem-inated sclerosis.		84 (4) Paralysis agitans.		84 (5) Other diseases included under 84.		85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		86 (1) Diseases of the mastoid sinus.		86 (2) Diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	553	498	366	351	432	381	276	300	34	37	616	461	188	141	428	320
0—1	—	5	—	—	—	—	16	7	1	2	70	50	10	11	60	39
1—5	21	15	—	—	—	—	8	16	4	5	73	67	17	21	56	46
5—10	21	23	—	1	—	—	8	5	—	3	73	68	36	23	37	43
10—15	34	24	1	—	—	—	7	3	4	2	84	64	31	22	53	42
15—20	31	25	5	4	—	—	2	4	3	2	67	49	21	18	46	31
20—25	20	18	3	12	—	—	5	5	—	1	50	22	17	5	33	17
25—30	18	26	12	14	—	—	3	6	1	—	43	21	12	3	31	18
30—35	40	20	20	22	—	1	4	3	3	—	31	18	8	8	23	10
35—40	48	41	23	33	—	2	3	9	1	—	21	17	5	4	16	13
40—45	45	52	29	35	3	1	6	9	—	—	29	15	5	4	24	11
45—50	59	55	40	47	6	6	13	17	—	2	20	14	7	6	13	8
50—55	84	61	48	39	11	5	35	18	1	1	18	17	6	7	12	10
55—60	54	54	53	37	31	21	22	33	—	3	10	12	6	4	4	[illegible]
60—65	38	38	51	36	61	40	25	28	4	2	9	9	3	1	6	[illegible]
65—70	24	21	42	29	96	76	39	34	6	4	15	10	3	4	12	[illegible]
70—75	11	12	17	24	104	99	38	29	2	4	3	4	1	—	2	[illegible]
75—80	5	3	16	11	75	83	26	42	1	3	—	2	—	—	—	[illegible]
80 and upwards	—	5	6	7	45	47	16	32	3	3	—	2	—	—	—	[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	IV. 87–96 Diseases of the circulatory system.		87–90 Heart diseases.		87 Pericarditis.		88 Acute endocarditis and myocarditis.		88 (1) Infective endo-carditis.		88 (2) Other acute endo-carditis.		88 (3) Acute myocarditis.		89 Angina pectoris.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	38803	40625	28009	32641	192	157	964	980	510	507	263	290	191	183	1226	537
0—1	27	20	4	5	4	4	—	—	—	—	—	—	—	—	—	—
1—5	70	64	63	54	14	12	18	19	9	1	9	16	—	2	—	—
5—10	170	150	168	148	11	10	46	47	10	16	31	27	5	4	—	—
10—15	235	270	233	267	12	16	49	51	22	26	25	23	2	2	—	—
15—20	310	377	302	372	9	9	68	83	45	55	19	25	4	3	—	—
20—25	323	433	315	423	5	9	73	102	35	73	27	19	11	10	1	—
25—30	363	475	352	460	7	5	102	95	73	58	22	28	7	9	—	—
30—35	432	590	406	570	9	4	94	86	56	43	24	29	14	14	4	1
35—40	672	760	607	718	9	7	115	100	58	44	28	37	29	19	14	5
40—45	1028	1043	890	987	8	7	133	125	60	43	28	40	45	42	37	14
45—50	1550	1488	1286	1342	22	8	48	43	31	31	10	9	7	3	70	18
50—55	2378	2109	1893	1865	15	14	41	49	26	34	11	8	4	7	114	27
55—60	3325	2739	2522	2356	11	13	51	40	33	31	5	5	13	4	168	53
60—65	4773	4072	3524	3484	19	6	45	43	30	23	4	5	11	15	228	89
65—70	6093	5562	4393	4554	22	12	15	33	6	14	5	7	4	12	239	105
70—75	6545	6636	4453	5231	10	12	29	35	7	9	9	8	13	18	176	87
75—80	5407	6456	3514	4855	5	7	22	18	5	5	2	3	15	10	117	82
80 and upwards	5102	7381	3084	4950	—	2	15	11	4	1	4	1	7	9	58	56

Causes of Death.	90 Other diseases of the heart.		90 (1) Aortic valve disease.		90 (2) Mitral valve disease.		90 (3) Aortic and mitral valve disease.		90 (4) Other or unspecified valve disease.		90 (5) Fatty heart.		90 (6) Cardiac dilatation, cause unspecified.		90 (7) Other or unspecified myocardial disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	25627	30967	1972	888	3244	5623	450	372	5573	7041	1205	1513	379	353	7520	8817
0—1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
1—5	31	23	—	2	7	4	—	1	11	5	1	—	—	—	—	—
5—10	111	91	3	—	41	37	3	2	43	36	1	—	1	—	2	—
10—15	172	200	2	2	58	85	7	10	69	75	1	—	2	—	—	3
15—20	225	280	14	5	75	116	12	10	86	103	—	1	2	2	5	2
20—25	236	312	26	8	63	121	19	13	83	106	3	5	3	2	3	2
25—30	243	360	25	11	56	147	13	14	96	124	2	2	5	—	12	14
30—35	299	479	30	10	80	156	17	9	94	169	8	13	2	1	20	27
35—40	469	606	48	23	89	209	20	14	169	185	20	27	5	4	38	35
40—45	712	841	108	39	119	239	28	23	179	277	38	53	10	4	78	65
45—50	1146	1273	153	50	186	314	40	21	299	391	69	86	22	10	184	178
50—55	1723	1775	207	64	238	402	36	26	443	513	125	120	28	25	351	293
55—60	2292	2250	252	74	283	428	41	35	542	616	152	157	32	21	564	504
60—65	3232	3346	271	123	381	619	50	33	731	837	189	218	46	38	869	794
65—70	4117	4404	302	122	489	719	58	37	867	1001	224	262	55	46	1177	1200
70—75	4238	5097	256	131	478	779	48	53	871	1033	183	228	65	61	1407	1662
75—80	3370	4748	160	111	339	694	37	36	583	909	126	184	55	60	1334	1740
80 and upwards	3011	4881	115	113	262	554	21	35	407	661	63	157	46	79	1476	2297

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (TOTAL DEATHS REGISTERED).

Causes of Death.	90 (8) Disordered action of the heart.		90 (9) Heart disease (undefined).		91 Diseases of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) (1) With record of cerebral vascular lesion.		91 (*b*) (2) Without record of cerebral vascular lesion.		91 (*c*) Other diseases of the arteries.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	431	650	4853	5710	10420	7490	824	204	9499	7183	2775	2555	6724	4628	97	103
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	12	11	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	17	16	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	32	25	1	1	1	1	—	—	—	—	—	—	—	—
15—20	3	3	28	38	1	1	1	1	—	—	—	—	—	—	—	—
20—25	3	6	33	49	4	2	1	—	3	2	1	1	2	1	—	—
25—30	4	6	30	42	9	3	7	2	2	1	—	—	2	1	—	—
30—35	7	5	41	89	21	5	9	2	11	2	3	—	8	2	1	1
35—40	12	12	68	97	45	20	24	8	20	9	8	3	12	6	1	3
40—45	5	20	147	121	121	31	52	9	65	21	20	10	45	11	4	1
45—50	21	37	172	186	239	105	100	19	137	77	63	49	74	28	2	9
50—55	30	44	265	288	451	190	141	26	297	160	130	101	167	59	13	4
55—60	39	51	387	364	759	319	150	29	594	285	256	177	338	108	15	5
60—65	61	83	634	601	1203	535	132	23	1057	499	376	246	681	253	14	13
65—70	87	83	858	934	1657	952	102	34	1541	906	527	393	1014	513	14	12
70—75	69	109	861	1041	2046	1363	56	19	1984	1326	553	505	1431	821	6	18
75—80	56	98	680	916	1859	1567	38	17	1809	1531	442	472	1367	1059	12	19
80 and upwards	33	93	588	892	2004	2396	10	14	1979	2364	396	598	1583	1766	15	18

Causes of Death.	92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		97 (1) Diseases of the nose.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	176	181	123	242	47	45	28	26	43739	38874	93	51	31	19
0—1	5	2	—	—	14	10	4	3	7836	5640	14	9	8	9
1—5	—	1	—	—	6	8	1	1	5607	4868	5	1	3	1
5—10	1	1	—	—	1	1	—	—	529	432	2	3	—	1
10—15	1	1	—	1	—	—	—	—	281	241	7	3	4	—
15—20	4	2	1	—	—	2	2	—	416	242	8	2	4	—
20—25	—	6	1	1	3	1	—	—	534	313	7	4	2	2
25—30	1	8	1	2	—	—	—	2	538	363	4	4	—	—
30—35	4	8	—	6	—	1	1	—	739	527	8	3	3	1
35—40	14	9	4	10	2	1	—	2	1115	613	10	3	1	—
40—45	9	6	8	17	—	2	—	—	1459	746	8	3	1	—
45—50	11	21	11	19	—	1	3	—	1911	933	5	5	1	—
50—55	18	22	14	28	1	2	1	2	2132	1253	3	3	—	1
55—60	20	20	16	38	6	4	2	2	2525	1673	4	2	1	—
60—65	24	16	17	32	2	2	3	3	3079	2455	2	1	—	1
65—70	21	16	15	34	4	3	3	3	3755	3284	2	—	—	—
70—75	20	14	18	23	6	2	2	3	4244	4575	3	1	3	1
75—80	16	12	13	18	1	1	4	3	3442	4607	1	3	—	2
80 and upwards	7	16	4	13	1	4	2	2	3597	6109	—	1	—	—

* **96.** Other diseases of the circulatory system—:

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	97 (2) Diseases of the accessory nasal sinuses.		98 Diseases of the larynx.		98 (1) Laryngismus stridulus.		98 (2) Laryngitis.		98 (3) Other diseases of the larynx.		99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	62	32	260	153	63	23	189	125	8	5	18346	19440	4429	5654	6500	5314
0—1	6	—	59	34	23	17	36	17	—	—	2361	1684	1143	801	29	24
1—5	2	—	111	67	30	6	80	59	1	2	747	728	403	363	25	17
5—10	2	2	28	13	9	—	19	12	—	1	44	39	27	19	7	2
10—15	3	3	3	3	1	—	2	3	—	—	24	25	8	10	8	6
15—20	4	2	4	1	—	—	3	1	1	—	36	22	7	4	18	9
20—25	5	2	—	1	—	—	—	1	—	—	39	39	14	16	15	14
25—30	4	4	3	2	—	—	3	2	—	—	69	49	14	10	39	22
30—35	5	2	2	1	—	—	2	1	—	—	97	79	21	27	52	29
35—40	9	3	3	3	—	—	3	3	—	—	190	94	41	38	95	24
40—45	7	3	3	2	—	—	3	1	—	1	336	171	65	56	156	62
45—50	4	5	9	1	—	—	7	1	2	—	549	281	96	74	289	104
50—55	3	2	5	4	—	—	5	3	—	1	749	507	139	138	362	196
55—60	3	2	6	2	—	—	6	2	—	—	1031	795	189	226	487	301
60—65	2	—	6	3	—	—	4	3	2	—	1577	1399	247	375	763	525
65—70	2	—	4	4	—	—	4	4	—	—	2208	2101	381	566	1063	718
70—75	—	—	2	2	—	—	1	2	1	—	2904	3169	540	826	1230	1020
75—80	1	1	8	5	—	—	8	5	—	—	2543	3413	480	895	963	964
80 and upwards	—	1	4	5	—	—	3	5	1	—	2842	4845	614	1210	899	1277

Causes of Death.	99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).		101 (*a*) Pneumonia, lobar.		101 (*b*) Pneumonia, not otherwise defined.		102 Pleurisy.		102 (1) Empyema.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7417	8472	22099	16871	11498	10072	10601	6799	5859	3580	4742	3219	738	509	314	148
0—1	1189	859	5315	3841	4528	3265	787	576	259	184	528	392	17	14	11	11
1—5	319	348	4630	3992	3714	3230	916	762	369	336	547	426	79	51	66	43
5—10	10	18	425	360	217	198	208	162	115	95	93	67	16	10	12	6
10—15	8	9	228	195	63	65	165	130	95	71	70	59	10	13	6	8
15—20	11	9	334	194	48	50	286	144	185	99	101	45	21	14	16	8
20—25	10	9	426	236	52	51	374	185	240	123	134	62	36	17	24	9
25—30	16	17	417	263	62	57	355	206	244	132	111	74	24	17	18	10
30—35	24	23	559	394	71	80	488	314	332	197	156	117	36	17	23	6
35—40	54	32	788	439	127	108	661	331	422	219	239	112	46	26	21	13
40—45	115	53	954	477	150	121	804	356	482	230	322	126	46	23	17	8
45—50	164	103	1119	530	208	146	911	384	549	233	362	151	60	34	23	2
50—55	248	173	1133	581	250	186	883	395	544	230	339	165	58	28	20	5
55—60	355	268	1174	696	271	245	903	451	529	272	374	179	73	32	21	4
60—65	567	499	1166	851	334	349	832	502	464	278	368	224	61	34	16	4
65—70	764	817	1207	928	413	416	794	512	454	269	340	243	70	53	15	6
70—75	1134	1323	1018	1110	402	545	616	565	297	289	319	276	45	37	3	4
75—80	1100	1554	677	914	307	491	370	423	180	169	190	254	19	42	2	1
80 and upwards	1329	2358	529	870	281	469	248	401	99	154	149	247	21	47	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	102 (2) Other pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.		107 (*b*) Diseases of the mediastinum	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	424	361	535	720	31	15	1171	918	192	70	274	127	189	63	4	
0—1	6	3	62	52	—	—	3	1	—	—	5	5	1	—	—	—
1—5	13	8	23	14	—	—	5	9	1	—	6	6	2	2	—	—
5—10	4	4	5	3	1	—	5	4	1	—	2	—	—	—	—	—
10—15	4	5	1	—	—	—	4	—	—	—	4	2	2	1	—	—
15—20	5	6	3	3	—	2	3	2	1	—	6	2	2	1	1	—
20—25	12	8	4	5	3	1	6	6	5	—	8	4	3	1	—	—
25—30	6	7	2	3	1	1	14	23	1	—	3	1	1	1	—	—
30—35	13	11	4	4	2	—	23	24	1	1	7	4	4	2	—	—
35—40	25	13	7	5	5	3	44	34	5	—	17	6	10	2	—	—
40—45	29	15	6	6	3	4	72	47	10	3	21	10	11	3	1	—
45—50	37	32	18	8	4	2	98	54	15	4	34	14	27	4	1	
50—55	38	23	19	17	3	1	111	97	13	6	38	9	32	8	—	—
55—60	52	28	21	19	4	—	146	107	24	8	42	12	30	9	1	—
60—65	45	30	28	28	2	1	178	119	27	9	32	10	26	7	—	—
65—70	55	47	43	37	1	—	169	134	26	14	25	13	20	8	—	—
70—75	42	33	76	113	1	—	154	126	27	5	14	12	11	6	—	
75—80	17	41	84	143	1	—	81	70	21	9	7	8	4	5	—	—
80 and upwards	21	47	129	260	—	—	55	61	14	11	3	9	3	3	—	

Causes of Death.	107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2) Ludwig's angina.		108 (3) Other diseases included under 108.		109 Diseases of the pharynx and tonsils	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	81	61	13916	11822	254	230	157	150	55	44	42	36	251	23
0—1	4	5	3485	2312	35	32	17	14	12	10	6	8	16	
1—5	4	4	1086	951	14	22	6	14	3	7	5	1	65	5
5—10	2	—	310	315	6	10	5	7	1	3	—	—	42	3
10—15	2	1	295	222	7	2	4	1	2	1	1	—	17	
15—20	3	1	307	216	5	10	2	7	2	1	1	2	10	
20—25	5	3	302	209	7	10	5	9	1	1	1	—	15	
25—30	2	—	251	254	6	8	3	6	2	2	1	—	8	
30—35	3	2	309	286	7	14	4	12	3	2	—	—	10	
35—40	7	4	432	346	16	14	10	11	5	3	1	—	7	
40—45	9	7	637	473	11	16	6	13	3	2	2	1	12	
45—50	6	9	789	590	21	7	16	6	5	1	—	—	11	
50—55	6	1	939	670	27	14	23	12	2	1	2	1	5	
55—60	11	3	944	772	23	11	19	7	3	4	1	—	6	
60—65	6	3	1044	852	16	11	10	8	2	—	4	3	7	
65—70	5	5	948	897	26	14	13	10	6	2	7	2	6	
70—75	3	5	795	909	10	17	5	7	1	2	4	8	8	
75—80	3	3	546	748	13	10	7	4	2	—	4	6	4	
80 and upwards	—	5	497	800	4	8	2	2	—	2	2	4	2	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	109 (1) Tonsillitis, etc., adenoid vegetations.		109 (2) Other diseases included under 109.		110 Diseases of the œsophagus.		111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		112 (1) Inflammation of the stomach.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	204	178	47	54	27	19	2131	887	1370	729	761	158	1095	1105	910	970
0—1	8	4	8	9	—	—	6	3	4	1	2	2	339	233	318	226
1—5	53	41	12	15	1	—	1	1	1	—	—	1	86	84	83	76
5—10	39	32	3	3	—	—	—	2	—	1	—	1	22	17	19	13
10—15	14	10	3	4	—	—	3	3	3	2	—	1	12	8	12	6
15—20	9	14	1	1	—	1	17	17	10	16	7	1	14	6	12	4
20—25	13	9	2	4	—	—	55	26	32	23	23	3	5	4	4	4
25—30	8	8	—	2	—	—	76	38	36	27	40	11	8	7	4	6
30—35	8	5	2	2	1	—	116	51	73	43	43	8	13	17	9	15
35—40	6	5	1	—	—	—	180	67	115	55	65	12	17	17	13	14
40—45	11	7	1	1	2	1	263	95	176	80	87	15	25	27	19	18
45—50	8	10	3	—	2	—	298	107	209	92	89	15	34	31	18	20
50—55	3	8	2	—	—	3	276	103	182	85	94	18	57	32	33	25
55—60	4	7	2	3	1	3	239	103	156	91	83	12	57	45	34	34
60—65	7	4	—	3	1	5	234	82	143	70	91	12	67	58	50	52
65—70	5	5	1	3	7	2	188	76	113	62	75	14	82	84	65	70
70—75	4	3	4	3	5	1	89	50	58	37	31	13	97	138	81	122
75—80	3	6	1	1	3	1	58	38	36	26	22	12	70	125	62	114
80 and upwards	1	—	1	—	4	2	32	25	23	18	9	7	90	172	74	151

Causes of Death.	112 (2) Other diseases included under 112.		113 & 114 Diarrhœa and enteritis.		113 & 114 (1) Ulceration of the intestines.		113 & 114 (2) Colitis.		113 & 114 (3) Other diseases included under 113 & 114.		115* 116 Diseases due to other intestinal parasites.		116* (*a, b, c, d, e, f*) 117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	185	135	4075	3385	104	174	181	217	3790	2994	11	10	1545	1211	2167	2098
0—1	21	7	2761	1855	4	1	77	47	2680	1807	—	—	4	2	278	127
1—5	3	8	673	599	2	—	12	17	659	582	1	5	108	59	92	56
5—10	3	4	47	51	1	1	4	3	42	47	1	1	139	112	30	21
10—15	—	2	25	23	—	1	2	1	23	21	—	—	183	139	33	15
15—20	2	2	12	17	2	8	1	1	9	8	—	—	171	116	53	11
20—25	1	—	21	34	9	15	2	4	10	15	2	—	128	72	48	21
25—30	4	1	24	33	7	16	3	7	14	10	—	1	75	74	30	30
30—35	4	2	12	44	4	18	2	8	6	18	2	1	83	52	36	42
35—40	4	3	19	34	8	13	3	6	8	15	—	—	73	70	56	60
40—45	6	9	27	47	9	24	4	8	14	15	2	—	104	87	69	79
45—50	16	11	42	36	13	9	7	8	22	19	—	—	88	72	92	123
50—55	24	7	35	47	7	9	8	8	20	30	1	—	80	81	152	147
55—60	23	11	52	69	13	20	11	11	28	38	1	—	82	76	155	166
60—65	17	6	47	62	7	11	6	14	34	37	1	—	98	68	205	222
65—70	17	14	46	78	10	6	7	22	29	50	—	—	53	51	234	241
70—75	16	16	74	110	4	10	10	12	60	88	—	2	52	35	244	294
75—80	8	11	74	91	3	5	11	19	60	67	—	—	19	31	184	226
80 and upwards	16	21	84	155	1	7	11	21	72	127	—	—	5	14	176	217

*115. Ankylostomiasis —; **116** (*a*). Cestodes (hydatids of the liver excepted) 20, 20, 30, 40, 50, 55, 60, *25, 30, 70, 70*; **116** (*b*). Trematodes —; **116** (*c*). Nematodes 5, 30, 40, *1, 1, 1, 1, 5*; **116** (*d*). Coccidia —; **116** (*e*). Other parasites —; **116** (*f*). Undefined parasites 1, *1*.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	867	947	1300	1151	221	233	20	80	5	12	1126	630	90	57	1036	573
0—1	60	17	218	110	24	19	2	1	—	—	—	2	—	—	—	2
1—5	18	3	74	53	13	10	1	4	—	—	5	—	—	—	5	—
5—10	3	3	27	18	2	2	2	5	—	1	2	—	—	—	2	—
10—15	2	—	31	15	3	2	—	—	—	—	2	—	—	—	2	—
15—20	5	1	48	10	3	4	—	2	1	1	2	3	—	—	2	3
20—25	8	3	40	18	4	—	1	14	1	—	2	1	—	—	2	1
25—30	5	5	25	25	3	8	3	13	—	—	1	2	—	—	1	2
30—35	8	6	28	36	3	3	2	10	—	—	7	6	—	—	7	6
35—40	14	21	42	39	7	6	3	14	—	1	20	14	4	4	16	10
40—45	29	30	40	49	15	8	—	6	—	—	61	33	7	3	54	30
45—50	31	62	61	61	8	9	1	3	—	2	127	88	15	11	112	77
50—55	59	77	93	70	19	15	1	2	—	1	186	95	24	11	162	84
55—60	67	97	88	69	29	17	2	—	1	3	178	88	8	7	170	81
60—65	101	130	104	92	20	23	1	2	1	1	210	105	16	12	194	93
65—70	138	148	96	93	24	26	1	2	—	1	162	94	12	4	150	90
70—75	134	153	110	141	13	20	—	1	1	1	107	45	3	1	104	44
75—80	97	111	87	115	15	29	—	—	—	—	34	27	1	3	33	24
80 and upwards	88	80	88	137	16	32	—	1	—	—	20	27	—	1	20	26

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	298	737	409	579	136	143	145	231	10875	7637	725	674	5931	5233	367	354
0—1	—	1	6	10	—	1	14	13	85	44	32	22	—	2	18	6
1—5	—	—	15	13	—	—	11	42	109	86	70	55	18	21	8	7
5—10	—	—	6	7	—	1	11	50	81	60	53	36	20	18	4	4
10—15	—	—	1	4	4	—	5	12	83	81	25	22	52	52	2	5
15—20	1	—	4	4	2	—	12	9	129	106	38	38	79	51	3	3
20—25	—	3	6	3	3	2	4	6	137	182	34	30	81	86	10	19
25—30	2	4	9	7	3	4	3	15	178	214	39	29	108	86	12	18
30—35	3	13	7	10	3	5	4	11	188	279	26	43	124	128	19	11
35—40	6	15	15	15	6	6	7	8	238	359	36	43	157	188	13	26
40—45	8	21	14	22	17	13	7	10	361	481	35	43	260	242	16	19
45—50	14	52	25	24	12	19	14	7	530	624	54	55	363	349	28	27
50—55	28	57	43	41	21	14	8	10	817	644	57	52	572	467	37	25
55—60	44	93	40	53	22	26	12	9	1025	734	54	49	726	562	29	36
60—65	57	116	46	68	20	18	13	4	1293	816	49	42	809	651	51	33
65—70	46	105	55	84	13	21	5	10	1540	913	49	47	867	739	35	29
70—75	40	102	45	77	5	5	5	5	1565	851	33	34	747	683	46	28
75—80	30	87	33	64	3	5	6	7	1342	609	22	22	548	481	22	24
80 and upwards	19	68	39	73	2	3	4	3	1174	554	19	12	400	427	14	34

* **127.** Other diseases of the digestive system —; **130.** Chyluria —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (TOTAL DEATHS REGISTERED).

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		133 (1) Cystitis.		133 (2) Other diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	200	88	722	224	684	204	38	20	386	10	315	—	71	10	2479	—
0—1	—	—	1	1	1	1	—	—	2	—	—	—	2	—	—	—
1—5	2	—	—	1	—	—	—	1	1	—	—	—	1	—	—	—
5—10	—	1	2	1	2	1	—	—	—	—	—	—	—	—	—	—
10—15	3	—	1	2	1	2	—	—	—	—	—	—	—	—	—	—
15—20	1	1	5	2	5	2	—	—	1	—	—	—	1	—	—	—
20—25	8	2	1	4	1	4	—	—	1	—	—	—	1	—	1	—
25—30	9	5	7	3	7	3	—	—	3	2	2	—	1	2	—	—
30—35	10	7	5	4	5	4	—	—	4	—	2	—	2	—	—	—
35—40	11	2	8	5	7	3	1	2	10	1	9	—	1	1	2	—
40—45	14	8	11	7	10	7	1	—	22	2	20	—	2	2	3	—
45—50	12	18	20	7	18	6	2	1	45	—	38	—	7	—	6	—
50—55	16	9	31	8	31	8	—	—	54	—	40	—	14	—	48	—
55—60	19	14	45	13	43	11	2	2	55	2	46	—	9	2	95	—
60—65	24	6	68	16	64	16	4	—	52	2	44	—	8	2	238	—
65—70	28	1	108	28	104	23	4	5	58	—	49	—	9	—	392	—
70—75	22	5	116	34	108	32	8	2	41	—	36	—	5	—	558	—
75—80	16	6	116	36	108	34	8	2	29	—	24	—	5	—	586	—
80 and upwards	5	3	177	52	169	47	8	5	8	1	5	—	3	1	550	—

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		138 (1) Salpingitis.		138 (2) Pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	64	—	—	279	—	228	—	183	—	45	—	368	—	29	—	135
0—1	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
1—5	10	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
5—10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	2	—	—	1	—	8	—	7	—	1	—	—	—	2	—	—
20—25	1	—	—	2	—	23	—	18	—	5	—	—	—	3	—	11
25—30	—	—	—	16	—	40	—	35	—	5	—	4	—	2	—	9
30—35	—	—	—	16	—	36	—	32	—	4	—	19	—	3	—	12
35—40	1	—	—	16	—	33	—	30	—	3	—	30	—	4	—	10
40—45	—	—	—	26	—	34	—	29	—	5	—	74	—	7	—	18
45—50	2	—	—	25	—	21	—	17	—	4	—	102	—	2	—	18
50—55	2	—	—	20	—	11	—	9	—	2	—	44	—	2	—	6
55—60	2	—	—	17	—	5	—	1	—	4	—	20	—	2	—	14
60—65	2	—	—	35	—	6	—	3	—	3	—	15	—	1	—	7
65—70	3	—	—	31	—	6	—	1	—	5	—	20	—	1	—	11
70—75	2	—	—	42	—	2	—	—	—	2	—	18	—	—	—	5
75—80	3	—	—	18	—	1	—	—	—	1	—	15	—	—	—	6
80 and upwards	1	—	—	14	—	1	—	—	—	1	—	7	—	—	—	3

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	141 (1) Other diseases of the uterus.		141 (2) Diseases of the other female genital organs not included in other headings.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.		143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	103	—	32	1	15	—	2847	—	326	—	112	—	73	—	141
0—1	—	—	—	4	1	9	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	64	—	7	—	2	—	—	—	5
20—25	—	8	—	3	—	2	—	430	—	32	—	6	—	6	—	20
25—30	—	5	—	4	—	—	—	631	—	44	—	11	—	10	—	23
30—35	—	10	—	2	—	—	—	694	—	105	—	40	—	29	—	36
35—40	—	9	—	1	—	1	—	635	—	81	—	28	—	19	—	34
40—45	—	14	—	4	—	1	—	347	—	51	—	23	—	8	—	20
45—50	—	11	—	7	—	—	—	43	—	5	—	2	—	—	—	3
50—55	—	6	—	—	—	—	—	3	—	1	—	—	—	1	—	—
55—60	—	12	—	2	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	7	—	—	—	2	—	—	—	—	—	—	—	—	—	—
65—70	—	10	—	1	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, embolism, sudden death.		147 (1) Puerperal phlegmasia alba dolens not returned as septic.		147 (2) Puerperal embolism and sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable to other headings (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	390	—	321	—	1018	—	244	—	58	—	186	—	524	—	20
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	2	—	1	—	22	—	4	—	1	—	3	—	28	—	—
20—25	—	31	—	47	—	178	—	22	—	3	—	19	—	118	—	2
25—30	—	76	—	68	—	257	—	61	—	11	—	50	—	113	—	10
30—35	—	98	—	73	—	242	—	67	—	16	—	51	—	102	—	5
35—40	—	113	—	75	—	222	—	52	—	17	—	35	—	90	—	2
40—45	—	60	—	48	—	91	—	32	—	10	—	22	—	64	—	1
45—50	—	10	—	8	—	6	—	6	—	—	—	6	—	8	—	—
50—55	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 150 Puerperal diseases of the breast *25, 25, 30, 30.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		151 (1) Senile gangrene.		151 (2) Other gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		153 (1) Cellulitis.		153 (2) Acute abscess.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ll Ages	1645	1411	687	575	633	517	54	58	203	97	362	273	265	198	97	75
0—1	266	183	10	4	—	—	10	4	11	7	55	47	28	24	27	23
1—5	53	42	2	12	—	—	2	12	2	1	28	9	19	6	9	3
5—10	8	5	1	3	—	—	1	3	—	1	5	1	4	1	1	—
10—15	19	17	1	2	—	—	1	2	6	3	9	9	7	6	2	3
15—20	22	20	1	1	—	—	1	1	9	6	11	13	9	11	2	2
20—25	22	18	3	—	—	—	3	—	9	3	8	11	5	9	3	2
25—30	30	15	—	1	—	—	—	1	10	5	15	7	11	6	4	1
30—35	22	17	3	1	—	—	3	1	6	2	7	7	4	6	3	1
35—40	26	21	4	2	—	—	4	2	7	5	12	6	9	5	3	1
40—45	30	30	1	2	—	—	1	2	14	8	12	15	8	12	4	3
45—50	45	39	4	7	—	—	4	7	17	9	19	9	11	7	8	2
50—55	58	44	4	3	—	1	4	2	15	4	24	22	21	18	3	4
55—60	80	70	7	15	1	5	6	10	23	6	32	22	28	17	4	5
60—65	104	80	32	31	29	28	3	3	24	7	28	16	24	12	4	4
65—70	160	123	84	47	78	45	6	2	19	7	32	30	26	22	6	8
70—75	187	151	122	88	121	84	1	4	14	8	29	17	22	12	7	5
75—80	217	195	158	123	155	121	3	2	12	9	19	17	15	14	4	3
80 and owards	296	341	250	233	249	233	1	—	5	6	17	15	14	10	3	5

auses of Death.	154 Other diseases of the skin and its annexa.		154 (1) Ulcer, bedsore.		154 (2) Eczema.		154 (3) Pemphigus.		154 (4) Other diseases included under 154.		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		155 (1) Acute infective osteomyelitis and periostitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ll Ages	393	466	81	201	70	33	96	87	146	145	539	333	412	244	319	151
0—1	190	125	1	2	41	15	79	60	69	48	29	19	16	16	14	14
1—5	21	20	—	—	10	4	2	4	9	12	60	38	52	33	49	31
5—10	2	—	—	—	—	—	—	—	2	—	75	40	68	34	62	32
0—15	3	3	1	—	—	1	1	1	1	1	112	58	94	47	87	46
5—20	1	—	—	—	—	—	—	—	1	—	60	18	53	14	49	9
0—25	2	4	—	—	—	—	—	1	2	3	13	5	9	1	6	1
5—30	5	2	2	—	1	—	—	—	2	2	9	7	5	5	2	2
0—35	6	7	—	1	—	1	1	1	5	4	11	5	5	5	3	1
5—40	3	8	—	3	—	—	—	2	3	3	21	13	16	7	9	—
0—45	3	5	1	1	—	—	1	2	1	2	12	12	8	7	5	1
5—50	5	14	2	6	—	1	1	2	2	5	13	16	11	9	5	—
0—55	15	15	5	9	3	1	2	5	5	—	18	13	10	8	5	4
5—60	18	27	7	16	2	3	3	2	6	6	20	15	14	11	6	4
0—65	20	26	8	22	2	—	1	—	9	4	24	20	14	13	6	3
5—70	25	39	15	30	1	—	1	1	8	8	25	15	18	7	4	1
0—75	22	38	13	28	3	—	1	2	5	8	20	11	11	6	5	1
5—80	28	46	14	23	4	4	2	2	8	17	8	15	3	13	1	1
0 and owards	24	87	12	60	3	3	1	2	8	22	9	13	5	8	1	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (TOTAL DEATHS REGISTERED).

Causes of Death.	155 (2) Other diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		159 (1) Congenital hydro-cephalus.		159 (2) Congenital mal-formation of heart.		159 (3) Other congenital malformations.		XII. 160–163 Diseases of early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	93	93	101	77	26	12	1976	1507	148	116	806	544	1022	847	12129	9106
0—1	2	2	12	2	1	1	1755	1308	97	74	687	438	971	796	12129	9106
1—5	3	2	5	4	3	1	109	92	33	25	46	33	30	34	—	—
5—10	6	2	7	6	—	—	31	33	11	10	19	21	1	2	—	—
10—15	7	1	17	11	1	—	19	24	2	2	16	21	1	1	—	—
15—20	4	5	6	4	1	—	23	14	2	2	17	8	4	4	—	—
20—25	3	—	4	4	—	—	15	12	2	1	11	9	2	2	—	—
25—30	3	3	4	2	—	—	3	5	—	1	3	4	—	—	—	—
30—35	2	4	4	—	2	—	4	4	1	—	1	3	2	1	—	—
35—40	7	7	3	5	2	1	6	2	—	—	4	1	2	1	—	—
40—45	3	6	4	5	—	—	3	1	—	—	—	—	3	1	—	—
45—50	6	9	2	6	—	1	4	4	—	—	2	4	2	—	—	—
50—55	5	4	6	2	2	3	1	2	—	—	—	—	1	2	—	—
55—60	8	7	2	4	4	—	1	4	—	—	—	2	1	2	—	—
60—65	8	10	6	5	4	2	1	1	—	1	—	—	1	—	—	—
65—70	14	6	5	7	2	1	1	—	—	—	—	—	1	—	—	—
70—75	6	5	7	5	2	—	—	1	—	—	—	—	—	1	—	—
75—80	2	12	3	1	2	1	—	—	—	—	—	—	—	—	—	—
80 and upwards	4	8	4	4	—	1	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

Causes of Death.	160 Congenital debility, sclerema and icterus.		160 (1) Congenital debility and sclerema.		160 (2) Icterus neonatorum.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		162 (1) Diseases of the umbilicus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2810	1855	2498	1684	312	171	8356	6401	7712	6026	644	375	820	702	69	59
0—1	2810	1855	2498	1684	312	171	8356	6401	7712	6026	644	375	820	702	69	59
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(TOTAL DEATHS REGISTERED).

Causes of Death.	162 (2) Atelectasis.		162 (3) Other diseases included under 162.		163 Lack of care.		XIII. 164 Old age.		164 (1) Senile dementia.		164 (2) Other forms of senile decay.		XIV. 165–203 External causes.		Suicide. 165–174 Total.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	641	530	110	113	143	148	10434	15301	653	858	9781	14443	11953	5230	2635	1085
0—1	641	530	110	113	143	148	—	—	—	—	—	—	365	336	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	811	552	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	534	257	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	390	132	3	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	704	194	48	33
20—25	—	—	—	—	—	—	—	—	—	—	—	—	777	154	105	59
25—30	—	—	—	—	—	—	—	—	—	—	—	—	652	194	112	91
30—35	—	—	—	—	—	—	—	—	—	—	—	—	629	151	152	60
35—40	—	—	—	—	—	—	—	—	—	—	—	—	741	200	199	115
40—45	—	—	—	—	—	—	—	—	—	—	—	—	856	251	263	117
45—50	—	—	—	—	—	—	2	—	—	—	2	—	942	297	310	144
50—55	—	—	—	—	—	—	3	6	—	3	3	3	957	269	347	131
55—60	—	—	—	—	—	—	25	25	15	9	10	16	942	304	334	123
60—65	—	—	—	—	—	—	102	121	41	48	61	73	819	281	306	92
65—70	—	—	—	—	—	—	389	433	87	102	302	331	689	271	223	60
70—75	—	—	—	—	—	—	1762	1930	158	169	1604	1761	490	363	140	35
75—80	—	—	—	—	—	—	2700	3547	172	213	2528	3334	323	406	57	18
80 and upwards	—	—	—	—	—	—	5451	9239	180	314	5271	8925	332	618	36	7

Causes of Death.	Suicide—*continued.* 165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	214	197	373	212	579	148	504	320	190	9	532	99	69	43	170	35	4	22
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
15—20	4	10	2	3	16	—	12	18	9	—	1	1	—	—	4	—	—	1
20—25	22	19	8	6	21	2	15	19	12	4	12	3	1	—	13	3	1	3
25—30	7	19	16	16	18	13	22	25	11	1	20	5	—	3	18	8	—	1
30—35	16	18	22	7	22	6	28	18	14	—	34	2	2	5	14	—	—	4
35—40	18	23	31	26	30	13	31	28	23	—	43	10	5	5	18	3	—	7
40—45	20	15	39	31	54	12	51	32	20	1	52	10	9	5	18	7	—	4
45—50	25	33	42	36	64	19	71	32	22	—	69	16	5	3	12	5	—	—
50—55	26	17	54	30	80	19	54	45	28	—	71	10	9	5	24	4	1	1
55—60	31	14	54	27	85	20	60	41	20	—	61	12	8	5	15	3	—	1
60—65	25	12	44	13	73	19	60	25	13	2	64	15	13	5	12	1	2	—
65—70	11	8	40	9	46	15	52	19	14	—	42	5	8	3	10	1	—	—
70—75	8	5	14	4	37	8	29	11	4	1	33	5	5	1	10	—	—	—
75—80	1	4	3	2	17	2	12	5	—	—	20	3	2	2	2	—	—	—
80 and upwards	—	—	4	2	14	—	6	2	—	—	10	2	2	1	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (TOTAL DEATHS REGISTERED).

Causes of Death.	175–196 201–203 Violent d'ths excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9199	4040	20	14	4	8	66	40	29	14	660	905	322	251	88	45	1250	305
0—1	334	300	—	—	1	—	2	—	1	—	43	42	242	227	—	—	11	11
1—5	801	543	2	2	—	—	14	2	3	1	407	314	12	3	—	1	111	31
5—10	528	248	1	3	—	—	3	—	1	—	42	78	5	5	1	—	113	20
10—15	382	128	1	1	—	1	3	2	—	—	9	42	3	1	1	—	56	10
15—20	654	157	1	—	—	1	2	1	—	—	11	45	1	—	4	3	118	27
20—25	667	90	—	—	—	—	4	3	—	—	11	23	4	1	8	3	95	20
25—30	532	96	2	1	—	1	1	4	3	1	10	22	5	1	4	1	64	15
30—35	470	88	—	—	1	1	3	1	1	—	4	13	2	2	7	2	47	25
35—40	536	79	2	1	—	1	4	2	—	1	7	17	5	—	9	2	65	10
40—45	585	128	2	—	—	1	6	6	4	2	14	23	5	1	1	3	88	31
45—50	621	151	2	—	—	1	7	5	1	2	8	23	6	—	7	—	105	26
50—55	602	137	4	1	1	—	5	2	1	—	9	22	4	1	11	5	100	18
55—60	606	178	—	1	—	—	8	5	3	2	6	25	8	—	9	—	84	20
60—65	507	185	—	1	—	—	3	2	1	2	8	28	7	3	10	2	67	16
65—70	465	209	1	3	—	—	1	2	4	1	14	24	2	3	5	5	61	9
70—75	349	326	—	—	1	—	—	—	2	1	20	46	4	1	4	5	34	12
75—80	265	387	1	—	—	—	—	2	3	1	13	62	4	2	1	10	19	2
80 and upwards	295	610	1	—	—	1	—	1	1	—	24	56	3	—	6	3	12	2

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, railways, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	71	8	14	—	1439	1327	1116	—	222	7	3459	977	59	7	61	—
0—1	—	—	2	—	11	5	—	—	—	—	5	4	2	1	—	—
1—5	1	—	2	—	33	32	—	—	1	—	185	140	7	2	—	—
5—10	2	—	—	—	38	10	—	—	5	2	306	122	1	—	—	—
10—15	3	2	—	—	37	8	22	—	4	1	221	58	6	—	—	—
15—20	8	2	2	—	52	10	129	—	23	1	266	60	7	1	—	—
20—25	14	—	2	—	38	5	127	—	15	—	317	25	4	—	1	—
25—30	7	1	1	—	41	8	108	—	23	1	222	25	1	—	17	—
30—35	3	1	—	—	43	7	122	—	16	—	189	27	2	—	18	—
35—40	3	—	—	—	64	8	122	—	24	—	193	31	6	—	13	—
40—45	8	1	—	—	69	10	123	—	19	1	215	42	4	—	6	—
45—50	8	1	2	—	100	35	110	—	24	1	218	49	4	2	5	—
50—55	3	—	1	—	91	29	85	—	23	—	240	49	2	—	—	—
55—60	5	—	—	—	111	61	79	—	13	—	253	61	4	—	—	—
60—65	1	—	2	—	117	62	53	—	17	—	201	65	4	—	—	—
65—70	2	—	—	—	157	91	27	—	10	—	161	67	1	—	1	—
70—75	1	—	—	—	136	196	7	—	4	—	118	60	1	—	—	—
75—80	1	—	—	—	115	252	1	—	1	—	97	49	2	1	—	—
80 and upwards	1	—	—	—	186	498	1	—	—	—	52	43	1	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924 (TOTAL DEATHS REGISTERED).

Causes of Death.	191* 192 Hunger or thirst.		193 Excessive cold.		194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 Total.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	5	31	9	18	12	37	1	119	105	7	3	12	27	100	75	27	4
0—1	—	—	—	—	1	—	—	—	31	36	—	—	2	1	29	35	3	1
1—5	—	—	—	—	1	1	—	—	10	9	—	—	2	3	8	6	—	—
5—10	—	—	—	—	3	1	2	1	6	9	—	—	—	2	6	7	—	—
10—15	—	—	—	—	—	—	1	—	5	4	—	—	1	1	4	3	—	—
15—20	—	—	—	—	—	—	8	—	2	4	—	1	—	1	2	2	2	—
20—25	—	—	—	—	—	2	7	—	5	5	—	—	—	1	5	4	1	—
25—30	—	—	2	—	1	—	4	—	8	7	2	—	2	4	4	3	—	—
30—35	—	—	—	—	—	—	2	—	7	3	1	—	2	2	4	1	—	—
35—40	—	—	1	—	—	—	5	—	6	6	1	—	1	2	4	4	3	—
40—45	1	—	2	—	—	2	3	—	8	6	1	—	—	4	7	2	1	—
45—50	—	1	—	1	3	—	1	—	11	2	1	—	1	1	9	1	2	—
50—55	1	4	2	—	1	1	2	—	8	1	1	—	—	1	7	—	4	—
55—60	4	—	4	1	2	—	—	—	2	3	—	1	1	1	1	1	4	—
60—65	1	—	5	2	1	2	1	—	6	4	—	—	—	1	6	3	3	—
65—70	2	—	2	—	2	1	1	—	1	2	—	—	—	—	1	2	2	2
70—75	1	—	6	—	2	—	—	—	1	2	—	1	—	1	1	—	2	1
75—80	—	—	3	4	1	2	—	—	1	1	—	—	—	—	1	1	—	—
80 and upwards	—	—	4	1	—	—	—	—	1	1	—	—	—	1	1	—	—	—

* **191.** Execution of civilians by belligerent armies —. **195.** Lightning 15, 15, 25, 35, 35, 40, 40, 45, 50, 50, 65, 70, *25, 25, 50.* **200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure 1–70 years.		205 (2) Other ill-defined causes.		205 (3) Cause not specified.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	165	87	19	11	930	664	162	96	768	568	489	352	233	177	46	39
0—1	8	9	2	—	46	40	—	—	46	40	—	—	27	18	19	22
1—5	21	11	1	3	101	84	1	—	100	84	2	3	97	81	1	—
5—10	5	6	—	—	10	9	2	1	8	8	4	2	3	4	1	2
10—15	15	2	—	—	5	2	1	—	4	2	3	1	1	1	—	—
15—20	18	6	—	—	15	4	4	3	11	1	8	—	1	1	2	—
20—25	17	8	2	—	10	4	—	—	10	4	9	4	1	—	—	—
25—30	14	11	1	2	11	10	2	2	9	8	5	7	2	—	2	1
30—35	10	9	—	—	18	17	2	3	16	14	14	11	2	3	—	—
35—40	7	6	1	—	31	12	9	3	22	9	17	4	4	—	1	5
40—45	11	5	1	—	37	26	7	5	30	21	26	14	2	6	2	1
45—50	6	4	1	—	53	27	8	3	45	24	39	20	3	3	3	1
50—55	8	3	2	1	79	68	19	12	60	56	49	49	9	4	2	3
55—60	6	1	3	1	137	89	32	21	105	68	93	60	7	8	5	—
60—65	4	—	1	—	140	112	37	18	103	94	89	85	12	7	2	2
65—70	6	1	2	—	183	137	38	25	145	112	131	92	12	18	2	2
70—75	4	3	1	1	20	2	—	—	20	2	—	—	19	2	1	—
75—80	2	—	1	—	23	9	—	—	23	9	—	—	21	9	2	—
80 and upwards	3	2	—	3	11	12	—	—	11	12	—	—	10	12	1	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	All Causes.		I. 1–42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	28402	27485	5526	4731	16	37	15	36	1	1	10	—	691	639	62	68
0—1	3391	2513	435	369	—	—	—	—	—	—	—	—	164	123	2	1
1—5	2086	1941	1119	1069	2	3	2	3	—	—	—	—	491	478	42	48
5—10	423	394	187	201	2	1	2	1	—	—	—	—	29	27	12	16
10—15	384	325	121	114	4	1	4	—	—	1	—	—	3	4	1	—
15—20	499	516	216	279	—	3	—	3	—	—	—	—	1	1	—	2
20—25	626	599	341	336	—	4	—	4	—	—	—	—	—	1	2	—
25—30	561	652	262	326	3	3	2	3	1	—	—	—	—	1	—	1
30—35	609	692	274	268	2	5	2	5	—	—	—	—	2	—	—	—
35—40	892	726	377	214	—	2	—	2	—	—	3	—	—	1	2	—
40—45	1223	929	384	222	—	4	—	4	—	—	2	—	—	2	1	—
45—50	1546	1190	435	226	—	3	—	3	—	—	1	—	—	—	—	—
50—55	2048	1481	417	198	3	2	3	2	—	—	2	—	—	—	—	—
55—60	2207	1698	286	184	—	4	—	4	—	—	1	—	—	—	—	—
60—65	2555	2122	241	169	—	—	—	—	—	—	—	—	—	—	—	—
65—70	2686	2403	180	156	—	2	—	2	—	—	—	—	1	1	—	—
70—75	2651	2795	106	137	—	—	—	—	—	—	1	—	—	—	—	—
75—80	1977	2771	65	125	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	2038	3738	80	138	—	—	—	—	—	—	—	—	—	—	—	—

* **2.** Typhus —; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever —.; **6.** Small-pox —.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	240	277	286	279	776	904	595	676	181	228	—	—	—	—	14	10
0—1	90	106	16	14	30	23	24	17	6	6	—	—	—	—	—	—
1—5	146	160	181	157	47	44	40	37	7	7	—	—	—	—	—	—
5—10	4	9	59	79	5	4	5	3	—	1	—	—	—	—	—	—
10—15	—	1	18	19	4	8	3	5	1	3	—	—	—	—	—	—
15—20	—	1	7	3	11	10	6	7	5	3	—	—	—	—	—	1
20—25	—	—	—	2	20	13	19	10	1	3	—	—	—	—	1	1
25—30	—	—	1	1	10	20	9	15	1	5	—	—	—	—	1	—
30—35	—	—	—	1	29	26	23	23	6	3	—	—	—	—	2	1
35—40	—	—	2	1	44	21	37	15	7	6	—	—	—	—	4	1
40—45	—	—	1	1	47	32	37	26	10	6	—	—	—	—	—	—
45—50	—	—	—	—	61	47	52	30	9	17	—	—	—	—	—	2
50—55	—	—	—	—	62	53	48	41	14	12	—	—	—	—	2	—
55—60	—	—	—	—	69	74	54	60	15	14	—	—	—	—	1	—
60—65	—	—	—	—	77	97	61	73	16	24	—	—	—	—	1	1
65—70	—	—	1	—	79	108	59	83	20	25	—	—	—	—	—	—
70—75	—	—	—	—	63	102	47	76	16	26	—	—	—	—	1	2
75—80	—	—	—	—	50	101	36	77	14	24	—	—	—	—	1	1
80 and upwards	—	—	—	1	68	121	35	78	33	43	—	—	—	—	—	—

* **12.** Miliary fever —; **14.** Asiatic cholera, —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17,18,19,20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	—	1	—	10	10	49	46	12	9	68	81	35	26	9	6
0—1	—	—	—	—	—	—	6	9	1	2	2	2	13	9	2	2
1—5	—	—	—	—	—	—	3	1	6	6	8	7	13	12	7	4
5—10	—	—	—	—	—	—	—	—	3	—	6	3	2	1	—	—
10—15	—	—	—	—	—	—	2	—	2	1	8	1	1	—	—	—
15—20	—	—	—	—	—	1	—	—	—	—	8	10	2	—	—	—
20—25	—	—	1	—	—	1	—	3	—	—	3	4	1	3	—	—
25—30	—	—	—	—	1	—	1	2	—	—	2	6	2	—	—	—
30—35	—	—	—	—	2	1	1	4	—	—	1	4	—	1	—	—
35—40	3	—	—	—	1	1	—	2	—	—	2	12	1	—	—	—
40—45	—	—	—	—	—	—	4	1	—	—	9	5	—	—	—	—
45—50	—	—	—	—	—	2	4	2	—	—	8	7	—	—	—	—
50—55	—	—	—	—	2	—	2	4	—	—	4	7	—	—	—	—
55—60	—	—	—	—	1	—	4	2	—	—	3	5	—	—	—	—
60—65	—	—	—	—	1	1	5	2	—	—	3	3	—	—	—	—
65—70	—	—	—	—	—	—	6	2	—	—	1	5	—	—	—	—
70—75	—	—	—	—	1	2	3	2	—	—	—	—	—	—	—	—
75—80	—	—	—	—	1	1	3	3	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	5	7	—	—	—	—	—	—	—	—

* **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica —; **20.** Leprosy —.

Causes of Death.	26* 27 Anthrax.		28* 29 Tetanus.		30 Mycoses.		Tuberculosis 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral Column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	9	4	9	4	3092	2228	2629	1857	177	166	56	43	29	25
0—1	—	—	—	1	2	—	62	40	5	7	23	19	7	2	—	1
1—5	—	—	—	—	—	—	168	147	19	23	88	84	13	8	—	1
5—10	—	—	1	—	—	—	64	57	10	14	24	24	6	6	2	2
10—15	—	—	1	—	1	—	71	75	40	47	10	13	2	1	2	2
15—20	—	—	1	—	1	—	184	243	148	216	12	5	6	9	3	6
20—25	—	—	—	—	—	—	311	303	291	282	4	4	2	6	3	2
25—30	—	—	—	1	2	1	231	284	218	270	3	6	2	—	3	—
30—35	—	—	—	—	—	1	235	220	223	207	1	3	3	1	3	2
35—40	—	—	1	1	—	—	305	168	289	160	3	2	3	2	2	2
40—45	—	—	—	1	—	—	309	171	297	156	4	3	2	1	2	1
45—50	—	—	1	—	1	1	343	151	325	139	1	2	4	2	3	3
50—55	—	—	2	—	1	—	324	123	312	120	1	—	2	—	1	—
55—60	—	—	1	—	—	1	198	92	192	81	1	1	1	4	—	2
60—65	1	—	1	—	—	—	147	64	137	59	1	—	2	—	—	—
65—70	—	—	—	—	—	—	90	35	77	30	1	—	1	—	4	—
70—75	—	—	—	—	—	—	36	29	34	25	—	—	—	—	1	—
75—80	—	—	—	—	—	—	9	18	9	14	—	—	—	1	—	1
80 and upwards	—	—	—	—	1	—	5	8	3	7	—	—	—	—	—	—

* **26.** Glanders — **28.** Rabies —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924
(Civilian population only).

Causes of Death.	Tuberculosis—*contd.*															
	35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excepted).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	9	27	32	—	6	1	4	4	6	20	16	2	—	150	96
0—1	—	—	2	—	—	—	1	—	1	—	—	—	—	—	25	11
1—5	—	—	1	3	—	—	—	—	1	3	—	—	—	—	47	28
5—10	3	1	1	1	—	—	—	—	1	1	—	—	—	—	18	9
10—15	3	1	2	1	—	—	—	—	1	—	1	1	—	—	12	10
15—20	4	—	4	3	—	1	—	1	—	—	4	1	—	—	7	4
20—25	2	1	1	—	—	—	—	—	—	—	1	—	—	—	8	8
25—30	2	—	1	4	—	—	—	—	—	—	1	4	—	—	2	4
30—35	—	1	2	4	—	1	—	—	—	1	2	2	—	—	3	2
35—40	1	—	2	2	—	—	—	—	—	—	2	2	—	—	5	—
40—45	—	2	1	2	—	—	—	—	—	—	1	2	—	—	3	6
45—50	—	1	2	3	—	—	—	—	—	—	2	3	—	—	8	1
50—55	3	—	2	—	—	—	—	—	—	—	1	—	1	—	3	3
55—60	—	1	2	1	—	1	—	—	—	—	1	—	1	—	2	2
60—65	1	—	2	2	—	—	—	1	—	—	2	1	—	—	4	3
65—70	4	1	2	2	—	1	—	1	—	—	2	—	—	—	1	2
70—75	—	—	—	2	—	1	—	1	—	—	—	—	—	—	1	2
75—80	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1
80 and upwards	1	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—

Causes of Death.	Tuberculosis—*contd.*						39*						42*		II. 43–69 General diseases not included in I. 1–42.	
	37 (*a*) Acute.		37 (*b*) Chronic or unstated.		38 Syphilis.		40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		41 Purulent infection, Septicæmia.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	82	54	68	42	114	70	1	6	1	5	—	1	32	37	3706	4284
0—1	19	8	6	3	40	34	—	1	—	—	—	1	5	2	23	20
1—5	35	19	12	9	4	1	—	—	—	—	—	—	1	1	26	31
5—10	10	7	8	2	—	—	—	—	—	—	—	—	—	4	26	17
10—15	4	7	8	3	—	2	—	—	—	—	—	—	5	2	33	33
15—20	2	2	5	2	—	1	—	1	—	1	—	—	1	3	41	33
20—25	1	4	7	4	2	—	—	2	—	2	—	—	1	—	37	34
25—30	1	1	1	3	6	4	—	—	—	—	—	—	3	2	27	39
30—35	2	2	1	—	2	2	—	—	—	—	—	—	—	3	45	7
35—40	1	—	4	—	9	4	—	—	—	—	—	—	4	1	74	113
40—45	2	3	1	3	8	1	—	—	—	—	—	—	3	4	121	228
45—50	—	—	8	1	13	7	1	1	1	1	—	—	2	5	235	34
50—55	1	—	2	3	14	4	—	1	—	1	—	—	1	4	416	47
55—60	2	1	—	1	7	5	—	—	—	—	—	—	2	1	483	53
60—65	—	—	4	3	4	1	—	—	—	—	—	—	2	1	609	57
65—70	1	—	—	2	2	2	—	—	—	—	—	—	—	1	602	55
70—75	1	—	—	2	1	2	—	—	—	—	—	—	1	—	469	49
75—80	—	—	—	1	1	—	—	—	—	—	—	—	1	2	296	38
80 and upwards	—	—	1	—	1	—	—	—	—	—	—	—	—	1	143	31

* **39.** Soft chancre —; **42.** Other infectious diseases —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	Cancer, Malignant Disease.															
	43–49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3083	3400	335	50	1108	850	663	642	—	748	5	662	75	49	897	399
0—1	1	3	—	—	1	—	—	—	—	—	—	—	—	—	—	3
1—5	6	6	—	—	—	—	1	1	—	—	—	—	—	—	5	5
5—10	3	1	2	—	—	—	—	—	—	—	—	—	—	—	1	1
10—15	5	3	—	1	—	—	1	—	—	—	—	—	—	—	4	2
15—20	12	9	—	—	1	—	1	1	—	2	—	—	—	1	10	5
20—25	18	7	—	1	—	—	5	—	—	2	—	—	—	—	13	4
25—30	14	18	—	—	5	2	—	1	—	7	—	3	—	1	9	4
30—35	36	42	—	3	11	9	8	10	—	9	—	7	—	—	17	4
35—40	49	95	1	1	11	12	12	15	—	38	—	16	1	2	24	11
40—45	97	187	4	4	33	37	25	19	—	56	—	45	1	1	34	25
45—50	192	283	20	2	77	49	33	36	—	96	1	72	3	1	58	27
50—55	360	413	42	2	140	79	60	68	—	120	2	98	5	3	111	43
55—60	425	441	52	8	169	105	66	68	—	104	—	103	9	—	129	53
60—65	540	467	64	9	197	115	123	107	—	112	1	72	14	6	141	46
65—70	537	443	63	6	205	147	128	86	—	80	1	79	13	6	127	39
70—75	405	402	40	6	139	121	98	93	—	51	—	67	9	9	119	55
75—80	254	325		2	84	108	73	74	—	42	—	52	7	8	60	39
80 and upwards	129	255	30 17	5	35	66	29	63	—	29	—	48	13	11	35	33

Causes of Death.	50 Tumours not returned as malignant (tumours of brain & female genital organs excepted).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	52	52	74	81	85	164	1	2	17	18	185	252	66	113	58	102
0—1	—	—	—	—	—	—	—	1	4	4	—	—	1	1	—	—
1—5	—	1	1	2	1	—	1	1	13	13	—	1	2	1	—	—
5—10	—	2	15	10	—	—	—	—	—	—	—	1	1	—	1	—
10—15	1	—	16	24	—	—	—	—	—	—	1	1	—	1	—	—
15—20	—	—	14	12	—	1	—	—	—	—	4	2	5	2	4	2
20—25	2	1	4	10	—	—	—	—	—	—	5	2	2	7	2	7
25—30	1	—	2	5	—	1	—	—	—	—	6	2	—	3	—	2
30—35	—	3	2	2	—	1	—	—	—	—	2	7	—	5	—	5
35—40	2	1	2	1	1	—	—	—	—	—	7	4	3	4	2	4
40—45	—	2	5	2	2	2	—	—	—	—	11	10	3	6	3	6
45—50	7	2	4	3	3	9	—	—	—	—	11	12	5	8	4	7
50—55	8	2	1	3	5	5	—	—	—	—	20	13	6	16	5	16
55—60	7	11	3	3	4	8	—	—	—	—	20	37	10	13	10	12
60—65	8	8	3	2	12	20	—	—	—	1	24	39	10	15	9	14
65—70	5	5	1	1	14	28	—	—	—	—	27	50	8	15	8	14
70—75	6	5	1	1	20	32	—	—	—	—	25	34	6	7	6	6
75—80	4	4	—	—	17	22	—	—	—	—	17	21	2	8	2	7
80 and upwards	1	5	—	—	6	35	—	—	—	—	5	16	2	1	2	—

* **54.** Pellagra :— **55.** Beri-beri 15.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	58 (*b*) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8	11	8	98	4	64	4	34	14	9	11	13	—	2	73	46
0—1	1	1	2	—	—	—	2	—	10	6	—	—	—	—	1	—
1—5	2	1	—	1	—	—	—	1	2	1	—	—	—	—	—	1
5—10	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5	1
10—15	—	1	—	—	—	—	—	—	1	1	1	—	—	—	6	2
15—20	1	—	—	3	—	3	—	—	—	—	—	—	—	—	5	3
20—25	—	—	1	2	—	2	1	—	—	—	—	—	—	—	4	4
25—30	—	1	—	5	—	5	—	—	—	—	—	2	—	—	4	3
30—35	—	—	—	9	—	9	—	—	—	1	—	—	—	—	3	5
35—40	1	—	1	3	1	2	—	1	—	—	—	3	—	—	3	2
40—45	—	—	1	7	1	7	—	—	—	—	—	2	—	1	2	7
45—50	1	1	—	16	—	12	—	4	—	—	2	1	—	—	5	4
50—55	1	—	2	12	2	9	—	3	—	—	3	1	—	—	8	1
55—60	—	1	—	14	—	6	—	8	—	—	2	1	—	—	8	2
60—65	1	1	—	12	—	4	—	8	—	—	2	—	—	—	8	4
65—70	—	1	—	4	—	2	—	2	—	—	1	—	—	1	6	5
70—75	—	1	—	5	—	2	—	3	—	—	—	3	—	—	4	2
75—80	—	1	1	3	—	1	1	2	—	—	—	—	—	—	1	—
80 and upwards	—	1	—	2	—	—	—	2	—	—	—	—	—	—	—	—

* **59.** Diseases of the pituitary gland —; **61.** (1) Tetany *0*. (2) Other diseases of the parathyroid glands — ;

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70–86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	33	26	40	20	13	4	7	—	15	27	2162	2331	15	21	94	68
0—1	1	—	—	—	—	—	—	—	4	4	128	82	—	1	25	14
1—5	—	1	—	—	—	—	—	—	—	3	63	56	—	2	32	20
5—10	2	1	3	—	—	—	—	—	1	2	28	44	2	2	6	11
10—15	3	2	3	—	—	—	—	—	2	1	43	31	4	1	7	5
15—20	2	1	3	2	—	—	—	—	—	—	22	36	—	2	—	2
20—25	2	1	2	3	—	—	—	—	—	1	37	23	4	6	4	—
25—30	1	2	3	1	—	—	—	—	—	—	34	31	1	—	—	3
30—35	—	2	3	3	2	—	—	—	—	2	42	35	1	1	2	1
35—40	1	1	2	1	4	—	1	—	1	—	74	52	1	1	1	1
40—45	—	3	2	4	—	—	—	—	—	1	110	57	1	2	3	—
45—50	3	3	2	1	3	3	1	—	2	—	134	122	—	—	3	2
50—55	3	—	5	1	1	—	2	—	—	4	163	148	—	1	2	3
55—60	3	2	5	—	—	1	2	—	2	3	184	182	—	1	4	3
60—65	4	3	4	1	1	—	—	—	1	3	232	227	1	—	2	2
65—70	5	3	1	2	1	—	1	—	1	3	250	277	—	—	1	—
70—75	3	1	1	1	1	—	—	—	1	—	264	337	—	—	2	1
75—80	—	—	1	—	—	—	—	—	—	—	190	282	—	1	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	164	309	—	—	—	—

* **68.** Chronic poisoning by organic substances : *20, 15, 40.*

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	113	22	94	75	1043	1437	844	1135	199	302	55	87	49	73	6	14
0—1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
1—5	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—
5—10	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—
10—15	—	—	1	1	3	1	3	1	—	—	—	—	—	—	—	—
15—20	—	—	—	2	4	3	4	1	—	2	—	—	—	—	—	—
20—25	—	—	3	—	4	2	3	2	1	—	—	1	—	—	—	1
25—30	—	—	2	—	3	3	2	3	1	—	—	—	—	—	—	—
30—35	1	1	2	1	2	2	2	1	—	1	—	1	—	—	—	1
35—40	2	1	4	2	11	8	10	7	1	1	1	2	—	1	1	1
40—45	10	3	3	3	21	11	15	10	6	1	1	—	1	—	—	—
45—50	11	2	9	4	36	55	34	52	2	3	1	1	1	1	—	—
50—55	18	4	10	9	57	90	54	78	3	12	2	5	—	5	2	—
55—60	20	2	8	11	97	130	80	108	17	22	7	2	6	2	1	—
60—65	13	6	18	16	151	162	124	135	27	27	3	8	3	7	—	1
65—70	22	—	15	15	158	203	123	168	35	35	13	16	13	14	—	2
70—75	10	—	8	3	206	274	165	211	41	63	11	15	10	13	1	2
75—80	3	2	4	3	151	227	128	175	23	52	8	16	7	14	1	2
80 and upwards	3	1	5	5	138	264	96	183	42	81	8	20	8	16	—	4

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	220	44	18	47	97	108	98	71	4	6	7	26	32	38	176	208
0—1	—	—	—	—	2	2	91	54	—	—	—	—	—	—	2	6
1—5	—	—	—	—	7	2	7	15	1	—	—	—	—	—	6	7
5—10	—	—	—	—	3	5	—	—	1	2	—	—	—	—	8	12
10—15	—	—	—	—	6	5	—	1	1	1	—	—	—	—	1	3
15—20	2	1	—	—	4	8	—	—	1	2	—	1	—	—	5	7
20—25	2	—	1	1	10	6	—	—	—	1	—	—	—	—	3	2
25—30	1	—	2	—	11	10	—	—	—	—	—	—	1	—	3	9
30—35	13	5	1	3	7	11	—	—	—	—	—	1	—	—	6	6
35—40	31	5	—	5	9	9	—	—	—	—	2	3	—	1	8	13
40—45	47	6	—	7	6	5	—	1	—	—	1	5	2	—	14	13
45—50	43	16	4	7	6	8	—	—	—	—	—	4	—	—	13	21
50—55	38	3	2	7	3	6	—	—	—	—	—	2	3	2	24	12
55—60	21	4	2	3	2	3	—	—	—	—	—	—	5	3	15	18
60—65	12	2	3	4	7	8	—	—	—	—	2	2	1	4	17	12
65—70	7	1	1	6	6	2	—	—	—	—	1	3	4	8	21	21
70—75	2	1	—	2	5	13	—	—	—	—	1	1	4	6	14	19
75—80	1	—	2	2	3	4	—	—	—	—	—	2	6	5	12	20
80 and upwards	—	—	—	—	—	1	—	—	—	—	—	2	6	9	4	7

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Pericarditis.		88 Acute endocarditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	5	93	68	4919	5307	3514	4221	30	34	168	152	112	48	3204	3987
0—1	—	1	7	4	8	3	—	—	—	—	—	—	—	—	—	—
1—5	—	—	9	9	11	5	9	4	3	1	5	2	—	—	1	1
5—10	—	—	7	11	30	21	30	21	4	1	8	7	—	—	18	13
10—15	1	—	19	13	49	47	49	47	2	5	10	8	—	—	37	34
15—20	—	—	6	8	57	74	56	74	—	3	17	20	—	—	39	51
20—25	—	—	6	4	54	75	53	74	—	2	19	21	—	—	34	51
25—30	—	—	10	6	48	71	48	69	1	2	18	23	—	—	29	44
30—35	—	—	7	2	40	86	36	83	2	—	10	16	—	—	24	67
35—40	1	—	3	1	81	86	67	81	—	2	18	13	—	—	49	66
40—45	—	—	1	1	150	128	123	123	2	1	26	15	5	2	90	105
45—50	—	1	8	1	210	186	160	160	3	2	10	3	2	—	145	155
50—55	—	—	4	4	334	265	257	228	3	2	7	5	16	3	231	218
55—60	—	—	3	2	455	320	338	265	—	3	9	4	13	2	316	256
60—65	1	1	1	—	632	500	463	408	3	2	5	5	26	6	429	395
65—70	—	1	1	1	699	690	494	552	3	4	1	6	17	10	473	532
70—75	—	1	1	1	785	831	528	654	3	1	2	3	19	7	504	643
75—80	—	—	—	—	632	860	411	652	1	2	3	—	6	8	401	642
80 and upwards	—	—	—	—	644	1059	392	726	—	1	—	1	8	10	384	714

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arteriosclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1214	1537	1534	1912	456	538	1350	1037	153	55	1172	960	260	285	912	675
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	12	11	—	—	6	2	—	—	—	—	—	—	—	—	—	—
10—15	26	26	—	1	11	7	—	—	—	—	—	—	—	—	—	—
15—20	32	44	1	—	6	7	—	—	—	—	—	—	—	—	—	—
20—25	26	40	2	2	6	9	—	—	—	—	—	—	—	—	—	—
25—30	26	37	1	2	2	5	—	—	—	—	—	—	—	—	—	—
30—35	19	56	2	6	3	5	3	2	1	1	2	1	1	—	1	1
35—40	28	43	16	11	5	12	11	3	5	2	5	1	1	—	4	1
40—45	54	68	23	28	13	9	21	4	10	3	11	1	3	1	8	—
45—50	79	91	45	48	21	16	46	22	21	8	25	12	7	6	18	6
50—55	102	113	95	75	34	30	72	31	22	9	45	21	15	9	30	12
55—60	143	112	131	107	42	37	113	47	29	8	80	38	27	20	53	18
60—65	174	168	208	182	47	45	163	89	27	5	132	82	42	26	90	56
65—70	174	181	211	257	88	94	199	130	16	7	181	120	42	46	139	74
70—75	142	196	277	339	85	108	252	174	11	3	240	166	52	49	188	117
75—80	91	182	261	386	49	74	219	205	10	5	206	194	36	49	170	145
80 and upwards	85	168	261	468	38	78	251	330	1	4	245	324	34	79	211	245

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	25	22	29	23	17	21	8	2	1	3	5381	5099	12	8	14	7
0—1	—	—	4	1	—	—	3	—	1	2	890	644	2	—	2	1
1—5	—	—	—	—	—	—	2	1	—	—	668	595	2	—	3	3
5—10	—	—	—	—	—	—	—	—	—	—	40	36	—	—	1	—
10—15	—	—	—	—	—	—	—	—	—	—	20	27	—	2	—	—
15—20	—	—	1	—	—	—	—	—	—	—	37	24	1	1	1	—
20—25	—	—	—	1	1	—	—	—	—	—	44	23	—	—	—	1
25—30	—	—	—	2	—	—	—	—	—	—	64	42	—	1	1	—
30—35	—	—	1	1	—	—	—	—	—	—	80	65	4	—	—	—
35—40	1	—	2	2	1	—	—	—	—	—	122	83	—	—	1	—
40—45	—	—	4	—	2	1	—	—	—	—	193	103	—	1	—	—
45—50	—	2	3	3	1	1	—	—	—	—	266	115	—	1	1	—
50—55	5	1	1	1	4	5	—	—	—	—	334	171	2	1	—	—
55—60	4	1	3	4	1	4	—	—	—	—	395	250	1	1	1	—
60—65	4	2	5	—	1	3	—	—	—	—	414	364	—	—	—	—
65—70	2	3	2	5	3	3	1	—	—	—	502	447	—	—	1	—
70—75	1	5	2	—	1	2	2	1	—	—	530	598	—	—	—	—
75—80	3	6	—	—	2	2	—	—	—	1	385	638	—	—	1	1
80 and upwards	5	2	1	3	—	—	—	—	—	—	397	874	—	—	1	1

* **96.** Other diseases of the circulatory system —.

Causes of Death.	99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).		101 (*a*) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2105	2376	456	650	871	783	778	943	2896	2398	1583	1534	1313	864	775	510
0—1	185	123	104	55	1	4	80	64	688	515	594	434	94	81	33	33
1—5	36	46	20	27	1	1	15	18	616	533	505	443	111	90	48	55
5—10	4	2	2	2	2	—	—	—	35	32	13	21	22	11	12	5
10—15	1	5	1	3	—	2	—	—	18	18	3	6	15	12	11	10
15—20	1	—	—	—	1	—	—	—	31	21	4	6	27	15	16	11
20—25	5	1	1	1	3	—	1	—	34	17	6	4	28	13	19	12
25—30	13	8	4	3	6	3	3	2	44	28	6	9	38	19	27	13
30—35	14	12	3	5	9	2	2	5	49	49	5	12	44	37	32	26
35—40	28	12	2	3	19	4	7	5	77	67	14	18	63	49	41	33
40—45	61	24	10	8	36	10	15	6	114	68	25	25	89	43	60	31
45—50	95	39	18	13	53	15	24	11	133	62	30	17	103	45	70	29
50—55	129	62	25	16	68	29	36	17	178	84	45	40	133	44	83	30
55—60	187	105	38	31	89	48	60	26	169	116	49	50	120	66	65	48
60—65	198	202	30	58	100	83	68	61	178	138	56	73	122	65	72	41
65—70	272	272	40	70	150	101	82	101	189	148	66	76	123	72	82	38
70—75	337	395	57	81	139	151	141	163	159	173	72	95	87	78	52	44
75—80	261	431	44	100	103	147	114	184	101	164	51	103	50	61	27	26
80 and upwards	278	637	57	174	91	183	130	280	83	165	39	102	44	63	25	25

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	101 (*b*) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	538	354	82	59	86	121	2	2	114	84	41	17	29	27	23	16
0—1	61	48	7	2	6	2	—	—	—	1	—	—	—	—	—	—
1—5	63	35	6	8	2	1	—	—	—	1	—	—	3	3	1	1
5—10	10	6	—	2	—	—	—	—	—	—	—	—	—	—	—	—
10—15	4	2	—	1	—	—	—	—	—	—	—	—	1	1	1	1
15—20	11	4	1	2	1	—	—	—	1	—	—	—	—	—	—	—
20—25	9	1	2	1	—	1	2	—	—	—	1	—	—	2	—	1
25—30	11	6	4	1	1	—	—	—	1	3	—	—	—	1	—	1
30—35	12	11	5	1	—	1	—	—	5	2	—	—	3	—	2	—
35—40	22	16	4	1	2	—	—	—	8	—	1	—	1	3	1	1
40—45	29	12	5	3	1	—	—	1	8	4	3	1	1	1	1	—
45—50	33	16	11	2	3	2	—	—	15	3	6	2	2	4	2	1
50—55	50	14	7	4	2	5	—	—	7	11	7	1	2	3	2	3
55—60	55	18	8	4	2	5	—	—	18	15	5	1	4	3	3	3
60—65	50	24	8	5	8	2	—	1	16	12	4	3	2	1	2	1
65—70	41	34	7	5	8	5	—	—	16	12	5	3	4	2	3	2
70—75	35	34	5	1	15	20	—	—	10	7	3	2	1	—	1	—
75—80	23	35	1	8	11	26	—	—	4	5	3	3	3	—	2	—
80 and upwards	19	38	1	8	24	51	—	—	5	8	3	1	2	3	2	1

Causes of Death.	107 (*b*) Diseases of the mediastinum.		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	1	6	10	1713	1380	20	29	8	18	12	11	32	19	5	5
0—1	—	—	—	—	478	300	4	5	1	2	3	3	3	—	—	—
1—5	—	—	2	2	80	82	2	4	1	2	1	2	10	5	—	—
5—10	—	—	—	—	23	27	—	—	—	—	—	—	5	5	—	—
10—15	—	—	—	—	29	29	—	—	—	—	—	—	1	1	—	—
15—20	—	—	—	—	29	23	—	2	—	2	—	—	—	—	—	—
20—25	—	—	—	1	32	22	1	—	—	—	1	—	2	—	—	—
25—30	—	—	—	—	32	25	1	3	1	3	—	—	1	—	—	—
30—35	—	—	1	—	38	33	1	2	—	1	1	1	3	1	—	—
35—40	—	—	—	2	52	45	—	2	—	1	—	1	2	1	—	—
40—45	—	—	—	1	102	63	3	2	2	2	1	—	1	1	—	—
45—50	—	1	—	2	108	82	—	—	—	—	—	—	2	—	1	—
50—55	—	—	—	—	126	91	1	2	1	2	—	—	—	—	—	1
55—60	—	—	1	—	131	84	1	1	1	1	—	—	—	1	—	1
60—65	—	—	—	—	134	114	2	1	—	1	2	—	1	1	—	1
65—70	—	—	1	—	110	89	1	2	—	1	1	1	—	1	—	1
70—75	—	—	—	—	101	109	3	2	1	—	2	2	1	—	—	—
75—80	—	—	1	—	62	81	—	1	—	—	—	1	—	2	2	1
80 and upwards	—	—	—	2	46	81	—	—	—	—	—	—	—	—	2	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, Intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	346	119	247	104	99	15	65	75	506	376	1	—	181	148	258	281
0—1	1	1	—	—	1	1	19	15	413	259	—	—	1	1	34	15
1—5	—	—	—	—	—	—	1	5	47	43	—	—	11	9	7	8
5—10	—	—	—	—	—	—	1	—	1	2	—	—	14	9	1	6
10—15	—	1	—	1	—	—	1	—	—	1	—	—	18	20	5	4
15—20	3	—	2	—	1	—	—	—	2	—	—	—	20	16	3	1
20—25	4	2	4	1	—	1	1	1	2	4	1	—	12	8	6	2
25—30	9	2	4	2	5	—	1	1	2	3	—	—	10	7	6	3
30—35	17	5	12	4	5	1	—	—	1	5	—	—	10	6	4	4
35—40	32	12	23	10	9	2	1	1	1	4	—	—	7	9	6	5
40—45	43	11	32	11	11	—	2	2	3	5	—	—	14	11	12	12
45—50	49	15	36	15	13	—	2	3	1	4	—	—	12	8	15	15
50—55	52	14	38	13	14	1	4	2	2	1	—	—	11	13	15	24
55—60	42	18	34	16	8	2	6	2	4	4	—	—	10	6	23	21
60—65	39	12	25	12	14	—	2	3	3	8	—	—	17	8	24	34
65—70	24	6	19	5	5	1	6	10	4	4	—	—	4	7	28	22
70—75	14	10	7	6	7	4	8	9	10	9	—	—	5	4	35	45
75—80	14	6	10	6	4	—	2	10	5	8	—	—	4	3	19	29
80 and upwards	3	4	1	2	2	2	8	11	5	12	—	—	1	3	15	31

* **115.** Ankylostomiasis —; **116** (*a*) Cestodes (hydatids of the liver excepted) 20.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	97	134	161	147	28	36	—	10	1	3	166	127	14	22	152	105
0—1	7	4	27	11	2	2	—	—	—	—	—	—	—	—	—	—
1—5	2	1	5	7	—	1	—	—	—	—	1	—	—	—	1	—
5—10	—	1	1	5	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	5	4	—	1	—	—	—	—	1	—	—	—	1	—
15—20	1	—	2	1	—	1	—	2	—	—	—	1	—	—	—	1
20—25	—	—	6	2	—	—	—	1	—	—	—	1	—	—	—	1
25—30	1	2	5	1	—	—	—	2	—	—	1	1	—	—	1	1
30—35	1	—	3	4	—	2	—	2	—	—	—	1	—	—	—	1
35—40	1	1	5	4	1	—	—	1	—	1	2	3	2	1	—	2
40—45	1	4	11	8	2	3	—	—	—	—	14	10	2	3	12	7
45—50	4	9	11	6	3	4	—	—	—	—	17	25	3	4	14	21
50—55	7	15	8	9	4	1	—	1	—	—	24	21	3	6	21	15
55—60	11	14	12	7	3	4	—	—	—	1	28	14	—	—	28	14
60—65	9	15	15	19	3	2	—	—	1	—	31	23	1	3	30	20
65—70	18	12	10	10	4	4	—	—	—	1	24	15	2	2	22	13
70—75	15	28	20	17	3	5	—	1	—	—	15	3	1	1	14	2
75—80	12	17	7	12	1	3	—	—	—	—	4	3	—	1	4	2
80 and upwards	7	11	8	20	2	3	—	—	—	—	4	6	—	1	4	5

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	30	57	41	51	19	17	14	27	1297	884	56	52	767	630	63	51
0—1	—	—	—	1	—	—	1	1	15	10	6	5	—	1	5	2
1—5	—	—	—	—	—	—	1	7	6	5	4	3	—	1	1	1
5—10	—	—	—	1	—	—	1	4	5	7	—	1	4	5	1	—
10—15	—	—	1	—	1	—	1	1	6	13	2	2	4	9	—	2
15—20	—	—	1	—	—	—	—	—	17	14	7	3	9	7	—	1
20—25	—	1	3	—	—	1	—	1	15	18	2	2	10	12	1	—
25—30	—	1	1	1	—	—	—	1	25	24	3	—	18	11	2	3
30—35	1	1	1	1	—	1	—	2	26	33	1	2	23	16	2	3
35—40	—	—	—	3	—	2	—	1	25	37	—	3	21	24	3	2
40—45	1	2	2	1	4	2	1	1	45	57	4	2	30	32	2	4
45—50	1	4	2	2	2	1	1	1	57	64	3	2	40	39	5	4
50—55	3	4	5	4	4	1	1	2	130	80	4	3	91	66	10	2
55—60	3	6	5	2	5	1	1	2	141	82	2	6	107	69	6	4
60—65	5	7	2	9	2	5	2	—	168	114	8	3	108	97	5	3
65—70	5	7	9	5	1	3	—	1	170	95	4	5	106	69	5	6
70—75	1	12	4	9	—	—	2	—	191	96	2	5	88	72	9	8
75—80	6	9	4	5	—	—	1	1	131	74	2	3	55	54	4	3
80 and upwards	4	3	1	7	—	—	1	1	124	61	2	2	53	46	2	3

* **127.** Other diseases of the digestive system —; **130.** Chyluria —.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	18	67	32	59	—	53	—	6	—	258	—	7	—	—	27
0—1	—	—	—	—	1	—	—	—	1	—	—	—	3	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—10	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
20—25	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	3
30—35	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	2
35—40	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
40—45	2	2	1	—	6	—	5	—	1	—	—	—	—	—	—	2
45—50	3	3	—	—	6	—	6	—	—	—	—	—	—	—	—	3
50—55	4	3	3	—	12	—	11	—	1	—	6	—	—	—	—	1
55—60	1	—	5	1	9	—	9	—	—	—	11	—	—	—	—	—
60—65	3	3	8	2	5	—	5	—	—	—	31	—	—	—	—	3
65—70	3	—	11	8	8	—	7	—	1	—	33	—	—	—	—	2
70—75	1	1	19	3	2	—	1	—	1	—	68	—	2	—	—	6
75—80	—	3	10	6	7	—	7	—	—	—	52	—	1	—	—	4
80 and upwards	1	—	9	8	—	—	—	—	—	—	57	—	—	—	—	1

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	21	—	36	—	—	—	16	—	1	—	263	—	34	—	11
0—1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—
20—25	—	1	—	—	—	—	—	3	—	—	—	48	—	5	—	1
25—30	—	4	—	2	—	—	—	1	—	—	—	59	—	3	—	2
30—35	—	1	—	1	—	—	—	4	—	—	—	65	—	11	—	3
35—40	—	4	—	2	—	—	—	2	—	—	—	55	—	10	—	2
40—45	—	5	—	8	—	—	—	2	—	—	—	30	—	5	—	3
45—50	—	1	—	11	—	—	—	1	—	—	—	3	—	—	—	—
50—55	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
60—65	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—

Causes of Death.	143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, embolism, sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable else where (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	9	—	14	—	44	—	22	—	106	—	21	—	35	—	1
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—
20—25	—	2	—	2	—	5	—	3	—	23	—	—	—	12	—	—
25—30	—	1	—	—	—	7	—	7	—	29	—	6	—	7	—	—
30—35	—	3	—	5	—	13	—	5	—	26	—	5	—	4	—	1
35—40	—	2	—	6	—	12	—	4	—	17	—	4	—	8	—	—
40—45	—	1	—	1	—	5	—	3	—	10	—	5	—	2	—	—
45—50	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **150.** Puerperal diseases of the breast —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	156	167	49	61	21	14	52	48	34	44	92	53	78	45	10	7
0—1	19	14	—	—	—	1	7	6	12	7	4	4	3	3	—	1
1—5	7	3	—	2	—	—	6	—	1	1	14	7	12	7	1	—
5—10	—	—	—	—	—	—	—	—	—	—	19	9	19	7	—	2
10—15	2	2	—	1	—	—	2	1	—	—	19	9	18	8	1	1
15—20	—	5	—	—	—	2	—	3	—	—	11	4	10	3	1	1
20—25	1	6	—	—	1	—	—	4	—	2	1	—	1	—	—	—
25—30	4	8	—	1	1	2	3	4	—	1	2	1	—	1	2	—
30—35	3	4	1	1	1	1	—	2	1	—	4	—	2	—	1	—
35—40	2	4	—	—	—	1	1	3	1	—	1	2	1	—	—	2
40—45	3	3	—	—	2	—	—	2	1	1	1	1	1	1	—	—
45—50	8	7	1	—	3	—	3	1	1	6	1	2	—	2	1	—
50—55	10	9	—	1	2	3	4	3	4	2	2	2	1	2	1	—
55—60	8	7	—	1	1	1	4	5	3	—	1	3	1	3	—	—
60—65	14	6	6	1	3	—	3	2	2	3	3	2	2	1	—	—
65—70	20	16	9	5	3	1	7	4	1	6	3	3	2	3	1	—
70—75	19	17	6	10	2	1	8	4	3	2	4	1	3	1	1	—
75—80	16	20	14	16	—	—	—	2	2	2	2	3	2	3	—	—
80 and upwards	20	36	12	22	2	1	4	2	2	11	—	—	—	—	—	—

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	1	210	142	1152	916	229	150	805	650	735	618	70	32	91	85
0—1	1	—	180	119	1152	916	229	150	805	650	735	618	70	32	91	85
1—5	1	—	10	9	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
30—35	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*157. Amputation —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27	31	718	1157	1358	753	361	144	49	34	88	40	55	16	55	24
0—1	27	31	—	—	59	30	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	79	69	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	62	28	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	58	16	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	66	19	3	3	1	—	—	2	1	—	1	1
20—25	—	—	—	—	63	13	15	5	6	2	3	—	—	—	1	1
25—30	—	—	—	—	61	25	19	12	—	4	6	1	2	4	5	1
30—35	—	—	—	—	57	25	21	9	6	4	2	1	1	—	4	2
35—40	—	—	—	—	81	35	36	18	4	6	7	5	4	3	4	—
40—45	—	—	—	—	111	35	29	19	3	2	5	10	6	2	4	3
45—50	—	—	—	—	89	42	40	16	5	5	12	3	9	1	5	2
50—55	—	—	—	—	116	46	56	17	8	4	12	4	10	1	13	4
55—60	—	—	2	2	120	49	50	18	6	3	18	5	7	3	9	5
60—65	—	—	19	8	86	46	36	12	4	3	11	3	3	—	4	2
65—70	—	—	45	25	103	49	32	8	2	—	11	3	7	1	3	1
70—75	—	—	117	112	65	66	16	4	4	—	1	1	4	1	1	2
75—80	—	—	161	242	37	62	6	2	—	1	—	1	—	—	1	—
80 and upwards	—	—	374	768	45	98	2	1	—	—	—	1	1	—	—	—

Causes of Death.	Suicide—*contd.* 170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–195 201–203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	30	2	47	5	16	16	21	6	—	1	975	598	2	—	1	1
0—1	—	—	—	—	—	—	—	—	—	—	52	27	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	78	68	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	62	26	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	57	16	—	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	63	16	—	—	—	—
20—25	3	2	1	—	—	—	1	—	—	—	46	8	—	—	—	—
25—30	1	—	—	—	—	1	5	1	—	—	40	13	—	—	—	—
30—35	3	—	3	—	—	2	2	—	—	—	36	16	—	—	—	—
35—40	5	—	9	1	—	1	3	1	—	1	43	15	—	—	—	—
40—45	4	—	4	—	3	1	—	1	—	—	81	15	1	—	—	—
45—50	3	—	3	2	—	2	3	1	—	—	46	25	—	—	—	1
50—55	6	—	4	—	1	3	2	1	—	—	59	29	—	—	1	—
55—60	2	—	7	—	—	1	1	1	—	—	70	31	—	—	—	—
60—65	2	—	6	1	4	3	2	—	—	—	48	34	—	—	—	—
65—70	1	—	3	1	4	2	1	—	—	—	71	41	1	—	—	—
70—75	—	—	4	—	1	—	1	—	—	—	49	62	—	—	—	—
75—80	—	—	3	—	2	—	—	—	—	—	31	59	—	—	—	—
80 and upwards	—	—	—	—	1	—	—	—	—	—	43	97	—	—	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	4	7	3	60	86	52	24	9	9	100	28	4	1	2	—
0—1	—	—	1	—	5	4	35	18	—	—	1	1	—	—	1	—
1—5	1	—	2	—	39	31	1	1	—	—	1	2	—	—	—	—
5—10	1	—	—	—	1	2	—	2	—	—	6	—	—	—	—	—
10—15	—	—	—	—	—	3	1	—	—	—	3	1	—	—	—	—
15—20	—	—	—	—	—	1	—	—	—	—	9	1	—	—	—	—
20—25	—	—	—	—	1	—	1	—	—	—	11	3	2	—	—	—
25—30	—	—	1	—	1	2	1	—	—	1	5	1	—	—	—	—
30—35	1	1	1	—	—	2	1	1	2	—	4	2	—	—	—	—
35—40	1	—	—	—	—	2	—	—	—	1	8	1	—	—	—	—
40—45	2	2	1	—	2	3	1	—	1	2	12	4	2	—	—	—
45—50	1	—	—	1	—	3	1	—	1	—	6	2	—	1	—	—
50—55	1	—	—	—	1	4	1	—	1	1	11	4	—	—	1	—
55—60	1	1	1	—	—	2	4	—	2	—	8	2	—	—	—	—
60—65	—	—	—	—	1	3	1	1	1	—	3	1	—	—	—	—
65—70	—	—	—	1	2	2	—	1	—	—	8	1	—	—	—	—
70—75	—	—	—	1	2	5	1	—	1	3	4	2	—	—	—	—
75—80	—	—	—	—	1	6	1	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	4	11	2	—	—	1	—	—	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	203	230	—	—	18	—	469	193	1	—	5	—	2	1	—	—
0—1	2	1	—	—	—	—	3	2	—	—	—	—	—	—	—	—
1—5	8	8	—	—	—	—	22	23	—	—	—	—	—	—	—	—
5—10	4	4	—	—	—	—	49	17	—	—	—	—	—	—	—	—
10—15	5	1	—	—	1	—	45	11	—	—	—	—	—	—	—	—
15—20	4	2	—	—	1	—	45	10	—	—	—	—	—	—	—	—
20—25	5	—	—	—	1	—	23	4	—	—	—	—	—	—	—	—
25—30	8	4	—	—	1	—	18	3	—	—	2	—	—	—	—	—
30—35	6	—	—	—	3	—	17	8	—	—	1	—	—	—	—	—
35—40	8	2	—	—	2	—	23	8	—	—	—	—	—	—	—	—
40—45	17	—	—	—	2	—	36	3	1	—	—	—	—	—	—	—
45—50	14	9	—	—	2	—	19	7	—	—	1	—	—	—	—	—
50—55	9	6	—	—	—	—	31	11	—	—	—	—	—	1	—	—
55—60	21	11	—	—	1	—	30	14	—	—	—	—	—	—	—	—
60—65	9	14	—	—	2	—	31	15	—	—	—	—	—	—	—	—
65—70	25	20	—	—	2	—	30	16	—	—	1	—	1	—	—	—
70—75	21	34	—	—	—	—	19	17	—	—	—	—	1	—	—	—
75—80	11	42	—	—	—	—	18	11	—	—	—	—	—	—	—	—
80 and upwards	26	72	—	—	—	—	10	13	—	—	—	—	—	—	—	—

*191. Execution of civilians by belligerent armies —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	1	4	—	22	11	2	—	3	1	17	10	2	1
0—1	—	—	—	—	7	3	—	—	—	—	7	3	1	1
1—5	—	—	—	—	1	1	—	—	—	—	1	1	—	—
5—10	1	1	—	—	—	2	—	—	—	—	—	2	—	—
10—15	—	—	—	—	1	—	—	—	—	—	1	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	1	—
20—25	—	—	1	—	2	—	—	—	—	—	2	—	—	—
25—30	—	—	—	—	2	—	—	—	2	—	—	—	—	—
30—35	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	1	—	2	2	1	—	—	—	1	2	—	—
40—45	—	—	1	—	1	1	—	—	—	1	1	—	—	—
45—50	—	—	—	—	3	1	—	—	1	—	2	1	—	—
50—55	—	—	1	—	1	—	1	—	—	—	—	—	—	—
55—60	1	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	2	—	—	—	—	—	2	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	1	—	—	—	—	—	1	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—

***195.** Lightning 15, 25; **200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	19	16	2	—	12	18	2	1	10	17	3	—	7	17
0—1	3	—	—	—	—	2	—	—	—	2	—	—	—	2
1—5	4	3	—	—	3	10	—	—	3	10	—	—	3	10
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	2	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	2	2	—	—	—	—	—	—	—	—	—	—	—	—
20—25	1	1	—	—	—	—	—	—	—	—	—	—	—	—
25—30	1	2	1	—	—	—	—	—	—	—	—	—	—	—
30—35	—	2	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	1	—	—	2	—	1	—	1	—	—	—	1	—
40—45	2	1	—	—	1	1	—	—	1	1	—	—	1	1
45—50	1	1	—	—	1	—	—	—	1	—	1	—	—	—
50—55	1	2	—	—	—	1	—	—	—	1	—	—	—	1
55—60	1	1	—	—	—	1	—	—	—	1	—	—	—	1
60—65	—	—	—	—	3	1	—	1	3	—	2	—	1	—
65—70	—	—	1	—	1	1	1	—	—	1	—	—	—	1
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	1	—	—	—	1	—	—	—	1
80 and upwards	1	—	—	—	1	—	—	—	1	—	—	—	1	—

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	All Causes.		I. 1–42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	85524	81790	15739	13807	79	63	72	53	7	10	36	2	1061	978	173	200
0—1	12828	9548	1299	1105	—	—	—	—	—	—	—	—	214	186	6	6
1—5	6683	5970	2617	2471	2	4	2	3	—	1	—	—	798	731	94	97
5—10	1352	1278	507	601	5	2	5	1	—	1	1	—	42	58	38	62
10—15	1110	1146	366	515	6	5	4	4	2	1	—	—	4	2	11	17
15—20	1637	1672	741	1030	9	9	9	8	—	1	—	—	1	1	11	6
20—25	1955	1958	1046	1101	11	6	9	4	2	2	1	—	—	—	5	6
25—30	1764	1993	877	938	10	11	10	10	—	1	4	—	—	—	—	1
30—35	2057	2065	926	820	10	6	8	5	2	1	5	—	—	—	2	2
35—40	2683	2406	1077	742	7	8	6	7	1	1	8	—	—	—	3	2
40—45	3519	2911	1215	737	5	4	5	4	—	—	6	—	1	—	1	1
45—50	4585	3509	1192	624	5	4	5	4	—	—	1	1	—	—	2	—
50—55	5420	4251	1053	567	5	3	5	3	—	—	4	1	—	—	—	—
55—60	6264	4940	831	449	3	—	3	—	—	—	1	—	1	—	—	—
60—65	7393	6243	694	486	—	1	—	—	—	1	2	—	—	—	—	—
65—70	7867	7106	561	471	—	—	—	—	—	—	1	—	—	—	—	—
70—75	7736	8274	385	433	1	—	1	—	—	—	2	—	—	—	—	—
75—80	5605	7624	209	386	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	5066	8896	143	331	—	—	—	—	—	—	—	—	—	—	—	—

* **2.** Typhus 20, *10, 30, 45*; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever 30; **6.** Small-pox *0, 0, 1.*

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	797	929	435	445	3085	3270	2279	2305	806	965	4	1	—	—	24	23
0—1	354	349	17	24	195	118	134	83	61	35	1	1	—	—	1	—
1—5	427	551	250	227	246	211	195	168	51	43	3	—	—	—	—	—
5—10	16	22	127	149	34	48	20	26	14	22	—	—	—	—	—	—
10—15	—	2	32	28	30	43	13	19	17	24	—	—	—	—	—	—
15—20	—	1	4	7	79	55	47	33	32	22	—	—	—	—	1	—
20—25	—	—	1	4	69	71	49	55	20	16	—		—	—	1	—
25—30	—	—	—	—	84	90	61	61	23	29	—	—	—	—	3	—
30—35	—	1	—	1	120	105	96	77	24	28	—	—	—	—	2	3
35—40	—	—	2	1	151	113	125	83	26	30	—	—	—	—	5	—
40—45	—	—	—	1	206	145	176	100	30	45	—	—	—	—	1	2
45—50	—	—	—	—	208	185	172	140	36	45	—	—	—	—	2	—
50—55	—	1	1	2	243	204	187	159	56	45	—	—	—	—	2	4
55—60	—	—	—	—	268	237	200	176	68	61	—	—	—	—	1	3
60—65	—	—	1	—	296	280	213	195	83	85	—	—	—	—	2	4
65—70	—	—	—	1	292	354	219	252	73	102	—	—	—	—	2	2
70—75	—	1	—	—	261	352	185	254	76	98	—	—	—	—	1	3
75—80	—	1	—	—	178	353	117	233	61	120	—	—	—	—	—	1
80 and upwards	—	—	—	—	125	306	70	191	55	115	—	—	—	—	—	1

* **12.** Miliary fever —; **14.** Asiatic cholera —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	1	8	21	15	152	132	25	12	268	252	67	50	21	11
0—1	—	—	—	—	1	—	26	16	1	3	4	11	22	17	6	8
1—5	—	—	—	—	—	—	2	5	8	6	34	30	15	10	11	3
5—10	—	—	—	—	—	—	1	1	4	2	15	14	8	7	2	—
10—15	—	—	—	—	—	—	—	3	1	—	21	15	6	4	—	—
15—20	—	—	—	—	1	—	1	3	5	—	27	28	6	4	—	—
20—25	1	—	—	—	—	—	6	4	1	1	21	23	3	1	—	—
25—30	1	—	—	—	2	—	2	1	1	—	13	13	3	2	—	—
30—35	—	—	—	2	2	1	5	2	1	—	12	11	1	—	—	—
35—40	—	—	—	—	5	—	6	8	1	—	14	17	—	1	—	—
40—45	—	—	—	—	1	2	8	9	1	—	16	24	1	4	—	—
45—50	—	—	—	—	2	—	8	10	—	—	21	22	2	—	—	—
50—55	—	—	—	1	2	3	14	12	1	—	14	17	—	—	—	—
55—60	—	—	—	1	1	2	12	7	—	—	19	8	—	—	—	—
60—65	—	—	1	2	1	2	16	17	—	—	23	10	—	—	—	—
65—70	—	—	—	—	2	2	13	5	—	—	7	3	—	—	—	—
70—75	—	—	—	1	1	2	18	12	—	—	5	5	—	—	—	—
75—80	—	—	—	1	—	—	5	9	—	—	1	—	—	—	—	—
80 and upwards	—	—	—	—	—	1	9	8	—	—	1	1	—	—	2	—

* **17.** Plague —; **18.** Yellow Fever —; **19.** Spirochætosis ictero-hæmorrhagica 30; **20.** Leprosy —.

Causes of Death.	26* 27 Anthrax.		28* 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	1	21	3	19	18	8982	7092	7298	5537	617	592	372	373	112	98
0—1	—	—	2	—	5	7	223	202	23	28	104	103	57	35	—	2
1—5	—	—	1	—	1	1	699	568	137	75	306	271	132	118	10	6
5—10	—	—	2	—	1	—	207	232	41	88	77	79	39	26	5	2
10—15	—	—	5	—	—	—	242	390	100	232	48	64	29	31	18	13
15—20	—	—	3	—	—	1	580	911	445	777	33	32	35	34	11	7
20—25	—	—	1	—	4	—	915	975	800	875	20	18	22	35	13	8
25—30	—	—	—	1	—	1	746	808	677	735	6	9	17	29	8	8
30—35	1	—	—	—	1	1	752	675	701	622	4	6	9	18	7	3
35—40	—	—	2	—	1	—	852	580	806	537	7	3	3	11	6	9
40—45	1	1	1	—	—	2	948	522	904	484	4	1	5	12	5	7
45—50	2	—	—	—	—	2	908	393	860	357	2	5	11	7	9	6
50—55	—	—	1	1	1	—	745	307	712	283	3	—	7	7	5	7
55—60	1	—	1	—	2	1	495	180	470	161	1	1	4	3	7	6
60—65	—	—	—	—	1	—	332	170	309	149	—	—	2	—	4	6
65—70	1	—	—	1	2	—	228	97	211	77	2	—	—	3	3	6
70—75	—	—	2	—	—	1	83	52	78	39	—	—	—	3	—	1
75—80	—	—	—	—	—	1	22	18	20	11	—	—	—	—	1	1
80 and upwards	—	—	—	—	—	—	5	12	4	7	—	—	—	1	—	—

* **26.** Glanders —; **28.** Rabies —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only.)

Causes of Death.	Tuberculosis—*contd.*															
	35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	59	43	104	91	22	18	19	16	12	19	45	31	6	7	420	358
0—1	2	—	7	5	1	—	—	1	4	2	—	—	2	2	30	29
1—5	3	2	7	9	1	1	4	2	—	6	1	—	1	—	104	87
5—10	5	3	4	3	—	—	3	2	—	—	—	—	1	1	36	31
10—15	11	6	4	4	1	—	1	1	1	2	1	—	—	1	32	40
15—20	8	6	10	5	3	1	3	—	—	2	4	2	—	—	38	50
20—25	6	5	6	3	2	1	1	—	—	—	3	2	—	—	48	31
25—30	2	1	8	9	1	1	—	—	1	1	6	6	—	1	28	17
30—35	2	2	8	7	1	—	1	—	1	—	4	7	1	—	21	17
35—40	3	—	9	10	1	2	1	1	1	1	6	6	—	—	18	10
40—45	3	3	6	4	1	—	1	2	1	1	3	1	—	—	21	11
45—50	2	1	12	5	2	—	1	—	—	—	9	4	—	1	12	12
50—55	2	3	6	1	—	—	1	—	1	—	3	1	1	—	10	6
55—60	—	1	3	4	2	1	—	1	—	1	1	—	—	1	10	4
60—65	2	3	7	6	2	2	1	2	2	1	2	1	—	—	8	6
65—70	4	3	5	5	2	2	1	—	—	2	2	1	—	—	3	3
70—75	4	3	1	3	1	2	—	1	—	—	—	—	—	—	—	3
75—80	—	1	—	5	—	3	—	2	—	—	—	—	—	—	1	—
80 and upwards	—	—	1	3	1	2	—	1	—	—	—	—	—	—	—	1

Causes of Death.	Tuberculosis—*contd.*				38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42*		II. 43–69 General diseases not included in I. 1–42.	
	37 (*a*) Acute		37 (*b*) Chronic or unstated.				40 Gonococcal infection.						41 Purulent infection, septicæmia.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	162	148	258	210	366	245	16	5	10	4	6	1	99	69	9949	11968
0—1	15	18	15	11	207	145	6	1	—	—	6	1	9	9	116	88
1—5	54	38	50	49	18	22	—	—	—	—	—	—	8	4	156	135
5—10	15	18	21	13	—	1	—	—	—	—	—	—	4	3	84	75
10—15	13	14	19	26	3	1	—	—	—	—	—	—	5	4	110	120
15—20	11	17	27	33	—	3	—	—	—	—	—	—	14	1	100	120
20—25	8	14	40	17	1	3	—	1	—	1	—	—	5	6	100	102
25—30	11	6	17	11	5	5	1	—	1	—	—	—	5	5	100	122
30—35	9	4	12	13	6	6	—	—	—	—	—	—	6	6	134	212
35—40	6	2	12	8	19	10	—	1	—	1	—	—	6	1	193	409
40—45	7	4	14	7	14	15	3	1	3	1	—	—	2	6	314	689
45—50	3	6	9	6	25	2	2	1	2	1	—	—	6	3	651	970
50—55	4	3	6	3	14	13	3	—	3	—	—	—	5	2	1048	1264
55—60	4	1	6	3	21	7	—	—	—	—	—	—	6	6	1441	1399
60—65	1	1	7	5	18	2	1	—	1	—	—	—	2	2	1698	1686
65—70	—	1	3	2	6	4	—	—	—	—	—	—	9	4	1582	1590
70—75	—	1	—	2	7	3	—	—	—	—	—	—	5	4	1183	1385
75—80	1	—	—	—	2	2	—	—	—	—	—	—	1	1	623	928
80 and upwards	—	—	—	1	—	1	—	—	—	—	—	—	1	2	316	674

* **39.** Soft chancre —; **42.** Other infectious diseases —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only.)

Causes of Death.	Cancer, Malignant Disease.															
	43–49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7722	9066	961	133	2930	2313	1685	1769	—	2053	12	1692	242	146	1892	960
0—1	3	5	1	—	—	—	—	—	—	—	—	—	—	—	2	5
1—5	14	13	—	1	—	1	2	—	—	1	—	—	—	1	12	9
5—10	10	8	—	1	—	—	2	1	—	—	—	—	—	—	8	6
10—15	12	10	—	—	1	—	—	1	—	1	—	—	—	—	11	8
15—20	12	16	—	2	1	—	3	—	—	4	—	—	—	—	8	10
20—25	33	35	2	—	6	3	8	3	—	8	—	2	—	1	17	18
25—30	36	47	3	—	7	6	7	11	—	13	—	5	—	—	19	12
30—35	69	125	3	2	23	17	10	21	—	45	—	21	3	1	30	18
35—40	121	295	4	2	44	33	15	38	—	115	1	68	7	3	50	36
40—45	233	527	14	4	100	85	42	60	—	197	2	110	2	9	73	62
45—50	513	796	65	10	199	148	97	113	—	245	1	206	8	2	143	72
50—55	860	1037	134	11	335	216	164	151	—	326	1	210	20	11	206	112
55—60	1250	1153	176	12	504	283	260	186	—	279	2	263	32	15	276	115
60—65	1433	1333	184	20	535	377	305	274	—	287	2	214	39	19	368	142
65—70	1343	1273	165	22	524	403	322	286	—	243	2	185	41	15	289	119
70—75	1013	1118	109	15	379	360	257	310	—	154	1	175	49	16	218	88
75—80	516	728	64	15	189	232	125	186	—	81	—	125	25	25	113	64
80 and upwards	251	547	37	16	83	149	66	128	—	54	—	108	16	28	49	64

Causes of Death.	50 Tumours not returned as malignant (tumours of brain and female genital organs excptd).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	120	104	279	351	266	512	9	7	150	98	604	731	376	559	343	502
0—1	1	—	1	—	—	—	3	2	54	31	—	—	2	2	2	—
1—5	1	4	9	17	—	—	3	5	84	59	3	1	9	7	2	5
5—10	—	—	26	49	1	—	1	—	6	1	1	2	3	1	2	—
10—15	2	—	56	84	—	—	—	—	3	1	10	9	1	2	—	2
15—20	—	—	39	50	1	2	—	—	2	3	18	14	7	10	7	6
20—25	2	2	18	19	2	—	—	—	—	—	18	21	8	3	7	2
25—30	2	4	19	15	3	2	1	—	—	1	21	15	4	16	3	14
30—35	4	1	15	16	3	5	—	—	—	—	15	18	4	21	2	17
35—40	3	6	15	16	5	6	1	—	—	1	18	20	11	30	10	25
40—45	1	4	19	22	10	11	—	—	—	1	10	30	15	47	14	44
45—50	10	12	20	17	12	18	—	—	1	—	30	21	29	64	27	56
50—55	10	9	16	12	20	26	—	—	—	—	55	60	61	65	59	62
55—60	23	7	10	11	17	40	—	—	—	—	57	82	54	70	49	66
60—65	20	16	6	9	32	80	—	—	—	—	109	114	70	92	66	87
65—70	18	8	4	7	51	81	—	—	—	—	91	133	54	51	53	47
70—75	13	13	2	4	49	89	—	—	—	—	73	98	27	37	26	35
75—80	6	9	3	2	31	87	—	—	—	—	49	59	12	31	11	27
80 and upwards	4	9	1	1	29	65	—	—	—	—	26	34	5	10	3	7

* **54.** Pellagra 55, 65, *35, 50;* **55.** Beri-beri —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	58 (*b*) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	33	57	31	245	13	145	18	100	30	25	21	39	3	5	179	117
0—1	—	2	—	2	—	—	—	2	20	17	—	—	—	—	3	1
1—5	7	2	1	6	—	1	1	5	3	4	—	—	—	—	10	10
5—10	1	1	—	2	—	—	—	2	5	—	—	—	1	—	20	5
10—15	1	—	—	5	—	—	—	5	1	1	—	—	—	—	20	6
15—20	—	4	4	6	—	4	4	2	—	—	3	—	—	—	10	13
20—25	1	1	4	10	2	9	2	1	1	1	—	3	2	—	8	5
25—30	1	2	2	11	2	10	—	1	—	—	—	1	—	—	10	3
30—35	2	4	2	13	—	11	2	2	—	1	3	3	—	1	11	6
35—40	1	5	—	18	—	15	—	3	—	—	2	3	—	—	9	7
40—45	1	3	1	23	1	18	—	5	—	1	4	5	—	2	12	11
45—50	2	8	6	29	5	24	1	5	—	—	—	9	—	—	15	2
50—55	2	3	2	29	1	22	1	7	—	—	1	4	—	1	12	12
55—60	5	4	1	22	1	12	—	10	—	—	2	4	—	—	14	7
60—65	4	5	2	27	—	13	2	14	—	—	3	3	—	—	8	8
65—70	1	4	3	17	1	3	2	14	—	—	3	2	—	1	10	11
70—75	1	2	1	15	—	2	1	13	—	—	—	1	—	—	4	5
75—80	1	4	2	4	—	—	2	4	—	—	—	1	—	—	3	5
80 and upwards	2	3	—	6	—	1	—	5	—	—	—	—	—	—	—	—

* **59.** Diseases of the pituitary gland 35, 45, *5, 40, 65, 70*; **61.** 1. Tetany 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 5, *0, 0, 0, 0, 0, 1, 1, 1, 5, 3*
2. Other diseases of the parathyroid glands.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70–86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	96	73	83	44	34	11	27	2	80	79	8012	8035	54	51	433	33
0—1	3	1	—	—	—	—	—	—	20	23	833	549	2	2	114	7
1—5	9	7	1	3	—	—	—	—	17	6	320	290	3	7	140	10
5—10	11	1	9	4	—	—	—	—	9	5	105	91	2	1	44	2
10—15	10	3	10	3	—	—	—	—	5	2	115	110	3	2	19	3
15—20	6	11	4	2	—	—	—	—	4	6	135	90	10	6	27	
20—25	2	4	6	1	—	—	—	—	4	3	99	81	3	5	7	
25—30	4	2	6	1	—	—	—	—	2	7	78	109	3	1	6	
30—35	7	3	4	3	3	—	2	—	3	1	128	95	3	4	4	
35—40	4	2	5	5	5	1	—	—	2	5	185	137	2	3	3	
40—45	6	9	6	2	4	2	2	—	3	2	318	213	9	3	10	
45—50	8	2	7	—	8	1	4	—	2	1	439	337	4	4	10	
50—55	5	9	7	3	2	2	7	1	2	5	530	463	3	—	8	
55—60	10	4	4	3	2	2	6	1	3	—	703	646	3	5	6	
60—65	6	4	2	4	6	—	5	—	3	4	885	837	3	4	10	
65—70	4	6	6	5	2	1	1	—	1	3	998	981	—	3	5	
70—75	1	3	3	2	1	1	—	—	—	3	994	1179	1	—	12	
75—80	—	2	3	3	1	1	—	—	—	1	683	931	—	—	5	
80 and upwards	—	—	—	—	—	—	—	—	—	2	464	896	—	1	3	

* **68.** Chronic poisoning by organic substances —; 55, 60, *65*.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	235	46	262	185	3909	4847	3473	4247	436	600	339	428	296	367	43	61
0—1	—	—	—	—	1	—	1	—	—	—	1	—	1	—	—	—
1—5	1	—	—	2	2	—	2	—	—	—	1	2	—	1	1	1
5—10	—	—	2	1	3	1	3	1	—	—	—	—	—	—	—	—
10—15	—	—	7	5	4	3	3	1	1	2	—	—	—	—	—	—
15—20	—	—	3	1	8	3	6	1	2	2	1	1	1	—	—	1
20—25	1	—	3	5	6	3	5	1	1	2	—	—	—	—	—	—
25—30	—	1	6	4	8	15	8	13	—	2	1	—	1	—	—	—
30—35	3	3	6	4	15	13	13	7	2	6	3	2	1	—	2	2
35—40	5	1	13	9	25	37	20	27	5	10	2	4	1	3	1	1
40—45	20	3	21	10	77	81	70	70	7	11	2	5	1	4	1	1
45—50	24	4	24	20	145	181	130	156	15	25	15	11	13	9	2	2
50—55	42	11	35	13	233	293	213	267	20	26	11	18	9	14	2	4
55—60	43	10	38	29	406	420	360	374	46	46	21	30	18	26	3	4
60—65	44	5	45	26	570	607	510	549	60	58	46	51	40	46	6	5
65—70	40	4	25	23	704	758	631	684	73	74	77	58	70	48	7	10
70—75	11	2	18	14	774	947	689	839	85	108	72	104	63	94	9	10
75—80	1	1	10	9	548	741	495	648	53	93	52	76	45	66	7	10
80 and upwards	—	1	6	10	380	744	314	609	66	135	34	66	32	56	2	10

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	528	111	130	200	360	345	775	537	10	36	32	58	145	144	557	535
0—1	—	—	—	—	6	3	673	429	—	—	—	—	—	—	12	19
1—5	—	—	—	—	17	13	94	99	—	1	—	—	—	—	28	25
5—10	—	—	1	—	8	8	4	3	3	10	1	—	—	—	14	16
10—15	1	—	—	1	21	20	2	3	—	10	—	—	—	—	22	13
15—20	—	2	3	4	36	21	—	—	2	9	1	—	—	—	17	14
20—25	5	1	4	7	37	35	—	—	2	3	—	—	—	—	12	15
25—30	6	6	3	8	21	36	—	—	1	—	—	1	1	—	7	21
30—35	26	5	8	8	26	21	—	—	—	1	—	2	—	—	20	19
35—40	75	19	4	8	19	17	—	—	—	—	—	—	3	1	29	24
40—45	102	21	11	13	22	18	—	—	1	2	—	4	1	1	27	37
45—50	116	13	17	25	23	17	—	—	1	—	4	4	3	1	45	43
50—55	87	18	10	24	24	23	1	1	—	—	4	6	6	3	59	43
55—60	56	8	28	30	26	31	—	1	—	—	9	11	9	14	55	45
60—65	23	8	15	29	28	30	—	1	—	—	8	8	31	10	59	47
65—70	20	5	13	19	19	20	—	—	—	—	3	7	28	27	56	46
70—75	8	—	10	11	14	19	—	—	—	—	1	7	29	18	43	52
75—80	2	4	3	8	9	9	1	—	—	—	—	5	20	41	32	31
80 and upwards	1	1	—	5	4	4	—	—	—	—	1	3	14	28	20	25

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Pericarditis.		88 Acute endocarditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	12	14	231	168	12778	13438	8897	10644	74	59	356	373	399	153	8068	10059
0—1	—	—	24	18	11	7	3	3	3	3	—	—	—	—	—	—
1—5	3	3	31	29	27	28	26	24	7	6	5	7	—	—	14	11
5—10	—	2	23	25	55	61	55	60	2	4	18	21	—	—	35	35
10—15	1	1	35	21	79	114	78	113	7	4	18	20	—	—	53	89
15—20	1	—	26	20	124	146	119	144	5	3	31	32	—	—	83	109
20—25	—	—	19	5	125	167	120	165	3	4	25	45	—	—	92	116
25—30	—	—	15	7	120	197	116	191	2	1	30	35	—	—	84	155
30—35	1	—	13	6	159	223	153	213	2	1	38	27	1	—	112	185
35—40	—	—	5	7	250	307	233	290	4	5	47	39	4	1	178	245
40—45	—	—	15	7	399	412	348	388	2	3	46	57	13	4	287	324
45—50	—	—	8	8	613	556	514	500	6	4	21	17	31	7	456	472
50—55	1	—	6	5	951	790	746	693	5	5	16	15	55	8	670	665
55—60	—	1	3	4	1243	993	930	849	7	2	15	14	69	16	839	817
60—65	2	1	1	2	1682	1485	1182	1247	10	2	18	13	72	31	1082	1201
65—70	2	2	6	3	2005	1819	1353	1435	6	4	5	9	73	25	1269	1397
70—75	—	1	1	1	2132	2134	1299	1623	2	6	12	12	46	21	1239	1584
75—80	—	1	—	—	1518	2009	925	1438	1	2	6	6	24	22	894	1408
80 and upwards	1	2	—	—	1285	1990	697	1268	—	—	5	4	11	18	681	1246

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3766	4794	3033	3666	1269	1599	3769	2634	314	57	3429	2545	993	876	2436	1669
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	10	7	1	—	3	4	—	—	—	—	—	—	—	—	—	—
5—10	31	29	2	—	2	6	—	—	—	—	—	—	—	—	—	—
10—15	46	79	1	—	6	10	—	1	—	1	—	—	—	—	—	—
15—20	69	92	5	2	9	15	—	—	—	—	—	—	—	—	—	—
20—25	81	95	3	5	8	16	3	1	—	—	3	1	1	—	2	1
25—30	68	133	10	9	6	13	3	2	2	1	1	1	—	—	1	1
30—35	82	134	19	15	11	36	6	1	4	—	2	—	—	—	2	—
35—40	128	182	27	31	23	32	9	10	2	2	7	6	4	2	3	4
40—45	179	231	54	54	54	39	46	14	21	2	23	12	8	5	15	7
45—50	287	286	109	121	60	65	93	46	42	7	50	35	25	25	25	10
50—55	375	376	202	192	93	97	192	73	55	6	133	66	61	45	72	21
55—60	418	428	307	268	114	121	301	126	61	12	237	114	104	71	133	43
60—65	500	597	412	417	170	187	480	222	47	7	427	206	146	104	281	102
65—70	534	631	511	513	224	253	641	361	42	7	594	351	198	137	396	214
70—75	484	619	522	681	233	284	817	501	21	7	794	492	214	178	580	314
75—80	294	537	453	653	147	218	592	566	14	5	578	556	125	137	453	419
80 and upwards	180	338	395	705	106	203	586	710	3	—	580	705	107	172	473	533

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96*	95 Hæmorrhage without stated cause.	V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	26	32	58	57	34	81	13	16	7	6	17433	15568	38	20	99	42
0—1	—	—	1	—	—	—	6	4	1	—	3469	2537	7	7	26	9
1—5	—	—	—	1	—	—	1	2	—	1	2601	2307	2	—	41	14
5—10	—	—	—	—	—	—	—	1	—	—	226	215	—	2	11	5
10—15	—	—	1	—	—	—	—	—	—	—	127	96	3	—	2	1
15—20	—	—	3	1	1	—	—	1	1	—	164	103	5	—	1	1
20—25	—	—	—	1	—	—	2	—	—	—	221	135	1	1	—	—
25—30	—	—	—	3	1	1	—	—	—	—	227	141	—	2	1	—
30—35	—	1	—	6	—	2	—	1	—	—	318	199	1	1	—	1
35—40	—	2	6	3	1	4	1	—	—	—	478	239	3	1	1	1
40—45	2	—	3	4	2	6	—	—	—	—	644	296	6	—	2	—
45—50	1	4	2	4	3	5	—	1	1	—	837	397	2	—	1	—
50—55	4	1	8	8	4	13	—	1	1	2	860	543	—	2	1	2
55—60	3	—	7	4	4	12	1	2	—	—	995	720	2	—	2	—
60—65	6	9	12	8	6	7	1	1	1	—	1229	1001	2	—	2	1
65—70	5	3	4	5	5	16	1	1	1	1	1407	1290	2	—	2	3
70—75	2	2	9	3	6	7	—	—	1	—	1500	1769	2	—	—	1
75—80	—	5	1	3	—	1	—	—	—	1	1125	1654	—	3	3	1
80 and upwards	3	5	1	3	1	7	—	1	—	1	1005	1926	—	1	3	2

* **96.** Other diseases of the circulatory system —.

Causes of Death.	99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, or not otherwise defined).		101 (*a*) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7070	7698	1619	2157	2523	2173	2928	3368	9303	7038	5090	4415	4213	2623	2492	1445
0—1	997	765	470	382	9	10	518	373	2409	1730	2048	1476	361	254	124	86
1—5	366	333	196	170	11	7	159	156	2136	1931	1729	1571	407	360	173	162
5—10	21	17	13	8	4	—	4	9	184	185	96	97	88	88	55	51
10—15	12	8	4	2	3	2	5	4	101	82	32	31	69	51	45	28
15—20	17	14	1	3	9	5	7	6	130	79	21	21	109	58	77	34
20—25	18	25	4	12	9	9	5	4	177	96	18	25	159	71	113	52
25—30	27	24	2	3	19	12	6	9	181	99	31	21	150	78	109	50
30—35	41	28	8	7	22	12	11	9	255	148	33	35	222	113	160	83
35—40	85	48	24	20	32	10	29	18	345	169	69	50	276	119	187	82
40—45	161	83	31	25	72	28	58	30	408	181	71	45	337	136	213	93
45—50	271	131	42	28	139	48	90	55	482	222	101	77	381	145	243	96
50—55	318	262	48	62	155	109	115	91	459	222	109	72	350	150	233	99
55—60	436	367	71	95	200	137	165	135	449	294	120	101	329	193	208	117
60—65	704	624	86	149	355	251	263	224	426	308	123	134	303	174	192	97
65—70	866	869	121	225	433	301	312	343	444	339	154	153	290	186	168	93
70—75	1086	1287	170	301	479	426	437	560	340	390	138	196	202	194	108	103
75—80	844	1253	163	300	313	380	368	573	221	310	103	174	118	136	56	67
80 and upwards	800	1560	165	365	259	426	376	769	156	253	94	136	62	117	28	52

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only.)

Causes of Death.	101 (*b*) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1721	1178	269	173	161	222	13	9	336	312	59	17	85	37	56	13
0—1	237	168	6	4	22	19	—	—	1	—	—	—	1	3	—	—
1—5	234	198	42	22	9	5	—	—	3	2	1	—	1	—	—	—
5—10	33	37	3	2	4	2	1	—	1	2	—	—	1	—	—	—
10—15	24	23	5	5	1	—	—	—	2	—	—	—	1	—	1	—
15—20	32	24	7	6	2	1	—	1	1	1	—	—	1	—	—	—
20—25	46	19	12	9	3	1	1	1	2	1	4	—	3	1	1	—
25—30	41	28	10	5	—	1	1	—	6	10	—	—	1	—	—	—
30—35	62	30	12	8	1	2	1	—	6	9	—	—	1	2	—	—
35—40	89	37	14	9	4	1	3	1	17	9	2	—	4	—	2	—
40—45	124	43	15	7	2	2	1	3	32	15	5	1	12	4	6	1
45—50	138	49	26	15	6	3	2	2	29	18	6	1	12	5	8	1
50—55	117	51	22	8	8	5	2	1	38	35	3	2	9	4	9	4
55—60	121	76	32	12	6	6	1	—	49	38	5	2	13	1	9	—
60—65	111	77	23	9	9	11	—	—	41	41	13	2	9	5	8	4
65—70	122	93	21	20	10	10	—	—	45	42	7	4	10	3	8	1
70—75	94	91	10	7	20	36	—	—	35	45	4	—	3	3	3	—
75—80	62	69	5	13	24	41	—	—	20	28	5	2	3	3	1	1
80 and upwards	34	65	4	12	30	76	—	—	8	16	4	3	—	3	—	1

Causes of Death.	107 (*b*) Diseases of the mediastinum.		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	2	28	22	5133	4290	81	91	44	54	37	37	88	78	11	7
0—1	—	—	1	3	1536	1057	15	11	8	4	7	7	9	8	—	—
1—5	—	—	1	—	476	403	5	10	2	7	3	3	26	18	1	—
5—10	—	—	1	—	109	107	4	4	3	2	1	2	15	6	—	—
10—15	—	—	—	—	106	78	4	1	2	—	2	1	7	6	—	—
15—20	—	—	1	—	102	63	2	3	1	3	1	—	2	1	—	1
20—25	—	—	2	1	102	74	2	5	2	4	—	1	7	5	—	—
25—30	—	—	1	—	78	85	3	—	2	—	1	—	3	4	—	—
30—35	—	—	1	2	119	88	4	6	3	5	1	1	1	4	—	—
35—40	—	—	2	—	166	135	7	7	5	6	2	1	3	3	—	—
40—45	1	—	5	3	195	161	4	6	2	3	2	3	4	2	1	—
45—50	—	—	4	4	303	224	3	5	2	4	1	1	3	3	—	—
50—55	—	—	—	—	341	233	5	5	4	4	1	1	—	2	—	—
55—60	—	—	4	1	313	295	6	5	2	2	4	3	—	3	1	1
60—65	—	—	1	1	370	269	2	3	1	3	1	—	1	1	—	2
65—70	—	—	2	2	318	294	10	4	3	1	7	3	2	5	5	1
70—75	—	1	—	2	237	260	—	11	—	4	—	7	1	5	2	—
75—80	—	—	2	2	148	246	3	3	1	1	2	2	3	2	—	—
80 and upwards	—	1	—	1	114	218	2	2	1	1	1	1	1	—	1	2

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa. and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	753	286	495	235	258	51	425	364	1754	1471	5	5	518	418	717	708
0—1	2	1	1	—	1	1	149	93	1234	875	—	—	1	1	110	52
1—5	—	—	—	—	—	—	44	28	316	285	—	2	37	21	30	24
5—10	—	—	—	—	—	—	7	4	22	24	—	1	46	41	9	8
10—15	—	1	—	1	—	—	4	3	10	10	—	—	63	46	13	7
15—20	9	3	7	3	2	—	5	1	3	6	—	—	53	40	19	3
20—25	15	8	10	8	5	—	1	2	4	10	1	—	51	24	14	7
25—30	27	12	12	8	15	4	3	4	7	13	—	—	19	24	8	11
30—35	47	12	28	10	19	2	9	3	4	15	2	1	29	16	15	12
35—40	67	27	42	19	25	8	10	5	5	14	—	—	25	27	27	21
40—45	84	37	64	31	20	6	6	8	12	15	—	—	34	31	13	24
45—50	114	37	83	32	31	5	13	13	19	7	—	—	36	30	34	51
50—55	96	41	64	31	32	10	22	18	14	17	1	—	29	26	62	56
55—60	89	36	64	32	25	4	19	14	14	25	—	—	28	32	47	65
60—65	83	18	46	16	37	2	31	16	16	21	1	—	31	19	70	75
65—70	74	23	43	21	31	2	29	21	12	28	—	—	16	15	78	93
70—75	24	13	17	12	7	1	35	36	22	30	—	1	14	12	77	81
75—80	14	10	9	7	5	3	19	47	22	31	—	—	6	8	52	66
80 and upwards	8	7	5	4	3	3	19	48	18	45	—	—	—	5	39	52

* **115.** Ankylostomiasis —; *116* (*a*) Cestodes (hydatids of the liver excepted), 20, 30, 50, 60, *30*, *70*; (*c*) Nematodes, 30, *1*, *5*; (*f*) Undefined parasites, *1*.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	269	335	448	373	81	67	3	26	2	5	368	189	33	13	335	176
0—1	21	4	89	48	10	8	—	—	—	—	—	1	—	—	—	1
1—5	3	1	27	23	6	1	—	1	—	—	2	—	—	—	2	—
5—10	1	1	8	7	—	1	—	—	—	—	1	—	—	—	1	—
10—15	1	—	12	7	2	—	—	—	—	—	1	—	—	—	1	—
15—20	—	—	19	3	1	1	—	—	—	1	1	—	—	—	1	—
20—25	2	1	12	6	2	—	—	8	1	—	—	—	—	—	—	—
25—30	1	—	7	11	2	2	1	3	—	—	—	—	—	—	—	—
30—35	3	2	12	10	2	1	—	2	—	—	2	4	—	—	2	4
35—40	6	9	21	12	1	2	—	5	—	—	8	7	2	2	6	5
40—45	9	11	4	13	7	—	—	3	—	—	15	9	—	—	15	9
45—50	7	29	27	22	3	2	—	1	—	1	51	34	7	3	44	31
50—55	25	29	37	27	6	3	—	—	—	—	66	23	8	2	58	21
55—60	17	40	30	25	11	6	2	—	—	2	58	32	3	3	55	29
60—65	34	53	36	22	9	7	—	2	—	—	79	29	6	2	73	27
65—70	49	62	29	31	8	5	—	—	—	—	48	28	6	1	42	27
70—75	43	39	34	42	3	6	—	—	1	1	28	11	—	—	28	11
75—80	27	36	25	30	5	10	—	—	—	—	3	7	1	—	2	7
80 and upwards	20	18	19	34	3	12	—	1	—	—	5	4	—	—	5	4

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	93	270	132	186	51	58	51	61	3533	2629	251	242	1989	1782	125	125
0—1	—	1	2	3	—	1	4	2	32	19	11	8	—	—	5	4
1—5	—	—	5	4	—	—	4	9	45	29	27	16	8	8	3	4
5—10	—	—	1	4	—	1	4	13	32	24	21	15	9	7	1	2
10—15	—	—	—	2	1	—	1	2	34	36	10	11	21	23	2	1
15—20	—	—	2	1	—	—	5	2	46	35	12	13	31	17	1	1
20—25	—	2	—	—	1	1	3	2	49	70	14	12	26	27	4	10
25—30	1	1	3	2	1	2	—	7	71	85	17	12	40	37	6	5
30—35	2	4	—	3	—	2	2	3	74	98	8	15	48	43	5	2
35—40	2	9	5	3	3	1	3	4	81	127	16	19	55	58	2	11
40—45	3	9	4	8	6	5	2	4	166	167	15	13	121	90	9	6
45—50	7	22	9	7	5	9	6	2	202	246	19	19	132	147	17	8
50—55	12	23	18	10	8	5	2	4	291	250	21	25	206	177	12	11
55—60	12	39	13	23	8	11	5	1	356	262	13	12	259	205	12	11
60—65	17	44	16	25	6	6	8	1	434	265	16	14	271	204	14	14
65—70	12	34	17	27	6	9	1	1	508	317	15	19	280	264	11	9
70—75	11	31	16	19	3	1	—	2	488	274	7	9	238	223	14	9
75—80	8	32	10	25	2	3	1	2	359	163	4	8	156	122	5	8
80 and upwards	6	19	11	20	1	1	—	—	265	162	5	2	88	130	2	9

* **127.** Other diseases of the digestive system — ; **130.** Chyluria —.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, &c.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	72	28	219	64	144	5	118	—	26	5	706	—	27	—	—	92
0—1	—	—	—	1	—	—	—	—	—	—	—	—	16	—	—	—
1—5	1	—	—	—	1	—	—	—	1	—	—	—	5	—	—	—
5—10	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	1
20—25	4	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
25—30	5	3	2	3	1	1	1	—	—	1	—	—	—	—	—	5
30—35	9	2	2	—	2	—	1	—	1	—	—	—	—	—	—	4
35—40	3	1	2	1	2	1	2	—	—	1	1	—	—	—	—	3
40—45	7	3	4	—	8	1	7	—	1	1	2	—	—	—	—	14
45—50	5	7	9	4	17	—	17	—	—	—	2	—	1	—	—	6
50—55	7	3	9	5	20	—	11	—	9	—	15	—	1	—	—	6
55—60	8	6	15	5	19	—	16	—	3	—	29	—	1	—	—	5
60—65	7	—	23	7	27	2	23	—	4	2	75	—	1	—	—	9
65—70	7	1	46	6	24	—	20	—	4	—	125	—	—	—	—	9
70—75	5	—	28	9	14	—	12	—	2	—	182	—	—	—	—	18
75—80	2	—	29	8	7	—	7	—	—	—	156	—	—	—	—	7
80 and upwards	1	2	49	13	1	—	1	—	—	—	119	—	—	—	—	5

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	102	—	124	—	10	—	46	—	9	—	1033	—	127	—	40
0—1	—	—	—	—	—	—	—	2	—	4	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	3	—	—	—	—	—	—	—	—	—	13	—	1	—	—
20—25	—	13	—	—	—	2	—	3	—	2	—	155	—	14	—	2
25—30	—	18	—	—	—	—	—	1	—	—	—	232	—	22	—	4
30—35	—	18	—	10	—	—	—	4	—	—	—	269	—	39	—	15
35—40	—	16	—	12	—	2	—	2	—	1	—	222	—	28	—	11
40—45	—	13	—	21	—	2	—	3	—	1	—	122	—	19	—	7
45—50	—	10	—	38	—	—	—	7	—	—	—	18	—	3	—	1
50—55	—	6	—	12	—	1	—	4	—	—	—	2	—	1	—	—
55—60	—	—	—	10	—	1	—	7	—	—	—	—	—	—	—	—
60—65	—	4	—	6	—	1	—	3	—	1	—	—	—	—	—	—
65—70	—	1	—	4	—	1	—	3	—	—	—	—	—	—	—	—
70—75	—	—	—	3	—	—	—	3	—	—	—	—	—	—	—	—
75—80	—	—	—	7	—	—	—	3	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal haemorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	22	—	65	—	134	—	109	—	397	—	84	—	171	—	8
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	1	—	1	—	1	—	6	—	2	—	2	—	—
20—25	—	1	—	11	—	5	—	18	—	64	—	10	—	43	—	1
25—30	—	5	—	13	—	22	—	19	—	105	—	22	—	35	—	5
30—35	—	10	—	14	—	38	—	28	—	101	—	23	—	38	—	1
35—40	—	2	—	15	—	41	—	22	—	86	—	14	—	30	—	1
40—45	—	3	—	9	—	23	—	17	—	34	—	9	—	20	—	—
45—50	—	—	—	2	—	4	—	3	—	1	—	4	—	3	—	—
50—55	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

***150.** Puerperal diseases of the breast *25, 25, 30.*

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only.)

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	585	473	206	179	73	37	135	90	171	167	181	110	125	77	45	30
0—1	136	94	7	2	6	3	27	16	96	73	12	8	5	7	7	1
1—5	27	13	1	4	2	—	13	3	11	6	20	15	18	12	2	2
5—10	4	1	—	1	—	—	3	—	1	—	25	14	21	11	4	3
10—15	6	7	—	1	3	2	2	3	1	1	39	17	34	11	4	6
15—20	11	5	—	—	5	3	5	2	1	—	17	7	14	5	3	2
20—25	6	4	2	—	1	1	2	3	1	—	5	2	3	1	2	1
25—30	13	5	—	—	3	2	7	2	3	1	4	1	3	1	1	—
30—35	6	3	1	—	3	—	1	3	1	—	2	2	—	2	2	—
35—40	11	4	1	1	3	2	5	1	2	—	4	5	2	4	—	1
40—45	7	14	—	1	3	7	3	3	1	3	6	4	3	2	3	2
45—50	14	18	—	4	3	4	10	6	1	4	3	7	2	4	1	2
50—55	23	15	—	2	8	1	11	8	4	4	9	3	4	3	4	—
55—60	30	22	4	4	9	1	10	6	7	11	4	7	2	4	—	3
60—65	43	28	13	8	9	2	12	9	9	9	10	5	5	4	4	1
65—70	60	39	32	15	7	2	9	10	12	12	9	6	6	1	1	5
70—75	62	48	41	27	5	2	8	7	8	12	8	4	3	3	4	1
75—80	62	53	49	34	2	3	4	5	7	11	3	3	—	2	2	—
80 and upwards	64	100	55	75	1	2	3	3	5	20	1	—	—	—	1	—

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	3	682	534	4613	3456	1108	723	3170	2420	2927	2288	243	132	296	267
0—1	—	—	616	470	4613	3456	1108	723	3170	2420	2927	2288	243	132	296	267
1—5	—	1	34	27	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	10	7	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	6	10	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	5	6	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	5	4	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
35—40	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
50—55	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	2	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
60—65	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **157.** Amputation —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only.)

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	39	46	2884	4404	3739	1852	827	363	77	66	160	92	161	44	148	93
0—1	39	46	—	—	141	146	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	311	210	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	193	81	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	121	42	1	—	—	—	—	—	—	—	1	—
15—20	—	—	—	—	190	52	10	5	—	1	1	1	7	—	2	3
20—25	—	—	—	—	195	62	33	22	9	6	4	3	7	1	7	8
25—30	—	—	—	—	190	73	30	32	2	10	6	6	4	2	6	9
30—35	—	—	—	—	184	50	42	17	5	8	7	2	5	2	5	3
35—40	—	—	—	—	228	73	54	42	6	9	13	11	3	4	9	10
40—45	—	—	—	—	242	89	93	37	8	5	21	12	16	3	18	10
45—50	—	—	1	—	314	102	109	51	5	8	13	18	24	5	25	11
50—55	—	—	3	—	297	99	118	47	11	6	26	12	26	6	12	15
55—60	—	—	8	7	303	113	109	46	12	3	22	14	23	8	18	10
60—65	—	—	48	60	257	97	97	31	11	4	17	7	24	9	19	4
65—70	—	—	158	165	214	99	63	17	5	2	18	2	10	3	15	9
70—75	—	—	590	670	156	117	42	5	3	1	8	2	6	1	8	—
75—80	—	—	765	1110	106	141	18	8	—	3	2	1	5	—	2	—
80 and upwards	—	—	1311	2392	97	206	8	3	—	—	2	1	1	—	1	1

Causes of Death.	Suicide—*continued.* 170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	22	—	190	42	22	11	46	9	1	6	2875	1450	10	8	1	—
0—1	—	—	—	—	—	—	—	—	—	—	134	132	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	308	207	1	1	—	—
5—10	—	—	—	—	—	—	—	—	—	—	191	77	1	3	—	—
10—15	—	—	—	—	—	—	—	—	—	—	119	41	—	1	—	—
15—20	—	—	—	—	—	—	—	—	—	—	179	47	1	—	—	—
20—25	—	—	3	2	—	—	3	—	—	2	161	37	—	—	—	—
25—30	2	—	6	2	—	1	4	1	—	1	158	35	2	1	—	—
30—35	—	—	14	1	1	1	5	—	—	—	139	31	—	—	—	—
35—40	3	—	13	6	2	1	5	—	—	1	174	29	—	—	—	—
40—45	3	—	19	3	2	—	6	3	—	1	146	51	1	—	—	—
45—50	3	—	33	7	2	1	4	1	—	—	203	51	1	—	—	—
50—55	3	—	27	4	5	2	8	2	—	—	172	52	3	1	—	—
55—60	3	—	23	6	2	2	6	2	—	1	194	66	—	—	—	—
60—65	1	—	20	6	3	1	1	—	1	—	158	65	—	—	—	—
65—70	4	—	9	1	1	—	1	—	—	—	151	81	—	1	—	—
70—75	—	—	11	1	4	—	2	—	—	—	113	112	—	—	1	—
75—80	—	—	8	2	—	2	1	—	—	—	87	133	—	—	—	—
80 and upwards	—	—	4	1	—	—	—	—	—	—	88	203	—	—	—	—

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27	22	9	4	289	366	122	105	38	19	416	98	4	1	6	—
0—1	1	—	—	—	19	19	95	97	—	—	4	5	—	—	1	—
1—5	5	—	1	—	185	135	5	—	—	1	23	4	—	—	—	—
5—10	2	—	1	—	20	29	2	1	—	—	42	7	—	—	—	—
10—15	3	1	—	—	3	16	—	1	—	—	17	2	1	—	—	—
15—20	1	1	—	—	2	11	1	—	2	2	30	9	—	—	1	—
20—25	2	2	—	—	4	12	1	1	3	2	26	4	2	—	1	—
25—30	1	3	2	—	2	10	3	—	2	—	25	6	1	—	—	—
30—35	—	—	—	—	1	4	1	1	3	1	20	10	—	—	—	—
35—40	2	1	—	1	3	7	3	—	4	—	27	4	—	—	—	—
40—45	—	2	1	—	6	9	3	1	—	1	30	12	—	1	—	—
45—50	2	4	—	—	5	8	—	—	4	—	38	12	—	—	2	—
50—55	1	1	—	—	4	9	1	—	5	2	30	7	—	—	—	—
55—60	5	2	—	1	1	11	1	—	4	—	33	4	—	—	—	—
60—65	2	1	1	1	3	14	2	1	3	—	30	6	—	—	1	—
65—70	—	2	1	—	6	8	1	2	3	3	21	3	—	—	—	—
70—75	—	—	1	—	9	22	2	—	1	1	8	2	—	—	—	—
75—80	—	1	1	1	5	26	1	—	1	4	6	1	—	—	—	—
80 and upwards	—	1	—	—	11	16	—	—	3	2	6	—	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	514	466	155	—	94	3	1055	317	11	—	21	—	2	—	2	3
0—1	9	4	—	—	—	—	—	2	—	—	—	—	—	—	—	—
1—5	15	12	—	—	—	—	64	52	2	—	—	—	—	—	—	—
5—10	11	1	—	—	—	—	107	34	—	—	—	—	—	—	—	—
10—15	11	5	4	—	1	1	72	13	1	—	—	—	—	—	—	—
15—20	25	3	18	—	9	—	77	19	2	—	—	—	—	—	—	—
20—25	10	3	15	—	3	—	84	9	1	—	—	—	—	—	—	—
25—30	18	1	16	—	11	1	62	8	—	—	6	—	—	—	—	—
30—35	17	2	18	—	4	—	65	9	—	—	6	—	—	—	—	—
35—40	29	4	20	—	13	—	61	10	1	—	5	—	—	—	—	—
40—45	18	4	15	—	10	—	51	17	—	—	2	—	1	—	1	—
45—50	37	12	16	—	8	1	81	13	1	—	2	—	—	—	—	1
50—55	36	12	9	—	13	—	63	18	—	—	—	—	—	—	—	—
55—60	40	24	10	—	7	—	85	23	1	—	—	—	1	—	—	—
60—65	38	21	9	—	10	—	52	21	—	—	—	—	—	—	1	—
65—70	60	37	5	—	4	—	46	24	—	—	—	—	—	—	—	—
70—75	49	66	—	—	1	—	37	18	—	—	—	—	—	—	—	—
75—80	38	84	—	—	—	—	34	15	1	—	—	—	—	—	—	1
80 and upwards	53	171	—	—	—	—	14	12	1	—	—	—	—	—	—	1

* 191. Execution of civilians by belligerent armies — .

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	1	10	—	37	39	—	—	3	6	34	33	15	2
0—1	1	—	—	—	7	14	—	—	—	—	7	14	1	—
1—5	1	—	—	—	3	3	—	—	1	1	2	2	—	—
5—10	1	—	—	—	2	4	—	—	—	—	2	4	—	—
10—15	—	—	1	—	1	1	—	—	—	—	1	1	—	—
15—20	—	—	2	—	1	—	—	—	—	—	1	—	—	—
20—25	—	—	2	—	1	3	—	—	—	—	1	3	1	—
25—30	—	—	2	—	2	6	—	—	—	3	2	3	—	—
30—35	—	—	—	—	3	2	—	—	2	1	1	1	—	—
35—40	—	—	1	—	—	2	—	—	—	1	—	1	2	—
40—45	—	1	2	—	3	1	—	—	—	—	3	1	—	—
45—50	2	—	—	—	2	—	—	—	—	—	2	—	1	—
50—55	—	—	—	—	7	—	—	—	—	—	7	—	3	—
55—60	1	—	—	—	—	1	—	—	—	—	—	1	3	—
60—65	—	—	—	—	2	1	—	—	—	—	2	1	2	—
65—70	—	—	—	—	—	1	—	—	—	—	—	1	1	1
70—75	—	—	—	—	1	—	—	—	—	—	1	—	1	1
75—80	—	—	—	—	1	—	—	—	—	—	1	—	—	—
80 and upwards	—	—	—	—	1	—	—	—	—	—	1	—	—	—

* **195.** Lightning 15. **200** Infanticide. Deaths from this cause are shown under Nos. 197-199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	60	31	7	4	263	193	39	34	224	159	133	76	91	83
0—1	3	5	—	—	14	12	—	—	14	12	—	—	14	12
1—5	6	1	—	1	49	42	—	—	49	42	1	1	48	41
5—10	4	2	—	—	2	1	—	—	2	1	—	—	2	1
10—15	5	1	—	—	1	1	—	—	1	1	1	—	—	1
15—20	7	2	—	—	2	2	1	2	1	—	—	—	1	—
20—25	4	4	2	—	2	1	—	—	2	1	2	1	—	—
25—30	5	4	—	1	5	4	—	1	5	3	2	2	3	1
30—35	4	4	—	—	5	4	—	1	5	3	4	2	1	1
35—40	2	2	1	—	8	4	2	1	6	3	5	2	1	1
40—45	5	3	—	—	12	7	2	2	10	5	9	2	1	3
45—50	3	—	—	—	16	8	2	2	14	6	13	5	1	1
50—55	3	1	1	1	14	22	2	5	12	17	10	13	2	4
55—60	2	—	—	1	37	24	4	7	33	17	31	11	2	6
60—65	3	—	1	—	43	24	15	9	28	15	23	14	5	1
65—70	2	—	1	—	47	35	11	4	36	31	32	23	4	8
70—75	2	2	1	—	1	1	—	—	1	1	—	—	1	1
75—80	—	—	—	—	4	—	—	—	4	—	—	—	4	—
80 and upwards	—	—	—	—	1	1	—	—	1	1	—	—	1	1

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only.)

Causes of Death.	All Causes.		I. 1–42 Epidemic, endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	78140	77499	12408	11874	101	89	98	85	3	4	33	3	651	535	118	144
0—1	9989	7293	963	687	—	—	—	—	—	—	—	—	148	104	4	4
1—5	4519	3920	1667	1551	2	3	2	3	—	—	—	—	438	357	47	58
5—10	1239	1119	479	515	4	3	3	3	1	—	—	—	48	57	36	39
10—15	943	977	293	457	5	5	5	5	—	—	—	—	9	9	10	19
15—20	1569	1532	657	887	13	14	13	13	—	1	—	—	4	2	6	5
20—25	1789	1792	908	1012	11	18	11	16	—	2	—	—	1	—	5	5
25—30	1592	1784	752	863	11	6	11	6	—	—	8	—	—	2	2	8
30—35	1757	1968	714	767	6	10	6	10	—	—	5	—	—	—	—	2
35—40	2333	2159	799	684	10	6	9	5	1	1	8	1	1	1	4	2
40—45	2874	2679	880	632	8	8	8	8	—	—	2	—	—	—	—	1
45—50	3681	3112	872	536	12	7	12	7	—	—	3	—	—	2	—	1
50—55	4563	3863	748	463	5	4	5	4	—	—	3	1	—	1	3	—
55—60	5470	4646	686	505	6	1	6	1	—	—	2	—	—	—	1	—
60—65	6734	5833	615	497	6	1	6	1	—	—	1	—	1	—	—	—
65—70	7771	7093	543	487	1	1	—	1	1	—	—	—	—	—	—	—
70—75	7957	8484	395	525	—	1	—	1	—	—	1	—	—	—	—	—
75—80	6665	8176	236	405	1	1	1	1	—	—	—	1	—	—	—	—
80 and upwards	6695	11069	201	401	—	—	—	—	—	—	—	—	1	—	—	—

* **2.** Typhus—; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever —; **6.** Small pox, 0, 5, 15, *35, 35, 50.*

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	526	587	346	405	3076	3427	2069	2227	1007	1200	1	2	—	—	17	21
0—1	265	247	18	8	170	101	115	64	55	37	—	—	—	—	—	1
1—5	250	320	176	183	207	152	151	107	56	45	—	2	—	—	—	—
5—10	9	16	110	145	44	47	18	16	26	31	—	—	—	—	—	—
10—15	—	—	28	39	36	33	18	14	18	19	—	—	—	—	—	—
15—20	—	1	5	11	81	53	43	28	38	25	—	—	—	—	1	—
20—25	—	—	—	2	87	70	56	37	31	33	—	—	—	—	2	—
25—30	—	—	2	5	52	95	32	67	20	28	—	—	—	—	1	—
30—35	—	—	—	2	92	139	75	97	17	42	1	—	—	—	4	—
35—40	—	—	1	3	152	175	126	125	26	50	—	—	—	—	—	2
40—45	—	1	—	1	190	160	147	116	43	44	—	—	—	—	2	2
45—50	—	—	1	2	200	173	149	129	51	44	—	—	—	—	1	3
50—55	—	—	1	1	218	166	143	113	75	53	—	—	—	—	3	2
55—60	—	—	1	1	255	257	187	172	68	85	—	—	—	—	—	1
60—65	—	—	2	1	276	293	183	185	93	108	—	—	—	—	2	1
65—70	1	—	1	1	304	355	191	247	113	108	—	—	—	—	1	2
70—75	—	—	—	—	326	429	200	272	126	157	—	—	—	—	—	5
75—80	1	2	—	—	202	352	132	226	70	126	—	—	—	—	—	1
80 and upwards	—	—	—	—	184	377	103	212	81	165	—	—	—	—	—	1

* **12.** Miliary Fever—; **14.** Asiatic Cholera —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only.)

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	1	1	14	20	88	101	35	29	261	232	49	34	10	12
0—1	—	—	—	—	—	1	11	10	2	3	3	4	10	8	4	6
1—5	—	—	—	—	—	—	1	3	12	12	20	21	14	10	2	4
5—10	—	—	—	—	—	—	—	—	6	5	18	16	4	4	—	1
10—15	—	—	—	—	—	—	1	3	5	4	16	18	5	3	—	1
15—20	—	—	—	—	1	—	5	2	5	2	33	22	4	3	—	—
20—25	—	—	—	—	2	—	1	2	3	—	23	13	2	1	—	—
25—30	—	—	1	—	—	—	1	4	—	1	10	17	2	2	—	—
30—35	1	—	—	—	3	—	1	5	—	—	10	13	—	—	—	—
35—40	—	—	—	—	—	2	4	3	—	1	12	13	1	—	1	—
40—45	1	—	—	—	1	2	9	7	—	—	24	23	3	—	1	—
45—50	—	—	—	—	1	3	5	9	2	—	17	20	—	1	—	—
50—55	—	—	—	—	3	2	5	6	—	—	20	15	2	1	—	—
55—60	—	—	—	1	—	—	8	10	—	1	26	11	—	1	1	—
60—65	—	—	—	—	2	1	8	3	—	—	14	14	1	—	—	—
65—70	—	—	—	—	1	2	7	6	—	—	10	4	1	—	1	—
70—75	—	—	—	—	—	5	7	10	—	—	5	6	—	—	—	—
75—80	—	—	—	—	—	1	7	13	—	—	—	2	—	—	—	—
80 and upwards	—	—	—	—	—	1	7	5	—	—	—	—	—	—	—	—

* **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica —; **20.** Leprosy, —.

Causes of Death.	26* 27 Anthrax.		28* 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	34	9	31	12	6707	6023	5281	4629	552	464	300	349	97	120
0—1	—	—	2	—	15	4	199	111	24	14	92	55	48	29	—	2
1—5	—	—	3	1	1	—	487	409	60	53	235	196	106	79	6	10
5—10	—	—	2	1	—	—	193	179	38	45	95	63	29	35	1	2
10—15	—	—	1	2	—	—	164	315	70	194	40	48	17	33	6	5
15—20	1	—	8	—	3	—	478	768	360	629	38	33	25	42	9	11
20—25	—	—	2	1	—	1	768	892	670	791	15	27	18	25	11	14
25—30	—	—	2	1	—	—	655	716	591	638	6	12	8	19	11	5
30—35	1	—	—	—	1	2	585	586	532	516	8	14	6	19	12	9
35—40	—	—	2	1	—	1	594	460	554	404	5	6	12	18	5	5
40—45	—	—	2	—	1	—	619	423	586	390	5	3	5	13	5	3
45—50	—	—	4	1	5	—	597	304	545	267	7	4	4	8	6	8
50—55	—	—	3	—	1	1	456	253	430	224	3	2	5	3	4	7
55—60	—	—	1	—	—	2	365	207	339	162	3	1	5	10	2	14
60—65	—	—	2	—	2	1	279	171	252	142	—	—	6	10	10	8
65—70	—	—	—	—	2	—	191	108	170	82	—	—	5	3	5	9
70—75	—	—	—	1	—	—	53	72	42	53	—	—	1	2	3	5
75—80	—	—	—	—	—	—	19	32	15	19	—	—	—	1	1	1
80 and upwards	—	—	—	—	—	—	5	17	3	6	—	—	—	—	—	2

* **26.** Glanders —; **28.** Rabies —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	Tuberculosis—*continued.*															
	35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	60	36	103	113	10	23	17	13	21	20	47	50	8	7	314	312
0—1	—	—	5	3	—	—	—	—	4	2	—	—	1	1	30	8
1—5	2	1	8	6	—	1	3	—	3	2	—	1	2	2	70	64
5—10	5	1	3	4	—	1	—	1	2	—	—	2	1	—	22	29
10—15	5	2	4	5	—	—	—	—	3	4	—	—	1	1	22	28
15—20	5	3	8	11	—	1	2	2	1	5	4	3	1	—	33	39
20—25	9	1	9	5	1	—	2	—	—	2	5	3	1	—	36	29
25—30	6	1	8	15	1	1	—	3	—	—	6	11	1	—	25	26
30—35	4	1	8	9	—	1	—	—	—	—	8	7	—	1	15	18
35—40	2	2	6	7	—	—	—	—	—	—	6	7	—	—	10	18
40—45	1	2	7	2	1	—	3	—	1	—	2	2	—	—	10	10
45—50	1	2	15	4	2	1	2	1	3	—	8	2	—	—	19	11
50—55	3	—	5	4	—	1	1	—	1	—	3	3	—	—	6	13
55—60	5	2	4	11	—	3	2	1	1	—	1	6	—	1	7	7
60—65	2	5	6	3	3	2	1	—	1	1	1	—	—	—	3	3
65—70	4	4	3	5	1	2	1	2	1	—	—	1	—	—	4	5
70—75	3	4	2	6	1	—	—	2	—	2	1	2	—	—	2	2
75—80	2	3	1	7	—	4	—	—	—	2	1	—	—	1	—	1
80 and upwards	1	2	1	6	—	5	—	1	—	—	1	—	—	—	—	1

Causes of Death.	Tuberculosis—*continued.*				38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42*		II. 43–69 General diseases not included in I. 1–42.	
	37 (*a*) Acute.		37 (*b*) Chronic or unstated.				40 Gonococcal infection.						41 Purulent infection, septicæmia.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	104	127	210	185	211	142	10	6	6	2	4	4	98	58	9868	1232
0—1	18	5	12	3	104	68	3	4	—	—	3	4	4	4	95	53
1—5	26	32	44	32	4	8	1	—	—	—	1	—	2	8	143	83
5—10	8	16	14	13	2	2	—	—	—	—	—	—	2	—	64	68
10—15	7	11	15	17	3	2	—	—	—	—	—	—	10	4	77	94
15—20	10	19	23	20	2	—	1	—	1	—	—	—	6	4	106	110
20—25	8	14	28	15	1	2	1	1	1	1	—	—	1	4	94	119
25—30	11	8	14	18	2	3	—	1	—	1	—	—	4	2	83	14
30—35	3	9	12	9	2	6	—	—	—	—	—	—	6	2	115	20
35—40	3	5	7	13	4	7	1	—	1		—	—	4	6	202	34
40—45	1	—	9	10	12	3	—	—	—	—	—	—	7	3	308	64
45—50	3	1	16	10	16	10	—	—	—	—	—	—	9	3	568	96
50—55	2	4	4	9	20	6	—	—	—	—	—	—	8	5	912	126
55—60	3	2	4	5	11	9	2	—	2	—	—	—	7	4	1253	144
60—65	—	—	3	3	13	8	—	—	—	—	—	—	8	4	1587	171
65—70	1	1	3	4	11	8	—	—	—	—	—	—	12	2	1669	165
70—75	—	—	2	2	2	—	—	—	—	—	—	—	1	1	1294	152
75—80	—	—	—	1	2	—	—	—	—	—	—	—	4	1	823	108
80 and upwards	—	—	—	1	—	—	1	—	1	—	—	—	3	1	475	80

* **39.** Soft chancre —; **42.** Other infectious diseases —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only).

Causes of Death.	Cancer, Malignant Disease.															
	43–49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7536	9216	750	149	2750	2401	1848	1916	—	1837	15	1773	300	165	1873	975
0—1	4	3	—	—	1	—	—	1	—	—	—	—	—	—	3	2
1—5	26	13	—	2	3	—	3	1	—	—	—	—	1	—	19	10
5—10	11	8	1	—	1	—	—	—	—	—	—	—	—	—	9	8
10—15	11	8	—	1	2	—	1	2	—	1	—	—	—	—	8	4
15—20	22	21	1	1	2	3	—	2	—	5	—	—	—	—	19	10
20—25	27	23	—	2	5	3	8	5	—	3	—	2	—	1	14	7
25—30	29	52	—	3	8	4	8	9	—	18	—	3	—	—	13	15
30—35	59	106	3	4	12	10	14	23	—	32	—	20	3	—	27	17
35—40	140	220	7	5	47	34	28	32	—	79	—	45	2	5	56	20
40—45	207	502	7	4	87	73	47	63	—	169	1	136	9	10	56	47
45—50	421	749	32	11	172	139	89	99	—	217	—	202	15	8	113	73
50—55	732	1025	93	12	293	226	153	149	—	299	1	234	18	17	174	88
55—60	1015	1122	129	18	398	289	225	189	—	242	3	256	27	6	233	122
60—65	1291	1384	143	22	508	387	303	309	—	262	—	235	43	16	294	153
65—70	1392	1284	148	23	505	385	352	310	—	219	6	203	37	13	344	131
70—75	1076	1165	94	14	353	381	314	310	—	154	4	164	59	29	252	113
75—80	670	871	61	12	237	298	184	230	—	88	—	125	35	29	153	89
80 and upwards	403	660	31	15	116	169	119	182	—	49	—	148	51	31	86	66

Causes of Death.	50 Tumours not returned as malignant. (tumours of brain and female genital organs excepted).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	143	107	250	321	298	553	8	4	92	45	677	855	429	610	380	556
0—1	1	—	—	—	—	—	2	1	35	14	—	—	3	4	1	—
1—5	4	3	14	6	—	—	3	1	53	29	3	5	7	7	1	5
5—10	—	1	22	34	—	—	—	1	3	1	5	7	6	3	1	3
10—15	1	—	44	57	—	—	—	—	—	—	6	10	1	3	1	1
15—20	3	1	38	48	—	1	—	—	—	—	10	15	4	6	2	4
20—25	2	3	16	32	—	1	—	—	1	—	19	21	8	10	5	8
25—30	2	4	11	25	—	3	—	—	—	1	18	18	9	15	5	9
30—35	—	—	10	21	1	2	—	—	—	—	17	17	7	21	4	19
35—40	4	3	13	13	1	5	—	—	—	—	11	13	15	48	11	42
40—45	9	2	13	12	8	11	—	—	—	—	28	24	14	45	12	40
45—50	8	7	14	16	6	27	—	—	—	—	39	39	40	53	40	49
50—55	11	6	14	15	19	33	—	—	—	—	54	52	47	73	47	70
55—60	23	9	18	13	20	54	—	—	—	—	72	111	67	77	62	74
60—65	16	11	13	6	54	57	1	1	—	—	108	136	68	72	64	70
65—70	15	11	4	10	46	84	1	—	—	—	116	146	74	82	69	75
70—75	22	13	5	8	57	117	1	—	—	—	84	124	40	60	39	58
75—80	12	15	1	1	56	88	—	—	—	—	62	70	15	26	13	24
80 and upwards	10	18	—	4	30	70	—	—	—	—	25	47	4	5	3	5

* **54.** Pellagra *10, 35, 45* ; **55.** Beri-beri —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only.)

Causes of Death.	58 (*b*) Other anæmias and chlorosis.		59 * 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61 * 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	49	54	52	310	17	212	35	98	30	18	43	48	3	6	175	138
0—1	2	4	1	4	—	—	1	4	18	8	—	1	—	—	2	—
1—5	6	2	5	4	—	—	5	4	5	5	—	—	—	—	12	6
5—10	5	—	1	1	—	—	1	1	3	1	—	—	—	—	10	9
10—15	—	2	3	2	1	1	2	1	1	1	—	—	—	—	6	6
15—20	2	2	4	6	—	5	4	1	1	—	—	2	—	—	18	4
20—25	3	2	1	18	—	15	1	3	1	—	2	1	—	—	14	8
25—30	4	6	—	7	—	6	—	1	—	1	3	2	—	—	10	9
30—35	3	2	2	21	1	20	1	1	—	—	3	3	—	—	7	11
35—40	4	6	2	26	1	26	1	—	—	2	1	5	—	1	7	6
40—45	2	5	4	21	4	19	—	2	1	—	3	9	—	—	10	10
45—50	—	4	6	42	4	34	2	8	—	—	5	4	1	—	16	14
50—55	—	3	4	37	3	24	1	13	—	—	6	2	1	1	15	12
55—60	5	3	5	35	1	26	4	9	—	—	6	7	—	1	17	13
60—65	4	2	6	27	2	13	4	14	—	—	8	7	—	—	14	10
65—70	5	7	2	27	—	13	2	14	—	—	3	2	—	2	13	6
70—75	1	2	2	22	—	7	2	15	—	—	2	—	—	—	3	11
75—80	2	2	4	5	—	1	4	4	—	—	—	3	1	1	1	3
80 and upwards	1	—	—	5	—	2	—	3	—	—	1	—	—	—	—	—

* **59.** Diseases of the pituitary gland 40, 40, 45, *45* ;

61. (1) Tetany 0, 0, 0, 1, *0, 0, 0, 1, 45, 45, 45.*
(2) Other diseases of the parathyroid glands —.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68 * 69 Other general diseases.		III. 70–86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	92	84	83	54	33	14	7	—	81	64	8069	8440	48	31	329	294
0—1	2	—	—	—	—	—	—	—	26	15	729	550	1	3	78	63
1—5	10	4	2	2	—	—	—	—	10	3	296	262	2	3	104	97
5—10	5	7	5	2	—	—	—	—	3	2	112	94	2	—	39	31
10—15	2	4	4	2	—	—	—	—	4	6	91	94	4	3	16	20
15—20	9	2	9	2	—	—	—	—	5	6	122	90	3	2	27	19
20—25	7	1	7	7	—	—	—	—	3	2	107	89	4	3	12	6
25—30	4	7	6	2	—	—	—	—	1	4	96	88	1	—	12	8
30—35	4	7	3	4	4	—	1	—	3	2	116	112	4	2	6	3
35—40	2	4	5	2	4	1	—	—	4	1	191	161	4	2	6	5
40—45	4	6	6	4	6	2	1	—	1	4	243	222	3	3	7	5
45—50	9	8	7	6	6	3	2	—	3	1	357	294	7	2	11	4
50—55	9	8	6	4	4	3	—	—	5	6	475	467	5	1	4	7
55—60	6	8	11	5	4	1	2	—	4	6	625	586	3	1	3	4
60—65	9	7	5	3	4	1	1	—	2	1	821	786	—	—	—	9
65—70	8	4	5	2	1	1	—	—	2	3	1023	1053	2	4	2	6
70—75	1	5	2	6	—	1	—	—	2	1	1119	1229	1	1	2	3
75—80	1	2	—	1	—	1	—	—	1	1	867	1092	1	—	—	4
80 and upwards	—	—	—	—	—	—	—	—	2	—	679	1171	1	1	—	—

* **68.** Chronic poisoning by organic substances 15, 30, 40, 60, *50.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomoter ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	187	35	312	210	4225	5258	3761	4562	464	696	367	408	322	364	45	44
0—1	—	—	—	—	1	—	1	—	—	—	3	2	—	—	3	2
1—5	—	—	3	2	1	—	1	—	—	—	2	2	—	2	2	—
5—10	—	—	3	—	3	1	2	1	1	—	2	1	2	—	—	1
10—15	—	—	2	3	3	4	2	4	1	—	1	—	—	—	1	—
15—20	—	—	12	3	3	2	3	—	—	2	1	1	—	—	1	1
20—25	—	—	8	5	10	9	8	6	2	3	1	—	—	—	1	—
25—30	—	1	6	6	9	8	8	5	1	3	—	—	—	—	—	—
30—35	1	—	6	8	11	22	9	20	2	2	1	1	—	1	1	—
35—40	6	2	17	13	31	37	25	31	6	6	5	3	5	1	—	2
40—45	13	1	16	14	59	75	51	67	8	8	1	1	—	—	1	1
45—50	22	3	27	16	117	166	100	153	17	13	7	4	7	3	—	1
50—55	30	6	35	11	217	297	202	266	15	31	19	17	13	15	6	2
55—60	33	7	36	26	375	396	344	360	31	36	28	27	23	25	5	2
60—65	33	5	52	26	538	586	480	519	58	67	43	34	37	32	6	2
65—70	31	4	38	32	737	804	668	705	69	99	62	61	59	53	3	8
70—75	9	2	32	25	863	987	771	858	92	129	79	91	72	89	7	2
75—80	8	1	15	12	695	897	603	772	92	125	63	76	58	69	5	7
80 and upwards	1	3	4	8	552	967	483	795	69	172	49	87	46	74	3	13

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	368	92	94	166	410	372	735	567	11	28	32	43	125	150	626	621
0—1	—	—	—	—	5	5	604	457	—	—	—	—	1	—	8	6
1—5	—	—	—	—	17	9	123	102	2	—	—	1	—	—	19	25
5—10	—	—	—	—	11	9	3	3	1	6	—	—	—	—	16	21
10—15	—	—	—	—	18	16	—	2	4	11	—	—	—	—	20	12
15—20	—	—	3	4	38	22	1	—	2	6	1	1	—	—	15	13
20—25	3	3	3	5	39	29	1	—	1	2	—	1	—	—	6	16
25—30	7	—	5	6	25	35	—	—	1	2	—	2	1	—	15	14
30—35	18	9	2	9	26	34	—	—	—	1	1	—	—	—	30	17
35—40	54	12	5	14	26	25	—	1	—	—	2	3	—	2	26	37
40—45	67	17	10	18	31	38	—	1	—	—	—	5	1	1	28	37
45—50	73	13	7	11	31	24	—	—	—	—	5	1	1	5	47	43
50—55	53	23	11	14	24	29	1	—	—	—	2	5	5	3	64	47
55—60	45	3	8	34	24	21	—	—	—	—	4	4	4	7	61	52
60—65	26	5	18	22	29	21	—	—	—	—	4	6	16	12	59	53
65—70	14	4	12	14	19	18	1	1	—	—	2	1	24	32	74	66
70—75	5	—	9	8	25	18	—	—	—	—	3	3	25	27	64	60
75—80	2	2	—	4	16	10	—	—	—	—	2	2	18	18	47	64
80 and upwards	1	1	1	3	6	9	1	—	—	—	6	8	29	43	27	38

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	9	189	156	12437	13344	9108	10767	57	38	310	317	455	212	8286	10200
0—1	1	1	27	13	4	6	1	2	1	1	—	—	—	—	—	1
1—5	—	1	23	20	20	17	19	14	2	2	6	8	—	—	11	4
5—10	—	—	32	22	59	50	58	50	3	3	17	16	—	—	38	31
10—15	2	—	21	23	78	81	77	79	2	3	18	16	—	—	57	60
15—20	—	1	16	16	84	122	82	121	3	1	16	25	—	—	63	95
20—25	—	1	19	9	92	144	91	138	1	3	20	28	1	—	69	107
25—30	1	—	13	6	127	139	124	136	3	2	36	24	—	—	85	110
30—35	2	—	8	6	166	193	156	188	4	3	36	33	3	1	113	151
35—40	—	—	9	5	238	243	216	231	4	—	36	32	9	3	167	196
40—45	—	—	7	6	323	358	286	339	4	—	44	34	14	4	224	301
45—50	—	—	2	2	488	490	412	446	7	2	11	18	23	8	371	418
50—55	—	—	5	7	748	698	621	628	6	3	16	17	34	12	565	596
55—60	—	—	1	4	1029	917	788	795	1	6	16	14	56	27	715	748
60—65	1	—	2	7	1542	1306	1153	1130	5	2	13	17	79	32	1056	1079
65—70	2	1	3	5	2038	1848	1490	1544	6	2	7	13	91	44	1386	1485
70—75	1	2	1	2	2072	2199	1439	1745	3	4	6	13	69	34	1361	1694
75—80	—	1	—	1	1776	2089	1150	1556	2	1	7	7	56	29	1085	1519
80 and upwards	1	1	—	2	1553	2444	945	1625	—	—	5	2	20	18	920	1605

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3693	4652	2941	3578	1652	1970	3208	2411	214	61	2966	2319	953	865	2013	1454
0—1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
1—5	5	2	—	—	6	2	—	—	—	—	—	—	—	—	—	—
5—10	32	25	2	—	4	6	—	—	—	—	—	—	—	—	—	—
10—15	43	51	2	2	12	7	1	—	1	—	—	—	—	—	—	—
15—20	57	80	—	5	6	10	1	1	1	1	—	—	—	—	—	—
20—25	56	84	4	5	9	18	1	1	1	—	—	1	—	1	—	—
25—30	63	87	7	6	15	17	3	1	2	1	1	—	—	—	1	—
30—35	87	105	8	15	18	31	6	1	1	1	4	—	2	—	2	—
35—40	122	138	19	26	26	32	18	5	11	3	7	2	2	1	5	1
40—45	143	206	37	41	44	54	33	10	11	4	21	5	7	3	14	2
45—50	223	256	91	101	57	61	68	29	29	4	38	23	19	14	19	9
50—55	304	352	166	148	95	96	118	58	37	7	79	49	33	30	46	19
55—60	342	399	243	227	130	122	220	98	36	4	179	92	82	62	97	30
60—65	468	533	342	331	246	215	378	151	40	5	335	145	124	82	211	63
65—70	585	643	505	528	296	314	535	291	26	13	505	273	197	128	308	145
70—75	558	690	524	651	279	353	617	439	10	7	606	427	191	169	415	258
75—80	351	560	503	651	231	308	608	518	6	4	596	509	170	183	426	326
80 and upwards	254	441	488	840	178	324	601	808	2	7	595	793	126	192	469	601

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only.)

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	28	31	55	54	45	81	13	17	8	14	13826	12233	28	15	99	66
0—1	—	—	—	—	—	—	2	3	1	1	2403	1719	4	1	16	18
1—5	—	—	—	—	—	—	1	3	—	—	1662	1402	—	1	49	31
5—10	—	—	1	—	—	—	—	—	—	—	182	128	2	1	11	3
10—15	—	—	—	1	—	1	—	—	—	—	92	83	2	—	1	1
15—20	—	—	—	—	—	—	—	—	1	—	140	80	—	—	1	—
20—25	—	—	—	3	—	1	—	1	—	—	166	95	3	1	—	—
25—30	—	—	—	—	—	1	—	—	—	1	169	120	2	—	1	1
30—35	1	—	3	1	—	3	—	—	1	—	224	177	2	2	2	—
35—40	—	—	4	2	—	2	—	1	—	2	377	205	7	2	—	2
40—45	1	1	1	1	3	6	—	2	—	—	436	243	2	1	1	1
45—50	1	2	3	9	4	6	—	—	1	—	579	285	2	3	5	1
50—55	2	2	7	6	2	6	—	—	—	—	686	393	1	—	3	1
55—60	5	2	8	8	8	13	4	2	1	1	795	500	1	1	2	2
60—65	3	1	2	6	8	16	1	—	—	3	1002	749	—	1	3	2
65—70	4	5	8	4	5	6	—	2	—	1	1219	1062	—	—	1	1
70—75	1	5	6	4	6	8	3	—	1	3	1429	1475	—	1	2	—
75—80	6	5	10	4	6	9	1	1	1	1	1138	1481	—	—	1	1
80 and upwards	4	8	2	5	3	3	1	2	1	1	1127	2036	—	—	—	1

* **96.** Other diseases of the circulatory system —.

Causes of Death.	99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, or not otherwise defined).		101 (*a*) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5888	6224	1496	1873	1997	1540	2395	2811	6757	5097	3330	2902	3427	2195	1767	1078
0—1	794	543	388	246	12	7	394	290	1561	1130	1320	965	241	165	75	45
1—5	244	223	130	108	10	4	104	111	1338	1120	1057	906	281	214	102	76
5—10	13	15	8	7	1	2	4	6	142	104	78	57	64	47	29	26
10—15	7	7	—	3	5	1	2	3	78	68	21	17	57	51	27	25
15—20	12	6	4	1	5	3	3	2	114	65	16	12	98	53	60	38
20—25	11	10	5	3	3	3	3	4	130	72	21	15	109	57	59	31
25—30	17	14	5	3	8	5	4	6	132	87	15	15	117	72	74	46
30—35	30	27	6	9	15	12	9	6	166	133	18	23	148	110	95	63
35—40	60	29	11	12	35	8	14	9	271	137	30	27	241	110	146	67
40—45	92	47	16	14	41	19	35	14	285	155	37	43	248	112	135	72
45—50	149	76	30	24	77	27	42	25	346	164	46	37	300	127	170	71
50—55	223	139	48	50	103	40	72	49	364	197	69	57	295	140	163	74
55—60	304	247	55	70	148	90	101	87	388	190	81	70	307	120	173	66
60—65	502	413	93	121	229	138	180	154	374	263	105	94	269	169	138	92
65—70	716	678	145	182	323	215	248	281	370	292	119	123	251	169	142	97
70—75	965	1016	202	302	390	290	373	424	322	350	118	161	204	189	89	91
75—80	852	1098	158	313	319	272	375	513	205	294	93	142	112	152	56	49
80 and upwards	897	1636	192	405	273	404	432	827	171	276	86	138	85	138	34	49

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only.)

Causes of Death.	101 (*b*) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1660	1117	251	191	180	221	10	4	462	359	58	23	93	33	54	19
0—1	166	120	3	8	21	19	—	—	1	—	—	—	3	—	1	—
1—5	179	138	20	20	10	4	—	—	1	3	—	—	—	—	—	—
5—10	35	21	10	4	1	—	—	—	2	1	—	—	1	—	—	—
10—15	30	26	2	7	—	—	—	—	1	—	—	—	1	—	—	—
15—20	38	15	9	4	—	2	—	1	—	1	—	—	4	1	1	—
20—25	50	26	18	6	—	2	—	—	1	3	—	—	3	1	1	—
25—30	43	26	8	8	1	1	—	1	5	8	1	—	2	—	1	—
30—35	53	47	12	3	3	—	—	—	6	10	1	1	2	1	1	1
35—40	95	43	19	11	—	—	2	2	10	20	2	—	6	2	2	1
40—45	113	40	20	11	2	4	—	—	27	20	1	1	6	3	3	—
45—50	130	56	13	11	7	2	1	—	42	23	3	1	11	4	9	2
50—55	132	66	21	12	8	5	1	—	46	35	3	2	16	2	11	1
55—60	134	54	21	10	10	7	3	—	45	34	5	4	16	5	10	4
60—65	131	77	14	13	8	8	2	—	82	47	8	2	9	—	6	—
65—70	109	72	29	18	18	14	—	—	70	53	10	4	5	2	3	1
70—75	115	98	19	15	26	30	—	—	75	54	13	3	7	6	4	5
75—80	56	103	7	12	31	44	1	—	31	25	10	3	—	4	—	3
80 and upwards	51	89	6	18	34	79	—	—	17	22	1	2	1	2	1	1

Causes of Death.	107 (*b*) Diseases of the mediastinum.		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	—	36	14	4454	4016	80	61	51	46	29	15	78	85	6	5
0—1	—	—	2	—	1001	670	10	11	4	6	6	5	1	4	—	—
1—5	—	—	—	—	345	322	5	5	3	3	2	2	18	20	—	—
5—10	—	—	1	—	102	116	1	2	1	2	—	—	14	15	—	—
10—15	—	—	1	—	100	72	2	1	1	1	1	—	6	2	—	—
15—20	1	—	2	1	111	79	1	3	—	2	1	1	4	8	—	—
20—25	—	—	2	1	105	68	2	2	2	2	—	—	3	6	—	—
25—30	—	—	1	—	83	89	1	3	—	1	1	2	2	5	—	—
30—35	—	—	1	—	100	106	2	3	1	3	1	—	5	2	1	—
35—40	—	—	4	1	139	112	6	5	2	4	4	1	2	1	—	—
40—45	—	—	3	3	226	180	1	5	1	5	—	—	6	4	—	1
45—50	1	—	1	2	250	189	8	1	6	1	2	—	3	3	1	—
50—55	—	—	5	1	304	224	10	2	9	2	1	—	3	5	—	—
55—60	1	—	5	1	305	256	5	3	5	3	—	—	1	4	—	1
60—65	—	—	3	—	342	313	8	2	6	2	2	—	4	3	1	2
65—70	—	—	2	1	334	317	7	3	4	3	3	—	1	1	2	—
70—75	—	—	3	1	263	343	5	4	3	3	2	1	4	—	—	1
75—80	—	—	—	1	179	270	5	3	2	2	3	1	—	2	—	—
80 and upwards	—	—	—	1	165	290	1	3	1	1	—	2	1	—	1	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	701	307	428	244	273	63	384	428	1197	1051	3	1	516	419	714	724
0—1	2	1	2	1	—	—	115	84	766	514	—	—	2	—	86	38
1—5	—	1	—	—	—	1	28	36	198	199	—	—	41	18	38	14
5—10	—	2	—	1	—	1	9	9	13	12	—	—	46	42	12	3
10—15	3	1	3	—	—	1	6	3	11	8	—	—	59	50	10	2
15—20	4	9	1	8	3	1	4	2	5	8	—	—	67	36	18	5
20—25	22	11	10	9	12	2	—	1	11	12	—	—	41	25	19	6
25—30	25	11	11	9	14	2	1	1	8	9	—	—	28	28	12	11
30—35	39	24	24	19	15	5	3	10	6	15	—	—	26	17	12	19
35—40	58	19	34	19	24	—	3	8	8	10	—	—	22	19	17	24
40—45	98	32	55	25	43	7	15	14	7	16	2	—	31	36	30	32
45—50	99	35	73	28	26	7	10	5	15	20	—	—	24	26	29	35
50—55	89	27	59	22	30	5	18	8	10	15	—	—	25	27	45	47
55—60	76	36	41	33	35	3	18	16	24	26	1	—	24	24	50	53
60—65	71	40	45	32	26	8	17	25	16	22	—	—	33	26	68	78
65—70	64	26	36	18	28	8	36	27	16	32	—	—	22	18	80	80
70—75	27	13	18	8	9	5	38	63	23	45	—	1	16	11	76	109
75—80	13	11	9	5	4	6	35	45	30	31	—	—	6	14	52	90
80 and upwards	11	8	7	7	4	1	28	71	30	57	—	—	3	2	60	78

***115.** Ankylostomiasis — ; **116** (*a*) Cestodes (hydatids of the liver excepted) 40,45, *70*; **116** (*c*) Nematodes, 40.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	287	315	427	409	67	86	8	30	—	2	377	202	24	13	353	189
0—1	20	7	66	31	7	5	2	1	—	—	—	1	—	—	—	1
1—5	8	1	30	13	5	5	—	2	—	—	2	—	—	—	2	—
5—10	1	1	11	2	—	1	1	4	—	—	—	—	—	—	—	—
10—15	—	—	10	2	1	—	—	—	—	—	—	—	—	—	—	—
15—20	1	1	17	4	1	—	—	—	—	—	1	1	—	—	1	1
20—25	5	1	14	5	2	—	—	2	—	—	1	—	—	—	1	—
25—30	2	3	10	8	—	4	—	7	—	—	—	1	—	—	—	1
30—35	3	2	9	17	—	—	—	4	—	—	2	—	—	—	2	—
35—40	5	7	12	17	3	3	1	6	—	—	6	4	—	1	6	3
40—45	13	11	17	21	4	3	—	2	—	—	18	11	3	—	15	11
45—50	13	15	16	20	1	3	1	1	—	—	37	22	3	4	34	18
50—55	16	23	29	24	6	9	1	—	—	1	70	31	6	2	64	29
55—60	26	30	24	23	8	6	—	—	—	—	62	24	3	2	59	22
60—65	37	40	31	38	7	6	1	—	—	1	66	36	3	2	63	34
65—70	43	43	37	37	9	15	1	1	—	—	55	33	4	—	51	33
70—75	43	56	33	53	3	5	—	—	—	—	38	19	2	—	36	19
75—80	25	45	27	45	5	12	—	—	—	—	14	9	—	2	14	7
80 and upwards	26	29	34	49	5	9	—	—	—	—	5	10	—	—	5	10

TABLE 17—*contd.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only.)

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127 * 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130 * 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	109	265	139	217	36	43	39	90	3668	2640	287	252	1980	1805	107	123
0—1	—	—	4	4	—	—	6	7	27	13	10	8	—	1	6	—
1—5	—	—	7	6	—	—	3	16	39	38	25	24	8	10	3	2
5—10	—	—	3	2	—	—	3	24	27	18	20	12	6	5	1	1
10—15	—	—	—	—	1	—	1	5	28	21	8	6	19	13	—	2
15—20	1	—	—	2	1	—	4	5	42	38	12	14	25	22	1	1
20—25	—	—	1	2	2	—	1	1	41	69	11	11	24	38	2	6
25—30	1	2	4	1	—	2	1	4	57	62	14	12	34	20	4	5
30—35	—	3	3	5	—	2	1	2	67	103	14	17	41	50	8	3
35—40	4	5	6	5	1	1	2	2	90	122	14	15	54	68	5	8
40—45	2	8	5	8	5	4	2	4	103	172	10	21	79	82	3	7
45—50	4	17	10	11	4	8	4	2	179	214	24	23	131	112	1	9
50—55	8	24	10	19	6	6	3	3	293	219	23	14	205	163	8	7
55—60	21	33	10	17	4	8	1	5	353	268	32	23	240	201	10	13
60—65	25	40	18	26	6	5	1	1	451	275	19	18	284	214	22	13
65—70	18	45	19	28	2	4	2	4	495	324	16	16	276	262	11	12
70—75	16	34	14	35	2	1	1	2	536	295	17	9	260	240	12	9
75—80	6	28	9	22	1	—	3	3	456	220	10	5	166	185	6	8
80 and upwards	3	26	16	24	1	2	—	—	384	169	8	4	128	119	4	17

* **127.** Other diseases of the digestive system —; **130.** Chyluria —.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	72	26	243	82	117	3	92	—	25	3	841	—	20	—	—	94
0—1	—	—	—	—	1	—	—	—	1	—	—	—	9	—	—	—
1—5	1	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
20—25	3	1	—	2	—	—	—	—	—	—	1	—	—	—	—	1
25—30	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	4
30—35	1	2	1	2	2	—	1	—	1	—	—	—	—	—	—	8
35—40	5	1	4	1	6	—	5	—	1	—	1	—	1	—	—	10
40—45	3	3	3	5	4	—	4	—	—	—	1	—	—	—	—	5
45—50	2	7	6	3	13	—	9	—	4	—	1	—	1	—	—	10
50—55	4	1	12	—	16	—	12	—	4	—	24	—	1	—	—	10
55—60	9	5	15	5	18	2	14	—	4	2	29	—	—	—	—	6
60—65	7	2	24	6	13	—	10	—	3	—	81	—	1	—	—	13
65—70	10	—	32	10	15	—	14	—	1	—	132	—	3	—	—	10
70—75	13	1	42	16	15	—	14	—	1	—	177	—	—	—	—	9
75—80	8	—	47	14	10	—	7	—	3	—	208	—	1	—	—	4
80 and upwards	2	1	51	17	4	1	2	—	2	1	186	—	1	—	—	4

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only).

Causes of Death.	138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	59	—	141	—	7	—	43	1	5	—	953	—	112	—	39
0—1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—
1—5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	—	—	—	—	32	—	3	—	2
20—25	—	5	—	—	—	1	—	4	—	—	—	129	—	9	—	2
25—30	—	14	—	1	—	—	—	4	—	—	—	204	—	12	—	3
30—35	—	11	—	6	—	2	—	2	—	—	—	242	—	36	—	12
35—40	—	6	—	10	—	1	—	2	—	—	—	213	—	33	—	11
40—45	—	9	—	31	—	1	—	8	—	—	—	122	—	18	—	8
45—50	—	5	—	37	—	—	—	8	—	—	—	11	—	1	—	1
50—55	—	1	—	20	—	1	—	2	—	—	—	—	—	—	—	—
55—60	—	4	—	7	—	1	—	1	—	—	—	—	—	—	—	—
60—65	—	1	—	4	—	—	—	3	—	1	—	—	—	—	—	—
65—70	—	—	—	9	—	—	—	5	—	—	—	—	—	—	—	—
70—75	—	—	—	10	—	—	—	1	—	—	—	—	—	—	—	—
75—80	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—
80 and upwards	—	1	—	4	—	—	—	1	—	—	—	—	—	—	—	—

Causes of Death.	143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	31	—	42	—	115	—	107	—	330	—	85	—	195	—	9
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	1	—	—	—	—	—	11	—	2	—	16	—	—
20—25	—	1	—	6	—	12	—	17	—	45	—	6	—	39	—	1
25—30	—	2	—	7	—	21	—	28	—	78	—	20	—	41	—	4
30—35	—	12	—	12	—	28	—	24	—	87	—	25	—	40	—	2
35—40	—	13	—	9	—	32	—	21	—	76	—	20	—	30	—	1
40—45	—	3	—	7	—	21	—	15	—	30	—	12	—	25	—	1
45—50	—	—	—	—	—	1	—	2	—	3	—	—	—	4	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **150.** Puerperal diseases of the breast —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	529	454	219	195	74	34	115	85	121	140	180	110	145	78	27	26
0—1	81	46	3	1	3	3	17	15	58	27	7	3	5	3	2	—
1—5	13	17	1	5	—	—	6	3	6	9	17	11	14	10	1	1
5—10	3	3	—	2	—	1	2	—	1	—	25	10	22	9	3	1
10—15	7	2	1	—	1	—	4	2	1	—	37	22	31	18	6	4
15—20	7	6	—	—	4	1	3	5	—	—	21	6	19	5	2	1
20—25	12	6	—	—	5	2	6	2	1	2	5	—	3	—	2	—
25—30	8	2	—	—	3	1	3	1	2	—	1	2	1	1	—	1
30—35	8	2	1	—	2	—	3	1	2	1	2	3	—	3	1	—
35—40	7	6	1	1	2	—	4	1	—	4	12	5	10	2	2	2
40—45	17	9	1	1	8	1	7	6	1	1	4	5	3	2	1	3
45—50	15	9	1	1	7	4	5	1	2	3	7	6	7	3	—	3
50—55	17	11	4	—	3	—	4	8	6	3	6	5	4	2	1	1
55—60	24	26	2	9	6	2	10	4	6	11	10	3	7	2	1	1
60—65	31	26	10	11	10	4	6	5	5	6	6	9	4	7	1	1
65—70	45	48	21	17	6	4	10	14	8	13	11	3	8	—	3	2
70—75	58	53	38	32	6	4	9	4	5	13	4	3	4	1	—	2
75—80	75	83	50	51	7	4	9	6	9	22	1	5	—	4	—	1
80 and upwards	101	99	85	64	1	3	7	7	8	25	4	9	3	6	1	2

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital malformations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8	6	681	503	3951	2988	927	600	2714	2117	2506	1981	208	136	260	220
0—1	—	—	606	438	3951	2988	927	600	2714	2117	2506	1981	208	136	260	220
1—5	2	—	31	31	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	12	15	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	7	6	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	11	3	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	7	4	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
30—35	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
50—55	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—
55—60	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
60—65	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only.)

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide. 165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	50	51	3683	5689	4055	1690	873	379	54	77	107	71	197	55	200	110
0—1	50	51	—	—	104	108	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	259	164	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	169	98	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	131	44	1	—	—	—	—	—	1	—	—	—
15—20	—	—	—	—	262	78	17	17	2	7	1	—	5	—	5	8
20—25	—	—	—	—	248	55	30	22	3	8	1	2	8	1	6	7
25—30	—	—	—	—	213	68	33	35	4	5	4	8	7	7	3	8
30—35	—	—	—	—	237	50	56	23	3	3	10	4	9	1	14	10
35—40	—	—	—	—	263	61	68	40	7	7	10	9	13	4	12	13
40—45	—	—	—	—	319	84	91	40	5	6	9	8	24	3	17	12
45—50	—	—	1	—	344	106	108	54	11	19	15	12	14	7	31	11
50—55	—	—	—	4	336	88	114	50	2	4	14	14	25	11	25	15
55—60	—	—	10	11	318	94	118	36	9	8	12	7	33	6	25	11
60—65	—	—	24	30	270	82	93	26	3	4	15	3	22	5	22	9
65—70	—	—	114	164	224	73	73	19	3	4	10	4	13	5	21	2
70—75	—	—	631	728	151	112	47	12	1	2	4	—	15	4	11	2
75—80	—	—	1007	1315	101	127	15	4	1	—	1	—	3	1	6	2
80 and upwards	—	—	1896	3437	106	198	9	1	—	—	1	—	5	—	2	—

Causes of Death.	Suicide—*contd.* 170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175-196 201-203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	52	1	176	34	22	8	64	11	1	12	3148	1273	7	2	—	4
0—1	—	—	—	—	—	—	—	—	—	—	95	95	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	256	161	1	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	167	96	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	127	41	1	—	—	1
15—20	—	—	1	1	—	—	3	—	—	1	244	58	—	—	—	—
20—25	2	—	5	1	—	—	5	2	—	1	217	31	—	—	—	—
25—30	3	—	8	3	—	1	4	3	—	—	178	32	—	—	—	1
30—35	2	—	14	—	1	2	3	—	—	3	178	27	—	—	—	1
35—40	7	—	10	2	1	1	8	—	—	4	194	19	2	1	—	—
40—45	6	—	18	5	4	1	8	3	—	2	225	41	—	—	—	—
45—50	9	—	21	3	3	—	4	2	—	—	232	51	—	—	—	—
50—55	11	—	26	4	1	—	10	1	—	1	222	38	1	—	—	—
55—60	6	—	21	3	6	1	6	—	—	—	200	57	—	1	—	—
60—65	1	—	17	5	4	—	8	—	1	—	176	54	—	—	—	—
65—70	3	—	20	3	2	1	1	—	—	—	150	53	—	—	—	—
70—75	2	1	10	2	—	1	4	—	—	—	104	99	—	—	—	—
75—80	—	—	4	1	—	—	—	—	—	—	86	123	1	—	—	—
80 and upwards	—	—	1	1	—	—	—	—	—	—	97	197	1	—	—	1

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only).

Causes of Death.	177 By acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21	14	7	7	199	283	93	86	31	13	410	115	13	3	2	—
0—1	—	—	—	—	13	11	71	77	—	—	3	4	—	—	—	—
1—5	5	2	—	1	118	90	4	2	—	—	51	12	—	—	—	—
5—10	—	—	—	—	15	29	3	2	1	—	39	11	—	—	—	—
10—15	—	1	—	—	2	14	1	—	1	—	24	5	1	—	—	—
15—20	—	—	—	—	5	23	—	—	1	1	52	8	2	2	—	—
20—25	1	1	—	—	2	8	—	—	4	1	21	10	2	—	1	—
25—30	—	1	—	1	5	7	—	1	2	—	19	5	—	1	—	—
30—35	2	—	—	—	3	6	—	—	2	1	11	8	1	—	—	—
35—40	1	1	—	—	4	2	1	—	4	—	16	2	2	—	—	—
40—45	4	2	1	2	4	9	—	—	—	—	28	11	2	—	—	—
45—50	3	1	1	1	3	8	4	—	2	—	33	8	1	—	—	—
50—55	1	1	1	—	2	6	1	1	4	2	39	5	—	—	—	—
55—60	2	2	—	1	4	8	2	—	2	—	19	10	—	—	—	—
60—65	1	1	—	1	2	6	2	1	4	1	19	7	1	—	1	—
65—70	1	—	3	—	4	9	1	—	1	2	18	3	—	—	—	—
70—75	—	—	1	—	5	13	1	1	1	—	10	4	—	—	—	—
75—80	—	1	—	—	4	16	2	1	—	5	6	—	1	—	—	—
80 and upwards	—	—	—	—	4	18	—	—	2	—	2	2	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	468	407	577	—	65	2	1116	292	12	1	23	—	4	1	11	1
0—1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
1—5	7	9	—	—	1	—	62	40	—	—	—	—	—	—	—	—
5—10	13	4	—	—	1	1	92	44	—	—	—	—	—	—	—	—
10—15	18	2	8	—	1	—	64	17	2	—	—	—	—	—	—	—
15—20	15	3	64	—	9	—	86	20	1	—	—	—	—	—	—	—
20—25	14	—	64	—	6	—	87	8	1	—	1	—	—	—	—	—
25—30	10	2	45	—	6	—	77	8	1	—	6	—	—	—	1	—
30—35	12	3	61	—	8	—	65	6	1	—	6	—	—	—	—	—
35—40	22	2	55	—	6	—	68	8	—	—	7	—	—	—	—	—
40—45	23	4	68	—	6	1	78	10	2	—	3	—	—	—	1	—
45—50	39	9	62	—	7	—	72	21	1	—	—	—	—	1	—	—
50—55	30	11	53	—	3	—	80	12	—	—	—	—	1	—	—	—
55—60	32	19	49	—	3	—	80	16	—	—	—	—	1	—	1	—
60—65	40	17	30	—	4	—	68	20	—	—	—	—	1	—	1	—
65—70	49	22	14	—	2	—	50	14	1	—	—	—	1	—	1	—
70—75	40	62	4	—	1	—	37	17	—	—	—	—	—	—	1	—
75—80	39	81	—	—	1	—	30	17	1	—	—	—	—	—	1	1
80 and upwards	65	157	—	—	—	—	18	14	—	—	—	—	—	—	4	—

* **191.** Execution of civilians by belligerent armies —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.

(Civilian population only).

Causes of Death.	194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	5	17	1	34	38	1	2	3	13	30	23	7	1
0—1	—	—	—	—	9	13	—	—	1	1	8	12	1	—
1—5	—	1	—	—	3	3	—	—	1	2	2	1	—	—
5—10	—	—	2	1	2	2	—	—	—	1	2	1	—	—
10—15	—	—	—	—	3	3	—	—	1	1	2	2	—	—
15—20	—	—	3	—	1	3	—	1	—	1	1	1	1	—
20—25	—	1	4	—	1	2	—	—	—	1	1	1	—	—
25—30	—	—	1	—	2	1	1	—	—	1	1	—	—	—
30—35	—	—	1	—	3	—	—	—	—	—	3	—	—	—
35—40	—	—	2	—	1	2	—	—	—	1	1	1	1	—
40—45	—	1	—	—	3	3	—	—	—	2	3	1	1	—
45—50	1	—	1	—	4	1	—	—	—	1	4	—	—	—
50—55	1	—	1	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	1	—	1	—	—	—	—	1	—
60—65	—	—	1	—	1	2	—	—	—	—	1	2	1	—
65—70	1	1	1	—	1	1	—	—	—	—	1	1	—	1
70—75	1	—	—	—	—	1	—	—	—	1	—	—	1	—
75—80	—	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **195.** Lightning 45, 50. **200.** Infanticide, Deaths from this cause are shown under Nos. 197–199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	52	30	7	5	331	244	66	36	265	208	175	142	90	66
0—1	2	2	2	—	18	12	—	—	18	12	—	—	18	12
1—5	6	3	1	1	27	22	—	—	27	22	—	—	27	22
5—10	1	4	—	—	5	4	2	1	3	3	3	1	—	2
10—15	4	1	—	—	2	1	—	—	2	1	1	1	1	—
15—20	5	1	—	—	6	1	1	—	5	1	5	—	—	1
20—25	9	2	—	—	4	2	—	—	4	2	4	2	—	—
25—30	5	5	—	—	3	5	1	—	2	5	2	5	—	—
30—35	5	2	—	—	7	8	1	1	6	7	5	5	1	2
35—40	3	3	—	—	12	2	4	—	8	2	7	—	1	2
40—45	3	1	1	—	15	10	3	3	12	7	10	5	2	2
45—50	1	2	—	—	20	11	5	1	15	10	13	8	2	2
50—55	2	—	1	—	37	23	12	4	25	19	21	19	4	—
55—60	2	—	2	—	62	30	18	8	44	22	35	21	9	1
60—65	—	—	—	—	42	47	9	3	33	44	27	40	6	4
65—70	2	1	—	—	56	56	10	15	46	41	42	35	4	6
70—75	1	1	—	1	5	—	—	—	5	—	—	—	5	—
75—80	—	—	—	—	6	4	—	—	6	4	—	—	6	4
80 and upwards	1	2	—	3	4	6	—	—	4	6	—	—	4	6

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only.)

Causes of Death.	All Causes.		I. 1–42, Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid, fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	48034	45841	6843	6705	45	63	44	55	1	8	12	1	161	118	61	59
0—1	5394	3857	472	347	—	—	—	—	—	—	—	—	35	16	2	1
1—5	2074	1726	701	631	—	2	—	1	—	1	—	—	104	66	34	27
5—10	641	525	217	231	1	4	1	3	—	1	—	—	14	21	12	9
10—15	538	530	180	270	3	6	3	6	—	—	—	—	5	7	6	7
15—20	872	774	338	452	7	11	7	11	—	—	—	—	1	1	2	5
20—25	1049	965	505	535	3	5	3	5	—	—	—	—	1	1	2	1
25—30	958	1036	459	524	4	6	4	6	—	—	1	—	—	1	2	1
30—35	990	1056	445	455	4	6	4	6	—	—	1	—	—	1	1	4
35—40	1151	1230	436	436	2	8	2	7	—	1	2	—	—	1	—	—
40—45	1404	1348	426	357	8	3	8	2	—	1	4	—	1	1	—	1
45—50	1730	1652	398	307	2	2	2	2	—	—	2	—	—	1	—	1
50—55	2140	1993	376	293	2	3	1	2	1	1	—	1	—	—	—	1
55—60	2976	2523	396	265	1	2	1	—	—	2	—	—	—	—	—	1
60—65	3791	3323	369	276	5	1	5	1	—	—	2	—	—	—	—	—
65—70	4771	4233	358	312	2	2	2	1	—	1	—	—	—	1	—	—
70—75	5518	5283	288	341	1	2	1	2	—	—	—	—	—	—	—	—
75—80	5377	5509	256	326	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	6660	8278	223	347	—	—	—	—	—	—	—	—	—	—	—	—

***2.** Typhus *5*; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever — **6.** Smallpox 0, 0, *1*, *10*.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	301	326	145	160	2176	2243	1439	1394	737	849	2	4	1	—	12	7
0—1	168	141	3	4	102	75	59	41	43	34	1	—	—	—	1	—
1—5	126	166	70	69	118	91	79	62	39	29	—	1	—	—	—	—
5—10	6	14	45	52	23	30	14	13	9	17	—	1	—	—	—	—
10—15	—	2	13	17	22	32	10	13	12	19	—	—	—	—	—	—
15—20	—	—	7	8	52	21	33	15	19	6	—	—	—	—	2	—
20—25	—	—	1	2	54	37	38	21	16	16	1	1	—	—	—	—
25—30	1	—	2	2	43	57	23	40	20	17	—	—	—	—	1	1
30—35	—	1	—	—	72	78	53	56	19	22	—	—	—	—	1	—
35—40	—	—	1	3	98	95	78	63	20	32	—	—	—	—	—	2
40—45	—	—	—	—	93	94	75	60	18	34	—	—	—	—	1	—
45—50	—	1	1	—	108	99	72	66	36	33	—	—	—	—	—	1
50—55	—	—	—	2	130	126	92	79	38	47	—	1	—	—	1	—
55—60	—	—	—	—	172	142	125	88	47	54	—	—	—	—	1	1
60—65	—	—	—	—	183	154	117	96	66	58	—	—	—	—	1	1
65—70	—	—	—	—	246	219	172	144	74	75	—	—	—	—	—	—
70—75	—	—	2	—	227	277	146	172	81	105	—	—	1	—	—	1
75—80	—	—	—	1	228	288	135	196	93	92	—	—	—	—	1	—
80 and upwards	—	1	—	—	205	328	118	169	87	159	—	—	—	—	2	—

***12.** Miliary fever —; **14.** Asiatic cholera —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	—	1	—	11	7	63	44	16	19	133	110	18	17	2	6
0—1	—	—	1	—	—	—	7	—	1	—	2	—	6	3	2	4
1—5	—	—	—	—	—	—	3	2	4	3	16	14	2	1	—	2
5—10	—	—	—	—	—	—	—	1	4	2	11	5	4	1	—	—
10—15	—	—	—	—	—	—	3	1	3	4	13	8	2	5	—	—
15—20	—	—	—	—	2	—	—	1	1	5	9	12	1	—	—	—
20—25	—	—	—	—	—	—	1	—	1	—	6	10	2	2	—	—
25—30	—	—	—	—	1	1	2	1	—	1	3	11	1	1	—	—
30—35	—	—	—	—	1	—	3	2	1	2	6	2	—	1	—	—
35—40	—	—	—	—	—	2	3	3	—	—	7	5	—	—	—	—
40—45	—	—	—	—	1	—	2	1	—	1	10	7	—	—	—	—
45—50	—	—	—	—	—	1	4	4	—	—	10	6	—	1	—	—
50—55	—	—	—	—	1	—	5	6	—	—	13	9	—	—	—	—
55—60	—	—	—	—	1	1	5	3	—	—	9	7	—	—	—	—
60—65	—	—	—	—	1	1	5	4	1	—	5	6	—	1	—	—
65—70	—	—	—	—	—	—	4	3	—	1	7	6	—	1	—	—
70—75	—	—	—	—	—	1	5	4	—	—	5	1	—	—	—	—
75—80	—	—	—	—	1	—	6	7	—	—	1	—	—	—	—	—
80 and upwards	—	—	—	—	2	—	5	1	—	—	—	1	—	—	—	—

***17.** Plague —; **18.** Yellow Fever —; **19.** Spirochtæosis ictero-hæmorrhagica — **20.** Leprosy 40, 65.

Causes of Death.	26* 27 Anthrax.		28* 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	—	46	9	14	9	3464	3410	2673	2697	255	267	187	171	79	52
0—1	—	—	3	2	2	5	87	66	3	10	32	36	34	12	2	1
1—5	—	—	1	1	—	—	215	178	19	20	110	104	49	34	2	—
5—10	—	—	3	2	—	—	94	85	22	23	36	40	20	11	1	—
10—15	—	—	5	1	—	—	101	176	41	114	22	28	14	14	6	2
15—20	—	—	4	—	2	—	244	385	177	315	28	19	13	16	6	8
20—25	—	—	1	—	1	1	428	473	379	412	10	12	8	12	9	2
25—30	—	—	1	—	1	—	394	439	351	390	4	12	8	16	8	4
30—35	—	—	1	1	1	—	347	353	301	330	2	3	10	9	9	3
35—40	—	—	4	—	2	—	314	314	277	290	2	2	10	11	6	2
40—45	—	—	4	—	1	1	288	240	269	211	3	3	1	7	3	4
45—50	—	—	2	1	—	—	253	184	229	160	1	5	8	7	4	5
50—55	—	—	5	—	—	2	217	138	186	124	3	2	5	4	5	2
55—60	—	—	3	—	—	—	189	105	165	86	1	1	2	5	4	6
60—65	—	—	4	—	—	—	151	102	135	87	1	—	2	6	6	2
65—70	—	—	3	1	2	—	79	77	66	55	—	—	2	6	5	4
70—75	—	—	—	—	2	—	39	55	33	42	—	—	1	—	1	3
75—80	—	—	2	—	—	—	16	28	13	24	—	—	—	1	1	1
80 and upwards	—	—	—	—	—	—	8	12	7	4	—	—	—	—	1	3

***26.** Glanders —; **28.** Rabies — .

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	Tuberculosis—*contd.*															
	35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd.).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	41	21	51	56	4	20	7	9	9	8	25	17	6	2	178	146
0—1	—	—	2	1	—	—	—	—	—	1	—	—	2	—	14	6
1—5	2	2	4	4	—	1	—	—	3	3	1	—	—	—	29	14
5—10	1	—	3	1	—	—	—	—	2	—	1	1	—	—	11	10
10—15	3	—	2	2	—	—	—	1	—	—	2	1	—	—	13	16
15—20	6	3	4	2	—	1	—	—	—	—	1	1	3	—	10	22
20—25	1	4	3	4	—	1	—	—	1	—	2	2	—	1	18	27
25—30	3	1	4	2	—	—	1	—	—	—	3	1	—	1	16	14
30—35	2	—	3	3	—	1	1	—	—	—	2	2	—	—	20	5
35—40	3	2	3	3	—	1	1	1	—	—	2	1	—	—	13	4
40—45	3	1	3	4	—	1	1	—	1	1	1	2	—	—	6	10
45—50	2	1	5	2	—	—	—	—	—	—	4	2	1	—	4	4
50—55	5	—	1	3	—	—	—	—	—	1	1	2	—	—	12	3
55—60	4	—	5	4	1	2	—	—	1	—	3	2	—	—	8	3
60—65	3	1	2	3	1	2	1	1	—	—	—	—	—	—	2	3
65—70	1	2	4	7	—	4	1	2	1	1	2	—	—	—	1	3
70—75	1	2	2	6	1	4	1	2	—	—	—	—	—	—	1	2
75—80	1	1	1	1	1	—	—	1	—	—	—	—	—	—	—	—
80 and upwards	—	1	—	4	—	2	—	1	—	1	—	—	—	—	—	—

Causes of Death.	Tuberculosis—*contd.*				38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42*		II. 43–69 General diseases not included in I. 1–42.	
	37 (*a*) Acute.		37 (*b*) Chronic or unstated.				40 Gonococcal infection.						41 Purulent infection, septicæmia.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	65	59	113	87	89	58	4	—	1	—	3	—	73	39	6226	7502
0—1	6	1	8	5	39	29	3	—	—	—	3	—	5	1	54	33
1—5	10	5	19	9	4	4	—	—	—	—	—	—	4	3	76	48
5—10	4	6	7	4	—	1	—	—	—	—	—	—	—	2	34	35
10—15	7	10	6	6	—	1	—	—	—	—	—	—	4	2	47	49
15—20	2	9	8	13	—	1	—	—	—	—	—	—	6	2	69	64
20—25	7	13	11	14	—	1	—	—	—	—	—	—	3	1	51	70
25—30	5	4	11	10	—	1	—	—	—	—	—	—	3	2	50	79
30—35	3	3	17	2	4	4	—	—	—	—	—	—	3	—	84	108
35—40	5	—	8	4	3	1	—	—	—	—	—	—	—	4	138	192
40—45	3	5	3	5	5	3	—	—	—	—	—	—	8	5	182	347
45—50	1	2	3	2	8	4	—	—	—	—	—	—	8	2	272	499
50—55	6	1	6	2	2	2	—	—	—	—	—	—	1	2	426	661
55—60	5	—	3	3	6	2	—	—	—	—	—	—	10	2	685	825
60—65	1	—	1	3	5	2	1	—	1	—	—	—	6	5	902	1015
65—70	—	—	1	3	6	1	—	—	—	—	—	—	8	—	980	1054
70—75	—	—	1	2	4	—	—	—	—	—	—	—	2	1	1022	1061
75—80	—	—	—	—	2	—	—	—	—	—	—	—	—	2	717	781
80 and upwards	—	—	—	—	1	1	—	—	—	—	—	—	2	3	437	581

* **39.** Soft chancre —; **42.** Other infectious diseases 0.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	Cancer, Malignant disease.															
	43-49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4727	5608	459	91	1758	1589	1234	1201	—	988	6	1026	207	100	1063	613
0—1	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	2
1—5	22	8	1	—	1	—	3	1	—	1	—	—	1	—	16	6
5—10	5	9	—	—	1	—	2	1	—	—	—	—	—	—	2	8
10—15	7	7	—	—	1	—	1	1	—	—	—	—	—	—	5	6
15—20	14	4	2	—	—	—	—	—	—	1	—	—	—	—	12	3
20—25	16	15	—	1	2	1	1	1	—	3	—	—	—	1	13	8
25—30	24	31	1	1	3	7	3	2	—	12	—	2	1	—	16	7
30—35	35	50	3	1	13	10	4	8	—	15	—	9	1	—	14	7
35—40	68	115	3	2	25	16	13	11	—	39	—	31	2	—	25	16
40—45	110	248	7	2	41	47	22	37	—	60	1	64	3	2	36	36
45—50	204	386	23	8	88	75	46	54	—	93	1	105	6	—	40	51
50—55	320	518	30	10	141	90	75	78	—	134	1	134	4	6	69	66
55—60	552	645	57	12	217	174	130	130	—	138	1	131	17	4	130	56
60—65	741	803	75	8	279	249	199	175	—	141	1	134	15	6	172	90
65—70	793	839	79	14	294	276	210	206	—	130	—	116	39	5	171	92
70—75	837	838	62	14	311	291	252	224	—	109	1	119	30	12	181	69
75—80	609	615	60	9	211	205	184	163	—	76	—	88	42	21	112	53
80 and upwards	369	475	56	9	129	148	89	109	—	36	—	93	46	43	49	37

Causes of Death.	50 Tumours not returned as malignant (tumours of brain and female genital organs excepted).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58. Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	85	72	151	153	246	351	1	1	42	26	429	520	288	360	254	326
0—1	—	—	1	—	—	—	—	—	21	10	—	—	3	1	—	—
1—5	—	1	6	3	1	—	—	—	18	13	5	2	4	3	2	1
5—10	—	—	10	12	—	—	—	—	1	1	8	5	1	3	—	3
10—15	—	—	22	22	—	—	—	—	—	—	5	10	1	3	—	2
15—20	—	—	23	21	—	—	—	—	1	—	13	12	4	7	2	5
20—25	1	—	8	13	2	—	—	—	—	—	13	12	2	11	2	10
25—30	1	1	5	5	1	1	—	—	—	—	5	14	2	14	2	10
30—35	2	—	7	11	3	2	—	—	1	—	16	13	5	12	5	11
35—40	7	—	4	11	3	3	—	—	—	1	28	10	14	22	10	21
40—45	2	3	13	5	5	8	—	—	—	1	15	24	18	23	17	21
45—50	5	1	8	17	5	8	—	—	—	—	15	17	19	31	16	25
50—55	9	6	10	9	12	20	—	1	—	—	20	27	33	30	32	29
55—60	4	3	10	9	15	27	—	—	—	—	38	53	48	47	42	44
60—65	14	8	7	6	28	40	—	—	—	—	55	73	40	57	36	53
65—70	11	6	7	4	41	56	1	—	—	—	64	78	40	44	39	43
70—75	11	15	8	1	57	73	—	—	—	—	63	82	40	29	37	27
75—80	9	13	1	4	40	68	—	—	—	—	45	53	11	16	10	15
80 and upwards	9	15	1	—	33	45	—	—	—	—	21	35	3	7	2	6

* **54.** Pellagra *35, 40*; **55.** Beri-beri —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	58 (*b*) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	34	34	25	230	12	153	13	77	21	9	21	22	5	3	108	86
0—1	3	1	1	2	—	—	1	2	12	6	—	—	1	—	1	1
1—5	2	2	—	4	—	—	—	4	8	1	—	—	—	—	8	4
5—10	1	—	1	1	—	—	1	1	—	—	—	—	—	—	2	3
10—15	1	1	2	3	—	1	2	2	—	—	—	1	—	—	7	2
15—20	2	2	2	8	1	7	1	1	—	1	—	—	—	—	7	5
20—25	—	1	—	11	—	9	—	2	1	—	—	1	1	—	4	3
25—30	—	4	1	5	—	5	1	—	—	—	3	1	—	—	6	6
30—35	—	1	2	12	2	10	—	2	—	1	4	2	—	—	8	5
35—40	4	1	2	22	—	19	2	3	—	—	2	3	—	—	8	4
40—45	1	2	—	28	—	21	—	7	—	—	2	1	2	—	6	3
45—50	3	6	1	20	1	16	—	4	—	—	2	3	—	—	7	14
50—55	1	1	3	32	2	26	1	6	—	—	3	2	—	1	11	8
55—60	6	3	3	23	3	16	—	7	—	—	—	4	—	1	10	8
60—65	4	4	2	24	1	11	1	13	—	—	2	1	1	—	8	2
65—70	1	1	4	15	1	10	3	5	—	—	3	2	—	1	12	8
70—75	3	2	—	9	—	1	—	8	—	—	—	—	—	—	3	8
75—80	1	1	1	9	1	1	—	8	—	—	—	1	—	—	—	1
80 and upwards	1	1	—	2	—	—	—	2	—	—	—	—	—	—	—	1

* **59.** Diseases of the pituitary gland 20, 60, 70; **61.** 1. Tetany 0, 0, 0, 1, 10, *0 0.* 2. Other diseases of the parathyroid glands —.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70–86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	50	52	58	34	13	4	8	—	46	53	4936	5260	32	17	211	164
0—1	1	1	—	—	—	—	—	—	10	9	432	320	3	—	51	38
1—5	6	4	2	—	—	—	—	—	3	9	172	153	4	2	62	52
5—10	1	—	1	3	—	—	—	—	6	1	64	43	3	—	26	15
10—15	5	2	2	—	—	—	—	—	2	1	60	44	4	1	13	10
15—20	4	4	3	1	—	—	—	—	5	6	73	48	2	2	10	8
20—25	—	—	4	3	—	—	—	—	2	4	58	52	3	2	4	6
25—30	1	3	5	3	1	1	—	—	1	—	69	37	1	—	9	1
30—35	3	3	5	2	—	—	—	—	1	—	69	58	2	—	5	3
35—40	1	3	7	1	1	—	1	—	—	—	66	75	—	2	5	8
40—45	3	2	3	1	4	1	1	—	4	1	116	111	4	3	4	2
45—50	6	10	1	4	1	2	2	—	3	—	163	186	2	1	3	5
50—55	5	5	6	3	2	—	1	—	—	7	233	247	1	1	4	5
55—60	3	6	7	2	2	—	1	—	2	5	322	358	2	1	2	5
60—65	4	1	4	1	1	—	1	—	1	1	442	448	1	2	7	3
65—70	5	5	7	3	1	—	1	—	2	1	566	606	—	—	3	1
70—75	2	3	1	5	—	—	—	—	2	6	715	767	—	—	2	1
75—80	—	—	—	1	—	—	—	—	1	1	651	764	—	—	—	1
80 and upwards	—	—	—	1	—	—	—	—	1	1	665	943	—	—	1	—

* **68.** Chronic poisoning by organic substances 50, 50.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	92	15	194	143	2679	3379	2369	2944	310	435	223	295	187	264	36	31
0—1	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—
1—5	—	—	1	—	2	5	2	4	—	1	1	2	—	1	1	1
5—10	—	—	3	1	—	—	—	—	—	—	—	2	—	—	—	2
10—15	—	—	—	2	1	1	1	—	—	1	2	—	—	—	2	—
15—20	—	—	5	6	1	1	1	1	—	—	1	—	—	—	1	—
20—25	—	1	5	3	5	5	5	5	—	—	2	1	—	—	2	1
25—30	1	—	6	—	4	7	2	5	2	2	1	—	1	—	—	—
30—35	1	—	6	7	9	5	9	2	—	3	1	—	1	—	—	—
35—40	4	1	4	3	6	16	5	12	1	4	—	1	—	1	—	—
40—45	5	1	9	7	22	36	18	33	4	3	5	4	4	2	1	2
45—50	10	1	16	11	60	85	53	78	7	7	3	7	1	5	2	2
50—55	9	3	20	9	101	150	94	137	7	13	4	5	4	5	—	—
55—60	17	3	21	19	190	253	171	221	19	32	13	8	9	7	4	1
60—65	13	5	28	20	279	311	251	284	28	27	16	26	13	26	3	—
65—70	17	—	28	21	389	464	332	426	57	38	30	46	29	45	1	1
70—75	10	—	21	16	545	617	499	528	46	89	35	54	30	48	5	6
75—80	3	—	17	10	512	628	444	545	68	83	55	62	49	52	6	10
80 and upwards	2	—	4	8	553	794	482	663	71	131	53	77	45	72	8	5

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	128	40	44	103	268	240	424	319	5	13	27	21	108	107	396	326
0—1	—	—	—	—	7	4	353	255	—	—	—	—	—	—	5	7
1—5	—	—	—	—	5	11	68	59	—	—	—	—	—	—	18	12
5—10	—	—	—	—	8	6	1	1	1	4	—	—	—	—	11	3
10—15	—	—	—	1	16	13	1	2	2	1	—	—	—	—	12	5
15—20	1	—	—	—	25	15	—	1	1	1	1	—	—	—	10	8
20—25	1	—	—	3	22	13	—	—	1	3	—	—	—	—	10	11
25—30	3	1	1	4	25	13	—	—	—	—	—	—	—	—	13	9
30—35	6	2	1	5	21	23	1	—	—	1	1	1	—	—	12	7
35—40	16	7	2	4	12	13	—	—	—	—	1	1	—	—	12	15
40—45	26	9	1	18	18	10	—	—	—	—	—	—	1	4	15	16
45—50	21	3	6	18	14	23	—	—	—	1	—	1	4	3	22	23
50—55	28	8	6	11	14	21	—	—	—	1	7	2	2	2	34	27
55—60	11	1	9	9	15	11	—	—	—	1	4	1	5	6	30	36
60—65	7	5	7	13	19	16	—	—	—	—	8	2	11	11	41	34
65—70	4	2	3	8	16	14	—	—	—	—	2	6	14	12	53	31
70—75	3	—	5	6	15	15	—	—	—	—	2	5	27	19	49	34
75—80	—	1	3	1	8	11	—	1	—	—	—	—	21	22	31	25
80 and upwards	1	1	—	2	8	8	—	—	—	—	1	2	23	28	18	23

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	9	98	69	8648	8536	6474	7009	31	26	127	138	259	124	6057	6721
0—1	—	—	12	15	4	4	—	—	—	—	—	—	—	—	—	—
1—5	1	1	10	9	12	14	9	12	2	3	2	2	—	—	5	7
5—10	—	1	11	10	26	18	25	17	2	2	3	3	—	—	20	12
10—15	—	1	9	7	29	28	29	28	1	4	3	7	—	—	25	17
15—20	1	1	15	5	44	35	44	33	1	2	4	6	—	—	39	25
20—25	—	—	5	4	51	47	50	46	1	—	9	8	—	—	40	38
25—30	—	—	5	2	64	68	61	64	1	—	16	13	—	—	44	51
30—35	—	—	3	4	65	88	60	86	1	—	9	10	—	—	50	76
35—40	—	—	4	4	99	124	88	116	1	—	14	16	1	1	72	99
40—45	—	—	6	1	153	145	131	137	—	3	17	19	5	4	109	111
45—50	—	1	2	3	234	256	196	236	6	—	6	5	13	3	171	228
50—55	—	1	3	1	344	356	268	316	1	4	2	12	9	4	256	296
55—60	—	2	3	2	598	509	466	447	3	2	11	8	30	8	422	429
60—65	—	—	5	—	917	781	726	699	1	—	9	8	51	20	665	671
65—70	2	—	5	1	1351	1205	1056	1023	7	2	2	5	58	26	989	990
70—75	1	—	—	—	1556	1472	1187	1209	2	1	9	7	42	25	1134	1176
75—80	1	1	—	1	1481	1498	1028	1209	1	2	6	5	31	23	990	1179
80 and upwards	1	—	—	—	1620	1888	1050	1331	—	1	5	4	19	10	1026	1316

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2560	2941	2024	2177	1473	1603	2088	1408	140	31	1930	1359	568	529	1362	830
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	2	2	—	—	3	5	—	—	—	—	—	—	—	—	—	—
5—10	15	10	—	—	5	2	—	—	—	—	—	—	—	—	—	—
10—15	21	16	1	—	3	1	—	—	—	—	—	—	—	—	—	—
15—20	28	18	4	1	7	6	—	—	—	—	—	—	—	—	—	—
20—25	27	29	3	3	10	6	—	—	—	—	—	—	—	—	—	—
25—30	33	39	5	5	6	7	2	—	2	—	—	—	—	—	—	—
30—35	33	49	8	10	9	17	5	1	2	—	3	1	—	—	3	1
35—40	47	68	12	10	13	21	6	2	6	1	—	—	—	—	—	—
40—45	57	73	17	19	35	19	20	3	9	—	10	3	2	1	8	2
45—50	87	143	50	41	34	44	31	8	8	—	23	7	12	4	11	3
50—55	143	164	70	67	43	65	69	28	27	4	40	24	21	17	19	7
55—60	215	214	106	131	101	84	125	48	24	5	98	41	43	24	55	17
60—65	291	314	203	203	171	154	182	73	18	6	163	66	64	34	99	32
65—70	423	424	316	293	250	273	282	170	18	7	261	162	90	82	171	80
70—75	469	491	401	389	264	296	360	249	14	2	344	241	96	109	248	132
75—80	383	471	354	392	253	316	440	278	8	3	429	272	111	103	318	169
80 and upwards	286	416	474	613	266	287	566	548	4	3	559	542	129	155	430	387

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	18	18	34	47	27	59	13	10	12	3	7046	5974	15	8	48	38
0—1	—	—	—	1	—	—	3	3	1	—	1074	740	1	1	15	6
1—5	—	—	—	—	—	—	2	2	1	—	676	564	1	—	18	19
5—10	—	—	—	1	—	—	1	—	—	—	81	53	—	—	5	5
10—15	—	—	—	—	—	—	—	—	—	—	42	35	2	1	—	1
15—20	—	—	—	1	—	—	—	1	—	—	65	35	2	1	1	—
20—25	—	—	—	1	—	—	1	—	—	—	88	60	3	2	—	—
25—30	—	—	1	3	—	—	—	—	—	1	73	60	2	1	—	1
30—35	—	—	—	—	—	1	—	—	—	—	110	86	1	—	—	—
35—40	—	1	2	2	2	4	1	—	—	—	130	86	—	—	1	—
40—45	1	—	1	1	1	4	—	—	—	—	184	104	—	1	—	1
45—50	—	1	3	5	3	7	—	—	1	—	225	136	1	1	2	—
50—55	2	—	2	7	4	4	1	1	—	—	251	146	—	—	1	1
55—60	3	2	2	4	3	9	1	—	1	1	340	203	—	—	1	—
60—65	1	1	5	2	2	6	—	1	2	—	433	341	—	—	1	—
65—70	3	1	7	2	2	9	2	—	2	1	627	485	—	—	—	—
70—75	2	6	3	7	5	6	1	1	—	—	785	733	1	—	—	1
75—80	3	3	5	5	5	6	—	—	3	—	794	834	1	—	3	2
80 and upwards	3	3	3	5	—	3	—	1	1	—	1068	1273	—	—	—	1

***96.** Other diseases of the circulatory system — ;

Causes of Death.	99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).		101 (*a*) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3281	3142	857	974	1109	818	1315	1350	3096	2338	1485	1221	1611	1117	805	547
0—1	385	253	181	118	7	3	197	132	657	466	566	390	91	76	27	20
1—5	101	126	57	58	3	5	41	63	540	408	423	310	117	98	46	43
5—10	6	5	4	2	—	—	2	3	64	39	30	23	34	16	19	13
10—15	4	5	3	2	—	1	1	2	31	27	7	11	24	16	12	8
15—20	6	2	2	—	3	1	1	1	49	29	4	11	45	18	27	16
20—25	5	3	4	—	—	2	1	1	71	51	5	7	66	44	43	28
25—30	12	3	3	1	6	2	3	—	55	49	9	12	46	37	33	23
30—35	12	12	4	6	6	3	2	3	83	64	13	10	70	54	43	25
35—40	15	5	3	3	9	2	3	—	90	66	13	13	77	53	45	37
40—45	22	17	8	9	7	5	7	3	145	73	17	8	128	65	74	34
45—50	34	35	6	9	20	14	8	12	155	82	30	15	125	67	65	37
50—55	79	44	18	10	36	18	25	16	131	78	27	17	104	61	64	27
55—60	104	76	25	30	50	26	29	20	168	96	21	24	147	72	83	41
60—65	173	160	38	47	79	53	56	60	187	142	50	48	137	94	61	48
65—70	354	282	75	89	157	101	122	92	204	149	74	64	130	85	62	41
70—75	516	471	111	142	222	153	183	176	197	197	74	93	123	104	48	51
75—80	586	631	115	182	228	165	243	284	150	146	60	72	90	74	41	27
80 and upwards	867	1012	200	266	276	264	391	482	119	176	62	93	57	83	12	28

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	101 (*b*) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	806	570	132	86	108	156	6	—	259	163	34	13	67	30	56	15
0—1	64	56	1	—	13	12	—	—	1	—	—	—	1	2	—	—
1—5	71	55	11	1	2	4	—	—	1	3	—	—	2	3	1	1
5—10	15	3	3	2	—	1	—	—	2	1	1	—	—	—	—	—
10—15	12	8	3	—	—	—	—	—	1	—	—	—	1	1	—	—
15—20	18	2	4	2	—	—	—	—	1	—	1	—	1	1	1	1
20—25	23	16	3	1	1	1	—	—	3	2	—	—	2	—	1	—
25—30	13	14	2	3	—	1	—	—	2	2	—	—	—	—	—	—
30—35	27	29	6	5	—	1	1	—	6	3	—	—	1	1	1	1
35—40	32	16	8	5	1	4	—	—	9	5	—	—	6	1	5	—
40—45	54	31	6	2	1	—	2	—	5	8	1	—	2	2	1	2
45—50	60	30	9	6	2	1	1	—	12	10	—	—	9	1	8	—
50—55	40	34	8	4	1	2	—	—	20	16	—	1	11	—	10	—
55—60	64	31	12	6	3	1	—	—	34	20	9	1	9	3	8	2
60—65	76	46	16	7	3	7	—	—	39	19	2	2	12	4	10	2
65—70	68	44	13	10	7	8	1	—	38	27	4	3	6	6	6	4
70—75	75	53	11	14	15	27	1	—	34	20	7	—	3	3	3	1
75—80	49	47	6	9	18	32	—	—	26	12	3	1	1	1	1	1
80 and upwards	45	55	10	9	41	54	—	—	25	15	6	5	—	1	—	—

Causes of Death.	107 (*b*) Diseases of the mediastinum.		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	—	11	15	2570	2136	70	49	52	32	18	17	52	50	5	2
0—1	—	—	1	2	470	285	6	5	4	2	2	3	3	1	—	—
1—5	—	—	1	2	185	144	2	3	—	2	2	1	11	13	—	—
5—10	—	—	—	—	76	65	1	4	1	3	—	1	8	9	—	—
10—15	—	—	1	1	60	43	1	—	1	—	—	—	3	5	—	—
15—20	—	—	—	—	61	51	1	2	1	—	—	2	4	6	—	—
20—25	—	—	1	—	50	45	1	3	—	3	1	—	2	2	—	—
25—30	—	—	—	—	55	55	1	2	—	2	1	—	2	1	—	—
30—35	—	—	—	—	46	59	—	3	—	3	—	—	1	—	—	—
35—40	—	—	1	1	70	54	3	—	3	—	—	—	—	—	—	—
40—45	—	—	1	—	104	69	2	3	—	3	2	—	1	1	1	—
45—50	—	—	1	1	125	95	10	1	8	1	2	—	3	4	—	—
50—55	—	—	1	—	167	122	11	5	9	4	2	1	2	1	—	2
55—60	—	—	1	1	194	137	11	2	11	1	—	1	5	2	—	—
60—65	—	—	2	2	198	156	4	5	3	2	1	3	1	2	—	—
65—70	—	—	—	2	186	197	8	5	6	5	2	—	3	1	—	—
70—75	—	—	—	2	194	197	2	—	1	—	1	—	2	1	3	—
75—80	—	—	—	—	157	151	5	3	4	1	1	2	1	1	1	—
80 and upwards	—	—	—	1	172	211	1	3	—	—	1	3	—	—	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	319	175	196	146	123	29	218	238	617	487	2	4	314	226	474	385
0—1	1	—	1	—	—	—	56	41	348	207	—	—	—	—	48	22
1—5	1	—	1	—	—	—	13	15	112	72	1	3	19	11	17	10
5—10	—	—	—	—	—	—	5	4	11	13	1	—	33	20	8	4
10—15	—	—	—	—	—	—	1	2	4	4	—	—	43	23	5	2
15—20	1	5	—	5	1	—	5	3	1	3	—	—	30	24	13	2
20—25	12	5	7	5	5	—	3	—	4	8	—	—	19	15	7	6
25—30	14	13	8	8	6	5	2	1	7	8	—	1	18	15	3	5
30—35	12	10	9	10	3	—	1	4	1	9	—	—	14	13	5	7
35—40	22	9	16	7	6	2	2	3	5	6	—	—	17	15	6	10
40—45	32	15	23	13	9	2	2	3	5	11	—	—	22	9	14	11
45—50	36	20	17	17	19	3	8	10	7	5	—	—	15	8	14	22
50—55	38	21	21	19	17	2	13	4	9	14	—	—	15	15	30	20
55—60	32	13	17	10	15	3	14	13	10	14	—	—	20	14	34	27
60—65	41	12	27	10	14	2	17	14	12	11	—	—	17	15	43	35
65—70	26	21	15	18	11	3	11	26	14	14	—	—	11	11	48	46
70—75	24	14	16	11	8	3	16	30	19	26	—	—	17	8	56	59
75—80	17	11	8	8	9	3	14	23	17	21	—	—	3	6	61	41
80 and upwards	10	6	10	5	—	1	35	42	31	41	—	—	1	4	62	56

***115.** Ankylostomiasis —; **116** (*a*) Cestodes (hydatids of the liver excepted), *25*; **116** (*c*) Nematodes, *5, 1, 1, 1* **116** (*f*) Undefined parasites, 1.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	214	163	260	222	45	44	7	14	2	2	214	112	19	9	195	103
0—1	12	2	36	20	5	4	—	—	—	—	—	—	—	—	—	—
1—5	5	—	12	10	2	3	1	1	—	—	—	—	—	—	—	—
5—10	1	—	7	4	2	—	1	1	—	1	1	—	—	—	1	—
10—15	1	—	4	2	—	1	—	—	—	—	—	—	—	—	—	—
15—20	3	—	10	2	1	2	—	—	1	—	—	1	—	—	—	1
20—25	1	1	6	5	—	—	—	3	—	—	1	—	—	—	1	—
25—30	1	—	2	5	1	2	2	1	—	—	—	—	—	—	—	—
30—35	1	2	4	5	1	—	2	2	—	—	3	1	—	—	3	1
35—40	2	4	4	6	2	1	1	2	—	—	4	—	—	—	4	—
40—45	6	4	8	7	2	2	—	1	—	—	14	3	2	—	12	3
45—50	7	9	7	13	1	—	—	1	—	1	21	7	2	—	19	7
50—55	11	10	9	10	3	2	—	1	—	—	26	20	7	1	19	19
55—60	13	13	21	14	7	1	—	—	1	—	30	18	2	2	28	16
60—65	21	22	22	13	1	8	—	—	—	—	34	17	6	5	28	12
65—70	28	31	20	15	3	2	—	1	—	—	35	18	—	1	35	17
70—75	33	30	23	29	4	4	—	—	—	—	26	12	—	—	26	12
75—80	33	13	28	28	4	4	—	—	—	—	13	8	—	—	13	8
80 and upwards	35	22	27	34	6	8	—	—	—	—	6	7	—	—	6	7

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	66	145	95	125	29	25	41	53	2367	1484	128	128	1188	1016	72	55
0—1	—	—	—	2	—	—	3	3	11	2	5	1	—	—	2	—
1—5	—	—	3	3	—	—	3	10	19	14	14	12	2	2	1	—
5—10	—	—	2	—	—	—	3	9	17	11	12	8	1	1	1	1
10—15	—	—	—	2	1	—	2	4	15	11	5	3	8	7	—	—
15—20	—	—	1	1	—	—	3	2	23	19	6	8	14	5	1	—
20—25	—	—	1	1	—	—	—	2	31	25	7	5	20	9	3	3
25—30	—	—	1	3	2	—	2	3	22	43	4	5	14	18	—	5
30—35	—	5	2	1	3	—	1	4	21	45	3	9	12	19	4	3
35—40	—	1	4	4	2	2	2	1	39	73	5	6	25	38	3	5
40—45	2	2	3	5	2	2	2	1	47	85	6	7	30	38	2	2
45—50	2	9	4	4	1	1	3	2	92	100	8	11	60	51	5	6
50—55	5	6	10	8	3	2	2	1	101	95	9	10	68	61	7	5
55—60	8	15	12	11	5	6	5	1	175	122	7	8	120	87	1	8
60—65	10	25	10	8	6	2	2	2	240	162	6	7	146	136	10	3
65—70	11	19	10	24	4	5	2	4	367	177	14	7	205	144	8	2
70—75	12	25	11	14	—	3	2	1	350	186	7	11	161	148	11	2
75—80	10	18	10	12	—	2	1	1	396	152	6	6	171	120	7	5
80 and upwards	6	20	11	22	—	—	3	2	401	162	4	4	131	132	6	5

* **127.** Other diseases of the digestive system —; **130.** Chyluria —.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	36	16	193	46	66	2	52	—	14	2	674	—	10	—	—	66
0—1	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
5—10	—	1	1	—	—	—	—	—	—	—	—	—	2	—	—	—
10—15	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—
20—25	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	1
25—30	1	—	3	—	—	1	—	—	—	1	—	—	—	—	—	4
30—35	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	2
35—40	3	—	2	3	1	—	1	—	—	—	—	—	—	—	—	3
40—45	2	—	3	2	4	1	4	—	—	1	—	—	—	—	—	5
45—50	2	1	5	—	9	—	6	—	3	—	3	—	—	—	—	6
50—55	1	2	7	3	6	—	6	—	—	—	3	—	—	—	—	3
55—60	1	3	10	2	9	—	7	—	2	—	26	—	1	—	—	6
60—65	7	1	13	1	7	—	6	—	1	—	51	—	—	—	—	10
65—70	8	—	19	4	11	—	8	—	3	—	102	—	—	—	—	10
70—75	3	3	27	6	10	—	9	—	1	—	131	—	—	—	—	9
75—80	6	3	30	8	5	—	3	—	2	—	170	—	1	—	—	3
80 and upwards	1	—	68	14	3	—	2	—	1	—	188	—	—	—	—	4

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	46	—	67	—	12	—	30	—	—	—	598	—	53	—	22
0—1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	3	—	—	—	2	—	—	—	—	—	16	—	3	—	—
20—25	—	4	—	—	—	—	—	1	—	—	—	98	—	4	—	1
25—30	—	4	—	1	—	2	—	3	—	—	—	136	—	7	—	2
30—35	—	6	—	2	—	1	—	2	—	—	—	118	—	19	—	10
35—40	—	7	—	6	—	1	—	4	—	—	—	145	—	10	—	4
40—45	—	7	—	14	—	4	—	5	—	—	—	73	—	9	—	5
45—50	—	5	—	16	—	2	—	2	—	—	—	11	—	1	—	—
50—55	—	4	—	7	—	—	—	—	—	—	—	1	—	—	—	—
55—60	—	1	—	2	—	—	—	5	—	—	—	—	—	—	—	—
60—65	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—
65—70	—	3	—	4	—	—	—	3	—	—	—	—	—	—	—	—
70—75	—	1	—	5	—	—	—	1	—	—	—	—	—	—	—	—
75—80	—	1	—	5	—	—	—	1	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—

Causes of Death.	143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	11	—	20	—	97	—	83	—	185	—	54	—	123	—	2
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	3	—	—	—	—	—	5	—	—	—	8	—	—
20—25	—	2	—	1	—	9	—	9	—	46	—	6	—	24	—	—
25—30	—	2	—	3	—	26	—	14	—	45	—	13	—	30	—	1
30—35	—	4	—	5	—	19	—	16	—	28	—	14	—	20	—	1
35—40	—	2	—	4	—	28	—	28	—	43	—	14	—	22	—	—
40—45	—	1	—	3	—	11	—	13	—	17	—	6	—	17	—	—
45—50	—	—	—	1	—	4	—	3	—	1	—	1	—	1	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **150.** Puerperal diseases of the breast, *30*.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	371	317	213	140	32	12	59	50	67	115	85	60	63	44	19	14
0—1	30	29	—	1	2	—	4	10	24	18	6	4	3	3	3	—
1—5	6	9	—	1	—	1	3	3	3	4	9	5	8	4	1	1
5—10	1	1	1	—	—	—	—	1	—	—	6	7	6	7	—	—
10—15	4	6	—	—	2	1	1	3	1	2	17	10	11	10	6	—
15—20	3	4	1	1	—	—	2	3	—	—	11	1	10	1	—	—
20—25	1	2	1	—	—	—	—	2	—	—	1	3	1	—	—	3
25—30	4	—	—	—	2	—	2	—	—	—	2	3	1	2	1	1
30—35	5	8	—	—	—	1	3	1	2	6	3	—	3	—	—	—
35—40	6	7	2	—	2	2	2	1	—	4	4	1	3	1	1	—
40—45	3	4	—	—	1	—	2	4	—	—	1	2	1	2	—	—
45—50	8	5	2	2	4	1	1	1	1	1	2	1	2	—	—	1
50—55	8	9	—	—	2	—	5	3	1	6	1	3	1	1	—	1
55—60	18	15	1	1	7	2	8	7	2	5	5	2	4	2	1	—
60—65	16	20	3	11	2	1	7	—	4	8	5	4	3	1	1	3
65—70	35	20	22	10	3	—	6	2	4	8	2	3	2	3	—	—
70—75	48	33	37	19	1	1	4	2	6	11	4	3	1	1	2	2
75—80	64	39	45	22	3	2	6	4	10	11	2	4	1	4	1	—
80 and upwards	111	106	98	72	1	—	3	3	9	31	4	4	2	2	2	2

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	2	403	328	2413	1746	546	382	1667	1214	1544	1139	123	75	173	130
0—1	—	1	353	281	2413	1746	546	382	1667	1214	1544	1139	123	75	173	130
1—5	—	—	34	25	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	6	7	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—
15—20	1	—	4	3	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **157.** Amputation —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165–166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27	20	3149	4051	2654	935	544	199	32	20	16	9	164	33	101	93
0—1	27	20	—	—	61	52	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	162	109	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	110	50	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	80	30	1	—	—	—	—	—	1	—	—	—
15—20	—	—	—	—	174	45	12	8	1	2	—	—	2	—	4	6
20—25	—	—	—	—	207	24	23	10	4	3	—	1	6	—	1	3
25—30	—	—	—	—	157	28	27	12	—	—	—	1	5	—	8	7
30—35	—	—	—	—	135	26	28	11	2	3	1	—	7	3	5	3
35—40	—	—	—	—	154	31	34	15	—	1	1	1	9	2	6	5
40—45	—	—	—	—	179	43	47	21	4	2	4	1	8	4	12	7
45—50	—	—	—	—	194	47	52	23	4	1	2	3	17	6	10	8
50—55	—	—	—	2	206	36	58	17	5	3	2	—	19	1	4	11
55—60	—	—	5	5	200	48	57	23	4	—	2	1	22	3	8	15
60—65	—	—	11	23	206	56	80	23	7	1	1	—	24	5	15	10
65—70	—	—	72	79	148	50	55	16	1	2	1	—	16	6	13	7
70—75	—	—	424	420	118	68	35	14	—	2	1	1	12	2	9	7
75—80	—	—	767	880	79	76	18	4	—	—	—	—	9	1	3	3
80 and upwards	—	—	1870	2642	84	116	17	2	—	—	1	—	7	—	3	1

Causes of Death.	Suicide—*contd.* 170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	68	6	116	18	9	8	36	9	2	3	2084	719	1	4	2	3
0—1	—	—	—	—	—	—	—	—	—	—	53	46	—	—	1	—
1—5	—	—	—	—	—	—	—	—	—	—	159	107	—	1	—	—
5—10	—	—	—	—	—	—	—	—	—	—	108	49	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	79	30	—	—	—	—
15—20	4	—	—	—	—	—	1	—	—	—	162	36	—	—	—	1
20—25	4	2	2	—	1	—	4	1	1	—	183	14	—	—	—	—
25—30	4	1	6	—	—	—	4	3	—	—	128	16	—	—	—	—
30—35	7	—	3	1	—	—	3	—	—	1	106	14	—	—	1	—
35—40	4	—	10	1	2	2	2	2	—	1	117	16	—	—	—	1
40—45	5	1	11	2	—	3	3	—	—	1	131	21	—	—	—	1
45—50	6	—	12	4	—	—	1	1	—	—	140	24	1	—	—	—
50—55	8	—	13	2	2	—	4	—	1	—	148	18	—	—	—	—
55—60	9	—	10	3	—	1	2	—	—	—	141	24	—	—	—	—
60—65	9	2	21	3	2	1	1	1	—	—	125	32	—	1	—	—
65—70	6	—	10	—	1	—	7	1	—	—	93	34	—	2	—	—
70—75	2	—	8	2	—	—	3	—	—	—	83	53	—	—	—	—
75—80	—	—	5	—	—	—	1	—	—	—	61	72	—	—	—	—
80 and upwards	—	—	5	—	1	1	—	—	—	—	67	113	—	—	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924. (Civilian population only).

Causes of Death.	177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	—	6	—	111	170	53	36	9	4	308	64	48	3	4	—
0—1	1	—	—	—	6	8	41	35	—	—	3	1	—	—	—	—
1—5	3	—	—	—	65	58	2	—	—	—	36	13	1	—	2	—
5—10	—	—	—	—	6	18	—	—	—	—	26	2	2	—	—	—
10—15	—	—	—	—	4	9	1	—	—	—	12	2	1	2	—	—
15—20	1	—	—	—	4	10	—	—	1	—	26	9	6	—	1	—
20—25	1	—	—	—	4	3	1	—	1	—	26	3	6	—	—	—
25—30	—	—	—	—	1	3	—	—	—	—	13	3	6	—	1	—
30—35	—	—	—	—	—	1	—	—	—	—	12	5	2	1	—	—
35—40	—	—	—	—	—	6	1	—	1	1	13	3	1	—	—	—
40—45	—	—	1	—	2	2	1	—	—	—	17	4	4	—	—	—
45—50	1	—	—	—	—	4	1	—	—	—	28	4	7	—	—	—
50—55	2	—	—	—	2	3	1	—	1	—	20	2	3	—	—	—
55—60	—	—	2	—	1	4	1	—	—	—	24	4	5	—	—	—
60—65	—	—	—	—	2	5	2	—	2	1	15	2	—	—	—	—
65—70	—	—	—	—	2	5	—	—	1	—	14	2	2	—	—	—
70—75	—	—	—	—	4	6	—	—	1	1	12	4	1	—	—	—
75—80	—	—	2	—	3	14	—	1	—	1	7	1	—	—	—	—
80 and upwards	—	—	1	—	5	11	1	—	1	—	4	—	1	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	241	224	384	—	45	2	743	175	35	6	9	—	2	3	18	5
0—1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
1—5	3	3	—	—	—	—	37	25	5	2	—	—	—	—	—	—
5—10	10	1	—	—	4	1	58	27	1	—	—	—	—	—	—	—
10—15	3	—	10	—	1	—	40	17	3	—	—	—	—	—	—	—
15—20	7	2	47	—	4	1	55	11	4	1	—	—	—	—	—	—
20—25	5	2	48	—	5	—	83	4	2	—	—	—	—	—	—	—
25—30	—	1	47	—	5	—	47	6	—	—	2	—	—	—	1	—
30—35	5	2	43	—	1	—	36	4	1	—	3	—	—	—	—	—
35—40	5	—	47	—	3	—	34	5	5	—	1	—	—	—	1	—
40—45	11	2	40	—	1	—	49	12	1	—	1	—	—	—	—	—
45—50	10	5	32	—	7	—	46	8	2	2	2	—	—	—	—	—
50—55	16	—	23	—	7	—	65	8	2	—	—	—	—	3	2	—
55—60	18	7	20	—	2	—	58	8	3	—	—	—	2	—	3	1
60—65	30	10	14	—	1	—	50	9	4	—	—	—	—	—	3	2
65—70	23	12	8	—	2	—	35	13	—	—	—	—	—	—	1	—
70—75	26	34	3	—	2	—	25	8	1	—	—	—	—	—	5	—
75—80	27	45	1	—	—	—	15	6	—	1	—	—	—	—	2	2
80 and upwards	42	98	1	—	—	—	10	4	—	—	—	—	—	—	—	—

* **191.** Execution of civilians by belligerent armies — .

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1924.
(Civilian population only).

Causes of Death.	194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	5	6	—	26	17	4	1	3	7	19	9	3	—
0—1	—	—	—	—	8	6	—	—	1	—	7	6	—	—
1—5	—	—	—	—	3	2	—	—	—	—	3	2	—	—
5—10	1	—	—	—	2	1	—	—	—	1	2	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	3	—	—	1	—	—	—	—	—	1	—	—
20—25	—	1	—	—	1	—	—	—	—	—	1	—	—	—
25—30	1	—	1	—	2	—	1	—	—	—	1	—	—	—
30—35	—	—	1	—	1	1	1	—	—	1	—	—	—	—
35—40	—	—	1	—	3	—	—	—	1	—	2	—	—	—
40—45	—	—	—	—	1	1	1	—	—	1	—	—	—	—
45—50	—	—	—	—	2	—	1		—	—	1	—	1	—
50—55	—	1	—	—	—	1	—	—	—	1	—	—	1	—
55—60	—	—	—	—	2	1	—	—	1	1	1	—	—	—
60—65	1	2	—	—	1	1	—	—	—	1	1	—	—	—
65—70	1	—	—	—	—	—	—	—	—	—	—	—	1	—
70—75	1	—	—	—	—	1	—	1	—	—	—	—	—	—
75—80	1	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	1	—	—	—	1	—	—	—	—

* **195.** Lightning 35, 35, 40, 40, 50, 65, 70, *25, 25, 50*. **200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.
All Ages	31	10	3	2	323	209	55	25	268	184	177	134	91	50
0—1	—	2	—	—	14	14	—	—	14	14	—	—	14	14
1—5	5	4	—	1	22	10	1	—	21	10	1	2	20	8
5—10	—	—	—	—	3	4	—	—	3	4	1	1	2	3
10—15	4	—	—	—	2	—	1	—	1	—	1	—	—	—
15—20	3	1	—	—	7	1	2	1	5	—	3	—	2	—
20—25	1	1	—	—	4	1	—	—	4	1	3	1	1	—
25—30	3	—	—	1	3	1	1	1	2	—	1	—	1	—
30—35	1	1	—	—	6	5	1	1	5	4	5	4	—	—
35—40	2	—	—	—	9	6	2	2	7	4	5	2	2	2
40—45	1	—	—	—	9	8	2	—	7	8	7	7	—	1
45—50	1	1	1	—	16	8	1	—	15	8	12	7	3	1
50—55	2	—	—	—	27	22	5	3	22	19	17	17	5	2
55—60	1	—	1	—	38	34	10	6	28	28	27	28	1	—
60—65	1	—	—	—	52	40	13	5	39	35	37	31	2	4
65—70	2	—	—	—	79	45	16	6	63	39	57	34	6	5
70—75	1	—	—	—	14	1	—	—	14	1	—	—	14	1
75—80	2	—	1	—	13	4	—	—	13	4	—	—	13	4
80 and upwards	1	—	—	—	5	5	—	—	5	5	—	—	5	5

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1924.

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
	ALL CAUSES	M.	46,964	13,863	5,371	4,681	7,687	8,353	3,278	2,098	1,633
		F.	36,768	10,277	3,746	3,278	5,910	7,066	3,078	1,991	1,422
7	Measles	M.	2,392	8	20	39	494	1,095	390	190	156
		F.	2,061	4	7	27	391	909	377	215	131
8	Scarlet fever	M.	231	2	1	—	11	48	58	61	50
		F.	242	—	—	2	10	42	58	65	65
9	Whooping cough	M.	1,826	22	156	193	506	600	192	94	63
		F.	2,040	20	145	175	503	699	278	146	74
10	Diphtheria	M.	731	1	4	4	45	128	172	187	190
		F.	686	3	4	5	38	118	153	174	191
11	Influenza	M.	1,115	47	79	121	250	313	150	95	60
		F.	815	24	68	52	173	221	132	98	47
13	Mumps	M.	5	—	—	—	2	2	—	—	1
		F.	4	—	1	—	—	—	1	—	2
21	Erysipelas	M.	59	11	22	13	4	6	1	1	1
		F.	46	6	13	6	10	9	2	—	—
22	Acute poliomyelitis, acute polioencephalitis.	M.	35	—	1	—	4	16	4	6	4
		F.	35	—	—	1	7	8	5	8	6
23	Encephalitis lethargica ..	M.	89	—	—	2	9	30	13	17	15
		F.	89	—	1	3	13	18	23	16	15
24	Meningococcal meningitis ..	M.	95	1	5	18	27	22	9	9	4
		F.	70	1	4	9	23	16	6	9	2
25 (1)	German measles	M.	4	—	—	—	—	2	2	—	—
		F.	6	—	—	—	3	3	—	—	—
25 (2)	Varicella	M.	29	—	—	4	10	10	—	2	3
		F.	24	1	1	3	12	7	—	—	—
31–37	Tuberculosis, all forms ..	M.	2,140	5	44	152	370	679	420	268	202
		F.	1,721	3	28	96	292	519	348	236	199
31	Tuberculosis, respiratory system.	M.	290	—	2	16	37	92	61	44	38
		F.	230	—	2	12	45	70	39	29	33
32	Tuberculosis, nervous system	M.	990	—	19	56	176	318	200	127	94
		F.	868	1	12	46	154	244	203	109	99
33	Tuberculosis, intestines and peritoneum.	M.	446	2	12	47	85	161	78	39	22
		F.	317	1	9	16	52	103	59	50	27
34–36	Tuberculosis, other organs ..	M.	65	1	1	6	12	13	16	11	5
		F.	59	—	2	3	10	18	7	8	11
37	Disseminated tuberculosis ..	M.	349	2	10	27	60	95	65	47	43
		F.	247	1	3	19	31	84	40	40	29
	(a) Acute	M.	183	2	6	14	36	52	35	23	15
		F.	126	—	2	10	20	38	21	23	12
	(b) Chronic or unstated ..	M.	166	—	4	13	24	43	30	24	28
		F.	121	1	1	9	11	46	19	17	17
38	Syphilis	M.	420	135	164	63	28	23	2	4	1
		F.	311	101	88	57	30	25	4	4	2
40 (2)	Gonorrhœal or purulent ophthalmia.	M.	13	5	6	—	1	1	—	—	—
		F.	6	2	3	1	—	—	—	—	—
41	Purulent infection, septicæmia.	M.	38	7	9	7	—	4	4	3	4
		F.	32	3	7	3	3	6	1	6	3
42 (1)	Vaccinia	M.	1	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
43–49	Cancer	M.	77	1	1	2	5	21	16	16	15
		F.	53	2	2	3	6	7	12	11	10

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1924—*cont.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks.	4 wks.–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
51	Rheumatic fever	M.	32	—	—	—	2	—	3	6	21
		F.	28	—	—	—	—	2	2	7	17
56	Rickets	M.	282	4	11	23	76	107	41	12	8
		F.	173	2	2	7	48	69	35	9	1
62	Diseases of the thymus ..	M.	78	18	10	20	12	10	1	2	5
		F.	48	9	7	13	8	4	2	3	2
65*a*	Leukæmia	M.	32	1	1	1	4	1	5	11	8
		F.	18	—	—	—	2	1	7	5	3
69 (1)	Purpura	M.	43	19	3	2	5	4	5	3	2
		F.	37	14	5	2	5	6	3	2	—
69 (2)	Hæmophilia	M.	37	23	3	—	—	7	1	2	1
		F.	23	20	2	1	—	—	—	—	—
71	Meningitis	M.	606	15	31	76	146	166	72	56	44
		F.	471	8	28	51	106	127	61	46	44
78	Epilepsy	M.	66	2	3	4	11	14	13	7	12
		F.	49	3	4	3	4	8	7	10	10
79–80	Convulsions	M.	2,013	820	352	254	295	205	55	20	12
		F.	1,470	496	278	183	238	201	36	24	14
84 (1)	Idiocy	M.	53	1	1	5	4	13	11	5	13
		F.	64	5	4	3	14	11	14	7	6
86	Diseases of the ear and of the mastoid sinus.	M.	143	3	8	19	40	35	12	13	13
		F.	117	1	8	15	26	25	18	13	11
	1. Diseases of the mastoid sinus	M.	27	—	1	4	5	6	2	6	3
		F.	32	—	—	3	8	6	7	4	4
	2. Other ear diseases ..	M.	116	3	7	15	35	29	10	7	10
		F.	85	1	8	12	18	19	11	9	7
87–90	Heart disease	M.	67	—	1	1	2	12	18	20	13
		F.	59	—	1	1	3	18	10	10	16
98 (1)	Laryngismus stridulus ..	M.	53	10	2	5	6	13	4	9	4
		F.	23	5	1	2	9	5	1	—	—
98 (2)	Laryngitis	M.	116	10	2	8	16	32	16	12	20
		F.	76	1	2	4	10	18	20	12	9
99	Bronchitis	M.	3,108	319	693	535	814	525	123	67	32
		F.	2,412	219	470	388	607	499	148	49	32
100–101	Pneumonia (all forms) ..	M.	9,945	330	890	1,255	2,840	3,004	931	448	247
		F.	7,833	251	646	847	2,097	2,468	858	425	241
100	Broncho pneumonia ..	M.	8,242	287	774	1,051	2,416	2,499	708	341	166
		F.	6,495	224	548	722	1,771	2,070	675	313	172
101	(*a*) Lobar	M.	628	12	32	71	144	187	95	47	40
		F.	520	7	19	41	117	169	78	51	38
	(*b*) Pneumonia not otherwise defined	M.	1,075	31	84	133	280	318	128	60	41
		F.	818	20	79	84	209	229	105	61	31
102	Pleurisy	M.	96	—	—	6	11	33	18	19	9
		F.	65	2	1	4	7	21	13	9	8
	1. Empyema	M.	77	—	—	4	7	25	16	16	9
		F.	54	1	1	4	5	18	12	7	6
	2. Other pleurisy	M.	19	—	—	2	4	8	2	3	—
		F.	11	1	—	—	2	3	1	2	2
103	Congestion and pulmonary infarct.	M.	85	22	14	8	18	11	5	6	1
		F.	66	12	10	13	17	9	4	1	—
97,98(3) 104–107	Other respiratory diseases ..	M.	40	5	3	6	8	7	3	5	3
		F.	33	1	3	7	4	10	2	4	2
108 (1)	Diseases of the teeth and gums	M.	23	6	4	2	5	3	2	—	1
		F.	28	4	—	4	6	9	2	2	1

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1924—*cont.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
109 (1)	Tonsillitis, etc., adenoid vegetations.	M.	61	2	2	2	2	13	11	13	16
		F.	45	—	—	1	3	10	11	10	10
112 (1)	Gastritis	M.	401	62	119	94	43	48	23	7	5
		F.	302	34	76	60	56	42	19	12	3
113–114	Diarrhœa and enteritis ..	M.	3,434	302	690	881	888	495	102	42	34
		F.	2,454	170	445	599	641	419	114	46	20
117	Appendicitis, typhlitis ..	M.	112	—	1	—	3	8	23	36	41
		F.	61	—	—	—	2	3	10	18	28
118	Hernia, intestinal obstruction	M.	370	38	44	74	122	48	17	19	8
		F.	183	21	13	41	52	27	12	11	6
	(*a*) Hernia	M.	78	12	18	18	12	11	3	3	1
		F.	20	9	3	3	2	3	—	—	—
	(*b*) Intestinal obstruction..	M.	292	26	26	56	110	37	14	16	7
		F.	163	12	10	38	50	24	12	11	6
128	Acute nephritis	M.	102	7	7	9	9	25	13	18	14
		F.	77	4	2	6	10	26	9	10	10
129	Chronic nephritis	M.	18	—	—	—	—	4	3	4	7
		F.	23	—	—	—	2	5	5	8	3
153	Cellulitis, acute abscess ..	M.	83	13	21	5	16	19	4	1	4
		F.	56	15	13	8	11	4	1	3	1
	1. Cellulitis	M.	47	5	13	—	10	12	2	1	4
		F.	30	8	9	2	5	2	1	2	1
	2. Acute abscess	M.	36	8	8	5	6	7	2	—	—
		F.	26	7	4	6	6	2	—	1	—
154 (2)	Eczema	M.	51	7	8	10	16	8	1	1	—
		F.	19	3	7	2	3	3	1	—	—
154 (3)	Pemphigus	M.	81	67	9	3	—	2	—	—	—
		F.	64	47	4	6	3	4	—	—	—
151–152, 154 (1), 154 (4)	Other skin diseases ..	M.	104	42	19	15	15	10	3	—	—
		F.	86	29	5	12	15	12	3	4	6
155 (1)	Acute infective osteomyelitis and periostitis.	M.	63	1	6	4	3	4	12	14	19
		F.	45	2	4	2	6	4	7	11	9
159	Congenital malformations ..	M.	1,864	1,072	371	180	132	53	23	17	16
		F.	1,400	841	237	124	106	51	24	9	8
	1. Congenital hydrocephalus	M.	130	27	9	24	37	17	6	5	5
		F.	99	28	11	15	20	12	8	3	2
	2. Congenital malformation of heart.	M.	733	475	110	60	42	21	11	8	6
		F.	471	287	77	35	39	18	8	4	3
	3. Other congenital malformations.	M.	1,001	570	252	96	53	15	6	4	5
		F.	830	526	149	74	47	21	8	2	3
160	Congenital debility, sclerema and icterus.	M.	2,810	1,589	701	360	160	—	—	—	—
		F.	1,855	1,071	405	243	136	—	—	—	—
	1. Congenital debility and sclerema.	M.	2,498	1,311	668	359	160	—	—	—	—
		F.	1,684	923	386	241	134	—	—	—	—
	2. Icterus neonatorum ..	M.	312	278	33	1	—	—	—	—	—
		F.	171	148	19	2	2	—	—	—	—
161	Premature birth, injury at birth.	M.	8,356	7,617	642	78	19	—	—	—	—
		F.	6,401	5,793	521	71	16	—	—	—	—
	1. Premature birth ..	M.	7,712	6,984	633	77	18	—	—	—	—
		F.	6,026	5,429	512	69	16	—	—	—	—
	2. Injury at birth	M.	644	633	9	1	1	—	—	—	—
		F.	375	364	9	2	—	—	—	—	—
162 (1)	Diseases of the umbilicus ..	M.	69	58	11	—	—	—	—	—	—
		F.	59	54	5	—	—	—	—	—	—

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1924—*cont.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
162 (2)	Atelectasis	M.	641	624	17	—	—	—	—	—	—
		F.	530	509	21	—	—	—	—	—	—
163	Lack of care	M.	143	140	3	—	—	—	—	—	—
		F.	148	148	—	—	—	—	—	—	—
175–203	Violent deaths	M.	1,176	140	78	63	84	243	198	191	179
		F.	888	124	90	66	56	169	132	156	95
179	Accidental burns (conflagration excepted).	M.	450	2	1	7	33	173	115	81	38
		F.	356	—	5	10	27	119	74	79	42
	1. By Clothing	M.	34	—	—	—	2	13	5	8	6
		F.	43	—	—	—	—	7	9	17	10
	2. Otherwise (*or not stated how*)	M.	65	—	—	5	8	21	9	14	8
		F.	82	—	3	2	8	19	11	22	17
	3. Scalds	M.	351	2	1	2	23	139	101	59	24
		F.	231	—	2	8	19	93	54	40	15
180	Accidental mechanical suffocation.	M.	254	100	72	48	22	7	1	1	3
		F.	230	85	80	49	13	2	1	—	—
	1. In bed or not stated how	M.	227	95	66	43	16	4	—	1	2
		F.	212	82	76	42	10	2	—	—	—
	2. Otherwise than in 1 ..	M.	27	5	6	5	6	3	1	—	1
		F.	18	3	4	7	3	—	1	—	—
182	Accidental drowning.. ..	M.	122	7	1	—	3	28	21	28	34
		F.	42	10	—	1	—	9	9	8	5
188	Accidental, by certain forms of crushing (vehicles, railways, etc.).	M.	190	—	—	—	5	12	28	60	85
		F.	144	—	2	1	1	15	29	57	39
	1. Road Vehicles	M.	175	—	—	—	5	10	23	57	80
		F.	136	—	1	1	1	15	26	54	38
	2. Otherwise	M.	15	—	—	—	—	2	5	3	5
		F.	8	—	1	—	—	—	3	3	1
	Other violence	M.	160	31	4	8	21	23	33	21	19
		F.	116	29	3	5	15	24	19	12	9
	Other causes	M.	807	229	78	55	93	171	70	59	52
		F.	738	189	54	46	66	170	87	67	59

Table 18.—England and Wales.—Deaths Tabulated by Cause and by Month of Occurrence, 1923–1924.

Note.—The figures for the last three months of the year 1924 are not available at the time of going to press. Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to the date of registration.

International List No.	Causes of Death.		1923. Oct.	1923. Nov.	1923. Dec.	1924. Jan.	1924. Feb.	1924. Mar.	1924. Apr.	1924. May	1924. June	1924. July	1924. Aug.	1924. Sept.
	ALL CAUSES..	M.	16260	18794	22738	23453	26102	30238	23335	18889	16233	16001	15485	15240
		F.	15742	18372	22548	23705	26429	30480	22307	17160	15283	14428	14522	14476
1-42	I. Epidemic, Endemic and Infectious Diseases.	M.	2105	2594	3064	3557	5308	6771	4674	3318	2629	2302	2094	2026
		F.	1973	2095	2625	3473	5231	6426	4123	2764	2318	2071	1901	1827
1	Enteric fever	M.	21	14	23	18	16	14	10	25	15	32	25	22
		F.	24	17	13	22	19	17	14	17	15	22	23	25
	(a) Typhoid fever ..	M.	20	12	21	17	15	13	10	23	13	30	25	21
		F.	22	17	11	20	17	16	14	13	13	18	21	25
	(b) Paratyphoid fever ..	M.	1	2	2	1	1	1	—	2	2	2	—	1
		F.	2	—	2	2	2	1	—	4	2	4	2	—
2	Typhus	M.	—	—	—	—	—	—	—	—	—	—	—	1
		F.	—	—	—	—	—	1	—	—	—	—	1	2
3	Relapsing Fever (Spirillum obermeieri)	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
4	Mediterranean fever	M.	—	—	—	1	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
5	Malaria	M.	9	3	3	11	8	17	10	9	5	4	3	3
		F.	1	—	—	2	1	—	—	—	—	1	1	1
6	Small-pox	M.	—	1	1	1	1	—	1	1	1	—	—	—
		F.	—	—	—	1	—	—	—	1	3	1	1	—
7	Measles	M.	43	102	173	219	272	467	422	297	181	119	64	47
		F.	46	78	158	196	249	405	354	283	163	97	60	35
8	Scarlet fever	M.	31	37	43	49	33	36	36	34	27	19	29	31
		F.	41	31	37	57	42	42	37	36	27	25	30	32
9	Whooping cough	M.	70	110	152	220	315	359	212	140	87	83	73	69
		F.	87	101	212	270	331	372	248	156	111	85	95	105
10	Diphtheria	M.	90	91	99	130	123	121	91	81	76	81	86	87
		F.	90	105	114	144	129	105	115	81	89	79	93	88
11	Influenza	M.	138	247	446	738	2175	3003	1464	445	160	111	86	101
		F.	143	219	405	930	2572	3385	1455	364	127	68	80	103
	(a) 1. With pneumonic complications.	M.	62	117	208	362	1111	1510	767	200	59	39	34	34
		F.	49	67	154	383	1108	1467	580	124	34	22	32	21
	(a) 2. With other pulmonary complications.	M.	16	37	75	167	509	677	257	76	34	13	10	16
		F.	19	48	95	223	741	943	393	87	23	8	10	6
	(b) 1. With non-pulmonary complications.	M.	37	51	103	123	292	428	274	114	48	42	29	35
		F.	45	73	92	169	371	467	262	105	45	22	26	55
	(b) 2. Without stated complication.	M.	23	42	60	86	263	388	166	55	19	17	13	16
		F.	30	31	64	155	352	508	220	48	25	16	12	21
13	Mumps	M.	3	2	2	2	—	—	—	1	1	—	1	1
		F.	—	1	2	1	1	1	1	—	—	—	—	1
15	Cholera nostras	M.	—	—	—	—	—	—	—	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
16	Dysentery	M.	4	7	8	6	12	7	7	4	6	3	7	2
		F.	4	5	5	7	4	8	7	1	—	3	2	1
	(a) Amœbic	M.	1	1	2	1	2	2	—	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
	(b) Bacillary	M.	—	—	—	—	1	—	1	—	—	—	1	—
		F.	—	—	—	—	—	1	—	—	—	—	—	—
	(c) Other or unspecified..	M.	3	6	6	5	9	5	6	4	6	2	6	2
		F.	4	5	5	7	4	7	7	1	—	3	2	1
19	Spirochætosis ictero-hæmorrhagica	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
20	Leprosy	M.	—	—	—	—	—	1	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923. Oct.	Nov.	Dec.	1924. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
21	Erysipelas	M.	19	26	36	29	30	32	58	27	19	19	23	15
		F.	22	18	27	45	25	31	37	29	23	20	20	11
22	Acute poliomyelitis.. ..	M.	5	5	6	5	7	7	3	4	6	7	4	14
		F.	7	5	2	5	4	3	1	—	4	3	12	7
	1. Poliomyelitis ..	M.	3	3	4	4	4	5	3	3	4	4	4	7
		F.	4	4	2	5	4	3	1	—	4	2	10	6
	2. Polioencephalitis ..	M.	2	2	2	1	3	2	—	1	2	3	—	7
		F.	3	1	—	—	—	—	—	—	—	1	2	1
23	Encephalitis lethargica ..	M.	16	20	10	22	38	81	108	119	86	60	48	40
		F.	13	7	18	23	22	55	84	115	85	70	44	42
24	Meningococcal meningitis ..	M.	6	8	10	13	9	16	30	24	12	15	9	16
		F.	17	6	11	16	7	8	21	13	10	13	4	10
25	Other epidemic diseases ..	M.	—	3	6	4	1	6	4	5	3	6	2	2
		F.	2	1	3	1	2	4	4	4	3	2	4	2
	(1) German measles ..	M.	—	—	1	—	—	2	—	1	1	1	—	—
		F.	1	1	1	—	—	1	2	—	1	—	1	—
	(2) Varicella	M.	—	3	5	4	1	4	4	4	2	5	1	1
		F.	1	—	2	1	2	3	2	4	2	2	2	1
	(3) Other diseases included under 25.	M.	—	—	—	—	—	—	—	—	—	—	1	1
		F.	—	—	—	—	—	—	—	—	—	—	1	1
26	Glanders	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
27	Anthrax	M.	1	1	1	1	1	1	1	—	—	—	2	1
		F.	—	—	—	—	—	1	—	—	—	—	—	—
29	Tetanus	M.	10	11	14	7	15	10	7	6	9	5	8	11
		F.	4	3	4	3	2	4	1	1	3	4	1	1
30	Mycoses	M.	6	8	7	9	4	5	8	6	4	3	4	2
		F.	6	2	3	11	2	1	2	4	1	5	2	7
	(1) Actinomycosis ..	M.	2	3	4	6	1	3	4	5	2	—	—	—
		F.	3	—	—	4	2	—	—	1	—	2	1	2
	(2) Other mycoses ..	M.	4	5	3	3	3	2	4	1	2	3	4	2
		F.	3	2	3	7	—	1	2	3	1	3	1	5
31–37	Tuberculosis (all forms) ..	M.	1537	1799	1921	1958	2146	2485	2098	1991	1856	1641	1551	1476
		F.	1405	1443	1547	1668	1757	1911	1659	1590	1607	1526	1373	1303
31	,, Respiratory system	M.	1257	1498	1576	1623	1796	2019	1665	1573	1452	1279	1197	1175
		F.	1087	1143	1238	1331	1422	1499	1319	1238	1236	1172	1038	991
32	,, Nervous system ..	M.	98	103	132	134	129	185	163	166	138	136	125	100
		F.	104	110	101	139	132	139	134	130	140	124	138	108
33	,, Intestines and peritoneum ..	M.	49	69	58	61	68	88	106	75	95	76	72	56
		F.	90	65	66	67	76	108	87	94	79	82	72	78
34	,, Vertebral column ..	M.	28	17	32	26	29	36	29	23	28	23	31	21
		F.	22	17	23	22	23	26	23	31	22	20	18	25
35	,, Joints	M.	11	12	14	13	16	18	16	22	14	6	20	17
		F.	10	8	14	13	11	13	7	5	10	10	5	12
36	,, Other organs ..	M.	18	21	23	26	27	33	25	24	29	20	26	17
		F.	20	24	19	30	21	41	18	23	28	21	23	15
	(*a*) Skin and subcutaneous tissue.	M.	2	1	2	3	3	4	4	1	4	5	4	2
		F.	4	2	6	8	6	12	4	5	8	1	6	5
	(*b*) Bones (Vertebral column excepted).	M.	1	5	5	2	2	3	4	3	2	5	4	7
		F.	1	6	4	3	1	6	2	2	1	8	6	2
	(*c*) Lymphatic system (abdominal glands excepted).	M.	6	4	4	5	4	10	2	5	5	4	4	—
		F.	3	3	4	8	2	6	2	3	4	6	5	1
	(*d*) Genito-urinary system.	M.	8	10	12	15	16	14	13	14	14	5	14	5
		F.	11	12	5	9	11	15	10	11	14	6	6	5
	(*e*) Others in 36 ..	M.	1	1	—	1	2	2	2	1	4	1	—	3
		F.	1	1	—	2	1	2	—	2	1	—	—	2

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923. Oct.	Nov.	Dec.	1924. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
37	Disseminated tuberculosis ..	M.	76	79	86	75	81	106	94	108	100	101	80	90
		F.	72	76	86	66	72	85	71	69	92	97	79	74
	(*a*) Acute	M.	27	29	25	32	27	44	41	46	40	41	26	23
		F.	28	31	36	28	36	30	33	33	41	33	32	39
	(*b*) Chronic or unstated ..	M.	49	50	61	43	54	62	53	62	60	60	54	67
		F.	44	45	50	38	36	55	38	36	51	64	47	35
38	Syphilis	M.	74	76	75	77	80	74	71	69	50	74	45	58
		F.	40	35	47	51	50	52	59	46	32	31	36	35
39	Soft Chancre	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
40	Gonococcal infection.. ..	M.	1	2	—	12	—	2	3	2	1	1	3	1
		F.	1	1	2	1	1	1	3	2	2	—	1	2
	(1) Gonococcal infection (ophthalmia excepted).	M.	1	2	—	5	—	—	1	2	1	1	3	1
		F.	1	1	2	—	—	1	3	1	—	—	1	2
	(2) Gonorrhœal or purulent ophthalmia.	M.	—	—	—	7	—	2	2	—	—	—	—	—
		F.	—	—	—	1	1	—	—	1	2	—	—	—
41	Purulent infection, septicæmia	M.	21	21	28	25	22	26	29	28	24	18	21	26
		F.	18	17	15	19	11	19	21	21	13	16	18	14
42	Other infectious diseases ..	M.	—	—	—	—	—	1	—	—	—	—	—	—
		F.	2	—	—	—	—	—	—	—	—	—	—	—
	(1) Vaccinia	M.	—	—	—	—	—	1	—	—	—	—	—	—
		F.	2	—	—	—	—	—	—	—	—	—	—	—
43–69	II. General diseases not included above.	M.	2404	2417	2484	2584	2416	2572	2489	2470	2387	2482	2343	2355
		F.	2928	3116	3086	3180	2968	3250	2956	2916	2840	2880	2951	2929
43–49	Cancer, Malignant disease ..	M.	1894	1907	1851	1955	1820	1933	1873	1897	1864	1960	1885	1904
		F.	2270	2319	2262	2375	2174	2387	2139	2227	2199	2205	2307	2264
43	„ Buccal cavity ..	M.	200	228	206	220	194	190	218	203	195	226	183	208
		F.	31	38	52	43	30	41	32	42	29	28	34	37
44	„ Pharynx, œsophagus, stomach, liver and annexa.	M.	717	692	684	738	647	718	680	728	675	736	734	701
		F.	623	637	569	573	587	613	522	603	564	618	599	613
45	„ Peritoneum, intestines and rectum.	M.	446	429	433	438	437	468	437	423	450	448	458	477
		F.	460	438	418	487	433	483	443	476	455	419	480	465
46	„ Female genital organs..	F.	451	452	479	469	457	478	441	451	460	478	473	462
47	„ Breast	M.	2	4	3	3	3	3	3	5	4	3	—	1
		F.	408	476	460	507	410	508	424	373	387	394	420	413
48	„ Skin	M.	68	51	70	68	70	72	67	75	70	69	66	66
		F.	53	32	31	47	31	32	32	24	35	38	43	50
49	„ Other or unspecified organs.	M.	461	503	455	488	469	482	468	463	470	478	444	451
		F.	244	246	253	249	226	232	245	258	269	230	252	224
50	Tumours not returned as malignant (brain and female genital organs excepted).	M.	38	24	40	44	36	27	31	26	34	36	32	29
		F.	18	32	28	29	23	35	36	23	24	25	32	35
51	Rheumatic fever	M.	58	63	73	65	57	63	68	74	59	54	58	45
		F.	58	70	77	78	75	74	70	98	82	65	70	69
52	Chronic rheumatism, osteo-arthritis, gout.	M.	68	77	88	93	81	96	90	77	68	66	61	56
		F.	111	147	183	146	171	160	172	120	107	111	94	105
	(1) Chronic rheumatism, chronic arthritis.	M.	17	21	20	25	15	23	21	17	11	11	10	14
		F.	12	20	30	28	24	20	25	20	9	16	15	16
	(2) Rheumatoid and osteo-arthritis.	M.	36	47	54	52	46	58	55	45	42	41	42	34
		F.	95	125	150	115	145	137	144	98	94	90	79	89
	(3) Gout	M.	15	9	14	16	20	15	14	15	15	14	9	8
		F.	4	2	3	3	2	3	3	2	4	5	—	—
53	Scurvy..	M.	—	—	1	2	3	2	3	—	3	—	—	1
		F.	1	1	2	—	1	—	2	2	1	2	—	1
54	Pellagra	M.	2	—	1	—	—	—	—	—	—	—	—	—
		F.	—	1	1	—	1	—	—	—	1	3	—	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923. Oct.	Nov.	Dec.	1924. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
55	Beri-beri	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
56	Rickets	M.	24	14	18	27	35	36	33	21	20	21	16	17
		F.	9	9	15	17	16	28	19	14	15	19	13	11
57	Diabetes	M.	123	152	190	193	161	212	188	144	139	148	135	115
		F.	188	226	235	228	209	260	201	181	130	158	173	179
58	Anæmia, chlorosis	M.	89	98	98	86	106	94	99	114	97	94	69	89
		F.	122	142	131	137	150	152	152	116	144	134	126	140
	(*a*) Pernicious anæmia ..	M.	79	89	86	78	95	84	96	96	87	83	58	78
		F.	106	123	112	125	133	137	135	101	128	128	115	129
	(*b*) Other anæmias and chlorosis.	M.	10	9	12	8	11	10	3	18	10	11	11	11
		F.	16	19	19	12	17	15	17	15	16	6	11	11
59	Diseases of the pituitary gland	M.	—	—	2	1	—	1	1	—	—	—	1	1
		F.	—	—	—	—	4	—	—	—	—	—	—	—
60	Diseases of the thyroid gland	M.	7	13	15	11	8	9	17	14	14	4	7	9
		F.	72	85	82	92	71	84	92	65	63	74	68	56
	(*a*) Exophthalmic goitre ..	M.	4	8	6	3	5	5	6	3	10	2	3	1
		F.	52	51	51	70	46	48	52	38	43	54	44	31
	(*b*) (1) Myxœdema ..	M.	—	2	2	3	1	2	4	1	2	—	1	3
		F.	7	21	19	9	17	25	19	12	11	11	10	11
	(*b*) (2) Cretinism.. ..	M.	—	2	2	3	1	1	5	3	—	—	1	1
		F.	2	3	4	4	3	3	4	2	3	—	5	2
	(*b*) (3) Other diseases of the thyroid gland.	M.	3	1	5	2	1	1	2	7	2	2	2	4
		F.	11	10	8	9	5	8	17	13	6	9	9	12
61	Diseases of the parathyroid glands.	M.	—	—	—	1	2	1	2	1	2	1	4	—
		F.	—	—	—	—	2	4	2	2	2	3	2	2
62	Diseases of the thymus ..	M.	12	4	11	10	7	11	3	10	3	5	13	9
		F.	7	4	6	5	5	8	4	6	4	7	4	3
63	Diseases of the adrenals ..	M.	14	7	8	10	7	11	7	10	7	14	6	7
		F.	4	16	11	9	14	11	12	6	12	7	11	10
64	Diseases of the spleen ..	M.	3	1	2	2	—	—	—	—	2	2	1	1
		F.	1	1	1	3	1	2	1	2	1	2	1	—
65	Leukæmia, lymphadenoma ..	M.	41	25	45	45	51	50	43	46	46	52	29	41
		F.	37	37	33	34	31	25	34	30	34	36	29	30
	(*a*) Leukæmia	M.	17	13	23	23	22	33	17	23	25	25	16	20
		F.	21	27	15	21	16	14	21	21	19	19	24	20
	(*b*) Lymphadenoma (Hodgkin's disease).	M.	24	12	22	22	29	17	26	23	21	27	13	21
		F.	16	10	18	13	15	11	13	9	15	17	5	10
66	Alcoholism (Acute or chronic)	M.	9	7	13	9	6	9	7	9	10	7	6	5
		F.	6	5	3	1	1	1	2	4	5	3	3	6
67	Chronic poisoning by mineral substances.	M.	6	5	6	4	3	5	5	5	2	1	6	6
		F.	—	—	1	—	—	1	—	—	—	—	—	—
	(1) Occupational lead poisoning.	M.	6	4	6	4	3	5	5	5	1	1	6	6
		F.	—	—	1	—	—	1	—	—	—	—	—	—
	(2) Others	M.	—	1	—	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
68	Chronic poisoning by organic substances.	M.	—	1	1	2	2	—	—	—	2	—	1	—
		F.	—	—	2	1	—	—	—	1	—	1	1	—
69	Other general diseases ..	M.	16	19	21	21	31	12	19	22	15	17	13	20
		F.	24	21	13	25	19	18	24	19	16	25	17	18
	(1) Purpura	M.	10	11	7	14	13	8	9	9	8	7	4	13
		F.	19	16	9	12	13	13	14	9	11	14	14	8
	(2) Hæmophilia	M.	3	3	6	4	10	1	7	6	5	9	7	6
		F.	2	—	3	5	2	2	5	4	2	6	—	4
	(3) Other diseases included under 69.	M.	3	5	8	3	8	3	3	7	2	1	2	1
		F.	3	5	1	8	4	3	5	6	3	5	3	6

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923-1924—*cont.*

International List No	Causes of Death.		1923. Oct.	1923. Nov.	1923. Dec.	1924. Jan.	1924. Feb.	1924. Mar.	1924. Apr.	1924. May	1924. June	1924. July	1924. Aug.	1924. Sept.
70-86	III. Diseases of the Nervous System and Sense Organs.	M.	1757	1975	2370	2336	2221	2506	2234	1887	1565	1636	1617	1614
		F.	1814	2113	2449	2266	2352	2623	2257	1995	1754	1684	1641	1621
70	Encephalitis	M.	15	18	16	11	8	12	11	13	9	16	13	14
		F.	6	14	12	5	13	13	15	12	14	10	8	9
	(1) Cerebral abscess ..	M.	12	16	7	8	6	7	6	10	9	10	9	11
		F.	4	10	7	4	3	6	8	7	9	3	5	2
	(2) Other diseases included under 70.	M.	3	2	9	3	2	5	5	3	—	6	4	3
		F.	2	4	5	1	10	7	7	5	5	7	3	7
71	Meningitis	M.	66	63	109	100	84	93	119	104	69	88	86	79
		F.	56	62	77	75	68	114	93	75	70	69	55	60
72	Tabes dorsalis (Locomotor-ataxy).	M.	56	65	61	49	65	76	50	51	38	43	46	47
		F.	6	10	10	10	17	11	11	9	8	7	11	5
73	Other diseases of the spinal cord.	M.	70	77	89	73	88	87	71	65	55	68	66	58
		F.	42	56	54	63	59	62	48	57	53	34	34	46
74	Cerebral hæmorrhage, apoplexy, etc.	M.	906	1012	1208	1223	1127	1233	1128	947	788	834	802	836
		F.	1162	1338	1541	1416	1477	1605	1398	1234	1065	1041	1022	989
	(*a*) (1) Cerebral hæmorrhage so returned.	M.	697	790	944	934	874	935	889	753	615	659	654	682
		F.	915	1020	1187	1096	1093	1216	1057	957	833	794	790	776
	(*a*) (2) Apoplexy lesion unstated.	M.	96	106	120	136	121	134	111	98	73	79	56	76
		F.	125	143	153	132	156	162	141	114	89	99	102	104
	(*b*) (1) Cerebral embolism	M.	27	30	34	35	24	32	40	30	23	12	20	18
		F.	32	42	59	29	45	62	52	38	30	24	24	29
	(*b*) (2) Cerebral thrombosis.	M.	86	86	110	118	108	132	88	66	77	84	72	60
		F.	90	133	142	159	183	165	148	125	113	124	106	80
75	Paralysis of unstated origin..	M.	68	82	106	118	104	114	92	80	87	53	66	62
		F.	84	103	133	124	112	155	119	107	87	73	74	75
	(*a*) Hemiplegia	M.	58	73	96	105	86	96	79	73	72	45	61	53
		F.	73	96	116	111	94	137	106	95	81	61	60	70
	(*b*) Other forms of paralysis	M.	10	9	10	13	18	18	13	7	15	8	5	9
		F.	11	7	17	13	13	18	13	12	6	12	14	5
76	General paralysis of the insane	M.	123	136	145	112	158	141	114	90	92	74	92	99
		F.	28	30	27	25	25	32	27	23	24	22	17	28
77	Other forms of insanity ..	M.	22	18	20	40	23	39	24	18	23	20	21	20
		F.	40	37	53	50	43	55	42	47	37	28	36	44
78	Epilepsy	M.	71	96	112	113	105	140	109	105	83	79	87	60
		F.	77	97	97	91	98	119	97	77	98	73	86	58
79-80	Convulsions (non-puerperal)	M.	151	168	216	222	203	251	228	175	117	150	119	122
		F.	104	116	149	141	151	154	164	126	98	104	93	100
81	Chorea..	M.	1	2	1	4	3	4	7	1	3	1	1	2
		F.	3	6	3	4	7	8	16	9	7	2	6	4
82	Hysteria and neuritis ..	M.	6	9	5	9	6	7	8	5	4	8	12	10
		F.	17	14	12	14	10	12	14	8	12	9	14	16
83	Cerebral softening	M.	18	30	58	47	40	62	39	32	20	22	26	32
		F.	24	30	66	49	41	58	34	30	31	35	28	35
84	Other diseases of the nervous system.	M.	116	150	171	162	149	176	171	141	126	135	130	130
		F.	129	149	169	158	179	184	140	141	110	132	120	120
	(1) Idiocy, imbecility ..	M.	7	9	9	12	14	7	15	18	6	11	7	12
		F.	8	16	19	20	24	15	9	13	10	9	14	13
	(2) Cerebral tumour ..	M.	40	49	53	48	39	54	42	55	38	50	42	42
		F.	47	36	49	33	49	51	40	46	36	48	37	40
	(3) Disseminated sclerosis	M.	21	31	41	35	30	34	44	23	31	22	30	31
		F.	27	34	37	38	46	45	31	24	27	10	24	24
	(4) Paralysis agitans ..	M.	31	40	34	45	40	52	36	28	29	37	28	20
		F.	27	32	39	33	39	42	33	36	23	36	21	24
	(5) Other diseases included under 84.	M.	17	21	34	22	26	29	34	17	22	15	23	25
		F.	20	31	25	34	21	31	27	22	14	29	24	19

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923.			1924.								
			Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
85	Diseases of the eye and annexa.	M.	5	5	—	3	3	3	4	4	4	3	4	1
		F.	1	1	2	4	4	2	5	3	3	6	4	2
86	Diseases of the ear and of the mastoid sinus.	M.	63	44	53	50	55	68	59	56	47	42	46	42
		F.	35	50	44	37	48	39	34	37	37	39	33	30
	(1) Diseases of the mastoid sinus.	M.	14	15	18	15	15	20	19	21	11	12	13	15
		F.	8	12	9	11	7	11	10	15	7	11	17	13
	(2) Diseases of the ear ..	M.	49	29	35	35	40	48	40	35	36	30	33	27
		F.	27	38	35	26	41	28	24	22	30	28	16	17
87–96	IV. Diseases of the circulatory system.	M.	2696	3118	3772	3740	3808	4321	3457	3097	2793	2790	2708	2621
		F.	2823	3450	4261	4089	4236	4786	3604	2982	2770	2654	2730	2691
87–90	Heart diseases	M.	1956	2268	2751	2738	2735	3100	2492	2201	2038	2021	1939	1904
		F.	2263	2836	3431	3324	3414	3861	2917	2381	2219	2110	2218	2152
87	Pericarditis	M.	18	15	13	23	17	19	24	16	18	13	18	9
		F.	10	9	8	19	10	19	15	13	10	7	18	8
88	Acute endocarditis and myocarditis.	M.	74	76	93	71	80	85	92	91	92	79	74	68
		F.	73	81	82	71	83	101	79	74	73	75	85	79
	(1) Infective endocarditis	M.	46	41	50	37	41	39	60	52	47	47	38	43
		F.	36	39	39	39	41	41	34	40	31	42	50	43
	(2) Other acute endocarditis.	M.	16	24	29	22	22	26	20	21	23	16	20	13
		F.	25	23	27	19	27	35	25	23	28	19	20	20
	(3) Acute myocarditis ..	M.	12	11	14	12	17	20	12	18	22	16	16	12
		F.	12	19	16	13	15	25	20	11	14	14	15	16
89	Angina pectoris	M.	101	83	120	125	114	99	96	105	89	95	95	84
		F.	41	50	55	49	50	53	40	47	33	40	33	42
90	Other diseases of the heart ..	M.	1763	2094	2525	2519	2524	2897	2280	1989	1839	1834	1752	1743
		F.	2139	2696	3286	3185	3271	3688	2783	2246	2103	1988	2082	2023
	(1) Aortic valve disease ..	M.	170	159	204	171	178	220	180	158	143	149	156	147
		F.	83	91	92	78	108	97	76	55	72	68	64	68
	(2) Mitral valve disease ..	M.	217	267	316	326	317	348	293	261	255	234	225	232
		F.	412	519	575	570	604	633	515	435	379	357	397	345
	(3) Aortic and mitral valve disease.	M.	27	47	39	38	47	37	35	48	36	26	42	34
		F.	30	35	32	41	46	43	27	23	27	22	29	29
	(4) Other or unspecified valve disease.	M.	402	483	546	557	526	623	512	415	364	414	396	395
		F.	464	603	732	704	727	840	584	508	508	492	484	515
	(5) Fatty heart	M.	96	88	129	128	110	117	90	96	98	81	87	76
		F.	118	144	163	159	173	183	131	96	98	96	86	105
	(6) Cardiac dilatation (cause unspecified).	M.	31	36	39	31	38	45	26	24	33	24	31	24
		F.	30	34	46	36	25	44	24	28	23	27	20	29
	(7) Other or unspecified myocardial disease.	M.	445	587	697	734	752	914	672	550	530	480	468	536
		F.	541	698	882	881	890	1073	823	628	589	533	561	557
	(8) Disordered action of the heart.	M.	26	36	37	41	44	52	39	36	27	30	34	25
		F.	35	43	69	70	70	71	59	45	43	27	56	43
	(9) Heart disease (undefined).	M.	349	391	518	493	512	541	433	401	353	396	313	274
		F.	426	529	695	646	628	704	544	428	364	366	385	332
91	Disease of the arteries ..	M.	723	813	990	960	1038	1183	928	863	731	743	747	689
		F.	522	567	779	716	782	879	655	564	513	509	478	510
	(*a*) Aneurysm	M.	65	69	79	60	85	83	81	62	45	66	71	52
		F.	28	20	28	15	15	19	13	21	18	12	13	12
	(*b*) Arterio-sclerosis ..	M.	645	733	900	894	946	1091	841	796	681	669	668	627
		F.	489	539	739	697	760	848	629	535	482	491	457	491
	(1) With record of cerebral vascular lesion	M.	211	231	282	242	269	301	211	252	193	205	232	190
		F.	183	191	268	211	250	270	226	211	174	188	169	188
	(2) Without record of cerebral vascular lesion.	M.	434	502	618	652	677	790	630	544	488	464	436	437
		F.	306	348	471	486	510	578	403	324	308	303	288	303
	(*c*) Other diseases of the arteries.	M.	13	11	11	6	7	9	6	5	5	8	8	10
		F.	5	8	12	4	7	12	13	8	13	6	8	7

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923. Oct.	1923. Nov.	1923. Dec.	1924. Jan.	1924. Feb.	1924. Mar.	1924. Apr.	1924. May	1924. June	1924. July	1924. Aug.	1924. Sept
92	Embolism and thrombosis (not cerebral).	M.	6	16	14	23	18	15	21	11	10	13	9	10
		F.	7	25	17	19	12	18	9	15	15	13	14	10
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	7	13	14	11	9	16	7	15	9	9	7	12
		F.	25	19	29	24	19	18	17	16	20	19	14	17
94	Diseases of the lymphatic system (lymphangitis, etc.)	M.	2	6	1	6	4	3	8	5	4	2	4	1
		F.	3	1	3	5	6	7	5	4	2	3	3	—
95	Hæmorrhage without stated cause.	M.	2	2	2	2	4	4	1	2	1	2	2	5
		F.	3	2	2	1	3	3	1	3	1	—	3	2
97–107	V. Diseases of the respiratory system.	M.	2217	3249	5089	5256	6626	7691	4947	2932	2113	1794	1670	1679
		F.	1863	2858	4698	5301	6363	7525	4308	2207	1504	1217	1206	1240
97	Diseases of the nasal fossæ and annexa.	M.	10	11	6	7	10	12	9	7	9	9	9	8
		F.	6	2	12	6	4	6	4	1	2	4	1	5
	(1) Diseases of the nose ..	M.	6	3	2	1	3	4	3	3	3	4	4	2
		F.	1	—	3	1	2	4	1	1	1	2	1	1
	(2) Diseases of the accessory nasal sinuses.	M.	4	8	4	6	7	8	6	4	6	5	5	6
		F.	5	2	9	5	2	2	3	—	1	2	—	4
98	Diseases of the larynx ..	M.	16	11	18	32	29	39	33	17	12	14	16	16
		F.	6	9	20	20	17	22	16	10	6	6	7	8
	(1) Laryngismus stridulus	M.	6	1	3	7	6	8	13	4	4	1	3	5
		F.	—	2	2	2	—	3	5	—	1	1	2	1
	(2) Laryngitis	M.	9	10	14	25	22	29	20	12	7	13	12	10
		F.	6	7	17	17	17	18	11	10	4	4	5	7
	(3) Other diseases ..	M.	1	—	1	—	1	2	—	1	1	—	1	1
		F.	—	—	1	1	—	1	—	—	1	1	—	—
99	Bronchitis	M.	893	1473	2414	2408	2913	3321	2029	1197	786	654	631	652
		F.	902	1521	2645	2865	3327	4031	2189	1019	698	533	482	536
	(*a*) Acute	M.	174	343	593	599	868	893	466	251	119	104	111	131
		F.	234	441	842	843	1065	1309	592	258	140	116	100	138
	(*b*) Chronic	M.	359	542	882	853	884	1019	668	465	359	300	300	264
		F.	304	438	681	766	781	967	600	312	249	194	175	180
	(*c* & *d*) Not stated whether acute or chronic.	M.	360	588	939	956	1161	1409	895	481	308	250	220	257
		F.	364	642	1122	1256	1481	1755	997	449	309	223	207	218
100–101	Pneumonia (all forms) ..	M.	1104	1478	2289	2495	3307	3906	2598	1507	1114	956	853	848
		F.	813	1120	1734	2131	2701	3138	1875	1026	669	564	600	564
100	Broncho-pneumonia	M.	483	707	1161	1311	2000	2283	1286	673	453	368	356	395
		F.	429	543	974	1241	1792	1928	1128	582	346	292	326	313
101	Pneumonia (Lobar or not otherwise defined)	M.	621	771	1128	1184	1307	1623	1312	834	661	588	497	453
		F.	384	577	760	890	909	1210	747	444	323	272	274	251
	(*a*) Lobar	M.	348	440	661	659	680	841	687	479	361	349	260	275
		F.	203	322	411	460	445	630	374	239	196	145	153	127
	(*b*) Not otherwise defined..	M.	273	331	467	525	627	782	625	355	300	239	237	178
		F.	181	255	349	430	464	580	373	205	127	127	121	124
102	Pleurisy	M.	66	63	69	65	69	79	71	63	65	62	58	38
		F.	32	46	46	43	52	50	55	45	39	34	29	35
	(1) Empyema	M.	23	20	23	24	28	25	26	31	40	26	31	17
		F.	8	5	10	9	18	8	9	17	14	13	14	13
	(2) Other pleurisy ..	M.	43	43	46	41	41	54	45	32	25	36	27	21
		F.	24	41	36	34	34	42	46	28	25	21	15	22
103	Congestion and hæmorrhagic infarct of lung.	M.	37	54	63	57	61	63	42	41	39	27	33	39
		F.	43	61	78	78	73	92	63	48	46	43	48	39
104	Gangrene of the lung ..	M.	2	4	4	2	2	3	3	4	2	3	2	—
		F.	—	—	3	4	2	1	1	—	—	—	—	1
105	Asthma	M.	61	114	166	142	180	213	123	64	47	49	45	46
		F.	53	89	138	125	163	158	87	45	34	21	37	32
106	Pulmonary emphysema ..	M.	7	20	26	18	27	28	22	10	13	8	8	9
		F.	2	3	10	13	8	11	9	1	1	5	—	10

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923. Oct.	Nov.	Dec.	1924. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
107	Other diseases of the respiratory system.	M.	21	21	34	30	28	27	17	22	26	12	15	23
		F.	6	7	12	16	16	16	9	12	9	7	2	10
	(*a*) Chronic interstitial pneumonia.	M.	15	14	24	21	17	20	11	17	20	11	5	16
		F.	2	5	3	7	5	8	5	5	7	4	—	8
	(*b*) Diseases of the mediastinum.	M.	—	—	2	—	—	—	—	1	2	—	—	—
		F.	—	—	—	—	—	—	—	1	—	—	1	—
	(*c*) Other diseases included under 107.	M.	6	7	8	9	11	7	6	4	4	1	10	7
		F.	4	2	9	9	11	8	4	6	2	3	1	2
108–127	VI. Diseases of the Digestive System.	M.	1247	1209	1265	1183	1107	1118	1023	1055	1023	1103	1217	1336
		F.	1158	1022	1072	1026	895	1000	1014	861	844	953	1048	1122
108	Diseases of the buccal cavity and annexa.	M.	22	24	24	26	22	19	24	21	17	19	23	26
		F.	23	23	16	19	24	28	19	24	13	16	18	12
	(1) Diseases of the teeth and gums.	M.	14	21	14	14	13	10	14	16	12	16	13	16
		F.	15	16	13	11	18	16	11	16	9	9	13	10
	(2) Ludwig's angina ..	M.	5	3	5	8	4	5	6	1	3	2	7	6
		F.	5	2	2	3	4	4	2	6	2	5	4	2
	(3) Other diseases included under 108.	M.	3	—	5	4	5	4	4	4	2	1	3	4
		F.	3	5	1	5	2	8	6	2	2	2	1	—
109	Diseases of the pharynx and tonsils.	M.	12	17	22	28	19	26	15	32	15	16	22	25
		F.	25	22	21	28	14	22	18	17	19	12	15	22
	(1) Tonsillitis, etc., adenoid vegetations.	M.	10	13	15	24	15	23	11	24	10	13	19	22
		F.	21	20	17	23	10	15	14	14	14	11	13	16
	(2) Other diseases included under 109.	M.	2	4	7	4	4	3	4	8	5	3	3	3
		F.	4	2	4	5	4	7	4	3	5	1	2	6
110	Diseases of the œsophagus..	M.	2	5	3	2	3	3	3	1	4	3	1	2
		F.	1	3	—	—	2	3	1	3	1	2	—	—
111	Ulcer of the stomach or duodenum.	M.	157	187	187	187	176	189	169	171	173	167	147	164
		F.	83	76	102	102	67	75	67	75	72	72	70	76
	(*a*) Ulcer of the stomach ..	M.	108	111	115	117	116	125	109	105	121	105	92	117
		F.	67	65	86	80	54	62	60	57	54	59	59	69
	(*b*) Ulcer of the duodenum	M.	49	76	72	70	60	64	60	66	52	62	55	47
		F.	16	11	13	22	13	13	7	18	18	13	11	7
112	Other diseases of the stomach	M.	84	111	87	104	98	120	84	92	81	85	85	90
		F.	103	112	106	100	97	128	93	73	67	90	98	99
	(1) Inflammation of the stomach.	M.	72	93	68	84	84	96	68	79	68	75	69	80
		F.	95	104	88	93	84	114	82	62	61	79	87	85
	(2) Other diseases included under 112.	M.	12	18	19	20	14	24	16	13	13	10	16	10
		F.	8	8	18	7	13	14	11	11	6	11	11	14
113–114	Diarrhœa and enteritis ..	M.	467	338	345	325	257	251	237	245	278	301	456	527
		F.	422	300	287	259	198	215	238	203	214	263	354	446
	(1) Ulceration of the intestines.	M.	8	6	12	16	8	10	4	8	7	12	9	7
		F.	14	13	11	13	11	14	16	10	12	12	21	20
	(2) Colitis	M.	17	21	17	21	11	13	17	9	13	13	20	18
		F.	29	22	20	11	21	16	17	20	16	10	14	21
	(3) Other diseases included under 113–114.	M.	442	311	316	288	238	228	216	228	258	276	427	502
		F.	379	265	256	235	166	185	205	173	186	241	319	405
116	Diseases due to other intestinal parasites.	M.	—	1	—	1	2	—	—	—	—	1	1	1
		F.	1	2	—	—	—	—	—	—	—	2	1	2
	(*a*) Cestodes (hydatids of the liver excepted).	M.	—	—	—	1	1	—	—	—	—	1	1	—
		F.	1	1	—	—	—	—	—	—	—	2	—	—
	(*b*) Trematodes	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
	(*c*) Nematodes (other than ankylostoma).	M.	—	—	—	—	1	—	—	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	—	—	1	2
	(*f*) Undefined parasites ..	M.	—	1	—	—	—	—	—	—	—	—	—	—
		F.	—	1	—	—	—	—	—	—	—	—	—	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923. Oct.	Nov.	Dec.	1924. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
117	Appendicitis, typhlitis ..	M.	127	124	149	131	111	145	123	117	112	135	138	127
		F.	115	105	97	110	94	104	112	93	82	105	100	102
118	Hernia, intestinal obstruction.	M.	179	174	214	181	224	189	184	171	165	175	161	172
		F.	168	141	220	197	186	176	212	172	150	187	163	164
	(*a*) Hernia	M.	75	65	91	76	87	84	68	70	69	65	60	68
		F.	73	58	98	91	100	92	86	68	61	77	68	72
	(*b*) Intestinal obstruction	M.	104	109	123	105	137	105	116	101	96	110	101	104
		F.	95	83	122	106	86	84	126	104	89	110	95	92
119	Other diseases of the intestines.	M.	18	22	19	16	25	16	15	18	15	20	20	16
		F.	21	22	22	22	14	23	22	15	16	25	19	15
120	Acute yellow atrophy of the liver.	M.	3	1	5	1	1	4	1	2	1	3	3	1
		F.	7	3	1	5	8	10	9	9	6	9	11	2
121	Hydatid tumour of the liver..	M.	—	2	1	1	—	1	1	—	—	1	—	1
		F.	—	—	1	1	2	1	2	1	—	—	—	—
122	Cirrhosis of the liver ..	M.	100	100	113	100	92	87	93	96	79	101	81	101
		F.	50	51	52	54	51	57	63	40	57	43	58	53
	(*a*) Returned as alcoholic ..	M.	9	12	8	12	6	5	5	9	9	6	9	6
		F.	2	5	2	2	6	7	6	1	7	1	4	7
	(*b*) Not returned as alcoholic	M.	91	88	105	88	86	82	88	87	70	95	75	95
		F.	48	46	50	52	45	50	57	39	50	42	54	46
123	Biliary calculi	M.	15	31	24	28	20	14	36	23	24	23	29	20
		F.	55	70	65	54	57	71	72	67	68	55	69	57
124	Other diseases of the liver ..	M.	29	45	49	20	31	34	17	41	38	35	27	41
		F.	53	56	42	51	50	45	48	39	47	46	44	48
125	Diseases of the pancreas ..	M.	15	12	9	15	10	7	7	11	9	13	8	11
		F.	12	11	11	9	12	13	12	12	11	13	12	5
126	Peritonitis of unstated origin	M.	17	15	14	17	16	13	14	12	12	5	12	11
		F.	19	25	29	15	19	29	26	18	21	13	16	19
128–142	VII. Non-puerperal diseases of the genito-urinary system.	M.	836	905	989	1040	945	1102	957	871	755	812	821	812
		F.	579	688	745	755	724	773	686	591	563	540	555	569
128	Acute nephritis (including unspecified under 10 years of age).	M.	56	46	84	63	64	83	71	58	45	50	42	62
		F.	48	57	61	71	51	71	66	56	60	35	46	52
129	Chronic nephritis (including unspecified over 10 years of age).	M.	422	505	550	616	549	600	523	461	421	431	435	419
		F.	403	477	531	533	512	550	436	407	388	366	377	384
130	Chyluria	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
131	Other diseases of the kidneys and annexa.	M.	22	27	20	34	31	33	30	29	30	18	35	25
		F.	21	23	29	33	30	34	21	34	21	27	29	31
132	Calculi of the urinary passages	M.	15	20	16	15	14	14	16	27	13	13	18	14
		F.	6	8	11	10	4	4	10	5	7	8	9	6
133	Diseases of the bladder ..	M.	63	71	78	64	53	81	81	56	50	54	47	51
		F.	15	23	22	15	22	14	28	15	9	17	23	25
	(1) Cystitis	M.	58	62	72	62	50	78	78	53	48	50	40	46
		F.	15	19	21	13	21	13	22	15	8	16	21	23
	(2) Other diseases ..	M.	5	9	6	2	3	3	2	3	2	4	7	5
		F.	—	4	1	2	1	1	6	—	1	1	2	2
134	Diseases of the urethra, urinary abscess, etc.	M.	35	30	34	33	26	47	30	32	33	27	24	32
		F.	1	1	1	3	—	2	1	2	—	—	1	—
	(*a*) Stricture of the urethra	M.	29	27	27	28	22	33	25	25	26	23	16	29
		F.	—	—	—	—	—	—	—	—	—	—	—	—
	(*b*) Other diseases ..	M.	6	3	7	5	4	9	5	7	7	4	8	3
		F.	1	1	1	3	—	2	1	2	—	—	1	—
135	Diseases of the prostate ..	M.	219	204	204	209	205	233	203	204	157	210	218	204
136	Non-venereal diseases of the male genital organs.	M.	3	2	3	6	3	6	4	4	6	9	2	5

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No	Causes of Death.		1923. Oct.	Nov.	Dec.	1924. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
137	Cysts and other tumours of the ovary not returned as malignant.	F.	17	25	22	21	24	22	25	24	28	31	14	18
138	Salpingitis and pelvic abscess in females.	F.	18	20	24	17	16	21	20	17	16	23	17	16
	(1) Salpingitis	F.	15	15	19	17	12	20	14	13	13	19	13	11
	(2) Pelvic abscess in females	F.	3	5	5	—	4	1	6	4	3	4	4	5
139	Tumours of the uterus not returned as malignant.	F.	29	34	29	33	44	35	39	23	22	20	29	20
140	Non-puerperal uterine hæmorrhage.	F.	5	1	3	4	2	3	4	2	3	1	2	3
141	Other diseases of the female genital organs.	F.	15	16	11	11	19	16	10	11	8	11	8	13
	(1) Other diseases of the uterus.	F.	15	14	9	9	13	14	7	11	6	9	6	9
	(2) Diseases of the other female genital organs not included above.	F.	—	2	2	2	6	2	3	—	2	2	2	4
142	Non-puerperal diseases of the breast.	M.	1	—	—	—	—	—	—	—	—	—	—	—
		F.	1	3	1	4	—	1	2	1	1	1	—	1
143 –150	VIII. The Puerperal State ..	F.	229	248	218	260	234	261	258	242	211	199	209	258
143	Accidents of pregnancy ..	F.	23	35	20	40	22	25	37	21	22	22	22	24
	(*a*) Abortion	F.	7	13	8	12	5	9	13	8	8	9	5	9
	(*b*) Ectopic gestation ..	F.	6	10	6	9	7	6	7	4	3	4	6	6
	(*c*) Other accidents	F.	10	12	6	19	10	10	17	9	11	9	11	9
144	Puerperal hæmorrhage ..	F.	37	40	25	32	32	33	40	43	35	29	27	28
145	Other accidents of childbirth ..	F.	28	25	21	25	24	41	25	36	20	17	22	33
146	Puerperal sepsis	F.	72	75	87	97	85	101	99	77	71	59	73	98
147	Puerperal phlegmasia alba dolens, embolism, sudden death.	F.	25	34	23	23	25	22	22	17	17	15	16	22
	(1) Puerperal phlegmasia alba dolens not returned as septic.	F.	7	12	2	2	10	8	5	4	4	4	2	5
	(2) Puerperal embolism and sudden death.	F.	18	22	21	21	15	14	17	13	13	11	14	17
148	Puerperal albuminuria and convulsions.	F.	43	38	39	41	43	37	35	46	44	55	47	49
149	Childbirth not assignable above (puerperal insanity).	F.	1	1	1	2	2	2	—	2	2	2	1	3
150	Puerperal diseases of the breast	F.	—	—	2	—	1	—	—	—	—	—	1	1
151 –154	IX. Diseases of the skin and cellular tissue.	M.	114	126	141	152	149	192	164	142	127	129	114	96
		F.	97	106	124	141	144	138	123	121	116	106	85	87
151	Gangrene	M.	37	46	47	60	72	94	75	59	68	44	45	29
		F.	34	41	49	63	56	53	55	53	44	41	33	40
	(1) Senile gangrene ..	M.	35	41	44	54	64	93	70	55	64	38	39	28
		F.	29	38	44	60	48	49	50	49	39	38	30	34
	(2) Other gangrene ..	M.	2	5	3	6	8	1	5	4	4	6	6	1
		F.	5	3	5	3	8	4	5	4	5	3	3	6
152	Carbuncle, boil	M.	19	12	24	16	6	16	18	30	15	16	19	15
		F.	7	6	10	9	9	15	10	5	6	6	7	9
153	Cellulitis, acute abscess ..	M.	27	26	36	36	30	38	30	32	20	31	27	19
		F.	18	19	26	29	27	28	19	15	26	22	15	17
	(1) Cellulitis	M.	22	21	31	27	23	26	25	24	16	18	19	14
		F.	12	16	20	16	20	26	16	13	18	11	11	13
	(2) Acute abscess	M.	5	5	5	9	7	12	5	8	4	13	8	5
		F.	6	3	6	13	7	2	3	2	8	11	4	4

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923. Oct.	Nov.	Dec.	1924. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept
154	Other diseases of the skin and its annexa.	M.	31	42	34	40	41	44	41	21	24	38	23	33
		F.	38	40	39	40	52	42	39	48	40	37	30	21
	(1) Ulcer, bedsore ..	M.	5	11	11	7	10	12	9	4	2	7	4	5
		F.	11	15	21	21	25	17	13	16	19	19	11	8
	(2) Eczema	M.	7	7	8	13	7	4	10	3	4	8	5	4
		F.	—	6	2	4	6	2	6	2	4	2	—	—
	(3) Pemphigus	M.	4	10	7	10	12	11	8	4	6	11	4	8
		F.	10	5	4	4	8	9	9	13	6	6	9	6
	(4) Other diseases included under 154.	M.	15	14	8	10	12	17	14	10	12	12	10	16
		F.	17	14	12	11	13	14	11	17	11	10	10	7
155–158	X. Diseases of the bones and organs of locomotion.	M.	25	43	44	46	41	54	50	44	53	46	44	4[illegible]
		F.	26	20	27	27	33	39	35	28	20	24	28	2[illegible]
155	Diseases of the bones ..	M.	23	33	32	36	31	43	39	34	38	36	38	3[illegible]
		F.	17	17	22	17	26	29	19	20	16	15	22	1[illegible]
	(1) Acute infective osteomyelitis and periostitis.	M.	16	22	21	27	24	38	29	27	28	26	28	2[illegible]
		F.	8	6	14	13	17	11	11	12	11	7	16	1
	(2) Other diseases of the bones.	M.	7	11	11	9	7	5	10	7	10	10	10	[illegible]
		F.	9	11	8	4	9	18	8	8	5	8	6	
156	Diseases of the joints ..	M.	2	9	9	10	6	8	9	7	14	8	6	1
		F.	8	1	3	10	7	6	14	8	3	9	6	[illegible]
157	Amputation	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
158	Other diseases of the organs of locomotion.	M.	—	1	3	—	4	3	2	3	1	2	—	
		F.	1	2	2	—	—	4	2	—	1	—	—	
159	XI. Malformations	M.	149	166	194	160	187	175	196	161	153	140	151	14[illegible]
		F.	129	118	133	142	146	143	113	130	131	106	113	11[illegible]
	(1) Congenital hydrocephalus.	M.	11	14	17	15	14	12	14	13	9	12	11	[illegible]
		F.	9	8	13	10	9	15	9	9	10	11	13	[illegible]
	(2) Congenital malformation of heart.	M.	58	63	68	64	71	78	85	58	60	50	54	6[illegible]
		F.	50	42	56	50	59	49	37	40	49	40	37	4[illegible]
	(3) Other congenital malformations.	M.	80	89	109	81	102	85	97	90	84	78	86	7[illegible]
		F.	70	68	64	82	78	79	70	81	72	55	63	6[illegible]
160–163	XII. Diseases of early infancy	M.	923	984	1055	1082	1192	1279	1137	1059	920	899	855	85[illegible]
		F.	666	762	841	841	896	1006	829	694	694	626	680	639
160	Congenital debility, icterus and sclerema.	M.	197	242	290	249	285	312	282	244	200	212	186	195
		F.	147	183	175	195	203	198	180	111	135	118	139	144
	(1) Congenital debility and sclerema.	M.	169	221	264	234	251	276	245	207	174	183	166	170
		F.	131	164	166	185	188	182	164	101	119	94	123	131
	(2) Icterus neonatorum ..	M.	28	21	26	15	34	36	37	37	26	29	20	25
		F.	16	19	9	10	15	16	16	10	16	24	16	13
161	Premature birth, injury at birth.	M.	645	679	694	743	805	876	764	720	658	615	603	581
		F.	456	531	616	568	626	735	581	522	496	432	476	422
	(1) Premature birth ..	M.	593	638	642	696	750	823	703	674	606	558	552	521
		F.	423	506	576	541	600	693	551	489	462	405	440	389
	(2) Injury at birth ..	M.	52	41	52	47	55	53	61	46	52	57	51	60
		F.	33	25	40	27	26	42	30	33	34	27	36	33
162	Other diseases peculiar to early infancy.	M.	70	57	66	73	80	77	79	79	52	64	60	70
		F.	57	41	40	57	54	63	54	47	51	69	56	63
	(1) Diseases of the umbilicus.	M.	4	5	5	5	7	5	6	10	6	3	5	9
		F.	4	3	4	3	2	11	4	5	3	7	4	4
	(2) Atelectasis	M.	60	47	53	60	66	55	61	61	42	52	45	53
		F.	38	29	31	46	38	40	39	31	40	54	44	49
	(3) Other diseases included under 162.	M.	6	5	8	8	7	17	12	8	4	9	10	8
		F.	15	9	5	8	14	12	11	11	8	8	8	10
163	Lack of care	M.	11	6	5	17	22	14	12	16	10	8	6	7
		F.	6	7	10	21	13	10	14	14	12	7	9	10

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923. Oct.	1923. Nov.	1923. Dec.	1924. Jan.	1924. Feb.	1924. Mar.	1924. Apr.	1924. May	1924. June	1924. July	1924. Aug.	1924. Sept.
164	XIII. Old age	M.	754	954	1,212	1,226	1,161	1,358	965	765	673	670	698	601
		F.	1,035	1,285	1,688	1,637	1,672	1,961	1,547	1,184	1,042	947	911	909
	(1) Senile dementia ..	M.	48	47	73	82	79	92	66	48	31	45	36	42
		F.	62	75	76	91	96	89	81	78	53	64	66	52
	(2) Other forms of senile decay.	M.	706	907	1,139	1,144	1,082	1,266	899	717	642	625	662	559
		F.	973	1,210	1,612	1,546	1,576	1,872	1,466	1,106	989	883	845	857
165–203	XIV. External causes ..	M.	958	959	964	1,000	858	992	975	1,023	965	1,132	1,091	999
		F.	372	433	495	513	461	484	429	395	429	360	418	391
165–174	Suicide	M.	232	218	201	211	192	224	226	277	228	252	221	232
		F.	75	74	75	84	90	95	90	108	98	88	91	91
165–166	By solid or liquid poisons and corrosive substances.	M.	19	25	19	13	15	14	23	21	16	25	14	24
		F.	7	15	13	11	16	23	16	19	18	19	16	20
167	By poisonous gas	M.	31	33	41	31	26	29	29	38	28	31	37	32
		F.	13	9	18	20	20	15	12	22	18	23	17	12
168	By hanging or strangulation.	M.	54	48	42	52	53	47	44	55	51	51	54	47
		F.	12	7	7	10	13	14	8	9	17	14	14	11
169	By drowning	M.	43	35	34	33	30	34	51	65	50	49	38	46
		F.	26	26	20	29	23	27	30	38	27	24	21	28
170	By firearms	M.	23	23	15	15	7	17	16	23	16	20	17	16
		F.	1	—	3	—	—	—	—	2	2	—	1	2
171	By cutting or piercing instruments.	M.	40	34	31	42	44	63	46	55	44	53	43	40
		F.	8	10	7	6	11	8	15	11	9	2	7	6
172	By jumping from high places	M.	8	8	7	7	5	6	3	9	9	8	3	7
		F.	6	4	5	4	2	2	3	2	5	3	7	6
173	By crushing	M.	14	12	12	18	12	13	14	11	14	15	15	19
		F.	2	2	1	3	3	4	3	4	1	1	4	5
174	By other means	M.	—	—	—	—	—	1	—	—	—	—	—	1
		F.	—	1	1	1	2	2	3	1	1	2	4	1
175–196 & 201–203	Violent deaths excluding suicide and homicide.	M.	713	735	751	783	652	760	738	739	726	872	861	753
		F.	289	350	416	415	363	380	330	281	322	264	317	289
175	Food poisoning	M.	2	1	—	—	1	—	—	—	5	1	2	5
		F.	3	2	—	4	—	—	—	—	—	4	2	1
176	Poisoning by venomous animals.	M.	1	—	—	—	—	1	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	2	1	5
177	Other acute accidental poisonings.	M.	6	4	8	2	6	7	6	8	5	5	7	5
		F.	4	1	4	4	2	4	2	7	4	3	1	4
178	Conflagration	M.	1	2	3	1	9	7	1	—	—	1	3	1
		F.	—	2	3	—	7	3	1	—	—	1	—	—
179	Accidental burns (conflagration excepted).	M.	58	76	91	79	64	67	59	48	40	45	41	44
		F.	65	93	133	106	116	121	81	54	47	41	51	48
180	Accidental mechanical suffocation.	M.	28	36	41	29	32	40	34	19	17	19	22	11
		F.	14	19	26	35	27	21	27	10	15	17	17	14
181	Accidental absorption of irrespirable or poisonous gas.	M.	5	8	16	11	8	13	10	6	3	2	6	5
		F.	3	3	7	5	7	5	5	5	4	—	2	2
182	Accidental drowning ..	M.	68	89	54	75	51	74	85	117	172	177	149	97
		F.	16	17	27	31	15	23	23	22	40	26	29	17
183	Accidental injury by firearms	M.	5	6	7	7	4	3	6	6	7	8	10	6
		F.	—	—	1	—	—	2	2	—	—	—	1	—
184	Accidental injury by cutting or piercing instruments.	M.	1	1	—	2	3	1	2	—	1	—	1	1
		F.	—	—	1	—	—	—	—	—	—	—	—	—
185	Accidental injury by fall ..	M.	106	121	125	123	114	116	118	126	96	127	137	130
		F.	101	136	137	151	128	138	99	89	114	80	93	89
186	Accidental injury in mining and quarrying.	M.	96	83	92	104	87	98	96	101	65	120	83	78
		F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1923–1924—*cont.*

International List No.	Causes of Death.		1923. Oct.	Nov.	Dec.	1924. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
187	Accidental injury by machinery.	M.	16	21	11	25	9	23	15	21	20	15	18	17
		F.	—	3	2	—	1	—	1	1	2	—	1	1
188	Accidental injury by other forms of crushing (vehicles, railways, etc.).	M.	282	235	256	283	236	260	273	259	259	302	340	321
		F.	69	66	64	66	51	55	76	79	84	75	105	100
189	Injury by animals (poisoning excepted).	M.	3	10	5	3	3	9	6	6	6	5	7	2
		F.	3	—	—	—	—	—	—	—	1	—	2	1
190	Wounds of war	M.	4	8	6	9	7	9	—	4	6	6	4	3
		F.	—	—	—	—	—	—	—	—	—	—	—	—
192	Hunger or thirst	M.	—	2	2	1	1	2	1	1	—	—	—	—
		F.	—	—	—	1	—	—	1	1	1	—	—	—
193	Excessive cold	M.	1	2	12	3	5	6	1	2	1	—	—	2
		F.	—	2	5	—	2	1	2	—	—	—	—	—
194	Excessive heat	M.	—	—	—	—	—	—	—	1	4	11	2	—
		F.	—	—	—	—	—	—	—	1	5	4	1	—
195	Lightning	M.	—	—	—	—	—	—	—	2	—	4	5	1
		F.	—	—	—	—	—	—	—	1	—	1	1	—
196	Electricity (lightning excepted).	M.	1	2	3	2	1	2	2	2	2	4	5	5
		F.	—	—	—	—	—	—	—	—	1	—	—	—
197–199	Homicide	M.	13	6	12	6	14	8	11	7	11	8	9	14
		F.	8	9	4	14	8	9	9	6	9	8	10	11
197	By firearms	M.	—	1	2	1	—	1	1	—	—	1	—	2
		F.	—	2	1	2	—	—	—	—	—	—	1	—
198	By cutting or piercing instrument.	M.	2	1	—	1	2	—	2	—	2	—	1	2
		F.	—	2	1	4	2	2	2	1	3	2	2	3
199	By other means	M.	11	4	10	4	12	7	8	7	9	7	8	10
		F.	8	5	2	8	6	7	7	5	6	6	7	8
201	Fracture (cause not specified)	M.	4	5	1	2	2	3	5	—	—	1	2	5
		F.	1	—	1	1	—	1	—	—	—	1	1	—
202	Other and unstated forms of accidental violence, execution.	M.	21	22	16	18	8	17	17	9	17	19	15	10
		F.	9	6	5	10	7	6	9	10	4	9	7	7
203	Violent deaths of unknown causation.	M.	4	1	2	4	1	2	1	1	—	—	1	4
		F.	1	—	—	1	—	—	1	1	—	—	2	—
204–205	XV. Ill-defined diseases ..	M.	75	95	95	91	83	107	67	65	77	66	62	56
		F.	50	58	86	54	74	65	55	50	47	61	46	56
204	Sudden death..	M.	16	26	26	18	17	23	10	9	8	14	10	12
		F.	9	8	16	5	10	5	10	6	9	18	7	5
205	Cause of death unstated or ill defined.	M.	59	69	69	73	66	84	57	56	69	52	52	44
		F.	41	50	70	49	64	60	45	44	38	43	39	51
	(1) Heart failure (1–70 years).	M.	39	50	41	49	40	47	36	34	46	36	35	30
		F.	23	35	42	29	45	37	26	26	22	29	22	30
	(2) Other ill-defined causes	M.	18	17	25	21	25	32	20	19	18	12	13	12
		F.	18	14	26	17	15	18	15	15	12	10	15	19
	(3) Cause not specified ..	M.	2	2	3	3	1	5	1	3	5	4	4	2
		F.	—	1	2	3	4	5	4	3	4	4	2	2

TABLE 19.—ENGLAND AND WALES.—CAUSES OF DEATH OF NON-CIVILIANS AT DIFFERENT AGE PERIODS, 1924.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 years and upwards
ALL CAUSES	520	69	153	77	64	70	42	25	12	8
Enteric fever	3	1	2	—	—	—	—	—	—	—
Scarlet fever	3	2	1	—	—	—	—	—	—	—
Influenza	29	10	9	4	2	2	1	1	—	—
Dysentery	2	—	1	1	—	—	—	—	—	—
Erysipelas	1	—	1	—	—	—	—	—	—	—
Encephalitis lethargica	2	1	—	—	1	—	—	—	—	—
Meningococcal meningitis	5	4	1	—	—	—	—	—	—	—
Tuberculosis of the respiratory system	89	7	18	13	17	17	11	2	—	1
Tuberculosis of the nervous system	5	3	1	—	—	1	—	—	—	—
Other tuberculosis	11	3	5	—	2	—	—	1	—	—
Syphilis	1	—	—	—	1	—	—	—	—	—
Purulent infection, Septicæmia	2	—	—	—	—	—	—	—	1	1
Cancer	31	2	5	4	5	3	5	3	2	2
Rheumatic fever	3	—	2	—	1	—	—	—	—	—
Diabetes	1	—	—	—	—	1	—	—	—	—
Pernicious anæmia	1	—	—	—	—	1	—	—	—	—
Leukæmia, Lymphadenoma	9	—	5	1	2	—	1	—	—	—
Alcoholism	1	—	—	1	—	—	—	—	—	—
Purpura	1	—	—	—	—	1	—	—	—	—
Other general diseases	4	1	2	—	—	—	1	—	—	—
Meningitis	2	1	—	—	1	—	—	—	—	—
Cerebral hæmorrhage, Apoplexy	8	—	1	—	—	3	—	2	1	1
General paralysis of the insane	13	—	—	1	1	5	3	3	—	—
Cerebral tumour	3	—	—	2	—	1	—	—	—	—
Other diseases of the nervous system	1	—	1	—	—	—	—	—	—	—
Diseases of the ear and of the mastoid sinus	5	4	1	—	—	—	—	—	—	—
Infective endocarditis	3	—	—	2	1	—	—	—	—	—
Valvular disease	6	1	1	—	—	1	1	2	—	—
Aneurysm	3	—	—	1	1	—	1	—	—	—
Other diseases of the heart and circulatory system	9	—	—	1	—	3	1	3	1	—
Bronchitis	2	—	—	—	—	2	—	—	—	—
Broncho-pneumonia	10	3	2	1	2	1	—	1	—	—
Lobar pneumonia	20	5	6	1	2	3	—	1	1	1
Pneumonia (type not stated)	17	2	6	3	2	1	2	1	—	—
Pleurisy	4	—	1	—	1	1	—	1	—	—
Ulcer of the stomach	4	—	1	1	—	—	2	—	—	—
Ulcer of the duodenum	8	—	1	—	1	1	4	—	1	—
Appendicitis	16	1	5	—	4	2	3	1	—	—
Hernia, Intestinal obstruction	4	—	2	1	—	—	—	—	—	1
Diseases of the liver	5	—	2	—	1	1	—	1	—	—
Other diseases of the digestive system	9	3	2	1	—	1	1	1	—	—
Acute nephritis	3	1	—	1	—	1	—	—	—	—
Chronic nephritis	7	—	1	2	—	2	—	—	2	—
Other diseases	6	2	3	1	—	—	—	—	—	—
Suicide	30	6	4	3	5	7	3	1	1	—
Accidental drowning	16	1	11	2	—	1	1	—	—	—
Accidental injury by firearms	2	—	2	—	—	—	—	—	—	—
Accidental injury by fall	13	1	4	5	3	—	—	—	—	—
Injury by other forms of crushing (vehicles, railways, &c.)	76	3	40	18	6	7	1	—	1	—
Wounds of war	3	—	—	1	2	—	—	—	—	—
Other violence	7	1	3	2	—	—	—	—	—	1
Ill-defined causes	1	—	—	—	—	—	—	—	1	—

TABLE 20.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
ALL AREAS—ENGLAND AND WALES—(TOTAL DEATHS REGISTERED).

	Causes of Death.	Sex.	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	240,620	31,602	8,353	7,009	6,630	10,218	26,620	63,148	46,957	40,083
		F	232,615	23,211	7,066	6,491	6,294	9,808	25,634	52,379	45,671	56,061
1	Enteric fever ..	M	244	—	—	6	30	57	90	55	5	1
		F	252	—	1	11	27	70	96	38	8	1
2	Small-pox	M	5	3	—	—	1	1	—	—	—	—
		F	8	2	2	—	1	—	2	1	—	—
3	Measles	M	2,564	561	1,095	736	154	9	5	2	1	1
		F	2,270	429	909	723	185	7	11	4	2	—
4	Scarlet fever ..	M	417	14	48	169	126	36	18	6	—	—
		F	471	12	42	188	169	30	26	4	—	—
5	Whooping cough ..	M	1,864	877	600	349	35	—	1	—	1	1
		F	2,119	843	699	498	66	3	3	2	1	4
6	Diphtheria ..	M	1,212	54	128	549	432	25	12	8	4	—
		F	1,289	50	118	518	528	39	23	9	2	2
7	Influenza	M	9,142	497	313	305	198	472	1,492	2,827	1,798	1,240
		F	9,844	317	221	277	245	330	1,445	2,587	2,196	2,226
8	Encephalitis lethargica ..	M	732	11	30	48	108	131	152	209	40	3
		F	675	17	18	54	80	122	183	167	30	4
9	Meningococcal meningitis ..	M	174	51	22	22	32	26	15	5	1	—
		F	127	37	16	17	25	14	12	5	1	—
10	Tuberculosis of respiratory system	M	17,970	55	92	143	362	3,295	7,637	5,601	711	74
		F	14,720	59	70	101	757	4,297	6,340	2,601	403	92
11	Other tuberculous diseases	M	4,380	516	587	747	774	650	601	402	88	15
		F	4,033	360	449	682	752	653	619	343	122	53
12	Cancer, malignant disease	M	23,099	9	21	47	64	161	1,344	10,856	7,396	3,201
		F	27,290	13	7	33	54	130	2,660	12,555	7,362	4,476
13	Rheumatic fever ..	M	757	2	—	30	211	162	156	157	32	7
		F	906	—	2	26	292	205	182	151	36	12
14	Diabetes	M	1,896	—	5	6	36	100	229	727	543	250
		F	2,358	—	3	6	45	99	239	886	745	335
15	Cerebral hæmorrhage, &c. ..	M	12,718	5	1	4	19	43	332	3,773	4,722	3,819
		F	15,989	1	3	7	12	28	389	4,410	5,458	5,681
16	Heart disease ..	M	28,009	4	12	51	401	617	2,255	9,225	8,846	6,598
		F	32,641	5	18	36	415	795	2,735	9,047	9,785	9,805
17	Arterio-sclerosis ..	M	9,499	—	—	—	—	3	98	2,085	3,525	3,788
		F	7,183	—	—	—	—	2	33	1,021	2,232	3,895
18	Bronchitis ..	M	18,346	2,361	525	222	68	75	692	3,906	5,112	5,385
		F	19,440	1,684	499	229	64	61	393	2,982	5,270	8,258
19	Pneumonia (all forms)	M	22,099	5,315	3,004	1,626	653	760	2,718	4,592	2,225	1,206
		F	16,871	3,841	2,468	1,524	555	430	1,573	2,658	2,038	1,784
20	Other respiratory diseases	M	3,294	160	96	134	89	115	441	1,149	662	448
		F	2,563	115	63	85	54	64	283	674	551	674
21	Ulcer of stomach or duodenum ..	M	2,131	6	—	1	3	72	635	1,047	277	90
		F	887	3	1	—	5	43	251	395	126	63
22	Diarrhœa, &c. ..	M	4,075	2,761	495	178	72	33	82	176	120	158
		F	3,385	1,855	419	180	74	51	158	214	188	246
23	Appendicitis and typhlitis.. ..	M	1,545	4	8	100	322	299	335	348	105	24
		F	1,211	2	3	56	251	188	283	297	86	45
24	Cirrhosis of liver ..	M	1,126	—	1	4	4	4	89	701	269	54
		F	630	2	—	—	—	4	55	376	139	54
25	Acute and chronic nephritis ..	M	6,656	32	29	59	150	232	785	2,684	1,696	989
		F	5,907	24	31	45	128	205	802	2,227	1,503	942
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	1,018	—	—	—	—	200	812	6	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	1,829	—	—	—	—	294	1,495	40	—	—
28	Congenital debility and malformation, premature birth.. ..	M	13,142	12,921	53	56	50	38	16	7	1	—
		F	9,763	9,564	51	41	57	26	12	11	1	—
29	Suicide	M	2,635	—	—	—	3	153	726	1,297	363	93
		F	1,085	—	—	—	—	92	383	490	95	25
30	Other deaths from violence.. ..	M	9,318	365	243	568	921	1,328	2,152	2,363	816	562
		F	4,145	336	169	383	389	256	413	661	539	999
31	Other defined diseases	M	40,641	4,972	834	829	1,297	1,296	3,415	8,531	7,395	12,042
		F	41,042	3,600	723	748	1,053	1,062	3,658	7,221	6,613	16,364
32	Causes ill-defined or unknown ..	M	930	46	81	20	15	25	97	409	203	34
		F	664	40	61	23	11	8	65	296	139	21

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Administrative County of London. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	28,402	3,391	1,134	952	807	1,125	3,285	8,356	5,337	4,015
	F	27,485	2,513	1,030	911	719	1,115	2,999	6,491	5,198	6,509
1 Enteric fever ..	M	16	—	—	2	6	—	5	3	—	—
	F	37	—	1	2	2	7	14	9	2	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	691	164	315	176	32	1	2	—	1	—
	F	639	123	279	199	31	2	4	—	1	—
4 Scarlet fever ..	M	62	2	11	31	13	2	3	—	—	—
	F	68	1	13	35	16	2	1	—	—	—
5 Whooping cough ..	M	240	90	85	61	4	—	—	—	—	—
	F	277	106	97	63	10	1	—	—	—	—
6 Diphtheria ..	M	286	16	30	151	77	7	4	—	1	—
	F	279	14	33	124	98	5	4	—	—	1
7 Influenza	M	776	30	25	22	9	31	130	269	142	118
	F	904	23	18	26	12	23	99	271	210	222
8 Encephalitis lethargica ..	M	68	2	3	5	14	11	14	18	1	—
	F	81	2	4	3	4	14	27	22	5	—
9 Meningococcal meningitis ..	M	35	13	6	7	3	3	3	—	—	—
	F	26	9	6	6	1	3	1	—	—	—
10 Tuberculosis of respiratory system	M	2,629	5	9	10	50	439	1,027	966	111	12
	F	1,857	7	9	14	61	498	793	399	55	21
11 Other tuberculous diseases	M	463	57	58	91	85	56	53	46	15	2
	F	371	33	38	86	71	48	50	31	9	5
12 Cancer, malignant disease	M	3,083	1	2	4	8	30	196	1,517	942	383
	F	3,400	3	1	5	4	16	342	1,604	845	580
13 Rheumatic fever ..	M	74	—	—	1	31	18	11	11	2	—
	F	81	—	—	2	34	22	10	11	2	—
14 Diabetes	M	185	—	—	—	1	9	26	75	52	22
	F	252	—	—	1	2	4	23	101	84	37
15 Cerebral hæmorrhage, &c. ..	M	1,092	1	—	—	3	8	38	351	387	304
	F	1,510	—	—	1	2	5	25	452	504	521
16 Heart disease ..	M	3,514	—	3	6	79	109	274	1,218	1,022	803
	F	4,221	—	2	2	68	148	356	1,061	1,206	1,378
17 Arterio-sclerosis ..	M	1,172	—	—	—	—	—	18	282	421	451
	F	960	—	—	—	—	—	3	153	286	518
18 Bronchitis ..	M	2,105	185	23	13	5	6	116	609	609	539
	F	2,376	123	28	18	7	1	56	408	667	1,068
19 Pneumonia (all forms)	M	2,896	688	417	199	53	65	284	658	348	184
	F	2,398	515	359	174	50	38	212	400	321	329
20 Other respiratory diseases	M	380	17	8	8	2	10	59	142	75	59
	F	325	6	9	7	6	8	25	92	57	115
21 Ulcer of stomach or duodenum ..	M	346	1	—	—	—	7	101	182	38	17
	F	119	1	—	—	1	2	30	59	16	10
22 Diarrhœa, &c. ..	M	506	413	38	9	1	4	7	10	14	10
	F	376	259	33	10	3	4	17	17	13	20
23 Appendicitis and typhlitis.. ..	M	181	1	—	11	32	32	41	50	9	5
	F	148	1	—	9	29	24	33	35	11	6
24 Cirrhosis of liver ..	M	166	—	—	1	1	—	17	100	39	8
	F	127	—	—	—	—	2	15	83	18	9
25 Acute and chronic nephritis ..	M	823	6	—	4	10	28	100	363	200	112
	F	682	6	2	2	17	24	90	285	151	105
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	106	—	—	—	—	23	82	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	157	—	—	—	—	28	127	2	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,244	1,214	7	3	7	4	5	3	1	—
	F	942	919	6	3	8	3	3	—	—	—
29 Suicide	M	361	—	—	—	—	18	105	182	48	8
	F	144	—	—	—	—	8	58	63	12	3
30 Other deaths from violence.. ..	M	997	59	25	54	120	111	205	229	120	74
	F	609	30	24	45	44	24	62	120	103	157
31 Other defined diseases	M	3,999	426	67	82	161	116	438	1,068	738	903
	F	3,995	330	61	71	138	128	436	809	619	1,403
32 Causes ill-defined or unknown ..	M	12	—	2	1	—	—	3	4	1	1
	F	18	2	7	3	—	—	1	3	1	1

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (England and Wales). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	85,524	12,828	3,813	2,870	2,462	3,592	10,023	23,662	15,603	10,671
	F	81,790	9,548	3,207	2,763	2,424	3,630	9,375	18,943	15,380	16,520
1 Enteric fever ..	M	79	—	—	2	11	20	32	13	1	—
	F	63	—	—	4	7	15	29	8	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—
3 Measles	M	1,061	214	484	314	46	1	1	1	—	—
	F	978	186	403	328	60	1	—	—	—	—
4 Scarlet fever ..	M	173	6	22	72	49	16	6	2	—	—
	F	200	6	15	82	79	12	6	—	—	—
5 Whooping cough ..	M	797	354	284	143	16	—	—	—	—	—
	F	929	349	314	237	24	1	1	1	1	1
6 Diphtheria ..	M	435	17	69	181	159	5	2	2	—	—
	F	445	24	51	176	177	11	3	2	1	—
7 Influenza	M	3,085	195	133	113	64	148	561	1,015	553	303
	F	3,270	118	94	117	91	126	453	906	706	659
8 Encephalitis lethargica ..	M	268	4	16	18	36	48	55	77	12	2
	F	252	11	6	24	29	51	65	57	8	1
9 Meningococcal meningitis ..	M	67	22	7	8	14	9	5	2	—	—
	F	50	17	5	5	11	5	7	—	—	—
10 Tuberculosis of respiratory system	M	7,298	23	50	87	141	1,245	3,088	2,351	289	24
	F	5,537	28	34	41	320	1,652	2,378	950	116	18
11 Other tuberculous diseases	M	1,684	200	244	318	308	250	210	129	22	3
	F	1,555	174	198	295	302	234	207	100	33	12
12 Cancer, malignant disease	M	7,722	3	4	10	22	45	459	4,056	2,356	767
	F	9,066	5	3	10	18	51	994	4,319	2,391	1,275
13 Rheumatic fever ..	M	279	1	—	9	82	57	68	52	6	4
	F	351	—	2	15	133	69	69	49	11	3
14 Diabetes	M	604	—	1	2	11	36	64	251	164	75
	F	731	—	1	—	11	35	83	277	231	93
15 Cerebral hæmorrhage, &c. ..	M	4,205	2	—	2	7	15	129	1,434	1,611	1,005
	F	5,214	—	—	1	4	6	153	1,596	1,847	1,607
16 Heart disease ..	M	8,897	3	6	20	133	239	850	3,372	2,652	1,622
	F	10,644	3	8	16	173	309	1,082	3,289	3,058	2,706
17 Arterio-sclerosis ..	M	3,429	—	—	—	—	3	33	847	1,388	1,158
	F	2,545	—	—	—	—	1	19	421	843	1,261
18 Bronchitis ..	M	7,070	997	272	94	33	35	314	1,729	1,952	1,644
	F	7,698	765	237	96	25	39	183	1,384	2,156	2,813
19 Pneumonia (all forms)	M	9,303	2,409	1,371	765	285	307	1,189	1,816	784	377
	F	7,038	1,730	1,205	726	267	175	597	1,046	729	563
20 Other respiratory diseases	M	1,060	63	42	57	35	43	164	376	171	109
	F	832	42	16	27	19	24	95	231	174	204
21 Ulcer of stomach or duodenum ..	M	753	2	—	—	—	24	225	382	98	22
	F	286	1	—	—	1	11	88	132	36	17
22 Diarrhœa, &c. ..	M	1,754	1,234	250	66	32	7	28	63	34	40
	F	1,471	875	199	86	34	16	57	70	58	76
23 Appendicitis and typhlitis.. ..	M	518	1	4	33	109	104	107	124	30	6
	F	418	1	—	21	87	64	98	107	27	13
24 Cirrhosis of liver ..	M	368	—	1	1	2	1	25	254	76	8
	F	189	1	—	—	—	—	20	118	39	11
25 Acute and chronic nephritis ..	M	2,240	11	14	21	61	83	320	937	540	253
	F	2,024	8	8	16	56	69	287	803	515	262
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	397	—	—	—	—	70	326	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	636	—	—	—	—	98	519	19	—	—
28 Congenital debility and malformation, premature birth.. ..	M	4,960	4,894	24	10	16	10	6	—	—	—
	F	3,677	3,613	15	12	17	10	5	5	—	—
29 Suicide	M	827	—	—	—	1	43	219	433	105	26
	F	363	—	—	—	—	27	128	175	22	11
30 Other deaths from violence.. ..	M	2,912	141	98	213	313	342	625	738	265	177
	F	1,489	146	65	145	123	87	157	236	194	336
31 Other defined diseases	M	13,413	2,018	375	304	473	452	1,208	3,096	2,446	3,041
	F	13,246	1,431	295	273	354	358	1,247	2,563	2,148	4,577
32 Causes ill-defined or unknown ..	M	263	14	42	7	3	4	30	110	48	5
	F	193	12	32	10	2	3	19	78	36	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (England and Wales). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	78,140	9,989	2,354	2,165	2,182	3,358	8,556	20,448	15,728	13,360
	F	77,499	7,293	1,950	1,970	2,096	3,324	8,590	17,454	15,577	19,245
1 Enteric fever ..	M	101	—	—	2	9	24	35	29	1	1
	F	89	—	—	3	8	32	30	13	2	1
2 Small-pox	M	3	1	—	—	1	1	—	—	—	—
	F	3	—	—	—	—	—	2	1	—	—
3 Measles	M	651	148	240	198	57	5	1	1	—	1
	F	535	104	189	168	66	2	3	3	—	—
4 Scarlet fever ..	M	118	4	9	38	46	11	6	4	—	—
	F	144	4	8	50	58	10	13	1	—	—
5 Whooping cough ..	M	526	265	154	96	9	—	—	—	1	1
	F	587	247	180	140	16	1	1	—	—	2
6 Diphtheria ..	M	346	18	20	156	138	5	3	5	1	—
	F	405	8	24	159	184	13	11	5	1	—
7 Influenza	M	3,076	170	92	115	80	168	486	949	630	386
	F	3,427	101	64	88	80	123	569	889	784	729
8 Encephalitis lethargica ..	M	261	3	5	15	34	56	56	77	15	—
	F	232	4	4	17	34	35	66	60	10	2
9 Meningococcal meningitis ..	M	49	10	7	7	9	6	6	3	1	—
	F	34	8	5	5	7	4	2	3	—	—
10 Tuberculosis of respiratory system	M	5,281	24	26	34	108	1,030	2,263	1,566	212	18
	F	4,629	14	20	33	239	1,420	1,948	795	135	25
11 Other tuberculous diseases	M	1,426	175	193	234	249	216	190	131	32	6
	F	1,394	97	146	210	255	240	237	140	45	24
12 Cancer, malignant disease	M	7,536	4	6	20	22	49	435	3,459	2,468	1,073
	F	9,216	3	2	11	16	44	880	4,280	2,449	1,531
13 Rheumatic fever ..	M	250	—	—	14	66	54	47	59	9	1
	F	321	—	—	6	91	80	71	50	18	5
14 Diabetes	M	677	—	2	1	11	29	74	273	200	87
	F	855	—	1	4	17	36	72	338	270	117
15 Cerebral hæmorrhage, &c. ..	M	4,547	1	—	1	8	13	115	1,327	1,731	1,351
	F	5,622	—	1	1	5	11	144	1,520	1,933	2,007
16 Heart disease ..	M	9,108	1	3	16	135	173	782	2,974	2,929	2,095
	F	10,767	2	3	11	129	259	894	2,999	3,289	3,181
17 Arterio-sclerosis ..	M	2,966	—	—	—	—	—	33	631	1,111	1,191
	F	2,319	—	—	—	—	1	7	309	700	1,302
18 Bronchitis ..	M	5,888	794	160	84	20	23	199	1,178	1,681	1,749
	F	6,224	543	154	69	22	16	117	875	1,694	2,734
19 Pneumonia (all forms)	M	6,757	1,561	874	464	220	244	854	1,472	692	376
	F	5,097	1,130	655	465	172	137	512	814	642	570
20 Other respiratory diseases	M	1,181	48	33	47	34	39	153	412	275	140
	F	912	46	25	34	17	22	116	238	201	213
21 Ulcer of stomach or duodenum ..	M	701	2	—	—	3	26	220	335	91	24
	F	307	1	1	—	3	20	86	138	39	19
22 Diarrhœa, &c. ..	M	1,197	766	141	57	24	16	29	65	39	60
	F	1,051	514	136	63	20	20	50	83	77	88
23 Appendicitis and typhlitis.. ..	M	516	2	3	38	105	108	107	106	38	9
	F	419	—	1	17	92	61	100	103	29	16
24 Cirrhosis of liver ..	M	377	—	—	2	—	2	26	235	93	19
	F	202	1	—	—	—	1	16	113	52	19
25 Acute and chronic nephritis ..	M	2,267	10	9	24	53	72	260	958	569	312
	F	2,057	9	15	19	36	85	285	768	527	313
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	330	—	—	—	—	56	271	3	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	623	—	—	—	—	105	510	8	—	—
28 Congenital debility and malformation, premature birth.. ..	M	4,322	4,247	10	21	19	18	4	3	—	—
	F	3,220	3,155	16	15	21	7	2	4	—	—
29 Suicide	M	873	—	—	—	1	47	248	433	120	24
	F	379	—	—	—	—	39	138	166	31	5
30 Other deaths from violence.. ..	M	3,182	104	83	176	299	463	784	835	255	183
	F	1,311	108	48	116	142	94	125	204	154	320
31 Other defined diseases	M	13,626	1,613	266	296	415	450	1,103	2,767	2,473	4,243
	F	14,544	1,182	237	259	361	347	1,287	2,420	2,439	6,012
32 Causes ill-defined or unknown ..	M	331	18	18	9	7	10	37	161	61	10
	F	244	12	15	7	5	3	25	111	56	10

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (England and Wales). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	48,034	5,394	1,052	1,022	1,179	1,921	4,503	10,637	10,289	12,037
	F	45,841	3,857	879	847	1,055	1,739	4,670	9,491	9,516	13,787
1 Enteric fever ..	M	45	—	—	—	4	10	18	10	3	—
	F	63	—	—	2	10	16	23	8	4	—
2 Small-pox	M	2	2	—	—	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—
3 Measles	M	161	35	56	48	19	2	1	—	—	—
	F	118	16	38	28	28	2	4	1	1	—
4 Scarlet fever ..	M	61	2	6	28	18	4	3	—	—	—
	F	59	1	6	21	16	6	6	3	—	—
5 Whooping cough ..	M	301	168	77	49	6	—	1	—	—	—
	F	326	141	108	58	16	—	1	1	—	1
6 Diphtheria ..	M	145	3	9	61	58	8	3	1	2	—
	F	160	4	10	59	69	10	5	2	—	1
7 Influenza	M	2,176	102	63	55	45	106	306	593	473	433
	F	2,243	75	45	46	62	58	324	521	496	616
8 Encephalitis lethargica ..	M	133	2	6	10	24	15	26	37	12	1
	F	110	—	4	10	13	22	25	28	7	1
9 Meningococcal meningitis ..	M	18	6	2	—	6	3	1	—	—	—
	F	17	3	—	1	6	2	2	2	1	—
10 Tuberculosis of respiratory system	M	2,673	3	7	12	63	556	1,198	715	99	20
	F	2,697	10	7	13	137	727	1,221	457	97	28
11 Other tuberculous diseases	M	791	84	92	104	132	116	145	95	19	4
	F	713	56	67	91	124	131	125	72	35	12
12 Cancer, malignant disease	M	4,727	1	9	13	12	30	237	1,817	1,630	978
	F	5,608	2	1	7	16	19	444	2,352	1,677	1,090
13 Rheumatic fever ..	M	151	1	—	6	32	31	29	35	15	2
	F	153	—	—	3	34	34	32	41	5	4
14 Diabetes	M	429	—	2	3	13	26	64	128	127	66
	F	520	—	1	1	15	24	61	170	160	88
15 Cerebral hæmorrhage, &c. ..	M	2,866	1	1	1	1	6	47	657	993	1,159
	F	3,643	1	2	4	1	6	67	842	1,174	1,546
16 Heart disease ..	M	6,474	—	—	9	54	94	340	1,656	2,243	2,078
	F	7,009	—	5	7	45	79	403	1,698	2,232	2,540
17 Arterio-sclerosis ..	M	1,930	—	—	—	—	—	13	324	605	988
	F	1,359	—	—	—	—	—	4	138	403	814
18 Bronchitis ..	M	3,281	385	70	31	10	11	61	390	870	1,453
	F	3,142	253	80	46	10	5	37	315	753	1,643
19 Pneumonia (all forms)	M	3,096	657	342	198	95	120	373	641	401	269
	F	2,338	466	249	159	66	80	252	398	346	322
20 Other respiratory diseases	M	669	32	13	22	18	22	63	218	141	140
	F	494	21	13	17	12	10	47	113	119	142
21 Ulcer of stomach or duodenum ..	M	319	1	—	1	—	13	80	147	50	27
	F	175	—	—	—	—	10	47	66	35	17
22 Diarrhœa, &c. ..	M	617	348	66	46	15	5	18	38	33	48
	F	487	207	51	21	17	11	34	44	40	62
23 Appendicitis and typhlitis.. ..	M	314	—	1	18	76	49	71	67	28	4
	F	226	—	2	9	43	39	52	52	19	10
24 Cirrhosis of liver ..	M	214	—	—	—	1	1	21	111	61	19
	F	112	—	—	—	—	1	4	62	30	15
25 Acute and chronic nephritis ..	M	1,316	5	6	10	26	47	99	424	387	312
	F	1,144	1	6	8	19	27	140	371	310	262
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	185	—	—	—	—	51	133	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	413	—	—	—	—	63	339	11	—	—
28 Congenital debility and malformation, premature birth.. ..	M	2,616	2,566	12	22	8	6	1	1	—	—
	F	1,924	1,877	14	11	11	6	2	2	1	—
29 Suicide	M	544	—	—	—	1	35	136	247	90	35
	F	199	—	—	—	—	18	59	86	30	6
30 Other deaths from violence.. ..	M	2,110	61	37	125	189	346	489	559	176	128
	F	736	52	32	77	80	51	69	101	88	186
31 Other defined diseases	M	9,532	915	156	147	248	248	632	1,593	1,739	3,855
	F	9,257	657	130	145	200	229	688	1,429	1,407	4,372
32 Causes ill-defined or unknown ..	M	323	14	19	3	5	11	27	133	93	18
	F	209	14	7	3	4	2	20	104	46	9

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Northern Counties.* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	88,270	13,557	3,973	3,039	2,637	3,852	10,024	23,614	16,521	11,053
	F	83,618	10,138	3,381	2,863	2,530	3,679	9,677	19,664	16,201	15,485
1 Enteric fever ..	M	112	—	—	2	9	28	50	21	2	—
	F	92	—	—	9	14	23	36	10	—	—
2 Small-pox	M	1	—	—	—	—	1	—	—	—	—
	F	4	2	1	—	—	—	—	1	—	—
3 Measles	M	1,129	237	491	339	57	2	1	1	—	1
	F	981	191	400	303	81	1	1	3	1	—
4 Scarlet fever ..	M	183	9	20	69	59	16	6	4	—	—
	F	209	5	16	83	71	17	14	3	—	—
5 Whooping cough ..	M	806	380	269	140	17	—	—	—	—	—
	F	961	355	336	242	24	—	1	1	1	1
6 Diphtheria ..	M	314	16	50	137	103	4	—	3	1	—
	F	364	20	49	145	135	9	3	1	2	—
7 Influenza	M	3,614	217	152	136	102	198	643	1,120	665	381
	F	3,779	147	112	127	105	147	643	1,078	778	642
8 Encephalitis lethargica ..	M	311	4	12	16	48	60	65	94	12	—
	F	277	10	4	28	35	54	70	63	11	2
9 Meningococcal meningitis ..	M	71	17	7	8	20	9	6	3	1	—
	F	47	16	5	7	10	6	3	—	—	—
10 Tuberculosis of respiratory system	M	6,371	21	50	91	164	1,191	2,649	1,953	229	23
	F	5,056	27	30	55	354	1,511	2,120	835	111	13
11 Other tuberculous diseases	M	1,810	221	274	327	340	258	208	155	26	1
	F	1,671	155	222	305	326	274	235	117	26	11
12 Cancer, malignant disease	M	7,458	2	6	18	20	43	466	3,886	2,320	697
	F	8,629	6	2	10	14	49	956	4,236	2,297	1,059
13 Rheumatic fever ..	M	317	2	—	14	92	72	62	63	11	1
	F	383	—	1	11	127	74	84	68	15	3
14 Diabetes	M	657	—	3	5	14	34	90	257	183	71
	F	857	—	1	2	18	47	96	326	280	87
15 Cerebral hæmorrhage, &c. ..	M	4,624	2	—	1	6	14	127	1,525	1,846	1,103
	F	5,460	—	2	1	6	13	162	1,729	2,014	1,533
16 Heart disease ..	M	9,083	1	6	24	149	224	900	3,413	2,787	1,579
	F	10,735	2	9	16	171	308	1,154	3,518	3,186	2,371
17 Arterio-sclerosis ..	M	3,759	—	—	—	—	3	28	894	1,559	1,275
	F	2,733	—	—	—	—	1	18	452	950	1,312
18 Bronchitis ..	M	7,231	1,117	292	122	36	39	295	1,674	2,041	1,615
	F	7,522	823	270	98	37	32	187	1,391	2,169	2,515
19 Pneumonia (all forms)	M	9,652	2,403	1,401	807	335	382	1,278	1,898	806	342
	F	7,187	1,757	1,189	759	261	211	679	1,118	726	487
20 Other respiratory diseases	M	1,127	61	47	70	34	50	145	390	211	119
	F	838	54	21	42	23	21	96	236	182	163
21 Ulcer of stomach or duodenum ..	M	691	—	—	—	1	31	245	321	81	12
	F	285	1	1	—	2	14	96	121	33	17
22 Diarrhœa, &c. ..	M	1,864	1,239	295	98	37	17	33	60	38	47
	F	1,595	908	241	94	42	17	53	81	74	85
23 Appendicitis and typhlitis.. ..	M	497	1	3	29	122	100	101	101	33	7
	F	385	1	2	16	83	73	79	103	17	11
24 Cirrhosis of liver ..	M	380	—	1	2	1	2	31	250	85	8
	F	148	—	—	—	—	—	17	98	27	6
25 Acute and chronic nephritis ..	M	2,365	6	16	26	61	81	303	1,045	588	239
	F	2,232	8	17	25	49	84	312	906	581	250
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	405	—	—	—	—	78	326	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	738	—	—	—	—	117	606	15	—	—
28 Congenital debility and malformation, premature birth.. ..	M	5,290	5,235	16	17	15	5	1	1	—	—
	F	3,937	3,878	18	12	19	6	3	1	—	—
29 Suicide	M	869	—	—	—	3	55	256	428	102	25
	F	328	—	—	—	—	27	121	147	27	6
30 Other deaths from violence.. ..	M	3,398	107	105	222	327	467	819	896	281	174
	F	1,442	120	63	153	151	86	152	242	195	280
31 Other defined diseases	M	13,896	2,242	415	311	457	455	1,172	2,980	2,538	3,326
	F	14,029	1,635	337	307	365	376	1,321	2,624	2,439	4,625
32 Causes ill-defined or unknown ..	M	390	17	42	8	8	11	44	178	75	7
	F	309	17	32	13	7	3	33	139	59	6

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Midland Counties.* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	71,248	8,844	2,102	1,890	1,951	2,822	7,569	17,843	14,270	13,957
	F	69,155	6,360	1,709	1,715	1,790	2,849	7,418	14,890	13,681	18,743
1 Enteric fever ..	M	59	—	—	2	12	12	13	17	2	1
	F	62	—	—	—	7	22	21	8	4	—
2 Small-pox	M	4	3	—	—	1	—	—	—	—	—
	F	4	—	1	—	1	—	2	—	—	—
3 Measles	M	513	116	204	148	38	4	2	1	—	—
	F	471	79	173	166	46	1	5	1	—	—
4 Scarlet fever ..	M	114	2	10	43	42	9	7	1	—	—
	F	128	4	10	51	54	5	3	1	—	—
5 Whooping cough ..	M	512	253	163	85	8	—	1	—	1	1
	F	565	240	172	133	16	2	2	—	—	—
6 Diphtheria ..	M	396	7	34	164	176	8	3	4	—	—
	F	400	11	25	159	178	14	5	7	—	1
7 Influenza	M	2,583	154	70	80	52	118	410	815	510	374
	F	2,849	83	49	70	72	95	412	705	673	690
8 Encephalitis lethargica ..	M	237	5	9	19	30	41	46	66	19	2
	F	202	4	4	18	27	34	57	51	5	2
9 Meningococcal meningitis ..	M	36	14	5	5	4	4	3	1	—	—
	F	29	8	4	2	9	1	2	2	1	—
10 Tuberculosis of respiratory system	M	5,170	19	20	24	82	952	2,300	1,559	197	17
	F	4,315	13	21	18	180	1,268	1,889	766	135	25
11 Other tuberculous diseases	M	1,210	149	173	223	200	153	176	113	22	1
	F	1,134	103	124	185	202	183	175	98	42	22
12 Cancer, malignant disease	M	7,242	5	10	16	24	46	394	3,195	2,383	1,169
	F	8,605	2	4	10	20	38	842	3,764	2,389	1,536
13 Rheumatic fever ..	M	207	—	—	8	57	35	44	47	13	3
	F	257	—	1	7	86	65	47	34	12	5
14 Diabetes	M	616	—	2	1	13	33	69	235	188	75
	F	683	—	1	1	13	28	73	256	209	102
15 Cerebral hæmorrhage, &c. ..	M	4,092	1	—	2	4	8	95	1,123	1,461	1,398
	F	5,010	—	—	2	3	7	110	1,237	1,664	1,987
16 Heart disease ..	M	8,464	2	1	16	106	166	612	2,514	2,788	2,259
	F	9,849	3	4	14	105	210	743	2,544	2,950	3,276
17 Arterio-sclerosis ..	M	2,546	—	—	—	—	—	24	497	867	1,158
	F	1,777	—	—	—	—	1	7	231	499	1,039
18 Bronchitis ..	M	5,361	657	142	56	14	19	185	986	1,461	1,841
	F	5,758	436	126	70	11	13	87	734	1,529	2,752
19 Pneumonia (all forms)	M	5,808	1,339	784	408	174	178	710	1,228	612	375
	F	4,455	980	614	373	137	120	405	689	595	542
20 Other respiratory diseases	M	965	49	27	37	32	37	136	315	197	135
	F	762	33	19	18	13	18	88	207	158	208
21 Ulcer of stomach or duodenum ..	M	632	3	—	1	1	19	157	330	87	34
	F	280	—	—	—	2	12	76	123	48	19
22 Diarrhœa, &c. ..	M	1,079	728	100	46	18	5	28	55	44	55
	F	857	446	93	53	18	16	55	59	47	70
23 Appendicitis and typhlitis.. ..	M	483	2	4	30	100	87	117	116	21	6
	F	387	—	1	18	81	54	88	103	29	13
24 Cirrhosis of liver ..	M	330	—	—	—	1	—	18	205	91	15
	F	208	1	—	—	—	2	14	115	52	24
25 Acute and chronic nephritis ..	M	1,906	8	6	20	47	73	221	726	487	318
	F	1,615	6	7	7	34	57	213	575	417	299
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	297	—	—	—	—	61	233	3	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	477	—	—	—	—	69	394	14	—	—
28 Congenital debility and malformation, premature birth.. ..	M	3,964	3,897	14	15	18	12	5	3	—	—
	F	2,944	2,871	16	17	18	11	4	6	1	—
29 Suicide	M	839	—	—	—	—	38	205	428	129	39
	F	375	—	—	—	—	40	116	176	30	13
30 Other deaths from violence.. ..	M	2,697	134	63	188	266	353	556	684	248	205
	F	1,227	115	45	111	117	84	121	174	130	330
31 Other defined diseases	M	12,866	1,280	237	246	428	403	1,000	2,441	2,369	4,462
	F	12,960	912	184	209	337	314	1,108	2,109	2,011	5,776
32 Causes ill-defined or unknown ..	M	317	17	24	7	3	9	32	138	73	14
	F	213	10	11	3	3	4	21	98	51	12

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Southern Counties (including London).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	63,372	6,684	1,800	1,614	1,551	2,436	6,701	17,155	12,956	12,475
		F	64,233	4,828	1,577	1,475	1,474	2,403	6,489	14,435	13,019	18,533
1	Enteric fever ..	M	52	—	—	2	8	10	20	12	—	—
		F	85	—	1	2	6	22	30	20	3	1
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Measles	M	867	200	375	235	51	3	2	—	1	—
		F	767	150	320	233	53	5	5	—	1	—
4	Scarlet fever ..	M	96	2	17	45	22	5	4	1	—	—
		F	106	2	13	43	33	7	8	—	—	—
5	Whooping cough ..	M	404	174	128	95	7	—	—	—	—	—
		F	434	171	144	94	20	1	—	1	—	3
6	Diphtheria ..	M	407	25	37	200	122	12	8	—	3	—
		F	418	16	40	169	170	12	9	1	—	1
7	Influenza	M	2,235	98	71	67	30	105	323	672	480	389
		F	2,580	65	50	62	48	64	297	653	591	750
8	Encephalitis lethargica ..	M	150	2	9	12	24	21	30	42	9	1
		F	168	2	9	7	12	26	50	49	13	—
9	Meningococcal meningitis ..	M	57	18	9	9	7	7	6	1	—	—
		F	48	12	7	8	5	7	6	3	—	—
10	Tuberculosis of respiratory system	M	5,111	12	13	22	88	861	2,123	1,730	231	31
		F	4,046	13	12	21	145	1,084	1,767	824	133	47
11	Other tuberculous diseases	M	1,000	116	108	158	175	147	155	102	29	10
		F	911	74	77	157	164	124	152	99	46	18
12	Cancer, malignant disease	M	7,036	1	4	10	16	55	381	3,117	2,301	1,151
		F	8,475	5	1	7	16	34	690	3,799	2,266	1,657
13	Rheumatic fever ..	M	159	—	—		46	40	30	31	6	1
		F	176	—	—	7	61	45	28	27	5	3
14	Diabetes	M	519	—	—	—	7	24	53	192	149	94
		F	671	—	1	2	12	15	53	248	214	126
15	Cerebral hæmorrhage, &c. ..	M	3,091	2	1	1	5	16	83	841	1,086	1,056
		F	4,343	1	1	3	2	7	78	1,075	1,405	1,771
16	Heart disease ..	M	8,403	1	5	11	113	167	551	2,603	2,637	2,315
		F	9,965	—	5	3	101	218	631	2,337	3,076	3,594
17	Arterio-sclerosis ..	M	2,693	—	—	—	—	—	34	564	923	1,172
		F	2,366	—	—	—	—	—	7	295	688	1,376
18	Bronchitis ..	M	4,361	380	65	25	11	11	161	929	1,220	1,559
		F	5,032	273	66	41	13	9	84	690	1,271	2,585
19	Pneumonia (all forms)	M	5,060	1,151	645	322	109	116	524	1,137	637	419
		F	4,221	837	535	292	119	72	382	709	612	663
20	Other respiratory diseases	M	917	36	14	18	18	21	127	334	188	161
		F	755	17	15	18	12	18	70	197	160	248
21	Ulcer of stomach or duodenum ..	M	657	2	—	—	1	17	170	336	90	41
		F	265	2	—	—	1	14	61	129	32	26
22	Diarrhœa, &c. ..	M	844	603	63	22	8	8	15	48	31	46
		F	700	374	58	19	12	13	40	60	49	75
23	Appendicitis and typhlitis.. ..	M	434	1	1	30	69	79	88	111	45	10
		F	364	1	—	20	63	47	99	80	36	18
24	Cirrhosis of liver ..	M	354	—	—	2	2	2	35	208	77	28
		F	244	1	—	—	—	2	20	149	51	21
25	Acute and chronic nephritis ..	M	1,862	17	3	10	27	58	198	716	474	359
		F	1,584	7	5	8	32	43	206	574	396	313
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	225	—	—	—	—	46	177	2	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	410	—	—	—	—	75	327	8	—	—
28	Congenital debility and malformation, premature birth.. ..	M	2,862	2,793	16	16	13	12	8	3	1	—
		F	2,090	2,035	14	9	15	8	5	4	—	—
29	Suicide	M	752	—	—	—	—	44	198	366	118	26
		F	327	—	—	—	—	21	123	145	33	5
30	Other deaths from violence.. ..	M	2,134	105	53	105	246	270	432	534	236	153
		F	1,215	80	45	80	88	69	114	215	185	335
31	Other defined diseases	M	10,709	938	152	188	325	321	930	2,460	1,949	3,446
		F	11,153	676	145	166	271	294	962	2,009	1,735	4,895
32	Causes ill-defined or unknown ..	M	146	7	11	4	1	4	12	65	35	7
		F	89	10	13	4	—	1	8	33	18	2

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Wales and Monmouth.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	17,210	2,517	478	466	491	886	2,073	4,491	3,210	2,598
	F	15,609	1,885	399	438	500	877	2,050	3,390	2,770	3,300
1 Enteric fever ..	M	18	—	—	—	1	4	7	5	1	—
	F	13	—	—	—	—	3	9	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	55	8	25	14	8	—	—	—	—	—
	F	51	9	16	21	5	—	—	—	—	—
4 Scarlet fever ..	M	21	1	1	12	3	3	1	—	—	—
	F	28	1	3	11	11	1	1	—	—	—
5 Whooping cough ..	M	142	70	40	29	3	—	—	—	—	—
	F	159	77	47	29	6	—	—	—	—	—
6 Diphtheria ..	M	95	6	7	48	31	1	1	1	—	—
	F	107	3	4	45	45	4	6	—	—	—
7 Influenza	M	681	28	20	22	14	32	107	219	143	96
	F	636	22	10	18	20	24	93	151	154	144
8 Encephalitis lethargica ..	M	32	—	—	1	6	8	10	7	—	—
	F	28	1	1	1	6	8	6	4	1	—
9 Meningococcal meningitis ..	M	5	2	1	—	1	1	—	—	—	—
	F	3	1	—	—	1	—	1	—	—	—
10 Tuberculosis of respiratory system	M	1,229	3	9	6	28	266	504	356	54	3
	F	1,303	6	7	7	78	434	564	176	24	7
11 Other tuberculous diseases	M	344	30	32	39	59	80	59	31	11	3
	F	317	28	26	35	60	72	57	29	3	2
12 Cancer, malignant disease	M	1,332	1	1	3	4	10	86	651	392	184
	F	1,581	—	—	6	4	9	172	756	410	224
13 Rheumatic fever ..	M	71	—	—	3	16	13	19	16	2	2
	F	90	—	—	1	18	21	23	22	4	1
14 Diabetes	M	103	—	—	—	2	9	16	43	23	10
	F	147	—	—	1	2	9	17	56	42	20
15 Cerebral hæmorrhage, &c. ..	M	903	—	—	—	4	4	24	280	329	262
	F	1,176	—	—	1	1	1	39	369	375	390
16 Heart disease ..	M	2,043	—	—	—	33	58	183	690	634	445
	F	2,092	—	—	3	38	59	207	648	573	564
17 Arterio-sclerosis ..	M	499	—	—	—	—	—	11	129	176	183
	F	307	—	—	—	—	—	1	43	95	168
18 Bronchitis ..	M	1,391	207	26	19	7	6	49	317	390	370
	F	1,128	152	37	20	3	7	35	167	301	406
19 Pneumonia (all forms)	M	1,532	422	174	89	35	60	188	324	170	70
	F	1,008	267	130	100	38	27	107	142	105	92
20 Other respiratory diseases	M	281	14	8	9	5	6	31	109	66	33
	F	208	11	8	7	6	7	29	34	51	55
21 Ulcer of stomach or duodenum ..	M	139	1	—	—	—	3	54	59	19	3
	F	57	—	—	—	—	3	18	22	13	1
22 Diarrhœa, &c. ..	M	287	191	37	12	9	2	6	13	7	10
	F	233	127	27	14	2	5	10	14	18	16
23 Appendicitis and typhlitis.. ..	M	115	—	—	11	31	27	20	19	6	1
	F	75	—	—	2	24	14	17	11	4	3
24 Cirrhosis of liver ..	M	61	—	—	—	—	—	5	37	16	3
	F	30	—	—	—	—	—	4	14	9	3
25 Acute and chronic nephritis ..	M	513	1	4	3	15	18	57	195	147	73
	F	476	3	2	5	13	21	71	172	109	80
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	91	—	—	—	—	15	76	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	204	—	—	—	—	33	168	3	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,026	996	7	8	4	9	2	—	—	—
	F	792	780	3	3	5	1	—	—	—	—
29 Suicide	M	145	—	—	—	—	6	49	73	14	3
	F	55	—	—	—	—	4	23	22	5	1
30 Other deaths from violence.. ..	M	972	19	22	53	82	172	296	247	51	30
	F	261	17	16	39	33	17	26	30	29	54
31 Other defined diseases	M	3,099	512	60	84	87	87	279	643	539	808
	F	2,900	377	57	66	80	78	267	479	428	1,068
32 Causes ill-defined or unknown ..	M	76	5	4	1	3	1	9	27	20	6
	F	53	3	5	3	1	—	3	26	11	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (North).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	48,690	7,808	2,523	1,750	1,476	2,084	5,703	13,596	8,675	5,075
	F	46,044	5,883	2,134	1,725	1,431	2,082	5,381	11,009	8,521	7,878
1 Enteric fever ..	M	54	—	—	1	7	14	23	9	—	—
	F	37	—	—	4	4	6	18	5	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—
3 Measles	M	784	153	358	240	32	—	—	1	—	—
	F	692	136	292	222	41	1	—	—	—	—
4 Scarlet fever ..	M	109	4	12	40	36	10	5	2	—	—
	F	127	4	11	55	44	8	5	—	—	—
5 Whooping cough ..	M	447	197	163	77	10	—	—	—	—	—
	F	550	197	193	141	17	—	—	1	1	—
6 Diphtheria ..	M	179	11	38	72	54	2	—	2	—	—
	F	205	14	34	80	71	4	—	1	1	—
7 Influenza	M	1,817	116	97	70	42	89	327	584	322	170
	F	1,911	85	63	81	55	82	282	568	388	307
8 Encephalitis lethargica ..	M	169	2	9	11	26	32	29	53	7	—
	F	153	8	4	17	17	32	37	32	5	1
9 Meningococcal meningitis ..	M	49	14	4	6	13	7	4	1	—	—
	F	34	13	3	3	8	4	3	—	—	—
10 Tuberculosis of respiratory system	M	4,092	13	36	69	99	704	1,681	1,308	165	17
	F	3,017	20	19	28	215	893	1,279	502	57	4
11 Other tuberculous diseases	M	1,017	121	145	196	205	155	112	73	10	—
	F	955	97	126	185	197	152	132	50	11	5
12 Cancer, malignant disease	M	4,151	2	1	5	13	20	263	2,300	1,218	329
	F	4,695	5	2	6	5	30	536	2,350	1,212	549
13 Rheumatic fever ..	M	170	1	—	7	56	35	34	30	6	1
	F	218	—	1	10	82	37	45	36	6	1
14 Diabetes	M	323	—	1	2	7	19	38	137	86	33
	F	419	—	—	—	7	24	53	155	136	44
15 Cerebral hæmorrhage, &c. ..	M	2,308	1	—	—	4	10	72	832	914	475
	F	2,685	—	—	1	3	5	82	905	971	718
16 Heart disease ..	M	4,732	—	6	14	76	137	496	1,934	1,366	703
	F	5,801	2	6	11	103	195	670	1,966	1,643	1,205
17 Arterio-sclerosis ..	M	2,139	—	—	—	—	3	20	553	917	646
	F	1,608	—	—	—	—	1	13	286	559	749
18 Bronchitis ..	M	4,161	619	180	58	26	26	199	1,089	1,156	808
	F	4,487	475	157	53	19	25	124	922	1,285	1,427
19 Pneumonia (all forms)	M	5,762	1,505	883	474	186	207	763	1,104	470	170
	F	4,395	1,091	796	475	162	120	389	672	420	270
20 Other respiratory diseases	M	577	36	30	34	20	28	82	207	86	54
	F	458	31	10	17	11	12	48	135	95	99
21 Ulcer of stomach or duodenum ..	M	390	—	—	—	—	12	135	189	44	10
	F	150	1	—	—	—	5	54	68	17	5
22 Diarrhœa, &c. ..	M	1,133	771	190	47	21	7	22	36	18	21
	F	940	572	142	56	22	8	29	37	28	46
23 Appendicitis and typhlitis.. ..	M	259	1	2	14	58	55	47	62	16	4
	F	215	1	—	8	42	37	48	63	10	6
24 Cirrhosis of liver ..	M	209	—	1	1	1	1	18	139	45	3
	F	85	—	—	—	—	—	10	60	13	2
25 Acute and chronic nephritis ..	M	1,242	5	10	10	28	44	179	560	296	110
	F	1,162	5	5	14	26	41	162	500	293	116
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	226	—	—	—	—	40	185	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	382	—	—	—	—	60	314	8	—	—
28 Congenital debility and malformation, premature birth.. ..	M	2,917	2,885	12	8	9	2	1	—	—	—
	F	2,123	2,095	7	6	11	3	1	—	—	—
29 Suicide	M	446	—	—	—	1	25	130	228	48	14
	F	185	—	—	—	—	18	66	82	14	5
30 Other deaths from violence.. ..	M	1,661	68	67	122	180	194	362	437	143	88
	F	832	80	40	84	74	46	84	140	122	162
31 Other defined diseases	M	7,212	1,274	250	168	263	243	639	1,650	1,309	1,416
	F	7,162	942	198	161	193	191	697	1,414	1,210	2,156
32 Causes ill-defined or unknown ..	M	181	9	28	4	3	3	22	76	33	3
	F	132	7	24	7	2	2	15	50	24	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (Midland).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	24,818	3,582	956	822	697	1,012	2,907	6,787	4,564	3,491
	F	23,579	2,601	827	793	691	1,009	2,675	5,252	4,462	5,269
1 Enteric fever ..	M	14	—	—	1	2	5	4	2	—	—
	F	9	—	—	—	—	4	5	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	222	53	97	60	10	1	1	—	—	—
	F	237	41	94	86	16	—	—	—	—	—
4 Scarlet fever ..	M	51	2	8	24	11	5	1	—	—	—
	F	62	1	4	25	30	2	—	—	—	—
5 Whooping cough ..	M	250	113	93	41	3	—	—	—	—	—
	F	285	110	90	79	4	1	1	—	—	—
6 Diphtheria ..	M	198	4	23	85	83	2	1	—	—	—
	F	180	9	13	78	75	4	1	—	—	—
7 Influenza	M	832	52	21	26	16	40	155	301	145	76
	F	867	23	23	21	22	35	121	221	197	204
8 Encephalitis lethargica ..	M	76	2	4	6	8	11	21	19	4	1
	F	78	3	—	6	12	14	22	21	—	—
9 Meningococcal meningitis ..	M	13	6	3	2	1	1	—	—	—	—
	F	10	4	2	1	2	—	1	—	—	—
10 Tuberculosis of respiratory system	M	2,185	6	7	15	31	354	954	734	79	5
	F	1,581	3	12	9	64	458	700	294	36	5
11 Other tuberculous diseases	M	455	61	79	90	69	57	53	40	6	—
	F	419	58	59	81	73	58	43	31	12	4
12 Cancer, malignant disease	M	2,376	1	3	3	9	20	133	1,184	761	262
	F	2,797	—	1	4	7	15	323	1,272	750	425
13 Rheumatic fever ..	M	79	—	—	2	21	15	25	13	—	3
	F	93	—	1	4	39	20	16	8	3	2
14 Diabetes	M	175	—	—	—	4	9	18	72	53	19
	F	189	—	1	—	1	8	20	74	64	21
15 Cerebral hæmorrhage, &c. ..	M	1,302	1	—	1	1	2	38	429	483	347
	F	1,623	—	—	—	—	1	44	462	586	530
16 Heart disease ..	M	2,652	2	—	5	41	73	237	929	817	548
	F	3,105	1	1	5	47	83	295	893	902	878
17 Arterio-sclerosis ..	M	794	—	—	—	—	—	8	186	301	299
	F	560	—	—	—	—	—	4	90	168	298
18 Bronchitis ..	M	2,042	285	69	27	3	7	86	470	553	542
	F	2,223	196	58	33	5	9	38	317	620	947
19 Pneumonia (all forms)	M	2,545	632	371	215	72	75	313	511	221	135
	F	1,881	469	322	189	66	37	146	256	220	176
20 Other respiratory diseases	M	307	17	11	16	7	13	57	97	54	35
	F	233	9	5	6	5	8	27	61	46	66
21 Ulcer of stomach or duodenum ..	M	243	2	—	—	—	5	65	131	33	7
	F	98	—	—	—	1	3	26	48	14	6
22 Diarrhœa, &c. ..	M	485	366	45	14	10	—	6	15	14	15
	F	378	221	43	26	8	4	19	25	14	18
23 Appendicitis and typhlitis.. ..	M	160	—	1	13	37	31	31	39	7	1
	F	133	—	—	8	31	21	30	30	10	3
24 Cirrhosis of liver ..	M	110	—	—	—	1	—	2	83	21	3
	F	70	—	—	—	—	—	7	40	17	6
25 Acute and chronic nephritis ..	M	640	2	3	10	22	28	93	251	151	80
	F	558	2	1	1	18	21	82	205	141	87
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	120	—	—	—	—	21	99	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	154	—	—	—	—	21	125	8	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,427	1,407	6	2	5	4	3	—	—	—
	F	1,104	1,076	7	5	4	6	3	3	—	—
29 Suicide	M	263	—	—	—	—	10	66	140	39	8
	F	128	—	—	—	—	7	40	72	5	4
30 Other deaths from violence.. ..	M	831	56	16	63	83	102	176	193	78	64
	F	441	52	19	45	38	29	47	61	42	108
31 Other defined diseases	M	4,024	509	85	99	147	142	352	919	731	1,040
	F	3,917	322	67	79	123	118	386	736	605	1,481
32 Causes ill-defined or unknown ..	M	67	3	11	2	—	—	8	29	13	1
	F	46	1	4	2	—	1	4	24	10	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (South).* All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	8,333	899	205	186	190	299	897	2,215	1,730	1,712
	F	9,092	652	141	156	199	358	893	2,015	1,878	2,800
1 Enteric fever	M	7	—	—	—	2	1	4	—	—	—
	F	16	—	—	—	3	4	6	3	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	35	5	18	9	3	—	—	—	—	—
	F	24	5	10	9	—	—	—	—	—	—
4 Scarlet fever	M	10	—	2	5	2	1	—	—	—	—
	F	7	1	—	1	2	2	1	—	—	—
5 Whooping cough	M	60	25	19	14	2	—	—	—	—	—
	F	57	25	17	12	2	—	—	—	—	1
6 Diphtheria	M	42	2	5	16	17	1	1	—	—	—
	F	42	1	1	11	25	2	1	1	—	—
7 Influenza	M	322	22	13	11	3	14	56	91	67	45
	F	384	5	4	14	9	6	39	92	90	125
8 Encephalitis lethargica	M	20	—	3	1	1	4	4	5	1	1
	F	16	—	1	—	—	4	5	3	3	—
9 Meningococcal meningitis	M	3	1	—	—	—	—	1	1	—	—
	F	5	—	—	1	1	1	2	—	—	—
10 Tuberculosis of respiratory system	M	679	3	3	2	7	113	305	210	36	—
	F	629	2	1	3	17	199	261	117	20	9
11 Other tuberculous diseases	M	132	15	12	21	24	17	26	11	3	3
	F	118	10	8	19	23	12	18	16	9	3
12 Cancer, malignant disease	M	892	—	—	1	—	5	43	402	300	141
	F	1,249	—	—	—	5	5	92	545	344	258
13 Rheumatic fever	M	24	—	—	—	3	5	8	8	—	—
	F	23	—	—	1	8	8	3	3	—	—
14 Diabetes	M	76	—	—	—	—	5	4	31	15	21
	F	97	—	—	—	3	—	9	37	24	24
15 Cerebral hæmorrhage, &c.	M	439	—	—	1	1	2	10	110	164	151
	F	713	—	—	—	—	—	21	167	227	298
16 Heart disease	M	1,108	1	—	1	11	17	71	354	341	312
	F	1,327	—	1	—	15	19	69	296	407	520
17 Arterio-sclerosis	M	354	—	—	—	—	—	3	62	120	169
	F	310	—	—	—	—	—	2	31	94	183
18 Bronchitis	M	570	56	18	3	2	2	18	88	158	225
	F	739	53	9	5	1	4	15	98	186	368
19 Pneumonia (all forms)	M	627	163	74	48	20	11	64	126	60	61
	F	540	105	58	38	29	11	42	85	75	97
20 Other respiratory diseases	M	129	5	1	5	7	2	18	51	22	18
	F	108	2	—	3	2	3	14	30	23	31
21 Ulcer of stomach or duodenum	M	89	—	—	—	—	5	13	49	17	5
	F	32	—	—	—	—	3	7	14	3	5
22 Diarrhœa, &c.	M	73	52	4	4	—	—	—	8	2	3
	F	93	45	8	3	2	3	6	7	11	8
23 Appendicitis and typhlitis	M	73	—	1	4	7	12	24	18	6	1
	F	58	—	—	4	8	3	20	13	6	4
24 Cirrhosis of liver	M	36	—	—	—	—	—	3	23	8	2
	F	27	1	—	—	—	—	1	15	7	3
25 Acute and chronic nephritis	M	253	4	—	1	7	7	33	79	65	57
	F	234	—	—	1	5	6	30	78	64	50
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
	F	35	—	—	—	—	5	30	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	61	—	—	—	—	12	47	2	—	—
28 Congenital debility and malformation, premature birth	M	398	390	3	—	2	2	1	—	—	—
	F	293	288	—	—	1	1	1	2	—	—
29 Suicide	M	93	—	—	—	—	7	15	51	16	4
	F	42	—	—	—	—	2	19	16	3	2
30 Other deaths from violence	M	219	15	6	13	27	22	31	58	29	18
	F	161	10	2	7	9	7	19	27	25	55
31 Other defined diseases	M	1,557	138	21	25	42	43	141	374	299	474
	F	1,642	95	19	24	29	36	113	314	256	756
32 Causes ill-defined or unknown	M	13	2	2	1	—	1	—	5	1	1
	F	10	4	2	—	—	—	—	3	1	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (Wales and Monmouth). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	3,683	539	129	112	99	197	516	1,064	634	393
	F	3,075	412	105	89	103	181	426	667	519	573
1 Enteric fever ..	M	4	—	—	—	—	—	1	2	1	—
	F	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	3	11	5	1	—	—	—	—	—
	F	25	4	7	11	3	—	—	—	—	—
4 Scarlet fever ..	M	3	—	—	3	—	—	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—
5 Whooping cough ..	M	40	19	9	11	1	—	—	—	—	—
	F	37	17	14	5	1	—	—	—	—	—
6 Diphtheria ..	M	16	—	3	8	5	—	—	—	—	—
	F	18	—	3	7	6	1	1	—	—	—
7 Influenza	M	114	5	2	6	3	5	23	39	19	12
	F	108	5	4	1	5	3	11	25	31	23
8 Encephalitis lethargica ..	M	3	—	—	—	1	1	1	—	—	—
	F	5	—	1	1	—	1	1	1	—	—
9 Meningococcal meningitis ..	M	2	1	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	342	1	4	1	4	74	148	99	9	2
	F	310	3	2	1	24	102	138	37	3	—
11 Other tuberculous diseases	M	80	3	8	11	10	21	19	5	3	—
	F	63	9	5	10	9	12	14	3	1	—
12 Cancer, malignant disease	M	303	—	—	1	—	—	20	170	77	35
	F	325	—	—	—	1	1	43	152	85	43
13 Rheumatic fever ..	M	6	—	—	—	2	2	1	1	—	—
	F	17	—	—	—	4	4	5	2	2	—
14 Diabetes	M	30	—	—	—	—	3	4	11	10	2
	F	26	—	—	—	—	3	1	11	7	4
15 Cerebral hæmorrhage, &c. ..	M	156	—	—	—	1	1	9	63	50	32
	F	193	—	—	—	1	—	6	62	63	61
16 Heart disease ..	M	405	—	—	—	5	12	46	155	128	59
	F	411	—	—	—	8	12	48	134	106	103
17 Arterio-sclerosis ..	M	142	—	—	—	—	—	2	46	50	44
	F	67	—	—	—	—	—	—	14	22	31
18 Bronchitis ..	M	297	37	5	6	2	—	11	82	85	69
	F	249	41	13	5	—	1	6	47	65	71
19 Pneumonia (all forms)	M	369	109	43	28	7	14	49	75	33	11
	F	222	65	29	24	10	7	20	33	14	20
20 Other respiratory diseases	M	47	5	—	2	1	—	7	21	9	2
	F	33	—	1	1	1	1	6	5	10	8
21 Ulcer of stomach or duodenum ..	M	31	—	—	—	—	2	12	13	4	—
	F	6	—	—	—	—	—	1	2	2	1
22 Diarrhœa, &c. ..	M	63	45	11	1	1	—	—	4	—	1
	F	60	37	6	1	2	1	3	1	5	4
23 Appendicitis and typhlitis.. ..	M	26	—	—	2	7	6	5	5	1	—
	F	12	—	—	1	6	3	—	1	1	—
24 Cirrhosis of liver ..	M	13	—	—	—	—	—	2	9	2	—
	F	7	—	—	—	—	—	2	3	2	—
25 Acute and chronic nephritis ..	M	105	—	1	—	4	4	15	47	28	6
	F	70	1	2	—	7	1	13	20	17	9
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	—	4	12	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	39	—	—	—	—	5	33	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	218	212	3	—	—	2	1	—	—	—
	F	157	154	1	1	1	—	—	—	—	—
29 Suicide	M	25	—	—	—	—	1	8	14	2	—
	F	8	—	—	—	—	—	3	5	—	—
30 Other deaths from violence.. ..	M	201	2	9	15	23	24	56	50	15	7
	F	55	4	4	9	2	5	7	8	5	11
31 Other defined diseases	M	620	97	19	12	21	24	76	153	107	111
	F	525	72	11	9	9	13	51	99	77	184
32 Causes ill-defined or unknown ..	M	2	—	1	—	—	—	—	—	1	—
	F	5	—		1	—	—	—	1	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (North).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	28,523	4,163	1,066	953	850	1,294	3,186	7,544	5,598	3,869
	F	27,573	3,040	930	864	818	1,222	3,194	6,508	5,684	5,313
1 Enteric fever	M	44	—	—	1	1	11	21	9	1	—
	F	34	—	—	3	6	11	10	4	—	—
2 Small-pox	M	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—
3 Measles	M	303	74	117	88	20	2	1	—	—	1
	F	258	49	97	76	33	—	1	2	—	—
4 Scarlet fever	M	57	4	7	18	20	5	1	2	—	—
	F	59	—	3	19	24	5	7	1	—	—
5 Whooping cough	M	248	129	69	44	6	—	—	—	—	—
	F	278	111	90	73	4	—	—	—	—	—
6 Diphtheria	M	105	5	10	51	38	—	—	—	1	—
	F	124	5	12	51	48	4	3	—	1	—
7 Influenza	M	1,217	64	32	49	42	70	216	385	235	124
	F	1,343	43	33	31	33	57	254	378	289	225
8 Encephalitis lethargica	M	103	2	3	3	14	22	25	33	1	—
	F	97	2	—	8	13	13	27	28	5	1
9 Meningococcal meningitis	M	16	2	3	2	3	1	2	2	1	—
	F	13	3	2	4	2	2	—	—	—	—
10 Tuberculosis of respiratory system	M	1,753	8	12	16	52	369	714	524	54	4
	F	1,500	5	9	22	99	486	596	240	37	6
11 Other tuberculous diseases	M	581	72	94	101	93	79	68	62	11	1
	F	540	35	75	96	93	92	76	56	11	6
12 Cancer, malignant disease	M	2,376	—	2	9	5	17	144	1,204	775	220
	F	2,896	1	—	4	5	16	327	1,429	749	365
13 Rheumatic fever	M	105	—	—	5	30	26	21	22	1	—
	F	122	—	—	1	37	28	32	16	7	1
14 Diabetes	M	230	—	1	—	4	9	31	93	66	26
	F	330	—	—	2	7	18	30	135	105	33
15 Cerebral hæmorrhage, &c.	M	1,672	—	—	1	2	4	46	528	667	424
	F	2,029	—	1	—	3	5	62	614	768	576
16 Heart disease	M	3,039	1	—	7	52	66	317	1,085	980	531
	F	3,579	—	2	3	55	92	373	1,148	1,138	768
17 Arterio-sclerosis	M	1,182	—	—	—	—	—	7	260	489	426
	F	831	—	—	—	—	—	3	129	296	403
18 Bronchitis	M	2,311	361	78	49	9	9	82	483	683	557
	F	2,303	242	83	29	13	5	52	386	699	794
19 Pneumonia (all forms)	M	2,931	693	398	248	121	128	382	609	248	104
	F	2,140	512	306	221	76	70	221	346	232	156
20 Other respiratory diseases	M	398	19	9	27	9	18	50	129	89	48
	F	272	16	9	18	8	8	35	76	63	39
21 Ulcer of stomach or duodenum	M	228	—	—	—	1	14	86	101	25	1
	F	102	—	1	—	2	7	33	42	10	7
22 Diarrhœa, &c.	M	525	346	74	29	13	9	8	17	12	17
	F	497	259	74	30	12	8	16	34	33	31
23 Appendicitis and typhlitis	M	172	—	1	9	49	36	38	28	9	2
	F	118	—	—	5	33	21	22	27	6	4
24 Cirrhosis of liver	M	121	—	—	1	—	1	8	82	27	2
	F	38	—	—	—	—	—	6	23	8	1
25 Acute and chronic nephritis	M	854	—	3	13	28	34	107	365	217	87
	F	834	3	8	10	17	35	121	317	231	92
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
	F	130	—	—	—	—	27	103	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	251	—	—	—	—	38	210	3	—	—
28 Congenital debility and malformation, premature birth	M	1,679	1,663	2	5	5	3	—	1	—	—
	F	1,245	1,224	5	5	6	2	2	1	—	—
29 Suicide	M	316	—	—	—	1	22	96	153	38	6
	F	112	—	—	—	—	8	43	52	9	—
30 Other deaths from violence	M	1,165	24	26	74	97	175	312	310	94	53
	F	444	30	15	48	51	33	53	81	53	80
31 Other defined diseases	M	4,646	691	115	99	131	158	388	982	849	1,233
	F	4,927	493	98	100	134	130	465	877	907	1,723
32 Causes ill-defined or unknown	M	145	5	10	4	4	5	15	75	25	2
	F	126	7	7	5	4	1	11	62	27	2

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (Midland).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	26,648	3,187	767	683	760	1,073	2,943	6,846	5,409	4,980
	F	26,386	2,331	574	616	694	1,119	2,867	5,782	5,210	7,193
1 Enteric fever ..	M	33	—	—	1	8	5	6	12	—	1
	F	27	—	—	—	2	13	8	3	1	—
2 Small-pox	M	2	1	—	—	1	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—
3 Measles	M	223	49	86	68	18	1	—	1	—	—
	F	186	31	65	65	21	1	2	1	—	—
4 Scarlet fever ..	M	39	—	—	11	22	2	3	1	—	—
	F	50	3	3	20	19	3	2	—	—	—
5 Whooping cough ..	M	154	70	49	31	2	—	—	—	1	1
	F	172	74	51	40	5	1	1	—	—	—
6 Diphtheria ..	M	137	2	7	55	68	1	—	4	—	—
	F	156	1	9	53	78	7	3	5	—	—
7 Influenza	M	966	61	29	34	22	48	151	291	197	133
	F	1,075	31	13	31	27	31	178	264	269	231
8 Encephalitis lethargica ..	M	104	1	2	8	13	23	19	29	9	—
	F	83	1	3	7	13	12	24	18	4	1
9 Meningococcal meningitis ..	M	16	6	1	3	1	2	2	1	—	—
	F	10	2	2	1	3	1	—	1	—	—
10 Tuberculosis of respiratory system	M	1,925	10	11	8	26	369	877	538	78	8
	F	1,635	4	6	6	69	495	702	291	53	9
11 Other tuberculous diseases	M	456	60	58	89	87	55	60	37	9	1
	F	441	31	36	71	85	72	80	39	15	12
12 Cancer, malignant disease	M	2,788	3	2	6	9	18	162	1,233	914	441
	F	3,310	2	2	5	5	13	310	1,497	892	584
13 Rheumatic fever ..	M	76	—	—	4	20	13	10	23	6	—
	F	110	—	—	2	35	31	19	14	7	2
14 Diabetes	M	245	—	1	1	4	10	25	98	75	31
	F	272	—	—	—	7	9	25	105	85	41
15 Cerebral hæmorrhage, &c. ..	M	1,551	—	—	—	2	4	42	437	573	493
	F	1,865	—	—	—	2	5	49	458	604	747
16 Heart disease ..	M	3,153	—	1	5	44	52	253	971	1,046	781
	F	3,778	2	—	4	44	92	278	983	1,116	1,259
17 Arterio-sclerosis ..	M	916	—	—	—	—	—	11	189	329	387
	F	677	—	—	—	—	1	2	87	185	402
18 Bronchitis ..	M	1,937	232	53	21	7	9	72	361	539	643
	F	2,156	157	36	22	3	2	34	286	584	1,032
19 Pneumonia (all forms)	M	2,159	472	288	120	55	65	273	505	240	141
	F	1,638	347	206	129	50	44	155	271	223	213
20 Other respiratory diseases	M	389	19	14	13	14	12	53	134	88	42
	F	331	18	10	7	4	6	42	94	66	84
21 Ulcer of stomach or duodenum ..	M	259	1	—	—	1	9	67	131	35	15
	F	105	—	—	—	1	6	29	44	18	7
22 Diarrhœa, &c. ..	M	362	234	34	16	5	3	11	23	16	20
	F	302	148	34	18	5	8	23	21	19	26
23 Appendicitis and typhlitis.. ..	M	186	2	2	11	26	38	51	43	9	4
	F	160	—	1	6	27	21	38	49	12	6
24 Cirrhosis of liver ..	M	138	—	—	—	—	—	12	81	40	5
	F	92	1	—	—	—	1	5	53	22	10
25 Acute and chronic nephritis ..	M	742	4	2	7	14	22	89	321	173	110
	F	602	3	6	3	10	29	76	228	139	108
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	116	—	—	—	—	20	94	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	175	—	—	—	—	31	141	3	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,458	1,432	3	5	7	7	2	2	—	—
	F	1,091	1,065	6	6	9	3	—	2	—	—
29 Suicide	M	323	—	—	—	—	15	78	172	48	10
	F	164	—	—	—	—	21	54	71	13	5
30 Other deaths from violence.. ..	M	1,036	53	32	65	109	126	219	262	90	80
	F	456	42	12	32	51	30	41	68	49	131
31 Other defined diseases	M	4,769	466	89	97	175	160	383	897	875	1,627
	F	5,078	365	70	88	118	109	439	796	816	2,277
32 Causes ill-defined or unknown ..	M	106	9	3	4	—	4	12	49	19	6
	F	71	3	3	—	1	1	11	28	18	6

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (South).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	14,903	1,383	277	286	324	549	1,447	3,894	3,268	3,472
	F	16,210	960	242	250	330	546	1,513	3,546	3,433	5,390
1 Enteric fever ..	M	15	—	—	—	—	5	5	5	—	—
	F	21	—	—	—	—	7	6	6	1	1
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	103	22	28	37	14	2	—	—	—	—
	F	72	19	22	19	11	1	—	—	—	—
4 Scarlet fever ..	M	14	—	2	5	3	2	1	1	—	—
	F	18	—	—	4	8	2	4	—	—	—
5 Whooping cough ..	M	61	40	12	9	—	—	—	—	—	—
	F	57	25	15	11	4	—	—	—	—	2
6 Diphtheria ..	M	56	5	—	25	21	3	2	—	—	—
	F	67	1	3	26	34	1	2	—	—	—
7 Influenza	M	567	27	18	19	9	32	71	163	129	99
	F	706	18	13	15	12	17	92	164	155	220
8 Encephalitis lethargica ..	M	36	—	—	3	5	5	7	11	5	—
	F	35	—	1	2	4	4	11	12	1	—
9 Meningococcal meningitis ..	M	15	2	2	2	4	3	2	—	—	—
	F	9	2	1	—	1	1	2	2	—	—
10 Tuberculosis of respiratory system	M	1,070	4	1	6	19	164	456	356	58	6
	F	922	2	1	3	38	239	397	197	36	9
11 Other tuberculous diseases	M	219	25	23	26	32	45	38	21	7	2
	F	246	18	19	27	45	37	52	29	15	4
12 Cancer, malignant disease	M	1,795	—	1	4	5	10	89	726	617	343
	F	2,301	—	—	1	4	11	155	999	638	493
13 Rheumatic fever ..	M	31	—	—	2	7	10	6	5	—	1
	F	39	—	—	3	8	9	8	7	2	2
14 Diabetes	M	158	—	—	—	3	4	9	63	51	28
	F	180	—	1	1	3	5	8	67	60	35
15 Cerebral hæmorrhage, &c. ..	M	883	1	—	—	1	2	17	219	327	316
	F	1,205	—	—	—	—	1	15	261	391	537
16 Heart disease ..	M	2,024	—	2	4	16	30	128	588	641	615
	F	2,508	—	1	1	12	39	135	583	791	946
17 Arterio-sclerosis ..	M	672	—	—	—	—	—	7	130	223	312
	F	685	—	—	—	—	—	1	72	182	430
18 Bronchitis ..	M	940	91	15	3	3	—	18	151	250	409
	F	1,217	65	20	7	3	4	9	122	256	731
19 Pneumonia (all forms)	M	934	191	95	49	24	19	110	211	135	100
	F	813	142	73	56	27	13	77	131	132	162
20 Other respiratory diseases	M	238	6	4	3	7	4	34	86	58	36
	F	206	6	2	4	3	6	22	49	50	64
21 Ulcer of stomach or duodenum ..	M	139	—	—	—	1	2	33	73	23	7
	F	71	1	—	—	—	5	13	39	8	5
22 Diarrhœa, &c. ..	M	149	81	14	2	1	3	5	18	6	19
	F	132	44	12	4	3	—	6	22	17	24
23 Appendicitis and typhlitis.. ..	M	96	—	—	11	12	18	10	26	17	2
	F	101	—	—	5	16	12	31	22	9	6
24 Cirrhosis of liver ..	M	89	—	—	1	—	1	3	57	16	11
	F	54	—	—	—	—	—	4	27	17	6
25 Acute and chronic nephritis ..	M	450	5	2	2	5	10	33	176	123	94
	F	396	1	1	3	5	7	52	127	111	89
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	43	—	—	—	—	6	36	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	102	—	—	—	—	22	79	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	684	665	3	6	3	6	1	—	—	—
	F	459	446	4	3	4	1	—	1	—	—
29 Suicide	M	173	—	—	—	—	8	51	76	31	7
	F	78	—	—	—	—	6	30	34	8	—
30 Other deaths from violence.. ..	M	490	18	15	15	54	68	108	122	51	39
	F	282	27	12	18	18	24	23	41	34	85
31 Other defined diseases	M	2,745	201	36	51	74	92	197	585	485	1 024
	F	3,159	142	39	37	67	65	240	519	512	1,538
32 Causes ill-defined or unknown ..	M	57	2	4	1	1	1	6	25	15	2
	F	26	1	2	—	—	1	3	11	7	1

* See footnote to Table 14.

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (Wales and Monmouth). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	8,066	1,253	244	243	248	442	980	2,164	1,453	1,039
	F	7,330	962	204	240	254	437	1,016	1,618	1,250	1,349
1 Enteric fever ..	M	9	—	—	—	—	3	3	3	—	—
	F	7	—	—	—	—	1	6	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	22	3	9	5	5	—	—	—	—	—
	F	19	5	5	8	1	—	—	—	—	—
4 Scarlet fever ..	M	8	—	—	4	1	2	1	—	—	—
	F	17	1	2	7	7	—	—	—	—	—
5 Whooping cough ..	M	63	26	24	12	1	—	—	—	—	—
	F	80	37	24	16	3	—	—	—	—	—
6 Diphtheria ..	M	48	6	3	25	11	1	1	1	—	—
	F	58	1	—	29	24	1	3	—	—	—
7 Influenza	M	326	18	13	13	7	18	48	110	69	30
	F	303	9	5	11	8	18	45	83	71	53
8 Encephalitis lethargica ..	M	18	—	—	1	2	6	5	4	—	—
	F	17	1	—	—	4	6	4	2	—	—
9 Meningococcal meningitis ..	M	2	—	1	—	1	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	533	2	2	4	11	128	216	148	22	—
	F	572	3	4	2	33	200	253	67	9	1
11 Other tuberculous diseases	M	170	18	18	18	37	37	24	11	5	2
	F	167	13	16	16	32	39	29	16	4	2
12 Cancer, malignant disease	M	577	1	1	1	3	4	40	296	162	69
	F	709	—	—	1	2	4	88	355	170	89
13 Rheumatic fever ..	M	38	—	—	3	9	5	10	9	2	—
	F	50	—	—	—	11	12	12	13	2	—
14 Diabetes	M	44	—	—	—	—	6	9	19	8	2
	F	73	—	—	1	—	4	9	31	20	8
15 Cerebral hæmorrhage, &c. ..	M	441	—	—	—	3	3	10	143	164	118
	F	523	—	—	1	—	—	18	187	170	147
16 Heart disease ..	M	892	—	—	—	23	25	84	330	262	168
	F	902	—	—	3	18	36	108	285	244	208
17 Arterio-sclerosis ..	M	196	—	—	—	—	—	8	52	70	66
	F	126	—	—	—	—	—	1	21	37	67
18 Bronchitis ..	M	700	110	14	11	1	5	27	183	209	140
	F	548	79	15	11	3	5	22	81	155	177
19 Pneumonia (all forms)	M	733	205	93	47	20	32	89	147	69	31
	F	506	129	70	59	19	10	59	66	55	39
20 Other respiratory diseases	M	156	4	6	4	4	5	16	63	40	14
	F	103	6	4	5	2	2	17	19	22	26
21 Ulcer of stomach or duodenum ..	M	75	1	—	—	—	1	34	30	8	1
	F	29	—	—	—	—	2	11	13	3	—
22 Diarrhœa, &c. ..	M	161	105	19	10	5	1	5	7	5	4
	F	120	63	16	11	—	4	5	6	8	7
23 Appendicitis and typhlitis.. ..	M	62	—	—	7	18	16	8	9	3	1
	F	40	—	—	1	16	7	9	5	2	—
24 Cirrhosis of liver ..	M	29	—	—	—	—	—	3	15	10	1
	F	18	—	—	—	—	—	1	10	5	2
25 Acute and chronic nephritis ..	M	221	1	2	2	6	6	31	96	56	21
	F	225	2	—	3	4	14	36	96	46	24
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	41	—	—	—	—	3	38	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	95	—	—	—	—	14	80	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	501	487	2	5	4	2	1	—	—	—
	F	425	420	1	1	2	1	—	—	—	—
29 Suicide	M	61	—	—	—	—	2	23	32	3	1
	F	25	—	—	—	—	4	11	9	1	—
30 Other deaths from violence.. ..	M	491	9	10	22	39	94	145	141	20	11
	F	129	9	9	18	22	7	8	14	18	24
31 Other defined diseases	M	1,466	255	26	49	35	40	135	303	264	359
	F	1,380	182	30	34	42	43	143	228	204	474
32 Causes ill-defined or unknown ..	M	23	2	1	—	2	—	4	12	2	—
	F	21	1	3	2	—	—	—	10	4	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (North).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	11,057	1,586	384	336	311	474	1,135	2,474	2,248	2,109
	F	10,001	1,215	317	274	281	375	1,102	2,147	1,996	2,294
1 Enteric fever ..	M	14	—	—	—	1	3	6	3	1	—
	F	21	—	—	2	4	6	8	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	42	10	16	11	5	—	—	—	—	—
	F	31	6	11	5	7	—	—	1	1	—
4 Scarlet fever ..	M	17	1	1	11	3	1	—	—	—	—
	F	23	1	2	9	3	4	2	2	—	—
5 Whooping cough ..	M	111	54	37	19	1	—	—	—	—	—
	F	133	47	53	28	3	—	1	—	—	1
6 Diphtheria ..	M	30	—	2	14	11	2	—	1	—	—
	F	35	1	3	14	16	1	—	—	—	—
7 Influenza	M	580	37	23	17	18	39	100	151	108	87
	F	525	19	16	15	17	8	107	132	101	110
8 Encephalitis lethargica ..	M	39	—	—	2	8	6	11	8	4	—
	F	27	—	—	3	5	9	6	3	1	—
9 Meningococcal meningitis ..	M	6	1	—	—	4	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	526	—	2	6	13	118	254	121	10	2
	F	539	2	2	5	40	132	245	93	17	3
11 Other tuberculous diseases	M	212	28	35	30	42	24	28	20	5	—
	F	176	23	21	24	36	30	27	11	4	—
12 Cancer, malignant disease	M	931	—	3	4	2	6	59	382	327	148
	F	1,038	—	—	—	4	3	93	457	336	145
13 Rheumatic fever ..	M	42	1	—	2	6	11	7	11	4	—
	F	43	—	—	—	8	9	7	16	2	1
14 Diabetes	M	104	—	1	3	3	6	21	27	31	12
	F	108	—	1	—	4	5	13	36	39	10
15 Cerebral hæmorrhage, &c. ..	M	644	1	—	—	—	—	9	165	265	204
	F	746	—	1	—	—	3	18	210	275	239
16 Heart disease ..	M	1,312	—	—	3	21	21	87	394	441	345
	F	1,355	—	1	2	13	21	111	404	405	398
17 Arterio-sclerosis ..	M	438	—	—	—	—	—	1	81	153	203
	F	294	—	—	—	—	—	2	37	95	160
18 Bronchitis ..	M	759	137	34	15	1	4	14	102	202	250
	F	732	106	30	16	5	2	11	83	185	294
19 Pneumonia (all forms)	M	959	205	120	85	28	47	133	185	88	68
	F	652	154	87	63	23	21	69	100	74	61
20 Other respiratory diseases	M	152	6	8	9	5	4	13	54	36	17
	F	108	7	2	7	4	1	13	25	24	25
21 Ulcer of stomach or duodenum ..	M	73	—	—	—	—	5	24	31	12	1
	F	33	—	—	—	—	2	9	11	6	5
22 Diarrhœa, &c. ..	M	206	122	31	22	3	1	3	7	8	9
	F	158	77	25	8	8	1	8	10	13	8
23 Appendicitis and typhlitis.. ..	M	66	—	—	6	15	9	16	11	8	1
	F	52	—	2	3	8	15	9	13	1	1
24 Cirrhosis of liver ..	M	50	—	—	—	—	—	5	29	13	3
	F	25	—	—	—	—	—	1	15	6	3
25 Acute and chronic nephritis ..	M	269	1	3	3	5	3	17	120	75	42
	F	236	—	4	1	6	8	29	89	57	42
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	49	—	—	—	—	11	38	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	105	—	—	—	—	19	82	4	—	—
28 Congenital debility and malformation, premature birth.. ..	M	694	687	2	4	1	—	—	—	—	—
	F	569	559	6	1	2	1	—	—	—	—
29 Suicide	M	107	—	—	—	1	8	30	47	16	5
	F	31	—	—	—	—	1	12	13	4	1
30 Other deaths from violence.. ..	M	572	15	12	26	50	98	145	149	44	33
	F	166	10	8	21	26	7	15	21	20	38
31 Other defined diseases	M	2,038	277	50	44	63	54	145	348	380	677
	F	1,940	200	41	46	38	55	159	333	322	746
32 Causes ill-defined or unknown ..	M	64	3	4	—	1	3	7	27	17	2
	F	51	3	1	1	1	—	7	27	8	3

*See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Rural Districts (Midland).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	19,782	2,075	379	385	494	737	1,719	4,210	4,297	5,486
		F	19,190	1,428	308	306	405	721	1,876	3,856	4,009	6,281
1	Enteric fever ..	M	12	—	—	—	2	2	3	3	2	—
		F	26	—	—	—	5	5	8	5	3	—
2	Small-pox	M	2	2	—	—	—	—	—	—	—	—
		F	2	—	1	—	1	—	—	—	—	—
3	Measles	M	68	14	21	20	10	2	1	—	—	—
		F	48	7	14	15	9	—	3	—	—	—
4	Scarlet fever ..	M	24	—	2	8	9	2	3	—	—	—
		F	16	—	3	6	5	—	1	1	—	—
5	Whooping cough ..	M	108	70	21	13	3	—	1	—	—	—
		F	108	56	31	14	7	—	—	—	—	—
6	Diphtheria ..	M	61	1	4	24	25	5	2	—	—	—
		F	64	1	3	28	25	3	1	2	—	1
7	Influenza	M	785	41	20	20	14	30	104	223	168	165
		F	907	29	13	18	23	29	113	220	207	255
8	Encephalitis lethargica ..	M	57	2	3	5	9	7	6	18	6	1
		F	41	—	1	5	2	8	11	12	1	1
9	Meningococcal meningitis ..	M	7	2	1	—	2	1	1	—	—	—
		F	9	2	—	—	4	—	1	1	1	—
10	Tuberculosis of respiratory system	M	1,060	3	2	1	25	229	469	287	40	4
		F	1,099	6	3	3	47	315	487	181	46	11
11	Other tuberculous diseases	M	299	28	36	44	44	41	63	36	7	—
		F	274	14	29	33	44	53	52	28	15	6
12	Cancer, malignant disease	M	2,078	1	5	7	6	8	99	778	708	466
		F	2,498	—	1	1	8	10	209	995	747	527
13	Rheumatic fever ..	M	52	—	—	2	16	7	9	11	7	—
		F	54	—	—	1	12	14	12	12	2	1
14	Diabetes	M	196	—	1	—	5	14	26	65	60	25
		F	222	—	—	1	5	11	28	77	60	40
15	Cerebral hæmorrhage, &c. ..	M	1,239	—	—	1	1	2	15	257	405	558
		F	1,522	—	—	2	1	1	17	317	474	710
16	Heart disease .	M	2,659	—	—	6	21	41	122	614	925	930
		F	2,966	—	3	5	14	35	170	668	932	1,139
17	Arterio-sclerosis ..	M	836	—	—	—	—	—	5	122	237	472
		F	540	—	—	—	—	—	1	54	146	339
18	Bronchitis ..	M	1,382	140	20	8	4	3	27	155	369	656
		F	1,379	83	32	15	3	2	15	131	325	773
19	Pneumonia (all forms)	M	1,104	235	125	73	47	38	124	212	151	99
		F	936	164	86	55	21	39	104	162	152	153
20	Other respiratory diseases	M	269	13	2	8	11	12	26	84	55	58
		F	198	6	4	5	4	4	19	52	46	58
21	Ulcer of stomach or duodenum ..	M	130	—	—	1	—	5	25	68	19	12
		F	77	—	—	—	—	3	21	31	16	6
22	Diarrhœa, &c. ..	M	232	128	21	16	3	2	11	17	14	20
		F	177	77	16	9	5	4	13	13	14	26
23	Appendicitis and typhlitis.. ..	M	137	—	1	6	37	18	35	34	5	1
		F	94	—	—	4	23	12	20	24	7	4
24	Cirrhosis of liver ..	M	82	—	—	—	—	—	4	41	30	7
		F	46	—			—	1	2	22	13	8
25	Acute and chronic nephritis ..	M	524	2	1	3	11	23	39	154	163	128
		F	455	1		3	6	7	55	142	137	104
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	61	—	—	—	—	20	40	1	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	148	—	—	—	—	17	128	3	—	—
28	Congenital debility and malformation, premature birth.. ..	M	1,079	1,058	5	8	6	1	—	1	—	—
		F	749	730	3	6	5	2	1	1	1	—
29	Suicide	M	253	—	—	—	—	13	61	116	42	21
		F	83	—	—	—	—	12	22	33	12	4
30	Other deaths from violence.. ..	M	830	25	15	60	74	125	161	229	80	61
		F	330	21	14	34	28	25	33	45	39	91
31	Other defined diseases	M	4,073	305	63	50	106	101	265	625	763	1,795
		F	3,965	225	47	42	96	87	283	577	590	2,018
32	Causes ill-defined or unknown ..	M	144	5	10	1	3	5	12	60	41	7
		F	96	6	4	1	2	2	6	46	23	6

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (South).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	11,734	1,008	184	190	230	463	1,072	2,690	2,621	3,276
	F	11,446	703	164	158	226	384	1,084	2,383	2,510	3,834
1 Enteric fever ..	M	14	—	—	—	—	4	6	4	—	—
	F	11	—	—	—	1	4	4	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	38	9	14	13	2	—	—	—	—	—
	F	32	3	9	6	11	2	1	—	—	—
4 Scarlet fever ..	M	10	—	2	4	4	—	—	—	—	—
	F	13	—	—	3	7	1	2	—	—	—
5 Whooping cough ..	M	43	19	12	11	1	—	—	—	—	—
	F	43	15	15	8	4	—	—	1	—	—
6 Diphtheria ..	M	23	2	2	8	7	1	1	—	2	—
	F	30	—	3	8	13	4	2	—	—	—
7 Influenza	M	570	19	15	15	9	28	66	149	142	127
	F	586	19	15	7	15	18	67	126	136	183
8 Encephalitis lethargica ..	M	26	—	3	3	4	1	5	8	2	—
	F	36	—	3	2	4	4	7	12	4	—
9 Meningococcal meningitis ..	M	4	2	1	—	—	1	—	—	—	—
	F	8	1	—	1	2	2	1	1	—	—
10 Tuberculosis of respiratory system	M	733	—	—	4	12	145	335	198	26	13
	F	638	2	1	1	29	148	316	111	22	8
11 Other tuberculous diseases	M	186	19	15	20	34	29	38	24	4	3
	F	176	13	12	25	25	27	32	23	13	6
12 Cancer, malignant disease	M	1,266	—	1	1	3	10	53	472	442	284
	F	1,525	2	—	1	3	2	101	651	439	326
13 Rheumatic fever ..	M	30	—	—	2	5	7	5	7	4	
	F	33	—	—	1	11	6	7	6	1	1
14 Diabetes	M	100	—	—	—	3	6	14	23	31	23
	F	142	—	—	—	4	6	13	43	46	30
15 Cerebral hæmorrhage, &c. ..	M	677	—	1	—	—	4	18	161	208	285
	F	915	1	1	2	—	1	17	195	283	415
16 Heart disease ..	M	1,757	—	—	—	7	11	78	443	633	585
	F	1,909	—	1	—	6	12	71	397	672	750
17 Arterio-sclerosis ..	M	495	—	—	—	—	—	6	90	159	240
	F	411	—	—	—	—	—	1	39	126	245
18 Bronchitis ..	M	746	48	9	6	1	3	9	81	203	386
	F	700	32	9	11	2	—	4	62	162	418
19 Pneumonia (all forms)	M	603	109	59	26	12	21	66	142	94	74
	F	470	75	45	24	13	10	51	93	84	75
20 Other respiratory diseases	M	170	8	1	2	2	5	16	55	33	48
	F	116	3	4	4	1	1	9	26	30	38
21 Ulcer of stomach or duodenum ..	M	83	1	—	—	—	3	23	32	12	12
	F	43	—	—	—	—	4	11	17	5	6
22 Diarrhœa, &c. ..	M	116	57	7	7	6	1	3	12	9	14
	F	99	26	5	2	4	6	11	14	8	23
23 Appendicitis and typhlitis.. ..	M	84	—	—	4	18	17	13	17	13	2
	F	57	—	—	2	10	8	15	10	10	2
24 Cirrhosis of liver ..	M	63	—	—	—	1	1	12	28	14	7
	F	36	—	—	—	—	—	—	24	9	3
25 Acute and chronic nephritis ..	M	336	2	1	3	5	13	32	98	86	96
	F	272	—	2	2	5	6	34	84	70	69
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	41	—	—	—	—	12	29	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	90	—	—	—	—	13	74	3	—	
28 Congenital debility and malformation, premature birth.. ..	M	536	524	3	7	1	—	1	—	—	—
	F	396	382	4	3	2	3	1	1	—	—
29 Suicide	M	125	—	—	—	—	11	27	57	23	7
	F	63	—	—	—	—	5	16	32	10	—
30 Other deaths from violence.. ..	M	428	13	7	23	45	69	88	125	36	22
	F	163	17	7	10	17	14	10	27	23	38
31 Other defined diseases	M	2,408	173	28	30	48	70	154	433	427	1,045
	F	2,357	109	26	34	37	65	173	367	348	1,198
32 Causes ill-defined or unknown ..	M	64	3	3	1	—	2	3	31	18	3
	F	35	3	2	1	—	—	4	16	9	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (Wales and Monmouth). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	5,461	725	105	111	144	247	577	1,263	1,123	1,166
	F	5,204	511	90	109	143	259	608	1,105	1,001	1,378
1 Enteric fever ..	M	5	—	—	—	1	1	3	—	—	—
	F	5	—	—	—	—	1	3	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	13	2	5	4	2	—	—	—	—	—
	F	7	—	4	2	1	—	—	—	—	—
4 Scarlet fever ..	M	10	1	1	5	2	1	—	—	—	—
	F	7	—	1	3	1	1	1	—	—	—
5 Whooping cough ..	M	39	25	7	6	1	—	—	—	—	—
	F	42	23	9	8	2	—	—	—	—	—
6 Diphtheria ..	M	31	—	1	15	15	—	—	—	—	—
	F	31	2	1	9	15	2	2	—	—	—
7 Influenza	M	241	5	5	3	4	9	36	70	55	54
	F	225	8	1	6	7	3	37	43	52	68
8 Encephalitis lethargica ..	M	11	—	—	—	3	1	4	3	—	—
	F	6	—	—	—	2	1	1	1	1	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	354	—	3	1	13	64	140	109	23	1
	F	421	—	1	4	21	132	173	72	12	6
11 Other tuberculous diseases	M	94	9	6	10	12	22	16	15	3	1
	F	87	6	5	9	19	21	14	10	3	—
12 Cancer, malignant disease	M	452	—	—	1	1	6	26	185	153	80
	F	547	—	—	5	1	4	41	249	155	92
13 Rheumatic fever ..	M	27	—	—	—	5	6	8	6	—	2
	F	23	—	—	1	3	5	6	7	—	1
14 Diabetes	M	29	—	—	—	2	—	3	13	5	6
	F	48	—	—	—	2	2	7	14	15	8
15 Cerebral hæmorrhage, &c. ..	M	306	—	—	—	—	—	5	74	115	112
	F	460	—	—	—	—	1	15	120	142	182
16 Heart disease ..	M	746	—	—	—	5	21	53	205	244	218
	F	779	—	—	—	12	11	51	229	223	253
17 Arterio-sclerosis ..	M	161	—	—	—	—	—	1	31	56	73
	F	114	—	—	—	—	—	—	8	36	70
18 Bronchitis ..	M	394	60	7	2	4	1	11	52	96	161
	F	331	32	9	4	—	1	7	39	81	158
19 Pneumonia (all forms)	M	430	108	38	14	8	14	50	102	68	28
	F	280	73	31	17	9	10	28	43	36	33
20 Other respiratory diseases	M	78	5	2	3	—	1	8	25	17	17
	F	72	5	3	1	3	4	6	10	19	21
21 Ulcer of stomach or duodenum ..	M	33	—	—	—	—	—	8	16	7	2
	F	22	—	—	—	—	1	6	7	8	—
22 Diarrhœa, &c. ..	M	63	41	7	1	3	1	1	2	2	5
	F	53	27	5	2	—	—	2	7	5	5
23 Appendicitis and typhlitis.. ..	M	27	—	—	2	6	5	7	5	2	—
	F	23	—	—	—	2	4	8	5	1	3
24 Cirrhosis of liver ..	M	19	—	—	—	—	—	—	13	4	2
	F	5	—	—	—	—	—	1	1	2	1
25 Acute and chronic nephritis ..	M	187	—	1	1	5	8	11	52	63	46
	F	181	—	—	2	2	6	22	56	46	47
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	34	—	—	—	—	8	26	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	70	—	—	—	—	14	55	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	307	297	2	3	—	5	—	—	—	—
	F	210	206	1	1	2	—	—	—	—	—
29 Suicide	M	59	—	—	—	—	3	18	27	9	2
	F	22	—	—	—	—	—	9	8	4	1
30 Other deaths from violence.. ..	M	280	8	3	16	20	54	95	56	16	12
	F	77	4	3	12	9	5	11	8	6	19
31 Other defined diseases	M	1,013	160	15	23	31	23	68	187	168	338
	F	995	123	16	23	29	22	73	152	147	410
32 Causes ill-defined or unknown ..	M	51	3	2	1	1	1	5	15	17	6
	F	27	2	—	—	1	—	3	15	6	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1924.
(Civilian population only).

Causes of Death.	Sex.	Greater London.* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	44,499	5,207	1,656	1,370	1,276	1,828	5,163	12,775	8,427	6,797
	F	43,737	3,842	1,443	1,304	1,156	1,777	4,757	10,327	8,232	10,899
1 Enteric fever ..	M	25	—	—	2	6	3	7	7	—	—
	F	53	—	1	2	2	14	20	12	2	—
2 Small-pox	M	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—
3 Measles	M	920	224	393	247	50	2	2	1	1	—
	F	847	164	353	266	55	2	5	1	1	—
4 Scarlet fever ..	M	80	2	15	37	20	3	3	—	—	—
	F	87	1	14	40	26	4	2	—	—	—
5 Whooping cough ..	M	361	142	130	82	5	—	—	—	1	1
	F	418	165	141	97	13	2	—	—	—	—
6 Diphtheria ..	M	401	21	36	196	127	12	5	3	1	—
	F	388	17	41	156	155	10	7	1	—	1
7 Influenza	M	1,259	54	43	38	22	57	211	438	217	179
	F	1,503	36	24	39	25	37	199	427	344	375
8 Encephalitis lethargica ..	M	121	2	6	12	18	19	28	34	2	—
	F	117	3	5	5	10	19	35	30	10	—
9 Meningococcal meningitis ..	M	50	17	8	8	6	5	5	1	—	—
	F	37	12	7	7	1	6	3	1	—	—
10 Tuberculosis of respiratory system	M	3,977	10	13	14	67	689	1,633	1,367	166	18
	F	2,920	9	13	17	109	809	1,235	613	88	27
11 Other tuberculous diseases	M	739	94	93	136	145	94	84	69	19	5
	F	603	52	59	132	120	77	88	50	17	8
12 Cancer, malignant disease	M	4,915	4	5	7	14	42	298	2,329	1,525	691
	F	5,693	3	2	7	11	30	560	2,679	1,427	974
13 Rheumatic fever ..	M	123	—	—	5	43	32	18	21	4	—
	F	139	—	1	6	55	34	21	16	6	—
14 Diabetes	M	314	—	1	—	5	15	40	124	91	38
	F	420	—	1	1	7	8	38	162	140	63
15 Cerebral hæmorrhage, &c. ..	M	1,827	1	—	—	3	13	63	580	651	516
	F	2,473	—	—	1	3	6	50	713	783	917
16 Heart disease ..	M	5,439	—	5	6	100	153	441	1,852	1,611	1,271
	F	6,534	—	2	5	93	218	532	1,681	1,836	2,167
17 Arterio-sclerosis ..	M	1,810	—	—	—	—	—	32	440	622	716
	F	1,468	—	—	—	—	1	5	213	423	826
18 Bronchitis ..	M	3,275	298	43	27	8	11	161	846	936	945
	F	3,759	197	43	28	9	2	72	580	1,014	1,814
19 Pneumonia (all forms)	M	4,360	1,012	611	283	85	102	455	1,010	502	300
	F	3,618	777	515	261	83	62	297	621	486	516
20 Other respiratory diseases	M	600	28	16	16	11	15	91	215	123	85
	F	526	12	15	14	9	11	41	151	100	173
21 Ulcer of stomach or duodenum ..	M	535	1	—	—	1	8	144	288	64	29
	F	193	1	—	—	1	8	45	101	24	13
22 Diarrhœa, &c. ..	M	722	556	66	13	3	8	12	26	19	19
	F	558	351	51	12	5	7	29	35	21	47
23 Appendicitis and typhlitis.. ..	M	302	1	—	18	51	60	70	75	21	6
	F	275	1	1	20	50	35	68	66	23	11
24 Cirrhosis of liver ..	M	238	—	—	1	1	—	22	146	53	15
	F	184	1	—	—	—	3	19	123	26	12
25 Acute and chronic nephritis ..	M	1,303	11	—	8	16	42	166	565	312	183
	F	1,074	7	4	4	22	35	146	431	247	178
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	178	—	—	—	—	35	142	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	246	—	—	—	—	44	198	4	—	—
28 Congenital debility and malformation, premature birth.. ..	M	2,000	1,956	10	7	10	6	5	5	1	—
	F	1,504	1,465	10	5	11	5	3	5	—	—
29 Suicide	M	542	—	—	—	—	27	143	281	80	11
	F	256	—	—	—	—	18	99	118	17	4
30 Other deaths from violence.. ..	M	1,601	92	38	76	190	196	324	381	177	127
	F	897	55	30	58	71	50	94	172	128	239
31 Other defined diseases	M	6,638	677	121	130	268	214	696	1,665	1,226	1,641
	F	6,734	510	101	118	210	185	700	1,313	1,066	2,531
32 Causes ill-defined or unknown ..	M	21	4	3	1	—	—	4	6	2	1
	F	30	3	9	3	—	—	2	7	3	3

* See footnote on page 58.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924.
(Civilian population only).

Causes of Death.	Sex.	City of London. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	The Inner and Middle Temples. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	82	6	2	1	1	4	6	34	20	8	5	—	—	—	—	—	—	3	1	1
	F	74	5	—	—	—	2	9	24	13	21	3	—	—	—	—	—	—	2	—	1
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	—	—	—	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	12	1	—	—	—	2	1	8	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	12	—	—	—	—	—	—	8	4	—	1	—	—	—	—	—	—	1	—	—
	F	8	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—	—	—	—
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage, &c. ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	4	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	1	—	—
16 Heart disease ..	M	16	—	—	—	—	—	—	3	9	4	2	—	—	—	—	—	—	1	—	1
	F	17	—	—	—	—	1	—	4	6	6	—	—	—	—	—	—	—	—	—	—
17 Arterio-sclerosis ..	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Bronchitis ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	7	1	—	—	—	—	2	2	1	1	—	—	—	—	—	—	—	—	—	—
19 Pneumonia (all forms)	M	6	1	—	—	—	1	1	2	1	—	1	—	—	—	—	—	—	1	—	—
	F	8	2	—	—	—	—	2	2	1	1	—	—	—	—	—	—	—	—	—	—
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	1	—	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
30 Other deaths from violence.. ..	M	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
31 Other defined diseases	M	18	2	—	1	—	—	2	7	3	3	—	—	—	—	—	—	—	—	—	—
	F	9	1	—	—	—	—	1	3	1	3	—	—	—	—	—	—	—	—	—	—
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Battersea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bermondsey. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	989	111	46	29	32	39	121	292	183	136	905	141	42	44	33	39	112	257	150	87
	F	1029	85	35	36	29	47	119	230	192	256	764	92	53	35	37	39	87	150	132	139
1 Enteric fever	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	22	4	9	9	—	—	—	—	—	—	26	4	13	8	1	—	—	—	—	—
	F	29	6	17	5	1	—	—	—	—	—	24	5	8	10	1	—	—	—	—	—
4 Scarlet fever	M	2	—	2	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	4	—	—	3	1	—	—	—	—	—
5 Whooping cough	M	5	3	—	2	—	—	—	—	—	—	5	—	2	2	1	—	—	—	—	—
	F	12	7	1	4	—	—	—	—	—	—	7	3	2	—	2	—	—	—	—	—
6 Diphtheria	M	10	—	—	6	3	—	1	—	—	—	15	4	1	5	5	—	—	—	—	—
	F	15	—	1	9	5	—	—	—	—	—	11	—	2	5	3	1	—	—	—	—
7 Influenza	M	33	1	1	1	1	1	6	16	1	5	17	1	—	2	—	—	4	5	5	—
	F	51	3	2	4	—	—	5	17	13	7	13	—	1	2	—	—	1	7	1	1
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	4	—	—	—	—	—	3	1	—	—	2	—	—	—	—	2	—	—	—	—
9 Meningococcal meningitis	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	80	1	—	—	1	15	37	24	2	—	94	—	—	—	2	17	44	28	3	—
	F	73	—	—	—	3	24	32	11	1	2	50	—	1	—	1	12	25	9	1	1
11 Other tuberculous diseases	M	22	1	4	—	7	4	2	4	—	—	18	—	1	5	4	3	1	4	—	—
	F	15	—	2	3	3	1	2	4	—	—	13	1	1	3	5	—	3	—	—	—
12 Cancer, malignant disease	M	107	—	—	—	—	—	5	62	32	8	106	—	—	—	1	3	2	65	29	6
	F	124	—	—	—	—	2	19	50	31	22	70	—	—	—	—	1	4	33	16	16
13 Rheumatic fever	M	4	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	2	1	—	—	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes	M	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	7	—	—	—	—	—	—	7	—	—	1	—	—	—	—	—	—	1	—	—
15 Cerebral hæmorrhage, &c.	M	34	1	—	—	—	—	1	13	11	8	30	—	—	—	—	—	2	11	13	4
	F	41	—	—	—	—	—	1	12	15	13	43	—	—	1	—	1	4	11	15	11
16 Heart disease	M	141	—	—	—	3	4	6	49	36	43	102	—	—	1	4	3	13	40	22	19
	F	207	—	—	—	1	4	11	45	51	95	110	—	—	—	7	8	13	27	28	27
17 Arterio-sclerosis	M	31	—	—	—	—	—	1	9	10	11	47	—	—	—	—	—	—	4	15	28
	F	23	—	—	—	—	—	1	4	8	10	29	—	—	—	—	—	—	—	7	22
18 Bronchitis	M	96	9	2	—	1	—	6	20	31	27	66	6	2	—	—	—	7	21	18	12
	F	87	6	1	—	1	—	2	16	22	39	57	2	—	2	1	—	2	12	17	21
19 Pneumonia (all forms)	M	99	25	19	7	1	—	10	22	14	1	112	33	18	13	2	2	8	17	13	6
	F	60	10	8	3	3	—	7	13	8	8	112	24	29	8	4	2	6	10	17	12
20 Other respiratory diseases	M	12	—	—	—	—	—	2	6	2	2	7	—	—	—	—	1	1	5	—	—
	F	8	—	—	—	—	—	4	1	1	2	6	—	1	—	—	—	—	3	1	1
21 Ulcer of stomach or duodenum	M	15	—	—	—	—	—	8	7	—	—	10	—	—	—	—	—	3	6	—	1
	F	4	—	—	—	—	—	—	2	2	—	4	—	—	—	—	—	2	2	—	—
22 Diarrhœa, &c.	M	18	14	3	—	—	—	—	—	1	—	22	14	2	1	—	—	2	1	1	1
	F	6	5	1	—	—	—	—	—	—	—	15	12	2	—	—	—	—	—	1	—
23 Appendicitis and typhlitis	M	8	—	—	1	2	2	1	1	1	—	7	—	—	—	2	2	—	1	2	—
	F	5	—	—	—	—	2	1	2	—	—	2	—	—	—	1	—	1	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	1	—	5	—	—	—	—	—	3	1	1	—
	F	6	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis	M	26	—	—	—	—	1	2	12	8	3	21	—	—	1	1	—	3	10	5	1
	F	27	—	—	—	1	—	8	7	10	1	14	—	—	—	2	1	2	8	1	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	4	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth	M	41	39	1	—	1	—	—	—	—	—	59	59	—	—	—	—	—	—	—	—
	F	36	34	1	—	—	—	1	—	—	—	33	33	—	—	—	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	—	4	6	—	—	5	—	—	—	—	—	3	2	—	—
	F	8	—	—	—	—	1	4	2	—	1	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	40	—	1	1	3	6	12	7	6	4	32	2	2	1	5	3	4	9	5	1
	F	14	—	—	2	1	1	3	1	3	3	28	—	1	1	3	3	5	7	4	4
31 Other defined diseases	M	121	13	3	2	7	4	13	28	27	24	94	18	1	3	3	5	12	26	18	8
	F	152	14	1	3	8	6	11	31	25	53	100	12	4	—	5	6	10	18	22	23
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924. (Civilian population only).

Causes of Death.	Sex.	Bethnal Green. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Camberwell. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	746	115	32	34	27	31	83	214	135	75	1582	190	70	62	41	61	176	448	308	226
	F	717	88	39	27	25	36	79	155	131	137	1542	171	55	49	43	73	169	319	273	390
1 Enteric fever	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	2	—	1	4	2	1	—	2	—	—	—	1	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	25	7	12	5	1	—	—	—	—	—	47	8	21	16	2	—	—	—	—	—
	F	18	3	11	4	—	—	—	—	—	—	30	8	12	9	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	6	—	—	2	2	—	2	—	—	—
	F	3	—	2	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	8	4	1	3	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
	F	7	3	3	1	—	—	—	—	—	—	11	2	6	3	—	—	—	—	—	—
6 Diphtheria	M	11	—	2	7	2	—	—	—	—	—	24	3	1	13	6	—	1	—	—	—
	F	18	3	2	6	7	—	—	—	—	—	27	3	2	13	7	1	1	—	—	—
7 Influenza	M	17	1	—	—	—	1	3	10	2	—	27	1	1	—	—	1	3	6	7	8
	F	20	—	—	—	—	1	4	6	4	5	39	—	1	—	—	1	8	10	10	9
8 Encephalitis lethargica	M	2	—	—	1	—	—	—	1	—	—	4	—	2	—	—	—	—	2	—	—
	F	4	—	—	—	—	2	2	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis	M	2	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	86	—	—	—	1	10	31	38	5	1	151	—	1	—	2	31	57	57	3	—
	F	46	—	2	—	2	13	17	8	1	3	124	—	—	—	6	43	52	17	4	2
11 Other tuberculous diseases	M	8	1	1	4	—	1	1	—	—	—	25	3	4	5	3	2	3	5	—	—
	F	12	—	1	5	3	—	2	1	—	—	17	1	1	5	3	2	3	2	—	—
12 Cancer, malignant disease	M	64	—	—	—	—	1	2	34	24	3	168	—	—	—	1	—	10	89	53	15
	F	57	—	—	—	—	—	9	21	15	12	210	—	—	—	1	1	23	94	53	38
13 Rheumatic fever	M	6	—	—	—	2	1	2	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	6	—	—	—	—	—	2	3	1	—	12	—	—	—	—	—	2	5	2	3
	F	5	—	—	—	—	—	—	4	—	1	16	—	—	—	—	—	1	7	3	5
15 Cerebral hæmorrhage, &c.	M	22	—	—	—	—	—	1	8	8	5	65	—	—	—	—	—	2	13	31	19
	F	34	—	—	—	—	—	—	14	13	7	64	—	—	—	—	—	2	20	19	23
16 Heart disease	M	125	—	—	—	4	7	3	29	44	38	192	—	—	—	6	2	15	76	59	34
	F	171	—	—	—	4	10	13	37	57	50	219	—	—	1	6	7	21	58	56	70
17 Arterio-sclerosis	M	8	—	—	—	—	—	—	5	2	1	47	—	—	—	—	—	—	11	21	15
	F	3	—	—	—	—	—	—	1	—	2	46	—	—	—	—	—	—	6	21	19
18 Bronchitis	M	54	5	—	—	—	2	4	23	13	7	115	11	1	—	—	—	5	23	42	33
	F	60	3	1	1	—	1	—	16	20	18	124	11	—	—	—	—	—	17	35	61
19 Pneumonia (all forms)	M	94	28	14	5	3	3	9	19	9	4	159	30	26	16	2	4	12	38	21	10
	F	92	21	13	4	4	5	10	13	9	13	127	41	19	10	2	1	11	14	11	18
20 Other respiratory diseases	M	6	—	—	—	—	—	—	4	2	—	18	—	—	1	—	—	4	7	5	1
	F	3	—	1	—	—	—	—	2	—	—	14	—	—	—	—	—	1	6	5	2
21 Ulcer of stomach or duodenum	M	10	—	—	—	—	—	5	2	3	—	21	—	—	—	—	—	10	9	1	1
	F	3	—	—	—	—	—	—	2	—	1	6	—	—	—	—	—	2	3	1	—
22 Diarrhœa, &c.	M	17	15	—	1	—	—	—	—	—	1	30	23	2	1	—	—	1	—	1	2
	F	15	14	1	—	—	—	—	—	—	—	29	23	1	1	—	—	1	1	1	1
23 Appendicitis and typhlitis	M	4	—	—	1	1	1	1	—	—	—	13	—	—	2	4	3	2	2	—	—
	F	2	—	—	—	—	—	1	1	—	—	6	—	—	—	2	1	1	2	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	—	1	11	—	—	—	—	—	—	8	2	1
	F	2	—	—	—	—	—	—	2	—	—	7	—	—	—	—	—	1	5	1	—
25 Acute and chronic nephritis	M	12	—	—	—	—	—	5	3	1	3	34	—	—	—	—	—	4	18	8	4
	F	9	—	—	—	—	—	—	4	4	1	43	1	—	—	—	—	6	14	12	10
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	9	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth	M	44	44	—	—	—	—	—	—	—	—	81	77	1	—	1	2	—	—	—	—
	F	34	34	—	—	—	—	—	—	—	—	63	60	1	—	1	1	—	—	—	—
29 Suicide	M	8	—	—	—	—	—	1	5	2	—	19	—	—	—	—	1	6	9	3	—
	F	3	—	—	—	—	—	1	2	—	—	4	—	—	—	—	—	2	1	1	—
30 Other deaths from violence	M	24	—	—	3	4	1	5	3	5	3	44	2	2	1	4	7	11	9	5	3
	F	14	2	—	1	1	1	1	4	—	4	29	2	3	2	5	3	2	5	3	4
31 Other defined diseases	M	77	9	2	3	6	3	8	24	14	8	260	30	6	3	8	8	25	59	44	77
	F	64	4	2	2	2	2	10	15	7	20	265	19	9	3	7	10	16	36	37	128
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924.
(Civilian population only).

Causes of Death.	Sex.	Chelsea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Deptford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	443	30	21	12	6	12	45	125	86	103	760	102	29	32	25	29	106	199	139	99
	F	413	29	12	5	6	11	39	109	98	104	619	78	32	15	18	28	71	132	108	137
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	19	5	12	2	—	—	—	—	—	—	17	4	9	3	1	—	—	—	—	—
	F	11	3	6	2	—	—	—	—	—	—	17	2	9	6	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough	M	2	—	2	—	—	—	—	—	—	—	10	3	4	3	—	—	—	—	—	—
	F	4	—	2	—	1	1	—	—	—	—	5	2	2	1	—	—	—	—	—	—
6 Diphtheria	M	3	—	—	2	1	—	—	—	—	—	10	1	—	4	5	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	1	2	2	—	—	—	—	—
7 Influenza	M	25	—	—	—	1	1	2	6	4	11	23	—	1	—	—	1	4	10	5	2
	F	13	—	—	—	—	—	—	4	6	3	23	1	2	—	—	1	2	7	5	5
8 Encephalitis lethargica	M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	1	—	1	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	1	1	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	51	—	—	—	1	5	13	21	8	3	66	—	—	1	1	12	29	22	1	—
	F	29	—	—	—	—	4	13	7	4	1	38	—	1	—	1	10	20	6	—	—
11 Other tuberculous diseases	M	12	1	2	4	—	2	1	1	—	1	16	5	2	3	2	—	3	1	—	—
	F	5	—	—	1	1	—	1	1	1	—	7	—	—	1	3	1	1	—	1	—
12 Cancer, malignant disease	M	72	—	—	—	—	—	1	33	28	10	76	—	—	—	—	1	7	34	23	11
	F	51	—	—	—	—	—	4	19	21	7	72	—	—	—	—	—	3	28	20	21
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	3	—	—	—	1	1	—	1	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	1	—	8	—	—	—	—	—	2	3	1	2
	F	7	—	—	—	1	—	2	1	3	—	6	—	—	—	—	—	1	3	1	1
15 Cerebral hæmorrhage, &c.	M	10	—	—	—	—	—	—	4	3	3	28	—	—	—	—	—	1	10	11	6
	F	26	—	—	—	—	—	—	8	9	9	36	—	—	—	—	—	—	10	15	11
16 Heart disease	M	54	—	—	—	1	—	3	12	7	31	82	—	—	—	3	2	9	34	21	13
	F	65	—	—	—	—	2	4	18	13	28	91	—	—	—	2	3	9	26	25	26
17 Arterio-sclerosis	M	13	—	—	—	—	—	—	4	5	4	24	—	—	—	—	—	—	9	12	3
	F	35	—	—	—	—	—	—	10	9	16	8	—	—	—	—	—	—	—	4	4
18 Bronchitis	M	27	1	—	—	—	—	1	6	8	11	49	7	1	—	—	1	3	10	15	12
	F	32	1	—	—	—	—	2	7	6	16	42	4	1	1	—	—	—	5	12	19
19 Pneumonia (all forms)	M	35	7	1	2	—	—	7	6	3	9	81	27	7	10	3	3	13	13	4	1
	F	23	4	2	1	—	—	3	5	5	3	69	18	13	3	1	2	12	5	9	6
20 Other respiratory diseases	M	8	1	—	—	—	—	—	2	3	2	8	1	1	—	—	1	1	4	—	—
	F	4	—	—	—	—	—	—	1	2	1	7	—	1	—	—	1	2	1	—	2
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	1	1	2	—	6	—	—	—	—	1	1	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	2	2	1	—
22 Diarrhœa, &c.	M	8	5	2	1	—	—	—	—	—	—	13	9	2	—	—	—	—	—	1	1
	F	10	7	—	—	1	—	1	—	1	—	8	4	1	—	1	—	1	—	—	1
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	1	—	—	2	1	1
	F	4	—	—	—	—	2	—	1	1	—	6	—	—	—	1	1	—	3	1	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	—	2	6	—	—	—	—	—	2	3	1	—
	F	4	—	—	—	—	—	1	2	—	1	2	—	—	—	—	—	1	—	—	1
25 Acute and chronic nephritis	M	14	—	—	—	—	—	1	8	2	3	18	—	—	1	—	—	5	8	3	1
	F	5	—	—	—	—	—	—	4	1	—	18	—	—	—	—	—	4	13	—	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	2	2	—	—	—
28 Congenital debility and malformation, premature birth	M	7	7	—	—	—	—	—	—	—	—	33	32	—	—	1	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	1	2	3	1	1	10	—	—	—	—	—	5	2	3	—
	F	4	—	—	—	—	—	—	4	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence	M	13	1	—	—	1	1	4	5	1	—	27	1	—	5	1	5	5	6	3	1
	F	10	1	1	—	—	—	—	1	5	2	11	—	1	—	—	2	—	3	1	4
31 Other defined diseases	M	52	2	2	1	1	2	8	11	10	15	137	12	1	1	5	1	15	24	33	45
	F	53	3	1	1	1	—	5	14	11	17	90	12	—	1	5	2	7	15	13	35
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924.
(Civilian population only).

Causes of Death.	Sex.	Finsbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Fulham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	555	72	40	36	17	26	63	129	106	66	939	122	39	26	28	39	123	283	162
	F	549	58	30	25	13	26	57	129	103	108	877	93	25	24	19	30	98	226	153
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	31	6	16	9	—	—	—	—	—	—	16	4	7	5	—	—	—	—	—
	F	14	4	4	5	1	—	—	—	—	—	13	4	4	4	1	—	—	—	—
4 Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—
5 Whooping cough	M	6	1	3	2	—	—	—	—	—	—	12	3	5	4	—	—	—	—	—
	F	19	7	8	3	1	—	—	—	—	—	4	1	1	2	—	—	—	—	—
6 Diphtheria	M	8	1	2	5	—	—	—	—	—	—	8	—	1	5	2	—	—	—	—
	F	6	—	2	4	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—
7 Influenza	M	16	—	1	1	—	2	2	5	2	3	33	2	7	2	—	1	1	13	7
	F	16	1	—	1	—	—	1	6	5	2	28	2	—	1	—	—	2	9	10
8 Encephalitis lethargica	M	2	—	—	1	—	1	—	—	—	—	2	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	53	—	—	2	4	10	20	15	2	—	79	—	—	—	2	17	29	29	2
	F	42	—	—	—	—	15	12	14	1	—	50	—	—	—	3	9	27	11	—
11 Other tuberculous diseases	M	6	—	1	2	—	1	—	2	—	—	10	3	4	1	1	1	—	—	—
	F	4	—	1	1	—	1	1	—	—	—	20	1	2	2	5	4	5	1	—
12 Cancer, malignant disease	M	45	—	—	—	—	—	1	21	18	5	92	1	—	—	—	2	5	45	31
	F	55	—	—	1	—	—	6	27	17	4	133	—	—	—	1	1	16	67	27
13 Rheumatic fever	M	3	—	—	—	—	3	—	—	—	—	5	—	—	—	2	1	1	—	1
	F	3	—	—	—	2	1	—	—	—	—	2	—	—	—	—	1	—	1	—
14 Diabetes	M	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	—	1	1	2
	F	2	—	—	—	—	—	—	—	1	1	10	—	—	—	—	—	1	2	5
15 Cerebral hæmorrhage, &c.	M	28	—	—	—	—	—	1	10	11	6	31	—	—	—	—	2	1	11	8
	F	35	—	—	—	—	—	1	12	14	8	54	—	—	—	—	1	—	20	15
16 Heart disease	M	47	—	—	1	2	2	9	13	14	6	101	—	—	—	2	2	8	43	28
	F	67	—	—	—	3	4	7	16	20	17	108	—	—	—	3	5	6	31	27
17 Arterio-sclerosis	M	40	—	—	—	—	—	1	2	14	23	40	—	—	—	—	—	—	8	12
	F	35	—	—	—	—	—	—	1	5	29	32	—	—	—	—	—	—	5	—
18 Bronchitis	M	55	2	—	1	—	—	1	22	19	10	64	5	—	1	—	—	3	18	24
	F	71	6	1	—	—	—	6	20	18	20	74	5	1	1	—	—	1	15	21
19 Pneumonia (all forms)	M	58	19	12	6	1	2	3	7	5	3	99	26	12	4	3	1	12	21	15
	F	42	9	10	6	—	—	6	4	3	4	78	16	10	8	—	—	7	9	14
20 Other respiratory diseases	M	6	—	—	1	—	—	2	1	2	—	13	—	—	—	—	—	4	6	1
	F	8	—	—	1	1	1	—	2	2	1	9	1	—	—	—	1	—	5	1
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	4	2	—	—	13	—	—	—	—	—	4	7	—
	F	4	—	—	—	—	—	2	1	1	—	4	—	—	—	—	—	1	1	2
22 Diarrhœa, &c.	M	8	8	—	—	—	—	—	—	—	—	16	10	2	—	—	—	1	1	1
	F	4	4	—	—	—	—	—	—	—	—	13	8	2	—	—	—	1	2	—
23 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	—	8	—	—	1	—	2	4	1	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	2	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	3	—	—	6	—	—	—	—	—	1	5	—
	F	4	—	—	—	—	—	—	3	—	1	7	—	—	—	—	1	1	4	1
25 Acute and chronic nephritis	M	14	—	—	—	1	—	—	11	1	1	25	—	—	—	—	3	5	14	2
	F	12	—	—	—	—	2	1	5	1	3	22	—	—	—	1	1	2	9	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	5	—	—	—	—	—	5	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	6	—	—
28 Congenital debility and malformation, premature birth	M	29	26	—	—	—	1	2	—	—	—	48	48	—	—	—	—	—	—	—
	F	20	20	—	—	—	—	—	—	—	—	38	37	—	—	—	—	1	—	—
29 Suicide	M	4	—	—	—	—	1	2	—	1	—	13	—	—	—	—	—	3	10	—
	F	4	—	—	—	—	—	2	2	—	—	4	—	—	—	—	—	—	3	1
30 Other deaths from violence	M	18	3	—	3	2	—	2	2	4	2	43	3	—	—	7	5	13	9	5
	F	18	1	1	2	4	—	—	3	3	4	17	1	—	2	1	1	1	2	3
31 Other defined diseases	M	62	6	4	2	6	2	13	10	12	7	152	17	1	2	6	2	26	39	23
	F	58	6	1	—	1	1	10	13	12	14	133	16	2	3	3	4	10	29	21
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924.
(Civilian population only).

Causes of Death.	Sex.	Greenwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Hackney. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	616	91	21	17	20	45	78	140	121	83	1236	138	40	45	21	59	150	362	231	190
	F	563	61	15	23	13	27	62	115	100	147	1317	111	43	36	46	47	156	306	264	308
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	15	4	5	6	—	—	—	—	—	—	14	2	8	4	—	—	—	—	—	—
	F	15	5	3	6	1	—	—	—	—	—	16	3	9	3	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	1	3	2	—	—	—	—	—
5 Whooping cough	M	5	2	1	2	—	—	—	—	—	—	8	4	2	2	—	—	—	—	—	—
	F	10	6	1	3	—	—	—	—	—	—	8	2	5	1	—	—	—	—	—	—
6 Diphtheria	M	7	—	—	3	3	—	1	—	—	—	12	—	—	9	3	—	—	—	—	—
	F	7	1	3	3	—	—	—	—	—	—	20	—	1	6	12	1	—	—	—	—
7 Influenza	M	13	—	1	—	—	1	6	2	3	—	32	2	—	—	—	—	6	15	6	3
	F	20	—	—	1	2	1	1	5	5	5	55	3	—	2	—	1	5	19	9	16
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	1	2	—	—
	F	3	—	—	1	—	1	1	—	—	—	6	—	—	—	—	2	3	—	1	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	65	1	1	—	2	18	19	22	2	—	119	—	—	—	—	26	47	42	4	—
	F	40	—	—	—	1	12	18	8	1	—	101	—	1	—	5	25	45	23	2	—
11 Other tuberculous diseases	M	12	5	1	2	2	1	—	1	—	—	27	3	6	6	1	4	3	2	2	—
	F	11	1	1	3	2	3	1	—	—	—	22	2	3	7	4	1	—	3	1	1
12 Cancer, malignant disease	M	56	—	—	—	—	—	3	22	19	12	140	—	—	1	—	1	10	64	46	18
	F	59	—	—	—	—	2	4	31	12	10	170	—	—	1	—	—	17	73	48	31
13 Rheumatic fever	M	3	—	—	—	2	1	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	3	2	1	—	1	—
14 Diabetes	M	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	2	1	—
	F	5	—	—	—	—	—	—	1	2	2	15	—	—	—	—	—	2	4	7	2
15 Cerebral hæmorrhage, &c.	M	18	—	—	—	—	—	1	5	4	8	55	—	—	—	—	1	1	14	18	21
	F	35	—	—	—	—	—	2	11	9	13	76	—	—	—	—	—	3	20	32	21
16 Heart disease	M	63	—	—	—	1	1	9	20	22	10	151	—	—	1	2	2	15	60	42	29
	F	83	—	—	—	1	3	12	16	28	23	193	—	—	—	2	4	14	53	56	64
17 Arterio-sclerosis	M	34	—	—	—	—	—	—	5	18	11	69	—	—	—	—	—	—	14	26	29
	F	18	—	—	—	—	—	—	2	4	12	61	—	—	—	—	—	—	6	20	35
18 Bronchitis	M	29	2	1	—	—	—	1	13	6	6	80	2	—	—	—	—	6	24	22	26
	F	43	4	—	1	—	—	1	8	10	19	93	4	—	—	—	—	2	16	26	45
19 Pneumonia (all forms)	M	52	17	7	3	1	5	6	7	6	—	122	35	14	10	2	2	12	27	14	6
	F	37	7	4	2	1	—	1	9	6	7	105	27	16	7	4	2	6	16	14	13
20 Other respiratory diseases	M	9	—	—	—	—	1	1	4	2	1	27	1	—	—	—	—	5	12	7	2
	F	2	—	—	1	—	—	—	1	—	—	15	—	1	—	2	1	—	6	3	2
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	1	2	3	—	—	16	—	—	—	—	1	3	8	3	1
	F	4	—	—	—	—	2	1	—	1	—	5	1	—	—	—	—	1	1	—	2
22 Diarrhœa, &c.	M	14	14	—	—	—	—	—	—	—	—	17	12	2	1	—	—	—	—	1	1
	F	14	8	2	—	—	—	—	—	2	2	14	12	—	—	—	—	—	—	1	1
23 Appendicitis and typhlitis	M	4	—	—	—	—	1	1	2	—	—	9	—	—	—	3	3	2	1	—	—
	F	3	—	—	—	—	—	2	—	1	—	5	—	—	2	2	—	1	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	1	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	—	2	4	1	—
25 Acute and chronic nephritis	M	12	—	—	—	—	2	1	4	3	2	39	—	—	—	—	1	5	14	8	11
	F	11	—	—	—	—	1	1	7	1	1	49	—	—	—	2	1	8	24	6	8
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	1	2	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	9	—	—	—	—	1	7	1	—	—
28 Congenital debility and malformation, premature birth	M	31	31	—	—	—	—	—	—	—	—	53	51	1	—	—	—	1	—	—	—
	F	17	17	—	—	—	—	—	—	—	—	42	40	—	1	—	—	1	—	—	—
29 Suicide	M	8	—	—	—	—	—	2	3	3	—	17	—	—	—	—	2	5	8	2	—
	F	—	—	—	—	—	—	—	—	—	—	11	—	—	—	—	1	3	6	1	—
30 Other deaths from violence	M	37	4	—	—	6	8	8	6	4	1	41	1	2	2	2	10	10	11	2	1
	F	14	1	—	2	2	—	1	3	1	4	25	—	2	1	—	1	3	6	5	7
31 Other defined diseases	M	118	11	3	—	3	5	16	20	29	31	170	24	5	6	7	4	16	40	26	42
	F	104	11	1	—	3	2	10	12	17	48	172	15	2	2	6	3	30	24	30	60
32 Causes ill-defined or unknown	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924 (Civilian population only).

	Causes of Death.	Sex.	Hammersmith. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Hampstead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	812	97	25	25	28	29	93	257	144	114	470	41	10	6	10	15	50	138	95	10
		F	837	75	21	18	31	44	102	182	136	228	559	25	4	9	9	19	68	150	117	15
1	Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	20	6	10	1	3	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
		F	14	3	5	5	1	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
4	Scarlet fever ..	M	5	—	—	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5	Whooping cough ..	M	9	4	3	2	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
		F	8	2	3	2	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6	Diphtheria ..	M	7	—	—	4	3	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
		F	9	—	—	2	7	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7	Influenza	M	26	2	—	—	—	2	2	9	5	6	16	1	—	—	—	—	1	10	3	
		F	30	1	—	—	—	—	2	8	9	10	29	—	1	—	—	2	5	5	5	1
8	Encephalitis lethargica ..	M	2	—	—	1	—	1	—	—	—	—	2	—	—	—	—	—	1	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	—	2	—
9	Meningococcal meningitis ..	M	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
10	Tuberculosis of respiratory system	M	71	—	—	1	5	9	28	25	3	—	33	—	—	—	—	4	21	7	1	—
		F	73	—	—	1	1	26	31	12	1	1	25	—	—	—	1	5	10	8	1	—
11	Other tuberculous diseases	M	11	1	2	1	1	2	—	1	3	—	6	—	1	1	1	1	1	1	—	—
		F	14	3	1	1	3	2	2	2	—	—	6	—	—	1	—	—	1	3	—	
12	Cancer, malignant disease	M	90	—	—	—	—	1	3	44	26	16	61	—	—	—	1	—	2	23	20	1
		F	107	—	—	—	—	—	5	55	28	19	90	—	—	—	—	—	8	46	19	1
13	Rheumatic fever ..	M	3	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Diabetes	M	8	—	—	—	—	—	2	5	—	1	5	—	—	—	—	—	—	2	3	—
		F	6	—	—	—	—	1	1	2	2	—	5	—	—	—	—	—	—	3	1	
15	Cerebral hæmorrhage, &c. ..	M	27	—	—	—	—	—	1	7	8	11	19	—	—	—	—	—	—	8	3	
		F	41	—	—	—	—	1	—	9	14	17	37	—	—	—	—	—	1	7	15	1
16	Heart disease ..	M	90	—	—	1	—	3	10	38	24	14	72	—	—	—	1	1	7	28	18	1
		F	89	—	—	—	—	2	8	19	24	36	81	—	—	—	—	3	6	18	25	2
17	Arterio-sclerosis ..	M	34	—	—	—	—	—	1	11	8	14	25	—	—	—	—	—	1	6	5	1
		F	24	—	—	—	—	—	—	4	7	13	29	—	—	—	—	—	—	5	6	1
18	Bronchitis ..	M	54	5	—	—	—	—	3	16	13	17	26	2	—	—	—	1	1	4	3	1
		F	80	4	—	1	—	—	—	13	19	43	31	1	—	—	1	—	1	7	10	1
19	Pneumonia (all forms)	M	80	21	9	5	2	—	4	24	10	5	41	4	3	3	1	—	4	9	7	1
		F	74	12	10	4	3	1	12	13	7	12	36	2	2	1	—	1	1	8	8	1
20	Other respiratory diseases	M	10	—	—	—	1	—	3	3	2	1	8	—	—	—	—	—	3	1	2	
		F	11	—	—	—	—	1	—	5	2	3	9	—	—	—	—	—	2	2	—	
21	Ulcer of stomach or duodenum ..	M	8	—	—	—	—	—	3	5	—	—	5	—	—	—	—	1	1	—	3	—
		F	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	1	—	—
22	Diarrhœa, &c. ..	M	9	9	—	—	—	—	—	—	—	—	11	7	1	—	—	1	—	—	2	—
		F	8	4	1	—	—	—	—	1	1	1	5	2	—	—	—	—	—	2	—	
23	Appendicitis and typhlitis.. ..	M	8	—	—	1	2	1	2	2	—	—	8	—	—	1	—	2	2	3	—	—
		F	5	—	—	—	1	1	1	2	—	—	5	—	—	—	—	—	1	3	—	
24	Cirrhosis of liver ..	M	6	—	—	—	—	—	—	4	2	—	5	—	—	—	—	—	1	3	—	
		F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	2	—	—
25	Acute and chronic nephritis ..	M	31	—	—	—	—	—	4	18	8	1	15	—	—	—	—	1	—	8	2	4
		F	21	—	—	—	2	—	1	8	7	3	8	—	—	—	—	—	1	2	1	4
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	2	3	—	—	—	1	—	—	—	—	—	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	—	2	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	33	33	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
		F	35	35	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29	Suicide	M	13	—	—	—	—	1	2	8	2	—	4	—	—	—	—	—	1	3	—	—
		F	8	—	—	—	—	1	6	1	—	—	6	—	—	—	—	1	4	1	—	—
30	Other deaths from violence.. ..	M	33	3	1	2	3	3	5	9	4	3	5	—	—	—	1	2	—	1	1	—
		F	14	1	—	1	2	1	3	1	—	5	10	—	—	—	1	1	—	3	3	2
31	Other defined diseases	M	121	12	—	1	7	4	19	27	26	25	77	8	1	—	4	1	3	20	21	19
		F	148	10	1	1	8	4	21	24	14	65	112	5	—	3	5	4	20	24	21	30
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Holborn. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Islington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	305	27	12	4	5	7	36	100	78	36	2085	262	88	75	54	93	236	559	422	296
	F	224	20	6	3	5	8	29	61	46	46	2101	184	81	65	39	76	233	475	435	513
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	2	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	1	1	—	—	—	—	—	—	56	11	29	14	2	—	—	—	—	—
	F	8	2	2	2	1	—	1	—	—	—	47	13	24	10	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	1	4	1	—	—	—	—	—
5 Whooping cough ..	M	5	2	3	—	—	—	—	—	—	—	18	4	7	7	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	38	17	14	5	2	—	—	—	—	—
6 Diphtheria ..	M	3	—	1	1	1	—	—	—	—	—	16	—	4	8	3	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	16	—	2	8	6	—	—	—	—	—
7 Influenza	M	4	—	—	—	—	—	2	1	—	1	58	3	2	1	2	8	13	14	8	7
	F	7	—	—	—	—	—	1	2	3	1	48	1	1	2	1	2	3	19	10	9
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	2	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	25	—	—	—	—	4	7	13	1	—	188	1	1	—	3	28	83	66	5	1
	F	22	—	—	—	1	5	12	4	—	—	141	1	1	3	—	36	60	32	7	1
11 Other tuberculous diseases	M	6	—	1	—	3	—	1	1	—	—	44	7	7	8	8	7	4	2	1	—
	F	1	1	—	—	—	—	—	—	—	—	27	1	3	7	5	3	6	2	—	—
12 Cancer, malignant disease	M	40	—	—	—	—	1	3	21	12	3	221	—	1	—	1	2	15	101	77	24
	F	30	—	—	—	—	—	3	14	8	5	260	—	—	—	—	2	33	116	72	37
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	4	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	5	—	—	—	1	1	1	2	—	—
14 Diabetes	M	1	—	—	—	—	—	1	—	—	—	17	—	—	—	—	1	4	5	5	2
	F	1	—	—	—	—	—	—	—	1	—	14	—	—	—	—	1	—	6	5	2
15 Cerebral hæmorrhage, &c. ..	M	16	—	—	—	—	—	2	3	5	6	95	—	—	—	—	—	3	34	38	20
	F	15	—	—	—	—	—	—	5	7	3	122	—	—	—	—	—	1	30	45	46
16 Heart disease ..	M	34	—	—	—	—	—	2	12	17	3	292	—	1	—	5	12	26	88	99	61
	F	20	—	—	—	—	—	2	9	5	4	331	—	1	—	6	10	32	82	93	107
17 Arterio-sclerosis ..	M	22	—	—	—	—	—	1	5	8	8	69	—	—	—	—	—	—	27	26	16
	F	11	—	—	—	—	—	—	—	4	7	41	—	—	—	—	—	—	10	14	17
18 Bronchitis ..	M	26	—	—	—	—	—	1	7	12	6	138	18	1	1	2	—	9	31	36	40
	F	27	—	—	—	—	—	—	7	10	10	196	12	2	1	—	—	4	28	59	90
19 Pneumonia (all forms)	M	36	9	5	—	—	—	3	12	4	3	210	45	26	13	3	8	14	37	38	26
	F	9	2	2	1	—	—	1	1	1	1	209	40	23	16	3	4	21	32	40	30
20 Other respiratory diseases	M	1	—	—	—	—	—	—	1	—	—	45	—	1	—	—	3	6	6	11	18
	F	3	—	—	—	—	—	—	1	1	1	47	—	—	—	—	—	2	7	12	26
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	2	3	—	—	23	—	—	—	—	1	5	14	3	—
	F	—	—	—	—	—	—	—	—	—	—	13	—	—	—	—	—	2	8	2	1
22 Diarrhœa, &c. ..	M	—	—	—	—	—	—	—	—	—	—	38	29	—	1	—	2	1	2	2	1
	F	3	3	—	—	—	—	—	—	—	—	29	19	4	2	—	1	1	—	2	—
23 Appendicitis and typhlitis.. ..	M	1	—	—	—	—	—	—	1	—	—	17	1	—	2	1	4	4	5	—	—
	F	—	—	—	—	—	—	—	—	—	—	11	1	—	—	4	2	2	2	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	11	—	—	—	—	—	—	5	6	—
	F	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	1	4	—	1
25 Acute and chronic nephritis ..	M	7	—	—	—	—	—	1	3	2	1	50	2	—	1	1	2	6	18	12	8
	F	3	—	—	—	—	—	—	1	1	1	47	2	—	—	—	—	5	21	10	9
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	9	—	—	—	—	1	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	12	—	—	—	—	2	10	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	12	12	—	—	—	—	—	—	—	—	104	98	1	2	1	—	—	2	—	—
	F	10	9	1	—	—	—	—	—	—	—	55	53	1	1	—	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	1	1	2	1	—	28	—	—	—	—	1	6	14	6	1
	F	4	—	—	—	—	—	3	1	—	—	10	—	—	—	—	—	3	4	3	—
30 Other deaths from violence.. ..	M	14	—	—	1	—	1	3	6	3	—	71	9	—	3	9	5	8	20	7	10
	F	8	—	—	—	—	—	3	2	1	2	33	4	1	3	1	1	4	6	5	8
31 Other defined diseases	M	37	3	1	—	1	—	6	8	13	5	261	31	6	10	8	8	27	68	42	61
	F	33	3	—	—	2	1	—	12	4	11	319	19	2	3	9	9	30	62	56	129
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924.
(Civilian population only).

Causes of Death.	Sex.	Kensington. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—	Lambeth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1050	110	44	42	34	34	107	294	204	181	2007	228	73	59	62	73	263	587	364	29
	F	1282	109	47	43	29	33	109	322	229	361	1902	166	55	55	53	89	188	463	358	47
1 Enteric fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	38	8	13	13	3	—	1	—	—	—	38	7	17	9	5	—	—	—	—	—
	F	37	9	13	12	2	—	1	—	—	—	48	10	16	17	5	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	8	—	2	4	1	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	2	2	—	—	—	—	—	—
5 Whooping cough	M	7	3	2	2	—	—	—	—	—	—	14	4	6	4	—	—	—	—	—	—
	F	13	5	2	6	—	—	—	—	—	—	10	3	5	2	—	—	—	—	—	—
6 Diphtheria	M	7	—	1	3	2	1	—	—	—	—	31	1	3	14	12	1	—	—	—	—
	F	8	1	2	4	1	—	—	—	—	—	22	1	1	10	9	—	1	—	—	—
7 Influenza	M	28	—	1	—	—	2	7	9	3	6	46	1	1	—	1	2	14	11	8	8
	F	40	1	2	—	—	1	1	10	6	19	58	1	1	1	1	1	6	21	16	10
8 Encephalitis lethargica	M	1	—	—	—	1	—	—	—	—	—	5	—	—	—	3	—	—	2	—	—
	F	4	—	1	1	—	—	1	1	—	—	2	—	—	—	1	—	—	—	1	—
9 Meningococcal meningitis	M	2	—	1	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	65	—	—	—	2	12	28	22	1	—	185	—	—	—	3	37	69	64	11	1
	F	56	—	—	—	2	14	28	10	2	—	133	—	—	—	5	38	52	31	7	—
11 Other tuberculous diseases	M	17	—	3	4	6	—	—	3	1	—	36	3	6	5	6	3	11	1	1	—
	F	11	—	1	1	4	3	1	1	—	—	28	5	2	4	5	5	3	1	1	2
12 Cancer, malignant disease	M	117	—	—	—	—	5	8	48	37	19	237	—	—	—	—	2	16	120	68	31
	F	181	—	—	1	—	—	19	90	37	34	234	—	—	—	—	—	22	118	51	43
13 Rheumatic fever	M	3	—	—	—	1	1	1	—	—	—	3	—	—	—	2	—	—	1	—	—
	F	3	—	—	1	1	—	—	1	—	—	11	—	—	—	4	5	1	1	—	—
14 Diabetes	M	2	—	—	—	—	—	—	1	—	1	16	—	—	—	—	1	3	4	7	1
	F	11	—	—	—	—	1	—	4	4	2	22	—	—	—	1	—	1	8	8	4
15 Cerebral hæmorrhage, &c.	M	46	—	—	—	—	—	—	14	19	13	74	—	—	—	1	—	3	25	22	23
	F	67	—	—	—	1	—	2	23	14	27	121	—	—	—	—	—	—	30	39	52
16 Heart disease	M	123	—	—	—	3	2	4	37	47	30	251	—	—	—	2	9	21	86	64	69
	F	209	—	—	—	—	3	9	48	53	96	283	—	1	—	6	9	24	70	82	91
17 Arterio-sclerosis	M	62	—	—	—	—	—	1	11	19	31	64	—	—	—	—	—	4	12	24	24
	F	54	—	—	—	—	—	—	11	11	32	51	—	—	—	—	—	—	6	15	30
18 Bronchitis	M	76	7	1	—	1	—	5	23	19	20	156	20	2	3	1	1	13	45	37	34
	F	108	4	—	1	—	—	4	21	26	52	166	3	5	—	—	—	5	25	49	79
19 Pneumonia (all forms)	M	126	28	21	11	3	—	14	24	16	9	210	46	31	12	4	6	24	48	22	17
	F	125	29	22	8	3	1	2	22	18	20	143	34	16	10	3	4	15	23	19	19
20 Other respiratory diseases	M	16	—	—	1	—	—	—	7	4	4	32	—	2	3	—	—	12	8	4	3
	F	19	—	—	2	—	—	—	4	4	9	16	2	—	—	—	1	4	1	2	6
21 Ulcer of stomach or duodenum	M	14	—	—	—	—	1	2	10	—	1	23	—	—	—	—	—	9	9	3	2
	F	12	—	—	—	—	—	2	7	1	2	8	—	—	—	—	—	1	6	1	—
22 Diarrhœa, &c.	M	10	10	—	—	—	—	—	—	—	—	37	35	1	—	—	—	—	1	—	—
	F	12	9	1	—	—	—	1	1	—	—	28	18	3	1	—	—	2	2	—	2
23 Appendicitis and typhlitis	M	4	—	—	—	—	—	2	1	—	1	15	—	—	—	1	1	5	7	1	—
	F	3	—	—	—	1	—	1	—	1	—	10	—	—	—	3	2	2	2	1	—
24 Cirrhosis of liver	M	10	—	—	1	—	—	2	5	2	—	12	—	—	—	—	—	1	7	4	—
	F	7	—	—	—	—	—	1	5	1	—	14	—	—	—	—	—	1	11	2	—
25 Acute and chronic nephritis	M	32	—	—	—	1	1	4	11	8	7	68	1	—	—	1	1	9	30	17	9
	F	29	—	—	—	—	1	4	9	10	5	56	1	1	—	3	5	4	25	12	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	10	—	—	—	—	5	5	—	—	—
28 Congenital debility and malformation, premature birth	M	39	38	—	—	—	—	1	—	—	—	85	84	—	—	—	—	—	—	1	—
	F	39	38	—	—	1	—	—	—	—	—	63	63	—	—	—	—	—	—	—	—
29 Suicide	M	14	—	—	—	—	—	4	9	—	1	27	—	—	—	—	—	10	11	6	—
	F	5	—	—	—	—	—	3	2	—	—	9	—	—	—	—	1	3	5	—	—
30 Other deaths from violence	M	42	4	—	3	7	3	4	9	7	5	58	3	—	3	7	6	8	17	3	6
	F	38	3	1	3	2	1	4	6	8	10	51	1	—	4	1	2	6	12	12	13
31 Other defined diseases	M	147	12	1	3	3	6	18	50	21	33	274	23	2	2	11	2	31	77	56	70
	F	180	9	1	3	10	7	19	45	33	53	291	24	2	3	6	9	25	63	40	119
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Lewisham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Paddington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	925	81	23	23	24	44	106	262	179	183	944	120	28	35	24	28	100	309	161	139
	F	1004	65	20	23	25	47	91	232	187	314	978	76	37	35	19	21	102	224	213	251
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	2	5	2	—	—	—	—	—	—	44	13	14	10	6	1	—	—	—	—
	F	9	—	6	3	—	—	—	—	—	—	38	5	13	19	1	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	4	—	—	1	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	6	2	2	2	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
	F	5	1	2	2	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—	—
6 Diphtheria	M	7	—	—	4	3	—	—	—	—	—	8	1	1	4	2	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	6	—	—	3	3	—	—	—	—	—
7 Influenza	M	43	1	—	—	—	1	6	18	10	7	30	—	—	—	1	1	7	12	5	4
	F	43	1	—	2	1	1	3	13	6	16	39	1	—	2	—	2	1	7	10	16
8 Encephalitis lethargica	M	5	—	—	—	1	1	2	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	78	—	—	—	1	18	35	20	2	2	68	—	1	1	4	12	30	18	2	—
	F	56	—	—	1	5	17	19	13	1	—	58	1	—	—	2	9	29	16	1	—
11 Other tuberculous diseases	M	10	1	—	2	2	2	—	1	1	1	15	—	2	2	3	2	2	1	3	—
	F	6	2	—	2	1	1	—	—	—	—	12	1	2	1	2	3	2	—	1	—
12 Cancer, malignant disease	M	113	—	—	—	—	—	17	48	32	16	110	—	—	—	—	1	7	55	31	16
	F	149	—	—	1	—	3	13	62	41	29	124	—	—	—	—	—	12	56	33	23
13 Rheumatic fever	M	3	—	—	—	1	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—
	F	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	5	—	—	—	—	1	1	—	2	1	8	—	—	—	—	2	—	2	4	—
	F	6	—	—	—	—	—	1	2	2	1	10	—	—	—	—	—	—	2	7	1
15 Cerebral hæmorrhage, &c.	M	45	—	—	—	—	—	1	9	21	14	35	—	—	—	1	—	1	10	10	13
	F	63	—	—	—	—	—	1	17	18	27	41	—	—	—	1	—	—	6	17	17
16 Heart disease	M	118	—	—	—	5	1	5	50	29	28	104	—	—	—	1	2	4	49	26	22
	F	143	—	—	—	1	11	11	33	41	46	154	—	—	—	—	2	11	48	45	48
17 Arterio-sclerosis	M	40	—	—	—	—	—	—	11	14	15	69	—	—	—	—	—	—	21	16	32
	F	39	—	—	—	—	—	—	2	15	22	66	—	—	—	—	—	—	9	24	33
18 Bronchitis	M	62	3	—	—	—	—	1	13	15	30	41	10	—	—	—	—	3	9	7	12
	F	84	2	1	—	1	—	4	13	21	42	76	3	2	1	—	—	2	7	24	37
19 Pneumonia (all forms)	M	66	10	10	5	1	2	9	17	6	6	97	25	7	10	—	1	9	28	11	6
	F	78	12	8	4	4	2	3	15	9	21	97	18	15	6	3	—	10	15	15	15
20 Other respiratory diseases	M	9	—	—	1	—	—	1	3	2	2	14	—	—	—	—	—	1	7	3	3
	F	12	—	—	—	—	—	—	6	2	4	7	—	—	—	—	—	1	1	—	5
21 Ulcer of stomach or duodenum	M	5	—	—	—	—	—	2	2	—	1	14	1	—	—	—	—	5	7	1	—
	F	3	—	—	—	—	—	1	1	—	1	10	—	—	—	—	—	2	6	1	1
22 Diarrhœa, &c.	M	11	9	1	—	—	—	—	1	—	—	26	23	—	—	1	—	1	1	—	—
	F	8	3	—	2	—	1	1	—	—	1	13	9	—	—	1	—	—	1	—	2
23 Appendicitis and typhlitis	M	9	—	—	1	—	—	4	4	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	1	—	—	1
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	2	2	—	5	—	—	—	—	—	—	4	1	—
	F	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	—	1	3	—	1
25 Acute and chronic nephritis	M	31	1	—	—	—	5	4	11	9	1	43	—	—	—	—	—	6	17	12	8
	F	26	—	—	—	1	2	4	11	3	5	17	—	—	—	—	—	2	7	7	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	40	40	—	—	—	—	—	—	—	—	33	33	—	—	—	—	—	—	—	—
	F	29	29	—	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	1	2	5	—	—	21	—	—	—	—	3	4	12	2	—
	F	10	—	—	—	—	—	1	8	1	—	3	—	—	—	—	—	1	1	1	—
30 Other deaths from violence	M	32	1	1	2	5	7	6	7	2	1	28	2	1	1	2	1	9	9	3	—
	F	15	—	1	—	1	1	3	1	4	4	24	—	2	1	2	—	1	5	3	10
31 Other defined diseases	M	163	11	4	3	4	5	9	37	32	58	120	11	1	5	1	1	11	44	24	22
	F	192	15	1	3	6	2	17	31	22	95	135	9	2	1	3	3	20	33	24	40
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924.
(Civilian population only).

Causes of Death.	Sex.	Poplar. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	St. Marylebone. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1089	144	56	50	37	40	138	309	190	125	693	78	30	14	18	27	64	234	152	76
	F	937	131	48	48	33	38	107	197	165	170	725	45	26	24	7	24	87	199	135	178
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	23	2	14	7	—	—	—	—	—	—	24	6	11	6	—	—	1	—	—	—
	F	15	2	8	3	2	—	—	—	—	—	27	1	15	9	—	1	1	—	—	—
4 Scarlet fever ..	M	3	1	—	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	4	—	1	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	20	10	6	4	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	19	8	4	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	10	2	1	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	1	1	5	2	—	1	—	—	—	3	—	1	1	—	1	—	—	—	—
7 Influenza	M	23	1	—	1	—	—	1	9	7	4	21	—	—	2	—	—	3	5	7	4
	F	27	2	—	—	1	1	3	7	7	6	25	—	—	1	—	—	1	11	4	8
8 Encephalitis lethargica ..	M	2	—	—	—	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	4	—	—	—	1	—	1	2	—	—	2	—	—	—	—	—	1	1	—	—
9 Meningococcal meningitis ..	M	2	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	96	—	1	1	—	14	43	32	4	1	66	—	1	—	—	8	16	35	5	1
	F	66	—	1	2	4	12	27	17	2	1	34	—	—	—	2	11	14	6	1	—
11 Other tuberculous diseases	M	23	4	—	9	6	1	2	1	—	—	9	2	—	1	1	4	—	—	1	—
	F	12	1	1	2	3	3	1	—	1	—	10	2	—	5	—	2	—	1	—	—
12 Cancer, malignant disease	M	117	—	—	—	1	2	10	60	31	13	84	—	1	—	1	2	3	39	32	6
	F	97	—	—	—	—	—	14	46	24	13	109	—	—	—	1	—	13	56	22	17
13 Rheumatic fever ..	M	4	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	1	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	5	—	—	—	—	—	—	2	2	1	4	—	—	—	—	1	—	2	1	—
	F	8	—	—	—	—	1	—	5	2	—	8	—	—	—	—	—	—	3	5	—
15 Cerebral hæmorrhage, &c. ..	M	30	—	—	—	—	—	2	11	9	8	23	—	—	—	—	—	—	6	11	6
	F	28	—	—	—	—	—	—	12	8	8	40	—	—	—	—	—	—	11	13	16
16 Heart disease ..	M	141	—	—	1	4	4	10	52	41	29	70	—	—	—	1	4	8	27	19	11
	F	133	—	—	—	2	9	14	36	39	33	104	—	—	—	—	3	10	21	39	31
17 Arterio-sclerosis ..	M	42	—	—	—	—	—	—	9	14	19	23	—	—	—	—	—	2	8	5	8
	F	49	—	—	—	—	—	—	11	11	27	19	—	—	—	—	—	—	3	5	11
18 Bronchitis ..	M	79	5	1	2	—	—	5	25	30	11	62	6	1	1	—	—	3	24	17	10
	F	101	9	3	2	—	—	4	13	25	45	76	1	1	—	—	—	—	15	18	41
19 Pneumonia (all forms)	M	169	31	29	9	4	6	17	41	22	10	72	15	11	3	2	2	8	15	13	3
	F	127	38	23	16	3	3	9	12	13	10	63	6	6	4	—	—	10	19	8	10
20 Other respiratory diseases	M	11	2	—	—	—	—	1	4	4	—	14	1	1	—	—	—	1	6	3	2
	F	10	1	1	2	3	—	—	1	—	2	14	—	1	—	—	—	1	6	1	5
21 Ulcer of stomach or duodenum ..	M	15	—	—	—	—	—	5	6	2	2	8	—	—	—	—	—	—	5	2	1
	F	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c. ..	M	19	17	2	—	—	—	—	—	—	—	12	11	1	—	—	—	—	—	—	—
	F	11	10	—	—	—	—	—	1	—	—	11	7	2	—	—	—	1	1	—	—
23 Appendicitis and typhlitis.. ..	M	7	—	—	—	3	2	2	—	—	—	3	—	—	—	1	—	1	1	—	—
	F	7	—	—	1	1	1	1	3	—	—	3	—	—	—	1	—	2	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	1	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1	—
25 Acute and chronic nephritis ..	M	16	—	—	—	—	1	2	10	1	2	17	—	—	—	1	—	1	11	2	2
	F	29	—	—	1	1	1	3	12	7	4	15	—	—	—	—	—	4	4	5	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	50	50	—	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
	F	45	44	—	—	—	1	—	—	—	—	19	19	—	—	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	—	5	4	—	—	14	—	—	—	—	2	4	7	1	—
	F	4	—	—	—	—	—	2	1	1	—	6	—	—	—	—	1	1	3	1	—
30 Other deaths from violence.. ..	M	49	2	—	1	9	6	13	8	5	5	22	1	—	—	4	—	3	9	2	
	F	22	1	1	2	3	—	2	1	6	6	12	1	—	2	—	—	—	4	—	5
31 Other defined diseases	M	122	16	2	8	6	3	18	31	18	20	111	11	1	—	6	4	9	31	30	19
	F	93	13	3	3	4	4	17	16	18	15	103	7	—	2	2	3	16	30	12	31
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924.
(Civilian population only).

	Causes of Death.	Sex.	St. Pancras. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Shoreditch. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	1457	185	52	51	39	42	155	473	267	193	797	132	57	32	18	40	80	221	136	81
		F	1358	116	49	58	30	53	144	353	258	297	648	90	59	40	17	29	76	153	96	88
1	Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	33	7	14	10	2	—	—	—	—	—	32	9	16	5	2	—	—	—	—	—
		F	41	8	13	17	1	1	—	—	1	—	31	4	18	8	1	—	—	—	—	—
4	Scarlet fever ..	M	5	—	—	3	1	1	—	—	—	—	2	—	1	1	—	—	—	—	—	—
		F	7	—	1	6	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5	Whooping cough ..	M	22	6	11	4	1	—	—	—	—	—	19	11	5	3	—	—	—	—	—	—
		F	24	7	9	7	1	—	—	—	—	—	9	4	2	3	—	—	—	—	—	—
6	Diphtheria ..	M	11	—	—	9	2	—	—	—	—	—	4	—	2	2	—	—	—	—	—	—
		F	11	—	1	7	2	—	1	—	—	—	11	2	1	4	4	—	—	—	—	—
7	Influenza	M	39	2	3	2	—	1	5	14	6	6	13	1	—	1	—	1	1	5	2	2
		F	42	4	2	1	2	—	5	12	8	8	16	—	—	1	—	1	1	7	2	4
8	Encephalitis lethargica ..	M	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	1	1	—	1	1	—	3	—	—	1	—	1	—	—	—	—	—	—	—
9	Meningococcal meningitis ..	M	4	4	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	133	—	—	—	2	14	47	62	8	—	72	—	1	1	1	12	26	30	1	—
		F	100	—	—	2	2	25	40	25	4	2	54	—	—	1	1	10	26	15	1	—
11	Other tuberculous diseases	M	16	2	1	7	1	3	—	1	1	—	12	2	3	2	2	1	1	1	—	—
		F	20	1	3	4	3	4	2	2	—	1	8	1	1	2	2	1	1	—	—	—
12	Cancer, malignant disease	M	137	—	—	—	—	2	5	67	41	22	74	—	—	—	—	—	4	38	22	10
		F	167	—	—	—	—	1	16	88	36	26	55	—	—	—	1	—	7	30	8	9
13	Rheumatic fever ..	M	3	—	—	—	2	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
14	Diabetes	M	13	—	—	—	—	1	—	7	3	2	1	—	—	—	—	1	—	—	—	—
		F	17	—	—	1	—	—	2	8	4	2	2	—	—	—	—	—	—	2	—	—
15	Cerebral hæmorrhage, &c. ..	M	61	—	—	—	—	1	4	30	16	10	15	—	—	—	—	—	1	4	9	1
		F	66	—	—	—	—	—	—	22	28	16	22	—	—	—	—	1	1	9	8	3
16	Heart disease ..	M	157	—	1	1	4	4	12	62	49	24	76	—	—	—	1	7	13	25	22	8
		F	208	—	—	—	5	7	18	57	67	54	68	—	—	—	1	6	13	24	14	10
17	Arterio-sclerosis ..	M	35	—	—	—	—	—	—	8	13	14	45	—	—	—	—	—	—	5	22	18
		F	47	—	—	—	—	—	—	8	14	25	33	—	—	—	—	—	—	6	12	15
18	Bronchitis ..	M	162	7	—	—	—	—	7	49	50	49	98	11	2	1	—	—	5	36	25	18
		F	151	5	2	1	—	—	3	24	47	69	75	9	2	3	—	—	1	13	21	26
19	Pneumonia (all forms)	M	130	33	17	6	3	2	11	39	12	7	87	33	17	5	—	4	3	19	5	1
		F	88	25	12	4	2	1	8	21	7	8	85	20	24	8	2	1	5	12	11	2
20	Other respiratory diseases	M	28	2	—	—	1	1	2	12	7	3	5	1	—	—	—	1	1	1	1	—
		F	18	—	—	—	—	—	1	7	4	6	3	—	—	1	—	—	—	2	—	—
21	Ulcer of stomach or duodenum ..	M	18	—	—	—	—	—	7	9	2	—	8	—	—	—	—	—	3	5	—	—
		F	5	—	—	—	—	—	1	3	—	1	1	—	—	—	—	—	1	—	—	—
22	Diarrhœa, &c. ..	M	42	39	2	—	—	—	1	—	—	—	17	11	5	1	—	—	—	—	—	—
		F	22	14	3	1	—	—	—	2	—	2	11	9	1	—	—	—	—	—	1	—
23	Appendicitis and typhlitis.. ..	M	5	—	—	—	1	—	1	1	1	1	5	—	—	—	1	1	2	—	1	—
		F	10	—	—	—	1	3	2	3	1	—	4	—	—	—	1	—	1	2	—	—
24	Cirrhosis of liver ..	M	9	—	—	—	1	—	—	7	1	—	6	—	—	—	—	—	—	3	3	—
		F	8	—	—	—	—	—	1	6	1	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis ..	M	39	—	—	—	—	1	4	19	9	6	29	1	—	—	1	—	1	10	9	7
		F	26	—	—	—	1	1	5	11	5	3	23	1	1	—	—	2	3	12	2	2
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	—	3	—	—	—	—	2	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	9	—	—	—	7	—	—	—	—	3	4	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	56	56	—	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
		F	42	41	—	—	1	—	—	—	—	—	29	29	—	—	—	—	—	—	—	—
29	Suicide	M	22	—	—	—	—	—	6	11	5	—	12	—	—	—	—	1	2	7	2	—
		F	5	—	—	—	—	—	1	2	1	1	5	—	—	—	—	—	1	4	—	—
30	Other deaths from violence.. ..	M	55	3	1	3	8	7	14	12	5	2	31	4	1	7	2	4	5	4	1	3
		F	23	—	1	2	4	2	4	4	3	3	16	2	1	3	—	—	—	2	4	4
31	Other defined diseases	M	217	24	2	6	10	3	24	63	38	47	95	12	3	2	7	7	12	28	11	13
		F	185	9	1	5	4	7	19	43	27	70	73	9	7	5	3	2	9	13	12	13
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924 (Civilian population only).

	Causes of Death.	Sex.	Southwark. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Stepney. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	1496	185	73	58	53	58	177	458	252	182	1692	249	80	59	52	76	212	518	278	168
		F	1150	114	55	52	44	57	125	289	210	204	1451	162	88	52	45	66	180	387	262	209
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	5	—	1	—	—	1	1	2	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	38	12	22	3	1	—	—	—	—	—	31	13	10	8	—	—	—	—	—	—
		F	38	12	18	8	—	—	—	—	—	—	34	3	17	12	2	—	—	—	—	—
4	Scarlet fever	M	6	—	3	2	1	—	—	—	—	—	—	—		—	—	—	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
5	Whooping cough	M	8	3	2	2	1	—	—	—	—	—	21	10	4	6	1	—	—	—	—	—
		F	8	2	3	3	—	—	—	—	—	—	18	3	11	3	1	—	—	—	—	—
6	Diphtheria	M	29	—	1	16	9	2	—	—	1	—	14	3	4	6	1	—	—	—	—	—
		F	21	1	2	8	10	—	—	—	—	—	10	1	2	4	3	—	—	—	—	—
7	Influenza	M	35	3	3	3	1	—	5	12	4	4	29	—	—	3	—	2	5	9	5	5
		F	26	—	—	1	1	1	6	8	7	2	43	—	3	1	2	2	6	14	8	7
8	Encephalitis lethargica	M	7	2	—	—	—	4	1	—	—	—	4	—	—	—	2	1	1	—	—	—
		F	4	—	—	—	—	1	—	3	—	—	4	—	1	—	—	1	2	—	—	—
9	Meningococcal meningitis	M	3	—	—	1	—	—	2	—	—	—	5	2	1	1	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—
10	Tuberculosis of respiratory system	M	172	1	—	1	1	23	69	67	10	—	193	—	1	—	3	29	68	82	9	1
		F	91	—	1	—	3	26	35	22	2	2	100	2	1	3	4	26	44	17	3	—
11	Other tuberculous diseases	M	17	2	—	4	4	2	4	1	—	—	25	4	3	4	3	6	3	2	—	—
		F	23	2	2	7	6	2	2	2	—	—	23	2	7	5	3	1	2	2	1	—
12	Cancer, malignant disease	M	131	—	—	—	—	1	7	73	36	14	159	—	—	—	1	1	25	82	37	13
		F	117	—	—	—	—	—	16	61	23	17	147	1	—	1	—	1	16	72	35	21
13	Rheumatic fever	M	4	—	—	—	4	—	—	—	—	—	7	—	—	—	3	2	—	2	—	—
		F	3	—	—	—	1	2	—	—	—	—	8	—	—	—	5	2	—	1	—	—
14	Diabetes	M	5	—	—	—	—	—	—	4	—	1	16	—	—	—	1	—	4	7	2	2
		F	8	—	—	—	—	—	1	3	3	1	22	—	—	—	—	—	4	12	5	1
15	Cerebral hæmorrhage, &c.	M	56	—	—	—	—	—	4	22	20	10	61	—	—	—	1	3	1	17	28	11
		F	50	—	—	—	—	—	—	22	20	8	82	—	—	—	—	1	1	37	27	16
16	Heart disease	M	207	—	1	—	7	11	11	66	53	58	179	—	—	—	7	12	16	64	38	42
		F	194	—	—	1	2	11	17	52	51	60	249	—	—	—	11	11	30	75	67	55
17	Arterio-sclerosis	M	53	—	—	—	—	—	1	12	21	19	76	—	—	—	—	—	1	27	32	16
		F	37	—	—	—	—	—	—	6	17	14	47	—	—	—	—	—	1	20	17	9
18	Bronchitis	M	107	8	2	2	—	—	5	33	36	21	122	11	2	1	—	1	8	43	39	17
		F	98	1	1	—	—	—	1	19	36	40	118	7	1	1	—	—	5	32	34	38
19	Pneumonia (all forms)	M	165	37	28	11	4	3	19	44	18	1	217	47	35	19	3	3	21	53	23	13
		F	104	20	16	10	2	2	7	27	11	9	172	38	30	14	2	1	17	27	24	19
20	Other respiratory diseases	M	10	—	2	—	—	—	1	5	1	1	24	6	1	—	—	1	3	9	2	2
		F	10	—	1	—	—	—	2	3	2	2	15	—	1	—	—	—	1	3	2	8
21	Ulcer of stomach or duodenum	M	20	—	—	—	—	—	3	15	2	—	25	—	—	—	—	—	6	13	3	3
		F	4	—	—	—	—	—	3	—	1	—	1	—	—	—	—	—	1	—	—	—
22	Diarrhœa, &c.	M	30	25	4	1	—	—	—	—	—	—	47	38	5	—	—	1	—	1	1	1
		F	17	13	1	—	—	—	1	—	2	—	39	29	6	2	—	1	1	—	—	—
23	Appendicitis and typhlitis	M	3	—	—	—	2	—	—	1	—	—	7	—	—	1	1	3	1	1	—	—
		F	10	—	—	2	3	1	2	2	—	—	12	—	—	1	4	5	—	1	1	—
24	Cirrhosis of liver	M	5	—	—	—	—	—	—	3	2	—	5	—	—	—	—	—	1	3	1	—
		F	3	—	—	—	—	—	—	—	2	1	4	—	—	—	—	—	1	1	2	—
25	Acute and chronic nephritis	M	56	—	—	—	—	1	8	21	17	9	52	—	—	1	1	2	6	26	13	3
		F	41	—	—	—	—	3	2	17	10	9	31	—	—	—	—	1	7	16	4	3
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	3	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	2	6	—	—	—	6	—	—	—	—	1	4	1	—	—
28	Congenital debility and malformation, premature birth	M	77	74	1	—	1	1	—	—	—	—	80	76	1	1	—	—	1	1	—	—
		F	49	48	—	—	1	—	—	—	—	—	53	51	1	—	1	—	—	—	—	—
29	Suicide	M	18	—	—	—	—	—	7	7	2	2	8	—	—	—	—	1	1	5	1	—
		F	3	—	—	—	—	—	2	1	—	—	5	—	—	—	—	1	4	—	—	—
30	Other deaths from violence	M	44	—	2	5	7	4	11	7	4	4	58	4	6	3	5	3	13	10	8	6
		F	23	1	3	3	3	1	2	2	4	4	36	4	2	3	1	1	3	9	6	7
31	Other defined diseases	M	188	18	2	6	10	6	19	64	25	38	226	35	7	5	18	5	26	61	36	33
		F	148	14	3	6	11	4	17	39	19	35	159	19	3	2	6	9	25	45	25	25
32	Causes ill-defined or unknown	M	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	3	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924.
(Civilian population only).

	Causes of Death.	Sex.	Stoke Newington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Wandsworth. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	281	35	12	6	2	7	27	81	59	52	1732	154	61	36	45	70	173	504	372	317
		F	330	14	7	13	10	9	28	72	69	108	2012	130	46	47	40	68	216	459	412	594
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	1	—	—	—	—	—	—	—	40	9	20	11	—	—	—	—	—	—
		F	3	—	2	1	—	—	—	—	—	—	31	3	13	9	5	—	1	—	—	—
4	Scarlet fever ..	M	1	—	1	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	5	—	1	3	—	—	1	—	—	—
5	Whooping cough ..	M	3	2	1	—	—	—	—	—	—	—	10	2	8	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	18	9	6	3	—	—	—	—	—	—
6	Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	13	—	1	9	1	1	1	—	—	—
		F	4	—	—	3	1	—	—	—	—	—	12	—	2	4	4	1	—	—	—	1
7	Influenza	M	7	—	2	1	—	—	—	1	3	—	62	5	—	1	—	1	9	20	13	13
		F	8	—	1	—	—	—	1	1	3	2	82	1	—	1	1	2	16	21	19	21
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	2	2	—	—
		F	—	—	—	—	—	—	—	—	—	—	7	1	—	1	—	1	1	2	1	—
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	18	—	—	1	1	2	7	6	1	—	126	—	—	—	2	29	50	42	3	—
		F	19	—	—	—	1	5	7	5	—	1	120	2	—	—	4	29	48	31	4	2
11	Other tuberculous diseases	M	4	—	1	1	—	—	—	2	—	—	27	2	—	3	11	2	4	5	—	—
		F	5	—	—	3	2	—	—	—	—	—	22	2	1	6	2	3	5	2	1	—
12	Cancer, malignant disease	M	29	—	—	—	1	—	—	15	7	6	229	—	—	2	—	1	8	106	75	37
		F	51	—	—	—	—	1	4	21	14	11	280	1	—	—	—	1	22	124	79	53
13	Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	6	—	—	—	1	2	1	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	3	1	2	—	1	—
14	Diabetes	M	7	—	—	—	—	—	2	2	2	1	13	—	—	—	—	—	—	7	5	1
		F	7	—	—	—	—	—	1	2	3	1	17	—	—	—	—	—	2	4	7	4
15	Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	5	9	10	74	—	—	—	—	1	2	23	18	30
		F	26	—	—	—	—	—	—	1	8	17	136	—	—	—	—	—	3	44	30	59
16	Heart disease ..	M	34	—	—	—	—	—	1	13	10	10	258	—	—	—	4	8	19	70	85	72
		F	54	—	—	—	1	1	6	14	14	18	360	—	—	—	2	6	23	64	114	151
17	Arterio-sclerosis ..	M	13	—	—	—	—	—	1	5	1	6	70	—	—	—	—	—	1	12	34	23
		F	22	—	—	—	—	—	—	2	3	17	61	—	—	—	—	—	1	8	19	33
18	Bronchitis ..	M	14	1	—	—	—	—	1	1	8	3	109	8	1	—	—	—	4	31	28	37
		F	18	—	—	—	1	—	—	4	6	7	140	9	1	1	—	—	2	17	32	78
19	Pneumonia (all forms)	M	22	8	3	—	—	1	2	5	3	—	124	25	23	5	3	1	14	34	12	7
		F	28	5	2	2	—	—	1	8	3	7	99	17	11	9	1	2	8	22	12	17
20	Other respiratory diseases	M	1	—	—	—	—	—	—	—	—	1	18	—	—	1	—	1	2	8	2	4
		F	5	—	—	—	—	—	—	1	2	2	35	1	—	—	—	2	3	8	7	14
21	Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	1	3	—	—	20	—	—	—	—	—	3	12	4	1
		F	1	—	—	—	—	—	—	1	—	—	8	—	—	—	—	—	2	5	1	—
22	Diarrhœa, &c. ..	M	4	4	—	—	—	—	—	—	—	—	17	14	1	—	—	—	—	1	1	—
		F	3	1	—	1	—	—	1	—	—	—	18	6	1	—	—	1	3	2	1	4
23	Appendicitis and typhlitis.. ..	M	4	—	—	—	—	—	—	3	1	—	12	—	—	—	3	2	2	3	1	1
		F	1	—	—	—	—	1	—	—	—	—	16	—	—	2	2	—	4	5	1	2
24	Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	—	1	16	—	—	—	—	—	—	9	5	2
		F	1	—	—	—	—	—	—	1	—	—	16	—	—	—	—	—	2	11	1	2
25	Acute and chronic nephritis ..	M	11	1	—	—	—	—	2	2	5	1	61	—	—	—	—	4	6	22	21	8
		F	5	—	—	—	—	—	1	2	—	2	61	—	—	—	3	2	6	16	20	14
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	11	—	—	—	—	4	7	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	15	—	—	—	—	1	14	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	16	16	—	—	—	—	—	—	—	—	64	63	—	—	1	—	—	—	—	—
		F	7	7	—	—	—	—	—	—	—	—	48	48	—	—	—	—	—	—	—	—
29	Suicide	M	7	—	—	—	—	—	2	5	—	—	23	—	—	—	—	—	7	11	3	2
		F	2	—	—	—	—	—	1	1	—	—	9	—	—	—	—	—	7	1	1	—
30	Other deaths from violence.. ..	M	7	1	1	1	—	—	2	2	—	—	68	3	4	2	9	6	13	13	11	7
		F	9	—	—	2	—	—	—	2	1	4	46	2	1	3	4	—	4	9	6	17
31	Other defined diseases	M	45	2	2	1	—	3	5	11	8	13	263	23	3	1	7	10	25	72	50	72
		F	48	1	2	1	4	1	2	6	12	19	330	28	7	5	9	12	29	63	55	122
32	Causes ill-defined or unknown ..	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1924 (Civilian population only).

	Causes of Death.	Sex.	Westminster. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Woolwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	907	58	11	13	23	22	107	335	186	152	802	87	17	26	28	36	98	231	156	123
		F	779	39	20	26	18	24	78	221	175	178	741	81	22	25	16	44	90	155	128	180
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	10	5	2	2	—	—	—	—	1	—	16	5	3	6	2	—	—	—	—	—
		F	16	4	6	5	1	—	—	—	—	—	12	1	6	3	2	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	2	2	—	—	—	—	—	4	—	—	3	1	—	—	—	—	—
5	Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—	10	6	2	2	—	—	—	—	—	—
6	Diphtheria ..	M	10	—	1	3	6	—	—	—	—	—	5	—	1	4	—	—	—	—	—	—
		F	15	—	2	6	7	—	—	—	—	—	4	—	—	4	—	—	—	—	—	—
7	Influenza	M	25	—	—	—	1	1	3	8	7	5	34	2	1	1	1	—	9	14	4	2
		F	33	—	1	—	—	1	2	8	14	7	25	—	—	2	—	1	5	6	5	6
8	Encephalitis lethargica ..	M	3	—	1	—	—	1	—	1	—	—	3	—	—	2	—	—	—	1	—	—
		F	3	—	—	—	—	1	—	2	—	—	2	—	—	—	—	—	2	—	—	—
9	Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	91	—	—	—	1	4	37	37	11	1	93	—	1	1	5	17	36	32	1	—
		F	34	—	—	1	—	9	16	7	1	—	78	1	—	—	1	27	33	13	2	1
11	Other tuberculous diseases	M	9	2	1	1	2	—	2	1	—	—	19	3	1	4	5	1	4	—	1	—
		F	7	1	1	—	—	1	3	—	1	—	9	2	1	4	1	1	—	—	—	—
12	Cancer, malignant disease	M	108	—	—	1	—	1	7	60	23	16	87	—	—	—	—	—	10	39	28	10
		F	99	1	1	—	—	—	5	52	29	11	94	—	—	—	—	—	9	50	23	12
13	Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	—	1	—	—
		F	1	—	—	—	1	—	—	—	—	—	4	—	—	—	2	1	—	1	—	—
14	Diabetes	M	9	—	—	—	—	—	2	3	3	1	8	—	—	—	—	—	—	4	4	—
		F	6	—	—	—	—	—	1	2	1	2	8	—	—	—	—	—	2	3	2	1
15	Cerebral hæmorrhage, &c. ..	M	32	—	—	—	—	—	2	15	8	7	37	—	—	—	—	—	—	9	14	14
		F	51	—	—	—	—	—	—	14	20	17	53	—	—	—	—	—	2	14	17	20
16	Heart disease ..	M	143	—	—	—	4	2	9	40	44	44	89	—	—	—	2	2	6	31	33	15
		F	126	—	—	—	1	1	9	33	37	45	84	—	—	—	1	2	3	27	29	22
17	Arterio-sclerosis ..	M	43	—	—	—	—	—	—	15	11	17	32	—	—	—	—	—	1	5	13	13
		F	23	—	—	—	—	—	—	3	10	10	17	—	—	—	—	—	—	4	4	9
18	Bronchitis ..	M	63	2	1	—	—	—	1	26	14	19	74	11	2	—	—	—	4	13	21	23
		F	73	2	1	—	1	—	1	12	22	34	68	4	1	—	1	—	1	4	20	37
19	Pneumonia (all forms)	M	79	12	4	3	2	2	10	19	16	11	47	11	8	3	—	1	5	10	5	4
		F	60	4	5	3	—	1	4	18	13	12	48	14	8	2	—	2	7	5	5	5
20	Other respiratory diseases	M	15	1	—	—	—	—	2	8	3	1	5	1	—	—	—	—	—	2	—	2
		F	7	—	1	—	—	—	1	3	—	2	5	—	—	—	—	—	—	2	1	2
21	Ulcer of stomach or duodenum ..	M	16	—	—	—	—	—	—	12	3	1	8	—	—	—	—	1	3	4	—	—
		F	4	—	—	—	—	—	1	3	—	—	3	—	—	—	1	—	—	2	—	—
22	Diarrhœa, &c.	M	3	1	—	1	—	—	—	—	1	—	10	7	—	—	—	—	—	1	1	1
		F	3	3	—	—	—	—	—	—	—	—	7	3	—	—	—	—	1	1	—	2
23	Appendicitis and typhlitis.. ..	M	6	—	—	—	—	1	2	2	—	1	3	—	—	—	2	—	—	1	—	—
		F	5	—	—	1	1	—	1	—	1	1	4	—	—	—	—	—	1	1	2	—
24	Cirrhosis of liver ..	M	9	—	—	—	—	—	1	6	2	—	6	—	—	—	—	—	1	4	1	—
		F	5	—	—	—	—	—	1	4	—	—	3	—	—	—	—	—	—	1	1	
25	Acute and chronic nephritis ..	M	25	—	—	—	—	1	3	13	6	2	25	—	—	—	2	1	2	11	6	3
		F	19	—	—	—	—	—	3	11	3	2	11	1	—	1	—	—	2	3	2	2
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	1	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	—	8	—	—	—	—	3	5	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	19	19	—	—	—	—	—	—	—	—	29	28	—	—	1	—	—	—	—	—
		F	19	16	—	—	2	1	—	—	—	—	34	31	1	1	1	—	—	—	—	—
29	Suicide	M	16	—	—	—	—	1	4	9	2	—	9	—	—	—	—	1	3	4	—	
		F	4	—	—	—	—	1	1	2	—	—	3	—	—	—	—	—	2	1	—	—
30	Other deaths from violence.. ..	M	32	2	—	1	3	2	9	11	3	1	25	—	—	—	4	5	5	6	4	
		F	32	1	—	—	1	1	6	12	6	5	14	1	1	—	1	—	1	2	3	
31	Other defined diseases	M	137	12	1	1	3	5	13	49	28	25	134	18	—	4	3	7	9	39	20	3
		F	121	6	1	8	1	5	18	35	17	30	125	17	2	2	4	6	12	15	12	5
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 20—*contd.*

Causes of Death at Different Periods of Life in County Boroughs—1924 (Civilian population only).

Causes of Death.	Sex.	Barnsley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Barrow-in-Furness. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	503	100	23	24	19	21	50	116	102	48	457	48	12	19	18	22	49	127	86	76
	F	465	84	33	19	23	15	61	96	71	63	408	43	9	15	12	23	38	89	91	88
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	1	3	4	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	13	2	5	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—	—
	F	5	2	2	1	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—
6 Diphtheria	M	1	—	1	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza	M	18	—	1	2	2	2	4	—	4	3	22	1	—	—	—	2	7	7	2	3
	F	27	1	1	2	3	—	4	4	7	5	18	2	1	—	—	—	2	7	3	3
8 Encephalitis lethargica	M	1	—	—	—	1	—	—	—	—	—	3	—	—	1	—	—	2	—	—	—
	F	2	1	—	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	38	—	2	1	2	5	13	13	2	—	35	—	—	1	1	7	14	9	2	1
	F	29	2	—	1	5	8	9	4	—	—	16	—	—	—	2	6	7	1	—	—
11 Other tuberculous diseases	M	10	3	1	1	1	1	2	1	—	—	13	—	1	4	5	1	1	1	—	—
	F	3	—	1	—	1	1	—	—	—	—	10	1	1	2	1	1	3	—	—	1
12 Cancer, malignant disease	M	38	—	—	1	—	—	2	19	14	2	38	—	—	—	—	—	2	18	11	7
	F	42	—	—	—	—	—	8	19	7	8	49	—	—	—	—	—	6	25	13	5
13 Rheumatic fever	M	2	—	—	—	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	5	—	—	—	3	—	2	—	—	—	3	—	—	—	2	1	—	—	—	—
14 Diabetes	M	6	—	—	—	—	—	—	2	4	—	3	—	—	—	—	1	—	1	1	—
	F	1	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—	—	2	2	1
15 Cerebral hæmorrhage, &c.	M	20	—	—	—	—	—	—	10	9	1	15	—	—	—	—	—	—	3	7	5
	F	20	—	—	—	—	—	—	5	11	4	30	—	—	—	—	—	1	9	11	9
16 Heart disease	M	37	—	—	—	—	1	9	9	15	3	51	—	—	—	—	1	2	17	16	15
	F	42	—	—	—	2	1	4	15	12	8	65	—	—	—	1	5	9	16	19	15
17 Arterio-sclerosis	M	21	—	—	—	—	—	—	6	12	3	28	—	—	—	—	—	1	7	15	5
	F	14	—	—	—	—	—	—	4	5	5	13	—	—	—	—	—	—	—	7	6
18 Bronchitis	M	60	10	4	2	—	—	2	13	14	15	47	4	1	—	—	—	3	12	12	15
	F	52	6	3	—	—	—	2	14	15	12	55	7	1	—	1	2	2	8	19	15
19 Pneumonia (all forms)	M	47	15	8	3	4	1	5	5	4	2	40	6	3	6	2	2	5	10	4	2
	F	45	14	15	7	3	—	1	4	1	—	29	5	3	5	3	4	—	5	4	—
20 Other respiratory diseases	M	5	—	—	—	—	2	—	3	—	—	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	1	—	—	—	1	—	—	3	1	—	1	—	—	—	1	—	—
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	3	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c.	M	20	17	2	—	—	—	1	—	—	—	4	1	1	1	—	—	1	—	—	—
	F	19	15	2	—	—	—	1	—	—	1	6	4	—	1	—	—	—	—	1	—
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	2	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	17	—	—	—	1	1	1	9	5	—	6	—	1	—	—	—	1	1	3	—
	F	11	—	—	—	—	—	5	4	2	—	5	—	—	—	—	—	—	2	1	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	39	39	—	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	—
	F	30	30	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide	M	5	—	—	—	1	—	1	1	1	1	10	—	—	—	—	2	1	7	—	—
	F	5	—	—	—	—	1	—	4	—	—	1	—	—	—	—	1	—	—	—	—
30 Other deaths from violence	M	23	—	1	4	2	4	3	6	3	—	12	—	1	—	3	1	2	5	—	—
	F	8	1	—	1	—	—	1	3	1	1	8	—	—	1	—	—	2	1	1	3
31 Other defined diseases	M	80	14	—	5	4	3	6	16	14	18	80	5	2	3	3	3	5	24	12	23
	F	68	9	3	—	4	—	11	13	10	18	59	6	1	1	1	1	3	8	10	28
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	3	1	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Bath. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Birkenhead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	400	47	2	4	6	12	42	108	88	91	967	170	64	46	30	49	105	257	155	9
	F	554	31	2	—	6	18	47	108	126	216	885	133	52	38	31	51	88	194	154	14
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	23	3	11	9	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	17	2	6	6	3	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
5 Whooping cough	M	3	3	—	—	—	—	—	—	—	—	17	10	5	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	25	7	10	6	2	—	—	—	—	—
6 Diphtheria	M	2	—	1	—	—	1	—	—	—	—	4	—	—	3	1	—	—	—	—	—
	F	4	1	—	—	2	1	—	—	—	—	3	—	1	—	2	—	—	—	—	—
7 Influenza	M	19	2	—	1	—	1	2	2	6	5	22	2	1	—	1	2	4	7	4	[illegible]
	F	38	—	1	—	—	1	2	10	9	15	13	1	1	—	—	—	1	7	3	—
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	26	—	—	—	—	4	17	2	3	—	80	—	—	2	2	21	30	22	1	[illegible]
	F	25	—	—	—	1	6	11	4	2	1	60	1	—	1	3	25	19	10	1	—
11 Other tuberculous diseases	M	4	—	—	—	1	—	2	1	—	—	26	2	3	7	6	4	3	1	—	—
	F	3	—	—	—	—	1	—	2	—	—	28	4	5	9	3	2	4	—	1	—
12 Cancer, malignant disease	M	46	—	—	—	—	—	1	27	12	6	80	1	—	—	—	—	4	43	30	[illegible]
	F	75	—	—	—	—	—	6	28	25	16	106	—	—	—	—	1	12	50	26	17
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	—	6	—	—	—	2	1	1	1	1	—
14 Diabetes	M	4	—	—	—	—	—	—	—	2	2	9	—	—	—	—	2	2	4	1	—
	F	4	—	—	—	—	—	—	3	—	1	1	—	—	—	—	—	—	1	—	—
15 Cerebral hæmorrhage, &c.	M	22	—	—	—	1	—	—	6	10	5	32	—	—	—	—	—	—	11	12	[illegible]
	F	55	—	—	—	—	—	1	7	19	28	45	—	—	—	—	1	1	18	13	12
16 Heart disease	M	62	—	—	—	—	1	5	21	18	17	66	—	—	—	—	1	4	32	20	[illegible]
	F	94	—	—	—	1	2	3	17	32	39	101	—	—	—	2	7	14	39	22	17
17 Arterio-sclerosis	M	25	—	—	—	—	—	1	4	7	13	51	—	—	—	—	—	—	8	19	24
	F	15	—	—	—	—	—	—	2	3	10	51	—	—	—	—	—	—	8	17	26
18 Bronchitis	M	20	4	—	—	—	—	—	3	6	7	83	13	2	—	—	1	7	35	13	12
	F	32	3	—	—	—	—	—	4	9	16	67	7	1	1	1	—	2	6	25	24
19 Pneumonia (all forms)	M	25	9	1	1	—	1	1	6	3	3	127	35	29	13	5	4	10	16	11	[illegible]
	F	24	4	—	—	—	—	5	4	3	8	98	27	19	10	4	4	9	11	8	[illegible]
20 Other respiratory diseases	M	7	—	—	—	—	—	1	2	2	2	16	2	1	2	2	—	3	4	2	—
	F	6	—	—	—	—	—	1	1	1	3	10	1	—	—	—	—	1	3	4	[illegible]
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	1	1	—	1	—	9	—	—	—	—	2	1	4	—	[illegible]
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—
22 Diarrhœa, &c.	M	4	2	—	—	—	—	—	2	—	—	33	24	6	1	—	1	—	1	—	—
	F	3	1	—	—	—	1	—	—	—	1	25	19	2	—	—	—	—	3	1	—
23 Appendicitis and typhlitis	M	3	—	—	—	—	1	1	1	—	—	6	—	—	1	1	1	3	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1	—
	F	3	1	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	14	—	—	—	1	—	3	4	1	5	31	—	1	—	—	2	4	11	9	[illegible]
	F	20	—	—	—	1	—	1	4	8	6	26	—	—	—	—	2	2	9	7	[illegible]
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth	M	20	20	—	—	—	—	—	—	—	—	58	56	1	1	—	—	—	—	—	—
	F	16	16	—	—	—	—	—	—	—	—	46	45	1	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	2	3	2	—	12	—	—	—	—	1	5	6	—	—
	F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	—	2	2	—	—
30 Other deaths from violence	M	9	1	—	1	2	1	1	1	2	—	34	1	2	3	4	4	10	9	—	[illegible]
	F	14	—	—	—	—	—	1	2	5	6	9	—	1	1	3	1	—	—	2	[illegible]
31 Other defined diseases	M	74	5	—	1	1	1	4	23	13	26	137	21	2	2	6	2	15	38	30	2[illegible]
	F	112	5	1	—	1	2	9	19	9	66	122	18	4	3	6	3	10	21	23	3[illegible]
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Birmingham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Blackburn. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	5671	872	240	170	146	219	733	1612	1005	674	873	105	30	12	28	44	89	259	211	95
	F	5370	632	203	181	149	222	625	1246	1002	1110	938	61	23	28	15	32	117	273	234	155
1 Enteric fever ..	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	34	11	15	4	3	1	—	—	—	—	10	—	6	4	—	—	—	—	—	—
	F	45	7	24	12	2	—	—	—	—	—	10	1	4	4	1	—	—	—	—	—
4 Scarlet fever ..	M	9	—	2	6	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	14	—	2	5	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	88	39	35	13	1	—	—	—	—	—	6	4	1	1	—	—	—	—	—	—
	F	97	39	31	26	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
6 Diphtheria ..	M	50	1	5	20	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	49	3	4	15	26	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	184	8	3	4	4	8	43	74	26	14	33	—	—	—	1	1	6	11	11	3
	F	189	1	4	3	4	6	31	55	43	42	62	—	—	1	—	2	7	23	18	11
8 Encephalitis lethargica ..	M	25	2	2	—	1	3	4	9	3	1	1	—	—	—	—	—	1	—	—	—
	F	15	—	—	2	—	1	6	6	—	—	7	—	—	—	—	2	3	2	—	—
9 Meningococcal meningitis ..	M	5	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	542	—	1	4	3	58	264	193	17	2	52	—	—	—	2	12	19	17	2	—
	F	351	—	2	2	7	92	164	75	9	—	30	1	—	—	2	10	12	5	—	—
11 Other tuberculous diseases	M	84	10	11	12	17	13	11	9	1	—	10	1	1	1	1	2	3	1	—	—
	F	73	15	8	15	9	9	9	4	4	—	17	1	2	4	—	2	4	4	—	—
12 Cancer, malignant disease	M	582	—	—	1	4	6	43	310	161	57	85	—	—	—	—	—	3	51	23	8
	F	655	—	—	1	1	5	64	293	182	109	102	—	—	—	—	—	19	51	26	6
13 Rheumatic fever ..	M	20	—	—	1	6	3	6	3	—	1	1	—	—	—	1	—	—	—	—	—
	F	20	—	—	—	11	3	1	4	1	—	4	—	—	—	1	1	1	1	—	—
14 Diabetes	M	37	—	—	—	—	1	3	15	18	—	6	—	—	—	—	—	—	2	3	1
	F	45	—	—	—	—	3	4	23	11	4	9	—	—	—	—	—	1	3	4	1
15 Cerebral hæmorrhage, &c. ..	M	298	—	—	1	1	—	10	105	113	68	51	—	—	—	—	—	1	14	27	9
	F	366	—	—	—	—	1	9	117	138	101	49	—	—	—	—	—	—	13	26	10
16 Heart disease ..	M	594	—	—	2	8	19	49	198	191	127	88	—	—	—	1	4	6	32	35	10
	F	707	—	1	3	13	27	74	198	184	207	139	—	—	1	—	4	17	44	38	35
17 Arterio-sclerosis ..	M	136	—	—	—	—	—	2	34	49	51	46	—	—	—	—	—	1	9	21	15
	F	110	—	—	—	—	—	2	20	35	53	33	—	—	—	—	—	—	8	16	9
18 Bronchitis ..	M	471	58	10	7	—	3	23	120	139	111	83	7	1	1	—	—	5	25	27	17
	F	515	40	10	12	—	2	5	85	161	200	93	5	3	—	—	—	4	21	31	29
19 Pneumonia (all forms)	M	600	159	111	34	11	18	76	120	49	22	119	18	11	2	8	10	19	32	16	3
	F	415	109	73	41	15	6	34	59	42	36	95	13	9	6	6	6	12	17	20	6
20 Other respiratory diseases	M	70	3	2	2	3	3	16	20	14	7	9	—	—	—	1	—	1	5	1	1
	F	44	—	3	2	1	1	7	13	8	9	11	—	—	—	—	—	1	5	1	4
21 Ulcer of stomach or duodenum ..	M	58	1	—	—	—	2	12	35	8	—	11	—	—	—	—	1	2	7	1	—
	F	22	—	—	—	—	1	8	12	1	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c. ..	M	109	84	9	2	1	—	2	2	5	4	13	9	2	—	—	—	—	1	1	—
	F	103	61	11	6	3	3	8	7	3	1	10	4	1	1	1	—	1	2	—	—
23 Appendicitis and typhlitis.. ..	M	34	—	—	5	8	6	7	5	3	—	4	—	—	1	1	1	—	—	1	—
	F	30	—	—	2	7	7	7	5	1	1	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	26	—	—	—	—	—	—	20	6	—	4	—	—	—	—	—	—	2	2	—
	F	17	—	—	—	—	—	2	11	3	1	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	125	—	—	2	3	6	21	49	32	12	15	—	—	—	—	1	1	9	2	2
	F	113	1	—	—	4	5	19	43	26	15	34	—	—	—	—	1	2	14	14	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	37	—	—	—	—	6	31	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	35	—	—	—	—	1	30	4	—	—	9	—	—	—	—	—	9	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	370	365	3	1	—	1	—	—	—	—	41	40	1	—	—	—	—	—	—	—
	F	271	265	2	1	—	2	—	1	—	—	21	21	—	—	—	—	—	—	—	—
29 Suicide	M	59	—	—	—	—	3	16	30	10	—	14	—	—	—	—	—	2	10	2	—
	F	22	—	—	—	—	1	7	13	1	—	9	—	—	—	—	1	3	5	—	—
30 Other deaths from violence.. ..	M	185	12	1	22	15	23	39	46	15	12	26	2	2	1	4	4	3	3	5	2
	F	119	16	7	14	10	9	13	12	14	24	16	—	1	2	—	—	1	2	5	5
31 Other defined diseases	M	840	116	26	26	31	41	81	197	137	185	140	24	5	1	7	8	16	25	30	24
	F	869	73	20	18	29	28	86	176	132	307	165	15	3	7	2	2	17	49	34	36
32 Causes ill-defined or unknown ..	M	34	1	2	—	—	—	5	18	8	—	4	—	—	—	—	—	—	3	1	—
	F	17	1	—	1	—	—	2	10	3	—	3	—	—	—	—	1	—	2	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Blackpool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bolton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	581	46	15	13	20	18	66	189	122	92	1237	155	45	29	36	46	138	381	262	145
	F	621	40	9	10	1	20	66	185	154	136	1258	135	35	34	30	67	140	310	270	237
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	2	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	1	1	1	—	—	—	—	—	7	2	3	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
5 Whooping cough	M	2	1	1	—	—	—	—	—	—	—	12	4	5	2	1	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	16	6	4	4	2	—	—	—	—	—
6 Diphtheria	M	4	—	2	—	2	—	—	—	—	—	5	—	—	4	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	17	1	—	1	—	1	1	6	4	3	58	2	—	—	1	7	11	15	18	4
	F	28	—	—	—	—	—	4	9	7	8	30	1	1	—	2	6	4	6	4	6
8 Encephalitis lethargica	M	7	1	—	1	2	1	1	1	—	—	13	—	—	—	2	—	3	7	1	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	1	—	—	2	2	1	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	2	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
10 Tuberculosis of respiratory system	M	29	—	—	—	—	1	16	11	—	1	90	—	—	—	1	14	43	27	5	—
	F	25	—	—	1	—	8	13	3	—	—	66	—	—	—	4	20	27	13	2	—
11 Other tuberculous diseases	M	14	2	2	3	4	—	1	2	—	—	26	1	4	5	4	3	4	5	—	—
	F	6	—	2	1	—	—	3	—	—	—	18	3	2	3	2	5	2	1	—	—
12 Cancer, malignant disease	M	42	—	—	—	—	—	1	26	10	5	123	—	—	1	—	—	8	64	41	9
	F	99	—	—	—	—	—	6	51	28	14	121	—	—	—	—	2	10	63	32	14
13 Rheumatic fever	M	3	—	—	—	—	—	—	3	—	—	3	—	—	—	1	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	2	2	—	—
14 Diabetes	M	5	—	—	—	—	—	—	5	—	—	10	—	—	—	—	1	1	3	4	1
	F	3	—	—	—	—	—	1	2	—	—	14	—	—	—	—	2	2	2	6	2
15 Cerebral hæmorrhage, &c.	M	49	—	—	—	—	—	1	18	20	10	61	—	—	—	—	1	—	27	19	14
	F	51	—	—	—	—	—	1	17	19	14	88	—	—	—	—	1	3	31	29	24
16 Heart disease	M	67	—	—	—	1	2	8	30	18	8	149	—	—	—	5	5	11	63	50	15
	F	91	—	—	—	—	—	7	32	35	17	183	—	—	—	3	6	18	65	58	33
17 Arterio-sclerosis	M	32	—	—	—	—	—	—	6	15	11	69	—	—	—	—	—	1	14	31	23
	F	11	—	—	—	—	—	—	1	4	6	65	—	—	—	—	—	—	7	24	34
18 Bronchitis	M	44	1	1	—	—	—	3	9	17	13	111	7	5	1	2	—	3	40	36	17
	F	53	1	—	—	—	1	—	9	19	23	146	16	5	2	—	—	4	30	47	42
19 Pneumonia (all forms)	M	33	6	5	2	1	3	2	11	1	2	115	27	17	4	3	2	21	24	15	2
	F	34	8	2	2	—	2	3	12	4	1	102	25	10	12	4	7	13	13	9	9
20 Other respiratory diseases	M	5	—	—	—	—	—	1	3	1	—	17	—	2	—	1	1	1	11	1	—
	F	14	—	—	—	—	1	3	3	3	4	8	1	—	1	—	—	1	2	1	2
21 Ulcer of stomach or duodenum	M	5	—	—	—	—	—	1	2	2	—	9	—	—	—	—	—	3	5	1	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c.	M	3	2	—	—	1	—	—	—	—	—	18	13	2	1	—	—	—	1	—	1
	F	4	1	—	—	—	1	1	1	—	—	24	12	5	1	—	—	—	1	4	1
23 Appendicitis and typhlitis	M	5	—	—	—	1	1	1	1	1	—	3	—	—	—	2	1	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	9	—	—	—	—	3	1	3	1	1
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	6	—	—	—	—	—	1	2	3	—
	F	3	—	—	—	—	—	1	1	1	—	3	—	—	—	—	—	1	2	—	—
25 Acute and chronic nephritis	M	22	—	—	—	—	—	3	11	7	1	36	—	1	2	—	1	6	17	6	3
	F	20	—	—	—	—	—	4	10	6	—	38	—	—	—	—	2	2	20	10	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	9	—	—	—	—	1	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	17	—	—	—	—	1	15	1	—	—
28 Congenital debility and malformation, premature birth	M	26	26	—	—	—	—	—	—	—	—	64	63	—	1	—	—	—	—	—	—
	F	23	22	—	1	—	—	—	—	—	—	48	45	—	—	2	1	—	—	—	—
29 Suicide	M	10	—	—	—	—	1		5	1	—	13	—	—	—	—	1	5	7	—	—
	F	3	—	—	—	—	1	—	2	—	—	6	—	—	—	—	—	3	3	—	—
30 Other deaths from violence	M	31	—	—	3	3	2	9	11	3	—	26	1	1	2	3	2	6	8	3	—
	F	15	—	1	2	—	2	5	2	2	1	30	1	2	3	3	1	2	6	5	7
31 Other defined diseases	M	111	6	3	2	2	6	10	24	20	38	188	35	5	5	7	3	8	41	28	56
	F	122	7	4	2	1	1	7	28	24	48	189	23	2	5	4	5	17	37	38	58
32 Causes ill-defined or unknown	M	8	—	—	—	1	—	3	2	2	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	1	—	2	—	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Bootle. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bournemouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	497	105	33	22	15	21	58	119	75	49	528	28	4	4	6	17	49	132	142	146
	F	469	87	20	15	22	28	56	97	71	73	642	22	—	7	10	25	57	156	139	226
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	10	2	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	4	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	6	4	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	6	2	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	2	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	6	—	—	—	1	—	2	2	—	1	30	2	—	—	—	1	8	6	6	7
	F	5	—	—	—	—	—	1	3	1	—	29	—	—	1	1	—	3	6	4	14
8 Encephalitis lethargica	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	4	—	—	—	—	—	1	—	3	—
9 Meningococcal meningitis	M	1	—	—		—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—	—
10 Tuberculosis of respiratory system	M	55	2	—	1	3	9	24	15	1	—	42	—	—	—	—	6	11	20	5	—
	F	39	1	—	—	4	12	15	7	—	—	39	—	—	1	—	11	18	8	1	—
11 Other tuberculous diseases	M	14	2	2	2	3	2	3	—	—	—	6	—	—	1	1	—	3	1	—	—
	F	12	3	—	2	5	2	—	—	—	—	6	—	—	1	1	2	1	—	—	1
12 Cancer, malignant disease	M	35	—	—	—	—	—	1	22	9	3	54	—	—	—	—	—	2	22	20	10
	F	45	—	—	—	—	—	4	20	15	6	98	—	—	—	—	1	4	43	24	26
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	3	2	—	1	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	3	—	—	—	—	—	2	—	1	—	4	—	—	—	—	—	—	2	—	2
	F	2	—	—	—	—	—	—	1	1	—	10	—	—	—	—	—	—	1	2	7
15 Cerebral hæmorrhage, &c.	M	18	—	—	—	—	—	—	8	7	3	32	—	—	1	—	—	—	4	13	14
	F	18	—	—	—	—	—	—	9	7	2	75	—	—	—	—	—	2	11	20	42
16 Heart disease	M	27	—	—	—	1	2	—	7	11	6	95	—	—	—	—	—	4	21	35	35
	F	43	—	—	—	—	3	8	15	7	10	111	—	—	—	—	—	6	30	30	45
17 Arterio-sclerosis	M	22	—	—	—	—	—	—	6	11	5	32	—	—	—	—	—	—	6	11	15
	F	17	—	—	—	—	—	—	2	8	7	25	—	—	—	—	—	—	2	11	12
18 Bronchitis	M	37	6	1	—	—	—	1	6	9	14	26	—	—	—	—	—	—	2	9	15
	F	29	4	—	—	—	—	1	4	9	11	32	2	—	—	—	2	—	4	3	21
19 Pneumonia (all forms)	M	85	28	15	9	2	2	7	9	10	3	28	3	1	1	2	—	2	5	6	8
	F	64	25	8	6	—	2	3	9	5	6	29	—	—	1	2	2	5	4	5	10
20 Other respiratory diseases	M	4	—	—	—	—	—	—	2	1	1	10	—	—	—	1	—	4	2	1	2
	F	2	—	—	—	—	—	—	—	—	2	10	—	—	—	—	—	1	3	5	1
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	2	4	—	—	11	—	—	—	—	—	1	5	4	1
	F	4	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	21	16	3	—	—	—	1	—	1	—	2	1	—	—	—	—	—	—	—	1
	F	7	6	—	—	1	—	—	—	—	—	7	1	—	—	1	1	—	1	3	—
23 Appendicitis and typhlitis	M	3	—	—	—	—	1	—	2	—	—	10	—	—	—	—	2	4	2	2	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	1	—	—	3	1	1	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	—	1	1	1
25 Acute and chronic nephritis	M	15	—	—	—	1	1	1	9	3	—	18	—	—	—	—	—	2	3	4	9
	F	15	—	—	1	—	—	2	7	2	3	13	—	—	—	—	—	—	6	3	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	29	29	—	—	—	—	—	—	—	—	18	17	—	—	—	1	—	—	—	—
	F	32	32	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	10	—	—	—	—	1	1	6	1	1
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	3	2	1	—
30 Other deaths from violence	M	25	1	2	4	1	2	9	4	1	1	12	1	1	—	—	4	2	2	1	1
	F	9	1	1	2	1	1	—	2	—	1	4	—	—	—	1	1	—	—	—	2
31 Other defined diseases	M	52	14	1	1	—	—	2	15	8	11	84	4	1	—	1	2	5	23	23	25
	F	80	11	4	1	3	3	10	10	14	24	114	7	—	1	3	3	7	32	21	40
32 Causes ill-defined or unknown	M	11	—	1	—	—	—	3	5	1	1	—	—	—	—	—	—	—	—	—	—
	F	7	—	1	—	—	—	1	4	1	—	1	—	—	—	—	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Bradford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Brighton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	2174	289	59	43	34	76	238	714	466	255	856	69	16	15	10	25	81	262	186	192
	F	2190	168	58	54	39	69	220	594	517	471	990	55	12	24	19	37	79	222	245	297
1 Enteric fever	M	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	—	3	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	7	1	4	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough	M	12	7	2	2	1	—	—	—	—	—	8	2	2	2	2	—	—	—	—	—
	F	15	6	5	4	—	—	—	—	—	—	5	3	—	2	—	—	—	—	—	—
6 Diphtheria	M	3	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	5	1	—	—	—	—	—	7	—	—	1	6	—	—	—	—	—
7 Influenza	M	109	8	3	4	1	4	20	37	25	7	31	1	4	1	—	—	4	10	8	3
	F	122	2	2	4	3	3	15	51	17	25	42	—	1	4	—	1	8	10	8	10
8 Encephalitis lethargica	M	5	—	2	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	11	1	1	2	1	1	2	2	—	1	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	3	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	139	—	—	—	6	22	55	49	7	—	69	—	—	—	1	7	29	28	4	—
	F	110	—	—	—	4	33	48	19	5	1	63	—	—	1	1	22	20	16	3	—
11 Other tuberculous diseases	M	35	6	7	5	3	3	7	3	1	—	12	—	1	3	2	2	1	2	—	1
	F	27	2	6	4	5	4	3	2	1	—	9	3	1	—	2	—	1	1	1	—
12 Cancer, malignant disease	M	207	—	—	—	1	1	12	110	63	20	110	—	—	—	—	—	7	49	38	16
	F	246	—	—	—	2	1	19	112	84	28	152	—	—	—	1	1	13	69	41	27
13 Rheumatic fever	M	8	—	—	2	1	1	1	2	—	1	1	—	—	—	—	—	—	1	—	—
	F	10	—	—	—	5	1	2	2	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	16	—	—	—	—	—	2	6	8	—	13	—	—	—	—	1	—	6	2	4
	F	33	—	—	—	—	1	1	16	13	2	15	—	—	—	—	—	—	6	7	2
15 Cerebral hæmorrhage, &c.	M	111	—	—	—	—	1	4	37	49	20	45	—	—	—	—	1	2	12	15	15
	F	150	—	—	—	—	—	1	49	55	45	80	—	—	—	—	—	3	17	23	37
16 Heart disease	M	264	—	—	—	3	6	19	106	79	51	88	—	—	—	—	4	5	26	32	21
	F	333	—	—	—	—	5	23	114	110	81	136	—	—	—	2	—	4	31	47	52
17 Arterio-sclerosis	M	126	—	—	—	—	—	2	38	56	30	41	—	—	—	—	—	—	9	15	17
	F	105	—	—	—	—	—	—	13	43	49	25	—	—	—	—	—	—	2	13	10
18 Bronchitis	M	146	13	2	2	—	—	7	41	42	39	87	4	1	—	—	1	3	15	26	37
	F	236	13	2	1	—	1	8	52	76	83	81	3	1	2	—	—	2	6	32	35
19 Pneumonia (all forms)	M	236	56	20	10	3	11	37	70	19	10	50	8	3	3	—	2	10	16	6	2
	F	159	26	25	11	3	3	18	33	26	14	56	7	6	7	2	2	1	9	16	6
20 Other respiratory diseases	M	32		2	1	—	2	3	16	6	2	19	1	—	—	—	1	—	12	3	2
	F	21	—	—	1	—	1	3	9	3	4	19	1	—	1	—	—	2	5	7	3
21 Ulcer of stomach or duodenum	M	29	—	—	—	—	1	5	19	2	2	7	—	—	—	—	—	—	6	1	—
	F	10	—	—	—	—	1	5	2	2	—	8	—	—	—	—	1	—	6	1	—
22 Diarrhœa, &c.	M	29	18	1	2	1	1	1	2	2	1	10	5	1	1	—	—	—	2	—	1
	F	29	13	2	3	—	—	1	1	4	5	5	4	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis	M	16	—	—	—	1	4	5	4	1	1	5	—	—	—	—	1	1	2	1	—
	F	9	—	—	1	4	2	1	1	—	—	2	—	—	1	—	—	—	1	—	—
24 Cirrhosis of liver	M	16	—	—	—	—	—	1	8	6	1	6	—	—	—	—	—	1	3	1	1
	F	3	—	—	—	—	—	—	3	—	—	6	—	—	—	—	—	—	5	1	—
25 Acute and chronic nephritis	M	48	—	—	—	—	3	6	31	5	3	21	—	—	—	1	—	4	8	4	4
	F	39	—	—	—	—	—	5	14	13	7	20	—	—	—	1	2	1	7	7	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	4	7	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth	M	115	115	—	—	—	—	—	—	—	—	33	33	—	—	—	—	—	—	—	—
	F	75	73	—	1	1	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
29 Suicide	M	24	—	—	—	—	—	9	13	2	—	6	—	—	—	—	—	—	6	—	—
	F	6	—	—	—	—	—	3	3	—	—	2	—	—	—	—	—	2	—	—	—
30 Other deaths from violence	M	70	3	4	7	2	9	8	19	9	9	14	2	—	—	3	1	1	6	—	1
	F	48	2	2	4	1	3	3	10	7	16	20	1	—	1	1	1	2	5	2	7
31 Other defined diseases	M	349	61	12	6	7	6	30	93	76	58	175	12	2	4	1	4	13	43	30	66
	F	349	29	8	11	6	3	44	81	57	110	207	14	2	4	2	4	14	26	35	106
32 Causes ill-defined or unknown	M	17	—	—	—	—	—	2	8	7	—	3	1	1	—	—	—	—	—	—	1
	F	10	—	1	—	—	1	2	5	1	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Bristol. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Burnley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	2322	293	58	63	72	101	252	614	452	417	761	132	35	27	10	34	89	201	168	65
	F	2379	200	46	55	75	81	293	497	466	666	767	83	26	21	22	30	85	211	174	115
1 Enteric fever	M	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	3	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	10	2	7	—	1	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
	F	6	1	2	3	—	—	—	—	—	—	6	2	1	2	1	—	—	—	—	—
4 Scarlet fever	M	3	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	4	3	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	4	2	—	1	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria	M	31	1	2	16	12	—	—	—	—	—	4	—	2	1	1	—	—	—	—	—
	F	29	2	—	17	10	—	—	—	—	—	4	1	—	2	1	—	—	—	—	—
7 Influenza	M	99	3	—	1	1	2	15	33	26	18	60	3	3	1	—	5	10	19	12	7
	F	113	3	1	2	1	4	13	33	22	34	74	5	2	4	2	—	10	21	18	12
8 Encephalitis lethargica	M	9	—	—	—	2	2	3	1	1	—	2	—	—	1	—	1	—	—	—	—
	F	16	—	—	—	5	1	6	4	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	199	1	—	2	3	35	77	74	6	1	45	—	—	2	—	8	21	14	—	—
	F	155	1	—	1	9	34	77	29	4	—	32	—	1	—	3	12	10	6	—	—
11 Other tuberculous diseases	M	46	8	9	11	7	2	6	2	1	—	15	3	1	1	1	3	2	3	1	—
	F	39	6	3	1	10	9	3	4	1	2	15	5	1	2	3	1	2	1	—	—
12 Cancer, malignant disease	M	228	1	1	—	2	3	10	104	80	27	55	—	—	—	—	—	3	28	19	5
	F	265	—	—	1	—	—	32	113	75	44	68	—	—	—	1	—	9	32	18	8
13 Rheumatic fever	M	6	—	—	—	1	2	2	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	11	—	—	2	7	2	—	—	—	—	6	—	—	—	3	1	1	1	—	—
14 Diabetes	M	18	—	—	—	1	2	1	11	1	2	6	—	—	—	—	—	1	2	3	—
	F	18	—	—	—	—	—	2	4	10	2	6	—	—	—	—	—	1	—	3	2
15 Cerebral hæmorrhage, &c.	M	129	—	—	—	—	—	2	35	46	46	43	—	—	—	—	—	3	15	19	6
	F	162	—	—	—	—	—	1	37	56	68	48	—	—	—	—	—	2	21	15	10
16 Heart disease	M	284	1	—	1	3	9	20	87	86	77	85	—	—	—	2	3	5	33	28	14
	F	375	—	—	—	3	5	35	73	118	141	104	—	—	—	2	3	12	37	33	17
17 Arterio-sclerosis	M	106	—	—	—	—	—	1	19	44	42	24	—	—	—	—	—	—	6	15	3
	F	67	—	—	—	—	—	1	12	13	41	14	—	—	—	—	—	—	1	7	6
18 Bronchitis	M	138	22	1	1	1	—	7	19	32	55	89	15	3	1	—	2	3	27	29	9
	F	202	6	—	—	1	1	7	22	50	115	104	8	2	—	—	3	—	31	37	23
19 Pneumonia (all forms)	M	228	63	26	16	7	6	30	37	24	19	92	22	11	10	1	1	15	15	12	5
	F	181	42	22	16	4	3	22	31	21	20	59	13	8	4	1	1	5	10	10	7
20 Other respiratory diseases	M	43	3	—	1	1	4	5	12	10	7	5	—	—	—	—	—	1	—	2	2
	F	22	1	—	1	1	1	1	7	—	10	9	—	—	—	—	1	1	—	4	3
21 Ulcer of stomach or duodenum	M	22	—	—	—	—	1	4	12	2	3	8	—	—	—	—	—	6	2	—	—
	F	12	—	—	—	—	—	2	3	5	2	5	—	—	—	—	—	2	2	1	—
22 Diarrhœa, &c.	M	33	20	2	2	2	—	—	5	—	2	16	11	1	2	—	1	1	—	—	—
	F	29	14	4	1	—	—	1	3	2	4	14	6	2	—	—	—	1	3	1	1
23 Appendicitis and typhlitis	M	15	—	1	—	2	3	3	5	—	1	2	—	—	2	—	—	—	—	—	—
	F	7	—	—	—	2	1	1	3	—	—	3	—	—	—	1	1	1	—	—	—
24 Cirrhosis of liver	M	9	—	—	—	—	—	—	8	—	1	2	—	—	—	—	—	1	1	—	—
	F	7	—	—	—	—	—	2	2	2	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	84	—	2	1	3	4	12	33	16	13	16	—	—	—	—	—	1	9	5	1
	F	66	—	—	—	3	1	9	22	19	12	26	—	1	1	—	2	1	16	5	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	2	6	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	4	14	1	—	—	9	—	—	—	—	—	9	—	—	—
28 Congenital debility and malformation, premature birth	M	112	109	—	—	2	1	—	—	—	—	38	37	1	—	—	—	—	—	—	—
	F	91	88	1	—	—	1	1	—	—	—	26	25	1	—	—	—	—	—	—	—
29 Suicide	M	13	—	—	—	—	—	7	5	—	1	6	—	—	—	—	—	1	5	—	—
	F	13	—	—	—	—	1	3	7	—	2	3	—	—	—	—	1	—	1	1	—
30 Other deaths from violence	M	81	5	—	1	11	12	16	21	10	5	21	—	2	2	3	3	6	2	3	—
	F	46	2	4	3	2	2	4	6	9	14	13	2	—	—	2	1	1	4	2	1
31 Other defined diseases	M	366	49	4	9	10	11	29	90	67	97	117	40	9	2	1	4	8	20	20	13
	F	410	32	7	4	14	9	50	81	59	154	112	16	5	6	2	2	14	23	19	25
32 Causes ill-defined or unknown	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Burton-upon-Trent. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	287	34	8	7	7	11	42	75	63	40	405	34	9	5	9	14	63	135	93	43
	F	294	25	7	6	7	12	29	64	62	82	426	28	4	8	6	12	57	109	119	83
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	9	3	—	1	—	—	—	4	1	—	20	—	—	—	—	1	5	8	5	1
	F	8	—	—	1	—	—	1	1	4	1	9	—	—	—	—	—	2	4	1	2
8 Encephalitis lethargica	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	25	—	—	1	—	4	12	8	—	—	27	—	—	—	—	5	15	6	1	—
	F	14	—	—	—	—	5	5	4	—	—	18	—	—	—	1	5	10	1	1	—
11 Other tuberculous diseases	M	8	1	2	1	—	1	3	—	—	—	5	—	1	—	1	2	—	1	—	—
	F	3	—	—	—	1	1	—	1	—	—	4	1	—	1	—	1	1	—	—	—
12 Cancer, malignant disease	M	27	—	—	—	—	—	—	10	13	4	39	—	—	—	—	—	3	14	18	4
	F	39	—	—	—	—	—	7	15	13	4	59	—	—	—	—	—	8	22	20	9
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	—	2	—	6	—	—	—	—	—	—	4	2	—
	F	1	—	—	—	—	—	—	—	1	—	7	—	—	—	—	—	1	4	2	—
15 Cerebral hæmorrhage, &c.	M	9	—	—	—	—	—	—	1	5	3	16	—	—	—	—	—	—	7	6	3
	F	19	—	—	—	—	—	—	4	5	10	28	—	—	—	—	—	1	11	11	5
16 Heart disease	M	39	—	—	—	—	—	5	12	18	4	71	—	—	—	1	—	8	34	20	8
	F	45	—	—	—	—	1	3	15	15	11	92	—	—	—	—	2	9	33	31	17
17 Arterio-sclerosis	M	10	—	—	—	—	—	—	1	2	7	18	—	—	—	—	—	—	2	12	4
	F	9	—	—	—	—	—	—	3	3	3	18	—	—	—	—	—	2	1	9	6
18 Bronchitis	M	18	3	—	—	—	—	3	4	4	4	28	2	1	—	—	—	1	10	7	7
	F	27	2	—	—	—	—	—	3	6	16	50	1	—	1	1	—	—	8	20	19
19 Pneumonia (all forms)	M	17	4	2	2	—	1	2	5	1	—	53	5	4	4	1	4	13	14	7	1
	F	11	1	4	1	—	1	—	—	2	2	24	7	4	2	—	1	2	6	2	—
20 Other respiratory diseases	M	4	—	—	—	—	—	2	1	1	—	3	1	—	—	—	—	1	—	1	—
	F	6	—	—	—	—	—	1	2	—	3	3	—	—	—	—	—	—	2	—	1
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	—	4	—	—	6	—	—	—	—	—	3	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	1	1	—	—
22 Diarrhœa, &c.	M	4	1	1	—	—	—	—	1	1	—	2	1	1	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	5	1	—	—	—	—	1	2	—	1
23 Appendicitis and typhlitis	M	3	—	—	—	—	1	2	—	—	—	4	—	—	—	3	—	—	—	1	—
	F	2	—	—	—	—	—	—	—	1	1	2	—	—	1	—	—	1	—	—	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	10	—	—	—	—	1	2	3	3	1	10	—	1	—	—	—	—	7	—	2
	F	8	—	—	—	—	1	2	3	2	—	10	—	—	—	2	—	3	2	3	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth	M	16	14	1	—	1	—	—	—	—	—	13	13	—	—	—	—	—	—	—	—
	F	14	13	—	—	—	1	—	—	—	—	13	13	—	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	2	4	—	—	8	—	—	—	—	—	1	6	1	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence	M	7	1	—	—	2	2	1	1	—	—	10	—	—	1	—	—	4	4	1	—
	F	7	1	—	2	2	—	—	—	—	2	4	1	—	1	1	—	1	—	—	—
31 Other defined diseases	M	61	6	2	2	4	—	7	11	12	17	59	11	1	—	2	1	8	13	10	13
	F	59	4	2	1	3	—	3	8	9	29	63	3	—	—	—	2	7	10	18	23
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Canterbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Carlisle. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	169	12	6	3	2	2	17	41	37	49	374	57	12	7	14	18	33	91	93	49
	F	140	9	1	2	3	8	9	30	22	56	404	49	12	13	15	15	41	87	89	83
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	4	—	2	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	1	4	—	—	—	—	—
7 Influenza	M	3	—	—	1	—	—	—	2	—	—	11	1	—	—	—	2	—	1	4	3
	F	1	—	—	—	—	—	—	1	—	—	15	1	—	—	—	1	1	2	3	7
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	17	—	—	—	—	1	6	7	3	—	24	—	1	—	—	5	10	6	2	—
	F	10	—	—	—	—	5	3	1	—	1	29	—	—	—	3	6	8	10	2	—
11 Other tuberculous diseases	M	—	—	—	—	—	—	—	—	—	—	11	3	—	1	2	4	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	11	1	3	3	2	—	2	—	—	—
12 Cancer, malignant disease	M	15	—	—	—	—	—	1	5	8	1	40	—	—	—	—	—	2	18	14	6
	F	22	—	—	—	—	—	1	9	6	6	37	—	—	—	—	1	5	13	13	5
13 Rheumatic fever	M	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	1	2	1	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2	—
	F	2	—	—	—	—	—	—	2	—	—	6	—	—	—	1	—	3	1	1	—
15 Cerebral hæmorrhage, &c.	M	16	—	—	—	—	—	—	—	6	10	18	—	—	—	—	—	—	6	10	2
	F	7	—	—	—	—	—	—	1	2	4	28	—	—	—	—	—	—	4	13	11
16 Heart disease	M	17	—	—	—	—	—	1	8	3	5	54	—	—	—	—	1	4	22	15	12
	F	20	—	—	—	1	1	1	4	6	7	80	—	—	1	2	1	3	22	25	26
17 Arterio-sclerosis	M	3	—	—	—	—	—	—	—	1	2	24	—	—	—	—	—	—	4	13	7
	F	4	—	—	—	—	—	—	—	—	4	11	—	—	—	—	—	—	—	2	9
18 Bronchitis	M	11	2	—	—	—	—	—	3	3	3	18	3	—	—	—	—	—	4	8	3
	F	9	—	—	—	—	—	—	3	2	4	19	1	1	—	—	—	—	8	6	3
19 Pneumonia (all forms)	M	8	3	2	1	—	—	—	2	—	—	38	13	6	2	2	1	3	5	3	3
	F	12	1	1	2	1	—	—	1	2	4	35	13	2	1	—	—	4	3	6	6
20 Other respiratory diseases	M	2	—	—	1	—	—	—	—	—	1	2	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	3	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	2	—	1	—	—	—	—	—	—	1	8	7	—	—	—	—	—	1	—	—
	F	1	1	—	—	—	—	—	—	—	—	6	2	2	—	—	—	—	—	—	2
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	2	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	1	—	1	1	4	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	4	—	—	—	—	—	1	1	1	1	7	—	—	—	—	—	1	2	4	—
	F	3	—	—	—	—	—	1	1	—	1	9	—	—	—	—	—	2	6	1	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	7	6	1	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
	F	7	6	—	—	—	1	—	—	—	—	18	18	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	1	—	—	1	2	—	—	—	—	1	—	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	6	1	—	—	1	1	2	1	—	—	10	—	—	—	1	—	2	2	3	2
	F	2	—	—	—	1	—	—	—	—	1	9	1	—	1	—	—	—	—	4	3
31 Other defined diseases	M	49	—	2	—	1	—	3	8	11	24	62	10	2	1	3	3	7	13	13	10
	F	35	1	—	—	—	—	—	7	3	24	56	7	4	—	2	2	6	12	12	11
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Chester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Coventry. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	287	40	9	15	5	12	24	80	61	41	678	93	26	23	28	36	84	195	109	84
	F	290	33	11	12	9	9	28	72	52	64	596	75	13	18	17	42	66	145	100	120
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	1	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	11	4	5	2	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—
7 Influenza	M	3	—	—	—	—	—	—	1	2	—	21	—	—	—	1	1	5	8	6	—
	F	3	—	—	1	—	—	—	1	1	—	15	—	—	1	2	1	3	3	—	5
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	3	—	1	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	1	1	2	2	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	25	—	—	—	—	6	9	9	1	—	73	—	1	1	—	16	27	25	3	—
	F	22	—	—	2	1	3	6	9	—	1	49	—	—	1	3	16	15	13	1	—
11 Other tuberculous diseases	M	8	2	1	3	1	—	1	—	—	—	15	—	4	4	2	3	1	1	—	—
	F	6	—	2	3	1	—	—	—	—	—	14	1	4	1	2	3	2	1	—	—
12 Cancer, malignant disease	M	31	—	—	—	—	—	—	20	9	2	63	—	—	—	—	1	1	36	19	6
	F	40	—	—	—	—	—	2	19	10	9	88	—	—	—	1	—	9	43	27	8
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	1	2	—	—	—	1
14 Diabetes	M	2	—	—	—	—	—	—	—	2	—	6	—	—	—	—	1	2	3	—	—
	F	2	—	—	—	—	—	—	—	1	1	9	—	—	—	—	2	1	3	3	—
15 Cerebral hæmorrhage, &c.	M	22	—	—	—	—	—	2	6	9	5	44	—	—	—	—	—	—	18	11	15
	F	16	—	—	—	—	—	—	3	6	7	39	—	—	—	—	—	—	10	11	18
16 Heart disease	M	36	—	—	1	1	—	2	11	13	8	78	—	—	—	2	1	3	38	19	15
	F	46	—	—	—	2	2	5	14	11	12	73	—	—	1	—	3	10	21	22	16
17 Arterio-sclerosis	M	20	—	—	—	—	—	—	6	4	10	11	—	—	—	—	—	—	3	3	5
	F	15	—	—	—	—	—	—	1	4	10	5	—	—	—	—	—	—	1	—	4
18 Bronchitis	M	22	5	—	1	—	—	1	3	7	5	59	15	3	2	—	—	—	14	13	12
	F	24	7	—	—	—	—	2	4	4	7	51	7	2	1	—	—	—	8	11	22
19 Pneumonia (all forms)	M	17	4	4	3	—	—	1	1	4	—	49	11	10	5	1	2	7	8	4	1
	F	16	3	6	—	—	—	1	2	3	1	29	7	1	3	—	—	4	5	3	6
20 Other respiratory diseases	M	4	—	—	—	—	—	2	2	—	—	9	—	—	2	—	—	2	5	—	—
	F	3	1	—	—	—	—	—	2	—	—	7	—	—	—	—	—	2	2	2	1
21 Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	4	5	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c.	M	7	5	—	—	—	—	—	1	1	—	10	7	—	1	1	—	—	—	1	—
	F	6	4	1	—	1	—	—	—	—	—	8	7	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	7	—	—	—	2	—	5	—	—	—
	F	2	—	—	—	—	—	—	1	—	1	4	—	—	—	—	1	3	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	9	—	—	—	—	—	2	4	1	2	12	—	—	—	1	—	2	6	3	—
	F	9	—	—	—	—	—	1	5	1	2	6	—	—	—	—	—	—	4	2	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	5	—	—	—	—	2	2	1	—	—
28 Congenital debility and malformation, premature birth	M	13	13	—	—	—	—	—	—	—	—	42	41	—	—	—	1	—	—	—	—
	F	12	12	—	—	—	—	—	—	—	—	41	40	—	—	1	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	—	2	2	—	12	—	—	—	—	2	5	4	1	—
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	—	1	5	—	—
30 Other deaths from violence	M	12	—	1	1	2	2	—	5	—	1	23	1	2	2	3	3	5	4	2	1
	F	3	—	1	1	—	—	—	—	—	1	12	1	2	2	—	2	—	2	1	2
31 Other defined diseases	M	40	9	1	—	1	4	3	8	6	8	114	14	—	3	11	4	13	17	23	29
	F	51	4	—	2	4	3	6	9	11	12	108	10	2	4	3	8	8	20	17	36
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Croydon. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Darlington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1080	111	27	19	24	54	122	278	221	224	444	66	17	14	11	19	65	111	78	63
	F	1203	83	20	12	25	47	121	286	234	375	429	64	15	13	10	27	48	90	80	82
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	2	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever	M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	3	1	—	2	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	9	4	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	3	—	—	—	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	5	—	—	1	2	1	—	1	—	—	2	1	—	1	—	—	—	—	—	—
7 Influenza	M	49	6	5	2	1	2	9	14	6	4	34	3	—	1	—	1	8	7	8	6
	F	49	2	—	—	—	—	5	10	13	19	33	—	2	1	1	2	6	8	8	5
8 Encephalitis lethargica	M	4	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	79	—	—	—	—	16	38	21	4	—	36	—	—	—	2	7	14	12	1	—
	F	79	—	—	—	2	25	32	17	2	1	28	—	2	1	—	12	8	4	—	1
11 Other tuberculous diseases	M	20	—	3	2	4	1	4	4	1	1	12	—	2	2	3	1	2	1	1	—
	F	13	—	1	2	4	—	3	2	1	—	9	—	3	1	1	2	2	—	—	—
12 Cancer, malignant disease	M	117	—	—	1	—	1	7	43	41	24	19	—	—	—	—	—	2	9	6	2
	F	174	—	—	—	1	1	12	71	46	43	41	—	—	—	—	—	2	22	14	3
13 Rheumatic fever	M	6	—	—	—	1	3	1	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	1	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes	M	10	—	—	—	—	2	1	3	2	2	5	—	—	—	—	1	1	3	—	—
	F	10	—	—	—	1	—	3	2	2	2	8	—	—	—	—	2	—	2	3	1
15 Cerebral hæmorrhage, &c.	M	46	—	—	—	—	—	1	14	19	12	20	—	—	—	—	—	2	5	9	4
	F	87	—	—	—	—	—	—	22	28	37	19	—	—	—	—	—	2	6	8	3
16 Heart disease	M	125	—	—	—	1	4	9	32	34	45	39	—	—	—	1	1	8	10	15	4
	F	167	—	—	—	1	9	9	36	35	77	38	—	—	—	1	—	2	14	11	10
17 Arterio-sclerosis	M	78	—	—	—	—	—	—	12	18	48	36	—	—	—	—	—	—	16	9	11
	F	70	—	—	—	—	—	1	7	18	44	18	—	—	—	—	—	—	2	5	11
18 Bronchitis	M	59	5	—	—	—	—	2	11	18	23	22	8	1	—	—	—	—	3	5	5
	F	82	7	—	—	—	—	3	10	19	43	28	4	1	2	—	—	—	6	7	8
19 Pneumonia (all forms)	M	101	20	8	4	1	3	11	32	11	11	37	10	5	5	—	—	8	4	3	2
	F	86	12	10	3	4	1	7	20	10	19	28	7	5	1	4	—	4	2	3	2
20 Other respiratory diseases	M	16	1	—	2	1	—	2	6	4	—	10	1	—	1	—	1	2	2	2	1
	F	16	—	—	1	1	—	—	5	4	5	3	—	—	—	—	—	1	—	2	—
21 Ulcer of stomach or duodenum	M	11	—	—	—	—	—	1	8	1	1	4	—	—	—	—	—	3	—	1	—
	F	8	—	—	—	—	1	2	2	1	2	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	14	12	1	—	—	—	—	1	—	—	8	6	2	—	—	—	—	—	—	—
	F	11	5	2	—	—	—	1	1	—	2	7	6	—	1	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	17	—	—	1	—	3	8	4	1	—	1	—	—	—	—	—	—	1	—	—
	F	13	—	—	—	3	1	6	2	1	—	2	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	33	—	—	1	1	1	5	8	11	6	8	—	—	—	—	—	1	6	—	1
	F	37	—	—	—	1	2	6	9	11	8	14	—	—	—	—	1	2	4	4	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	1	7	1	—	—	10	—	—	—	—	4	5	1	—	—
28 Congenital debility and malformation, premature birth	M	49	48	1	—	—	—	—	—	—	—	27	26	—	1	—	—	—	—	—	—
	F	40	38	—	—	—	—	—	2	—	—	31	31	—	—	—	—	—	—	—	—
29 Suicide	M	16	—	—	—	—	2	3	8	3	—	13	—	—	—	—	2	4	5	1	1
	F	8	—	—	—	—	—	2	5	1	—	4	—	—	—	—	1	2	—	1	—
30 Other deaths from violence	M	39	—	—	3	4	6	7	6	8	5	14	1	2	1	3	2	4	1	—	—
	F	29	2	—	—	3	1	5	5	3	10	8	—	—	1	—	—	2	1	1	3
31 Other defined diseases	M	174	18	4	1	6	10	11	44	38	42	86	9	2	2	2	3	5	21	16	26
	F	187	13	2	2	2	2	13	52	38	63	88	14	2	3	1	3	7	14	12	32
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	7	—	1	—	—	—	—	5	1	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

	Causes of Death.	Sex.	Derby. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Dewsbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	800	94	24	29	35	38	87	217	165	111	412	53	6	12	10	14	41	147	81	48
		F	718	64	20	20	21	30	80	167	160	156	438	45	11	10	7	24	50	115	87	89
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	8	2	4	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	8	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	3	—	—	2	—	1	—	—	—	—	2	—	—	2	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	3	2	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	7	5	—	1	—	—	—	1	—	—
6	Diphtheria	M	15	—	1	5	9	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
		F	12	1	—	6	5	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7	Influenza	M	15	—	1	—	1	1	2	2	4	4	25	1	—	1	—	2	4	10	5	2
		F	23	—	1	1	1	—	4	7	4	5	16	1	—	—	—	1	3	8	2	1
8	Encephalitis lethargica	M	7	—	—	3	—	1	1	2	—	—	3	—	—	1	—	—	—	1	1	—
		F	1	—	—	—	1	—	—	—	—	—	3	—	—	2	—	—	1	—	—	—
9	Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	62	1	—	—	2	13	30	13	3	—	26	—	—	—	1	4	8	12	1	—
		F	43	—	1	—	1	12	18	11	—	—	26	—	—	—	1	6	15	4	—	—
11	Other tuberculous diseases	M	21	2	1	5	5	2	1	5	—	—	2	1	—	—	—	—	1	—	—	—
		F	14	3	2	3	1	2	2	1	—	—	6	—	2	1	1	—	1	—	1	—
12	Cancer, malignant disease	M	79	—	—	—	—	—	7	42	24	6	32	—	—	—	—	—	3	20	7	2
		F	97	—	—	—	—	1	15	44	22	15	41	—	—	—	—	—	5	22	9	5
13	Rheumatic fever	M	3	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	4	—	—	—	2	1	—	—	—	1	1	—	—	—	—	—	1	—	—	—
14	Diabetes	M	8	—	—	—	—	—	1	4	3	—	3	—	—	—	—	1	—	—	2	—
		F	7	—	—	—	—	—	—	4	1	2	5	—	—	—	—	1	1	1	1	1
15	Cerebral hæmorrhage, &c.	M	53	—	—	—	—	1	1	26	19	6	37	—	—	—	—	—	2	17	11	7
		F	36	—	—	—	—	—	4	9	13	10	36	—	—	—	—	—	—	12	16	8
16	Heart disease	M	101	—	—	—	1	6	7	32	38	17	54	—	—	—	2	3	4	29	11	5
		F	107	—	—	—	1	2	8	36	36	24	69	—	—	—	1	5	8	17	19	19
17	Arterio-sclerosis	M	17	—	—	—	—	—	1	4	6	6	15	—	—	—	—	—	—	6	3	6
		F	17	—	—	—	—	—	—	2	7	8	12	—	—	—	—	—	—	6	4	2
18	Bronchitis	M	83	15	7	—	—	—	4	13	26	18	61	5	3	3	—	—	1	12	26	11
		F	72	7	1	1	1	1	2	7	18	34	60	6	4	—	—	2	—	10	17	21
19	Pneumonia (all forms)	M	52	18	4	7	1	3	6	9	3	1	25	7	1	1	1	—	3	6	3	3
		F	35	7	8	2	1	3	2	4	6	2	27	6	4	2	—	2	2	8	2	1
20	Other respiratory diseases	M	9	—	1	—	1	2	1	3	—	1	4	—	—	—	—	—	—	3	1	—
		F	7	—	—	—	—	—	2	1	3	1	4	—	—	—	—	—	—	3	1	—
21	Ulcer of stomach or duodenum	M	11	—	—	—	—	—	2	7	1	1	1	—	—	—	—	—	1	—	—	—
		F	5	—	—	—	—	—	1	4	—	—	1	—	—	—	—	—	—	—	1	—
22	Diarrhœa, &c.	M	7	5	—	—	—	—	—	—	1	1	4	3	—	—	—	—	1	—	—	—
		F	3	3	—	—	—	—	—	—	—	—	7	4	—	1	—	—	1	1	—	—
23	Appendicitis and typhlitis	M	7	—	—	1	2	—	1	3	—	—	3	—	—	—	1	—	1	1	—	—
		F	5	—	—	—	—	1	2	2	—	—	3	—	—	—	—	1	—	1	1	—
24	Cirrhosis of liver	M	4	—	—	—	—	—	—	3	1	—	4	—	—	—	—	—	1	2	1	—
		F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
25	Acute and chronic nephritis	M	27	—	—	—	—	4	4	10	7	2	16	—	—	—	—	1	5	9	1	—
		F	15	—	—	—	—	1	2	4	6	2	16	—	—	—	—	—	2	2	6	2
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	7	—	—	—	—	2	5	—	—	—
28	Congenital debility and malformation, premature birth	M	31	31	—	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
		F	29	27	—	1	1	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
29	Suicide	M	8	—	—	—	—	—	1	6	1	—	2	—	—	—	—	—	1	1	—	—
		F	5	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—
30	Other deaths from violence	M	20	3	2	1	3	—	3	3	1	4	12	—	—	1	2	1	2	5	1	—
		F	9	—	1	1	—	—	—	—	3	4	7	3	—	1	1	—	—	1	—	1
31	Other defined diseases	M	145	15	2	2	9	3	13	30	27	44	48	8	1	—	3	2	2	13	7	12
		F	154	12	3	2	6	6	12	24	41	48	64	5	1	1	3	4	3	12	7	28
32	Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Dudley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Eastbourne. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	372	63	10	13	14	22	52	94	60	44	257	20	3	2	3	7	29	62	61	70
	F	358	56	16	16	8	21	45	66	66	64	340	19	3	2	5	11	27	72	83	118
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	1	2	3	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—	1
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	16	—	1	—	2	4	4	4	1	—	9	—	—	—	—	—	3	1	2	3
	F	12	2	—	2	—	—	1	2	3	2	13	—	—	—	—	—	—	5	2	6
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	27	—	—	—	—	4	12	11	—	—	24	—	—	—	—	5	11	8	—	—
	F	24	—	—	—	—	10	10	4	—	—	16	—	—	—	—	6	6	—	3	1
11 Other tuberculous diseases	M	4	—	—	—	1	1	2	—	—	—	4	—	1	1	—	—	—	1	1	—
	F	4	—	1	—	1	2	—	—	—	—	4	—	—	—	1	—	1	1	1	—
12 Cancer, malignant disease	M	21	—	—	—	—	—	—	16	5	—	29	—	—	—	—	1	2	12	9	5
	F	28	—	—	—	—	—	4	15	7	2	53	—	—	—	—	—	3	20	19	11
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	3	—	—	—	—	1	1	—	1	—	3	—	—	—	—	—	—	1	1	1
	F	4	—	—	—	—	1	—	1	2	—	1	—	—	—	—	—	—	1	—	—
15 Cerebral hæmorrhage, &c.	M	26	—	—	—	—	—	2	10	11	3	16	—	—	—	—	—	—	4	7	5
	F	40	—	—	—	—	—	2	10	19	9	30	—	—	—	—	—	1	5	13	11
16 Heart disease	M	31	—	—	—	3	1	6	11	5	5	43	—	—	—	2	—	1	9	16	15
	F	22	—	—	—	—	1	6	7	6	2	63	—	1	—	—	—	3	10	19	30
17 Arterio-sclerosis	M	16	—	—	—	—	—	—	4	4	8	14	—	—	—	—	—	—	—	5	9
	F	5	—	—	—	—	—	—	—	3	2	15	—	—	—	—	—	—	1	2	12
18 Bronchitis	M	40	6	1	—	—	1	1	13	9	9	11	1	—	—	—	—	—	2	4	4
	F	51	5	6	—	1	—	2	10	11	16	21	—	—	—	—	—	1	4	6	10
19 Pneumonia (all forms)	M	47	7	5	6	2	2	9	7	7	2	6	—	—	—	—	—	2	—	2	2
	F	39	10	5	6	1	2	4	3	4	4	16	4	—	—	—	2	—	5	3	2
20 Other respiratory diseases	M	7	—	—	2	—	—	2	2	—	1	3	—	—	—	—	—	—	—	1	2
	F	4	—	—	—	—	—	—	2	—	2	8	—	—	—	—	—	1	2	2	3
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	4	1	—	1	9	—	—	—	—	—	—	6	1	2
	F	4	—	—	—	1	—	1	1	1	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c.	M	7	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	8	1	1	—	—	1	—	—	—	3	—	—	—	—	—	2	—	—	1
23 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	2	—	—	2	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1
25 Acute and chronic nephritis	M	9	—	—	—	—	2	3	2	2	—	10	1	—	—	—	—	—	4	4	1
	F	5	—	—	—	—	—	2	2	1	—	9	—	—	—	—	—	2	2	4	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth	M	25	25	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
	F	26	26	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	4	—	—	—	—	—	2	2	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence	M	11	2	—	1	1	1	2	3	1	—	4	—	—	—	—	—	1	2	1	—
	F	7	—	—	1	2	2	—	2	—	—	6	—	—	—	—	1	1	2	—	2
31 Other defined diseases	M	65	16	—	2	4	4	3	7	14	15	49	4	1	1	—	—	7	9	6	21
	F	47	3	1	1	1	2	1	4	9	25	52	2	2	—	2	—	2	11	8	25
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	East Ham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Exeter. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	736	85	19	17	23	35	96	239	127	95	354	35	7	6	9	18	41	99	58	8
	F	699	62	23	23	18	20	75	182	131	165	425	26	6	3	10	15	34	94	90	14
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	3	3	1	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	10	3	2	3	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	7	3	4	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	12	5	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	25	1	2	1	—	4	4	10	2	1	15	—	—	—	—	1	3	7	3	
	F	21	—	1	—	1	—	2	11	5	1	16	—	—	—	—	—	2	6	2	
8 Encephalitis lethargica	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	74	—	—	—	1	15	30	24	4	—	28	—	—	—	1	8	11	8	—	—
	F	42	—	—	—	1	13	15	11	2	—	31	—	1	—	—	9	11	6	3	
11 Other tuberculous diseases	M	15	2	2	3	4	2	1	1	—	—	8	1	1	—	2	2	1	1	—	—
	F	12	3	1	2	3	1	—	1	1	—	6	—	—	—	—	1	2	1	1	
12 Cancer, malignant disease	M	82	—	—	—	1	—	4	38	24	15	36	—	—	—	—	—	1	20	10	
	F	108	—	—	—	2	—	10	50	26	20	55	—	—	—	—	—	3	26	17	
13 Rheumatic fever	M	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	9	—	—	—	2	—	2	3	2	—	2	—	—	—	—	—	—	2	—	—
	F	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	—	—	1	1	
15 Cerebral hæmorrhage, &c.	M	29	—	—	—	—	1	2	9	11	6	22	—	—	—	—	—	1	6	5	
	F	38	—	—	—	—	—	—	11	10	17	37	—	—	—	—	—	2	5	15	
16 Heart disease	M	80	—	—	—	2	3	8	34	23	10	39	—	—	—	1	1	3	16	7	
	F	115	—	—	—	1	2	11	48	30	23	59	—	—	—	2	—	2	12	25	
17 Arterio-sclerosis	M	17	—	—	—	—	—	—	7	4	6	14	—	—	—	—	—	—	1	4	
	F	6	—	—	—	—	—	—	2	—	4	13	—	—	—	—	—	—	—	3	
18 Bronchitis	M	65	9	—	1	—	—	3	17	15	20	32	3	1	—	—	—	1	5	7	
	F	77	7	2	1	—	—	1	8	20	38	41	7	1	—	—	—	—	4	10	
19 Pneumonia (all forms)	M	61	9	6	7	—	—	8	18	7	6	27	9	3	3	—	1	2	2	3	
	F	48	9	8	2	1	—	5	10	9	4	22	3	3	—	2	—	1	6	3	
20 Other respiratory diseases	M	4	—	—	—		—	—	4	—	—	8	1	—	—	1	—	2	2	2	—
	F	7	—	—	—	—	—	1	1	3	2	5	—	—	—	—	—	1	2	—	
21 Ulcer of stomach or duodenum	M	10	—	—	—	—	—	4	5	—	1	5	—	—	—	—	1	—	4	—	—
	F	6	—	—	—	—	—	2	2	2	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	7	5	—	—	—	—	2	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	6	1	2	1	—	—	—	—	1	1	8	3	1	1	—	—	—	2	—	
23 Appendicitis and typhlitis	M	7	—	—	1	1	3	—	2	—	—	3	—	—	—	—	—	2	—	1	—
	F	6	—	—	3	1	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	21	—	—	—	—	—	4	11	5	1	15	—	—	—	—	—	3	2	4	
	F	18	—	—	—	—	—	3	8	4	3	11	—	—	—	—	—	1	4	—	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth	M	39	39	—	—	—	—	—	—	—	—	12	11	—	—	—	1	—	—	—	—
	F	26	25	1	—	—	—	—	—	—	—	8	7	—	—	1	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	1	2	5	1	—	2	—	—	—	—	1	—	1	—	—
	F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	32	3	1	1	2	3	9	9	3	1	11	1	—	—	1	1	2	6	—	—
	F	10	1	—	—	3	—	2	2	—	2	4	—	—	—	—	—	—	1	1	
31 Other defined diseases	M	122	11	—	1	6	3	11	36	26	28	65	5	1	2	1	1	9	14	12	20
	F	114	8	2	4	1	3	14	15	17	50	93	5	—	1	3	2	6	17	9	50
32 Causes ill-defined or unknown	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Gateshead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Gloucester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	943	176	50	35	34	56	115	218	168	91	315	51	10	7	6	15	26	84	63	53
	F	891	151	57	40	38	60	118	179	135	113	356	37	13	7	7	13	31	72	68	108
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
5 Whooping cough	M	16	6	7	1	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	15	8	4	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria	M	4	—	2	2	—	—	—	—	—	—	6	—	3	3	—	—	—	—	—	—
	F	10	—	5	2	3	—	—	—	—	—	4	—	—	2	1	1	—	—	—	—
7 Influenza	M	28	5	1	—	1	2	9	8	1	1	9	1	—	1	—	—	1	2	2	2
	F	24	2	1	1	1	4	4	5	3	3	12	—	1	—	—	—	1	2	2	6
8 Encephalitis lethargica	M	6	—	—	—	2	1	1	2	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	2	—	—	—	—	1	—	1	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	89	—	1	2	1	24	36	22	3	—	29	—	—	1	—	8	15	4	1	—
	F	85	—	—	1	4	30	36	13	1	—	20	—	1	—	1	8	9	1	—	—
11 Other tuberculous diseases	M	28	4	6	5	5	5	1	2	—	—	11	2	4	—	3	1	—	1	—	—
	F	33	3	4	7	8	4	5	1	1	—	10	3	1	2	2	—	1	1	—	—
12 Cancer, malignant disease	M	61	1	—	—	1	1	4	32	17	5	24	—	—	—	—	—	—	11	7	6
	F	76	—	—	—	—	2	8	45	15	6	43	—	—	—	—	—	4	16	12	11
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	1	1	2	1	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	8	—	—	—	—	—	1	5	2	—	3	—	—	—	—	—	—	2	—	1
	F	8	—	—	—	—	—	—	4	2	2	2	—	—	—	—	—	—	1	1	—
15 Cerebral hæmorrhage, &c.	M	44	—	—	—	—	—	1	11	23	9	13	—	—	—	—	—	—	7	5	1
	F	51	—	—	—	—	—	1	20	19	11	28	—	—	—	—	—	—	7	14	7
16 Heart disease	M	70	—	—	2	2	1	9	27	23	6	42	—	—	—	—	1	3	13	18	7
	F	71	—	—	—	1	1	13	16	22	18	41	—	—	—	—	1	5	9	9	17
17 Arterio-sclerosis	M	33	—	—	—	—	1	—	6	14	12	26	—	—	—	—	—	—	10	10	6
	F	18	—	—	—	—	—	—	—	9	9	12	—	—	—	—	—	—	1	4	7
18 Bronchitis	M	88	17	7	2	—	—	5	15	19	23	14	2	—	—	—	—	—	3	5	4
	F	92	12	9	3	1	—	4	22	21	20	36	2	—	—	—	—	—	6	6	22
19 Pneumonia (all forms)	M	92	25	12	9	2	6	9	17	11	1	22	8	3	1	—	—	1	3	4	2
	F	95	22	22	12	8	3	10	9	7	2	22	7	6	—	—	—	2	3	1	3
20 Other respiratory diseases	M	13	2	—	—	2	1	—	3	4	1	6	1	—	—	—	—	—	4	—	1
	F	8	—	1	1	—	—	—	—	3	3	2	—	—	—	—	—	—	—	2	—
21 Ulcer of stomach or duodenum	M	8	—	—	—	—	—	4	4	—	—	2	—	—	—	—	—	—	1	—	1
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	39	18	12	3	1	—	1	3	1	—	2	2	—	—	—	—	—	—	—	—
	F	31	17	6	2	3	1	1	—	—	1	10	4	2	—	—	—	1	1	1	1
23 Appendicitis and typhlitis	M	11	—	—	—	2	4	—	4	1	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	35	—	—	—	—	—	5	12	14	4	9	—	—	—	1	—	2	4	1	1
	F	13	—	—	—	—	1	—	7	3	2	9	—	—	—	—	—	1	2	4	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	4	5	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	3	5	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth	M	65	65	—	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
	F	51	50	—	—	1	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29 Suicide	M	11	—	—	—	—	—	4	5	1	1	4	—	—	—	—	—	1	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	31	—	1	1	6	3	9	6	1	4	8	2	—	—	—	1	1	1	—	3
	F	14	1	—	1	1	1	2	3	3	2	4	—	—	—	2	—	—	—	—	2
31 Other defined diseases	M	156	32	1	8	6	6	15	33	31	24	51	5	—	—	1	4	2	12	9	18
	F	159	35	4	6	4	3	17	30	26	34	73	5	1	2	—	—	4	19	12	30
32 Causes ill-defined or unknown	M	3	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Great Yarmouth										Grimsby.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	363	38	6	4	8	14	32	95	80	86	569	96	25	25	20	15	66	149	103	[illegible]
	F	352	28	4	6	10	22	37	67	61	117	526	87	21	19	20	34	63	99	91	[illegible]
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	9	—	4	3	2	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	5	—	1	2	2	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	6	3	1	2	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	10	2	5	3	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	1	1	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	4	—	1	1	2	—	—	—	—	—
7 Influenza	M	9	—	1	—	—	—	2	4	2	—	21	2	—	1	—	—	5	8	4	
	F	11	—	—	1	—	1	2	1	2	4	21	1	—	—	—	1	4	5	6	
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	29	1	—	—	1	6	11	10	—	—	48	—	—	—	1	7	25	13	2	—
	F	33	—	—	—	3	11	13	5	1	—	38	—	—	1	3	17	13	3	1	—
11 Other tuberculous diseases	M	8	2	2	—	—	2	1	1	—	—	7	2	2	2	1	—	—	—	—	—
	F	10	3	3	2	1	—	—	—	1	—	13	1	1	2	3	4	2	—	—	—
12 Cancer, malignant disease	M	33	—	—	—	—	—	—	16	14	3	55	—	—	—	—	—	3	29	14	
	F	44	—	—	—	—	1	6	20	10	7	64	—	—	—	—	—	8	27	20	
13 Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	—	2	—
	F	5	—	—	—	—	—	—	3	1	1	5	—	—	—	—	—	2	1	—	
15 Cerebral hæmorrhage, &c. ..	M	19	—	—	—	—	—	—	2	11	6	18	—	—	—	—	—	1	6	6	
	F	23	—	—	—	—	—	1	3	10	9	24	—	—	—	—	—	1	10	8	
16 Heart disease ..	M	37	—	—	—	—	—	4	13	13	7	62	—	—	—	1	—	3	23	22	[illegible]
	F	40	—	—	—	—	—	5	9	13	13	56	—	—	—	2	3	7	10	21	[illegible]
17 Arterio-sclerosis ..	M	16	—	—	—	—	—	—	6	3	7	9	—	—	—	—	—	—	4	2	[illegible]
	F	10	—	—	—	—	—	—	1	2	7	15	—	—	—	—	—	—	4	5	[illegible]
18 Bronchitis ..	M	28	2	1	—	—	—	—	2	6	17	39	9	1	—	—	—	2	10	10	[illegible]
	F	30	1	—	—	—	—	—	3	5	21	45	10	3	—	—	—	—	5	14	[illegible]
19 Pneumonia (all forms)	M	12	2	—	—	—	1	1	5	3	—	61	17	11	7	1	1	4	11	6	[illegible]
	F	14	1	1	—	2	1	—	3	4	2	49	19	5	7	4	—	2	6	3	[illegible]
20 Other respiratory diseases	M	9	1	—	—	—	1	1	1	2	3	9	2	1	—	—	1	1	2	1	[illegible]
	F	7	1	—	1	—	—	—	1	3	1	4	—	—	—	—	—	1	1	1	[illegible]
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	2	2	2	—	6	—	—	—	—	—	4	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	—	1	—
22 Diarrhœa, &c. ..	M	3	2	1	—	—	—	—	—	—	—	19	16	—	1	—	—	—	1	—	[illegible]
	F	4	4	—	—	—	—	—	—	—	—	10	7	2	1	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	1	1	1	—	1	1	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	12	—	—	—	1	—	—	5	4	2	21	—	—	1	—	—	3	10	6	[illegible]
	F	9	—	—	—	1	2	—	3	2	1	15	—	—	—	1	—	2	2	4	[illegible]
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	1	4	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	16	16	—	—	—	—	—	—	—	—	36	35	1	—	—	—	—	—	—	—
	F	14	14	—	—	—	—	—	—	—	—	37	36	—	—	—	1	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	—	3	—	—	7	—	—	—	—	—	1	5	1	—
	F	3	—	—	—	—	1	1	—	—	1	3	—	—	—	—	1	1	1	—	—
30 Other deaths from violence.. ..	M	19	2	—	2	3	2	3	4	3	—	23	1	1	3	4	1	7	3	3	—
	F	5	1	—	—	—	—	1	—	—	3	7	1	—	—	—	1	1	1	1	2
31 Other defined diseases	M	96	9	—	1	2	2	6	19	16	41	99	9	2	3	6	3	7	21	22	26
	F	79	2	—	—	1	5	4	13	7	47	86	10	3	1	2	3	12	21	6	28
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Halifax. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Hastings. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	734	80	19	21	15	24	69	257	156	93	417	28	3	7	11	8	39	91	108	122
	F	776	63	21	20	8	21	63	207	183	190	521	26	5	4	10	8	35	103	124	206
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	—	—	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	5	2	2	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	37	—	2	—	1	1	7	15	5	6	28	—	1	2	—	—	3	7	7	8
	F	40	1	1	—	—	1	8	18	4	7	40	—	1	2	—	—	2	8	13	14
8 Encephalitis lethargica	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	2	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	26	—	—	—	—	5	13	7	1	—	45	—	1	—	—	6	20	15	3	—
	F	24	—	—	—	1	7	15	—	1	—	20	—	—	—	—	5	11	3	—	1
11 Other tuberculous diseases	M	9	1	—	1	2	5	—	—	—	—	3	—	—	—	—	—	1	1	—	1
	F	13	—	—	2	2	3	5	1	—	—	9	1	1	2	3	—	1	—	1	—
12 Cancer, malignant disease	M	62	—	—	—	—	—	2	39	14	7	44	—	—	—	—	—	—	17	17	10
	F	90	—	—	—	—	—	2	46	24	18	91	—	—	—	1	—	3	33	31	23
13 Rheumatic fever	M	2	—	—	—	1	—	—	1	—	—	2	—	—	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	12	—	—	—	—	—	1	8	2	1	7	—	—	—	—	—	—	3	2	2
	F	9	—	—	—	—	—	1	5	3	—	9	—	—	—	1	—	—	5	1	2
15 Cerebral hæmorrhage, &c.	M	56	—	—	—	—	—	—	26	24	6	16	—	—	—	—	—	—	2	5	9
	F	71	—	—	1	—	—	2	22	28	18	43	—	—	—	—	—	1	11	11	20
16 Heart disease	M	99	—	—	—	—	2	8	48	27	14	71	—	—	—	1	—	3	18	24	25
	F	113	—	—	—	—	1	7	36	46	23	87	—	—	—	1	—	2	9	26	49
17 Arterio-sclerosis	M	35	—	—	—	—	—	1	11	13	10	26	—	—	—	—	—	—	5	11	10
	F	33	—	—	—	—	—	—	8	13	12	13	—	—	—	—	—	—	—	5	8
18 Bronchitis	M	70	3	1	3	1	—	1	20	24	17	19	3	—	—	1	—	—	1	3	11
	F	73	7	1	1	—	1	1	11	17	34	29	1	—	—	—	—	—	1	6	21
19 Pneumonia (all forms)	M	82	15	3	8	5	3	11	23	10	4	25	4	1	1	2	—	6	3	4	4
	F	60	5	6	5	—	3	4	18	10	9	25	4	—	—	1	—	3	2	4	11
20 Other respiratory diseases	M	10	—	1	—	1	1	2	4	—	1	5	—	—	—	—	—	—	2	—	3
	F	3	—	—	—	—	—	—	2	—	1	5	—	—	—	—	—	1	1	1	2
21 Ulcer of stomach or duodenum	M	11	—	—	—	—	—	4	3	4	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	1	1	2
22 Diarrhœa, &c.	M	8	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	2	1	—	—	—	1	—	—	—	3	2	—	—	—	—	1	—	—	—
23 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	2	—	—	—	—	1
	F	3	—	—	—	1	1	1	—	—	—	2	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	1	3	—	—	5	—	—	—	—	—	—	2	2	1
	F	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	—	1
25 Acute and chronic nephritis	M	18	—	—	—	1	1	1	11	2	2	12	—	—	—	1	—	—	—	9	2
	F	22	—	—	1	—	1	4	8	5	3	16	—	—	—	—	1	1	5	4	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	48	48	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
	F	32	32	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	—	5	—	1	2	—	—	—	—	—	—	1	1	—
	F	5	—	—	—	—	—	1	3	—	1	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	23	1	1	4	2	3	2	5	2	3	9	1	—	1	1	—	1	1	1	3
	F	19	1	2	2	1	—	—	3	3	7	8	2	—	—	—	—	—	2	1	3
31 Other defined diseases	M	102	7	3	2	—	2	14	25	28	21	78	5	—	2	2	2	4	12	19	32
	F	136	12	6	2	1	2	5	24	28	56	91	1	1	—	2	1	4	19	19	44
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Huddersfield All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Ipswich All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	759	91	20	17	19	29	69	278	146	90	398	49	6	3	4	13	50	126	68	79
	F	810	67	15	16	14	31	92	226	188	161	404	26	3	3	7	16	39	81	95	134
1 Enteric fever	M	4	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	1	4	3	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
4 Scarlet fever	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	11	4	2	4	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	31	1	—	—	1	1	4	12	6	6	10	—	—	1	—	—	2	5	1	1
	F	32	1	—	2	—	1	7	10	3	8	13	—	—	—	2	1	—	1	4	5
8 Encephalitis lethargica	M	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	58	—	—	—	1	15	21	17	4	—	37	—	1	—	—	6	16	13	1	—
	F	52	—	—	—	4	17	25	5	1	—	29	—	—	—	—	6	16	6	1	—
11 Other tuberculous diseases	M	10	—	4	2	1	—	2	1	—	—	5	—	1	—	—	—	2	1	1	—
	F	7	—	—	—	2	1	2	2	—	—	8	—	2	—	1	2	1	1	1	—
12 Cancer, malignant disease	M	91	—	—	—	—	—	4	54	27	6	58	—	1	—	—	—	3	30	18	6
	F	90	—	—	—	—	—	6	44	29	11	60	—	—	—	1	—	7	24	13	15
13 Rheumatic fever	M	4	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	1	1	1	2	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	10	—	—	—	—	1	—	6	1	2	5	—	—	—	—	—	—	2	1	2
	F	4	—	—	—	—	—	—	—	3	1	4	—	—	—	—	—	—	1	2	1
15 Cerebral hæmorrhage, &c.	M	40	—	—	—	—	1	1	24	5	9	26	—	—	—	—	—	1	6	9	10
	F	72	—	—	—	—	—	2	23	28	19	45	—	—	—	—	—	—	9	17	19
16 Heart disease	M	76	—	—	—	—	1	3	35	21	16	38	—	—	—	—	1	2	8	13	14
	F	132	—	—	—	1	2	10	50	40	29	35	—	—	—	—	2	—	10	10	13
17 Arterio-sclerosis	M	50	—	—	—	—	—	1	12	26	11	7	—	—	—	—	—	1	3	2	1
	F	38	—	—	—	—	—	—	7	15	16	5	—	—	—	—	—	—	—	2	3
18 Bronchitis	M	69	8	3	1	—	—	6	24	17	10	28	3	—	—	—	—	—	4	6	15
	F	78	9	1	—	—	—	2	22	27	17	42	2	—	1	—	—	1	1	13	24
19 Pneumonia (all forms)	M	67	23	5	6	1	1	7	18	4	2	23	5	1	1	2	—	4	4	3	3
	F	49	8	4	2	2	2	5	14	5	7	16	2	—	1	—	—	2	2	3	6
20 Other respiratory diseases	M	7	1	—	—	1	—	1	3	1	—	6	—	—	—	—	1	—	3	1	1
	F	2	—	—	—	—	—	—	1	—	1	4	1	—	—	—	—	—	—	2	1
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	2	3	1	—	5	—	—	—	—	—	1	4	—	—
	F	5	—	—	—	—	—	4	—	1	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	6	4	—	—	—	—	1	1	—	—	5	5	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	3	1	—	—	—	—	1	1	—	—
23 Appendicitis and typhlitis	M	6	—	—	—	—	1	2	2	1	—	7	—	—	—	1	1	1	4	—	—
	F	4	—	—	1	—	—	1	—	2	—	1	—	—	—	—	—	—	—	1	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	—	4	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1	—
25 Acute and chronic nephritis	M	30	—	—	—	—	1	4	14	8	3	10	—	—	—	1	1	1	6	—	1
	F	29	1	—	—	—	1	6	15	5	1	9	—	—	—	—	—	1	6	1	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth	M	37	37	—	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
	F	32	32	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	1	1	5	1	—	8	—	—	—	—	—	6	1	1	—
	F	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	1	1	1	—	—
30 Other deaths from violence	M	20	1	1	2	4	—	2	9	—	1	15	1	—	—	—	1	3	1	5	4
	F	6	2	—	—	—	—	—	—	3	1	11	2	—	—	—	1	1	—	2	5
31 Other defined diseases	M	110	14	1	3	4	4	3	34	23	24	69	7	—	—	—	2	7	26	6	21
	F	140	8	2	2	3	5	14	31	25	50	85	3	—	—	2	1	4	16	18	41
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	1	4	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

	Causes of Death.	Sex.	Kingston-upon-Hull. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Leeds. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	2096	328	133	74	67	91	237	563	341	262	3475	540	144	101	81	132	406	1008	682	381
		F	1934	255	104	84	78	104	212	404	338	355	3272	381	126	101	93	141	381	795	643	611
1	Enteric fever ..	M	2	—	—	—	—	1	1	—	—	—	3	—	—	—	1	1	—	1	—	—
		F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	1	2	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	22	1	9	10	2	—	—	—	—	—	23	3	15	5	—	—	—	—	—	—
		F	32	7	12	11	2	—	—	—	—	—	21	5	12	4	—	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	7	—	1	4	1	1	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	—	13	—	—	6	6	1	—	—	—	—
5	Whooping cough ..	M	22	8	12	2	—	—	—	—	—	—	40	17	15	8	—	—	—	—	—	—
		F	18	11	6	—	—	—	—	—	1	—	49	18	14	17	—	—	—	—	—	—
6	Diphtheria ..	M	11	—	—	5	5	1	—	—	—	—	11	1	2	2	6	—	—	—	—	—
		F	10	—	1	7	2	—	—	—	—	—	16	—	2	5	8	—	—	—	1	—
7	Influenza	M	94	7	12	3	1	2	14	31	16	8	194	19	14	7	2	7	33	68	27	17
		F	79	3	5	4	2	3	6	21	19	16	206	13	10	9	1	7	36	56	45	29
8	Encephalitis lethargica ..	M	3	—	—	—	1	1	—	1	—	—	5	—	—	—	1	2	1	1	—	—
		F	5	—	—	1	—	2	1	1	—	—	3	—	—	—	—	—	2	1	—	—
9	Meningococcal meningitis ..	M	2	1	—	—	1	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10	Tuberculosis of respiratory system	M	160	—	2	4	6	42	58	44	4	—	303	1	2	5	8	51	114	101	20	1
		F	158	1	2	2	16	56	58	20	3	—	210	2	2	1	14	55	95	38	3	—
11	Other tuberculous diseases	M	36	3	6	4	10	8	3	2	—	—	66	11	7	12	9	7	12	7	1	—
		F	48	2	2	13	16	6	5	2	1	1	86	9	13	15	13	18	12	3	3	—
12	Cancer, malignant disease	M	186	—	1	—	3	—	8	101	57	16	282	—	—	—	2	1	28	159	73	19
		F	196	—	1	—	—	2	29	92	55	17	362	—	—	1	—	4	44	175	93	45
13	Rheumatic fever ..	M	7	—	—	—	—	—	4	3	—	—	10	—	—	—	2	2	2	2	2	—
		F	7	—	—	—	4	2	—	1	—	—	8	—	—	—	2	1	1	4	—	—
14	Diabetes	M	18	—	—	—	—	2	1	8	6	1	22	—	—	—	1	—	2	9	7	3
		F	19	—	—	—	1	2	—	8	7	1	32	—	—	—	—	—	5	12	12	3
15	Cerebral hæmorrhage, &c. ..	M	89	—	—	—	—	—	—	36	25	28	183	—	—	—	1	1	8	60	83	30
		F	97	—	—	—	—	—	3	30	26	38	198	—	—	—	1	1	11	51	71	63
16	Heart disease ..	M	206	—	—	—	4	3	26	77	60	36	383	—	3	1	4	8	36	156	109	66
		F	241	—	—	—	4	3	28	67	72	67	426	—	—	—	11	18	40	148	118	91
17	Arterio-sclerosis ..	M	54	—	—	—	—	—	1	6	25	22	131	—	—	—	—	—	2	32	46	51
		F	34	—	—	—	—	—	—	10	13	11	99	—	—	—	—	—	3	13	29	54
18	Bronchitis ..	M	173	28	10	1	—	—	11	40	41	42	306	49	10	2	1	2	18	77	93	54
		F	165	17	9	—	1	—	3	27	52	56	304	21	7	1	1	2	7	65	100	100
19	Pneumonia (all forms)	M	275	83	60	27	9	8	23	49	10	6	384	109	40	28	8	11	52	81	43	12
		F	213	56	49	33	8	6	5	31	14	11	297	86	43	25	12	4	23	46	32	26
20	Other respiratory diseases	M	30	2	2	3	—	1	9	7	3	3	59	3	7	2	—	3	5	25	6	8
		F	19	3	—	1	—	—	3	5	6	1	37	5	2	—	1	1	6	11	5	6
21	Ulcer of stomach or duodenum ..	M	18	—	—	—	—	—	10	7	1	—	25	—	—	—	—	3	4	12	4	2
		F	3	—	—	—	—	—	2	—	1	—	13	—	—	—	—	—	6	4	1	2
22	Diarrhœa, &c. ..	M	47	38	4	1	1	—	2	—	—	1	73	54	8	5	—	—	—	3	—	3
		F	40	26	6	3	—	—	2	2	—	1	48	33	6	2	1	—	2	—	1	3
23	Appendicitis and typhlitis.. ..	M	12	—	—	—	3	2	3	3	1	—	15	—	—	1	4	3	3	3	1	—
		F	12	—	—	—	4	4	2	2	—	—	17	—	—	—	3	—	3	7	2	2
24	Cirrhosis of liver ..	M	5	—	—	—	—	—	1	4	—	—	18	—	1	—	1	—	1	11	4	—
		F	3	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	1	1	—	—
25	Acute and chronic nephritis ..	M	37	—	—	—	2	1	6	12	12	4	113	—	—	—	1	4	12	44	41	11
		F	22	—	—	—	—	1	2	10	5	4	97	—	—	1	2	4	13	33	28	16
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	3	6	—	—	—	11	—	—	—	—	1	10	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	21	—	—	—	—	4	17	—	—	—	23	—	—	—	—	4	18	1	—	—
28	Congenital debility and malformation, premature birth.. ..	M	117	117	—	—	—	—	—	—	—	—	179	176	—	—	1	1	1	—	—	—
		F	93	93	—	—	—	—	—	—	—	—	119	117	—	—	1	1	—	—	—	—
29	Suicide	M	19	—	—	—	—	—	6	10	2	1	27	—	—	—	—	—	8	14	5	—
		F	6	—	—	—	—	1	1	3	1	—	14	—	—	—	—	—	5	8	1	—
30	Other deaths from violence.. ..	M	92	—	3	4	4	8	25	31	6	11	96	8	4	6	10	10	24	21	10	3
		F	48	3	2	5	3	2	7	11	8	7	63	9	2	4	5	5	3	8	10	17
31	Other defined diseases	M	357	40	12	10	15	11	25	90	71	83	511	88	14	13	15	14	40	120	106	101
		F	327	33	9	3	11	7	31	56	54	123	492	63	12	10	9	12	35	109	88	154
32	Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	3	—	1	—	—	—	—	1	1	—
		F	4	—	—	1	—	—	—	2	—	1	2	—	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Leicester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Lincoln. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1504	206	41	43	47	54	167	411	289	246	430	55	6	11	16	21	36	105	97	83
	F	1420	139	45	37	32	67	172	341	288	299	381	27	9	9	12	13	45	69	93	104
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	10	5	4	1	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	9	4	2	3	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
6 Diphtheria	M	22	—	1	9	12	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	12	—	2	5	4	1	—	—	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza	M	29	2	1	1	—	2	7	14	2	—	19	—	—	—	1	1	2	6	7	2
	F	32	—	1	—	—	4	4	8	7	8	20	—	—	1	1	1	6	2	4	5
8 Encephalitis lethargica	M	4	—	—	—	—	—	2	2	—	—	4	—	—	1	1	—	1	1	—	—
	F	4	—	—	2	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	171	—	2	—	3	25	64	61	15	1	27	—	—	—	3	7	9	7	1	—
	F	121	1	—	1	6	33	58	19	3	—	33	—	1	—	1	7	18	5	1	—
11 Other tuberculous diseases	M	36	9	4	9	3	4	5	2	—	—	11	1	—	2	2	3	2	1	—	—
	F	33	6	5	7	5	5	1	3	1	—	10	—	—	1	4	—	2	2	1	—
12 Cancer, malignant disease	M	129	—	—	1	—	1	6	51	53	17	34	—	—	1	—	—	1	16	12	4
	F	175	—	1	—	—	1	16	81	51	25	41	—	—	—	—	—	1	19	17	4
13 Rheumatic fever	M	3	—	—	—	1	—	1	1	—	—	5	—	—	—	1	1	3	—	—	—
	F	3	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	12	—	—	—	—	—	2	3	4	3	3	—	—	—	—	—	—	—	1	2
	F	13	—	—	—	1	—	1	4	5	2	4	—	—	—	—	—	2	1	1	—
15 Cerebral hæmorrhage, &c.	M	96	—	—	—	—	—	3	32	31	30	22	—	—	—	—	—	—	5	10	7
	F	109	—	—	—	—	—	4	22	41	42	19	—	—	—	—	—	—	4	8	7
16 Heart disease	M	158	—	—	—	3	5	17	59	37	37	62	1	—	—	1	1	3	22	14	20
	F	211	—	—	—	1	7	20	79	65	39	68	—	—	—	—	1	2	17	25	23
17 Arterio-sclerosis	M	39	—	—	—	—	—	—	9	13	17	16	—	—	—	—	—	—	4	4	8
	F	47	—	—	—	—	—	—	6	19	22	16	—	—	—	—	—	—	—	4	12
18 Bronchitis	M	88	11	4	—	—	—	3	16	27	27	41	12	1	3	—	—	—	2	10	13
	F	115	12	—	1	—	—	2	17	32	51	35	3	4	2	—	—	2	1	7	16
19 Pneumonia (all forms)	M	135	34	13	4	4	3	15	36	14	12	41	7	3	1	—	5	3	6	8	8
	F	97	27	18	6	2	—	5	19	12	8	26	2	3	1	—	—	1	6	9	4
20 Other respiratory diseases	M	11	—	—	1	—	—	2	4	2	2	4	—	—	—	—	—	2	—	1	1
	F	15	2	—	—	1	1	1	—	6	4	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum	M	18	1	—	—	—	—	6	8	3	—	2	—	—	—	—	—	1	1	—	—
	F	4	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	—	—	1	—
22 Diarrhœa, &c.	M	52	40	4	1	2	—	—	—	3	2	3	1	1	—	—	—	—	1	—	—
	F	40	20	8	4	—	—	2	3	1	2	3	2	1	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	15	—	—	2	5	2	2	3	1	—	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	1	1	—	—	1	—	5	—	—	—	—	1	2	2	—	—
24 Cirrhosis of liver	M	8	—	—	—	—	—	—	4	4	—	6	—	—	—	1	—	1	2	2	—
	F	7	—	—	—	—	—	—	5	1	1	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis	M	40	—	—	1	2	3	5	12	12	5	18	—	—	—	1	—	1	6	7	3
	F	34	—	—	—	—	2	6	17	7	2	7	—	—	—	1	—	—	2	1	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	1	10	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	—	10	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	74	74	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
	F	51	50	1	—	—	—	—	—	—	—	12	11	—	—	—	1	—	—	—	—
29 Suicide	M	22	—	—	—	—	2	1	15	4	—	3	—	—	—	—	—	1	1	1	—
	F	6	—	—	—	—	—	2	4	—	—	2	—	—	—	—	—	1	—	1	—
30 Other deaths from violence	M	46	4	2	2	5	2	9	16	3	3	16	—	1	2	—	3	2	5	1	2
	F	25	2	1	5	1	2	2	3	2	7	8	2	—	1	—	—	1	—	—	4
31 Other defined diseases	M	283	26	5	10	7	5	16	63	61	90	67	12	—	—	3	—	4	18	17	13
	F	225	14	6	3	7	7	24	44	34	86	57	6	—	—	3	1	3	8	11	25
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Liverpool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Manchester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	5854	1153	378	243	189	254	694	1541	901	501	5503	812	331	247	178	229	664	1636	924	482
	F	5570	964	339	252	219	246	660	1230	864	796	5060	642	289	209	122	227	648	1241	923	759
1 Enteric fever ..	M	2	—	—	—	—	1	1	—	—	—	7	—	—	1	1	—	4	1	—	—
	F	5	—	—	1	1	—	3	—	—	—	6	—	—	—	—	—	5	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	69	20	30	16	3	—	—	—	—	—	189	36	83	64	5	—	—	1	—	—
	F	75	17	30	24	3	1	—	—	—	—	184	32	85	56	11	—	—	—	—	—
4 Scarlet fever ..	M	32	2	4	14	9	1	1	1	—	—	15	1	1	6	5	2	—	—	—	—
	F	31	1	4	15	9	2	—	—	—	—	19	—	2	8	6	2	1	—	—	—
5 Whooping cough ..	M	88	35	36	17	—	—	—	—	—	—	51	18	20	12	1	—	—	—	—	—
	F	86	34	35	14	3	—	—	—	—	—	61	18	27	14	2	—	—	—	—	—
6 Diphtheria ..	M	26	2	7	9	8	—	—	—	—	—	29	4	4	10	11	—	—	—	—	—
	F	44	6	8	15	15	—	—	—	—	—	32	1	7	12	11	1	—	—	—	—
7 Influenza	M	82	3	2	2	1	3	14	32	14	11	160	3	4	5	—	6	32	63	35	12
	F	107	4	1	5	2	3	20	31	19	22	174	3	3	9	3	4	30	59	36	27
8 Encephalitis lethargica ..	M	12	—	—	1	1	5	1	4	—	—	26	1	3	3	3	6	2	8	—	—
	F	10	—	—	3	1	4	—	2	—	—	26	3	—	2	3	6	7	3	2	—
9 Meningococcal meningitis ..	M	7	2	—	1	1	2	1	—	—	—	7	3	2	1	1	—	—	—	—	—
	F	5	3	—	—	1	1	—	—	—	—	6	6	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	603	6	11	18	14	99	239	184	28	4	556	1	1	5	7	83	232	205	20	2
	F	455	6	9	6	36	129	174	86	9	—	354	3	—	3	9	102	158	71	8	—
11 Other tuberculous diseases	M	132	14	21	30	28	20	11	6	2	—	120	14	16	27	27	19	7	10	—	—
	F	110	14	11	25	28	13	13	5	—	1	107	10	19	16	14	26	15	4	2	1
12 Cancer, malignant disease	M	471	—	—	—	—	3	30	263	142	33	526	—	—	—	2	3	34	291	156	40
	F	491	2	—	—	—	4	67	242	112	64	531	1	—	—	—	2	64	267	138	59
13 Rheumatic fever ..	M	19	—	—	—	6	8	4	1	—	—	26	—	—	2	13	3	3	5	—	—
	F	28	—	1	4	10	3	4	4	2	—	28	—	—	—	9	7	7	4	1	—
14 Diabetes	M	35	—	—	1	1	6	7	11	4	5	31	—	1	1	—	2	4	12	7	4
	F	48	—	—	—	—	3	6	22	11	6	35	—	—	—	—	—	3	17	12	3
15 Cerebral hæmorrhage, &c. ..	M	238	—	—	—	—	—	9	100	74	55	210	—	—	—	1	1	12	70	87	39
	F	258	—	—	—	—	—	11	99	85	63	279	—	—	—	1	—	9	89	127	53
16 Heart disease ..	M	473	—	1	1	11	23	62	206	108	61	473	—	—	1	8	10	64	208	126	56
	F	600	1	2	1	20	33	83	207	150	103	593	—	2	—	6	21	96	195	160	113
17 Arterio-sclerosis ..	M	244	—	—	—	—	—	1	77	104	62	198	—	—	—	—	—	3	55	90	50
	F	209	—	—	—	—	—	5	53	73	78	154	—	—	—	—	—	1	41	40	72
18 Bronchitis ..	M	436	79	23	5	5	4	26	107	116	71	573	62	22	6	6	2	31	186	162	96
	F	492	74	24	13	1	4	13	100	122	141	580	47	6	3	2	3	15	140	191	173
19 Pneumonia (all forms)	M	865	249	138	71	28	27	94	150	78	30	647	149	111	57	21	26	86	140	45	12
	F	735	208	136	71	24	14	65	108	71	38	459	115	93	52	8	10	51	66	40	24
20 Other respiratory diseases	M	66	3	5	4	3	3	8	20	9	11	50	2	3	6	1	3	5	16	9	5
	F	61	9	1	2	3	1	4	18	11	12	50	3	3	2	1	1	5	15	11	9
21 Ulcer of stomach or duodenum ..	M	38	—	—	—	—	—	14	20	3	1	35	—	—	—	—	—	10	17	7	1
	F	18	—	—	—	—	—	9	6	1	2	16	—	—	—	—	—	6	9	1	—
22 Diarrhœa, &c. ..	M	187	129	37	7	5	—	—	5	2	2	126	97	19	3	2	—	—	1	3	1
	F	170	116	29	9	2	2	1	2	3	6	85	54	16	4	1	—	1	2	1	6
23 Appendicitis and typhlitis.. ..	M	27	—	2	—	3	5	5	8	4	—	22	—	—	2	4	6	6	3	1	—
	F	28	—	—	—	6	—	12	8	1	1	23	—	—	1	4	5	4	9	—	—
24 Cirrhosis of liver ..	M	14	—	—	—	—	—	2	9	3	—	20	—	—	—	—	—	3	12	5	—
	F	8	—	—	—	—	—	1	7	—	—	15	—	—	—	—	—	1	11	3	—
25 Acute and chronic nephritis ..	M	172	—	—	2	4	2	27	89	37	11	143	1	1	1	4	7	22	69	25	13
	F	139	1	1	3	4	—	18	61	36	15	117	1	—	1	6	4	18	49	28	10
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	29	—	—	—	—	2	27	—	—	—	31	—	—	—	—	6	24	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	41	—	—	—	—	5	35	1	—	—	40	—	—	—	—	1	38	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	416	413	1	2	—	—	—	—	—	—	277	272	2	—	2	1	—	—	—	—
	F	296	294	1	—	1	—	—	—	—	—	234	234	—	—	—	—	—	—	—	—
29 Suicide	M	31	—	—	—	—	1	10	15	2	3	42	—	—	—	—	4	11	20	7	—
	F	19	—	—	—	—	1	4	10	3	1	13	—	—	—	—	1	7	5	—	—
30 Other deaths from violence.. .	M	183	14	9	18	27	16	36	39	16	8	187	14	5	18	25	18	28	49	19	11
	F	124	13	10	16	18	6	7	18	20	16	70	11	2	10	4	5	9	15	7	7
31 Other defined diseases	M	869	182	42	23	31	25	89	192	152	133	749	134	31	16	28	27	64	190	119	140
	F	836	161	32	24	29	15	77	136	135	227	726	100	21	16	21	20	71	163	112	202
32 Causes ill-defined or unknown ..	M	17	—	9	1	—	—	2	2	3	—	8	—	2	—	—	—	1	4	1	—
	F	12	—	4	1	2	—	1	4	—	—	12	—	3	—	—	—	2	4	3	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Middlesbrough. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Newcastle-on-Tyne. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1235	269	116	75	38	53	162	296	141	85	2046	362	111	73	77	99	275	517	344	188
	F	1061	214	127	84	45	46	128	188	116	113	1778	265	75	71	66	82	217	402	298	302
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	18	2	6	10	—	—	—	—	—	—	33	5	15	13	—	—	—	—	—	—
	F	9	1	2	4	2	—	—	—	—	—	27	2	10	12	3	—	—	—	—	—
4 Scarlet fever	M	7	—	1	2	1	2	1	—	—	—	2	—	1	—	—	1	—	—	—	—
	F	8	—	1	2	4	—	1	—	—	—	2	—	—	—	1	—	1	—	—	—
5 Whooping cough	M	32	14	12	6	—	—	—	—	—	—	12	6	4	1	1	—	—	—	—	—
	F	45	12	19	12	2	—	—	—	—	—	16	6	4	5	1	—	—	—	—	—
6 Diphtheria	M	3	1	1	1	—	—	—	—	—	—	7	—	2	3	1	—	—	1	—	—
	F	4	1	1	—	2	—	—	—	—	—	11	—	2	6	3	—	—	—	—	—
7 Influenza	M	75	13	10	5	4	1	13	18	6	5	46	3	6	1	3	2	5	14	7	5
	F	73	5	7	7	3	4	13	16	11	7	57	6	5	3	3	3	6	13	12	6
8 Encephalitis lethargica	M	2	—	1	—	1	—	—	—	—	—	8	—	—	2	1	3	2	—	—	—
	F	2	—	1	—	—	1	—	—	—	—	7	1	—	1	—	1	2	2	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	115	1	1	2	4	18	43	43	3	—	180	—	2	2	4	29	87	51	5	—
	F	80	—	—	3	8	21	37	10	1	—	140	1	1	1	11	34	67	22	2	1
11 Other tuberculous diseases	M	30	2	5	4	7	3	7	2	—	—	49	6	3	6	22	5	3	4	—	—
	F	17	—	6	3	4	1	3	—	—	—	48	5	4	7	14	12	1	5	—	—
12 Cancer, malignant disease	M	74	—	—	1	—	2	7	46	17	1	167	—	—	1	—	4	14	93	41	14
	F	65	—	—	—	—	—	7	39	11	8	187	—	—	1	—	2	23	98	42	21
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	4	—	—	—	2	—	1	1	—	—
	F	6	—	—	1	4	—	1	—	—	—	8	—	—	1	2	1	3	—	1	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	14	—	—	—	—	—	2	6	3	3
	F	4	—	—	—	—	1	1	1	1	—	14	—	—	—	—	—	4	1	5	4
15 Cerebral hæmorrhage, &c.	M	41	1	—	—	—	—	1	16	9	14	100	—	—	—	—	1	2	45	39	13
	F	44	—	—	—	—	—	—	13	18	13	93	—	—	—	—	2	1	31	29	30
16 Heart disease	M	110	—	—	1	1	2	13	49	30	14	203	—	1	—	—	6	27	76	73	20
	F	79	1	—	1	2	3	8	31	19	14	197	—	—	—	2	5	21	66	59	44
17 Arterio-sclerosis	M	53	—	—	—	—	—	1	10	22	20	138	—	—	—	—	—	1	26	59	52
	F	27	—	—	—	—	—	—	4	11	12	89	—	—	—	—	—	—	15	25	49
18 Bronchitis	M	75	20	9	1	2	2	1	17	13	10	131	26	9	2	2	1	7	34	32	18
	F	103	24	10	3	—	—	—	22	23	21	130	18	4	1	—	—	2	23	37	45
19 Pneumonia (all forms)	M	245	81	51	33	3	2	26	34	12	3	245	76	44	24	9	14	35	31	11	1
	F	239	72	68	38	9	3	14	19	10	6	195	60	33	25	8	3	24	21	13	8
20 Other respiratory diseases	M	23	2	—	2	3	1	3	6	4	2	26	1	1	1	1	3	6	9	3	1
	F	15	1	1	1	—	—	4	5	1	2	13	—	—	—	—	1	—	5	4	3
21 Ulcer of stomach or duodenum	M	10	—	—	—	—	—	8	1	1	—	16	—	—	—	—	1	5	7	3	—
	F	1	—	—	—	—	—	—	1	—	—	10	—	—	—	—	—	3	5	2	—
22 Diarrhœa, &c.	M	25	16	6	1	—	1	—	—	—	1	50	29	12	2	1	1	—	—	3	2
	F	25	19	1	2	—	—	2	—	—	1	30	19	4	3	1	1	—	—	—	2
23 Appendicitis and typhlitis	M	4	—	—	—	1	3	—	—	—	—	14	—	—	2	5	1	2	2	1	
	F	1	—	—	—	1	—	—	—	—	—	5	—	—	—	2	—	1	1	—	
24 Cirrhosis of liver	M	1	—	—	—	—	—	1	—	—	—	13	—	—	—	—	—	—	8	4	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	17	2	—	—	1	—	2	7	5	—	56	—	—	2	2	3	10	18	13	8
	F	17	—	1	—	1	2	6	4	—	3	56	—	—	—	—	2	8	30	12	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	6	—	—	—	—	1	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	1	8	—	—	—	9	—	—	—	—	4	4	1	—	—
28 Congenital debility and malformation, premature birth	M	81	80	—	—	1	—	—	—	—	—	150	149	1	—	—	—	—	—	—	—
	F	59	58	—	—	—	—	1	—	—	—	102	98	1	2	1	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	4	2	—	—	29	—	—	—	—	5	13	10	—	
	F	1	—	—	—	—	—	1	—	—	—	8	—	—	—	—	—	4	3	—	
30 Other deaths from violence	M	44	1	—	1	1	8	14	14	3	2	59	—	2	3	7	5	16	17	8	
	F	10	—	3	1	1	—	1	1	2	1	28	2	—	—	4	1	4	5	6	
31 Other defined diseases	M	136	32	10	5	8	7	16	29	16	13	287	61	6	8	15	14	36	62	38	4
	F	106	18	3	6	2	7	15	22	8	25	284	45	7	3	9	8	31	55	49	7
32 Causes ill-defined or unknown	M	5	—	3	—	—	—	1	1	—	—	5	—	2	—	1	—	—	1	1	—
	F	3	1	2	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Northampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Norwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	527	47	8	9	13	27	62	133	123	105	712	84	15	20	16	29	71	160	168	149
	F	496	33	5	9	12	17	69	136	104	111	733	51	11	23	21	24	83	141	151	228
1 Enteric fever	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	—	—	1	—	—	—	4	—	—	3	—	1	—	—	—	—
	F	4	—	1	1	2	—	—	—	—	—	5	—	—	3	2	—	—	—	—	—
5 Whooping cough	M	4	1	3	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	10	5	1	4	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	5	—	—	1	4	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	13	—	—	6	7	—	—	—	—	—
7 Influenza	M	21	1	—	—	1	1	5	9	4	—	9	2	—	—	—	—	1	3	2	1
	F	12	—	—	—	—	1	2	4	2	3	13	1	1	1	1	—	1	2	2	4
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	54	—	—	—	—	13	23	16	2	—	73	3	—	—	1	12	27	28	2	—
	F	34	—	—	—	—	6	17	11	—	—	53	—	—	—	1	15	25	8	3	1
11 Other tuberculous diseases	M	12	—	4	2	2	2	1	1	—	—	12	2	1	2	—	3	1	3	—	—
	F	4	2	1	—	1	—	—	—	—	—	13	—	4	4	—	1	4	—	—	—
12 Cancer, malignant disease	M	52	—	—	—	—	—	4	20	20	8	91	—	—	—	—	—	6	34	38	13
	F	78	—	—	1	—	—	11	34	22	10	96	—	—	—	—	—	10	38	26	22
13 Rheumatic fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	1	2	1	1	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	8	—	—	—	—	—	1	3	3	1	7	—	—	—	—	1	1	2	1	2
	F	2	—	—	—	—	—	—	2	—	—	7	—	—	—	—	—	2	2	2	1
15 Cerebral hæmorrhage, &c.	M	38	—	—	—	—	—	—	5	18	15	45	—	—	—	—	—	—	9	20	16
	F	51	—	—	—	—	—	1	19	13	18	64	—	—	—	—	—	1	16	18	29
16 Heart disease	M	54	—	—	—	2	1	7	15	20	9	71	—	—	1	1	2	4	22	23	18
	F	69	—	—	—	1	4	7	20	22	15	97	—	—	—	2	2	5	23	34	31
17 Arterio-sclerosis	M	21	—	—	—	—	—	—	5	8	8	44	—	—	—	—	—	—	5	18	21
	F	10	—	—	—	—	—	—	2	2	6	24	—	—	—	—	—	—	1	4	19
18 Bronchitis	M	43	2	—	—	—	—	—	4	17	20	31	3	1	—	—	—	3	5	8	11
	F	47	1	—	—	1	—	—	10	16	19	61	7	1	—	—	—	3	4	16	30
19 Pneumonia (all forms)	M	50	8	—	3	3	1	10	19	4	2	65	18	6	5	3	1	3	10	10	9
	F	27	5	2	1	—	1	6	6	6	—	50	10	1	6	1	1	4	5	9	13
20 Other respiratory diseases	M	2	—	—	—	—	—	1	1	—	—	8	—	—	—	—	—	3	3	2	—
	F	7	—	—	—	—	1	2	2	1	1	13	2	1	—	—	1	3	3	1	2
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	—	2	2	—	4	—	—	—	—	—	1	2	1	—
	F	3	—	—	—	—	—	—	2	—	1	2	—	—	—	—	—	—	1	1	—
22 Diarrhœa, &c.	M	4	3	—	—	—	—	—	—	—	1	9	6	1	1	—	—	1	—	—	—
	F	5	2	—	—	1	—	—	1	—	1	5	1	2	—	—	—	1	—	1	—
23 Appendicitis and typhlitis	M	3	—	—	—	1	1	—	1	—	—	4	—	—	—	2	1	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	1	—	1	1	1	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	3	—	—
	F	3	—	—	—	—	—	—	1	2	—	4	—	—	—	—	—	—	1	1	2
25 Acute and chronic nephritis	M	15	—	—	—	2	—	—	6	4	3	10	—	—	1	—	—	—	—	2	7
	F	8	—	—	—	—	—	3	1	2	2	9	—	—	—	—	—	3	1	4	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth	M	22	22	—	—	—	—	—	—	—	—	28	27	—	—	—	—	1	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	—	1	5	2	1	11	—	—	—	—	—	5	4	1	1
	F	5	—	—	—	—	—	2	2	1	—	8	—	—	—	—	—	2	4	1	1
30 Other deaths from violence	M	9	1	—	2	—	2	—	2	1	1	27	4	—	2	1	4	5	7	2	2
	F	9	2	—	—	1	—	—	1	1	4	11	1	—	—	1	1	2	4	—	2
31 Other defined diseases	M	92	8	—	1	1	6	6	17	17	36	144	17	5	2	4	4	7	19	38	48
	F	83	5	—	2	3	—	13	15	14	31	149	5	—	3	3	2	12	27	27	70
32 Causes ill-defined or unknown	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Nottingham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Oldham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1797	255	61	60	38	63	197	502	357	264	1000	159	28	20	22	44	111	325	204	87
	F	1706	186	55	47	33	70	192	386	365	372	995	107	33	26	17	47	114	285	212	154
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	1	—	—	—	—	—	—	—	16	8	5	3	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	9	1	5	3	—	—	—	—	—	—
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	17	7	7	3	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	21	7	7	7	—	—	—	—	—	—	8	3	2	3	—	—	—	—	—	—
6 Diphtheria	M	4	—	1	1	2	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	7	—	—	5	1	—	1	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza	M	62	5	1	2	—	1	11	27	11	4	25	2	1	—	1	—	4	8	9	—
	F	78	1	5	2	2	4	9	18	20	17	28	1	1	2	1	2	3	11	5	2
8 Encephalitis lethargica	M	4	—	—	—	2	1	—	1	—	—	11	—	—	1	1	3	1	4	1	—
	F	6	1	—	—	—	1	2	2	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	135	—	—	3	1	24	67	35	5	—	72	—	1	—	1	11	32	25	2	—
	F	120	1	1	—	3	39	49	23	3	1	52	—	—	1	4	15	25	6	1	—
11 Other tuberculous diseases	M	40	3	7	11	4	7	4	3	1	—	29	2	2	5	8	8	2	1	1	—
	F	25	4	4	6	3	2	3	2	1	—	18	2	4	3	2	6	1	—	—	—
12 Cancer, malignant disease	M	183	—	—	—	—	1	7	87	65	23	90	—	—	—	—	1	8	48	26	7
	F	196	—	—	—	1	1	24	95	53	22	114	—	—	—	—	—	9	61	27	17
13 Rheumatic fever	M	5	—	—	—	2	2	1	—	—	—	5	1	—	—	1	—	2	1	—	—
	F	5	—	—	—	1	—	3	1	—	—	3	—	—	—	—	—	1	2	—	—
14 Diabetes	M	14	—	—	—	1	—	—	6	5	2	5	—	—	—	—	—	—	4	1	—
	F	15	—	—	—	—	1	—	5	9	—	9	—	—	—	—	—	1	3	5	—
15 Cerebral hæmorrhage, &c.	M	104	—	—	—	—	—	4	37	41	22	61	—	—	—	—	1	1	27	24	8
	F	139	—	—	—	—	—	5	33	61	40	81	—	—	—	—	—	2	26	33	20
16 Heart disease	M	177	—	—	—	1	1	14	70	64	27	113	—	1	1	—	5	13	49	31	13
	F	214	—	—	—	2	4	24	66	67	51	140	—	1	—	2	7	19	46	48	17
17 Arterio-sclerosis	M	73	—	—	—	—	—	—	16	36	21	25	—	—	—	—	—	—	13	11	1
	F	42	—	—	—	—	—	—	7	11	24	24	—	—	—	—	—	—	5	6	13
18 Bronchitis	M	165	15	4	1	1	—	13	48	34	49	117	16	4	—	—	1	4	33	39	20
	F	164	10	1	1	—	1	1	28	55	67	107	7	7	2	—	—	4	23	33	31
19 Pneumonia (all forms)	M	231	47	28	24	5	9	27	58	15	18	97	24	7	6	5	2	20	21	11	1
	F	166	37	31	13	4	2	13	22	28	16	67	18	9	5	2	2	6	19	4	2
20 Other respiratory diseases	M	21	—	—	—	—	1	4	6	5	5	12	2	1	—	—	1	2	4	1	1
	F	17	1	—	—	—	1	1	2	5	7	7	—	—	—	—	1	—	1	3	2
21 Ulcer of stomach or duodenum	M	13	—	—	—	—	—	1	9	3	—	8	—	—	—	—	—	2	4	2	—
	F	9	—	—	—	—	—	2	4	2	1	3	—	—	—	—	—	—	3	—	—
22 Diarrhœa, &c.	M	44	35	4	1	2	—	—	—	2	—	22	17	2	—	1	—	—	1	—	1
	F	30	18	1	5	—	—	2	1	2	1	12	5	1	2	1	—	1	1	—	1
23 Appendicitis and typhlitis	M	14	—	—	—	5	1	2	6	—	—	3	—	—	—	—	—	1	2	—	—
	F	6	—	—	—	—	1	1	3	1	—	4	—	—	—	—	2	2	—	—	—
24 Cirrhosis of liver	M	7	—	—	—	—	—	1	5	1	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis	M	34	—	1	—	1	—	2	12	10	8	31	—	—	—	—	2	5	18	5	1
	F	40	—	—	—	1	4	10	12	8	5	45	1	—	—	—	3	7	24	10	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	2	9	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth	M	92	91	—	—	—	—	1	—	—	—	59	58	—	1	—	—	—	—	—	—
	F	76	75	—	1	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—	—
29 Suicide	M	13	—	—	—	—	1	1	7	3	1	10	—	—	—	—	—	2	6	1	1
	F	10	—	—	—	—	—	3	7	—	—	7	—	—	—	—	—	4	3	—	—
30 Other deaths from violence	M	52	1	1	5	6	9	12	8	6	4	23	1	2	2	2	3	1	6	4	2
	F	36	5	—	3	5	—	5	8	2	8	25	1	—	1	3	1	4	9	3	3
31 Other defined diseases	M	282	48	5	6	5	5	25	60	49	79	146	24	2	1	2	6	7	43	31	30
	F	261	26	4	2	9	6	20	45	37	112	161	20	2	1	1	8	17	36	30	46
32 Causes ill-defined or unknown	M	6	1	1	1	—	—	—	1	1	1	14	1	—	—	—	—	3	6	3	1
	F	2	—	—	—	—	—	1	1	—	—	10	2	1	—	—	—	—	3	4	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Oxford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Plymouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	325	22	9	7	7	11	25	88	79	77	1277	173	56	45	30	47	119	324	258	225
	F	360	24	4	5	10	12	29	68	77	131	1419	134	33	34	38	64	163	301	273	379
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	18	1	11	5	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	8	2	2	4	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	1	—	1	—	—	—	—	—	—	16	8	5	3	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	16	8	5	2	1	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	10	1	1	7	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	12	—	—	4	7	—	1	—	—	—
7 Influenza	M	17	1	—	—	—	—	1	7	3	5	34	3	1	—	1	3	5	12	8	1
	F	22	—	—	—	—	—	—	7	5	10	42	1	—	2	1	—	2	8	11	17
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	1	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	2	1	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	18	—	—	—	—	2	9	7	—	—	91	—	—	1	—	17	43	25	5	—
	F	19	—	—	—	2	5	8	3	1	—	108	—	—	—	5	37	51	14	—	1
11 Other tuberculous diseases	M	3	—	—	1	—	2	—	—	—	—	18	1	3	4	1	3	5	—	1	—
	F	8	2	1	2	2	—	—	—	1	—	29	3	1	4	5	4	8	4	—	—
12 Cancer, malignant disease	M	41	—	—	—	—	—	2	18	17	4	93	—	—	—	—	1	6	46	26	14
	F	48	—	—	—	—	—	5	19	19	5	167	—	—	—	—	1	9	80	48	29
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	6	—	—	—	1	2	1	2	—	—
	F	1	—	—	—	1	—	—	—	—	—	5	—	—	—	2	2	—	1	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	12	—	—	—	—	1	1	3	2	5
	F	7	—	—	—	—	—	—	3	3	1	10	—	—	—	—	—	2	4	3	1
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	7	8	9	67	—	—	—	—	1	2	16	24	24
	F	28	—	—	—	—	—	1	3	9	15	99	—	—	—	—	—	3	27	34	35
16 Heart disease ..	M	36	—	—	—	1	—	1	8	13	13	188	1	—	1	—	4	11	50	64	57
	F	51	—	—	—	—	1	3	12	15	20	185	—	—	—	1	2	7	47	64	64
17 Arterio-sclerosis ..	M	21	—	—	—	—	—	—	5	9	7	38	—	—	—	—	—	—	10	16	12
	F	19	—	—	—	—	—	—	2	4	13	40	—	—	—	—	—	1	6	13	20
18 Bronchitis ..	M	21	—	—	—	—	—	1	1	6	13	145	23	10	2	—	—	6	20	39	45
	F	30	1	1	—	—	—	—	3	4	21	173	11	5	—	1	—	6	29	38	83
19 Pneumonia (all forms)	M	30	4	2	1	1	—	2	9	7	4	97	32	18	12	3	2	4	18	5	3
	F	24	1	2	1	—	2	2	2	6	8	99	30	12	12	4	1	6	13	12	9
20 Other respiratory diseases	M	6	1	1	—	—	—	1	2	—	1	24	2	—	1	2	—	6	9	3	1
	F	7	—	—	—	—	—	—	3	—	4	16	1	—	—	—	—	5	5	—	5
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	—	1	—	13	—	—	—	—	—	3	5	4	1
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	2	1	—	—
22 Diarrhœa, &c. ..	M	2	1	—	—	—	—	1	—	—	—	11	6	—	1	—	—	—	2	2	—
	F	2	2	—	—	—	—	—	—	—	—	19	10	1	1	1	—	2	—	3	1
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	1	1	1	3	—	—
	F	1	—	—	—	1	—	—	—	—	—	9	—	—	—	2	1	5	—	—	1
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	6	—	—	—	—	—	—	5	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	—	—	2	3	3	40	2	—	—	2	—	5	25	3	3
	F	7	—	—	—	—	—	—	2	2	3	35	—	—	—	2	1	7	16	4	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	9	—	—	—	—	2	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	16	—	—	—	—	1	14	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	10	10	—	—	—	—	—	—	—	—	63	61	1	—	1	—	—	—	—	—
	F	15	15	—	—	—	—	—	—	—	—	50	50	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	—	2	—	—	13	—	—	—	—	2	—	6	4	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence.. ..	M	15	2	3	1	1	3	2	2	1	—	31	2	1	—	6	1	4	8	7	2
	F	7	2	—	—	1	1	1	1	—	1	20	2	—	—	1	—	2	3	5	7
31 Other defined diseases	M	60	2	3	1	2	4	5	14	11	18	229	29	5	6	10	9	15	56	43	56
	F	55	1	—	1	3	1	7	5	7	30	238	16	7	5	5	10	20	36	38	101
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	2	1	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Portsmouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Preston. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1490	205	53	52	42	53	152	397	291	245	862	145	26	31	17	36	112	248	151	96
	F	1436	133	41	43	34	60	161	331	263	370	851	80	25	16	28	27	91	252	169	163
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	2	2	2	—	—	—	—	—	—	11	1	6	4	—	—	—	—	—	—
	F	9	2	5	2	—	—	—	—	—	—	10	2	5	2	1	—	—	—	—	—
4 Scarlet fever	M	4	—	—	2	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	4	1	—	1	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	22	9	8	5	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	18	7	7	3	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria	M	14	1	1	6	6	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
7 Influenza	M	43	3	2	3	—	4	5	7	10	9	41	3	—	3	1	1	11	15	4	3
	F	65	1	1	4	3	—	11	15	17	13	48	—	1	1	2	—	8	21	10	5
8 Encephalitis lethargica	M	5	—	1	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	118	—	1	—	3	19	51	39	5	—	64	—	1	1	—	15	23	23	1	—
	F	114	1	—	1	2	36	45	22	5	2	41	—	—	—	7	7	17	8	2	—
11 Other tuberculous diseases	M	31	7	1	6	8	7	2	—	—	—	18	6	1	4	2	1	1	2	1	—
	F	22	1	1	6	5	3	1	2	3	—	16	3	3	1	2	4	—	3	—	—
12 Cancer, malignant disease	M	176	—	—	—	—	1	9	83	63	20	63	—	—	—	1	1	3	34	22	2
	F	166	—	—	—	1	1	19	80	38	27	96	—	1	—	—	—	2	56	28	9
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	1	1	—	—	—	6	—	—	—	3	1	1	—	1	—
14 Diabetes	M	9	—	—	—	—	1	1	4	1	2	7	—	—	—	—	—	—	4	2	1
	F	13	—	—	—	—	—	1	6	2	4	14	—	—	—	—	1	1	5	5	2
15 Cerebral hæmorrhage, &c.	M	74	—	—	—	—	—	1	23	28	22	39	—	—	—	—	—	2	13	12	12
	F	96	—	—	—	—	—	2	33	29	32	54	—	—	—	—	—	1	12	20	21
16 Heart disease	M	183	—	—	—	3	1	16	72	56	35	74	—	—	—	2	—	7	27	22	16
	F	201	—	—	—	3	—	21	58	56	63	120	—	—	—	3	6	14	37	35	25
17 Arterio-sclerosis	M	20	—	—	—	—	—	—	5	8	7	36	—	—	—	—	—	—	9	22	5
	F	14	—	—	—	—	—	—	5	4	5	39	—	—	—	—	—	1	11	17	10
18 Bronchitis	M	82	4	4	1	—	—	3	18	28	24	80	6	1	—	—	—	9	27	17	20
	F	117	12	1	3	—	1	2	18	31	49	80	7	—	—	—	—	4	24	20	25
19 Pneumonia (all forms)	M	132	39	29	13	5	1	12	16	9	8	109	26	7	10	1	6	24	22	9	4
	F	105	25	19	10	7	1	6	13	11	13	66	6	13	5	3	—	6	21	6	6
20 Other respiratory diseases	M	16	—	—	—	1	1	1	6	4	3	9	1	—	1	—	—	3	2	1	1
	F	12	—	—	1	1	1	1	4	1	3	8	—	—	1	—	—	2	3	1	1
21 Ulcer of stomach or duodenum	M	12	—	—	—	—	1	3	6	2	—	7	—	—	—	—	—	2	4	1	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	3	1	—
22 Diarrhœa, &c.	M	14	11	1	1	—	—	—	1	—	—	17	12	—	—	—	—	—	2	3	—
	F	13	9	2	—	—	1	—	1	—	—	8	7	—	—	1	—	—	—	—	—
23 Appendicitis and typhlitis	M	13	—	1	2	1	3	4	1	1	—	4	—	—	1	—	3	—	—	—	—
	F	15	—	—	1	1	—	4	3	3	3	2	—	—	1	—	—	—	1	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	1	—	3	—	—
	F	5	—	—	—	—	—	—	3	2	—	3	—	—	—	—	—	1	1	1	—
25 Acute and chronic nephritis	M	41	—	—	—	—	4	5	12	12	8	16	—	—	—	—	—	5	7	3	1
	F	31	—	—	1	—	—	3	11	11	5	24	—	—	—	2	3	4	8	5	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	9	—	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	4	8	—	—	—	9	—	—	—	—	1	8	—	—	—
28 Congenital debility and malformation, premature birth	M	95	95	—	—	—	—	—	—	—	—	60	59	—	—	1	—	—	—	—	—
	F	54	54	—	—	—	—	—	—	—	—	40	39	1	—	—	—	—	—	—	—
29 Suicide	M	17	—	—	—	—	1	3	9	3	1	3	—	—	—	—	—	—	3	—	—
	F	7	—	—	—	—	1	4	1	—	1	3	—	—	—	—	—	—	2	—	1
30 Other deaths from violence	M	32	6	—	3	4	—	4	10	3	2	40	—	4	2	3	6	8	13	2	2
	F	25	2	2	2	1	3	1	1	5	8	14	—	—	2	1	—	1	1	2	7
31 Other defined diseases	M	326	28	1	8	9	6	30	83	58	103	133	27	4	2	3	1	13	27	28	28
	F	294	17	2	6	4	5	19	54	45	142	128	15	—	1	2	2	16	31	12	49
32 Causes ill-defined or unknown	M	1	—	1	—	—	—	—	—	—	—	16	3	1	—	—	1	1	8	1	1
	F	2	1	1	—	—	—	—	—	—	—	8	—	—	1	—	—	—	4	3	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Reading. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Rochdale. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	480	54	12	8	13	18	63	140	90	82	682	64	23	18	15	33	86	209	158	76
	F	531	34	6	9	11	15	56	101	122	177	668	48	12	11	8	25	68	211	161	124
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	2	1	1	—	—	—	—	—	—	13	3	6	4	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	2	—	1	—	—	—	—
5 Whooping cough	M	2	—	1	1	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	6	—	—	—	—	1	3	2	—	—	42	—	1	—	—	3	13	12	11	2
	F	14	—	—	—	2	—	1	3	4	4	38	1	—	—	—	3	1	14	12	7
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	—	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	—	2	—
9 Meningococcal meningitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	53	3	—	—	1	7	27	14	1	—	41	1	—	—	2	9	17	11	1	—
	F	38	1	—	—	1	12	17	7	—	—	30	—	—	—	2	12	13	3	—	—
11 Other tuberculous diseases	M	4	1	—	—	1	—	2	—	—	—	9	1	1	1	1	2	2	1	—	—
	F	5	1	1	—	—	—	—	1	1	1	9	—	—	1	2	1	3	1	—	1
12 Cancer, malignant disease	M	58	—	—	—	—	—	—	25	21	12	60	—	—	—	—	—	2	33	22	3
	F	78	—	—	—	—	—	10	31	23	14	84	—	—	1	—	—	10	47	22	4
13 Rheumatic fever	M	1	—	—	—	—	—	1	—	—	—	4	—	—	—	1	3	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	3	—	—	—	1	1	—	1	—	—
14 Diabetes	M	6	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—	1	1	—
	F	10	—	—	—	1	—	1	4	4	—	4	—	—	—	—	1	2	1	—	—
15 Cerebral hæmorrhage, &c.	M	23	—	—	—	—	—	—	6	12	5	43	—	—	—	—	—	—	14	21	8
	F	30	—	—	—	—	—	—	7	10	13	45	—	—	—	—	—	3	14	19	9
16 Heart disease	M	65	—	—	—	—	—	4	26	20	15	68	—	—	1	—	4	11	23	23	6
	F	78	—	—	—	3	1	5	12	26	31	95	—	—	—	—	2	5	42	31	15
17 Arterio-sclerosis	M	30	—	—	—	—	—	—	5	12	13	40	—	—	—	—	—	1	13	15	11
	F	58	—	—	—	—	—	—	3	18	37	17	—	—	—	—	—	—	5	7	5
18 Bronchitis	M	23	3	1	—	—	—	1	4	3	11	65	6	1	—	—	1	4	21	23	9
	F	51	1	1	—	—	—	—	4	13	32	87	1	2	1	—	—	4	16	35	28
19 Pneumonia (all forms)	M	49	15	5	4	4	—	1	10	4	6	52	7	7	4	2	1	10	13	6	2
	F	24	5	3	1	—	—	3	5	2	5	47	11	3	3	1	—	4	13	9	3
20 Other respiratory diseases	M	4	—	1	—	—	—	—	2	—	1	10	—	—	—	—	1	1	6	—	2
	F	3	—	—	—	—	—	—	1	2	—	3	—	—	—	—	—	1	1	—	1
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	2	—	—	8	—	—	—	—	—	2	6	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	2	2	—	—	—	—	—	—	—	—	4	2	1	—	—	—	—	1	—	—
	F	5	2	—	1	—	—	—	—	1	1	5	2	1	1	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	6	—	—	—	2	1	2	1	—	—	6	—	—	—	2	1	1	2	—	—
	F	3	—	—	1	—	—	—	2	—	—	3	—	—	—	—	—	1	2	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	1	—	5	—	—	—	—	—	—	5	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	11	—	—	—	—	2	3	3	1	2	17	—	—	—	1	1	3	6	5	1
	F	8	—	—	—	—	—	2	2	2	2	24	—	—	—	—	2	3	12	6	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	23	23	—	—	—	—	—	—	—	—	29	29	—	—	—	—	—	—	—	—
	F	21	20	—	—	—	—	1	—	—	—	23	23	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	2	2	—	—	11	—	—	—	—	1	2	6	2	—
	F	6	—	—	—	—	—	2	3	—	1	4	—	—	—	—	—	1	2	1	—
30 Other deaths from violence	M	11	—	1	1	1	2	2	3	1	—	23	—	—	3	2	3	4	5	3	3
	F	15	—	—	3	—	—	4	1	3	4	13	—	—	—	—	1	1	6	3	2
31 Other defined diseases	M	85	5	1	—	4	5	14	27	13	16	118	13	4	4	2	3	13	25	25	29
	F	73	4	1	1	3	1	5	13	13	32	113	7	3	1	1	1	11	28	14	47
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Rotherham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	St. Helens. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	512	92	26	8	17	22	67	133	93	54	673	142	51	34	31	27	78	158	102	50
	F	387	70	14	13	11	16	42	91	63	67	635	130	37	34	22	35	86	124	101	66
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	2	5	1	1	—	—	—	—	—	16	3	10	2	1	—	—	—	—	—
	F	4	1	1	2	—	—	—	—	—	—	13	3	4	6	—	—	—	—	—	—
4 Scarlet fever ..	M	4	1	—	2	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	1	1	—	—	—	—	—	—	—	5	3	1	—	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	6	—	3	3	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	1	1	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
7 Influenza	M	19	—	—	—	—	—	4	9	3	3	17	—	1	1	1	1	4	7	1	1
	F	10	—	—	—	—	—	2	4	2	2	21	5	1	1	1	—	3	4	4	2
8 Encephalitis lethargica ..	M	3	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	1	—	—	2	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	44	—	—	—	1	12	20	9	2	—	64	—	—	—	3	6	36	18	1	—
	F	23	—	—	—	2	9	9	3	—	—	54	—	—	1	5	18	22	7	1	—
11 Other tuberculous diseases	M	12	2	6	1	1	1	—	1	—	—	10	1	1	4	3	—	—	1	—	—
	F	8	2	1	1	1	—	2	1	—	—	17	5	3	4	3	1	—	1	—	—
12 Cancer, malignant disease	M	46	—	—	—	—	—	1	29	14	2	40	—	—	—	—	—	3	28	5	4
	F	33	—	—	—	1	—	2	16	6	8	56	—	—	—	—	1	7	26	18	4
13 Rheumatic fever ..	M	4	—	—	1	3	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	1	—	1	1	—	—
14 Diabetes	M	6	—	—	—	—	—	2	3	1	—	3	—	—	—	—	—	—	2	1	—
	F	5	—	—	—	—	—	—	3	2	—	6	—	—	—	—	—	1	2	2	1
15 Cerebral hæmorrhage, &c. ..	M	33	—	—	—	—	—	2	12	9	10	21	—	—	—	1	1	—	8	7	4
	F	27	—	—	—	—	—	—	10	13	4	22	—	—	—	—	—	—	8	7	7
16 Heart disease ..	M	42	—	—	—	—	1	5	17	14	5	53	—	—	—	3	1	4	20	20	5
	F	44	—	—	—	1	3	10	15	8	7	63	—	—	—	1	2	7	29	17	7
17 Arterio-sclerosis ..	M	14	—	—	—	—	—	—	7	4	3	21	—	—	—	—	—	—	6	13	2
	F	16	—	—	—	—	—	—	2	6	8	11	—	—	—	—	—	—	5	4	2
18 Bronchitis ..	M	33	5	1	—	—	1	1	3	13	9	54	5	2	—	—	3	1	19	17	7
	F	27	2	1	—	1	—	—	5	3	15	36	3	3	—	—	—	4	6	9	11
19 Pneumonia (all forms)	M	62	19	5	1	4	1	10	11	7	4	103	28	25	14	3	2	10	14	5	2
	F	42	10	9	4	1	—	1	8	3	6	63	23	13	7	4	3	3	4	3	3
20 Other respiratory diseases	M	5	—	—	—	—	—	2	1	2	—	4	—	—	1	—	—	—	2	1	—
	F	6	—	—	—	—	—	—	2	2	2	11	3	—	—	—	—	1	3	2	2
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	3	1	—
22 Diarrhœa, &c. ..	M	18	14	2	—	—	—	2	—	—	—	16	10	1	2	1	—	—	1	—	1
	F	24	17	2	1	—	—	—	1	2	1	20	8	4	3	—	—	2	1	2	—
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	2	—	—	—	—	1	—	—	1	—	3	—	—	—	1	1	—	1	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	1	2	—	—	3	—	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	—	1	4	2	1	15	—	1	—	—	1	5	4	—	4
	F	9	—	—	—	—	—	2	6	1	—	21	—	1	1	2	—	6	4	7	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	5	—	—	—	—	3	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	12	—	—	—	—	2	9	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	31	31	—	—	—	—	—	—	—	—	71	69	—	1	1	—	—	—	—	—
	F	24	23	—	—	1	—	—	—	—	—	49	49	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	1	1	1	1	4	—	—	—	—	1	1	—	2	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—	—
30 Other deaths from violence.. ..	M	19	—	2	—	1	3	6	5	1	1	33	2	1	3	2	6	6	12	1	—
	F	11	1	—	3	1	—	2	—	2	2	7	—	1	—	1	—	3	1	—	1
31 Other defined diseases	M	84	17	3	1	4	2	7	15	20	15	104	21	5	5	7	5	5	9	27	20
	F	57	13	—	—	—	2	7	12	11	12	118	30	4	6	3	3	9	15	22	26
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	5	—	1	—	—	—	1	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	2	—

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Salford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Sheffield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1859	343	136	92	68	69	210	505	293	143	3283	495	142	92	90	147	401	964	575	377
	F	1705	236	123	92	54	92	193	412	263	240	2826	374	110	85	120	125	337	676	499	500
1 Enteric fever	M	3	—	—	—	—	1	2	—	—	—	7	—	—	—	1	1	3	2	—	—
	F	1	—	—	1	—	—	—	—	—	—	3	—	—	2	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	85	17	41	24	3	—	—	—	—	—	60	16	28	14	2	—	—	—	—	—
	F	67	15	34	17	1	—	—	—	—	—	55	20	18	14	3	—	—	—	—	—
4 Scarlet fever	M	4	—	1	—	2	—	1	—	—	—	4	—	—	3	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	1	2	1	1	—	—	—	—
5 Whooping cough	M	27	13	6	7	1	—	—	—	—	—	13	9	4	—	—	—	—	—	—	—
	F	37	8	15	14	—	—	—	—	—	—	18	4	8	5	1	—	—	—	—	—
6 Diphtheria	M	7	1	—	4	2	—	—	—	—	—	9	—	2	6	1	—	—	—	—	—
	F	8	—	1	5	2	—	—	—	—	—	11	2	1	2	5	1	—	—	—	—
7 Influenza	M	52	7	4	1	1	1	7	16	11	4	97	5	1	1	4	4	17	29	23	13
	F	57	4	2	3	—	3	10	17	12	6	87	4	3	2	3	3	13	26	19	14
8 Encephalitis lethargica	M	5	—	—	—	—	2	1	2	—	—	23	—	1	—	4	4	6	6	2	—
	F	10	1	—	1	1	3	2	2	—	—	17	—	—	—	6	1	3	6	1	—
9 Meningococcal meningitis	M	2	1	—	—	1	—	—	—	—	—	3	—	—	1	1	1	—	—	—	—
	F	3	—	2	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	190	1	6	7	2	26	80	62	5	1	284	—	—	3	3	32	107	122	13	4
	F	123	—	—	—	11	43	49	17	3	—	143	2	—	—	8	37	71	23	2	—
11 Other tuberculous diseases	M	37	6	5	9	8	5	2	2	—	—	61	3	14	12	9	9	9	5	—	—
	F	37	5	7	7	7	7	3	—	1	—	51	3	2	10	16	4	10	6	—	—
12 Cancer, malignant disease	M	166	—	—	—	1	—	7	100	47	11	343	—	—	1	1	1	29	183	94	34
	F	154	—	—	—	—	2	15	92	31	14	316	1	—	2	1	1	37	163	83	28
13 Rheumatic fever	M	9	—	—	1	3	2	1	1	1	—	10	—	—	—	3	5	2	—	—	—
	F	7	—	—	—	4	2	1	—	—	—	17	—	—	2	6	1	4	3	—	1
14 Diabetes	M	7	—	—	—	1	1	1	3	1	—	20	—	—	—	—	1	3	8	4	4
	F	17	—	—	—	—	2	2	6	4	3	21	—	—	—	3	2	3	9	3	1
15 Cerebral hæmorrhage, &c.	M	72	—	—	—	—	—	3	28	29	12	132	—	—	—	—	1	5	40	54	32
	F	79	—	—	—	—	—	4	38	26	11	185	—	—	—	1	—	3	66	61	54
16 Heart disease	M	159	—	—	1	2	3	23	61	45	24	303	—	—	2	9	12	32	120	79	49
	F	221	—	—	1	7	7	33	86	45	42	351	—	1	1	13	22	45	111	82	76
17 Arterio-sclerosis	M	49	—	—	—	—	2	1	15	21	10	237	—	—	—	—	—	1	55	101	80
	F	21	—	—	—	—	—	—	4	12	5	178	—	—	—	—	—	1	21	56	100
18 Bronchitis	M	173	21	8	2	1	—	11	53	50	27	251	30	11	6	1	4	7	62	67	63
	F	186	17	4	4	—	1	7	51	50	52	254	30	10	—	—	2	11	45	67	89
19 Pneumonia (all forms)	M	241	85	42	25	5	5	23	41	12	3	382	91	48	22	10	20	57	85	35	14
	F	159	41	35	24	6	5	9	23	12	4	234	52	40	28	14	12	22	27	26	13
20 Other respiratory diseases	M	16	2	—	3	—	—	2	4	4	1	26	3	2	1	2	1	2	8	6	1
	F	15	1	—	1	2	1	1	4	2	3	23	1	1	1	1	—	2	10	1	6
21 Ulcer of stomach or duodenum	M	10	—	—	—	—	—	4	5	1	—	25	—	—	—	—	—	8	14	2	1
	F	5	1	—	—	—	—	2	2	—	—	6	—	—	—	—	1	2	1	2	—
22 Diarrhœa, &c.	M	48	38	7	2	—	—	—	—	—	1	63	38	11	2	—	2	5	4	—	1
	F	58	36	11	3	1	1	1	1	2	2	50	30	9	2	1	1	1	2	2	2
23 Appendicitis and typhlitis	M	15	—	—	1	4	2	2	5	—	1	24	1	—	—	4	5	5	8	1	—
	F	6	—	—	—	2	2	2	—	—	—	14	—	—	1	5	—	3	5	—	—
24 Cirrhosis of liver	M	11	—	—	—	—	—	—	9	2	—	13	—	—	—	—	—	—	11	2	—
	F	5	—	—	—	—	—	1	3	1	—	9	—	—	—	—	—	—	5	3	1
25 Acute and chronic nephritis	M	31	—	1	—	1	—	6	10	9	4	98	—	2	2	4	3	12	41	22	12
	F	31	—	—	3	—	2	4	13	8	1	91	1	1	—	4	1	12	36	30	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	3	4	—	—	—	24	—	—	—	—	5	19	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	1	11	—	—	—	19	—	—	—	—	5	14	—	—	—
28 Congenital debility and malformation, premature birth	M	105	104	1	—	—	—	—	—	—	—	216	213	2	—	1	—	—	—	—	—
	F	69	69	—	—	—	—	—	—	—	—	163	161	—	—	2	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	5	2	—	—	38	—	—	—	—	1	13	18	5	1
	F	9	—	—	—	—	1	4	2	1	1	17	—	—	—	—	1	8	7	1	—
30 Other deaths from violence	M	68	6	3	3	11	9	11	19	6	—	135	9	2	8	15	20	29	33	12	7
	F	37	4	2	4	2	1	4	7	4	9	60	7	3	5	9	6	8	6	6	10
31 Other defined diseases	M	257	41	11	2	19	10	17	65	48	44	405	77	14	8	14	20	49	110	52	61
	F	260	34	9	3	8	5	24	41	49	87	400	55	11	5	17	18	45	96	54	99
32 Causes ill-defined or unknown	M	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	1	—
	F	4	—	1	—	—	—	—	3	—	—	2	—	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

	Causes of Death.	Sex.	Smethwick. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Southampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	397	63	19	21	9	14	49	111	66	45	1025	117	16	21	34	38	143	281	190	185
		F	390	55	14	14	12	15	50	81	72	77	891	80	12	16	28	50	104	211	157	233
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	3	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	2	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
5	Whooping cough ..	M	5	1	3	1	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
		F	7	5	—	2	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
6	Diphtheria ..	M	4	1	—	3	—	—	—	—	—	—	8	—	1	2	4	—	1	—	—	—
		F	3	—	1	—	2	—	—	—	—	—	9	—	1	2	6	—	—	—	—	—
7	Influenza	M	12	2	—	1	1	—	—	7	1	—	55	5	—	1	1	1	11	21	11	4
		F	12	—	1	—	1	1	3	1	1	4	35	1	—	1	2	4	3	10	7	7
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	2	2	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	27	—	—	—	—	3	13	9	2	—	87	—	1	1	1	17	41	23	3	—
		F	25	—	—	—	2	5	13	5	—	—	86	—	—	—	5	25	36	19	1	—
11	Other tuberculous diseases	M	5	—	—	1	—	1	3	—	—	—	22	5	2	4	4	2	5	—	—	—
		F	10	—	2	3	1	1	2	1	—	—	12	1	2	4	2	1	—	2	—	—
12	Cancer, malignant disease	M	45	—	—	—	1	1	1	21	18	3	114	—	—	—	—	1	7	53	35	18
		F	50	—	—	1	—	—	6	23	13	7	118	—	—	—	1	—	9	55	26	27
13	Rheumatic fever ..	M	3	—	—	—	2	—	—	—	—	1	3	—	—	—	—	—	1	2	—	—
		F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	2	1	—	1	—	—
14	Diabetes	M	4	—	—	—	—	—	—	3	1	—	5	—	—	—	—	—	1	2	2	—
		F	3	—	—	—	—	—	—	—	3	—	8	—	—	—	—	—	2	2	2	2
15	Cerebral hæmorrhage, &c. ..	M	26	—	—	—	—	—	3	9	7	7	60	—	—	—	—	—	3	17	20	20
		F	35	—	—	—	—	—	1	11	18	5	74	—	—	—	—	—	6	21	23	24
16	Heart disease ..	M	45	—	—	1	—	2	4	13	14	11	132	—	—	—	3	2	9	55	32	31
		F	51	1	—	—	—	—	8	13	15	14	126	—	—	—	—	4	6	30	41	45
17	Arterio-sclerosis ..	M	8	—	—	—	—	—	—	2	5	1	33	—	—	—	—	—	2	5	12	14
		F	7	—	—	—	—	—	—	1	2	4	18	—	—	—	—	—	—	3	4	11
18	Bronchitis ..	M	24	4	2	—	—	—	2	5	7	4	55	4	1	—	1	1	2	4	12	30
		F	37	7	—	—	—	—	—	5	9	16	71	6	—	—	—	1	1	11	17	35
19	Pneumonia (all forms)	M	37	9	8	3	3	1	4	8	1	—	79	21	3	5	3	1	13	16	7	10
		F	43	19	7	4	2	1	3	1	3	3	42	10	4	2	6	2	5	3	4	6
20	Other respiratory diseases	M	3	—	—	—	—	—	2	1	—	—	15	—	—	1	1	—	2	8	2	1
		F	1	—	—	—	—	—	—	—	1	—	8	—	—	—	—	2	1	1	—	4
21	Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	1	—	—	—	15	—	—	—	—	2	4	6	3	—
		F	4	—	—	—	—	—	2	2	—	—	5	—	—	—	—	1	2	2	—	—
22	Diarrhœa, &c. ..	M	8	7	1	—	—	—	—	—	—	—	11	10	—	1	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—	15	7	2	—	—	—	—	2	3	1
23	Appendicitis and typhlitis.. ..	M	3	—	—	2	—	1	—	—	—	—	5	—	—	1	1	—	—	3	—	—
		F	4	—	—	1	1	—	1	1	—	—	2	—	—	—	—	—	—	1	1	—
24	Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	3	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25	Acute and chronic nephritis ..	M	14	—	—	—	—	—	1	7	4	2	34	1	—	—	1	—	2	9	11	10
		F	5	—	—	—	—	—	—	3	2	—	31	—	—	—	—	—	5	11	10	5
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	—	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	2	2	—	—	—	4	—	—	—	—	1	3	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	29	28	—	1	—	—	—	—	—	—	50	48	—	—	1	—	1	—	—	—
		F	16	15	—	—	—	—	1	—	—	—	39	39	—	—	—	—	—	—	—	—
29	Suicide	M	4	—	—	—	—	—	1	3	—	—	12	—	—	—	—	—	3	7	2	—
		F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	—	—	2	2	—	—
30	Other deaths from violence.. ..	M	19	3	—	4	1	2	5	2	1	1	41	—	3	4	4	5	4	12	5	4
		F	7	—	1	—	1	—	1	—	—	4	14	1	—	1	1	—	3	5	—	
31	Other defined diseases	M	67	8	3	4	1	3	9	20	4	15	169	23	3	—	6	3	26	32	33	43
		F	55	5	2	1	1	2	6	13	5	20	146	10	1	4	2	6	14	28	18	63
32	Causes ill-defined or unknown ..	M	3	—	2	—	—	—	—	1	—	—	3	—	—	1	—	1	—	1	—	—
		F	1	—	—	—	—	—	—	1	—	—	5	3	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Southend-on-Sea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Southport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	527	42	11	8	11	12	68	167	101	107	447	35	10	11	8	12	51	112	114	94
	F	591	33	8	7	15	22	71	171	120	144	556	24	10	4	2	15	49	126	130	196
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	1	1	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
	F	8	2	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	4	1	1	—	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	3	—	2	—	1	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	22	—	2	—	1	1	6	4	5	3	14	1	—	—	—	1	2	6	1	3
	F	15	—	—	—	1	1	1	4	7	1	22	—	—	—	—	1	5	3	5	8
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	44	—	—	—	1	5	20	18	—	—	39	—	—	—	2	3	18	13	3	—
	F	46	—	—	—	2	10	23	9	1	1	27	—	—	—	1	8	11	5	2	—
11 Other tuberculous diseases	M	7	—	2	3	—	—	1	—	1	—	11	2	1	6	—	—	—	2	—	—
	F	5	—	1	1	1	—	—	2	—	—	4	—	2	1	—	—	1	—	—	—
12 Cancer, malignant disease	M	50	—	—	—	—	—	6	26	10	8	41	—	—	—	—	—	3	16	18	4
	F	89	—	—	—	—	—	10	42	26	11	70	—	—	—	—	—	5	35	16	14
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	2	1	—	1	—	—
	F	3	—	—	—	1	—	2	—	—	—	2	—	—	—	—	—	—	2	—	—
14 Diabetes	M	3	—	—	—	—	—	—	3	—	—	8	—	—	—	—	—	1	2	2	3
	F	10	—	—	—	—	1	2	4	1	2	9	—	—	—	—	—	1	1	6	1
15 Cerebral hæmorrhage, &c.	M	37	—	—	—	—	—	3	9	10	15	43	—	—	—	—	—	—	12	19	12
	F	46	—	—	—	—	—	1	16	10	19	56	—	—	—	—	—	2	9	14	31
16 Heart disease	M	76	—	—	—	—	1	6	19	21	29	55	—	—	—	—	1	2	18	19	15
	F	84	—	—	—	1	—	6	23	23	31	91	—	—	—	—	1	5	26	24	35
17 Arterio-sclerosis	M	11	—	—	—	—	—	—	5	3	3	16	—	—	—	—	—	—	2	6	8
	F	11	—	—	—	—	—	—	4	5	2	21	—	—	—	—	1	—	2	7	11
18 Bronchitis	M	52	5	3	—	—	—	—	11	19	14	32	2	2	1	—	—	1	3	7	16
	F	59	4	1	1	—	—	1	12	17	23	50	2	—	—	—	—	1	3	11	33
19 Pneumonia (all forms)	M	38	2	2	2	2	2	5	17	4	2	30	3	3	1	1	2	5	9	1	5
	F	25	3	1	2	—	2	3	5	5	4	37	1	5	2	1	—	5	6	6	11
20 Other respiratory diseases	M	5	—	—	1	—	—	2	1	1	—	3	—	—	—	—	—	—	1	—	2
	F	8	—	—	—	—	—	—	5	—	3	9	—	1	—	—	—	—	—	5	3
21 Ulcer of stomach or duodenum	M	10	—	—	—	—	—	2	7	1	—	3	—	—	—	—	—	2	—	1	—
	F	5	—	—	—	—	—	2	3	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c.	M	8	7	—	—	—	—	—	—	—	1	8	4	1	1	—	—	1	—	—	1
	F	5	2	—	—	—	—	1	1	1	—	5	—	—	—	—	—	1	2	—	2
23 Appendicitis and typhlitis	M	3	—	—	—	—	—	2	1	—	—	2	—	—	—	—	—	1	—	1	—
	F	10	—	—	—	4	—	2	3	1	—	2	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	5	—	—	4	—	—	—	—	—	—	2	2	—
	F	4	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	15	—	—	—	1	—	3	6	4	1	9	—	—	—	—	—	1	2	4	2
	F	26	—	—	—	—	—	4	7	8	7	11	—	—	—	—	—	2	7	1	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	24	24	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
	F	16	15	—	—	—	—	1	—	—	—	15	15	—	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	2	4	1	—	9	—	—	—	—	—	2	4	2	1
	F	7	—	—	—	—	1	1	5	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	10	—	—	—	—	2	5	3	—	—	14	1	—	1	1	3	4	4	—	—
	F	7	1	—	—	2	—	2	1	—	1	11	—	1	—	—	1	2	4	1	2
31 Other defined diseases	M	87	1	—	1	4	1	5	24	20	31	70	5	—	—	2	1	7	7	26	22
	F	94	6	—	1	1	4	7	24	13	38	105	5	—	—	—	3	4	17	32	44
32 Causes ill-defined or unknown	M	6	1	—	—	—	—	—	4	1	—	9	1	—	—	—	—	1	5	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	South Shields. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Stockport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	964	180	61	57	49	70	109	219	130	89	841	106	37	21	25	35	97	245	157	118
	F	868	135	34	44	53	43	135	171	118	135	905	74	36	32	27	42	98	214	197	185
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	1	1	1	—	—	—	—	—	22	4	12	6	—	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	21	1	8	10	2	—	—	—	—	—
4 Scarlet fever	M	2	—	1	—	1	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
	F	5	—	—	3	1	—	1	—	—	—	3	—	—	1	2	—	—	—	—	—
5 Whooping cough	M	3	—	2	—	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	5	2	2	1	—	—	—	—	—	—	5	—	2	2	1	—	—	—	—	—
6 Diphtheria	M	6	—	—	6	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—	—
	F	9	1	1	3	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
7 Influenza	M	71	6	9	12	3	4	8	18	7	4	36	2	—	2	—	2	7	13	6	4
	F	83	4	4	5	10	9	17	13	13	8	44	2	—	—	1	5	5	10	12	9
8 Encephalitis lethargica	M	4	—	—	—	—	1	1	2	—	—	3	—	—	—	1	—	1	1	—	—
	F	4	—	—	—	—	1	3	—	—	—	5	—	—	1	1	—	—	3	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	87	—	1	5	7	28	32	14	—	—	58	—	—	1	1	12	23	16	5	—
	F	69	—	—	—	7	19	36	7	—	—	49	—	—	—	—	17	25	6	1	—
11 Other tuberculous diseases	M	29	3	2	4	7	8	5	—	—	—	20	4	3	3	—	5	5	—	—	—
	F	20	1	2	4	7	1	5	—	—	—	15	1	1	4	4	2	2	1	—	—
12 Cancer, malignant disease	M	66	—	—	—	—	—	4	40	19	3	75	—	—	—	—	—	4	43	23	5
	F	60	—	—	—	—	1	14	24	12	9	98	—	—	—	—	1	11	45	27	14
13 Rheumatic fever	M	5	—	—	1	3	—	—	—	1	—	4	—	—	—	1	1	2	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes	M	5	—	—	—	—	—	1	3	1	—	4	—	—	—	—	—	—	2	2	—
	F	6	—	—	—	1	1	1	2	1	—	9	—	—	—	—	—	2	3	3	1
15 Cerebral hæmorrhage, &c.	M	35	—	—	—	—	1	2	10	15	7	35	—	—	—	—	—	2	14	12	7
	F	34	—	—	—	—	—	2	17	8	7	47	—	—	—	—	—	—	22	14	11
16 Heart disease	M	66	—	—	—	2	2	13	29	14	6	102	—	—	1	—	3	8	44	31	15
	F	80	—	—	2	1	1	7	31	24	14	147	—	—	—	1	6	15	47	45	33
17 Arterio-sclerosis	M	27	—	—	—	—	—	—	10	11	6	55	—	—	—	—	—	—	12	15	28
	F	16	—	—	—	—	—	—	6	9	1	45	—	—	—	—	—	—	5	19	21
18 Bronchitis	M	84	27	7	2	1	—	2	13	22	10	78	12	—	1	1	—	2	18	25	19
	F	85	16	3	3	2	—	4	15	11	31	130	13	6	—	2	—	3	23	34	49
19 Pneumonia (all forms)	M	84	19	16	7	6	3	6	21	2	4	90	25	13	—	6	3	15	18	7	3
	F	64	16	10	8	6	4	8	8	3	1	63	10	12	10	2	—	5	11	6	7
20 Other respiratory diseases	M	10	—	—	2	—	1	2	1	2	2	6	—	—	—	—	—	2	4	—	—
	F	8	1	—	2	1	—	—	3	—	1	7	—	—	—	—	—	—	—	4	3
21 Ulcer of stomach or duodenum	M	12	—	—	—	—	—	5	7	—	—	4	—	—	—	—	—	2	2	—	—
	F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	—	2	2	—	—
22 Diarrhœa, &c.	M	35	20	9	3	—	—	1	2	—	—	11	6	—	1	2	—	—	1	—	1
	F	26	15	6	1	1	—	—	1	—	2	9	2	1	—	1	1	2	2	—	—
23 Appendicitis and typhlitis	M	6	—	—	2	3	—	—	1	—	—	10	—	—	—	3	4	1	2	—	—
	F	7	—	—	—	2	1	2	2	—	—	11	1	—	—	1	2	1	4	2	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	—	4	1	
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis	M	14	—	1	1	—	1	3	6	2	—	19	—	—	—	—	—	3	6	7	3
	F	16	—	—	—	1	—	2	6	6	1	18	—	—	—	—	2	4	3	6	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	2	11	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth	M	66	64	—	1	1	—	—	—	—	—	32	32	—	—	—	—	—	—	—	—
	F	51	50	—	1	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	—	2	—	—	12	—	—	—	—	—	2	8	1	1
	F	4	—	—	—	—	—	2	2	—	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence	M	33	—	3	3	—	9	9	7	1	1	30	—	1	2	3	4	6	11	1	2
	F	8	2	1	—	1	—	1	—	1	2	7	—	—	1	—	—	1	—	3	2
31 Other defined diseases	M	194	40	9	6	13	10	14	26	30	46	118	19	4	3	3	1	12	26	21	29
	F	175	26	4	9	7	—	14	29	28	58	125	21	5	3	7	5	9	23	20	32
32 Causes ill-defined or unknown	M	11	—	—	1	—	1	1	6	2	—	1	1	—	—	—	—	—	—	—	—
	F	9	1	1	—	—	—	1	4	2	—	1	1	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Stoke-on-Trent. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Sunderland. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1991	399	158	111	53	90	215	524	280	161	1314	254	91	64	59	60	155	285	224	122
	F	1769	268	117	104	76	80	195	413	255	261	1134	170	61	58	50	48	137	242	169	199
1 Enteric fever	M	2	—	—	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	79	11	42	26	—	—	—	—	—	—	14	4	3	7	—	—	—	—	—	—
	F	75	13	31	28	3	—	—	—	—	—	8	4	2	2	—	—	—	—	—	—
4 Scarlet fever	M	12	—	3	4	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	7	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	21	13	5	3	—	—	—	—	—	—	7	2	3	2	—	—	—	—	—	—
	F	24	8	11	5	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
6 Diphtheria	M	8	—	4	3	—	—	1	—	—	—	3	—	2	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	5	—	1	2	2	—	—	—	—	—
7 Influenza	M	66	12	4	—	—	4	8	23	10	5	59	6	13	8	5	3	8	6	5	5
	F	55	3	1	1	2	1	13	15	14	5	56	4	3	10	3	1	5	11	12	7
8 Encephalitis lethargica	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	148	—	2	1	4	23	47	69	1	1	92	—	—	3	5	18	40	25	1	—
	F	101	—	1	—	8	32	41	17	2	—	77	—	—	1	12	19	32	13	—	—
11 Other tuberculous diseases	M	38	7	10	5	6	3	4	3	—	—	28	3	3	9	7	4	2	—	—	—
	F	35	3	4	5	8	9	2	4	—	—	41	6	6	8	7	7	5	2	—	—
12 Cancer, malignant disease	M	134	—	—	—	—	3	4	77	36	14	96	—	—	—	1	2	8	49	30	6
	F	134	—	—	—	—	1	19	65	32	17	86	—	—	1	—	1	11	40	24	9
13 Rheumatic fever	M	7	—	—	—	1	3	2	1	—	—	5	—	—	—	1	1	2	1	—	—
	F	10	—	—	—	2	3	3	—	2	—	8	—	—	—	4	1	2	1	—	—
14 Diabetes	M	7	—	—	—	—	1	2	2	2	—	4	—	—	—	2	—	—	1	—	1
	F	6	—	1	—	—	—	—	3	2	—	12	—	—	—	—	1	2	3	5	1
15 Cerebral hæmorrhage, &c.	M	61	1	—	—	—	—	2	25	21	12	74	—	—	—	1	—	3	20	33	17
	F	116	—	—	—	—	—	5	59	34	18	80	—	—	—	—	—	6	33	19	22
16 Heart disease	M	188	—	—	—	6	8	32	73	51	18	125	—	—	—	3	3	15	47	40	17
	F	201	—	—	1	6	2	16	77	51	48	112	—	—	—	—	1	14	42	35	20
17 Arterio-sclerosis	M	94	—	—	—	—	—	—	16	40	38	60	—	—	—	—	—	1	19	26	14
	F	61	—	—	—	—	—	1	15	18	27	52	—	—	—	—	—	—	6	11	35
18 Bronchitis	M	216	41	14	4	1	2	10	71	49	24	129	41	10	5	1	—	3	19	30	20
	F	151	24	16	8	—	3	6	27	43	24	134	25	7	2	3	1	4	20	28	44
19 Pneumonia (all forms)	M	239	64	49	34	7	9	30	32	11	3	148	24	26	15	8	8	29	27	11	—
	F	158	44	36	26	12	3	11	15	6	5	96	17	19	12	7	5	11	17	6	2
20 Other respiratory diseases	M	24	1	3	4	1	—	3	9	3	—	9	1	—	—	—	1	2	4	1	—
	F	19	—	1	—	—	1	2	12	—	3	17	—	—	—	—	2	4	6	2	3
21 Ulcer of stomach or duodenum	M	13	—	—	—	—	1	4	8	—	—	14	—	—	—	—	1	7	5	1	—
	F	5	—	—	—	—	—	3	1	—	1	2	—	—	—	—	—	—	1	1	—
22 Diarrhœa, &c.	M	52	40	4	3	1	—	—	3	—	1	78	50	17	5	3	—	—	1	1	1
	F	34	18	5	3	3	1	—	3	1	—	58	33	12	6	1	—	2	2	1	1
23 Appendicitis and typhlitis	M	8	—	—	1	—	4	2	1	—	—	8	—	—	—	2	3	—	3	—	—
	F	12	—	—	—	4	2	2	4	—	—	5	—	—	—	2	1	2	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	—	3	2	—
	F	4	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	38	—	—	2	1	2	8	18	3	4	38	—	—	—	1	2	4	14	15	2
	F	55	1	—	1	3	1	8	20	11	10	21	—	—	—	—	—	—	13	5	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	3	6	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	—	—	—	—	2	17	1	—	—	17	—	—	—	—	5	11	1	—	—
28 Congenital debility and malformation, premature birth	M	156	155	1	—	—	—	—	—	—	—	89	89	—	—	—	—	—	—	—	—
	F	109	106	—	2	1	—	—	—	—	—	49	48	1	—	—	—	—	—	—	—
29 Suicide	M	17	—	—	—	—	—	4	9	3	1	10	—	—	—	—	1	1	5	3	—
	F	5	—	—	—	—	—	3	2	—	—	4	—	—	—	—	1	2	1	—	—
30 Other deaths from violence	M	58	—	1	7	7	9	18	8	5	3	46	—	3	4	7	4	10	12	3	3
	F	36	2	2	6	2	2	5	9	2	6	24	6	—	4	5	—	2	—	1	6
31 Other defined diseases	M	295	54	14	13	15	16	32	71	43	37	168	34	9	5	10	8	20	24	22	36
	F	306	44	6	9	14	12	32	56	36	97	157	24	9	5	4	2	19	29	19	46
32 Causes ill-defined or unknown	M	5	—	1	—	—	—	1	1	2	—	2	—	2	—	—	—	—	—	—	—
	F	6	—	2	—	—	—	—	3	1	—	2	—	—	2	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Tynemouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Wakefield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	470	76	28	14	18	24	59	114	79	58	383	59	18	16	8	16	42	107	79	38
	F	429	55	18	13	21	24	39	111	75	73	334	35	9	16	6	23	54	79	54	58
1 Enteric fever ..	M	3	—	—	—	1	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	5	—	2	2	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	20	1	2	1	—	1	6	4	3	2	7	—	—	—	—	—	1	3	2	1
	F	23	1	1	2	—	—	3	7	7	2	12	—	—	—	1	—	2	5	2	2
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	43	—	3	3	1		14	13	1	—	28	—	—	1	1	7	10	7	2	—
	F	41	—	—	—	6	17	11	6	1	—	16	—	—	1	—	7	4	4	—	—
11 Other tuberculous diseases	M	13	—	—	4	5	3	—	—	1	—	9	2	2	3	1	—	1	—	—	—
	F	12	1	—	3	3	2	2	1	—	—	11	—	—	3	2	3	2	1	—	—
12 Cancer, malignant disease	M	37	—	—	—	—	—	1	19	13	4	29	—	—	—	—	—	2	17	8	2
	F	43	1	—	—	—	—	4	18	14	6	34	—	—	—	—	—	9	20	4	1
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—
	F	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	1	2	1	1	—
15 Cerebral hæmorrhage, &c. ..	M	28	—	—	—	—	—	—	8	15	5	39	—	—	—	—	—	1	8	27	3
	F	35	—	—	—	—	—	1	13	10	11	22	—	—	—	—	—	1	6	8	7
16 Heart disease ..	M	40	—	—	—	1	1	2	18	6	12	38	—	—	—	—	1	3	20	10	4
	F	36	—	—	—	2	—	3	16	10	5	59	—	—	1	—	2	8	17	16	15
17 Arterio-sclerosis ..	M	8	—	—	—	—	—	—	2	3	3	7	—	—	—	—	—	—	3	3	1
	F	5	—	—	—	—	—	—	—	3	2	4	—	—	—	—	—	—	—	1	3
18 Bronchitis ..	M	26	8	1	—	—	—	2	4	7	4	35	9	1	2	1	—	—	7	10	5
	F	31	2	2	—	1	—	—	8	8	10	31	2	1	4	—	1	2	3	8	10
19 Pneumonia (all forms)	M	59	15	14	4	6	1	9	4	4	2	40	5	8	4	2	—	9	5	5	2
	F	48	12	8	5	3	2	1	6	4	7	28	6	3	—	—	1	3	8	5	2
20 Other respiratory diseases	M	12	3	—	—	1	—	4	2	1	1	5	1	—	1	—	—	—	3	—	—
	F	16	—	—	—	1	1	1	3	5	5	2	—	—	—	—	—	1	—	1	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	6	—	—	—	—	1	1	3	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	12	5	5	1	—	—	—	1	—	—	7	5	2	—	—	—	—	—	—	—
	F	8	7	1	—	—	—	—	—	—	—	9	6	2	—	—	—	—	—	—	1
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	13	—	—	—	—	2	2	5	2	2	9	1	—	—	—	1	—	4	3	—
	F	8	—	—	1	—	—	—	4	1	2	6	—	—	—	—	1	1	2	1	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	25	25	—	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	—
	F	20	20	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	8	—	—	—	—	1	3	4	—	—
	F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. ..	M	25	1	1	1	1	3	8	5	4	1	12	—	—	1	—	3	5	3	—	—
	F	5	1	1	—	—	—	—	2	—	1	7	1	—	2	1	2	1	—	—	—
31 Other defined diseases	M	84	17	1	—	1	1	8	19	16	21	58	6	2	1	2	—	3	17	8	19
	F	76	10	4	1	4	2	7	16	10	22	53	2	—	—	1	4	12	11	7	16
32 Causes ill-defined or unknown ..	M	9	—	—	—	—	1	2	4	2	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	1	4	2	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Wallasey. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Walsall. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	500	42	9	6	16	16	60	166	98	87	633	97	22	25	30	26	72	174	127	60
	F	519	38	9	8	6	22	65	157	97	117	576	87	26	30	21	33	73	103	105	98
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	1	2	1	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	14	—	1	4	8	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	13	—	2	7	3	1	—	—	—	—
7 Influenza	M	18	1	—	—	1	1	2	7	3	3	21	—	—	2	—	1	6	6	6	—
	F	17	1	—	—	—	1	1	6	4	4	29	2	2	—	1	—	2	12	5	5
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	1	2	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	42	—	—	—	2	7	19	12	2	—	58	—	—	—	—	7	27	21	3	—
	F	38	—	—	—	1	12	19	6	—	—	33	—	2	—	—	13	13	4	1	—
11 Other tuberculous diseases	M	7	—	2	1	—	1	2	1	—	—	11	1	1	3	3	1	—	2	—	—
	F	8	1	—	1	1	2	3	—	—	—	13	2	2	5	3	—	1	—	—	—
12 Cancer, malignant disease	M	67	—	—	—	—	—	2	36	22	7	37	—	—	—	—	—	2	18	13	4
	F	75	—	—	—	—	—	11	38	16	10	57	—	—	—	—	1	7	28	12	9
13 Rheumatic fever	M	3	—	—	—	3	—	—	—	—	—	5	—	—	—	1	—	1	3	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes	M	7	—	—	—	—	—	—	3	2	2	1	—	—	—	—	1	—	—	—	—
	F	7	—	—	—	—	—	—	3	3	1	5	—	—	—	—	—	1	3	1	—
15 Cerebral hæmorrhage, &c.	M	27	—	—	—	—	—	1	8	8	10	31	—	—	—	—	—	2	14	10	5
	F	21	—	—	—	—	—	—	7	6	8	25	—	—	—	—	—	—	5	14	6
16 Heart disease	M	65	—	—	—	1	1	8	22	15	18	73	—	—	—	2	2	7	33	24	5
	F	93	—	—	—	—	—	8	37	26	22	71	—	—	—	1	3	10	16	26	15
17 Arterio-sclerosis	M	28	—	—	—	—	—	—	4	12	12	9	—	—	—	—	—	—	4	4	1
	F	33	—	—	—	—	—	—	6	7	20	7	—	—	—	—	—	—	—	4	3
18 Bronchitis	M	31	2	—	—	—	—	1	8	9	11	55	6	3	—	—	—	1	13	22	10
	F	26	2	1	—	—	—	3	3	2	15	54	7	2	3	—	1	2	7	15	17
19 Pneumonia (all forms)	M	30	7	2	—	—	1	5	10	5	—	68	15	9	6	2	1	11	14	7	3
	F	40	6	5	2	1	2	1	12	8	3	38	9	9	3	3	1	2	6	4	1
20 Other respiratory diseases	M	10	—	1	1	—	—	1	6	—	1	7	1	—	2	—	—	—	1	3	—
	F	5	—	—	—	—	—	—	—	1	4	2	—	—	—	—	—	1	—	1	—
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	1	1	3	1	—	3	—	—	—	—	—	—	2	1	—
	F	5	—	—	—	—	—	—	5	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c.	M	3	1	1	—	—	—	—	—	—	1	15	10	5	—	—	—	—	—	—	—
	F	10	5	—	—	1	—	1	—	2	1	4	3	1	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	—	4	—	—	—	2	2	—	—	—	—
	F	3	—	—	—	—	—	1	2	—	—	8	—	—	—	3	2	1	1	1	—
24 Cirrhosis of liver	M	6	—	—	—	—	—	1	5	—	—	5	—	—	—	—	—	—	3	2	—
	F	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	—	1	2	2	—
25 Acute and chronic nephritis	M	17	—	—	—	1	—	3	11	2	—	15	1	—	1	—	3	1	6	3	—
	F	20	—	—	—	1	2	1	11	2	3	11	—	—	—	—	1	2	2	3	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	1	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth	M	19	19	—	—	—	—	—	—	—	—	44	44	—	—	—	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	50	49	1	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	2	3	1	—	5	—	—	—	—	—	1	4	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence	M	8	—	—	—	—	2	1	4	1	—	23	—	—	3	4	3	2	5	1	5
	F	4	1	—	—	—	—	—	3	—	—	12	2	—	1	—	1	2	2	2	2
31 Other defined diseases	M	89	11	1	3	4	2	10	21	15	22	124	19	3	2	5	4	11	25	28	27
	F	85	7	1	4	1	2	11	14	19	26	112	13	4	9	3	6	13	13	14	37
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Warrington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	West Bromwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	488	94	20	20	18	23	59	133	73	48	516	99	28	19	18	21	61	132	88	50
	F	448	45	18	26	20	27	61	102	77	72	446	66	20	32	18	17	52	101	70	70
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	2	3	3	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	10	2	4	4	—	—	—	—	—	—	5	—	—	5	—	—	—	—	—	—
4 Scarlet fever	M	3	—	1	—	2	—	—	—	—	—	5	1	2	1	1	—	—	—	—	—
	F	8	—	—	5	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
5 Whooping cough	M	2	1	—	1	—	—	—	—	—	—	8	5	2	1	—	—	—	—	—	—
	F	3	—	1	2	—	—	—	—	—	—	7	2	2	2	—	—	1	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
7 Influenza	M	10	—	—	—	2	2	—	5	—	1	26	2	4	3	—	2	3	9	2	1
	F	19	—	—	1	2	1	2	6	4	3	18	5	1	2	—	2	3	1	1	3
8 Encephalitis lethargica	M	5	—	—	—	1	1	1	2	—	—	2	—	—	—	—	1	1	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	3	—	—	1	1	—	—	1	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	60	—	—	—	—	6	26	22	5	1	24	—	—	1	—	8	8	7	—	—
	F	41	—	—	—	5	9	21	6	—	—	25	—	1	2	1	6	14	1	—	—
11 Other tuberculous diseases	M	4	—	—	1	1	—	2	—	—	—	10	1	4	2	1	1	1	—	—	—
	F	5	—	2	1	1	—	1	—	—	—	9	—	1	1	2	1	2	2	—	—
12 Cancer, malignant disease	M	32	—	—	—	—	—	2	18	9	3	43	—	—	—	—	—	8	26	7	2
	F	52	—	—	—	—	1	6	23	19	3	35	—	—	—	—	—	6	19	5	5
13 Rheumatic fever	M	2	—	—	—	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	2	2	—	—	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
15 Cerebral hæmorrhage, &c.	M	14	—	—	—	—	—	—	5	6	3	34	—	—	—	—	—	1	11	14	8
	F	29	—	—	—	—	—	4	9	9	7	27	—	—	—	—	—	3	6	13	5
16 Heart disease	M	63	—	—	—	2	2	2	34	16	7	26	—	—	—	—	1	4	8	10	3
	F	63	—	—	2	1	1	7	22	15	15	50	—	—	—	5	1	5	18	10	11
17 Arterio-sclerosis	M	19	—	—	—	—	—	—	4	12	3	21	—	—	—	—	—	1	3	9	8
	F	8	—	—	—	—	—	—	1	2	5	16	—	—	—	—	—	—	4	6	6
18 Bronchitis	M	47	7	2	3	—	—	1	10	8	16	50	6	2	2	—	—	2	15	19	4
	F	47	8	2	1	—	—	—	7	14	15	51	9	1	—	1	—	1	10	13	16
19 Pneumonia (all forms)	M	51	10	8	7	2	3	8	8	3	2	70	21	12	4	6	2	11	11	1	2
	F	25	3	6	5	—	—	5	3	3	—	63	14	13	11	2	3	5	10	4	1
20 Other respiratory diseases	M	5	—	—	1	1	1	1	—	1	—	2	—	—	—	—	—	1	1	—	—
	F	3	—	—	—	—	—	—	2	—	1	3	—	—	—	1	—	1	1	—	—
21 Ulcer of stomach or duodenum	M	5	—	—	—	—	—	4	1	—	—	2	—	—	—	—	—	2	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	13	9	2	1	—	—	—	1	—	—	9	9	—	—	—	—	—	—	—	—
	F	12	7	—	2	2	—	—	—	—	1	7	3	—	3	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	—	2	1	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	4	—	—	—	1	—	1	2	—	—	14	—	—	—	2	1	4	4	2	1
	F	4	—	—	—	—	—	1	2	—	1	8	—	—	—	—	—	—	4	4	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth	M	48	48	—	—	—	—	—	—	—	—	42	42	—	—	—	—	—	—	—	—
	F	24	22	1	—	1	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	2	3	1	—	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	2	—	—	—	—	4	—	—	—	—	—	1	3	—	—
30 Other deaths from violence	M	15	—	—	1	2	3	4	2	1	2	30	1	—	—	5	1	6	10	2	5
	F	8	—	1	—	1	2	—	2	1	1	8	2	1	1	1	—	—	3	—	—
31 Other defined diseases	M	65	16	2	2	2	5	4	13	11	10	83	11	—	3	2	3	7	19	22	16
	F	66	3	1	3	2	5	5	17	10	20	60	3	—	3	—	2	5	11	13	23
32 Causes ill-defined or unknown	M	3	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	5	—	—	1	—	—	—	4	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

	Causes of Death.	Sex.	West Ham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	West Hartlepool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	1913	319	108	96	50	90	241	492	304	213	573	89	43	22	15	25	76	145	90	68
		F	1739	245	116	102	70	84	163	390	250	319	431	59	27	19	20	29	53	86	74	64
1	Enteric fever ..	M	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	51	20	13	17	1	—	—	—	—	—	13	5	6	2	—	—	—	—	—	—
		F	63	10	23	25	5	—	—	—	—	—	13	3	4	4	2	—	—	—	—	—
4	Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	2	1	—	—	—	—	—	3	—	1	—	1	1	—	—	—	—
5	Whooping cough ..	M	37	13	15	9	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—	—
		F	47	19	17	9	1	1	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6	Diphtheria ..	M	17	1	1	11	3	1	—	—	—	—	2	—	1	1	—	—	—	—	—	—
		F	16	1	2	5	8	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7	Influenza	M	60	6	1	4	2	4	14	18	7	4	41	3	4	5	1	5	8	12	3	—
		F	67	4	2	2	1	3	11	17	16	11	27	3	1	—	2	2	3	6	7	3
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
9	Meningococcal meningitis ..	M	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	184	—	—	1	7	35	88	44	9	—	31	—	1	—	—	4	17	7	2	—
		F	124	—	2	1	10	44	41	24	1	1	31	—	1	1	2	10	10	6	1	—
11	Other tuberculous diseases	M	36	5	8	10	6	3	1	3	—	—	16	3	3	2	3	3	1	—	1	—
		F	34	3	6	15	4	2	3	—	—	1	16	2	2	3	5	2	2	—	—	—
12	Cancer, malignant disease	M	197	—	1	—	—	4	8	103	67	14	46	—	—	—	—	—	1	23	13	9
		F	209	—	—	—	1	3	32	116	32	25	33	—	—	—	—	—	2	19	9	3
13	Rheumatic fever ..	M	8	—	—	1	1	2	4	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	9	—	1	—	4	3	1	—	—	—	1	—	—	—	—	—	—	1	—	—
14	Diabetes	M	8	—	—	—	—	1	—	1	2	4	2	—	—	—	1	—	—	1	—	—
		F	9	—	—	—	—	—	2	3	2	2	4	—	—	—	—	1	1	—	2	—
15	Cerebral hæmorrhage, &c. ..	M	70	—	—	—	—	—	1	27	24	18	37	—	—	—	—	—	—	14	15	8
		F	94	—	—	—	—	—	3	31	29	31	17	—	—	—	—	—	—	5	4	8
16	Heart disease ..	M	166	—	—	—	1	8	16	64	47	30	54	—	—	—	—	2	4	21	15	12
		F	164	—	—	—	7	8	11	52	42	44	64	—	—	—	1	1	7	19	28	8
17	Arterio-sclerosis ..	M	40	—	—	—	—	—	2	10	16	12	7	—	—	—	—	—	—	2	2	3
		F	21	—	—	—	—	—	—	1	7	13	4	—	—	—	—	—	—	—	1	3
18	Bronchitis ..	M	170	13	4	4	—	1	8	46	44	50	44	8	3	1	—	2	2	7	15	6
		F	178	12	3	1	—	—	—	22	51	89	32	6	3	2	1	—	—	5	6	9
19	Pneumonia (all forms)	M	260	90	46	28	5	4	21	39	17	10	82	19	16	5	2	6	12	13	5	4
		F	234	69	52	30	10	5	7	25	18	18	37	7	6	5	1	1	7	5	3	2
20	Other respiratory diseases	M	28	2	3	1	1	—	4	9	6	2	12	—	—	—	—	—	2	5	4	1
		F	17	—	—	2	1	—	1	2	4	7	4	—	—	1	—	—	—	1	1	1
21	Ulcer of stomach or duodenum ..	M	23	—	—	—	—	—	7	11	5	—	6	—	—	—	—	—	1	5	—	—
		F	3	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	—	2	—	—
22	Diarrhœa, &c. ..	M	50	40	8	—	—	—	—	1	—	1	9	5	2	—	—	—	1	1	—	—
		F	35	25	2	1	1	—	—	2	1	3	9	3	4	—	1	—	—	—	1	—
23	Appendicitis and typhlitis.. ..	M	9	—	—	—	4	2	3	—	—	—	2	—	—	—	1	—	—	1	—	—
		F	11	—	—	1	3	3	1	2	1	—	1	—	—	—	1	—	—	—	—	—
24	Cirrhosis of liver ..	M	7	—	—	—	—	—	—	4	1	2	2	—	—	—	—	—	—	2	—	—
		F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
25	Acute and chronic nephritis ..	M	52	1	—	1	1	1	12	19	11	6	6	—	—	—	1	—	2	2	1	—
		F	56	—	1	—	3	1	2	27	14	8	8	—	—	—	1	—	1	4	2	—
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	—	3	—	—	—	—	1	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	7	—	—	—	6	—	—	—	—	2	4	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	93	92	—	—	1	—	—	—	—	—	28	27	1	—	—	—	—	—	—	—
		F	80	77	1	—	—	—	—	2	—	—	22	22	—	—	—	—	—	—	—	—
29	Suicide	M	17	—	—	—	—	—	3	9	4	1	5	—	—	—	—	—	1	3	1	—
		F	8	—	—	—	—	—	3	5	—	—	2	—	—	—	—	1	1	—	—	—
30	Other deaths from violence.. ..	M	78	5	1	2	7	11	19	20	8	5	31	—	—	—	4	1	14	9	2	1
		F	20	3	—	2	2	3	3	3	1	3	6	2	—	—	—	1	1	—	1	1
31	Other defined diseases	M	246	30	7	6	10	10	29	64	36	54	88	17	3	5	2	2	9	15	11	24
		F	219	20	4	6	8	8	29	50	31	63	79	10	2	2	2	6	11	12	8	26
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex	Wigan. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Wolverhampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	680	119	75	39	30	32	72	160	97	56	705	96	30	27	15	25	93	211	117	91
	F	647	99	60	41	24	30	81	145	101	66	578	80	18	16	12	21	66	102	130	133
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	45	4	20	16	5	—	—	—	—	—	8	1	4	1	2	—	—	—	—	—
	F	35	4	18	12	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	15	7	5	3	—	—	—	—	—	—	6	1	1	4	—	—	—	—	—	—
	F	19	11	4	4	—	—	—	—	—	—	5	—	2	3	—	—	—	—	—	—
6 Diphtheria	M	2	—	1	—	1	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
7 Influenza	M	34	—	1	1	1	4	5	16	3	3	32	1	—	3	1	3	7	9	5	3
	F	24	1	1	—	3	3	4	8	3	1	29	—	—	—	1	3	3	5	10	7
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	5	—	—	1	—	—	3	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	2	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	25	—	—	—	2	2	15	4	2	—	62	—	—	—	—	13	28	19	2	—
	F	34	—	—	—	5	7	13	9	—	—	20	—	—	—	—	5	13	2	—	—
11 Other tuberculous diseases	M	18	1	2	1	3	6	2	3	—	—	6	3	—	1	—	—	1	1	—	—
	F	15	—	1	3	5	2	2	2	—	—	16	1	2	3	3	2	3	1	—	1
12 Cancer, malignant disease	M	31	—	—	—	—	—	2	20	7	2	66	—	—	—	1	—	5	38	17	5
	F	46	—	—	—	—	—	10	27	7	2	61	—	—	—	—	1	7	19	23	11
13 Rheumatic fever	M	3	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	2	1	2	—	—	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	2	3	1	—
	F	7	—	—	—	1	1	1	4	—	—	2	—	—	—	—	—	—	—	1	1
15 Cerebral hæmorrhage, &c.	M	29	—	—	—	—	—	1	8	15	5	36	—	—	—	—	—	—	11	15	10
	F	26	—	—	—	—	—	1	11	12	2	30	—	—	—	—	—	1	5	9	15
16 Heart disease	M	62	—	—	1	1	7	2	28	16	7	70	—	—	—	3	—	6	29	15	17
	F	73	—	—	—	4	1	12	27	20	9	83	—	—	—	1	1	9	23	28	21
17 Arterio-sclerosis	M	15	—	—	—	—	—	—	6	3	6	15	—	—	—	—	—	—	5	5	5
	F	9	—	—	—	—	—	—	1	5	3	15	—	—	—	—	—	—	1	7	7
18 Bronchitis	M	62	10	6	1	1	—	4	17	16	7	83	20	6	2	—	—	—	14	22	19
	F	65	12	7	1	—	—	1	18	16	10	67	8	3	—	—	—	1	10	20	25
19 Pneumonia (all forms)	M	83	18	21	11	3	2	13	10	3	2	88	9	10	11	3	2	21	22	7	3
	F	78	20	18	13	2	2	9	9	2	3	53	15	9	5	2	—	6	4	7	5
20 Other respiratory diseases	M	8	1	1	1	—	—	2	3	—	—	4	1	—	—	—	—	1	1	1	—
	F	7	—	—	—	—	—	1	3	1	2	5	1	—	—	—	1	—	1	—	2
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	1	3	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c.	M	17	9	5	—	2	—	1	—	—	—	16	11	3	1	—	—	—	—	1	—
	F	10	4	2	2	—	—	1	1	—	—	11	7	—	—	—	—	1	1	—	2
23 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	—	6	—	—	—	1	1	1	2	1	—
	F	4	—	—	—	—	2	1	1	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver	M	6	—	—	1	—	—	1	4	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	11	1	—	—	1	1	—	4	4	—	21	—	—	—	—	—	1	13	5	2
	F	10	—	—	1	—	—	3	4	2	—	13	—	—	—	1	1	3	5	3	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	2	7	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	50	48	1	—	1	—	—	—	—	—	38	37	—	—	1	—	—	—	—	—
	F	35	35	—	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	1	2	1	—	—	10	—	—	—	—	—	2	5	2	1
	F	3	—	—	—	—	1	—	1	1	—	5	—	—	—	—	—	1	3	1	—
30 Other deaths from violence	M	32	—	1	—	4	4	11	7	3	2	13	1	—	—	1	2	1	7	1	—
	F	8	—	—	2	—	1	2	1	—	2	14	3	—	2	—	2	1	1	2	3
31 Other defined diseases	M	116	20	9	2	2	4	6	27	24	22	99	11	3	1	1	3	11	26	17	26
	F	111	12	5	1	—	6	6	18	31	32	97	9	—	2	4	1	12	19	18	32
32 Causes ill-defined or unknown	M	5	—	2	1	1	—	1	—	—	—	4	—	1	—	—	—	—	3	—	—
	F	6	—	4	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Worcester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	York. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	330	30	8	4	11	10	30	77	73	87	542	103	28	11	13	18	59	127	102	81
	F	342	15	10	4	8	21	32	64	80	108	566	49	27	20	17	32	64	131	110	116
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	5	2	1	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	1	1	—	—	—	—	—	—	—	19	9	7	3	—	—	—	—	—	—
	F	4	1	2	1	—	—	—	—	—	—	22	6	9	7	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	18	—	—	—	—	—	1	5	5	7	29	3	1	2	—	1	7	6	6	3
	F	27	—	1	1	—	—	1	4	8	12	48	2	2	1	—	3	5	13	10	12
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	1	—	—	—	—	1	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	15	—	—	—	—	5	5	5	—	—	37	—	—	—	1	6	18	9	3	—
	F	29	—	—	—	—	14	12	1	1	1	40	—	1	—	1	10	19	6	3	—
11 Other tuberculous diseases	M	4	—	—	—	2	—	1	—	1	—	5	1	3	—	—	1	—	—	—	—
	F	4	—	—	—	2	2	—	—	—	—	11	1	1	3	3	3	—	—	—	—
12 Cancer, malignant disease	M	22	—	—	—	—	—	2	7	9	4	39	—	—	—	—	—	4	24	8	3
	F	37	—	—	—	—	—	3	14	12	8	61	—	—	—	—	1	6	31	15	8
13 Rheumatic fever ..	M	3	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	1	1	—	—
14 Diabetes	M	2	—	—	—	—	—	—	—	2	—	7	—	—	—	1	—	3	1	2	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	1	1	1	1	1
15 Cerebral hæmorrhage, &c. ..	M	14	—	—	—	—	—	—	3	7	4	32	—	—	—	—	—	—	11	10	11
	F	20	—	—	—	—	—	—	5	8	7	36	—	—	—	—	—	—	13	17	6
16 Heart disease ..	M	64	—	—	—	—	—	6	25	18	15	69	—	—	—	2	2	4	19	27	15
	F	75	—	—	—	—	2	5	18	15	35	71	—	—	—	3	1	6	23	17	21
17 Arterio-sclerosis ..	M	11	—	—	—	—	—	—	2	2	7	7	—	—	—	—	—	—	2	2	3
	F	3	—	—	—	—	—	—	—	1	2	7	—	—	—	—	—	—	1	3	3
18 Bronchitis ..	M	20	3	1	—	—	—	—	—	4	12	48	13	1	—	—	—	1	5	12	16
	F	26	2	1	—	—	—	1	3	7	12	46	5	4	1	—	1	—	4	8	23
19 Pneumonia (all forms)	M	21	1	4	3	3	1	2	3	4	—	53	18	12	1	1	2	6	7	3	3
	F	18	—	5	1	—	—	1	4	5	2	44	8	8	5	1	1	5	5	6	5
20 Other respiratory diseases	M	6	1	—	—	—	—	1	1	1	2	13	1	1	—	—	—	—	5	4	2
	F	3	—	—	—	—	—	—	—	2	1	5	—	—	—	1	—	1	—	3	—
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	—	2	3	—	3	—	—	—	—	—	2	—	1	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	2	—	—
22 Diarrhœa, &c. ..	M	7	3	1	—	1	—	—	1	—	1	5	3	—	—	—	—	1	—	—	1
	F	5	3	1	—	—	—	—	—	—	1	4	1	—	—	—	—	—	3	—	—
23 Appendicitis and typhlitis.. ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	1	1	—	1	—	—	—
	F	4	—	—	—	2	—	—	—	1	1	4	—	—	—	1	2	—	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	1	5	—	—
	F	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	1	2	—	—
25 Acute and chronic nephritis ..	M	6	—	—	—	1	—	1	1	2	1	9	—	—	—	—	1	1	3	2	2
	F	6	—	—	—	—	1	—	3	1	1	11	—	—	—	—	1	1	5	3	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	16	14	—	—	—	1	1	—	—	—	41	41	—	—	—	—	—	—	—	—
	F	7	6	—	—	1	—	—	—	—	—	21	19	—	1	—	1	—	—	—	—
29 Suicide	M	11	—	—	—	—	1	2	4	3	1	3	—	—	—	—	—	1	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	1	1	1	2	—
30 Other deaths from violence.. ..	M	11	1	—	—	1	—	1	2	3	3	13	—	—	1	3	1	1	5	1	1
	F	4	—	—	1	—	—	—	—	—	3	8	—	—	—	—	1	—	2	2	3
31 Other defined diseases	M	67	5	1	—	3	1	6	13	9	29	89	12	1	—	1	4	8	22	20	21
	F	60	3	—	—	2	1	5	9	18	22	99	6	1	2	5	4	12	16	20	33
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924 (Civilian population only).

Causes of Death.	Sex.	Cardiff. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Merthyr Tydfil. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1467	217	60	50	38	77	210	436	238	141	585	85	15	21	25	33	73	167	107	59
	F	1255	165	46	41	27	82	167	297	213	217	443	59	14	12	25	29	67	94	70	73
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	16	2	9	5	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	19	4	3	10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	26	14	5	6	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	18	9	5	4	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	3	—	—	—	—	—	—	8	—	—	3	5	—	—	—	—	—
	F	7	—	1	3	2	—	1	—	—	—	4	—	—	1	2	1	—	—	—	—
7 Influenza	M	52	2	2	3	1	1	13	15	9	6	14	—	—	1	—	3	2	4	3	1
	F	47	2	2	—	1	1	6	10	14	11	9	1	—	—	1	—	2	4	1	—
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	155	1	3	1	1	36	65	43	3	2	44	—	—	—	2	7	13	20	2	—
	F	127	3	—	—	6	48	52	15	3	—	37	—	—	—	6	10	17	4	—	—
11 Other tuberculous diseases	M	36	3	2	5	3	6	13	3	1	—	16	—	2	1	6	5	1	1	—	—
	F	26	3	2	4	1	6	7	2	1	—	9	—	—	1	4	3	—	1	—	—
12 Cancer, malignant disease	M	118	—	—	—	—	—	5	67	33	13	33	—	—	1	—	—	2	20	7	3
	F	148	—	—	—	—	—	20	68	44	16	32	—	—	—	—	—	5	13	9	5
13 Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	4	2	3	1	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	10	—	—	—	—	1	1	5	3	—	5	—	—	—	—	1	2	2	—	—
	F	13	—	—	—	—	3	—	6	1	3	2	—	—	—	—	—	—	2	—	—
15 Cerebral hæmorrhage, &c. ..	M	59	—	—	—	—	1	6	24	16	12	26	—	—	—	—	—	1	10	10	5
	F	59	—	—	—	—	—	1	25	18	15	32	—	—	—	1	—	1	12	12	6
16 Heart disease ..	M	150	—	—	—	2	2	13	72	42	19	59	—	—	—	1	4	10	20	20	4
	F	173	—	—	—	1	6	15	61	43	47	45	—	—	—	1	4	11	19	4	6
17 Arterio-sclerosis ..	M	66	—	—	—	—	—	1	27	19	19	21	—	—	—	—	—	—	4	12	5
	F	34	—	—	—	—	—	—	7	12	15	7	—	—	—	—	—	—	1	4	2
18 Bronchitis ..	M	108	11	3	3	1	—	5	31	32	22	57	6	—	1	—	—	1	15	21	13
	F	96	14	6	1	—	1	2	17	23	32	50	8	2	2	—	—	3	11	15	9
19 Pneumonia (all forms)	M	169	47	24	8	2	7	24	35	14	8	62	16	3	7	2	2	11	12	8	1
	F	97	25	15	10	1	3	4	21	8	10	31	8	4	3	1	1	5	4	2	3
20 Other respiratory diseases	M	14	1	—	1	—	—	2	7	3	—	9	1	—	1	—	—	3	3	1	—
	F	14	—	1	1	—	—	2	3	3	4	5	—	—	—	1	1	1	—	1	1
21 Ulcer of stomach or duodenum ..	M	16	—	—	—	—	1	7	7	1	—	4	—	—	—	—	—	3	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c. ..	M	32	26	3	1	—	—	—	1	—	1	9	5	3	—	—	—	—	1	—	—
	F	31	18	3	1	1	—	1	1	4	2	11	7	2	—	1	—	—	—	1	—
23 Appendicitis and typhlitis.. ..	M	10	—	—	1	4	2	1	2	—	—	5	—	—	—	1	3	1	—	—	—
	F	2	—	—	—	—	1	—	—	1	—	4	—	—	—	3	1	—	—	—	—
24 Cirrhosis of liver ..	M	7	—	—	—	—	—	—	5	2	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis ..	M	38	—	—	—	2	1	7	13	14	1	12	—	1	—	—	—	—	11	—	—
	F	26	—	1	—	2	—	4	7	9	3	13	—	—	—	1	—	3	5	3	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	2	9	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	—	—	—	—	3	13	1	—	—	8	—	—	—	—	—	8	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	75	73	1	—	—	1	—	—	—	—	41	40	1	—	—	—	—	—	—	—
	F	64	63	—	1	—	—	—	—	—	—	22	21	1	—	—	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	—	1	3	1	—	7	—	—	—	—	—	1	5	1	—
	F	4	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence.. ..	M	73	1	3	7	13	8	17	16	4	4	44	1	1	6	5	5	12	11	3	—
	F	24	2	2	3	1	2	5	3	2	4	8	1	—	3	—	1	2	—	—	1
31 Other defined diseases	M	226	36	5	5	7	9	29	60	41	34	103	16	2	—	2	2	9	27	18	27
	F	181	22	5	3	4	4	19	43	26	55	101	13	2	1	3	4	8	15	17	38
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	2	1	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1924
(Civilian population only).

Causes of Death.	Sex.	Newport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Swansea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	597	78	23	13	12	28	88	166	118	71	1034	159	31	28	24	59	145	295	171	122
	F	499	73	18	11	22	22	67	100	91	95	878	115	27	25	29	48	125	176	145	188
1 Enteric fever ..	M	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	4	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	1	—	—	1	—	—	—	—	—	—	12	5	3	4	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	16	6	8	1	1	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	5	—	3	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	2	3	2	—	—	—	—	—
7 Influenza	M	21	—	—	1	1	—	5	8	3	3	27	3	—	1	1	1	3	12	4	2
	F	18	—	1	1	2	—	—	4	6	4	34	2	1	—	1	2	3	7	10	8
8 Encephalitis lethargica ..	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	48	—	—	—	—	9	28	10	1	—	95	—	1	—	1	22	42	26	3	—
	F	53	—	1	—	7	13	26	6	—	—	93	—	1	1	5	31	43	12	—	—
11 Other tuberculous diseases	M	11	—	1	3	—	3	2	1	1	—	17	—	3	2	1	7	3	—	1	—
	F	4	1	—	—	—	1	2	—	—	—	24	5	3	5	4	2	5	—	—	—
12 Cancer, malignant disease	M	54	—	—	—	—	—	2	27	13	12	98	—	—	—	—	—	11	56	24	7
	F	56	—	—	—	—	—	7	28	14	7	89	—	—	—	1	1	11	43	18	15
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	2	1	1	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	1	2	—	2	—
14 Diabetes	M	2	—	—	—	—	—	—	—	2	—	13	—	—	—	—	1	1	4	5	2
	F	3	—	—	—	—	—	1	—	2	—	8	—	—	—	—	—	—	3	4	1
15 Cerebral hæmorrhage, &c. ..	M	20	—	—	—	1	—	1	7	7	4	51	—	—	—	—	—	1	22	17	11
	F	31	—	—	—	—	—	2	5	12	12	71	—	—	—	—	—	2	20	21	28
16 Heart disease ..	M	92	—	—	—	—	4	9	26	34	19	104	—	—	—	2	2	14	37	32	17
	F	79	—	—	—	3	1	11	20	26	18	114	—	—	—	3	1	11	34	33	32
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	1	5	10	9	30	—	—	—	—	—	—	10	9	11
	F	6	—	—	—	—	—	—	4	2	—	20	—	—	—	—	—	—	2	4	14
18 Bronchitis ..	M	42	7	1	—	—	—	1	13	11	9	90	13	1	2	1	—	4	23	21	25
	F	33	4	3	2	—	—	—	3	7	14	70	15	2	—	—	—	1	16	20	16
19 Pneumonia (all forms)	M	38	9	9	4	1	—	4	8	2	1	100	37	7	9	2	5	10	20	9	1
	F	39	12	7	4	6	1	3	2	1	3	55	20	3	7	2	2	8	6	3	4
20 Other respiratory diseases	M	11	2	—	—	—	—	2	7	—	—	13	1	—	—	1	—	—	4	5	2
	F	7	—	—	—	—	—	1	1	3	2	7	—	—	—	—	—	2	1	3	1
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	—	3	2	—	6	—	—	—	—	1	2	2	1	—
	F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	1	1	—
22 Diarrhœa, &c. ..	M	5	3	1	—	—	—	—	1	—	—	17	11	4	—	1	—	—	1	—	—
	F	5	2	—	—	—	—	1	—	—	2	13	10	1	—	—	1	1	—	—	—
23 Appendicitis and typhlitis.. ..	M	8	—	—	1	2	1	1	2	1	—	3	—	—	—	—	—	2	1	—	—
	F	3	—	—	—	1	1	—	1	—	—	3	—	—	1	2	—	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	14	—	—	—	—	—	—	6	6	2	41	—	—	—	2	3	8	17	8	3
	F	11	1	—	—	—	—	2	3	4	1	20	—	1	—	4	1	4	5	1	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	14	—	—	—	—	2	12	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	38	37	1	—	—	—	—	—	—	—	64	62	—	—	—	1	1	—	—	—
	F	34	34	—	—	—	—	—	—	—	—	37	36	—	—	1	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	1	3	2	—	—	7	—	—	—	—	—	3	4	—	—
	F	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	32	—	1	1	1	4	12	8	3	2	52	—	4	1	4	7	15	15	5	1
	F	6	—	—	1	—	1	—	3	—	1	17	1	2	2	1	1	—	2	3	5
31 Other defined diseases	M	112	19	7	2	6	5	15	27	21	10	179	26	5	5	6	8	23	39	27	40
	F	90	17	1	1	2	3	6	17	12	31	153	20	3	4	—	2	18	24	22	60
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BEDFORD—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	677	66	10	14	21	40	72	174	141	139	532	48	7	9	11	22	46	105	106	178
		F	735	49	11	14	21	30	69	168	138	235	545	28	7	9	5	18	47	104	136	191
1	Enteric fever	M	12	—	—	1	7	3	1	—	—	—	2	—	—	—	—	1	—	1	—	—
		F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	7	3	1	3	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	2	1	1	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
		F	4	3	1	—	—	—	—	—	—	—	6	3	3	—	—	—	—	—	—	—
6	Diphtheria	M	3	—	—	1	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	15	—	1	4	9	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	22	1	—	—	—	—	5	7	5	4	23	2	2	—	—	1	3	3	6	6
		F	27	—	—	1	1	3	—	7	11	4	30	1	2	1	—	1	5	6	4	10
8	Encephalitis lethargica	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—	—
		F	5	—	—	1	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	61	—	—	—	—	15	22	19	3	2	30	—	—	—	1	6	13	7	3	—
		F	49	—	—	—	—	15	19	13	1	1	30	—	—	—	—	7	14	8	1	—
11	Other tuberculous diseases	M	9	—	1	1	1	3	2	1	—	—	6	—	1	—	—	2	2	1	—	—
		F	9	1	—	—	1	3	2	1	—	1	4	—	—	—	1	2	1	—	—	—
12	Cancer, malignant disease	M	68	—	—	—	—	—	2	29	24	13	73	—	—	1	—	—	5	23	18	26
		F	98	—	—	—	—	—	11	45	19	23	90	—	—	—	—	—	7	28	28	27
13	Rheumatic fever	M	3	—	—	—	1	1	—	1	—	—	2	—	—	—	1	1	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Diabetes	M	7	—	—	—	—	—	2	3	—	2	11	—	—	—	—	—	—	8	—	3
		F	10	—	—	—	—	—	—	3	4	3	4	—	—	—	—	—	—	1	2	1
15	Cerebral hæmorrhage, &c.	M	41	—	—	—	—	—	2	9	19	11	27	—	—	—	—	—	—	2	8	17
		F	59	—	—	—	—	—	1	16	22	20	54	—	—	—	—	—	—	9	24	21
16	Heart disease	M	89	—	—	—	1	3	4	26	25	30	55	—	—	—	1	—	2	17	14	21
		F	116	—	—	—	1	3	4	38	27	43	75	—	—	—	—	1	—	14	24	36
17	Arterio-sclerosis	M	32	—	—	—	—	—	1	5	11	15	30	—	—	—	—	—	—	5	12	13
		F	22	—	—	—	—	—	—	1	3	18	17	—	—	—	—	—	—	—	5	12
18	Bronchitis	M	34	3	—	1	—	—	1	10	9	10	38	5	—	—	—	1	1	1	6	24
		F	66	3	—	—	—	—	2	8	16	37	56	1	—	1	1	—	—	3	17	33
19	Pneumonia (all forms)	M	35	10	3	2	—	—	3	8	6	3	28	7	3	4	1	—	5	6	2	—
		F	32	7	4	2	1	—	5	4	5	4	16	4	—	1	—	3	2	2	3	1
20	Other respiratory diseases	M	17	2	—	1	—	2	3	6	2	1	10	—	—	—	1	1	1	4	2	1
		F	5	—	—	—	—	—	—	2	2	1	5	—	—	—	—	—	1	3	—	1
21	Ulcer of stomach or duodenum	M	6	—	—	—	—	—	2	1	3	—	4	—	—	—	—	—	—	2	—	2
		F	3	—	—	—	—	—	1	1	1	—	6	—	—	—	—	—	2	2	1	1
22	Diarrhœa, &c.	M	5	2	1	1	—	—	1	—	—	—	3	1	—	—	1	—	—	—	—	1
		F	10	3	2	1	—	1	1	2	—	—	5	2	1	—	—	—	—	1	1	—
23	Appendicitis and typhlitis	M	5	—	—	—	1	1	—	2	1	—	4	—	—	—	1	1	2	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
24	Cirrhosis of liver	M	5	—	—	—	—	—	—	2	2	1	5	—	—	—	—	—	—	2	3	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
25	Acute and chronic nephritis	M	30	—	1	1	—	2	1	11	8	6	16	1	—	—	—	1	1	3	3	7
		F	15	—	—	—	1	—	1	2	6	5	14	—	—	—	1	1	1	5	4	2
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	—	4	—	—	—	—	—	3	1	—	—
28	Congenital debility and malformation, premature birth	M	33	33	—	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
		F	24	24	—	—	—	—	—	—	—	—	18	14	—	2	1	—	—	1	—	—
29	Suicide	M	9	—	—	—	—	1	—	6	1	1	6	—	—	—	—	1	—	2	3	—
		F	4	—	—	—	—	—	2	2	—	—	1	—	—	—	—	1	—	—	—	—
30	Other deaths from violence	M	29	—	—	1	4	5	9	5	3	2	13	—	—	—	2	3	1	3	4	—
		F	16	—	1	2	3	—	2	3	—	5	4	—	—	2	—	—	—	—	1	1
31	Other defined diseases	M	109	10	2	1	4	4	11	20	19	38	109	5	—	4	1	2	8	13	19	57
		F	135	8	—	3	3	1	10	19	21	70	97	3	1	2	1	2	8	15	20	45
32	Causes ill-defined or unknown	M	2	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	1	1	3	—
		F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	3	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BERKS—1924 (Civilian population only).

	Causes of Death.	Sex	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	389	43	9	9	5	17	34	96	87	89	754	73	9	13	14	25	67	163	165	225
		F	429	24	9	17	7	12	33	82	83	162	730	42	19	4	16	21	65	127	156	280
1	Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	1	1	—	—
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	4	—	2	2	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
		F	5	1	2	1	1	—	—	—	—	—	8	2	1	2	3	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
		F	3	—	1	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6	Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
7	Influenza	M	13	1	1	—	1	—	1	2	5	2	23	—	—	1	—	1	1	4	8	8
		F	10	—	—	1	—	—	2	1	3	3	26	—	2	—	1	1	4	3	5	10
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	4	—	1	—	—	2	—	1	—	—
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
10	Tuberculosis of respiratory system	M	23	—	—	—	—	4	10	7	2	—	53	—	—	—	3	6	28	14	1	1
		F	14	—	—	1	1	5	4	3	—	—	29	1	—	—	1	2	16	6	2	1
11	Other tuberculous diseases	M	8	2	1	2	—	2	—	1	—	—	15	1	3	1	3	3	1	1	—	2
		F	10	—	1	2	1	2	2	2	—	—	9	—	—	—	3	2	2	—	1	1
12	Cancer, malignant disease	M	51	—	—	—	—	—	3	20	19	9	82	—	—	—	1	—	2	25	27	27
		F	53	—	—	—	—	—	1	22	14	16	102	—	—	—	—	—	7	40	23	32
13	Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	2	—	—	1	—	1	—	—	—	—	4	—	—	—	1	—	2	1	—	—
14	Diabetes	M	3	—	—	—	—	1	1	—	1	—	5	—	—	—	—	—	—	4	1	—
		F	4	—	—	—	—	—	—	2	1	1	6	—	—	—	—	1	1	—	2	2
15	Cerebral hæmorrhage, &c. ..	M	29	—	—	—	—	—	2	9	9	9	46	—	—	—	—	—	1	9	16	20
		F	50	—	—	—	—	—	—	12	15	23	76	—	—	—	—	—	1	12	27	36
16	Heart disease ..	M	46	—	—	—	—	—	6	9	14	17	106	—	—	—	1	—	6	23	47	29
		F	48	—	—	—	—	—	2	11	13	22	103	—	—	—	—	1	3	24	36	39
17	Arterio-sclerosis ..	M	22	—	—	—	—	—	—	2	7	13	40	—	—	—	—	—	—	7	14	19
		F	29	—	—	—	—	—	—	2	6	21	24	—	—	—	—	—	1	3	8	12
18	Bronchitis ..	M	22	2	—	—	—	—	—	3	11	6	66	5	1	1	—	—	—	4	16	39
		F	44	6	1	1	—	—	—	4	8	24	54	2	1	—	—	—	—	3	13	35
19	Pneumonia (all forms)	M	24	8	3	2	—	—	3	3	2	3	42	15	2	2	—	1	6	8	6	2
		F	22	5	1	5	1	1	3	2	4	—	24	4	7	—	1	—	3	4	1	4
20	Other respiratory diseases	M	5	—	—	—	—	—	—	2	2	1	9	—	—	1	1	—	—	4	1	2
		F	4	1	—	—	—	—	—	—	1	2	7	—	—	—	—	—	1	3	—	3
21	Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	1	1	1
		F	5	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—
22	Diarrhœa, &c. ..	M	2	2	—	—	—	—	—	—	—	—	4	2	—	—	—	—	1	—	—	1
		F	5	2	1	—	—	—	—	1	—	1	5	—	—	—	1	—	2	2	—	—
23	Appendicitis and typhlitis.. ..	M	4	—	—	—	1	2	—	—	1	—	5	—	—	1	2	2	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
24	Cirrhosis of liver ..	M	4	—	—	—	—	1	—	2	1	—	3	—	—	—	—	—	—	3	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2	—
25	Acute and chronic nephritis ..	M	14	—	—	—	—	—	—	8	2	4	15	—	—	—	—	1	—	7	2	5
		F	10	—	—	—	1	—	2	2	2	3	19	—	—	—	—	—	3	3	9	4
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	1	6	—	—	—	8	—	—	—	—	2	6	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	26	26	—	—	—	—	—	—	—	—	33	32	—	1	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—	—	29	26	1	—	—	2	—	—	—	—
29	Suicide	M	4	—	—	—	—	—	3	1	—	—	9	—	—	—	—	1	3	4	1	—
		F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—
30	Other deaths from violence.. ..	M	9	—	—	—	2	4	—	3	—	—	22	—	—	—	2	5	3	12	—	—
		F	7	—	—	2	1	1	—	—	2	1	7	2	1	—	—	1	—	1	1	1
31	Other defined diseases.. ..	M	65	2	2	3	1	3	3	16	10	25	155	16	2	—	—	3	14	30	21	69
		F	83	3	1	—	1	—	9	13	12	44	170	5	4	2	1	6	9	17	26	100
32	Causes ill-defined or unknown ..	M	7	—	—	—	—	—	1	6	—	—	7	1	—	—	—	1	—	2	3	—
		F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BUCKINGHAM—1924 (Civilian population only).

Causes of Death.	Sex	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	533	47	8	11	13	21	52	138	124	119	801	73	5	8	18	20	71	193	189	224
	F	497	25	9	7	8	20	46	98	130	154	787	48	10	13	18	18	77	165	179	259
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	1	1	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
4 Scarlet fever	M	2	—	—	—	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	5	4	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria	M	3	—	—	—	3	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	3	—	—	—	2	—	—	—	—	1
7 Influenza	M	29	1	—	—	1	4	5	6	7	5	28	2	1	—	1	1	4	7	3	9
	F	23	—	1	—	—	—	6	4	8	4	48	3	—	1	2	4	5	10	12	11
8 Encephalitis lethargica	M	2	—	—	1	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	34	—	1	—	—	4	17	10	2	—	43	—	—	—	1	6	23	13	—	—
	F	23	—	—	—	1	9	8	2	3	—	35	1	—	—	—	7	21	5	1	—
11 Other tuberculous diseases	M	8	1	2	—	1	3	1	—	—	—	8	—	—	1	—	—	3	3	1	—
	F	1	1	—	—	—	—	—	—	—	—	12	1	2	2	1	1	4	—	—	1
12 Cancer, malignant disease	M	55	—	—	—	—	1	1	24	19	10	112	—	—	1	—	1	7	45	37	21
	F	55	—	—	—	—	—	4	21	21	9	118	—	—	—	—	—	11	49	36	22
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	—	1	—
	F	5	—	—	—	1	4	—	—	—	—	2	—	—	—	—	—	1	1	—	—
14 Diabetes	M	2	—	—	—	—	—	—	—	2	—	9	—	—	—	—	—	—	4	2	3
	F	6	—	—	—	—	—	—	1	2	3	11	—	—	—	—	—	1	2	6	2
15 Cerebral hæmorrhage, &c.	M	31	—	—	—	—	—	—	5	12	14	49	—	—	—	—	—	—	11	14	24
	F	51	—	—	—	—	—	1	11	20	19	62	—	—	2	—	—	1	13	21	25
16 Heart disease	M	67	—	—	—	—	2	5	18	22	20	125	—	—	—	1	—	5	31	51	37
	F	68	—	—	—	—	—	6	19	25	18	127	—	—	—	1	2	7	32	41	44
17 Arterio-sclerosis	M	23	—	—	—	—	—	—	8	7	8	32	—	—	—	—	—	—	3	13	16
	F	14	—	—	—	—	—	—	2	5	7	18	—	—	—	—	—	—	—	3	15
18 Bronchitis	M	29	2	—	—	—	—	—	5	8	14	45	2	—	—	—	—	2	8	13	20
	F	37	1	1	—	—	—	1	4	8	22	54	3	1	—	—	—	1	5	16	28
19 Pneumonia (all forms)	M	23	4	1	2	1	—	6	5	1	3	40	4	1	—	3	2	3	13	6	8
	F	29	4	5	1	—	1	1	4	6	7	35	4	4	2	—	—	3	10	4	8
20 Other respiratory diseases	M	8	—	—	1	—	—	1	3	3	—	11	1	—	—	—	1	1	3	5	—
	F	10	—	—	—	—	1	1	5	—	3	11	1	—	—	—	—	1	3	3	3
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	1	3	—	—	9	—	—	—	—	—	3	3	1	2
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	1	—	—	1	—	—	—	—	—	—	10	7	—	—	—	—	—	1	—	2
	F	4	1	1	—	—	—	—	—	2	—	4	1	—	1	—	—	1	—	—	1
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	7	—	—	—	2	1	1	2	1	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	1	—	1	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	1	3	1	—	3	—	—	—	—	—	—	3	—	—
	F	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	1	1	1	1
25 Acute and chronic nephritis	M	23	—	—	—	—	1	3	9	7	3	17	—	—	—	—	1	1	4	6	5
	F	16	—	—	—	—	—	5	5	2	4	26	—	—	1	—	—	2	6	8	9
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	2	1	—	—	11	—	—	—	—	2	9	—	—	—
28 Congenital debility and malformation, premature birth	M	27	26	—	—	—	1	—	—	—	—	44	44	—	—	—	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	26	25	—	1	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	—	2	8	2	—	9	—	—	—	—	—	3	4	1	1
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	—	1	—	1
30 Other deaths from violence	M	14	4	1	1	1	2	2	2	—	1	24	—	—	2	1	2	8	6	2	3
	F	6	—	—	1	—	1	1	1	—	2	12	2	2	—	2	—	1	1	2	2
31 Other defined diseases	M	120	7	2	3	4	3	5	26	29	41	165	12	3	3	4	4	7	29	30	73
	F	113	4	1	1	2	4	6	14	25	56	153	6	—	2	6	2	6	23	23	85
32 Causes ill-defined or unknown	M	4	—	—	—	—	—	1	2	1	—	2	—	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	—	3	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CAMBRIDGE—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	317	27	4	4	6	11	26	84	70	85	422	37	5	7	6	14	29	84	103	137
	F	382	19	5	8	8	15	39	83	82	123	488	22	6	7	6	11	46	102	99	189
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	3	2	1	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	3	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	11	1	—	—	—	1	1	2	3	3	21	—	1	—	—	—	—	6	7	7
	F	15	—	—	—	—	—	2	6	4	3	16	—	—	2	1	—	2	2	5	4
8 Encephalitis lethargica ..	M	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	23	—	—	—	1	3	9	9	1	—	18	—	—	—	1	2	10	5	—	—
	F	23	—	1	—	—	5	10	6	1	—	30	—	—	—	1	3	17	7	2	—
11 Other tuberculous diseases	M	4	1	1	1	1	—	—	—	—	—	3	1	—	—	—	—	1	—	1	—
	F	12	1	—	2	2	—	2	1	—	4	6	—	1	—	1	4	—	—	—	—
12 Cancer, malignant disease	M	38	—	—	—	—	—	2	18	12	6	68	—	—	—	—	2	2	22	18	24
	F	54	—	—	—	—	—	7	20	17	10	66	—	—	—	—	—	3	34	12	17
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	5	—	—	—	—	—	—	4	1	—	10	—	—	—	1	3	1	1	3	1
	F	3	—	—	—	—	—	—	—	2	1	8	—	—	—	—	—	—	4	3	1
15 Cerebral hæmorrhage, &c. ..	M	17	—	—	—	—	—	1	4	6	6	30	—	—	—	—	—	—	7	9	14
	F	25	—	—	—	—	1	1	5	9	9	47	—	—	—	—	—	1	8	13	25
16 Heart disease ..	M	43	—	—	—	1	2	1	11	13	15	50	—	—	—	—	—	2	10	18	20
	F	46	—	—	—	—	2	3	11	10	20	74	—	—	—	—	—	4	20	21	29
17 Arterio-sclerosis ..	M	7	—	—	—	—	—	—	—	4	3	12	—	—	—	—	—	—	—	3	9
	F	10	—	—	—	—	—	—	3	4	3	16	—	—	—	—	—	—	—	5	11
18 Bronchitis ..	M	20	—	1	—	—	—	—	2	8	9	34	4	—	—	—	—	1	2	10	17
	F	25	2	1	—	—	—	2	—	7	13	48	—	—	—	1	—	—	3	11	33
19 Pneumonia (all forms)	M	14	3	2	—	—	—	2	3	2	2	13	4	2	—	—	—	2	2	2	1
	F	17	5	2	3	1	—	—	2	1	3	20	2	2	1	—	—	4	—	4	7
20 Other respiratory diseases	M	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	—	—	—	3	1	1	7	—	—	—	1	—	—	3	3	—
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	—	3	1	—	3	—	—	—	—	—	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	2	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2
	F	3	—	1	—	—	—	1	1	—	—	2	—	1	—	—	—	—	—	1	—
23 Appendicitis and typhlitis.. ..	M	5	—	—	1	—	1	1	1	—	1	3	—	—	—	—	1	1	1	—	—
	F	1	—	—	1	—	—	—	—	—	—	4	—	—	—	—	1	2	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	1
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	11	—	—	—	—	—	1	4	3	3	11	—	—	—	—	—	1	4	2	4
	F	15	1	—	—	—	—	1	5	4	4	13	—	—	—	—	—	1	4	4	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	3	3	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	15	15	—	—	—	—	—	—	—	—	26	25	—	—	1	—	—	—	—	—
	F	5	4	—	—	1	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	2	4	1	—	6	—	—	—	—	—	1	2	1	2
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	—	1	1
30 Other deaths from violence.. ..	M	12	—	—	1	—	3	2	4	1	1	13	—	1	3	2	2	2	1	1	1
	F	5	1	—	—	—	—	—	4	—	—	8	1	—	1	—	2	1	1	1	1
31 Other defined diseases	M	69	5	—	—	2	1	1	11	13	36	85	2	—	1	1	4	4	16	23	34
	F	103	5	—	2	1	3	5	13	22	52	92	3	—	1	—	—	7	13	12	56
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	5	—	1	—	—	—	—	2	2	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CHESTER—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	2676	299	100	83	72	103	298	765	526	430	1134	129	21	28	28	33	103	278	276	238
	F	2726	219	70	76	81	104	312	629	604	631	1065	101	21	24	20	30	103	262	227	277
1 Enteric fever	M	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	60	15	28	11	6	—	—	—	—	—	4	1	—	3	—	—	—	—	—	—
	F	49	11	17	12	9	—	—	—	—	—	7	3	1	1	2	—	—	—	—	—
4 Scarlet fever	M	5	—	—	3	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	—	4	—	—	2	1	—	—	1	—	—
5 Whooping cough	M	5	2	1	2	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	15	8	4	3	—	—	—	—	—	—	6	2	3	1	—	—	—	—	—	—
6 Diphtheria	M	11	—	—	4	6	—	—	—	1	—	2	—	—	1	1	—	—	—	—	—
	F	13	—	—	8	3	1	1	—	—	—	2	1	—	—	1	—	—	—	—	—
7 Influenza	M	75	1	1	1	1	7	15	26	14	9	44	—	—	1	—	1	9	13	10	10
	F	97	1	—	2	3	4	22	25	21	19	46	2	2	1	—	1	8	12	8	12
8 Encephalitis lethargica	M	9	—	—	—	—	1	6	2	—	—	8	—	—	1	1	1	1	3	1	—
	F	11	—	—	—	2	—	5	2	2	—	4	—	—	—	1	1	1	1	—	—
9 Meningococcal meningitis	M	2	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	141	1	—	4	1	30	56	47	2	—	52	—	—	2	1	8	27	12	1	1
	F	122	1	—	1	7	43	51	18	1	—	47	—	—	—	1	7	22	13	3	1
11 Other tuberculous diseases	M	65	10	13	18	11	—	5	7	1	—	18	3	1	1	6	2	3	2	—	—
	F	52	4	10	6	6	7	13	4	2	—	15	6	—	3	1	2	3	—	—	—
12 Cancer, malignant disease	M	291	—	1	—	—	4	16	148	93	29	133	—	1	—	—	—	8	56	43	25
	F	330	—	—	1	—	1	43	147	84	54	127	—	—	—	1	2	13	56	36	19
13 Rheumatic fever	M	5	—	—	—	1	3	—	1	—	—	5	—	—	—	2	—	1	1	1	—
	F	12	—	—	—	6	2	1	3	—	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes	M	16	—	—	—	—	—	6	6	3	1	8	—	—	1	—	1	—	4	1	1
	F	17	—	—	—	—	—	2	7	6	2	11	—	—	—	—	1	1	2	5	2
15 Cerebral hæmorrhage, &c.	M	172	—	—	—	—	—	7	54	59	52	73	—	—	—	—	—	1	14	37	21
	F	214	—	—	—	—	1	3	52	87	71	65	—	—	—	—	—	1	17	22	25
16 Heart disease	M	307	—	—	—	7	4	33	120	91	52	182	—	—	—	4	3	8	51	58	58
	F	383	—	—	1	7	8	25	114	119	109	190	—	—	1	1	—	9	68	55	56
17 Arterio-sclerosis	M	127	—	—	—	—	—	—	29	55	43	57	—	—	—	—	—	—	10	28	19
	F	107	—	—	—	—	—	1	19	34	53	55	—	—	—	—	—	—	8	17	30
18 Bronchitis	M	208	22	8	2	1	—	4	52	53	66	55	3	1	—	—	—	1	8	16	26
	F	234	20	5	4	—	—	3	43	72	87	58	4	3	1	—	—	—	6	19	25
19 Pneumonia (all forms)	M	194	40	26	15	7	7	31	34	23	11	71	12	6	4	1	1	9	21	9	8
	F	165	31	20	17	4	6	15	29	26	17	52	10	7	4	2	1	7	8	9	4
20 Other respiratory diseases	M	40	3	—	5	—	1	7	6	12	6	11	—	—	1	—	—	1	6	3	—
	F	35	1	—	3	—	3	4	12	10	2	10	—	—	1	—	—	3	2	2	2
21 Ulcer of stomach or duodenum	M	24	—	—	—	—	—	8	15	1	—	4	—	—	—	—	1	—	3	—	—
	F	13	—	—	—	—	—	7	6	—	—	4	—	—	—	—	—	1	3	—	—
22 Diarrhœa, &c.	M	30	20	4	1	—	—	1	2	—	2	15	10	3	—	—	—	—	—	1	1
	F	37	14	3	2	1	—	4	4	5	4	10	4	1	—	—	—	3	1	1	—
23 Appendicitis and typhlitis	M	14	—	—	—	4	5	—	2	3	—	8	—	—	1	4	1	1	1	—	—
	F	10	—	—	1	4	2	1	2	—	—	9	—	1	1	1	1	2	2	—	1
24 Cirrhosis of liver	M	23	—	—	—	—	—	—	17	5	1	10	—	—	—	—	—	—	9	1	—
	F	6	—	—	—	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	98	—	1	1	3	6	12	35	30	10	36	—	—	—	—	—	4	14	12	6
	F	81	—	—	1	4	2	16	26	23	9	24	—	—	—	—	—	1	10	6	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	2	7	—	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	23	—	—	—	—	4	18	1	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth	M	129	128	—	1	—	—	—	—	—	—	66	65	1	—	—	—	—	—	—	—
	F	88	82	1	1	2	1	1	—	—	—	52	51	—	—	1	—	—	—	—	—
29 Suicide	M	36	—	—	—	—	6	13	14	3	—	13	—	—	—	—	1	7	2	3	—
	F	15	—	—	—	—	—	7	7	1	—	7	—		—	—	1	3	3	—	—
30 Other deaths from violence	M	103	1	4	5	10	11	33	23	9	7	55	4	3	4	3	8	11	15	5	2
	F	45	2	—	2	4	2	8	7	7	13	23	—	1	3	2	—	4	3	2	8
31 Other defined diseases	M	477	56	11	9	12	17	42	122	67	141	193	29	4	8	2	5	10	31	44	60
	F	529	44	8	8	17	15	52	94	101	190	221	18	2	5	5	11	9	44	42	85
32 Causes ill-defined or unknown	M	6	—	1	1	—	—	—	3	1	—	6	—	1	—	1	—	—	2	2	—
	F	8	—	1	1	—	—	—	2	3	1	2	—	—	—	—	—	1	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CORNWALL—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	916	89	12	15	13	35	94	235	199	224	1093	97	24	15	16	56	97	262	261	265
		F	1009	56	15	16	15	34	91	212	228	342	1214	79	12	23	21	50	99	246	291	393
1	Enteric fever	M	4	—	—	—	—	1	2	1	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	—	—	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	1	—	1	1	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
5	Whooping cough	M	7	4	—	3	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
		F	6	3	2	1	—	—	—	—	—	—	7	3	1	2	—	—	—	1	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	22	2	1	2	—	—	3	10	3	1	41	2	—	2	—	4	3	11	14	5
		F	33	2	—	—	1	—	5	6	10	9	42	3	—	—	2	2	4	11	10	10
8	Encephalitis lethargica	M	3	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	2	3	2	—
9	Meningococcal meningitis	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	92	—	—	1	—	15	39	29	8	—	89	—	—	—	1	18	36	30	2	2
		F	65	—	—	—	4	19	30	11	—	1	74	—	—	—	4	29	29	7	4	1
11	Other tuberculous diseases	M	11	—	—	1	3	2	5	—	—	—	19	1	2	1	2	7	2	3	1	—
		F	19	—	1	3	3	4	5	3	—	—	16	—	1	4	1	2	4	3	—	1
12	Cancer, malignant disease	M	118	—	—	—	—	—	4	51	33	30	104	—	—	—	—	—	3	45	35	21
		F	133	—	—	—	—	—	6	60	35	32	148	—	—	—	1	—	12	67	43	25
13	Rheumatic fever	M	3	—	—	—	—	1	1	1	—	—	2	—	—	—	—	1	—	—	1	—
		F	2	—	—	—	—	—	1	—	1	—	5	—	—	1	2	—	—	2	—	—
14	Diabetes	M	17	—	—	—	—	—	2	10	2	3	14	—	—	—	1	1	2	2	5	3
		F	7	—	—	—	—	1	—	2	4	—	23	—	—	—	—	1	1	6	10	5
15	Cerebral hæmorrhage, &c.	M	62	—	—	—	—	—	—	10	22	30	67	—	—	—	—	1	—	13	26	27
		F	79	—	—	—	—	—	—	13	34	32	98	—	—	—	—	—	2	16	35	45
16	Heart disease	M	137	—	—	—	2	—	5	32	55	43	136	—	—	—	—	1	3	35	50	47
		F	191	—	—	—	1	2	8	43	67	70	231	—	1	—	—	1	8	49	101	71
17	Arterio-sclerosis	M	23	—	—	—	—	—	—	6	10	7	39	—	—	—	—	—	1	9	12	17
		F	25	—	—	—	—	—	—	4	9	12	28	—	—	—	—	—	—	3	8	17
18	Bronchitis	M	45	6	1	—	—	—	2	5	10	21	80	8	5	—	—	—	—	6	33	28
		F	71	4	1	—	—	1	1	9	14	41	74	6	—	5	—	—	—	7	16	40
19	Pneumonia (all forms)	M	44	10	3	2	—	4	6	12	2	5	52	8	9	3	2	—	6	14	7	3
		F	43	7	4	1	—	—	5	5	12	9	35	7	2	2	1	2	2	6	9	4
20	Other respiratory diseases	M	23	1	—	—	1	2	—	10	5	4	22	—	—	—	—	—	4	11	3	4
		F	13	—	—	2	—	—	3	2	1	5	15	—	—	1	1	—	2	4	4	3
21	Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	3	1	1	—
		F	6	—	—	—	—	1	1	4	—	—	4	—	—	—	—	—	—	1	1	2
22	Diarrhœa, &c.	M	7	4	—	—	—	—	—	2	—	1	13	7	1	1	1	—	1	—	1	1
		F	10	3	2	1	—	—	—	1	—	3	11	3	—	1	—	—	—	3	1	3
23	Appendicitis and typhlitis	M	6	—	—	—	—	—	2	1	3	—	5	—	—	—	1	1	—	1	1	1
		F	4	—	—	2	1	—	—	—	1	—	6	—	—	1	1	—	3	—	1	—
24	Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	8	—	—	—	—	—	—	4	2	2
		F	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—	—
25	Acute and chronic nephritis	M	28	—	—	—	1	—	1	12	10	4	38	1	—	—	1	1	5	10	11	9
		F	32	—	—	—	—	1	3	13	9	6	34	—	—	1	1	1	4	12	8	7
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	8	—	—	—	—	2	5	1	—	—
28	Congenital debility and malformation, premature birth	M	49	47	1	—	—	1	—	—	—	—	45	44	1	—	—	—	—	—	—	—
		F	24	23	—	1	—	—	—	—	—	—	42	40	2	—	—	—	—	—	—	—
29	Suicide	M	8	—	—	—	—	—	2	4	1	1	10	—	—	—	—	—	1	6	3	—
		F	5	—	—	—	—	—	1	3	1	—	10	—	—	—	—	—	2	6	2	—
30	Other deaths from violence	M	34	2	1	1	1	7	11	6	4	1	45	1	—	2	3	12	11	11	3	2
		F	15	2	2	1	1	—	—	2	—	7	11	1	1	2	—	1	1	3	1	1
31	Other defined diseases	M	165	13	4	4	4	1	8	27	31	73	234	21	5	3	3	8	13	42	46	93
		F	215	12	3	3	3	5	17	28	30	114	273	15	3	3	5	8	16	32	33	158
32	Causes ill-defined or unknown	M	4	—	—	—	—	1	1	2	—	—	14	—	—	—	—	—	2	8	4	—
		F	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	—	—	2	2	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CUMBERLAND—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	871	131	29	26	24	48	89	212	177	135	629	65	17	13	14	30	43	141	166	140
		F	778	81	26	28	26	37	86	175	161	158	597	50	18	14	8	17	54	134	125	177
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	6	1	1	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
		F	3	—	—	2	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
5	Whooping cough ..	M	14	12	1	1	—	—	—	—	—	—	5	2	3	—	—	—	—	—	—	—
		F	15	8	4	3	—	—	—	—	—	—	12	2	7	3	—	—	—	—	—	—
6	Diphtheria ..	M	4	—	—	1	3	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7	Influenza	M	30	1	2	—	—	1	6	10	4	6	28	1	4	1	1	3	2	8	7	1
		F	37	1	—	1	—	2	6	12	6	9	25	3	1	—	—	—	4	8	4	5
8	Encephalitis lethargica ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—	—	1	—	—
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	52	—	—	1	—	14	22	14	1	—	25	—	—	—	—	11	6	5	3	—
		F	45	—	—	—	8	13	18	4	1	1	31	—	—	—	—	6	19	6	—	—
11	Other tuberculous diseases	M	14	—	—	3	3	6	1	1	—	—	8	2	—	1	2	1	—	1	1	—
		F	14	1	5	2	2	2	2	—	—	—	7	1	—	2	—	3	—	1	—	—
12	Cancer, malignant disease	M	81	—	—	—	—	1	4	36	26	14	58	—	—	—	—	—	4	23	19	12
		F	74	—	—	—	—	—	4	42	20	8	60	—	—	—	—	—	3	27	21	9
13	Rheumatic fever ..	M	3	—	—	—	—	1	1	1	—	—	1	—	—	—	—	1	—	—	—	—
		F	3	—	—	—	1	1	—	1	—	—	3	—	—	—	1	—	1	1	—	—
14	Diabetes	M	8	—	—	—	1	—	1	3	2	1	7	—	—	—	—	—	—	3	1	3
		F	17	—	—	—	—	2	1	6	7	1	4	—	—	—	—	—	—	2	1	1
15	Cerebral hæmorrhage, &c. ..	M	58	—	—	—	—	1	1	15	26	15	36	—	—	—	—	—	—	7	18	11
		F	73	—	—	—	—	—	1	21	32	19	53	—	—	—	—	—	1	15	20	17
16	Heart disease ..	M	106	—	—	—	1	1	14	34	38	18	100	—	—	—	—	1	4	30	43	22
		F	89	—	1	—	2	1	11	25	31	18	94	—	—	—	1	1	2	26	28	36
17	Arterio-sclerosis ..	M	30	—	—	—	—	—	—	7	8	15	33	—	—	—	—	—	—	7	8	18
		F	7	—	—	—	—	—	—	1	2	4	15	—	—	—	—	—	—	—	7	8
18	Bronchitis ..	M	65	16	4	3	—	1	2	10	18	11	35	9	—	1	—	—	1	2	12	10
		F	47	4	1	—	—	—	3	3	14	22	41	6	2	—	—	—	—	9	7	17
19	Pneumonia (all forms)	M	78	20	10	6	4	5	9	15	4	5	43	8	4	2	1	2	10	8	5	3
		F	49	10	5	6	1	2	5	14	5	1	30	6	5	1	—	—	5	4	5	4
20	Other respiratory diseases	M	16	1	—	2	—	1	1	7	3	1	14	—	1	1	—	—	1	4	5	2
		F	10	—	—	—	—	—	3	1	2	4	6	—	—	—	—	—	1	2	1	2
21	Ulcer of stomach or duodenum ..	M	6	—	—	—	—	1	2	3	—	—	5	—	—	—	—	—	1	2	2	—
		F	5	—	—	—	1	—	1	2	—	1	2	—	—	—	—	—	1	—	—	1
22	Diarrhœa, &c. ..	M	15	10	1	3	—	—	—	1	—	—	6	2	1	1	—	—	—	—	1	1
		F	16	5	3	2	2	—	1	1	1	1	4	—	—	—	—	—	2	1	1	—
23	Appendicitis and typhlitis.. ..	M	7	—	—	1	3	1	1	1	—	—	5	—	—	1	3	—	—	1	—	—
		F	3	—	—	—	1	—	—	2	—	—	2	—	—	—	1	1	—	—	—	—
24	Cirrhosis of liver ..	M	5	—	—	—	—	—	—	4	1	—	3	—	—	—	—	—	1	—	2	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
25	Acute and chronic nephritis ..	M	21	—	—	—	1	1	1	8	8	2	13	—	—	—	—	—	—	6	4	3
		F	18	—	—	1	—	1	2	8	5	1	12	—	—	—	1	—	1	4	5	1
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	—	4	—	—	—	—	2	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	2	9	1	—	—	6	—	—	—	—	1	5	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	47	46	—	—	1	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
		F	36	36	—	—	—	—	—	—	—	—	20	19	1	—	—	—	—	—	—	—
29	Suicide	M	6	—	—	—	—	1	2	1	2	—	5	—	—	—	—	—	2	2	1	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
30	Other deaths from violence.. ..	M	45	—	—	1	4	8	14	14	4	—	25	1	2	2	1	4	6	6	2	1
		F	26	3	1	3	3	4	2	4	1	5	10	1	1	3	1	—	—	—	1	3
31	Other defined diseases	M	146	23	10	1	3	4	6	22	31	46	135	13	1	1	3	5	5	23	31	53
		F	164	13	4	5	4	6	11	25	33	63	139	11	1	4	2	3	4	19	23	72
32	Causes ill-defined or unknown ..	M	6	1	—	—	—	—	1	3	1	—	6	—	—	—	—	2	—	3	1	—
		F	3	—	1	—	—	—	—	1	1	—	9	1	—	—	—	—	2	6	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DERBY—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	1829	270	64	48	47	78	198	465	363	296	1621	236	54	52	56	75	151	364	341	292
		F	1740	201	45	47	60	83	211	407	334	352	1496	183	34	42	33	53	190	307	305	349
1	Enteric fever ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
3	Measles	M	10	3	4	2	1	—	—	—	—	—	8	1	1	4	2	—	—	—	—	—
		F	10	3	2	3	1	—	1	—	—	—	11	1	4	5	1	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
		F	5	—	—	3	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5	Whooping cough ..	M	15	7	4	4	—	—	—	—	—	—	12	7	2	3	—	—	—	—	—	—
		F	9	4	2	2	1	—	—	—	—	—	13	5	5	2	1	—	—	—	—	—
6	Diphtheria ..	M	5	—	—	2	3	—	—	—	—	—	10	—	3	3	2	2	—	—	—	—
		F	12	—	—	4	6	—	—	2	—	—	5	—	—	4	1	—	—	—	—	—
7	Influenza	M	86	6	2	7	1	8	17	20	20	5	55	1	2	3	1	3	7	11	17	10
		F	69	2	2	3	3	2	16	18	15	8	54	3	—	2	1	—	7	13	16	12
8	Encephalitis lethargica ..	M	2	—	—	—	—	1	—	1	—	—	4	—	1	—	—	—	—	1	2	—
		F	9	—	1	2	1	2	3	—	—	—	8	—	—	—	—	2	4	2	—	—
9	Meningococcal meningitis ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	104	2	—	1	—	21	39	35	6	—	78	1	—	—	5	18	25	26	2	1
		F	93	1	—	—	3	30	41	14	4	—	84	2	1	2	2	17	48	9	3	—
11	Other tuberculous diseases	M	27	4	4	6	3	2	5	3	—	—	35	6	8	6	6	3	3	3	—	—
		F	36	2	2	11	10	4	2	3	2	—	19	2	4	7	3	—	2	1	—	—
12	Cancer, malignant disease	M	142	—	—	—	—	1	7	65	53	16	143	—	1	—	1	—	8	61	41	31
		F	173	1	—	—	1	—	17	83	49	22	147	—	—	—	2	—	15	66	34	30
13	Rheumatic fever ..	M	6	—	—	—	3	—	2	1	—	—	6	—	—	—	1	1	4	—	—	—
		F	8	—	—	—	4	2	1	1	—	—	6	—	—	—	1	2	3	—	—	—
14	Diabetes	M	23	—	—	—	1	—	2	10	8	2	12	—	—	—	—	3	3	6	—	—
		F	19	—	—	—	—	2	3	7	4	3	10	—	—	—	1	—	2	3	3	1
15	Cerebral hæmorrhage, &c. ..	M	113	—	—	—	—	—	3	37	34	39	95	—	—	—	—	—	2	22	45	26
		F	137	—	—	—	—	1	4	35	53	44	111	—	—	—	1	—	3	34	33	40
16	Heart disease ..	M	178	—	—	1	3	4	17	57	65	31	164	—	—	—	3	2	13	46	60	40
		F	240	1	—	—	6	10	28	81	65	49	226	—	—	1	1	8	30	58	78	50
17	Arterio-sclerosis ..	M	59	—	—	—	—	—	—	13	21	25	43	—	—	—	—	—	—	13	14	16
		F	34	—	—	—	—	—	—	7	6	21	37	—	—	—	—	—	—	8	16	13
18	Bronchitis ..	M	155	23	3	—	1	1	6	29	51	41	112	13	1	—	1	—	2	20	40	35
		F	146	17	3	2	1	1	4	27	44	47	109	13	3	1	—	—	3	12	27	50
19	Pneumonia (all forms)	M	170	39	28	8	6	6	18	34	22	9	143	34	21	23	6	1	17	26	8	7
		F	114	29	19	8	7	4	11	16	15	5	96	26	8	5	1	6	15	16	15	4
20	Other respiratory diseases	M	29	1	1	—	2	—	5	13	5	2	22	—	—	—	2	—	1	11	6	2
		F	23	1	1	—	—	3	4	8	2	4	20	3	—	3	—	—	3	5	1	5
21	Ulcer of stomach or duodenum ..	M	15	—	—	—	—	5	4	6	—	—	14	—	—	—	—	3	2	6	3	—
		F	8	—	—	—	—	—	3	3	2	—	4	—	—	—	—	—	2	1	1	—
22	Diarrhœa, &c. ..	M	28	21	4	1	—	—	—	1	—	1	32	21	3	3	—	—	—	3	—	2
		F	21	10	4	2	1	—	—	1	2	1	26	15	3	1	1	1	—	1	2	2
23	Appendicitis and typhlitis.. ..	M	14	—	—	—	1	4	4	4	—	1	13	—	—	—	3	2	3	5	—	—
		F	7	—	—	—	—	2	1	4	—	—	13	—	—	1	4	3	1	3	1	—
24	Cirrhosis of liver ..	M	13	—	—	—	—	—	2	7	4	—	6	—	—	—	—	—	—	3	3	—
		F	3	—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	1	1	—
25	Acute and chronic nephritis ..	M	36	1	—	1	—	—	5	19	7	3	35	—	—	—	1	—	6	14	10	4
		F	42	—	1	—	1	4	3	22	6	5	39	—	—	1	—	1	3	19	11	4
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	1	11	1	—	—	4	—	—	—	—	1	3	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	2	15	—	—	—	15	—	—	—	—	—	14	1	—	—
28	Congenital debility and malformation, premature birth.. ..	M	125	122	—	—	2	1	—	—	—	—	118	117	—	1	—	—	—	—	—	—
		F	93	93	—	—	—	—	—	—	—	—	76	75	—	1	—	—	—	—	—	—
29	Suicide	M	22	—	—	—	—	4	8	8	1	1	28	—	—	—	—	2	9	10	4	3
		F	10	—	—	—	—	2	3	3	2	—	6	—	—	—	—	2	1	2	1	—
30	Other deaths from violence.. ..	M	101	—	7	8	10	7	30	29	6	4	88	1	2	4	4	16	17	29	12	3
		F	22	—	—	1	2	2	3	6	3	5	21	3	1	1	3	1	1	3	3	5
31	Other defined diseases	M	336	41	7	6	10	12	22	62	60	116	324	34	7	—	15	19	29	42	66	112
		F	351	37	8	6	10	8	31	59	55	137	322	34	5	4	8	7	29	44	58	133
32	Causes ill-defined or unknown ..	M	12	—	—	1	—	—	2	9	—	—	17	—	2	—	1	—	—	6	8	—
		F	15	—	—	—	—	—	6	5	4	—	9	1	—	—	—	2	—	5	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DEVON—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	1339	91	19	17	27	52	126	349	305	353	1357	117	15	27	23	45	118	343	303	366
		F	1670	69	16	15	17	40	144	381	384	604	1338	73	13	13	20	43	132	297	306	441
1	Enteric fever ..	M	3	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—	1	—	—	—
		F	6	—	—	—	—	1	3	2	—	—	1	—	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	1	1	—	—	—	—	—	—	—	4	—	1	3	—	—	—	—	—	—
		F	3	—	—	—	3	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
4	Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5	Whooping cough ..	M	3	2	—	1	—	—	—	—	—	—	6	5	—	1	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
6	Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
		F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
7	Influenza	M	67	2	4	—	2	8	11	19	13	8	82	3	3	3	1	5	7	31	10	19
		F	82	2	1	3	—	2	13	16	17	28	58	1	—	—	3	1	9	10	11	23
8	Encephalitis lethargica ..	M	2	—	—	—	1	—	—	1	—	—	5	—	—	—	1	—	1	2	1	—
		F	3	—	—	—	—	1	1	1	—	—	2	—	—	1	1	—	—	—	—	—
9	Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	88	1	—	—	3	14	37	27	5	1	74	—	—	—	—	22	31	18	1	2
		F	84	—	—	1	2	16	40	18	5	2	83	—	—	—	4	21	36	17	4	1
11	Other tuberculous diseases	M	18	—	1	1	2	3	7	3	1	—	23	3	2	4	5	3	5	1	—	—
		F	16	—	2	—	3	3	3	3	2	—	20	4	—	1	3	5	3	3	—	1
12	Cancer, malignant disease	M	132	—	—	1	—	—	8	50	44	29	148	—	—	—	—	—	4	54	61	29
		F	233	—	—	1	—	1	12	103	62	54	179	—	—	—	—	—	14	86	45	34
13	Rheumatic fever ..	M	4	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	1	1	—	1	—	—	4	—	—	—	—	1	3	—	—	—
14	Diabetes	M	18	—	—	—	—	1	—	3	11	3	15	—	—	—	—	—	3	1	6	5
		F	18	—	—	—	—	—	2	6	6	4	10	—	—	—	—	—	2	3	2	3
15	Cerebral hæmorrhage, &c. ..	M	96	—	—	—	—	—	3	24	31	38	89	—	—	—	—	1	2	24	24	38
		F	140	—	—	—	—	—	2	31	43	64	115	—	—	—	—	—	4	27	36	48
16	Heart disease ..	M	195	—	—	—	3	2	13	62	64	51	193	—	—	—	—	1	7	62	65	58
		F	271	—	—	—	—	1	11	61	94	104	237	—	—	—	1	—	11	46	91	88
17	Arterio-sclerosis ..	M	80	—	—	—	—	—	—	11	22	47	58	—	—	—	—	—	—	13	21	24
		F	91	—	—	—	—	—	—	7	23	61	56	—	—	—	—	—	—	7	17	32
18	Bronchitis ..	M	95	7	3	—	1	—	—	12	24	48	89	5	1	2	—	1	—	9	25	46
		F	142	4	1	1	—	—	1	12	35	88	86	3	1	1	—	—	—	10	24	47
19	Pneumonia (all forms)	M	64	14	5	3	2	2	4	14	12	8	75	11	3	3	2	1	11	22	14	8
		F	82	6	9	2	3	1	6	17	13	25	71	11	5	4	1	—	8	13	16	13
20	Other respiratory diseases	M	31	—	—	—	1	—	5	13	7	5	23	1	—	1	—	2	2	8	6	3
		F	21	1	1	—	—	1	1	4	9	4	17	—	1	1	—	—	—	3	7	5
21	Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	1	4	1	—	11	—	—	—	—	—	2	5	4	—
		F	10	—	—	—	—	1	2	6	1	—	7	—	—	—	—	—	4	2	1	—
22	Diarrhœa, &c. ..	M	20	7	3	2	—	1	2	3	1	1	8	4	—	1	1	—	—	—	1	1
		F	10	6	—	—	—	—	1	2	—	1	7	2	—	—	—	—	1	1	1	2
23	Appendicitis and typhlitis.. ..	M	11	—	—	2	—	1	2	2	3	1	10	—	—	1	1	1	3	3	1	—
		F	6	—	—	—	1	1	1	—	2	1	3	—	—	—	—	—	1	1	1	—
24	Cirrhosis of liver ..	M	11	—	—	1	—	—	—	7	2	1	5	—	—	—	1	—	1	1	2	—
		F	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	1	1	—
25	Acute and chronic nephritis ..	M	52	—	—	—	—	1	6	23	13	9	36	—	—	1	1	1	7	9	9	8
		F	31	—	—	—	—	—	3	14	8	6	28	—	—	—	—	—	4	10	8	6
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	5	—	—	—	—	1	4	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	3	11	—	—	—	7	—	—	—	—	—	6	1	—	—
28	Congenital debility and malformation, premature birth.. ..	M	49	46	—	1	—	2	—	—	—	—	56	55	—	1	—	—	—	—	—	—
		F	39	39	—	—	—	—	—	—	—	—	45	42	1	1	1	—	—	—	—	—
29	Suicide	M	11	—	—	—	—	—	2	6	3	—	17	—	—	—	—	1	3	8	4	1
		F	6	—	—	—	—	—	2	3	1	—	12	—	—	—	—	1	2	8	1	—
30	Other deaths from violence.. ..	M	36	1	—	1	5	2	5	14	3	5	47	3	2	1	5	3	11	14	7	1
		F	27	1	1	1	1	1	1	6	5	10	17	1	—	2	1	2	1	2	4	4
31	Other defined diseases	M	235	10	2	3	4	12	19	47	41	97	272	26	3	4	5	3	17	54	38	122
		F	320	9	—	6	2	5	28	65	53	152	253	8	3	2	5	8	18	41	34	134
32	Causes ill-defined or unknown ..	M	7	—	—	—	—	—	—	3	4	—	9	1	—	1	—	—	—	4	2	1
		F	5	—	—	—	—	—	—	1	4	—	7	—	—	—	—	—	—	5	2	—

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of DORSET—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	663	58	9	12	13	18	68	152	170	163	653	55	10	4	18	24	55	165	119	203
	F	751	46	11	9	14	21	67	151	186	246	636	42	4	5	9	18	54	131	139	234
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	35	2	1	2	2	1	1	8	14	4	44	1	2	—	1	—	4	12	9	15
	F	40	2	2	2	—	1	3	8	12	10	42	2	—	1	—	2	3	7	11	16
8 Encephalitis lethargica	M	4	—	—	—	—	—	3	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	2	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	36	—	—	—	1	3	22	7	3	—	39	—	—	—	1	6	16	10	5	1
	F	42	—	—	—	2	9	19	9	3	—	35	—	—	—	1	4	18	8	4	—
11 Other tuberculous diseases	M	8	—	—	2	1	2	1	2	—	—	11	1	1	—	3	1	2	3	—	—
	F	13	—	1	1	1	2	4	2	2	—	13	—	1	2	1	4	5	—	—	—
12 Cancer, malignant disease	M	80	—	—	—	—	1	7	37	25	10	78	—	—	—	—	1	4	42	17	14
	F	98	—	—	—	1	—	2	45	32	18	85	—	—	—	—	—	4	38	28	15
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	6	—	—	—	—	—	—	2	2	2	8	—	—	—	—	2	1	3	1	1
	F	5	—	—	—	—	—	—	—	5	—	3	—	—	—	—	—	—	1	2	—
15 Cerebral hæmorrhage, &c.	M	50	—	—	—	—	—	1	7	22	20	45	—	—	—	—	1	—	11	9	24
	F	63	—	—	—	—	—	1	9	19	34	54	—	—	—	—	—	—	12	17	25
16 Heart disease	M	85	—	—	—	—	—	7	22	28	28	90	—	—	—	—	—	4	21	32	33
	F	121	—	—	—	1	1	10	21	46	42	103	—	—	—	1	1	3	23	27	48
17 Arterio-sclerosis	M	23	—	—	—	—	—	—	4	12	7	26	—	—	—	—	—	—	1	8	17
	F	25	—	—	—	—	—	—	5	7	13	25	—	—	—	—	—	—	—	6	19
18 Bronchitis	M	43	4	—	—	—	—	—	5	12	22	26	2	—	—	—	—	—	3	8	13
	F	53	6	—	—	—	—	1	3	10	33	36	1	—	—	—	—	—	3	7	25
19 Pneumonia (all forms)	M	32	8	3	4	1	—	—	6	4	6	30	3	1	2	1	4	2	8	4	5
	F	31	3	3	1	3	—	4	8	5	4	16	3	—	—	—	1	2	5	3	2
20 Other respiratory diseases	M	11	1	—	—	—	1	2	3	3	1	8	1	—	—	—	—	2	2	1	2
	F	13	—	—	—	1	—	2	—	4	6	4	—	1	—	—	—	—	2	—	1
21 Ulcer of stomach or duodenum	M	12	—	—	—	—	—	1	4	7	—	6	—	—	—	—	—	4	1	—	1
	F	4	—	—	—	—	—	2	2	—	—	6	—	—	—	—	—	1	1	1	3
22 Diarrhœa, &c.	M	4	2	1	—	—	—	—	—	—	1	5	2	1	—	—	—	—	2	—	—
	F	8	—	2	—	—	—	1	2	1	2	4	2	—	—	—	1	1	—	—	—
23 Appendicitis and typhlitis	M	4	—	—	1	1	1	1	—	—	—	4	—	—	—	2	1	—	1	—	—
	F	6	—	—	—	1	—	2	2	1	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	1	2	—	6	—	—	—	—	—	2	3	1	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis	M	11	—	—	—	—	—	1	3	5	2	17	—	—	—	—	1	2	6	3	5
	F	13	—	—	—	1	—	5	3	3	1	24	—	—	—	1	1	2	6	6	8
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	30	30	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
	F	24	23	—	—	1	—	—	—	—	—	30	29	—	—	1	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	1	3	5	1	—	5	—	—	—	—	—	1	3	—	1
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence	M	26	1	3	1	2	4	5	5	3	2	25	2	—	—	4	5	4	9	1	—
	F	9	1	2	—	—	—	—	3	1	2	4	—	—	1	1	1	—	1	—	—
31 Other defined diseases	M	141	10	1	2	2	3	13	28	25	57	141	12	3	2	5	2	7	20	19	71
	F	166	10	1	2	2	5	4	27	34	81	136	4	2	1	—	2	9	20	26	72
32 Causes ill-defined or unknown	M	5	—	—	—	1	—	—	1	2	1	3	—	—	—	—	—	—	3	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DURHAM—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	3886	771	208	184	162	228	437	816	626	454	2922	595	156	123	100	171	332	623	443	379
		F	3494	619	200	179	135	204	432	705	557	463	2412	462	128	97	112	112	296	455	385	365
1	Enteric fever	M	9	—	—	—	—	3	4	2	—	—	4	—	—	—	—	1	1	1	1	—
		F	4	—	—	—	2	2	—	—	—	—	6	—	—	—	1	4	1	—	—	—
2	Small-pox	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	28	7	10	10	1	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
		F	28	4	11	11	2	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
4	Scarlet fever	M	8	—	1	1	6	—	—	—	—	—	8	1	—	5	1	1	—	—	—	—
		F	10	—	—	4	4	1	1	—	—	—	8	1	1	3	—	2	—	1	—	—
5	Whooping cough	M	45	16	16	12	1	—	—	—	—	—	45	22	14	9	—	—	—	—	—	—
		F	55	21	19	14	1	—	—	—	—	—	45	17	17	10	1	—	—	—	—	—
6	Diphtheria	M	16	—	1	9	6	—	—	—	—	—	10	—	—	6	3	1	—	—	—	—
		F	21	2	4	7	8	—	—	—	—	—	18	—	1	6	10	1	—	—	—	—
7	Influenza	M	197	11	10	10	14	12	31	59	36	14	191	17	10	8	11	21	32	48	30	14
		F	184	7	13	13	7	10	41	50	32	11	138	7	5	6	10	2	37	30	23	18
8	Encephalitis lethargica	M	11	—	—	1	2	3	2	3	—	—	10	—	—	1	2	3	3	1	—	—
		F	13	—	—	4	2	1	3	3	—	—	9	—	—	—	3	3	3	—	—	—
9	Meningococcal meningitis	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	256	1	3	2	11	82	101	53	2	1	158	—	1	2	7	47	68	33	—	—
		F	246	1	1	3	25	87	102	25	2	—	148	1	—	2	25	42	57	17	4	—
11	Other tuberculous diseases	M	112	16	17	26	22	11	12	8	—	—	76	9	11	15	16	10	9	5	1	—
		F	112	9	20	22	17	19	15	8	1	1	52	6	10	7	10	11	5	2	1	—
12	Cancer, malignant disease	M	235	—	—	1	—	2	17	123	70	22	162	—	1	1	—	—	18	75	55	12
		F	298	—	—	—	1	—	40	155	82	20	207	—	—	—	2	—	27	98	59	21
13	Rheumatic fever	M	16	—	—	2	5	4	2	3	—	—	17	—	—	—	1	3	3	8	2	—
		F	13	—	—	—	2	5	3	2	1	—	10	—	—	—	2	—	3	4	1	—
14	Diabetes	M	22	—	—	—	1	—	1	9	6	5	17	—	—	1	—	—	6	6	4	—
		F	31	—	—	—	2	—	3	12	12	2	20	—	—	—	1	—	3	11	4	1
15	Cerebral hæmorrhage, &c.	M	194	—	—	—	—	—	7	48	82	57	146	—	—	—	—	—	1	52	54	39
		F	219	—	—	—	1	—	7	72	89	50	158	—	—	—	—	3	8	58	61	28
16	Heart disease	M	271	—	—	1	4	15	29	92	91	39	246	—	—	1	7	10	27	88	66	47
		F	346	—	—	—	3	17	42	125	101	58	216	—	—	—	2	3	37	65	67	42
17	Arterio-sclerosis	M	196	—	—	—	—	—	—	35	80	81	95	—	—	—	—	—	1	22	40	32
		F	108	—	—	—	—	—	1	9	43	55	48	—	—	—	—	—	—	6	17	25
18	Bronchitis	M	307	82	18	9	1	—	14	55	65	63	247	68	20	7	—	1	3	38	53	57
		F	266	61	22	7	4	—	9	40	53	70	211	47	15	8	1	—	6	22	41	71
19	Pneumonia (all forms)	M	494	120	84	50	26	19	69	82	29	15	273	68	45	27	6	19	36	46	17	9
		F	358	111	55	48	17	15	26	45	25	16	199	55	33	27	11	5	18	25	16	9
20	Other respiratory diseases	M	49	2	—	5	2	2	4	19	10	5	40	2	4	1	2	1	4	13	9	4
		F	22	2	4	3	—	—	—	7	2	4	27	3	1	2	3	—	1	5	9	3
21	Ulcer of stomach or duodenum	M	30	—	—	—	—	3	13	10	4	—	14	—	—	—	—	1	6	3	3	1
		F	16	—	—	—	1	2	4	7	1	1	6	—	—	—	—	—	3	2	1	—
22	Diarrhœa, &c.	M	117	73	16	12	8	2	1	—	1	4	114	68	22	14	2	1	1	2	2	2
		F	106	60	22	9	2	3	—	4	4	2	71	40	18	4	5	—	—	1	1	2
23	Appendicitis and typhlitis	M	18	—	—	2	5	4	2	4	1	—	12	—	—	1	2	2	6	1	—	—
		F	7	—	—	1	—	2	2	1	—	1	9	—	—	—	2	3	1	3	—	—
24	Cirrhosis of liver	M	11	—	—	—	—	—	—	7	4	—	11	—	—	—	—	—	2	6	2	1
		F	5	—	—	—	—	—	—	2	3	—	8	—	—	—	—	—	—	5	3	—
25	Acute and chronic nephritis	M	76	—	1	2	4	2	5	33	18	11	53	—	1	2	1	2	2	30	8	7
		F	91	1	4	2	2	7	14	38	18	5	55	—	3	—	1	5	7	21	9	9
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	4	18	—	—	—	18	—	—	—	—	4	14	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	39	—	—	—	—	7	32	—	—	—	24	—	—	—	—	6	17	1	—	—
28	Congenital debility and malformation, premature birth	M	297	296	—	1	—	—	—	—	—	—	248	247	—	1	—	—	—	—	—	—
		F	230	227	1	1	1	—	—	—	—	—	212	212	—	—	—	—	—	—	—	—
29	Suicide	M	26	—	—	—	—	1	6	13	5	1	26	—	—	—	—	3	9	9	3	2
		F	6	—	—	—	—	2	2	—	2	—	6	—	—	—	—	—	3	3	—	—
30	Other deaths from violence	M	201	6	7	17	18	36	61	36	11	9	164	1	2	5	18	28	50	45	8	7
		F	38	2	2	7	9	3	3	5	2	5	37	1	4	7	8	1	—	3	6	7
31	Other defined diseases	M	617	141	18	11	23	24	54	112	107	127	512	90	22	15	20	15	42	82	81	145
		F	577	110	21	21	20	17	60	86	80	162	430	71	17	14	14	17	44	65	61	127
32	Causes ill-defined or unknown	M	25	—	5	—	2	2	2	10	4	—	18	1	1	—	—	1	2	9	4	—
		F	23	1	1	2	2	—	4	9	4	—	13	1	1	—	—	—	1	7	1	2

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ELY, ISLE OF—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	222	27	6	5	5	4	13	48	49	65	238	24	5	5	4	6	16	49	59	70
	F	216	13	1	6	4	10	22	38	38	84	196	20	4	2	3	10	26	30	34	67
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	1	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	1	2	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
7 Influenza	M	5	—	—	1	—	—	—	2	—	2	14	—	1	—	—	—	3	4	4	2
	F	13	1	—	—	—	1	1	3	3	4	8	—	—	1	—	1	1	1	1	3
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	7	—	—	—	—	3	4	—	—	—	12	—	—	—	—	3	4	4	1	—
	F	5	—	—	—	—	2	2	1	—	—	12	—	—	—	1	4	5	2	—	—
11 Other tuberculous diseases	M	3	—	—	—	1	—	1	1	—	—	4	1	—	—	2	—	1	—	—	—
	F	5	1	—	1	—	—	3	—	—	—	4	1	—	—	1	1	1	—	—	—
12 Cancer, malignant disease	M	35	—	—	—	—	—	1	15	10	9	33	—	—	—	—	—	1	11	11	10
	F	23	—	—	—	—	—	3	8	5	7	28	—	—	—	—	—	3	8	8	9
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	3	—	—	—	—	—	—	2	—	1	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1	—
15 Cerebral hæmorrhage, &c. ..	M	18	—	—	—	—	—	—	4	7	7	11	—	—	—	—	—	—	2	5	4
	F	22	—	—	—	—	—	—	4	5	13	9	—	—	—	—	—	—	—	3	6
16 Heart disease ..	M	21	—	—	—	—	—	1	5	7	8	22	—	—	—	—	—	1	3	7	11
	F	32	—	—	—	1	1	2	8	9	11	18	—	—	—	—	—	1	1	6	10
17 Arterio-sclerosis ..	M	8	—	—	—	—	—	—	2	4	2	12	—	—	—	—	—	—	2	3	7
	F	4	—	—	—	—	—	—	—	2	2	4	—	—	—	—	—	—	1	—	3
18 Bronchitis ..	M	14	1	—	—	—	—	—	2	5	6	9	1	—	—	—	—	1	1	3	3
	F	14	—	—	—	—	—	—	2	3	9	15	2	1	—	—	—	—	1	2	9
19 Pneumonia (all forms)	M	6	—	1	1	—	—	1	1	1	1	10	4	—	1	—	1	—	3	1	—
	F	8	1	—	—	—	—	3	—	1	3	12	5	2	—	—	—	1	2	—	2
20 Other respiratory diseases	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	6	—	—	—	—	—	—	2	2	2	1	—	—	—	—	—	1	—	—	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	4	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	1	—	—	—	—	—	—	6	1	—	—	—	—	1	—	2	2
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	4	—	—	—	—	—	—	—	3	1	12	—	—	—	—	—	—	—	6	6
	F	3	—	—	—	—	—	—	1	1	1	8	—	—	—	—	—	1	4	2	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	13	13	—	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	—
	F	5	5	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
29 Suicide	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	3	—	—	—	2	—	—	1	—	—	11	—	1	1	1	—	3	4	1	—
	F	3	—	—	—	—	—	1	—	—	2	4	—	—	—	1	1	1	—	—	1
31 Other defined diseases	M	63	9	2	—	—	1	4	10	10	27	58	5	—	1	—	1	2	7	15	27
	F	57	3	—	1	2	2	5	8	7	29	47	2	1	—	—	1	6	8	8	21
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ESSEX—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	3478	359	100	74	91	149	403	929	700	673	1743	133	35	27	34	62	152	400	388	512
	F	3300	247	66	78	85	144	379	793	656	852	1624	107	25	23	30	68	147	330	345	549
1 Enteric fever	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	1	1	—	1	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	36	10	15	7	3	1	—	—	—	—	10	—	3	4	2	1	—	—	—	—
	F	32	7	9	10	4	1	1	—	—	—	6	2	2	—	2	—	—	—	—	—
4 Scarlet fever	M	4	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	4	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	17	7	9	1	—	—	—	—	—	—	10	8	1	1	—	—	—	—	—	—
	F	33	15	8	9	1	—	—	—	—	—	9	5	4	—	—	—	—	—	—	—
6 Diphtheria	M	17	—	—	9	7	—	—	1	—	—	6	—	—	5	1	—	—	—	—	—
	F	17	1	3	4	5	3	—	1	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	107	5	4	5	2	4	16	37	19	15	47	1	1	4	1	—	7	20	6	7
	F	131	4	—	3	2	3	25	33	29	32	66	3	—	2	2	3	8	12	17	19
8 Encephalitis lethargica	M	9	—	—	1	1	1	3	3	—	—	3	—	—	—	—	1	—	2	—	—
	F	8	—	—	—	1	3	—	2	2	—	3	—	1	—	—	—	—	1	1	—
9 Meningococcal meningitis	M	4	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
10 Tuberculosis of respiratory system	M	273	2	2	—	1	60	116	81	10	1	85	—	—	—	1	22	39	22	1	—
	F	231	2	2	1	9	70	91	46	7	3	98	—	—	1	2	32	43	12	4	4
11 Other tuberculous diseases	M	53	7	6	10	8	9	6	5	1	1	27	1	4	5	5	3	6	3	—	—
	F	51	2	4	9	16	8	5	5	2	—	28	1	5	5	3	4	5	3	1	1
12 Cancer, malignant disease	M	376	—	1	1	1	3	21	168	113	68	189	1	1	—	1	—	9	77	61	39
	F	427	—	—	—	1	5	42	217	101	61	205	—	—	—	3	1	16	81	56	48
13 Rheumatic fever	M	14	—	—	—	3	3	2	4	2	—	3	—	—	—	1	1	1	—	—	—
	F	13	—	—	1	6	2	2	2	—	—	6	—	—	—	1	2	1	2	—	—
14 Diabetes	M	33	—	—	—	1	3	2	9	11	7	15	—	—	—	1	1	1	5	3	4
	F	25	—	—	—	1	—	—	11	11	2	16	—	—	1	—	—	3	5	5	2
15 Cerebral hæmorrhage, &c.	M	205	—	—	—	—	—	8	54	80	63	115	—	—	—	—	—	1	30	37	47
	F	219	—	—	—	—	—	4	60	72	83	124	—	—	—	—	—	1	31	33	59
16 Heart disease	M	432	—	—	—	8	6	28	124	142	124	236	—	—	—	—	7	13	57	79	80
	F	499	—	—	—	4	13	47	123	144	168	253	—	1	—	2	4	8	50	80	108
17 Arterio-sclerosis	M	94	—	—	—	—	—	1	13	36	44	98	—	—	—	—	—	2	14	31	51
	F	64	—	—	—	—	—	—	8	21	35	46	—	—	—	—	—	—	4	15	27
18 Bronchitis	M	255	20	4	1	—	2	11	58	70	89	127	10	3	1	—	1	—	15	41	56
	F	291	15	3	2	—	—	2	37	90	142	122	5	—	1	—	—	—	15	36	65
19 Pneumonia (all forms)	M	290	57	34	15	6	7	45	71	34	21	85	12	6	1	5	1	11	22	19	8
	F	192	36	20	14	9	5	20	45	28	15	76	12	5	5	1	2	4	17	15	15
20 Other respiratory diseases	M	49	1	3	2	2	2	7	16	11	5	21	1	—	—	—	—	2	9	2	7
	F	39	3	1	1	—	—	5	11	8	10	27	—	—	1	1	—	1	9	5	10
21 Ulcer of stomach or duodenum	M	44	1	—	—	—	—	12	22	7	2	12	—	—	—	—	—	3	6	2	1
	F	9	—	—	—	—	—	3	5	1	—	8	—	—	—	—	1	—	5	1	1
22 Diarrhœa, &c.	M	47	31	5	—	1	1	2	2	1	4	15	8	3	—	—	—	—	2	2	—
	F	32	18	3	—	—	1	5	—	—	5	14	9	1	—	—	—	3	1	—	—
23 Appendicitis and typhlitis	M	30	—	—	1	4	7	8	10	—	—	10	—	—	1	2	1	4	2	—	—
	F	22	—	—	1	4	2	3	9	1	2	6	—	—	—	2	—	3	1	—	—
24 Cirrhosis of liver	M	17	—	—	—	—	—	1	8	8	—	7	—	—	—	—	—	—	3	2	2
	F	18	—	—	—	—	—	1	12	3	2	5	—	—	—	—	—	—	5	—	—
25 Acute and chronic nephritis	M	120	1	—	—	1	5	20	50	30	13	42	—	1	—	—	2	5	15	10	9
	F	89	—	—	—	—	4	14	29	23	19	41	—	—	—	2	—	7	18	8	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	—	2	14	—	—	—	5	—	—	—	—	—	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	—	4	18	—	—	—	8	—	—	—	—	1	7	—	—	—
28 Congenital debility and malformation, premature birth	M	164	160	1	1	—	1	—	1	—	—	71	67	1	1	1	—	—	1	—	—
	F	107	103	2	2	—	—	—	—	—	—	54	53	—	—	—	—	—	—	1	—
29 Suicide	M	47	—	—	—	—	1	10	29	7	—	32	—	—	—	—	2	9	16	3	2
	F	23	—	—	—	—	1	7	14	—	1	8	—	—	—	—	2	2	3	1	—
30 Other deaths from violence	M	119	6	4	8	11	13	23	30	13	11	61	1	1	2	7	13	11	19	4	3
	F	51	4	2	1	7	2	4	10	4	17	19	—	—	2	1	2	3	3	2	6
31 Other defined diseases	M	609	48	12	10	29	18	58	126	103	205	408	23	10	2	6	6	27	57	81	196
	F	628	37	9	16	14	14	65	110	109	254	352	17	4	3	6	13	26	47	58	178
32 Causes ill-defined or unknown	M	10	1	—	—	—	—	1	6	2	—	8	—	—	—	—	—	1	3	4	—
	F	4	—	—	—	—	—	—	3	—	1	11	—	2	—	—	—	1	4	4	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLOUCESTER—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	656	63	12	10	14	22	76	157	146	156	1379	120	15	26	42	54	113	301	319	389
	F	724	34	12	13	16	23	58	154	162	252	1429	81	26	19	38	43	143	270	313	496
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
3 Measles	M	4	1	1	2	—	—	—	—	—	—	8	1	1	3	3	—	—	—	—	—
	F	7	—	2	4	1	—	—	—	—	—	6	—	1	2	1	—	2	—	—	—
4 Scarlet fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	2	1	—	1	—	—	—	—	—	—	8	7	—	—	1	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	6	3	3	—	—	—	—	—	—	—
6 Diphtheria	M	3	—	—	—	3	—	—	—	—	—	6	1	—	2	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	10	—	2	3	5	—	—	—	—	—
7 Influenza	M	30	2	1	—	—	—	3	6	6	12	71	2	1	1	2	2	14	19	14	16
	F	38	1	1	—	1	1	3	11	12	8	85	3	3	2	3	2	5	23	14	30
8 Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	6	—	—	1	2	—	—	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	1	—	1	3	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	50	—	1	1	—	10	20	17	1	—	68	1	—	—	2	19	26	17	3	—
	F	46	—	—	—	2	15	18	7	4	—	81	—	—	—	4	19	41	11	4	2
11 Other tuberculous diseases	M	12	5	1	—	2	—	3	1	—	—	22	1	1	1	4	4	10	1	—	—
	F	12	1	1	3	1	1	1	2	1	1	26	3	1	2	2	7	5	5	—	
12 Cancer, malignant disease	M	79	—	—	1	—	—	8	30	26	14	157	—	—	—	—	1	7	55	59	35
	F	104	—	—	—	—	—	6	46	33	19	179	—	—	—	—	1	18	70	56	34
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	3	—	—	—	—	—	—	1	1	1	10	—	—	—	1	—	—	2	6	1
	F	9	—	—	—	—	—	—	4	3	2	27	—	—	—	2	2	5	9	7	2
15 Cerebral hæmorrhage, &c.	M	45	—	—	—	—	—	2	12	20	11	91	—	—	—	—	—	—	22	28	41
	F	50	—	—	—	—	—	4	10	18	18	108	—	—	—	—	—	1	13	40	54
16 Heart disease	M	80	—	—	—	—	—	6	26	25	23	189	—	—	—	2	3	6	45	70	63
	F	125	—	—	—	—	3	5	21	35	61	259	—	—	—	1	2	14	56	82	104
17 Arterio-sclerosis	M	31	—	—	—	—	—	1	4	7	19	70	—	—	—	—	—	—	16	13	41
	F	28	—	—	—	—	—	—	2	8	18	56	—	—	—	—	—	—	6	19	31
18 Bronchitis	M	38	6	1	—	—	—	3	8	8	12	101	10	—	2	1	—	3	12	28	45
	F	50	1	2	—	—	—	—	3	16	28	83	5	2	1	—	—	—	7	18	50
19 Pneumonia (all forms)	M	49	14	5	3	1	2	6	5	7	6	71	9	7	4	3	4	9	13	13	9
	F	34	3	3	1	1	—	2	8	5	11	60	7	8	1	3	1	4	9	16	11
20 Other respiratory diseases	M	16	—	—	—	2	—	6	4	2	2	26	—	—	—	—	1	4	10	6	5
	F	6	—	—	—	—	—	—	1	1	4	10	1	—	—	—	—	2	1	1	5
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	2	2	—	—	7	—	—	—	—	—	3	2	2	—
	F	1	—	—	—	—	—	—	1	—	—	11	—	—	—	—	1	1	4	5	—
22 Diarrhœa, &c.	M	6	1	1	—	—	—	1	1	2	—	22	10	1	5	1	—	—	2	2	1
	F	11	4	2	1	1	—	—	1	1	1	13	3	2	1	—	—	1	1	—	5
23 Appendicitis and typhlitis	M	5	—	—	1	1	1	1	—	1	—	6	—	—	—	2	—	4	—	—	—
	F	4	—	—	—	2	—	1	1	—	—	4	—	—	—	1	1	1	—	—	1
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	3	—	1	5	—	—	—	—	—	—	4	1	—
	F	2	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	2	—
25 Acute and chronic nephritis	M	21	—	—	—	—	—	2	11	4	4	40	—	—	—	1	2	1	9	12	15
	F	17	—	—	—	—	—	—	8	6	3	35	—	—	—	1	—	3	6	10	15
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	3	1	—	—	11	—	—	—	—	—	11	—	—	—
28 Congenital debility and malformation, premature birth	M	26	25	—	—	—	—	1	—	—	—	56	56	—	—	—	—	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	52	50	—	1	1	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	—	6	—	—	15	—	—	—	—	—	3	8	3	1
	F	6	—	—	—	—	—	3	2	1	—	5	—	—	—	—	—	1	4	—	—
30 Other deaths from violence	M	22	—	1	1	2	3	4	4	4	3	65	3	1	2	9	12	9	18	4	7
	F	12	2	—	2	4	—	—	—	1	3	23	—	2	4	3	—	4	2	2	6
31 Other defined diseases	M	112	8	—	—	3	4	5	13	31	48	251	18	2	5	2	6	13	43	53	109
	F	138	8	1	1	3	2	10	23	15	75	261	4	1	1	10	5	18	41	36	145
32 Causes ill-defined or unknown	M	4	—	—	—	—	1	—	2	1	—	4	—	1	—	1	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	2	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HEREFORD—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	250	24	4	5	1	13	23	69	64	47	482	36	6	6	17	11	33	106	111	156
	F	298	18	5	7	5	12	41	57	62	91	498	29	5	5	7	15	46	110	109	172
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	12	—	1	1	—	—	2	2	6	—	36	1	1	—	1	2	5	7	7	12
	F	16	—	—	1	1	—	6	—	5	3	38	—	1	—	1	—	5	8	10	13
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	—	1	—	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	19	—	—	—	—	6	7	5	1	—	23	—	—	—	—	4	12	5	1	1
	F	15	—	—	—	—	5	8	2	—	—	30	—	—	—	—	11	13	6	—	—
11 Other tuberculous diseases	M	1	—	—	—	—	1	—	—	—	—	4	—	—	—	2	—	2	—	—	—
	F	7	—	2	1	1	1	1	1	—	—	3	—	2	—	—	—	1	—	—	—
12 Cancer, malignant disease	M	30	—	—	—	—	—	3	10	13	4	56	—	—	—	1	—	4	21	15	15
	F	41	—	—	—	—	—	4	14	9	14	72	—	—	—	—	1	5	27	25	14
13 Rheumatic fever	M	3	—	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	4	—	—	—	—	1	—	3	—	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes	M	2	—	—	—	—	—	—	1	—	1	4	—	—	—	1	1	—	—	2	—
	F	3	—	—	—	—	—	—	1	1	1	6	—	—	—	—	—	1	2	1	2
15 Cerebral hæmorrhage, &c.	M	23	—	—	—	—	—	—	6	11	6	34	—	—	—	—	—	—	8	13	13
	F	23	—	—	—	—	—	—	5	6	12	43	—	—	—	—	—	—	7	13	23
16 Heart disease	M	38	—	—	—	1	—	2	11	14	10	91	—	—	1	2	1	1	22	31	33
	F	59	—	—	—	1	—	4	10	22	22	89	—	—	—	—	—	2	17	33	37
17 Arterio-sclerosis	M	5	—	—	—	—	—	—	1	3	1	32	—	—	—	—	—	—	—	9	23
	F	4	—	—	—	—	—	—	1	2	1	12	—	—	—	—	—	1	1	2	8
18 Bronchitis	M	10	1	—	—	—	—	—	2	4	3	31	4	—	—	—	—	—	4	6	17
	F	12	2	—	—	—	—	—	—	5	5	35	3	1	1	—	—	1	4	4	21
19 Pneumonia (all forms)	M	17	3	—	3	—	1	2	3	4	1	20	3	—	1	1	—	5	4	3	3
	F	11	4	1	1	—	—	—	1	3	1	14	—	—	1	—	1	3	5	1	3
20 Other respiratory diseases	M	5	—	—	—	—	—	1	3	1	—	5	—	—	—	—	—	—	1	3	1
	F	1	—	—	—	—	—	—	—	1	—	6	—	—	—	—	—	1	2	1	2
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	—	2	—	2	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c.	M	2	2	—	—	—	—	—	—	—	—	6	3	1	1	—	—	1	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	3	2	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	5	—	1	—	—	1	—	3	—	—	3	—	—	—	2	—	—	1	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	4	—	—	1	—	—	—	3	—	—	11	—	—	1	—	—	—	2	6	2
	F	8	—	—	—	—	—	2	4	1	1	9	—	—	—	—	—	1	1	2	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	3	—	—	—	—	—	2	1	—	—
28 Congenital debility and malformation, premature birth	M	15	15	—	—	—	—	—	—	—	—	15	14	—	1	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	—	15	14	—	—	1	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	1		—	—	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence	M	8	1	—	—	—	1	1	4	—	1	18	2	—	—	1	1	2	8	—	4
	F	4	—	—	1	—	—	—	2	1	—	5	—	—	—	1	—	—	1	1	2
31 Other defined diseases	M	41	2	1	—	—	2	4	8	6	18	78	6	1	—	4	2	1	19	13	32
	F	63	2	1	3	1	3	10	8	4	31	101	7	1	1	4	1	8	26	12	41
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	—	3	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HERTFORD—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1259	116	24	23	25	41	132	345	269	284	583	45	11	8	10	20	50	137	129	173
	F	1236	86	16	18	28	49	132	283	265	359	558	34	8	10	10	18	45	104	141	188
1 Enteric fever	M	4	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	3	—	—	—	—	2	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	—	3	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
	F	3	—	1	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	7	3	2	1	—	—	—	—	1	—	2	1	1	—	—	—	—	—	—	—
	F	4	3	1	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
6 Diphtheria	M	6	1	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	44	2	—	3	—	—	8	15	7	9	17	2	—	—	—	—	4	7	1	3
	F	44	1	2	1	1	—	8	16	7	8	18	—	—	—	—	1	4	5	6	2
8 Encephalitis lethargica	M	9	—	—	—	—	2	5	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	76	—	—	—	—	11	31	32	2	—	34	—	—	—	—	7	14	12	1	—
	F	71	—	—	—	1	2	31	13	3	—	30	—	—	—	2	8	10	7	3	—
11 Other tuberculous diseases	M	20	2	4	7	3	2	1	1	—	—	7	1	—	1	1	—	3	1	—	—
	F	20	1	1	3	5	1	4	4	—	1	8	—	1	1	2	1	2	—	—	1
12 Cancer, malignant disease	M	149	—	—	—	—	2	10	64	48	25	70	—	—	—	—	—	1	24	33	12
	F	198	—	—	—	1	2	14	79	69	33	83	—	—	—	—	1	6	22	32	22
13 Rheumatic fever	M	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	13	—	—	—	1	1	1	3	3	4	4	—	—	—	—	—	—	1	2	1
	F	22	—	—	—	1	—	3	8	8	2	7	—	—	—	—	—	2	3	1	1
15 Cerebral hæmorrhage, &c.	M	74	—	—	—	—	—	2	20	25	27	45	—	—	—	—	1	—	9	12	23
	F	84	—	—	—	—	—	2	17	25	40	45	—	—	—	—	—	—	10	12	23
16 Heart disease	M	178	—	—	—	4	2	16	51	56	49	97	—	—	1	1	—	3	19	26	47
	F	183	—	—	—	2	4	7	43	50	77	94	—	—	—	—	1	5	17	31	40
17 Arterio-sclerosis	M	54	—	—	—	—	—	—	11	16	27	27	—	—	—	—	—	—	8	9	10
	F	40	—	—	—	—	—	1	3	12	24	12	—	—	—	—	—	—	—	8	4
18 Bronchitis	M	102	7	2	1	2	1	1	16	31	41	43	3	1	—	—	—	2	5	11	21
	F	86	2	1	1	—	—	—	9	24	49	49	1	1	1	—	—	—	1	14	31
19 Pneumonia (all forms)	M	69	10	11	1	—	3	10	13	9	12	27	2	4	1	1	1	3	4	8	3
	F	67	10	6	6	1	4	7	11	12	10	26	4	—	—	1	—	3	4	6	8
20 Other respiratory diseases	M	22	—	—	—	—	1	6	7	4	4	7	—	—	—	1	—	—	2	1	3
	F	18	1	1	—	1	—	2	6	3	4	6	—	—	—	—	—	—	2	2	2
21 Ulcer of stomach or duodenum	M	18	—	—	—	—	—	8	7	2	1	2	—	—	—	—	—	—	1	1	—
	F	5	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	14	8	—	—	2	—	—	2	1	1	8	2	1	1	1	—	—	2	1	—
	F	13	5	—	—	—	—	2	1	2	3	4	3	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	16	1	—	2	1	2	4	6	—	—	2	—	—	1	—	—	1	—	—	—
	F	8	—	—	—	2	2	2	1	1	—	6	—	—	—	1	—	1	2	2	—
24 Cirrhosis of liver	M	7	—	—	—	—	—	1	3	3	—	2	—	—	—	—	—	—	2	—	—
	F	5	—	—	—	—	—	2	1	—	2	2	—	—	—	—	—	—	—	2	—
25 Acute and chronic nephritis	M	43	1	—	—	—	1	2	22	7	10	20	—	—	—	1	1	2	8	5	3
	F	22	—	—	—	—	—	2	7	10	3	19	—	—	—	—	—	2	8	4	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	61	61	—	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
	F	54	54	—	—	—	—	—	—	—	—	17	16	1	—	—	—	—	—	—	—
29 Suicide	M	16	—	—	—	—	2	3	9	—	2	6	—	—	—	—	1	1	1	2	1
	F	9	—	—	—	—	1	2	4	1	1	2	—	—	—	—	—	1	—	1	—
30 Other deaths from violence	M	38	4	3	—	4	2	5	10	6	4	20	1	—	—	2	4	2	10	1	—
	F	27	1	—	—	5	2	2	6	1	10	16	2	—	3	1	—	1	2	1	6
31 Other defined diseases	M	203	14	2	2	5	7	18	40	47	68	109	6	1	3	2	5	14	18	14	46
	F	220	8	2	3	3	6	23	50	34	91	99	6	5	2	1	3	6	21	14	41
32 Causes ill-defined or unknown	M	9	1	—	—	—	—	—	7	1	—	4	—	1	—	—	—	—	2	1	—
	F	3	—	—	—	—	—	1	1	1	—	5	—	—	1	1	—	—	—	2	1

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HUNTINGDON—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	158	17	1	3	5	3	17	43	34	35	208	23	2	1	4	13	14	43	42	66
	F	142	11	2	2	3	3	10	27	27	57	190	7	—	—	2	6	16	42	38	79
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	3	—	—	—	—	—	1	2	—	—	14	1	—	—	1	—	2	8	1	1
	F	3	—	—	—	—	—	—	1	—	2	8	—	—	—	1	—	—	4	1	2
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	10	—	—	—	1	—	7	1	1	—	10	—	—	—	—	4	3	2	1	—
	F	6	—	—	—	—	3	—	3	—	—	11	—	—	—	1	2	6	2	—	—
11 Other tuberculous diseases	M	1	—	—	—	1	—	—	—	—	—	3	—	—	1	—	1	—	1	—	—
	F	4	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—	1	—	—	—
12 Cancer, malignant disease	M	27	—	—	—	—	—	—	9	10	8	20	—	—	—	—	1	2	5	6	6
	F	12	—	—	—	—	—	—	4	5	3	27	—	—	—	—	—	2	12	9	4
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
15 Cerebral hæmorrhage, &c.	M	10	—	—	—	—	—	—	5	4	1	14	—	—	—	—	—	—	3	1	10
	F	10	—	—	—	—	—	—	2	2	6	14	—	—	—	—	—	—	3	4	7
16 Heart disease	M	17	—	—	—	—	—	1	5	6	5	31	—	—	—	—	—	2	3	10	16
	F	19	—	—	—	—	—	—	2	10	7	29	—	—	—	—	1	—	5	9	14
17 Arterio-sclerosis	M	6	—	—	—	—	—	—	2	2	2	8	—	—	—	—	—	—	2	4	2
	F	6	—	—	—	—	—	—	1	2	3	8	—	—	—	—	—	—	2	1	5
18 Bronchitis	M	8	—	—	—	—	—	—	2	2	4	12	1	—	—	—	—	—	—	4	7
	F	11	—	—	—	—	—	1	2	2	6	13	—	—	—	—	—	—	—	3	10
19 Pneumonia (all forms)	M	12	4	1	—	—	—	2	3	1	1	5	1	—	—	—	—	—	3	1	—
	F	8	3	1	—	—	—	3	1	—	—	7	—	—	—	—	1	—	1	3	2
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	3	—	—	—	—	—	—	1	—	2	4	—	—	—	—	—	—	3	—	1
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	1	2	2	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c.	M	4	4	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	1	—	—
	F	2	1	—	1	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	—	2	1	2
	F	3	—	—	—	—	—	1	1	—	1	3	—	—	—	—	—	—	1	1	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	6	6	—	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
	F	6	5	1	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—	—
30 Other deaths from violence	M	9	—	—	1	3	3	2	—	—	—	13	—	1	—	1	4	3	1	2	1
	F	2	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	1	1	—	—
31 Other defined diseases	M	36	3	—	2	—	—	2	8	7	14	39	2	—	—	—	1	1	6	8	21
	F	40	1	—	1	1	—	1	6	4	26	46	1	—	—	—	1	2	4	7	31
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of KENT—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	4265	412	89	103	111	186	445	1161	859	899	1826	147	31	30	42	90	173	450	393	470
		F	4268	302	72	81	120	177	419	894	852	1351	1687	109	29	35	31	60	168	338	363	554
1	Enteric fever ..	M	4	—	—	—	—	1	1	2	—	—	3	—	—	—	—	2	—	1	—	—
		F	3	—	—	—	—	2	1	—	—	—	2	—	—	—	—	—	1	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	36	6	7	17	5	1	—	—	—	—	10	2	5	3	—	—	—	—	—	—
		F	24	5	8	6	5	—	—	—	—	—	3	—	1	—	2	—	—	—	—	—
4	Scarlet fever ..	M	2	—	—	—	1	1	—	—	—	—	5	—	1	2	2	—	—	—	—	—
		F	4	—	—	—	3	1	—	—	—	—	2	—	—	1	—	—	1	—	—	—
5	Whooping cough ..	M	18	10	4	4	—	—	—	—	—	—	9	2	5	2	—	—	—	—	—	—
		F	14	6	2	2	3	—	—	—	—	1	4	2	1	1	—	—	—	—	—	—
6	Diphtheria ..	M	22	3	—	11	6	1	1	—	—	—	5	1	—	1	1	—	1	—	1	—
		F	30	—	3	10	16	—	1	—	—	—	3	—	—	2	—	1	—	—	—	—
7	Influenza	M	146	9	4	9	1	8	15	49	31	20	84	1	2	3	4	4	18	26	17	9
		F	152	3	7	3	2	6	18	35	34	44	65	2	2	1	1	1	12	17	12	17
8	Encephalitis lethargica ..	M	7	—	—	1	1	1	1	2	1	—	4	—	—	—	1	1	1	1	—	—
		F	10	—	—	—	2	2	1	5	—	—	1	—	—	—	—	—	—	1	—	—
9	Meningococcal meningitis ..	M	1	—	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
		F	5	—	1	—	1	—	1	2	—	—	2	—	—	1	1	—	—	—	—	—
10	Tuberculosis of respiratory system	M	327	1	—	1	8	56	142	100	18	1	136	—	—	2	2	32	54	40	3	3
		F	273	2	1	—	13	83	108	56	8	2	111	—	—	—	7	25	54	19	4	2
11	Other tuberculous diseases	M	70	13	5	7	12	13	10	6	3	1	34	3	2	2	4	7	9	5	2	—
		F	74	8	4	10	17	10	14	5	5	1	30	1	6	8	—	5	2	4	4	—
12	Cancer, malignant disease	M	507	—	—	2	4	4	29	215	163	90	201	—	—	—	—	5	8	78	70	40
		F	587	—	—	—	1	4	47	255	160	120	233	—	—	—	1	—	14	95	68	55
13	Rheumatic fever ..	M	5	—	—	—	2	3	—	—	—	—	11	—	—	—	2	2	1	5	1	—
		F	12	—	—	1	3	4	2	1	—	1	2	—	—	—	1	—	—	—	1	—
14	Diabetes	M	47	—	—	—	2	1	3	20	14	7	12	—	—	—	—	1	2	2	4	3
		F	46	—	—	—	1	1	2	13	17	12	22	—	—	—	1	—	3	5	6	7
15	Cerebral hæmorrhage, &c. ..	M	228	—	—	—	1	—	3	68	82	74	96	—	—	—	—	—	4	21	37	34
		F	297	—	—	—	—	—	3	68	96	130	133	—	—	—	—	1	2	26	45	59
16	Heart disease ..	M	544	—	2	2	5	14	34	169	156	162	254	—	—	—	—	3	12	70	82	87
		F	659	—	—	—	5	15	47	152	185	255	245	—	—	—	1	—	10	48	85	101
17	Arterio-sclerosis ..	M	161	—	—	—	—	—	2	42	52	65	62	—	—	—	—	—	—	7	21	34
		F	154	—	—	—	—	—	—	15	41	98	55	—	—	—	—	—	—	8	16	31
18	Bronchitis ..	M	297	38	6	1	1	—	6	64	74	107	109	6	—	—	1	—	3	18	28	53
		F	313	23	5	2	2	2	1	22	70	186	98	6	1	1	1	—	1	11	21	56
19	Pneumonia (all forms)	M	313	63	36	20	7	7	46	64	44	26	98	20	9	5	3	2	13	25	11	10
		F	236	49	25	22	10	3	22	41	29	35	80	11	9	6	1	2	11	18	14	8
20	Other respiratory diseases	M	54	—	—	1	3	—	7	25	10	8	26	1	—	—	—	1	2	6	10	6
		F	44	2	—	1	—	—	6	14	11	10	18	—	—	—	—	—	4	5	3	6
21	Ulcer of stomach or duodenum ..	M	39	—	—	—	—	1	10	21	4	3	19	—	—	—	—	1	6	8	1	3
		F	18	1	—	—	—	—	3	9	3	2	8	—	—	—	—	1	2	5	—	—
22	Diarrhœa, &c. ..	M	52	32	3	—	1	2	2	4	3	5	29	17	1	—	2	—	—	4	1	4
		F	40	14	2	—	1	—	2	5	8	8	25	9	2	1	1	2	1	2	2	5
23	Appendicitis and typhlitis.. ..	M	20	—	—	3	3	5	2	3	4	—	9	—	—	1	1	2	1	2	2	—
		F	26	—	—	2	4	2	9	6	1	2	11	—	—	—	3	2	3	1	1	1
24	Cirrhosis of liver ..	M	25	—	—	—	—	—	—	15	3	7	8	—	—	—	—	1	1	4	1	1
		F	14	—	—	—	—	—	—	7	6	1	8	—	—	—	—	—	—	7	—	1
25	Acute and chronic nephritis ..	M	101	1	—	1	—	3	8	39	27	22	55	—	—	—	—	5	6	13	15	16
		F	111	—	—	2	2	1	14	33	29	30	28	—	—	1	2	1	3	5	8	8
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	1	10	—	—	—	5	—	—	—	—	—	5	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	31	—	—	—	—	6	25	—	—	—	13	—	—	—	—	3	9	1	—	—
28	Congenital debility and malformation, premature birth.. ..	M	191	183	1	3	—	3	1	—	—	—	79	77	—	1	1	—	—	—	—	—
		F	143	139	3	—	1	—	—	—	—	—	60	59	—	1	—	—	—	—	—	—
29	Suicide	M	55	—	—	—	—	4	16	23	9	3	24	—	—	—	—	2	4	10	6	2
		F	20	—	—	—	—	—	9	9	2	—	8	—	—	—	—	1	4	3	—	—
30	Other deaths from violence.. ..	M	159	2	5	5	22	29	38	38	9	11	66	1	1	6	10	9	11	22	4	2
		F	77	13	3	6	5	14	5	6	8	17	23	4	—	1	2	3	1	3	2	7
31	Other defined diseases	M	813	51	11	15	26	28	65	185	145	287	369	15	4	2	8	10	16	78	74	162
		F	830	37	8	14	23	19	66	130	137	396	378	15	6	9	6	12	23	49	68	190
32	Causes ill-defined or unknown ..	M	21	—	4	—	—	—	3	7	7	—	7	—	—	—	—	—	—	4	2	1
		F	10	—	—	—	—	1	2	5	2	—	11	—	1	1	—	—	2	4	3	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LANCASTER—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	9795	1251	321	308	251	424	1097	2900	1990	1253	1513	147	38	36	46	47	163	381	376	279
	F	9641	897	271	229	255	444	1122	2520	2097	1806	1404	126	23	25	21	51	167	311	328	353
1 Enteric fever	M	12	—	—	—	1	4	4	3	—	—	2	—	—	—	—	1	1	—	—	—
	F	10	—	—	2	—	4	3	1	—	—	5	—	—	—	—	2	3	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	136	35	46	47	7	1	—	—	—	—	9	3	2	2	2	—	—	—	—	—
	F	113	18	46	34	15	—	—	—	—	—	5	2	2	—	1	—	—	—	—	—
4 Scarlet fever	M	25	2	3	9	6	3	1	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	14	—	1	4	7	1	1	—	—	—	2	—	—	2	—	—	—	—	—	—
5 Whooping cough	M	81	41	26	13	1	—	—	—	—	—	9	4	4	1	—	—	—	—	—	—
	F	87	38	26	22	1	—	—	—	—	—	7	5	2	—	—	—	—	—	—	—
6 Diphtheria	M	31	5	4	15	7	—	—	—	—	—	7	—	1	1	3	1	—	1	—	—
	F	52	3	6	17	23	1	1	—	1	—	3	—	—	3	—	—	—	—	—	—
7 Influenza	M	414	16	5	11	7	32	81	139	86	37	72	3	—	1	—	5	20	17	17	9
	F	427	6	6	3	11	22	88	131	106	54	62	2	1	1	1	2	14	17	14	10
8 Encephalitis lethargica	M	48	1	—	2	6	10	13	15	1	—	8	—	—	—	2	—	3	1	2	—
	F	46	1	—	2	6	6	10	18	2	1	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis	M	9	2	1	2	1	1	1	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	5	2	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	578	2	3	3	19	105	219	208	19	—	65	—	—	2	1	8	39	14	1	—
	F	501	2	—	5	25	166	198	92	10	3	71	1	—	—	2	21	32	13	2	—
11 Other tuberculous diseases	M	155	20	29	19	18	25	16	24	4	—	25	1	8	2	6	3	2	3	—	—
	F	145	8	14	26	20	32	18	19	4	4	14	2	—	2	4	3	1	2	—	—
12 Cancer, malignant disease	M	881	—	1	4	3	4	46	486	280	57	141	—	—	—	1	2	7	57	51	23
	F	1005	1	—	—	—	5	112	526	241	120	155	—	—	—	—	—	13	65	60	17
13 Rheumatic fever	M	45	—	—	1	11	12	10	10	1	—	1	—	—	—	—	—	—	—	1	—
	F	47	—	—	—	13	11	13	5	4	1	5	—	—	—	—	1	—	4	—	—
14 Diabetes	M	94	—	1	—	1	5	12	42	23	10	21	—	—	—	—	2	3	3	10	3
	F	142	—	—	1	3	11	12	58	45	12	22	—	—	—	—	3	4	6	7	2
15 Cerebral hæmorrhage, &c.	M	575	—	—	1	—	2	13	205	234	120	90	—	—	—	—	—	2	24	42	22
	F	737	—	—	—	1	1	29	258	252	196	96	—	1	—	—	—	1	23	40	31
16 Heart disease	M	1053	—	—	1	21	16	124	389	327	175	184	—	—	—	3	—	12	62	61	46
	F	1336	—	—	—	25	37	171	427	414	262	203	—	—	—	2	4	14	58	56	69
17 Arterio-sclerosis	M	385	—	—	—	—	—	3	97	169	116	61	—	—	—	—	—	—	14	30	17
	F	287	—	—	—	—	—	—	51	109	127	47	—	—	—	—	—	—	6	15	26
18 Bronchitis	M	867	97	21	18	3	3	32	209	278	206	122	14	3	2	1	1	5	23	40	33
	F	901	72	26	6	2	3	20	180	298	294	127	9	3	2	1	1	3	14	37	57
19 Pneumonia (all forms)	M	971	192	108	76	41	51	148	234	92	29	133	17	14	12	5	6	15	34	16	14
	F	685	142	81	53	24	34	80	137	83	51	88	17	6	4	2	2	8	19	17	13
20 Other respiratory diseases	M	141	6	2	5	1	7	16	47	30	27	22	2	1	—	1	—	3	8	5	2
	F	98	3	2	3	4	3	12	33	26	12	14	1	—	1	—	—	1	3	3	5
21 Ulcer of stomach or duodenum	M	76	—	—	—	1	4	31	32	7	1	8	—	—	—	—	2	2	3	1	—
	F	34	—	—	—	—	4	8	13	7	2	4	—	—	—	—	1	1	1	—	1
22 Diarrhœa, &c.	M	157	106	22	5	3	3	2	6	7	3	16	8	1	2	—	—	—	2	—	3
	F	152	73	20	6	2	3	7	19	13	9	18	2	2	2	2	—	2	2	4	2
23 Appendicitis and typhlitis	M	68	—	1	3	19	12	21	11	1	—	9	—	—	—	2	2	2	2	1	—
	F	44	—	—	2	11	10	11	9	—	1	3	—	—	—	—	1	—	1	1	—
24 Cirrhosis of liver	M	41	—	—	1	—	1	4	28	7	—	7	—	—	—	—	—	—	5	2	—
	F	15	—	—	—	—	—	3	9	2	1	4	—	—	—	—	—	—	3	—	1
25 Acute and chronic nephritis	M	329	—	1	6	7	14	49	159	71	22	37	—	—	—	—	—	2	19	9	7
	F	264	—	2	5	3	14	41	102	81	16	29	—	1	—	—	—	8	11	5	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	44	—	—	—	—	11	33	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	83	—	—	—	—	14	69	—	—	—	20	—	—	—	—	3	16	1	—	—
28 Congenital debility and malformation, premature birth	M	520	516	2	—	1	1	—	—	—	—	67	65	1	1	—	—	—	—	—	—
	F	382	378	2	1	1	—	—	—	—	—	64	63	1	—	—	—	—	—	—	—
29 Suicide	M	103	—	—	—	1	5	27	55	12	3	10	—	—	—	—	—	1	7	2	—
	F	46	—	—	—	—	3	19	22	2	—	8	—	—	—	—	—	4	2	2	—
30 Other deaths from violence	M	348	10	9	24	24	48	85	100	33	15	79	3	1	4	5	4	20	25	8	1
	F	157	8	5	13	17	5	16	37	22	34	24	4	—	4	4	—	3	2	4	1
31 Other defined diseases	M	1600	199	33	39	40	55	135	368	300	431	297	26	2	5	14	9	24	53	73	9
	F	1728	136	32	23	39	42	143	345	363	605	288	16	4	3	2	5	37	51	59	11
32 Causes ill-defined or unknown	M	52	1	3	3	1	—	4	31	8	1	9	1	—	—	—	—	—	4	4	—
	F	54	6	1	1	—	1	4	28	12	1	13	1	—	1	—	—	1	7	2	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LEICESTER—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	675	78	19	19	19	26	69	174	153	118	904	105	21	14	21	38	91	183	200	231
	F	658	73	10	14	17	25	64	156	135	164	953	53	21	15	29	51	108	208	177	291
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	4	2	1	1	—	—	—	—	—	—	6	5	1	—	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	6	—	1	2	3	—	—	—	—	—
	F	5	—	—	1	3	—	—	1	—	—	7	—	—	2	4	1	—	—	—	—
7 Influenza	M	21	3	1	—	—	1	4	4	5	3	39	2	2	1	—	4	4	9	14	3
	F	28	1	—	1	—	1	4	8	9	4	55	—	2	1	3	3	4	12	12	18
8 Encephalitis lethargica	M	5	—	—	—	3	2	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	4	—	—	—	2	—	2	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
0 Tuberculosis of respiratory system	M	46	—	2	1	1	7	17	16	2	—	58	—	—	—	1	14	27	14	2	—
	F	44	—	—	—	1	14	16	13	—	—	72	1	—	—	3	30	23	13	2	—
1 Other tuberculous diseases	M	15	3	1	4	3	2	2	—	—	—	13	3	2	—	2	2	3	—	1	—
	F	12	1	2	1	3	2	2	—	—	1	15	—	1	2	5	1	3	3	—	—
2 Cancer, malignant disease	M	67	—	—	—	1	—	3	29	25	9	87	—	1	—	—	—	6	31	33	16
	F	75	—	—	—	—	1	7	30	23	14	123	—	—	—	1	1	10	59	32	20
3 Rheumatic fever	M	2	—	—	—	1	—	—	—	1	—	4	—	—	—	—	1	—	1	2	—
	F	2	—	—	—	—	—	1	1	—	—	8	—	—	—	1	2	1	4	—	—
4 Diabetes	M	4	—	—	—	—	—	—	3	1	—	9	—	—	—	1	—	—	4	4	—
	F	5	—	—	—	—	—	—	3	2	—	8	—	—	—	—	—	1	3	2	2
5 Cerebral hæmorrhage, &c.	M	40	—	—	—	—	—	2	13	9	16	54	—	—	1	—	—	1	14	19	19
	F	58	—	—	—	1	1	1	15	26	14	86	—	—	—	—	1	1	22	25	37
6 Heart disease	M	98	—	—	—	1	2	5	33	37	20	122	—	—	—	—	2	6	33	38	43
	F	84	—	—	—	—	1	8	29	23	23	139	—	—	—	—	1	12	32	37	57
7 Arterio-sclerosis	M	24	—	—	—	—	—	1	3	11	9	32	—	—	—	—	—	—	1	8	23
	F	12	—	—	—	—	—	—	1	2	9	24	—	—	—	—	—	—	3	2	19
8 Bronchitis	M	51	8	5	2	—	—	2	8	16	10	68	11	3	—	—	—	1	4	15	34
	F	56	5	1	1	—	—	—	11	12	26	55	2	3	2	—	—	—	7	13	28
9 Pneumonia (all forms)	M	44	5	5	4	1	1	5	19	3	1	47	12	5	2	1	2	11	6	5	3
	F	37	10	4	4	1	—	4	8	3	3	55	5	11	4	—	3	8	9	8	7
0 Other respiratory diseases	M	10	—	—	—	—	—	1	4	5	—	16	1	—	1	1	2	2	4	3	2
	F	6	—	1	—	—	—	2	—	1	2	5	—	—	—	—	—	—	4	—	1
1 Ulcer of stomach or duodenum	M	8	—	—	—	—	—	3	3	1	1	4	—	—	—	—	—	—	3	1	—
	F	3	—	—	—	—	—	1	2	—	—	6	—	—	—	—	—	3	1	1	1
2 Diarrhœa, &c.	M	17	8	2	3	—	—	1	1	1		6	3	1	1	—	—	—	—	—	1
	F	7	6	—	—	—	—	1	—	—	—	12	2	1	1	1	—	—	2	2	3
3 Appendicitis and typhlitis	M	2	—	—	—	—	—	2	—	—	—	3	—	—	2	—	1	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	3	—	—	—	1	—	1	1	—	—
4 Cirrhosis of liver	M	3	—	—	—	—	—	—	3	—	—	8	—	—	—	—	—	1	3	4	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	1	1
5 Acute and chronic nephritis	M	14	—	—	—	1	—	2	4	5	2	19	—	—	—	2	1	—	3	9	4
	F	13	—	—	—	1	—	—	6	4	2	22	—	—	—	1	1	4	2	11	3
6 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2	—	—	—
7 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	8	—	—	—	—	—	8	—	—	—
8 Congenital debility and malformation, premature birth	M	32	32	—	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—	—
	F	34	33	—	—	—	—	—	1	—	—	29	28	—	—	1	—	—	—	—	—
9 Suicide	M	9	—	—	—	—	2	2	3	2	—	13	—	—	—	—	1	3	6	3	—
	F	4	—	—	—	—	—	2	1	1	—	3	—	—	—	—	1	1	1	—	—
0 Other deaths from violence	M	31	—	—	3	2	5	7	8	3	3	42	2	1	1	2	4	11	15	3	3
	F	7	—	—	—	1	2	1	—	1	2	16	1	1	—	2	2	2	1	2	5
1 Other defined diseases	M	126	17	2	1	5	4	10	20	24	43	193	24	3	2	5	3	13	29	34	80
	F	145	15	1	4	3	1	8	22	27	64	189	11	1	1	6	4	24	26	27	89
2 Causes ill-defined or unknown	M	2	—	—	—	—	—	—	—	2	—	8	—	1	—	1	—	1	3	2	—
	F	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—		1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF HOLLAND)—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	220	25	5	3	3	7	25	58	43	51	289	48	5	4	10	8	23	56	54	81
		F	232	20	5	5	5	9	29	43	45	71	284	26	2	4	11	15	24	39	62	101
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5	Whooping cough	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7	Influenza	M	9	4	1	1	—	—	2	1	—	—	16	3	2	—	1	2	1	2	2	3
		F	10	1	—	—	—	—	3	2	1	3	14	2	—	1	—	1	—	3	4	3
8	Encephalitis lethargica	M	4	—	—	—	—	—	1	2	1	—	2	—	—	—	—	—	—	1	—	1
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	16	—	—	—	—	2	11	3	—	—	17	—	—	—	—	1	10	6	—	—
		F	15	—	—	2	1	3	8	1	—	—	18	—	—	—	2	7	9	—	—	—
11	Other tuberculous diseases	M	4	—	—	—	1	1	1	1	—	—	3	—	—	1	1	—	—	1	—	—
		F	5	—	—	—	3	1	1	—	—	—	8	—	—	—	3	2	—	2	1	—
12	Cancer, malignant disease	M	31	—	—	—	—	—	1	10	11	9	39	—	—	—	—	—	4	18	11	6
		F	30	—	—	—	—	—	2	9	11	8	47	—	—	—	1	—	7	15	16	8
13	Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
14	Diabetes	M	3	—	—	1	—	—	—	2	—	—	4	—	—	—	—	—	1	2	—	[illegible]
		F	3	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	—	—	2	—
15	Cerebral hæmorrhage, &c.	M	17	—	—	—	—	—	1	3	5	8	14	—	—	—	—	—	—	—	3	11
		F	23	—	—	—	—	—	—	6	6	11	21	—	—	—	—	—	—	1	9	11
16	Heart disease	M	29	—	—	—	—	—	3	6	10	10	32	—	—	—	1	—	1	5	15	10
		F	36	1	—	—	—	—	1	9	14	11	38	—	—	—	—	1	1	4	15	17
17	Arterio-sclerosis	M	4	—	—	—	—	—	—	—	2	2	7	—	—	—	—	—	—	—	2	[illegible]
		F	1	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—	—	1	—	[illegible]
18	Bronchitis	M	8	2	—	—	—	—	—	4	—	2	18	1	1	—	—	—	—	3	5	[illegible]
		F	13	1	—	1	—	—	1	1	2	7	15	2	—	—	—	—	—	4	3	[illegible]
19	Pneumonia (all forms)	M	10	—	2	—	—	—	2	2	2	2	16	6	1	2	1	1	1	3	1	—
		F	9	2	—	—	—	1	1	1	3	1	5	—	—	1	—	1	1	—	—	[illegible]
20	Other respiratory diseases	M	4	—	—	—	—	1	—	2	1	—	3	—	—	—	1	—	—	1	—	[illegible]
		F	7	1	—	—	—	1	1	1	1	2	2	—	—	—	—	—	—	1	—	[illegible]
21	Ulcer of stomach or duodenum	M	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
22	Diarrhœa, &c.	M	5	4	—	—	—	—	—	1	—	—	11	9	—	—	—	—	—	1	—	
		F	5	3	1	—	—	1	—	—	—	—	5	4	1	—	—	—	—	—	—	—
23	Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	2	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
24	Cirrhosis of liver	M	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis	M	4	—	—	—	—	—	1	2	1	—	9	—	—	—	—	—	—	2	1	[illegible]
		F	3	—	—	—	—	—	1	1	—	1	3	—	—	—	—	—	—	—	2	[illegible]
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
28	Congenital debility and malformation, premature birth	M	10	9	—	—	1	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
		F	6	5	—	—	—	1	—	—	—	—	13	13	—	—	—	—	—	—	—	—
29	Suicide	M	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
30	Other deaths from violence	M	7	—	—	1	—	2	—	3	—	1	13	—	—	1	2	2	2	4	1	
		F	3	1	—	—	—	—	—	—	—	2	5	1	—	1	1	—	—	1	—	
31	Other defined diseases	M	43	6	1	—	—	1	—	11	7	17	55	5	1	—	—	1	1	7	13	2
		F	52	4	3	—	1	1	6	7	6	24	72	4	—	—	3	2	3	6	8	4
32	Causes ill-defined or unknown	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF KESTEVEN)—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	218	28	4	7	6	9	18	45	57	44	447	56	10	5	7	18	37	89	93	132
	F	245	18	3	3	6	15	23	47	51	79	383	30	6	6	10	16	40	61	75	139
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	1	1	—	—	—	—	—	—	—	3	2	—	—	—	—	1	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
7 Influenza	M	5	1	—	—	—	—	1	—	1	2	22	2	1	2	—	2	1	4	4	6
	F	12	—	—	—	—	1	2	1	3	5	23	1	—	—	1	1	2	7	6	5
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	10	—	—	—	—	2	4	4	—	—	26	—	—	—	—	7	8	9	2	—
	F	20	1	—	—	1	10	6	2	—	—	23	—	—	—	1	8	11	2	1	—
11 Other tuberculous diseases	M	5	1	—	—	1	1	1	—	1	—	13	—	1	1	1	2	4	3	1	—
	F	5	—	—	—	2	2	1	—	—	—	3	—	—	—	—	—	—	1	1	1
12 Cancer, malignant disease	M	31	—	—	—	—	1	3	11	13	3	48	—	—	—	—	—	1	22	16	9
	F	29	—	—	—	—	1	2	12	8	6	48	—	—	—	—	—	4	9	20	15
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	2	—	—	6	—	—	—	—	—	1	2	2	1
	F	1	—	—	—	1	—	—	—	—	—	6	—	—	—	1	—	—	—	3	2
15 Cerebral hæmorrhage, &c. ..	M	16	—	—	—	—	—	—	3	8	5	26	—	—	—	—	—	—	7	8	11
	F	16	—	—	—	—	—	1	3	7	5	28	—	—	—	—	—	1	4	6	17
16 Heart disease ..	M	22	—	—	—	—	—	3	7	8	4	66	—	—	—	—	2	2	12	20	30
	F	35	—	—	—	—	—	1	11	13	10	56	—	—	—	—	—	6	10	22	18
17 Arterio-sclerosis ..	M	5	—	—	—	—	—	—	1	2	2	17	—	—	—	—	—	—	1	2	14
	F	5	—	—	—	—	—	—	—	1	4	8	—	—	—	—	—	—	—	1	7
18 Bronchitis ..	M	15	4	1	—	—	—	—	2	6	2	28	4	2	—	—	—	—	4	10	8
	F	19	1	—	—	—	—	2	1	6	9	21	—	2	1	—	—	—	2	3	13
19 Pneumonia (all forms)	M	7	1	—	1	1	—	—	1	3	—	13	5	1	—	—	1	2	—	1	3
	F	8	1	2	—	—	—	1	2	2	—	19	2	2	2	1	1	3	1	1	6
20 Other respiratory diseases	M	2	—	—	—	—	—	—	1	1	—	10	1	1	1	—	—	—	1	1	5
	F	4	1	—	—	—	—	—	1	2	—	5	—	—	—	1	1	—	1	—	2
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c. ..	M	4	3	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1
	F	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	3	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	1	1	—	1
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	5	—	—	—	—	—	—	1	2	2	12	—	—	—	—	—	—	5	5	2
	F	5	—	—	—	—	—	1	3	—	1	7	—	—	—	—	—	1	2	2	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	14	13	1	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—	—
	F	6	6	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	1	1	—	1	—	3	—	—	—	—	—	1	1	1	—
	F	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence.. ..	M	4	1	—	—	2	—	1	—	—	—	18	—	—	—	3	4	3	5	1	2
	F	4	—	—	2	—	—	1	—	—	1	6	—	1	—	2	—	—	2	—	1
31 Other defined diseases	M	59	3	1	5	—	4	4	9	9	24	89	8	3	1	2	—	7	11	18	39
	F	68	6	1	1	1	—	4	10	8	37	88	7	—	—	1	4	7	13	9	47
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	4	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF LINDSEY)—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	693	84	22	19	22	31	62	172	135	146	866	79	14	22	19	37	76	177	178	264
	F	737	75	18	26	18	41	70	153	145	191	782	70	11	7	17	33	89	143	141	271
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	2	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	4	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
	F	7	5	2	—	—	—	—	—	—	—	4	1	—	1	2	—	—	—	—	—
6 Diphtheria	M	5	—	—	1	3	—	—	1	—	—	3	—	—	1	1	1	—	—	—	—
	F	7	—	1	4	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	20	2	—	1	—	1	3	9	1	3	41	—	—	1	1	—	6	16	11	6
	F	32	1	—	2	—	2	6	4	10	7	51	2	2	—	1	2	12	10	6	16
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—	2	3	—	—
	F	2	—	—	—	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	43	—	—	—	2	14	13	11	3	—	45	—	—	—	—	15	18	9	3	—
	F	51	—	1	—	3	23	19	3	1	1	41	—	—	—	—	11	23	5	1	1
11 Other tuberculous diseases	M	19	5	3	3	2	2	3	1	—	—	16	1	1	4	1	1	6	2	—	—
	F	21	2	1	5	2	5	4	2	—	—	20	1	2	1	4	2	7	3	—	—
12 Cancer, malignant disease	M	75	—	—	—	—	—	6	34	26	9	90	—	1	2	1	1	4	28	32	21
	F	94	—	—	—	—	—	6	45	26	17	101	—	—	—	—	1	12	43	28	17
13 Rheumatic fever	M	4	—	—	—	3	—	—	1	—	—	5	—	—	—	2	—	1	2	—	—
	F	5	—	—	—	—	1	—	3	1	—	2	—	—	—	—	—	—	2	—	—
14 Diabetes	M	8	—	—	—	1	—	1	1	5	—	14	—	—	—	—	1	4	4	4	1
	F	12	—	—	—	1	—	1	4	3	3	6	—	—	—	—	1	2	1	1	1
15 Cerebral hæmorrhage, &c.	M	63	—	—	—	—	1	1	18	23	20	53	—	—	—	1	—	1	14	12	25
	F	53	—	—	—	—	—	—	11	20	22	55	—	—	—	—	—	—	14	17	24
16 Heart disease	M	75	—	—	—	1	2	6	22	20	24	114	—	—	—	—	2	2	28	47	35
	F	101	—	—	—	3	2	3	25	38	30	114	—	—	1	1	2	5	22	29	54
17 Arterio-sclerosis	M	17	—	—	—	—	—	—	4	6	7	31	—	—	—	—	—	—	5	5	21
	F	9	—	—	—	—	—	—	3	2	4	17	—	—	—	—	—	—	1	6	10
18 Bronchitis	M	33	5	—	—	—	1	1	6	9	11	47	5	—	—	—	—	1	2	6	33
	F	32	2	—	—	—	—	1	7	5	17	36	3	2	—	—	—	—	3	6	22
19 Pneumonia (all forms)	M	74	17	12	6	1	1	7	13	10	7	47	12	4	5	5	1	4	8	4	4
	F	54	12	7	10	—	2	3	8	5	7	39	9	2	2	1	2	7	7	5	4
20 Other respiratory diseases	M	14	1	—	—	—	—	1	3	7	2	13	1	—	—	1	—	1	3	4	3
	F	7	—	—	—	1	—	2	—	2	2	4	1	—	—	—	—	—	—	1	2
21 Ulcer of stomach or duodenum	M	5	—	—	—	—	—	3	2	—	—	6	—	—	1	—	—	2	2	1	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	1	—	2	—
22 Diarrhœa, &c.	M	8	3	1	1	—	—	1	—	2	—	4	2	—	1	—	—	—	—	—	[illegible]
	F	12	8	—	1	—	—	—	1	1	1	5	4	—	—	—	—	—	—	—	[illegible]
23 Appendicitis and typhlitis	M	3	—	—	—	—	—	2	1	—	—	3	—	—	—	1	—	—	1	1	—
	F	2	—	—	—	2	—	—	—	—	—	4	—	—	—	—	2	—	1	—	[illegible]
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	9	—	—	—	2	—	—	6	1	—	18	—	—	—	1	1	3	4	6	[illegible]
	F	11	—	1	—	—	1	2	6	1	—	16	—	—	—	—	—	5	5	4	[illegible]
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	9	—	—	—	—	4	5	—	—	—
28 Congenital debility and malformation, premature birth	M	38	38	—	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—	—
	F	36	35	—	—	1	—	—	—	—	—	35	35	—	—	—	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	—	3	7	—	—	12	—	—	—	—	1	5	4	—	
	F	3	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence	M	27	2	1	3	1	4	5	8	3	—	32	—	1	4	2	9	3	10	3	—
	F	14	1	1	2	1	—	1	1	4	3	17	1	—	1	2	—	2	2	2	
31 Other defined diseases	M	131	8	4	3	6	4	6	20	17	63	210	11	4	1	2	3	13	30	37	10
	F	156	8	2	1	2	1	16	25	24	77	190	12	2	—	4	5	5	21	32	10
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	2	2	—
	F	1	—	—	—	—	—	—	—	1	—	3	1	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MIDDLESEX*—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	6226	675	190	155	201	256	748	1691	1227	1083	292	27	5	9	9	16	30	70	60	66
	F	6504	499	137	133	174	238	725	1512	1231	1855	326	26	10	8	7	10	43	66	59	97
1 Enteric fever ..	M	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	3	3	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	103	21	35	35	11	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—
	F	86	13	35	26	11	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	8	—	—	2	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	1	—	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	31	18	8	3	1	—	—	—	—	1	2	1	—	1	—	—	—	—	—	—
	F	30	9	11	10	—	—	—	—	—	—	6	2	1	2	1	—	—	—	—	—
6 Diphtheria ..	M	49	1	5	13	27	1	—	2	—	—	1	—	—	—	—	1	—	—	—	—
	F	49	—	3	11	32	3	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	173	6	5	2	6	7	27	60	33	27	10	—	1	2	1	2	1	—	1	2
	F	216	4	1	4	5	5	45	52	46	54	15	—	—	—	1	—	—	5	3	6
8 Encephalitis lethargica ..	M	26	—	2	4	2	6	6	6	—	—	2	—	—	—	1	—	1	—	—	—
	F	17	—	—	2	2	1	6	4	2	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	538	3	1	1	5	96	263	148	18	3	21	—	—	—	—	4	10	7	—	—
	F	402	—	—	—	18	102	197	73	12	—	25	—	—	—	3	6	13	2	—	1
11 Other tuberculous diseases	M	107	13	11	18	28	14	13	8	2	—	5	—	—	1	—	1	2	1	—	—
	F	85	5	7	12	17	14	18	9	2	1	5	—	1	—	1	—	2	—	1	—
12 Cancer, malignant disease	M	726	3	1	1	2	4	46	314	238	117	34	—	—	—	—	—	—	19	10	5
	F	890	—	1	2	1	1	73	410	242	160	40	—	—	—	—	—	6	19	11	4
13 Rheumatic fever ..	M	13	—	—	3	2	4	—	4	—	—	1	—	—	—	1	—	—	—	—	—
	F	28	—	—	—	10	6	7	1	4	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	51	—	1	—	—	—	8	21	16	5	3	—	—	—	—	—	—	1	—	2
	F	68	—	—	—	1	3	7	28	20	9	4	—	—	—	—	—	1	1	2	—
15 Cerebral hæmorrhage, &c. ..	M	283	—	—	—	—	2	10	86	98	87	13	—	—	—	—	—	—	2	7	4
	F	372	—	—	—	1	—	13	93	101	164	25	—	—	—	—	—	—	5	9	11
16 Heart disease ..	M	796	—	1	—	6	13	70	245	264	197	41	—	—	—	1	1	3	13	13	10
	F	1015	—	—	1	9	23	78	270	277	357	33	—	—	1	1	—	4	10	7	10
17 Arterio-sclerosis ..	M	252	—	—	—	—	—	5	71	83	93	4	—	—	—	—	—	—	1	1	2
	F	203	—	—	—	—	1	—	29	52	121	17	—	—	—	—	—	—	3	5	9
18 Bronchitis ..	M	433	50	10	7	2	2	18	75	117	152	23	1	—	1	—	—	1	4	6	10
	F	557	27	3	5	1	—	9	75	134	303	21	—	1	1	—	—	—	3	3	13
19 Pneumonia (all forms)	M	519	98	73	24	16	19	61	145	47	36	20	1	2	1	—	—	4	5	3	4
	F	451	88	44	26	6	10	30	94	71	82	18	3	3	—	—	2	—	2	3	5
20 Other respiratory diseases	M	84	4	1	3	3	1	9	29	20	14	3	—	—	—	—	1	—	1	1	—
	F	80	1	4	2	—	1	8	28	10	26	2	—	—	—	—	—	—	—	2	—
21 Ulcer of stomach or duodenum ..	M	60	—	—	—	1	—	11	37	7	4	2	—	—	—	—	—	1	1	—	—
	F	33	—	—	—	—	3	7	19	3	1	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c. ..	M	71	46	6	4	—	2	1	6	2	4	5	3	2	—	—	—	—	—	—	—
	F	78	35	8	—	—	2	9	10	4	10	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	37	—	—	1	5	7	10	8	5	1	3	—	—	—	—	1	1	—	1	—
	F	49	—	1	4	7	2	11	14	7	3	3	—	—	1	—	—	2	—	—	—
24 Cirrhosis of liver ..	M	25	—	—	—	—	—	1	17	5	2	3	—	—	—	—	—	1	—	1	1
	F	27	1	—	—	—	1	1	17	5	2	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	172	1	—	1	2	6	22	75	37	28	11	1	—	—	—	—	—	3	4	3
	F	136	1	1	1	1	5	23	49	35	20	9	—	—	—	—	—	3	2	4	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	34	—	—	—	—	8	26	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	30	—	—	—	—	5	24	1	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	297	288	—	4	2	2	—	1	—	—	16	16	—	—	—	—	—	—	—	—
	F	242	235	1	1	3	2	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	55	—	—	—	—	—	14	32	9	—	4	—	—	—	—	—	1	2	—	1
	F	53	—	—	—	—	7	14	28	3	1	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	258	15	6	10	29	34	44	73	22	25	8	—	—	1	—	3	1	1	1	1
	F	115	11	3	6	11	4	12	18	15	35	7	—	1	1	—	2	—	3	—	—
31 Other defined diseases	M	1052	107	23	19	44	36	109	224	203	287	56	3	—	2	5	2	3	9	11	21
	F	1132	67	12	19	32	25	100	187	185	505	74	7	2	1	—	—	7	10	9	38
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	7	1	1	—	—	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—

* For the Administrative County of London, see p. 233.

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORFOLK—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	350	33	3	7	8	11	32	74	77	105	1535	142	27	24	42	46	114	287	321	532
	F	367	24	3	6	3	13	33	76	70	139	1526	111	20	17	23	54	133	285	325	558
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	1	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	8	—	—	1	4	2	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	10	6	3	—	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	6	4	1	—	1	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	5	1	—	4	—	—	—	—	—	—
7 Influenza	M	7	—	—	1	—	—	—	3	3	—	39	4	—	—	1	2	7	12	9	4
	F	16	—	—	1	—	—	2	2	3	8	58	3	—	—	1	2	9	13	13	17
8 Encephalitis lethargica	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	—	1	2	—	—	—	—	1	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	25	—	—	—	—	5	13	7	—	—	88	1	1	—	3	19	35	24	5	—
	F	19	—	—	—	1	4	5	9	—	—	82	—	—	—	5	19	35	14	8	1
11 Other tuberculous diseases	M	5	—	—	1	1	1	1	1	—	—	28	2	5	6	7	4	2	2	—	—
	F	6	—	—	1	—	1	2	—	1	1	19	—	2	1	2	6	5	1	2	—
12 Cancer, malignant disease	M	43	—	—	1	—	—	1	17	12	12	168	—	—	—	1	—	7	51	66	43
	F	57	—	—	—	1	—	5	20	15	16	227	—	—	—	—	1	20	79	70	57
13 Rheumatic fever	M	1	—	—	—	—	—	1	—	—	—	6	—	—	—	2	—	—	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	5	—	—	—	—	1	—	1	1	2	17	—	—	—	—	—	5	3	8	1
	F	4	—	—	—	—	—	1	—	2	1	16	—	—	—	1	—	1	8	1	5
15 Cerebral hæmorrhage, &c.	M	24	—	—	—	—	—	—	4	10	10	86	—	—	—	—	—	2	13	26	45
	F	37	—	—	—	—	—	—	4	8	25	115	—	—	—	—	—	1	21	35	58
16 Heart disease	M	44	—	—	—	—	1	4	6	20	13	230	—	—	—	1	3	4	40	85	97
	F	42	—	—	—	—	1	2	13	9	17	248	—	1	—	—	1	7	50	74	115
17 Arterio-sclerosis	M	21	—	—	—	—	—	—	1	6	14	99	—	—	—	—	—	—	11	23	65
	F	17	—	—	—	—	—	—	—	3	14	59	—	—	—	—	—	—	5	15	39
18 Bronchitis	M	23	2	1	1	—	1	—	6	5	7	86	11	2	1	—	—	2	7	13	50
	F	29	1	1	—	—	—	1	2	6	18	119	8	3	—	—	—	1	6	21	80
19 Pneumonia (all forms)	M	26	8	2	—	—	—	3	6	7	—	56	8	8	1	1	1	7	12	12	6
	F	22	1	2	1	—	1	2	4	5	6	53	8	6	1	—	3	6	9	10	10
20 Other respiratory diseases	M	6	—	—	—	—	—	—	5	1	—	22	—	—	1	—	1	3	4	2	11
	F	6	1	—	—	—	—	—	1	2	2	13	—	—	—	—	1	3	1	4	4
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	—	1	1	10	—	—	—	—	—	—	7	—	3
	F	3	—	—	—	—	—	1	1	1	—	5	—	—	—	—	—	2	3	—	—
22 Diarrhœa, &c.	M	6	5	—	—	—	—	—	—	—	1	24	14	2	1	—	1	2	1	—	3
	F	—	—	—	—	—	—	—	—	—	—	9	3	2	—	1	1	1	—	—	1
23 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	—	10	—	—	—	3	3	1	3	—	—
	F	1	—	—	—	—	—	—	1	—	—	9	—	—	2	2	2	—	3	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	4	1	—
	F	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	—	3	2	—
25 Acute and chronic nephritis	M	6	—	—	—	—	—	1	3	1	1	43	—	—	—	—	1	1	4	18	19
	F	9	—	—	—	—	—	1	4	2	2	39	—	—	1	—	—	4	13	11	10
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	3	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	8	—	—	—	—	1	7	—	—	—
28 Congenital debility and malformation, premature birth	M	15	14	—	—	1	—	—	—	—	—	72	70	—	—	2	—	—	—	—	—
	F	16	16	—	—	—	—	—	—	—	—	66	66	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	—	1	1	23	—	—	—	—	—	5	10	6	2
	F	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	1	2	2	3	1
30 Other deaths from violence	M	10	—	—	1	2	—	1	3	—	3	53	—	—	6	9	3	11	14	3	7
	F	5	—	—	1	—	2	—	—	—	2	29	1	—	2	—	2	3	2	5	14
31 Other defined diseases	M	71	3	—	2	1	2	5	9	9	40	328	24	3	6	6	5	17	54	41	172
	F	65	5	—	1	1	2	6	12	12	26	308	17	4	5	9	9	23	49	47	145
32 Causes ill-defined or unknown	M	1	1	—	—	—	—	—	—	—	—	19	1	2	—	—	1	2	7	2	4
	F	1	—	—	—	—	—	—	—	1	—	7	—	—	—	—	—	—	2	4	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORTHAMPTON—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	566	52	8	20	14	17	71	158	119	107	709	57	12	12	21	24	60	151	164	208
	F	535	43	11	9	10	29	65	112	109	147	684	33	10	4	14	26	56	145	160	236
1 Enteric fever ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	1	—	—	—	2	1	—	—	1	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	5	—	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	5	—	1	2	1	1	—	—	—	—
7 Influenza	M	18	1	—	—	—	—	3	2	7	5	31	2	1	2	—	2	2	14	2	6
	F	26	1	—	—	2	2	2	9	6	4	27	—	1	—	—	2	2	7	11	4
8 Encephalitis lethargica ..	M	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	1	—	2	—	—	2	—	—	—	—	—	—	2	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	53	—	—	—	1	7	26	14	5	—	37	—	—	—	2	10	19	5	1	—
	F	37	—	—	—	3	14	14	5	1	—	42	—	—	—	2	11	17	12	—	—
11 Other tuberculous diseases	M	7	—	1	1	2	—	2	1	—	—	5	1	1	—	—	1	1	1	—	—
	F	11	—	2	2	—	3	2	1	1	—	4	—	1	—	—	1	2	—	—	—
12 Cancer, malignant disease	M	52	—	—	—	—	—	—	31	11	10	66	—	—	—	—	—	2	23	32	9
	F	69	—	—	—	—	—	9	29	19	12	95	—	—	—	—	—	8	37	30	20
13 Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	5	—	—	—	—	—	1	2	2	—	6	—	—	—	—	1	—	1	2	2
	F	3	—	—	—	—	1	—	1	1	—	10	—	—	—	—	—	1	3	4	2
15 Cerebral hæmorrhage, &c. ..	M	32	—	—	—	—	—	1	10	11	10	47	—	—	—	—	—	1	6	13	27
	F	46	—	—	—	—	—	2	11	15	18	54	—	—	—	—	—	1	13	12	28
16 Heart disease ..	M	74	—	—	1	1	1	9	21	24	17	87	—	—	1	—	—	5	28	27	26
	F	92	—	—	1	1	—	11	17	30	32	114	—	—	—	1	1	7	25	42	38
17 Arterio-sclerosis ..	M	31	—	—	—	—	—	—	7	12	12	25	—	—	—	—	—	—	3	9	13
	F	13	—	—	—	—	—	—	3	3	7	20	—	—	—	—	—	—	2	6	12
18 Bronchitis ..	M	47	7	—	2	—	—	2	5	17	14	53	3	1	—	1	—	—	8	14	26
	F	36	2	—	—	—	—	—	5	8	21	52	2	1	—	—	—	1	5	10	33
19 Pneumonia (all forms)	M	29	3	6	2	2	1	6	2	4	3	28	3	4	1	1	—	3	10	4	2
	F	23	5	4	—	—	1	3	3	2	5	23	6	1	2	1	2	2	2	3	4
20 Other respiratory diseases	M	5	—	—	—	—	—	1	3	1	—	5	1	—	—	—	—	—	—	2	2
	F	7	1	—	1	—	—	—	2	3	—	11	—	—	—	1	—	—	3	3	4
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	1	4	2	—	2	—	—	—	—	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	2	2	2	—
22 Diarrhœa, &c. ..	M	7	7	—	—	—	—	—	—	—	—	6	3	1	—	—	1	—	—	—	1
	F	6	2	—	—	1	—	—	1	2	—	2	1	1	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	7	—	1	—	1	1	2	1	—	1	11	—	—	1	6	—	1	2	1	—
	F	4	—	—	—	1	—	1	2	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	—	—	1	4	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
25 Acute and chronic nephritis ..	M	10	—	—	1	—	—	—	9	—	—	19	—	—	—	2	—	2	6	3	6
	F	15	—	—	—	1	1	3	3	3	4	18	—	—	—	1	—	3	6	7	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	2	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	27	27	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
	F	20	19	1	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
29 Suicide	M	11	—	—	—	—	—	1	8	2	—	7	—	—	—	—	—	1	6	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	1	2	1	—
30 Other deaths from violence.. ..	M	19	2	—	1	2	1	6	3	1	3	40	2	—	4	2	6	6	12	5	3
	F	11	2	—	1	—	1	—	3	1	3	11	—	—	—	1	1	—	2	4	3
31 Other defined diseases	M	97	5	—	5	5	4	6	23	17	32	177	8	1	1	6	2	15	18	42	84
	F	95	10	4	2	—	2	9	14	13	41	151	6	3	—	5	3	6	16	25	87
32 Causes ill-defined or unknown ..	M	11	—	—	—	—	1	1	6	3	—	7	—	—	—	—	—	1	4	2	—
	F	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	3	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORTHUMBERLAND—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	2000	376	70	65	86	105	213	420	362	303	617	69	6	18	8	24	54	146	141	151
	F	1766	252	71	62	70	77	203	395	320	316	568	56	9	5	13	16	61	139	124	145
1 Enteric fever ..	M	4	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	1	2	1	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	8	2	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	4	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	22	11	5	4	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	26	9	11	5	1	—	—	—	—	—	4	—	2	2	—	—	—	—	—	—
6 Diphtheria ..	M	8	—	—	3	5	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	5	—	—	1	4	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	67	7	3	4	2	4	12	14	11	10	31	1	2	2	—	3	7	5	3	8
	F	76	10	—	2	5	4	15	17	11	12	25	—	1	—	—	—	2	6	8	8
8 Encephalitis lethargica ..	M	13	1	—	—	2	2	3	5	—	—	1	—	—	—	—	—	1	—	—	—
	F	6	—	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	148	1	3	3	6	31	55	43	6	—	31	—	—	—	—	7	13	10	1	—
	F	121	1	5	4	6	38	46	18	2	1	37	—	—	—	1	8	19	8	1	—
11 Other tuberculous diseases	M	59	4	8	12	10	8	10	5	2	—	6	2	—	2	—	—	1	1	—	—
	F	52	4	6	7	17	5	6	7	—	—	9	—	1	—	4	1	2	1	—	—
12 Cancer, malignant disease	M	150	—	—	1	—	2	6	62	60	19	58	—	—	—	—	2	—	19	20	17
	F	197	—	—	—	—	1	20	93	56	27	67	—	—	—	—	—	10	22	20	15
13 Rheumatic fever ..	M	6	—	—	—	2	—	2	2	—	—	6	—	—	1	2	1	1	1	—	—
	F	6	—	—	—	2	—	3	—	1	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes	M	15	—	—	—	1	1	2	4	6	1	7	—	—	1	—	1	1	2	1	1
	F	28	—	—	—	—	1	3	11	12	1	7	—	1	—	—	—	1	4	1	—
15 Cerebral hæmorrhage, &c. ..	M	112	—	—	—	—	—	3	29	46	34	34	1	—	—	—	—	1	4	13	15
	F	121	—	—	—	—	—	1	38	44	38	50	—	—	—	—	—	1	16	11	22
16 Heart disease ..	M	188	—	—	1	8	8	16	56	58	41	96	—	—	—	—	—	3	34	36	23
	F	188	—	—	—	1	2	24	64	56	41	83	—	—	—	—	1	2	29	28	23
17 Arterio-sclerosis ..	M	83	—	—	—	—	—	1	17	28	37	30	—	—	—	—	—	—	3	9	18
	F	40	—	—	—	—	—	—	8	13	19	21	—	—	—	—	—	—	3	9	9
18 Bronchitis ..	M	124	40	5	4	1	1	4	17	23	29	14	1	—	—	—	—	—	1	8	4
	F	94	11	2	1	2	1	1	14	26	36	26	7	—	—	1	1	1	3	5	8
19 Pneumonia (all forms)	M	201	61	27	20	9	7	22	35	15	5	46	9	3	7	1	3	4	7	6	6
	F	151	49	24	21	3	3	13	13	15	10	30	8	1	1	—	1	4	9	5	1
20 Other respiratory diseases	M	18	—	1	—	1	1	2	4	7	2	8	—	—	1	—	—	1	2	3	1
	F	22	—	—	1	2	1	4	6	3	5	5	—	—	—	—	—	—	1	2	2
21 Ulcer of stomach or duodenum ..	M	14	—	—	—	—	—	7	4	3	—	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	1	1	1	—	—	3	—	—	—	—	—	1	1	—	1
22 Diarrhœa, &c. ..	M	42	29	6	1	1	—	1	2	—	2	5	4	—	1	—	—	—	—	—	—
	F	42	23	7	3	1	—	1	2	1	4	1	—	—	—	—	—	1	—	—	—
23 Appendicitis and typhlitis.. ..	M	13	—	—	—	5	2	4	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	10	—	—	—	6	—	1	1	2	—	4	—	—	1	1	2	—	—	—	—
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	1	4	1	—	4	—	—	—	—	—	1	1	2	—
	F	4	—	—	—	—	—	—	3	1	—	3	—	—	—	—	—	—	—	2	1
25 Acute and chronic nephritis ..	M	65	—	—	—	4	2	7	18	20	14	25	—	—	—	—	—	3	12	7	3
	F	79	—	1	—	2	3	8	33	18	14	18	—	—	—	—	—	2	5	6	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	3	10	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	154	154	—	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—	—
	F	104	103	1	—	—	—	—	—	—	—	33	32	1	—	—	—	—	—	—	—
29 Suicide	M	20	—	—	—	—	1	10	7	2	—	6	—	—	—	—	1	1	3	1	—
	F	7	—	—	—	—	—	4	2	1	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	96	3	1	5	11	17	24	24	6	5	23	—	—	—	1	4	4	9	4	1
	F	28	3	2	7	3	2	4	3	3	1	12	—	1	—	2	—	3	2	2	2
31 Other defined diseases	M	335	61	8	6	14	13	18	51	61	103	134	15	—	1	3	2	10	28	22	53
	F	310	37	7	7	12	10	29	49	52	107	114	9	1	—	1	1	5	26	23	48
32 Causes ill-defined or unknown ..	M	26	2	—	—	—	1	3	13	6	1	10	—	1	—	—	—	2	3	3	1
	F	17	—	1	1	1	—	2	9	3	—	5	—	—	—	1	—	1	2	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NOTTINGHAM—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1440	252	25	37	62	53	157	363	254	210	800	106	20	17	20	34	81	172	151	199
	F	1307	197	43	42	50	68	179	249	222	257	823	87	11	18	29	33	85	182	164	214
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
2 Small-pox	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	2	2	2	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	4	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	4	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	8	2	—	4	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	26	7	7	11	1	—	—	—	—	—	6	2	3	1	—	—	—	—	—	—
	F	15	4	6	3	2	—	—	—	—	—	13	8	3	1	1	—	—	—	—	—
6 Diphtheria ..	M	9	—	1	3	5	—	—	—	—	—	6	—	—	2	4	—	—	—	—	—
	F	12	—	—	7	5	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	46	5	—	1	1	—	8	19	9	3	34	5	1	—	—	1	5	8	3	11
	F	42	1	1	—	3	—	10	12	14	1	45	1	—	1	—	—	7	11	10	15
8 Encephalitis lethargica ..	M	5	—	—	—	—	2	—	1	2	—	4	—	—	—	1	1	1	—	1	—
	F	4	—	—	—	1	1	1	1	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	91	1	1	1	2	15	47	21	3	—	39	—	—	—	1	9	13	15	1	—
	F	101	—	2	1	8	31	46	10	3	—	55	1	1	—	7	16	16	12	1	1
11 Other tuberculous diseases	M	24	1	4	3	8	2	4	2	—	—	9	1	—	2	—	1	2	3	—	—
	F	26	1	5	6	3	3	6	—	2	—	11	—	1	2	2	5	—	—	1	—
12 Cancer, malignant disease	M	127	—	—	—	—	1	5	69	39	13	72	—	—	1	—	—	6	22	28	15
	F	146	1	—	1	—	1	25	63	34	21	103	—	—	—	—	1	5	53	29	15
13 Rheumatic fever ..	M	9	—	—	—	3	—	1	3	2	—	3	—	—	—	—	—	1	1	1	—
	F	6	—	—	—	2	2	1	1	—	—	7	—	—	—	3	2	1	—	1	—
14 Diabetes	M	9	—	—	—	—	1	1	4	3	—	5	—	—	—	—	—	1	3	1	—
	F	9	—	—	—	—	—	2	5	2	—	10	—	—	—	—	—	1	4	2	3
15 Cerebral hæmorrhage, &c. ..	M	74	—	—	—	—	—	2	22	30	20	40	—	—	—	—	1	—	10	16	13
	F	100	—	—	—	—	—	4	32	34	30	65	—	—	—	—	—	1	16	22	26
16 Heart disease ..	M	133	—	—	—	4	4	15	51	44	15	78	—	—	1	2	3	6	24	25	17
	F	113	—	—	—	1	6	10	30	36	30	101	—	—	1	1	2	14	21	29	33
17 Arterio-sclerosis ..	M	46	—	—	—	—	—	1	8	22	15	21	—	—	—	—	—	1	4	3	13
	F	23	—	—	—	—	—	—	—	8	15	11	—	—	—	—	—	—	4	2	5
18 Bronchitis ..	M	111	18	5	1	—	—	5	26	25	31	80	3	1	—	—	1	1	10	23	41
	F	123	17	5	2	1	—	2	19	32	45	74	11	2	1	—	—	1	11	21	27
19 Pneumonia (all forms)	M	134	40	21	7	5	2	8	33	14	4	54	9	10	3	4	1	9	5	9	4
	F	92	29	10	10	4	3	10	12	10	4	58	10	3	5	4	—	7	12	10	7
20 Other respiratory diseases	M	19	1	—	1	2	1	—	8	5	1	15	1	—	—	1	1	2	7	1	2
	F	18	3	—	1	—	—	5	3	4	2	6	—	—	—	—	—	1	1	3	1
21 Ulcer of stomach or duodenum ..	M	13	—	—	—	—	1	3	7	2	—	4	—	—	—	—	—	—	4	—	—
	F	3	—	—	—	—	1	—	1	—	1	6	—	—	—	—	—	—	6	—	—
22 Diarrhœa, &c. ..	M	27	14	5	1	1	—	1	1	2	2	10	7	—	1	—	—	2	—	—	—
	F	21	14	1	2	—	1	2	—	1	—	8	3	—	—	—	—	1	1	2	1
23 Appendicitis and typhlitis.. ..	M	10	—	—	—	4	2	2	2	—	—	5	—	—	—	—	1	3	—	—	1
	F	5	—	—	—	2	3	—	—	—	—	5	—	—	—	2	—	2	1	—	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	2	1	1	5	—	—	—	—	—	—	5	—	—
	F	5	—	—	—	—	—	1	1	3	—	1	—	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis ..	M	33	—	—	—	4	2	2	14	6	5	22	—	—	1	—	3	1	8	8	1
	F	27	—	1	—	1	4	2	13	3	3	19	—	—	—	—	2	2	5	4	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	6	—	—	—	—	1	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	1	13	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	117	117	—	—	—	—	—	—	—	—	55	55	—	—	—	—	—	—	—	—
	F	86	83	1	—	2	—	—	—	—	—	45	45	—	—	—	—	—	—	—	—
29 Suicide	M	17	—	—	—	—	1	5	9	1	1	8	—	—	—	—	1	1	4	1	1
	F	9	—	—	—	—	1	6	1	1	—	3	—	—	—	—	—	2	1	—	—
30 Other deaths from violence.. ..	M	68	6	1	3	7	12	19	18	—	2	33	2	—	3	3	4	10	7	2	2
	F	28	3	2	1	5	4	3	4	2	4	10	1	—	2	2	—	1	1	1	2
31 Other defined diseases	M	256	37	4	2	11	7	24	36	41	94	177	18	4	2	4	5	13	28	26	77
	F	250	37	6	4	5	5	25	36	32	100	143	6	1	3	4	3	9	20	26	71
32 Causes ill-defined or unknown ..	M	19	2	1	—	—	—	3	7	3	3	10		—	—	—	1	1	4	2	1
	F	10	—	—	—	1	1	1	5	1	1	4	1	—	—	—	—	1	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of OXFORD—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	205	14	3	1	5	5	15	51	53	58	638	52	8	7	13	24	50	138	147	199
	F	246	11	4	1	7	15	29	49	53	77	577	37	6	4	5	15	53	108	134	215
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
7 Influenza	M	4	—	—	—	—	1	1	1	1	—	25	1	1	—	1	1	3	4	8	6
	F	9	—	—	—	—	—	—	5	2	2	27	—	—	—	—	1	2	9	6	9
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	9	—	—	—	1	—	3	5	—	—	33	—	—	—	1	4	12	15	1	—
	F	14	—	—	—	1	6	2	4	—	1	30	—	—	—	1	5	16	7	1	—
11 Other tuberculous diseases	M	2	—	—	—	1	—	1	—	—	—	7	1	1	1	—	1	1	1	1	—
	F	7	—	1	—	—	1	3	1	—	1	5	—	1	1	1	—	—	2	—	—
12 Cancer, malignant disease	M	25	—	—	1	—	—	1	7	7	9	72	—	—	—	—	1	2	27	20	22
	F	32	—	—	—	—	—	1	12	10	9	77	—	—	—	—	—	6	23	29	19
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	—	—	2	8	—	—	—	—	—	1	1	5	1
	F	3	—	—	—	—	—	1	—	1	1	9	—	—	—	—	—	2	2	2	3
15 Cerebral hæmorrhage, &c.	M	13	—	—	—	—	—	—	3	5	5	54	—	—	—	—	—	—	6	18	30
	F	26	—	—	—	—	—	1	9	4	12	53	—	—	—	—	—	1	4	20	28
16 Heart disease	M	25	—	—	—	—	1	1	8	9	6	91	—	—	1	2	1	4	18	29	36
	F	28	—	—	—	—	2	4	4	11	7	100	—	1	—	1	—	3	28	30	37
17 Arterio-sclerosis	M	1	—	—	—	—	—	—	—	—	1	22	—	—	—	—	—	—	2	8	12
	F	3	—	—	—	—	—	—	—	2	1	15	—	—	—	—	—	—	3	2	10
18 Bronchitis	M	15	—	—	—	—	—	—	1	7	7	42	3	—	—	—	—	—	4	13	22
	F	19	1	2	—	—	—	1	2	3	10	39	—	—	—	—	—	—	1	5	33
19 Pneumonia (all forms)	M	16	1	2	—	—	—	3	5	4	1	35	5	6	1	—	2	4	4	9	4
	F	14	4	—	1	—	1	2	2	1	3	20	1	1	—	—	2	4	4	7	1
20 Other respiratory diseases	M	6	—	—	—	1	—	—	3	2	—	12	1	—	1	—	2	—	4	1	3
	F	3	—	—	—	—	—	—	—	3	—	7	—	1	—	—	—	—	3	1	2
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	—	2	—	5	—	—	—	—	1	1	3	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	3	1	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	1	1	—	1
23 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	—	5	—	—	1	1	—	1	2	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	1	—	1	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	11	—	—	—	—	—	—	5	3	3	17	—	—	—	—	1	3	4	3	6
	F	6	—	—	—	1	—	1	1	2	1	12	—	—	—	—	—	1	1	6	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth	M	6	6	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
	F	7	6	—	—	1	—	—	—	—	—	27	25	—	1	—	—	1	—	—	—
29 Suicide	M	4	—	—	—	—	—	—	3	—	1	8	—	—	—	—	—	1	4	2	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	9	1	—	—	—	1	4	1	2	—	28	1	—	1	3	5	5	7	3	3
	F	6	—	—	—	3	1	1	1	—	—	13	—	—	—	—	1	3	4	1	4
31 Other defined diseases	M	44	4	1	—	—	1	—	7	8	23	130	8	—	1	5	5	11	24	23	53
	F	52	—	1	—	—	1	4	5	14	27	121	9	1	2	1	4	6	11	23	64
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	1	4	3	—
	F	3	—	—	—	—	—	—	2	—	1	5	1	—	—	1	—	—	3	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PETERBOROUGH, SOKE of—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	215	20	2	4	4	8	26	70	46	35	66	9	1	3	1	1	5	11	17	18
	F	196	12	1	4	2	8	18	37	43	71	70	5	—	2	—	1	8	16	13	25
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	10	—	—	—	—	—	4	2	4	—	3	—	—	—	—	—	1	1	1	—
	F	10	—	—	—	—	—	2	2	3	3	2	—	—	—	—	—	1	—	1	—
8 Encephalitis lethargica ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	11	—	—	—	—	3	7	1	—	—	3	—	—	—	—	—	2	1	—	—
	F	7	—	—	—	1	3	3	—	—	—	3	—	—	—	—	1	2	—	—	—
11 Other tuberculous diseases	M	3	—	—	1	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	32	—	—	—	—	—	3	16	8	5	6	—	—	—	—	—	—	1	1	4
	F	18	—	—	—	—	—	4	8	3	3	13	—	—	—	—	—	1	6	2	4
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	1	—	—	—
15 Cerebral hæmorrhage, &c. ..	M	14	—	—	—	—	—	—	4	5	5	5	—	—	—	—	—	—	1	1	3
	F	17	—	—	—	—	—	—	4	4	9	7	—	—	—	—	—	—	3	1	3
16 Heart disease ..	M	20	—	—	—	1	—	1	11	3	4	3	—	—	—	—	—	—	—	2	1
	F	33	—	—	1	1	—	3	9	10	9	11	—	—	—	—	—	—	2	3	6
17 Arterio-sclerosis ..	M	11	—	—	—	—	—	—	4	5	2	3	—	—	—	—	—	—	—	1	2
	F	10	—	—	—	—	—	—	1	4	5	3	—	—	—	—	—	—	1	—	2
18 Bronchitis ..	M	13	1	1	—	—	—	1	5	2	3	8	1	1	—	—	—	—	2	2	2
	F	20	—	—	—	—	—	—	4	6	10	8	1	—	—	—	—	—	—	3	4
19 Pneumonia (all forms)	M	10	—	—	1	—	—	4	3	2	—	3	1	—	1	—	—	—	1	—	—
	F	8	4	—	1	—	—	1	—	2	—	3	—	—	1	—	—	—	1	1	—
20 Other respiratory diseases	M	7	1	—	—	—	—	—	1	4	1	2	—	—	—	—	—	—	1	—	1
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c. ..	M	4	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	10	—	—	—	—	—	—	2	4	4	4	—	—	—	—	—	—	—	3	1
	F	3	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	1	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	12	12	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	4	—	—	—	—	—	—	4	—	—	2	—	—	1	—	—	—	—	1	—
	F	2	1	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—
31 Other defined diseases	M	41	3	—	1	3	—	5	12	6	11	14	1	—	—	1	1	1	2	4	4
	F	52	3	1	2	—	1	3	6	7	29	9	1	—	—	—	—	2	—	—	6
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of RUTLAND—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	20	2	1	—	1	—	1	6	8	1	99	17	—	1	3	3	7	19	19	30
	F	20	1	2	1	—	—	3	2	4	7	80	3	1	—	2	—	4	18	16	36
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	2	—	1
	F	1	—	—	—	—	—	—	—	1	—	10	—	—	—	—	—	1	3	2	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	1	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
12 Cancer, malignant disease	M	2	—	—	—	—	—	—	—	2	—	6	—	—	—	—	—	—	4	—	2
	F	1	—	—	—	—	—	1	—	—	—	11	—	—	—	—	—	—	6	2	3
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage, &c. ..	M	1	—	—	—	—	—	—	—	1	—	6	—	—	—	—	—	—	—	2	4
	F	3	—	—	—	—	—	—	1	1	1	7	—	—	—	—	—	—	1	3	3
16 Heart disease ..	M	5	—	—	—	—	—	—	1	3	1	15	—	—	—	—	—	2	1	6	6
	F	6	—	—	—	—	—	1	1	1	3	8	—	—	—	—	—	—	2	3	3
17 Arterio-sclerosis ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	1	2
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	3
18 Bronchitis ..	M	—	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	—	2	1	8
	F	2	—	—	—	—	—	—	—	—	2	5	—	—	—	—	—	1	1	1	2
19 Pneumonia (all forms)	M	2	1	—	—	—	—	—	1	—	—	4	1	—	—	—	—	—	—	—	3
	F	1	—	1	—	—	—	—	—	—	—	4	—	1	—	—	—	—	1	—	2
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	—	—	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
29 Suicide	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	2	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Other defined diseases	M	1	—	—	—	—	—	—	1	—	—	23	2	—	—	2	1	4	4	6	4
	F	2	—	—	—	—	—	—	—	1	1	22	—	—	—	—	—	—	4	3	15
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SALOP—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	774	79	24	20	15	25	76	215	156	164	777	83	12	21	17	18	61	162	174	229
		F	782	48	15	22	11	31	69	163	171	252	769	59	20	8	17	31	59	149	157	269
1	Enteric fever	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	8	—	5	2	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
		F	13	3	3	6	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
5	Whooping cough	M	1	1	—	—	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—	—
		F	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	2	—	—	1	—	—	—	2	—	—	1	1	—	—	—	—	—
7	Influenza	M	41	—	1	1	1	3	5	11	10	9	43	—	—	—	1	—	6	13	12	11
		F	66	—	1	1	—	3	5	16	17	23	43	—	—	—	1	2	10	12	6	12
8	Encephalitis lethargica	M	4	—	—	—	1	1	—	1	1	—	2	—	1	—	—	—	—	1	—	—
		F	1	—	1	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10	Tuberculosis of respiratory system	M	50	—	—	—	—	10	22	15	3	—	19	—	—	—	—	2	7	9	1	—
		F	40	—	—	1	—	14	18	5	2	—	35	—	—	—	—	12	11	9	3	—
11	Other tuberculous diseases	M	12	—	2	2	3	1	2	2	—	—	13	—	—	4	1	3	3	2	—	—
		F	9	—	—	1	3	3	2	—	—	—	8	1	—	—	2	2	2	—	—	1
12	Cancer, malignant disease	M	76	—	—	—	—	—	5	36	25	10	61	—	—	—	—	—	2	16	29	14
		F	84	—	—	—	—	—	7	41	20	16	84	—	—	—	—	—	7	30	26	21
13	Rheumatic fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	2	2	—	—	—	1	4	—	—	—	2	—	1	1	—	—
14	Diabetes	M	8	—	—	—	—	—	—	5	2	1	11	—	—	—	—	—	2	5	4	—
		F	4	—	—	—	—	—	1	1	2	—	9	—	—	—	—	3	—	5	1	—
15	Cerebral hæmorrhage, &c.	M	49	—	—	—	—	—	1	15	13	20	52	—	—	—	—	—	—	10	12	30
		F	62	—	—	—	—	—	1	10	22	29	61	—	—	—	—	—	1	11	18	31
16	Heart disease	M	105	—	—	—	1	1	6	40	35	22	106	—	—	—	2	—	7	15	31	51
		F	117	—	—	—	1	3	3	27	36	47	130	—	—	—	—	2	1	28	39	60
17	Arterio-sclerosis	M	27	—	—	—	—	—	1	4	8	14	35	—	—	—	—	—	2	7	9	17
		F	20	—	—	—	—	—	—	3	8	9	17	—	—	—	—	—	—	2	6	9
18	Bronchitis	M	54	11	2	—	—	—	1	10	13	17	49	6	2	1	—	—	2	5	12	21
		F	55	2	1	—	—	—	—	11	20	21	48	2	3	—	—	—	1	6	11	25
19	Pneumonia (all forms)	M	61	12	7	3	—	—	3	26	5	5	52	11	4	4	4	3	5	10	11	—
		F	43	6	4	5	1	1	7	5	3	11	46	6	5	2	1	1	4	6	10	11
20	Other respiratory diseases	M	13	1	3	—	—	—	2	4	1	2	9	—	—	—	1	—	—	4	2	2
		F	9	—	—	—	—	—	1	5	1	2	12	—	2	—	—	1	—	1	5	3
21	Ulcer of stomach or duodenum	M	8	—	—	—	—	—	4	4	—	—	2	—	—	—	—	1	1	—	—	—
		F	4	—	—	—	—	—	2	1	—	1	1	—	—	—	—	—	—	1	—	—
22	Diarrhœa, &c.	M	5	3	—	—	—	—	—	1	—	1	6	1	—	—	—	—	3	—	1	1
		F	7	2	1	2	—	—	1	1	—	—	9	4	1	1	1	1	—	—	1	—
23	Appendicitis and typhlitis	M	7	—	—	1	1	1	3	1	—	—	7	—	—	—	1	—	3	2	1	—
		F	6	—	—	—	—	—	2	3	1	—	3	—	—	—	2	—	—	1	—	—
24	Cirrhosis of liver	M	4	—	—	—	—	—	—	4	—	—	5	—	—	—	—	—	1	2	1	1
		F	3	—	—	—	—	—	—	1	—	2	3	—	—	—	—	—	—	1	1	1
25	Acute and chronic nephritis	M	30	—	—	—	—	1	4	12	6	7	21	—	—	—	1	4	—	10	4	2
		F	22	—	—	—	—	2	—	7	8	5	16	—	—	—	—	1	1	6	5	3
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	—	8	—	—	—	—	—	8	—	—	—
28	Congenital debility and malformation, premature birth	M	38	37	—	—	—	1	—	—	—	—	50	46	1	2	1	—	—	—	—	—
		F	21	21	—	—	—	—	—	—	—	—	34	33	—	—	—	1	—	—	—	—
29	Suicide	M	12	—	—	—	—	—	5	1	6	—	8	—	—	—	—	—	1	4	3	—
		F	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	1	1	2	1	—
30	Other deaths from violence	M	30	2	1	5	3	4	5	5	4	1	43	1	1	6	2	4	8	12	6	3
		F	13	—	—	2	1	—	1	1	2	6	14	1	2	—	2	2	2	1	2	2
31	Other defined diseases	M	124	11	3	6	4	2	6	14	23	55	165	14	1	2	3	1	7	30	32	75
		F	156	12	2	2	2	2	10	22	25	79	164	12	5	2	4	1	6	23	21	90
32	Causes ill-defined or unknown	M	5	1	—	—	—	—	—	3	1	—	10	1	—	—	—	—	1	4	3	1
		F	5	—	—	—	—	—	—	2	3	—	2	—	—	—	—	—	—	1	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOMERSET—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	974	99	14	12	13	33	102	231	218	252	1421	116	25	25	24	47	130	333	315	406
	F	1092	50	21	13	12	43	98	241	244	370	1399	85	20	20	24	37	140	259	314	500
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	6	2	3	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	3	—	—	1	1	—	1	—	—	—	3	—	—	—	3	—	—	—	—	—
5 Whooping cough	M	3	3	—	—	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	8	1	3	3	1	—	—	—	—	—
6 Diphtheria	M	2	—	—	—	2	—	—	—	—	—	5	—	—	3	2	—	—	—	—	—
	F	3	—	—	1	1	1	—	—	—	—	3	—	—	1	1	—	1	—	—	—
7 Influenza	M	43	1	1	1	—	2	5	12	11	10	80	4	2	—	1	7	11	20	20	15
	F	48	—	1	1	—	—	9	13	8	16	97	4	3	2	—	1	9	20	32	26
8 Encephalitis lethargica	M	5	—	—	—	—	1	2	2	—	—	2	—	—	—	—	—	1	1	—	—
	F	4	—	—	—	—	1	2	1	—	—	4	—	—	—	—	—	1	2	1	—
9 Meningococcal meningitis	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
10 Tuberculosis of respiratory system	M	62	—	—	—	—	7	32	18	4	1	67	—	—	—	2	11	35	18	1	—
	F	61	—	—	—	1	21	29	8	1	1	71	1	—	—	2	16	39	12	1	—
11 Other tuberculous diseases	M	11	1	2	1	—	4	3	—	—	—	12	2	1	2	1	2	2	2	—	—
	F	11	3	—	1	1	4	1	1	—	—	22	1	1	1	4	2	4	4	4	1
12 Cancer, malignant disease	M	103	—	—	—	—	2	5	42	38	16	130	—	—	1	1	1	6	41	47	33
	F	149	—	—	—	—	—	9	73	42	25	177	1	—	—	—	1	21	64	44	46
13 Rheumatic fever	M	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	3	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	—	2	1	1	—	—	—
14 Diabetes	M	9	—	—	—	—	—	1	1	4	3	9	—	—	—	—	—	3	1	3	2
	F	14	—	—	1	—	2	—	7	2	2	20	—	—	—	—	1	3	7	7	2
15 Cerebral hæmorrhage, &c.	M	67	—	—	—	—	—	1	15	24	27	87	—	—	—	—	—	2	30	21	34
	F	87	—	—	—	—	—	—	20	32	35	102	—	—	1	—	—	2	16	35	48
16 Heart disease	M	145	—	—	—	—	1	11	41	43	49	237	—	—	—	1	1	9	64	89	73
	F	174	—	—	—	—	—	5	41	58	70	234	—	—	—	—	2	10	45	83	94
17 Arterio-sclerosis	M	47	—	—	—	—	—	—	15	16	16	48	—	—	—	—	—	1	12	14	21
	F	33	—	—	—	—	—	—	2	10	21	39	—	—	—	—	—	—	3	14	22
18 Bronchitis	M	59	6	—	1	—	—	—	7	12	33	113	9	2	1	—	—	2	13	30	56
	F	83	2	5	1	—	—	1	14	14	46	88	4	2	2	—	—	2	3	16	59
19 Pneumonia (all forms)	M	51	9	6	1	—	1	7	12	6	9	72	8	7	3	1	3	7	20	13	10
	F	53	6	7	3	1	1	7	7	7	14	67	14	6	2	2	—	5	10	11	17
20 Other respiratory diseases	M	15	—	1	—	—	—	3	5	5	1	17	1	1	—	1	—	1	9	—	4
	F	11	—	—	—	1	1	2	3	—	4	11	1	—	—	—	—	—	2	4	4
21 Ulcer of stomach or duodenum	M	9	—	—	—	—	—	3	5	1	—	10	—	—	—	—	1	4	3	1	1
	F	2	—	—	—	—	1	—	—	—	1	2	—	—	—	—	1	—	—	1	—
22 Diarrhœa, &c.	M	8	5	—	—	—	—	1	—	—	2	10	4	4	—	—	—	—	2	—	—
	F	8	2	2	1	—	—	—	1	1	1	15	5	—	—	—	1	3	1	—	5
23 Appendicitis and typhlitis	M	6	—	—	—	1	2	—	3	—	—	12	—	—	1	1	1	4	2	3	—
	F	8	—	—	—	1	1	4	1	1	—	8	—	—	1	2	1	1	—	3	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	1	2	—	1	9	—	—	—	—	—	4	3	2	—
	F	5	—	—	—	—	—	—	3	1	1	3	—	—	—	—	—	—	1	1	1
25 Acute and chronic nephritis	M	29	2	1	—	1	—	1	10	8	6	45	—	1	1	1	1	4	15	10	12
	F	29	1	—	—	—	1	7	5	11	4	39	—	—	—	—	—	2	15	12	10
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	12	—	—	—	—	2	10	—	—	—
28 Congenital debility and malformation, premature birth	M	51	51	—	—	—	—	—	—	—	—	66	65	—	1	—	—	—	—	—	—
	F	23	21	1	1	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	—	3	5	—	—	17	—	—	—	—	—	3	12	1	1
	F	7	—	—	—	—	—	1	5	1	—	3	—	—	—	—	—	2	—	1	—
30 Other deaths from violence	M	38	3	1	3	3	3	7	9	7	2	49	1	1	3	2	5	9	14	6	8
	F	19	2	—	1	—	2	—	3	6	5	28	4	2	2	4	1	3	2	5	5
31 Other defined diseases	M	192	17	2	4	6	7	15	26	39	76	305	21	2	7	9	11	19	47	53	136
	F	239	11	1	—	4	5	12	33	49	124	296	14	2	4	2	6	18	51	39	160
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	5	—	1	—	—	—	—	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOUTHAMPTON—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1017	132	27	23	20	25	110	266	190	224	1262	122	19	20	27	49	127	270	286	342
	F	966	81	21	23	24	31	107	212	190	277	1309	91	22	24	39	37	141	289	269	397
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—	—
	F	3	—	—	—	—	1	1	—	—	1	2	—	—	—	—	—	2	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	4	3	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	7	1	2	3	—	1	—	—	—	—	3	—	1	—	2	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	4	—	—	1	2	—	1	—	—	—
5 Whooping cough	M	10	5	4	1	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
	F	9	3	4	2	—	—	—	—	—	—	8	3	2	1	2	—	—	—	—	—
6 Diphtheria	M	6	—	—	4	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	10	—	—	5	5	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
7 Influenza	M	43	1	1	1	—	2	6	8	11	13	48	2	1	2	1	3	7	8	13	11
	F	50	1	—	2	4	—	8	11	11	13	61	2	1	2	2	—	7	14	15	18
8 Encephalitis lethargica	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	6	—	—	—	1	2	1	1	1	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	76	1	—	—	1	6	38	27	3	—	84	—	—	—	2	15	46	19	2	—
	F	68	—	—	—	5	15	35	11	2	—	73	—	—	—	5	13	42	9	2	2
11 Other tuberculous diseases	M	18	1	4	3	4	2	3	1	—	—	18	2	1	3	6	1	4	1	—	—
	F	9	—	2	—	2	—	2	3	—	—	28	5	2	2	6	3	6	2	2	—
12 Cancer, malignant disease	M	112	—	—	—	—	—	7	51	37	17	154	—	—	—	—	1	9	59	58	27
	F	131	—	—	—	—	1	15	66	32	17	171	1	—	1	—	—	10	68	60	31
13 Rheumatic fever	M	2	—	—	—	—	—	1	1	—	—	2	—	—	—	1	—	—	1	—	—
	F	4	—	—	—	1	1	1	1	—	—	5	—	—	—	2	1	1	—	—	1
14 Diabetes	M	8	—	—	—	—	—	1	3	2	2	11	—	—	—	1	—	—	4	2	4
	F	10	—	—	—	—	—	1	6	2	1	16	—	—	—	—	2	—	5	3	6
15 Cerebral hæmorrhage, &c.	M	65	1	—	—	—	—	1	19	24	20	57	—	—	—	—	—	3	15	22	17
	F	73	—	—	—	—	—	1	15	27	30	95	—	1	1	—	—	3	32	21	37
16 Heart disease	M	127		—	1	1	2	9	36	34	44	205	—	—	—	2	1	11	41	78	72
	F	153	—	—	—	—	4	5	43	53	48	230	—	—	—	1	1	8	55	71	94
17 Arterio-sclerosis	M	30	—	—	—	—	—	—	5	11	14	48	—	—	—	—	—	2	10	15	21
	F	27	—	—	—	—	—	—	4	8	15	56	—	—	—	—	—	—	4	19	33
18 Bronchitis	M	59	7	1	—	—	—	3	9	15	24	75	6	—	—	—	—	2	7	18	42
	F	61	4	—	—	—	—	—	4	13	40	75	4	1	2	—	—	—	9	20	39
19 Pneumonia (all forms)	M	64	15	9	6	2	—	6	17	7	2	66	12	9	3	—	3	8	10	10	11
	F	43	12	6	6	—	—	5	4	5	5	52	6	6	5	1	1	7	10	7	9
20 Other respiratory diseases	M	12	1	1	1	—	—	2	4	—	3	29	2	—	—	—	2	1	8	2	14
	F	14	2	—	—	—	—	—	3	2	7	8	—	—	1	—	1	—	1	1	4
21 Ulcer of stomach or duodenum	M	7	—	—	—	—	—	2	3	2	—	7	—	—	—	—	—	1	4	1	1
	F	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	1	1	3	1	1
22 Diarrhœa, &c.	M	7	7	—	—	—	—	—	—	—	—	17	9	—	3	—	—	—	1	1	3
	F	9	5	—	1	1	—	—	—	1	1	6	2	—	—	—	—	—	1	1	2
23 Appendicitis and typhlitis	M	12	—	—	1	2	—	2	7	—	—	9	—	—	—	2	2	1	3	1	—
	F	5	—	—	—	—	1	2	1	1	—	7	—	—	—	—	1	2	1	2	1
24 Cirrhosis of liver	M	5	—	—	—	—	—	1	2	—	2	7	—	—	—	—	—	1	2	1	3
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	3	1	—
25 Acute and chronic nephritis	M	39	1	—		—	2	3	12	15	6	42	—	—	—	—	2	—	17	12	11
	F	26	—	—	—	—	1	4	7	8	6	29	—	2	—	—	—	4	9	4	10
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	3	4	1	—	—	4	—	—	—	—	2	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	14	—	—	—	—	1	13	—	—	—
28 Congenital debility and malformation, premature birth	M	64	62	—	1	1	—	—	—	—	—	66	62	2	2	—	—	—	—	—	—
	F	43	41	—	—	1	1	—	—	—	—	54	51	—	1	—	—	1	1	—	—
29 Suicide	M	13	—	—	—	—	1	4	7	1	—	8	—	—	—	—	2	4	—	2	—
	F	1	—	—	—	—	—	1	—	—	—	12	—	—	—	—	—	2	7	3	—
30 Other deaths from violence	M	25	3	—	1	—	1	8	7	2	3	36	—	2	2	5	6	9	10	2	—
	F	19	3	1	1	1	1	2	4	1	5	25	3	—	—	6	2	1	7	3	3
31 Other defined diseases	M	197	22	4	1	5	8	13	45	25	74	252	24	2	3	5	10	16	45	43	104
	F	174	9	6	1	3	1	17	27	23	87	246	13	6	5	8	6	26	45	31	106
32 Causes ill-defined or unknown	M	4	—	—	1	—	—	—	2	1	—	9	—	1	—	—	—	—	4	3	1
	F	2	—	—	—	—	—	—	—	1	1	5	1	—	—	—	—	1	2	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of STAFFORD—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	3109	532	147	124	103	135	336	698	581	453	1223	169	37	33	33	47	99	277	266	262
	F	2758	404	103	103	99	130	304	541	520	554	1148	128	27	25	26	48	123	257	209	305
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	25	4	11	10	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—	—
	F	13	1	4	7	1	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
4 Scarlet fever	M	7	—	—	1	4	—	1	1	—	—	2	—	—	1	1	—	—	—	—	—
	F	9	1	1	6	1	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
5 Whooping cough	M	20	9	9	2	—	—	—	—	—	—	8	7	1	—	—	—	—	—	—	—
	F	25	10	7	7	1	—	—	—	—	—	7	4	2	1	—	—	—	—	—	—
6 Diphtheria	M	18	—	—	10	8	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	13	—	1	5	5	1	1	—	—	—	4	—	—	2	1	—	—	1	—	—
7 Influenza	M	163	15	12	8	8	13	18	46	27	16	56	6	1	2	—	1	6	15	13	12
	F	140	12	4	11	6	3	20	30	29	25	68	3	1	1	3	1	9	20	14	16
8 Encephalitis lethargica	M	12	—	—	2	3	3	2	1	1	—	2	—	—	1	1	—	—	—	—	—
	F	9	1	—	—	2	—	4	2	—	—	4	—	—	—	—	2	—	2	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	199	1	3	2	5	36	95	46	10	1	62	—	—	1	1	8	28	21	3	—
	F	175	—	—	1	12	50	76	31	4	1	61	1	—	—	2	20	24	9	5	—
11 Other tuberculous diseases	M	61	10	9	17	7	6	6	4	2	—	24	2	6	2	3	5	—	4	2	—
	F	51	7	6	7	11	8	7	3	1	1	18	1	3	3	2	3	3	3	—	—
12 Cancer, malignant disease	M	265	—	—	1	3	4	18	133	82	24	106	—	—	—	—	—	5	46	35	20
	F	243	—	—	—	—	—	25	120	69	29	125	—	1	—	1	—	11	52	43	17
13 Rheumatic fever	M	3	—	—	—	1	1	—	1	—	—	8	—	—	2	4	1	—	—	1	—
	F	11	—	—	1	2	3	3	2	—	—	5	—	—	—	2	1	1	—	1	—
14 Diabetes	M	31	—	—	—	—	1	5	14	10	1	10	—	—	—	—	3	1	3	3	—
	F	23	—	—	—	—	2	2	11	7	1	18	—	—	—	—	2	2	4	3	7
15 Cerebral hæmorrhage, &c.	M	165	—	—	—	2	—	3	49	69	42	66	—	—	—	—	—	1	13	27	25
	F	182	—	—	—	—	1	6	57	64	54	74	—	—	—	—	—	—	26	24	24
16 Heart disease	M	282	—	—	2	5	6	28	93	81	67	178	—	—	1	—	7	10	48	63	49
	F	339	—	—	1	11	13	31	94	110	79	169	—	—	—	—	1	12	49	51	56
17 Arterio-sclerosis	M	69	—	—	—	—	—	—	8	32	29	61	—	—	—	—	—	—	11	22	28
	F	39	—	—	—	—	—	—	4	13	22	36	—	—	—	—	—	—	3	7	26
18 Bronchitis	M	284	48	15	4	2	—	12	49	78	76	86	11	2	—	—	—	3	12	26	32
	F	245	37	5	7	—	1	4	32	75	84	72	10	4	1	—	—	3	11	14	29
19 Pneumonia (all forms)	M	370	103	58	26	11	11	50	66	33	12	89	24	11	8	2	4	6	17	11	6
	F	252	61	51	30	13	8	27	26	18	18	77	19	7	4	3	2	12	17	7	6
20 Other respiratory diseases	M	37	6	4	4	2	3	4	5	6	3	17	1	1	2	—	—	2	5	5	1
	F	38	5	2	1	2	—	7	6	10	5	9	—	—	—	—	—	1	3	3	2
21 Ulcer of stomach or duodenum	M	26	—	—	—	—	2	10	9	3	2	10	—	—	—	—	—	2	7	—	1
	F	7	—	—	—	—	—	3	2	1	1	4	—	—	—	—	1	1	1	—	1
22 Diarrhœa, &c.	M	57	42	6	2	—	—	1	3	1	2	21	12	1	1	—	—	1	1	3	2
	F	44	24	8	4	2	—	1	1	2	2	17	9	1	2	—	1	1	1	1	1
23 Appendicitis and typhlitis	M	18	—	—	1	4	7	4	1	1	—	15	—	1	—	4	2	2	6	—	—
	F	25	—	—	—	5	5	7	7	1	—	9	—	—	—	3	2	1	2	1	—
24 Cirrhosis of liver	M	18	—	—	—	—	—	1	10	7	—	3	—	—	—	—	—	—	2	1	—
	F	10	—	—	—	—	—	—	5	4	1	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis	M	60	—	1	1	2	1	10	25	17	3	24	—	—	1	—	1	1	8	8	5
	F	54	—	2	1	3	4	8	24	7	5	21	—	—	—	—	1	2	7	7	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	2	9	—	—	—	4	—	—	—	—	2	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	18	—	—	—	—	6	12	—	—	—	10	—	—	—	—	1	9	—	—	—
28 Congenital debility and malformation, premature birth	M	218	217	—	—	1	—	—	—	—	—	89	85	2	1	—	1	—	—	—	—
	F	185	182	—	3	—	—	—	—	—	—	59	59	—	—	—	—	—	—	—	—
29 Suicide	M	32	—	—	—	—	2	4	18	7	1	20	—	—	—	—	1	7	7	2	3
	F	10	—	—	—	—	2	5	1	2	—	6	—	—	—	—	1	3	2	—	—
30 Other deaths from violence	M	124	3	4	12	17	16	24	31	10	7	56	3	3	3	6	7	12	15	4	3
	F	52	9	1	3	5	3	4	6	5	16	29	2	2	7	2	4	3	2	2	5
31 Other defined diseases	M	531	71	13	16	18	23	37	84	104	165	200	15	7	5	9	6	12	35	36	75
	F	523	52	10	8	17	16	41	74	97	208	228	18	3	3	5	3	23	38	25	110
32 Causes ill-defined or unknown	M	12	2	2	3	—	—	2	1	—	2	3	1	1	—	—	—	—	1	—	—
	F	8	2	1	—	—	—	1	1	1	2	5	1	1	—	—	—	—	2	—	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUFFOLK, EAST—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	517	59	15	14	8	25	62	112	113	109	754	70	9	15	11	28	74	135	173	239
	F	476	40	9	11	8	18	46	91	96	157	683	52	5	13	14	27	53	119	149	251
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	3	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	5	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
7 Influenza	M	10	—	—	—	—	—	1	5	3	1	18	1	—	1	—	1	3	7	4	1
	F	8	—	—	—	—	—	2	1	2	3	12	3	—	—	—	—	2	1	2	4
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	36	—	—	—	1	8	20	6	1	—	52	—	—	—	1	10	27	10	3	1
	F	28	—	—	—	—	6	11	8	3	—	47	—	—	—	4	13	18	8	4	—
11 Other tuberculous diseases	M	15	1	2	4	1	2	2	1	2	—	7	—	—	2	—	2	2	1	—	—
	F	9	—	1	1	1	2	2	1	1	—	13	1	—	2	1	2	1	2	4	—
12 Cancer, malignant disease	M	41	—	—	—	—	—	3	12	20	6	68	—	—	—	1	—	2	23	23	19
	F	74	—	—	—	—	—	10	37	15	12	85	—	—	1	—	—	3	30	27	24
13 Rheumatic fever	M	2	—	—	1	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1
14 Diabetes	M	7	—	—	—	—	1	1	2	1	2	10	—	1	—	—	—	2	4	3	—
	F	9	—	—	—	—	—	—	6	2	1	11	—	—	—	—	—	2	3	5	1
15 Cerebral hæmorrhage, &c.	M	32	—	—	—	—	1	—	7	15	9	53	—	—	—	—	—	2	8	15	28
	F	28	—	—	—	—	—	—	4	11	13	53	—	—	—	—	—	1	1	15	36
16 Heart disease	M	72	—	—	—	—	—	5	19	28	20	113	—	—	—	—	2	5	20	45	41
	F	64	—	—	—	—	3	—	10	23	28	115	—	—	—	3	2	5	23	36	46
17 Arterio-sclerosis	M	20	—	—	—	—	—	—	8	5	7	27	—	—	—	—	—	—	5	5	17
	F	13	—	—	—	—	—	—	3	3	7	17	—	—	—	—	—	—	—	5	12
18 Bronchitis	M	32	3	1	—	—	—	4	5	5	14	54	5	—	—	1	—	—	3	16	29
	F	45	5	1	—	—	—	—	3	10	26	51	4	1	—	—	—	—	—	18	28
19 Pneumonia (all forms)	M	25	6	1	2	—	2	2	6	4	2	39	4	3	2	2	1	2	11	6	8
	F	18	3	4	2	1	1	—	3	1	3	32	6	1	3	—	3	3	4	4	8
20 Other respiratory diseases	M	6	—	—	—	—	1	—	3	2	—	12	2	—	—	—	1	2	—	3	4
	F	6	—	—	—	—	—	—	2	2	2	4	—	—	—	—	1	—	1	2	—
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	2	2	—	1
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	5	4	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	7	1	—	—	—	—	—	2	—	4
23 Appendicitis and typhlitis	M	3	—	—	1	—	1	1	—	—	—	3	—	—	—	—	—	—	3	—	—
	F	2	—	—	—	—	—	1	—	—	1	4	—	—	—	1	—	—	2	1	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2
25 Acute and chronic nephritis	M	13	—	—	1	1	—	1	4	4	2	14	—	—	—	1	—	1	7	4	1
	F	10	—	—	1	—	—	1	4	2	2	12	—	—	—	—	—	2	4	4	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth	M	31	30	1	—	—	—	—	—	—	—	42	41	—	1	—	—	—	—	—	—
	F	23	23	—	—	—	—	—	—	—	—	30	29	1	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	3	4	—	—	12	—	—	—	—	—	3	7	2	—
	F	7	—	—	—	—	1	2	3	1	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence	M	16	1	1	—	—	2	7	4	1	—	24	2	1	3	2	2	5	3	5	1
	F	9	1	1	1	—	1	1	—	1	3	9	—	1	3	1	—	—	1	1	2
31 Other defined diseases	M	126	11	4	2	4	6	11	24	19	45	185	14	2	5	1	6	15	18	36	88
	F	106	8	—	3	1	3	12	6	18	55	149	6	1	1	2	2	7	30	20	80
32 Causes ill-defined or unknown	M	2	—	—	—	—	—	1	—	—	1	6	—	—	—	—	1	—	3	2	—
	F	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	3	1	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUFFOLK, WEST—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	247	19	3	3	5	13	28	54	63	59	415	32	3	6	9	10	36	81	83	155
	F	233	14	1	1	3	6	26	43	59	80	427	15	4	6	4	11	28	91	92	176
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	4	2	—	1	—	—	1	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	5	—	—	—	—	1	1	1	2	—	4	—	—	—	—	—	—	2	1	1
	F	7	—	—	1	—	—	1	3	2	—	8	—	—	—	1	—	1	2	2	2
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	21	—	—	—	1	6	9	3	2	—	27	—	—	—	—	7	11	6	3	—
	F	15	—	—	—	—	3	8	1	2	1	17	—	—	—	—	6	8	2	—	1
11 Other tuberculous diseases	M	2	—	—	1	—	—	1	—	—	—	4	1	—	—	—	1	1	1	—	—
	F	4	2	—	—	1	—	1	—	—	—	4	—	—	—	—	2	—	—	2	—
12 Cancer, malignant disease	M	27	—	—	—	—	—	3	3	11	10	61	—	—	1	—	—	5	24	18	13
	F	36	—	—	—	—	—	3	16	10	7	56	—	—	—	—	—	4	25	14	13
13 Rheumatic fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	—	1	2	—
	F	2	—	—	—	—	1	—	1	—	—	4	—	—	—	—	—	—	4	—	—
15 Cerebral hæmorrhage, &c.	M	19	—	—	—	—	—	—	7	7	5	26	—	—	—	—	—	—	6	5	15
	F	21	—	—	—	—	—	1	5	5	10	33	—	—	—	—	—	1	10	7	15
16 Heart disease	M	34	—	—	—	1	1	2	8	17	5	69	—	—	—	—	—	4	8	20	37
	F	38	—	—	—	—	—	4	8	14	12	84	—	—	—	—	—	2	22	26	34
17 Arterio-sclerosis	M	8	—	—	—	—	—	—	2	—	6	14	—	—	—	—	—	—	1	3	10
	F	7	—	—	—	—	—	—	—	2	5	17	—	—	—	—	—	—	—	4	13
18 Bronchitis	M	17	—	—	—	—	—	1	2	5	9	32	—	—	—	—	—	—	2	4	26
	F	16	1	—	—	—	—	—	2	4	9	37	—	—	—	1	—	—	3	10	23
19 Pneumonia (all forms)	M	7	—	1	—	—	—	—	4	2	—	12	2	1	1	2	—	1	2	—	3
	F	7	1	—	—	—	—	1	—	4	1	18	4	1	1	1	—	1	2	4	4
20 Other respiratory diseases	M	4	—	—	—	—	—	—	—	2	2	3	—	—	—	—	—	—	1	—	2
	F	4	—	—	—	—	—	—	—	2	2	2	—	—	—	—	—	—	1	—	1
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	—	—	1	—	2	—	3	—	—	—	—	—	1	—	1	1
22 Diarrhœa, &c.	M	2	2	—	—	—	—	—	—	—	—	6	4	—	—	—	—	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	5	2	1	1	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	1	1	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	—	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	—	1
25 Acute and chronic nephritis	M	9	—	—	—	1	—	1	3	2	2	16	—	—	—	1	—	1	3	9	2
	F	4	—	—	—	—	—	—	3	1	—	9	—	—	—	—	—	—	3	2	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	15	15	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
	F	9	8	—	—	—	—	—	1	—	—	6	6	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	2	1	—	—	3	—	—	—	—	—	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
30 Other deaths from violence	M	8	—	1	—	—	—	3	3	—	1	17	1	—	3	1	1	3	4	—	4
	F	5	—	—	—	1	—	—	—	2	2	8	—	—	1	—	—	—	3	1	3
31 Other defined diseases	M	54	1	—	1	2	4	2	12	13	19	80	3	2	—	4	—	2	12	17	40
	F	47	—	—	—	1	2	3	3	7	31	101	2	2	3	1	2	6	10	16	59
32 Causes ill-defined or unknown	M	1	—	—	—	—	1	—	—	—	—	6	—	—	—	—	—	1	4	—	1
	F	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	1	2	2

Table 20—*contd.*

Causes of Death at Different Periods of Life in the Administrative County of Surrey—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	2962	266	56	58	78	112	271	799	674	648	910	76	18	17	19	34	88	207	208	243
	F	3213	201	49	45	73	119	325	746	641	1014	821	43	13	9	17	35	82	213	152	257
1 Enteric fever ..	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	—	4	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	30	8	10	9	3	—	—	—	—	—	8	3	4	1	—	—	—	—	—	—
	F	17	8	4	3	2	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
4 Scarlet fever ..	M	7	—	2	3	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	5	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	12	8	4	—	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
	F	14	9	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	19	1	—	8	7	2	1	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	15	1	—	4	9	—	1	—	—	—	11	—	3	2	3	2	1	—	—	—
7 Influenza	M	92	7	—	1	1	4	14	31	19	15	51	4	1	2	—	1	6	9	14	14
	F	148	2	1	2	2	4	19	36	25	57	63	2	2	—	1	3	8	15	11	21
8 Encephalitis lethargica ..	M	8	—	—	1	—	2	1	3	1	—	7	—	2	2	1	—	—	2	—	—
	F	13	—	1	—	2	—	5	4	1	—	4	—	2	—	—	—	2	—	—	—
9 Meningococcal meningitis ..	M	8	1	—	2	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	212	1	1	1	5	36	67	86	12	3	52	—	—	—	1	6	27	14	4	—
	F	179	—	—	1	6	50	66	43	11	2	36	—	—	1	1	9	19	6	—	—
11 Other tuberculous diseases	M	45	7	4	5	7	9	7	6	—	—	13	2	2	2	2	—	2	1	1	1
	F	49	4	5	4	11	3	14	4	2	2	10	—	—	2	—	4	1	2	—	1
12 Cancer, malignant disease	M	359	—	—	1	—	2	15	137	128	76	111	—	—	—	1	2	7	40	31	30
	F	475	—	—	—	1	5	44	204	130	91	134	—	—	—	—	—	6	73	32	23
13 Rheumatic fever ..	M	6	—	—	1	2	2	1	—	—	—	3	—	—	1	1	1	—	—	—	—
	F	5	—	—	1	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	23	—	—	—	1	—	—	11	8	3	8	—	—	—	—	1	—	5	2	—
	F	47	—	1	—	1	—	1	18	15	11	11	—	—	—	—	—	3	3	3	2
15 Cerebral hæmorrhage, &c. ..	M	152	—	—	—	—	2	3	37	60	50	43	—	—	—	—	—	2	11	11	19
	F	186	—	—	—	—	1	7	43	56	79	51	—	—	—	—	—	—	13	11	27
16 Heart disease ..	M	417	—	—	—	5	8	30	129	140	105	132	—	—	—	—	—	8	34	45	45
	F	448	—	—	1	5	11	28	120	140	143	119	—	—	—	1	1	4	29	33	51
17 Arterio-sclerosis ..	M	184	—	—	—	—	—	4	35	60	85	63	—	—	—	—	—	1	13	19	30
	F	177	—	—	—	—	—	1	15	48	113	41	—	—	—	—	—	—	4	11	26
18 Bronchitis ..	M	187	15	2	—	1	—	4	30	58	77	49	1	—	—	—	1	1	10	12	24
	F	245	9	4	1	1	1	2	26	50	151	47	1	—	—	—	—	—	3	12	31
19 Pneumonia (all forms)	M	186	31	16	7	4	4	22	49	31	22	68	14	6	1	1	3	1	14	14	14
	F	184	39	14	10	6	5	13	26	34	37	44	7	3	1	2	2	3	11	4	11
20 Other respiratory diseases	M	46	3	1	—	2	—	10	12	14	4	9	1	—	—	—	—	2	2	3	1
	F	40	—	1	1	1	3	3	12	10	9	9	—	—	1	—	—	—	2	4	2
21 Ulcer of stomach or duodenum ..	M	41	—	—	—	—	1	12	20	5	3	12	—	—	—	—	1	—	6	2	3
	F	15	—	—	—	—	2	1	10	2	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c. ..	M	27	10	5	—	—	—	—	5	1	6	10	3	—	—	1	1	—	1	4	—
	F	29	11	1	—	1	—	1	8	1	6	5	—	1	—	—	—	—	2	—	2
23 Appendicitis and typhlitis.. ..	M	21	—	—	2	4	6	—	3	5	1	10	—	—	—	3	4	1	1	1	—
	F	21	—	—	—	4	4	7	4	1	1	7	—	—	—	2	—	—	3	2	—
24 Cirrhosis of liver ..	M	15	—	—	—	—	—	1	9	5	—	4	—	—	—	—	—	—	3	1	—
	F	11	—	—	—	—	—	2	6	3	—	4	—	—	—	—	—	—	3	1	—
25 Acute and chronic nephritis ..	M	88	—	—	1	2	1	6	41	18	19	29	—	—	—	—	—	4	6	8	11
	F	63	—	1	1	—	1	6	24	12	18	21	—	—	—	—	—	5	8	4	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	—	11	—	—	—	5	—	—	—	—	3	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	5	8	—	—	—	11	—	—	—	—	3	8	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	126	124	—	1	1	—	—	—	—	—	34	33	—	—	—	—	1	—	—	—
	F	84	81	—	1	1	—	—	1	—	—	23	23	—	—	—	—	—	—	—	—
29 Suicide	M	36	—	—	—	—	2	11	12	9	2	7	—	—	—	—	1	1	3	2	—
	F	25	—	—	—	—	3	12	10	—	—	6	—	—	—	—	1	2	3	—	—
30 Other deaths from violence.. ..	M	101	5	2	2	14	11	25	27	8	7	39	1	1	4	3	5	11	9	4	1
	F	63	3	2	4	3	2	12	14	7	16	8	—	1	—	1	—	1	2	—	3
31 Other defined diseases	M	508	43	9	13	16	17	35	114	91	170	143	14	—	1	5	7	13	23	30	50
	F	620	33	10	7	15	14	59	111	93	278	143	9	—	1	5	6	17	28	24	53
32 Causes ill-defined or unknown ..	M	4	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, EAST—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	703	58	9	11	10	18	56	173	183	185	743	49	9	11	14	23	76	145	194	222
	F	849	27	10	8	15	24	69	200	180	316	750	41	4	7	14	29	58	193	175	229
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	3	3	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	37	—	2	2	—	2	2	8	5	16	34	—	1	1	—	3	3	9	10	7
	F	45	1	—	—	1	2	5	12	13	11	25	1	—	—	2	2	5	6	4	5
8 Encephalitis lethargica	M	4	—	—	—	2	—	—	—	2	—	2	—	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	46	—	—	3	—	6	19	16	2	—	49	—	—	1	—	11	24	9	3	1
	F	43	—	—	—	—	8	22	12	1	—	43	—	—	—	2	10	18	12	—	1
11 Other tuberculous diseases	M	6	—	3	—	—	—	1	—	1	1	13	—	1	1	4	1	4	2	—	—
	F	13	1	1	1	4	2	1	2	1	—	11	—	—	1	5	—	2	3	—	—
12 Cancer, malignant disease	M	90	—	—	—	—	1	3	33	38	15	81	—	1	—	—	—	2	24	28	26
	F	161	—	—	—	—	—	5	56	45	55	115	—	—	—	1	1	1	52	39	21
13 Rheumatic fever	M	4	—	—	1	1	1	—	1	—	—	2	—	—	—	1	—	—	1	—	—
	F	2	—	—	—	—	1	—	—	1	—	4	—	—	—	1	1	—	2	—	—
14 Diabetes	M	10	—	—	—	—	—	—	3	4	3	5	—	—	—	—	—	2	—	2	1
	F	10	—	—	—	—	1	—	4	3	2	8	—	—	—	1	—	—	3	2	2
15 Cerebral hæmorrhage, &c.	M	33	—	—	—	—	—	1	10	13	9	49	—	—	—	—	—	3	10	17	19
	F	65	—	—	—	—	—	—	17	13	35	73	—	—	—	—	—	1	21	16	35
16 Heart disease	M	94	—	—	—	—	2	5	20	38	29	115	—	—	—	1	—	4	28	50	32
	F	111	—	—	—	—	—	8	17	31	55	145	—	—	—	—	3	5	28	56	53
17 Arterio-sclerosis	M	39	—	—	—	—	—	1	3	12	23	25	—	—	—	—	—	—	4	5	16
	F	42	—	—	—	—	—	—	5	10	27	26	—	—	—	—	—	—	3	9	14
18 Bronchitis	M	31	1	—	1	—	—	—	4	6	19	47	—	—	1	—	—	—	4	11	31
	F	46	1	1	—	—	—	—	7	9	28	41	2	—	—	—	—	—	3	11	25
19 Pneumonia (all forms)	M	55	13	3	1	—	—	4	15	10	9	30	8	3	—	—	2	4	4	5	4
	F	37	3	2	2	—	—	1	10	11	8	30	6	2	2	1	2	1	9	4	3
20 Other respiratory diseases	M	15	—	—	1	—	—	3	5	4	2	9	—	—	—	—	—	—	2	2	5
	F	8	—	—	—	—	—	1	3	1	3	7	—	—	—	—	—	—	2	1	4
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	—	2	1	1	2	—	—	—	—	—	1	—	1	—
	F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c.	M	5	2	—	—	—	—	—	2	1	—	10	3	—	1	1	—	1	1	1	2
	F	5	—	1	—	—	—	—	2	2	—	7	—	—	—	—	1	3	1	—	2
23 Appendicitis and typhlitis	M	5	—	—	—	—	—	1	3	1	—	8	—	—	—	2	—	1	2	3	—
	F	7	—	—	1	1	—	1	3	—	1	5	—	—	—	—	1	2	2	—	—
24 Cirrhosis of liver	M	7	—	—	—	—	—	—	7	—	—	3	—	—	—	—	—	—	1	1	1
	F	8	—	—	—	—	—	—	5	1	2	4	—	—	—	—	—	—	3	—	1
25 Acute and chronic nephritis	M	21	—	—	—	—	1	1	8	7	4	18	—	—	1	—	—	1	5	9	2
	F	33	—	—	—	1	1	3	10	10	8	18	—	—	—	—	1	—	6	7	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth	M	25	24	—	—	1	—	—	—	—	—	33	33	—	—	—	—	—	—	—	—
	F	16	16	—	—	—	—	—	—	—	—	24	23	—	—	—	1	—	—	—	—
29 Suicide	M	13	—	—	—	—	—	4	6	3	—	8	—	—	—	—	—	2	1	3	2
	F	5	—	—	—	—	2	—	2	1	—	4	—	—	—	—	1	—	2	1	—
30 Other deaths from violence	M	24	1	—	—	3	4	3	5	4	4	34	—	—	1	4	2	9	11	3	4
	F	24	—	1	—	3	2	2	3	3	10	9	—	1	—	—	—	1	1	3	3
31 Other defined diseases	M	129	13	1	2	2	1	7	22	31	50	157	4	—	4	—	4	13	26	37	69
	F	154	4	4	3	5	5	12	27	23	71	137	9	—	2	—	3	13	32	22	56
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	5	—	1	—	—	—	1	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, WEST—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	553	35	13	6	8	11	47	158	114	161	583	41	6	10	14	27	57	123	112	193
		F	694	24	6	7	9	10	50	154	181	253	512	22	12	9	9	18	39	102	117	184
1	Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	5	—	2	1	2	—	—	—	—	—	4	1	—	2	1	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—	4	—	3	—	1	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6	Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	29	1	1	1	1	—	6	8	9	2	24	—	—	—	1	—	1	6	8	8
		F	29	1	—	—	—	—	3	11	9	5	40	1	3	—	1	2	3	12	6	12
8	Encephalitis lethargica ..	M	1	—	—	—	—	—	—	—	1	—	3	—	1	1	—	—	—	1	—	—
		F	2	—	—	1	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
9	Meningococcal meningitis ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	30	—	—	—	—	5	14	11	—	—	35	—	—	—	—	3	20	9	1	2
		F	36	—	—	—	—	4	21	7	3	1	26	—	1	—	—	6	14	5	—	—
11	Other tuberculous diseases	M	4	—	1	1	—	1	—	1	—	—	6	—	—	1	1	1	2	1	—	—
		F	7	1	—	2	—	—	—	2	2	—	5	1	1	1	—	—	—	—	2	—
12	Cancer, malignant disease	M	93	—	—	—	—	—	4	34	38	17	70	—	—	—	—	—	2	28	23	17
		F	115	—	—	—	1	—	3	48	37	26	53	—	—	—	—	—	2	23	13	15
13	Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	1	—	—	—	—
14	Diabetes	M	4	—	—	—	—	—	—	4	—	—	3	—	—	—	—	—	1	—	2	—
		F	7	—	—	—	1	—	1	2	1	2	7	—	—	—	1	1	—	3	2	—
15	Cerebral hæmorrhage, &c. ..	M	33	—	—	—	—	—	1	4	12	16	37	—	1	—	—	—	1	9	6	20
		F	63	—	—	—	—	—	1	13	23	26	36	1	—	—	—	—	—	6	12	17
16	Heart disease ..	M	78	—	—	—	—	—	1	24	20	33	89	—	—	—	2	2	7	17	24	37
		F	120	—	—	—	—	2	3	19	38	58	83	—	—	—	1	—	1	12	30	39
17	Arterio-sclerosis ..	M	22	—	—	—	—	—	—	—	6	16	23	—	—	—	—	—	—	4	8	11
		F	27	—	—	—	—	—	—	3	7	17	24	—	—	—	—	—	—	1	9	14
18	Bronchitis ..	M	31	3	2	—	—	—	1	5	5	15	26	2	—	1	—	1	—	2	5	15
		F	58	—	2	1	—	—	—	9	13	33	39	1	—	—	1	—	1	3	11	22
19	Pneumonia (all forms)	M	37	6	5	1	2	1	4	6	6	6	22	3	3	1	1	1	6	6	1	—
		F	28	2	—	—	3	1	1	4	6	11	16	1	1	2	—	—	3	3	5	1
20	Other respiratory diseases	M	9	—	1	—	—	—	1	3	—	4	7	—	—	—	—	—	—	2	1	4
		F	17	—	—	—	—	—	2	6	5	4	12	—	2	—	—	—	2	—	4	4
21	Ulcer of stomach or duodenum ..	M	3	—	—	—	1	—	2	—	—	—	2	—	—	—	—	—	1	1	—	—
		F	3	—	—	—	—	—	—	2	—	1	2	—	—	—	—	1	1	—	—	—
22	Diarrhœa, &c. ..	M	5	3	—	—	—	—	—	1	—	1	5	3	—	—	—	—	—	1	—	1
		F	1	—	—	—	—	—	—	—	1	—	4	—	—	—	2	—	—	—	2	—
23	Appendicitis and typhlitis.. ..	M	2	—	—	1	—	—	—	1	—	—	5	—	—	—	1	3	1	—	—	—
		F	7	—	—	—	1	1	2	1	1	1	4	—	—	—	—	2	1	1	—	—
24	Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	—	1	1	—
		F	5	—	—	—	—	—	1	1	3	—	3	—	—	—	—	—	—	2	1	—
25	Acute and chronic nephritis ..	M	22	—	—	—	—	1	—	13	1	7	21	—	—	—	—	1	2	7	3	8
		F	15	—	—	—	—	—	1	5	7	2	11	—	—	—	—	1	2	4	1	3
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	2	—	—	—	—	—	2	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	17	17	—	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—	—
		F	15	15	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29	Suicide	M	7	—	—	—	—	—	2	3	2	—	5	—	—	—	—	1	2	2	—	—
		F	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	2	1	—
30	Other deaths from violence.. ..	M	12	—	1	1	—	2	—	2	3	3	21	—	—	1	2	6	3	4	4	1
		F	9	—	—	1	1	—	—	—	1	6	10	—	—	1	—	1	—	2	—	6
31	Other defined diseases	M	102	4	—	—	2	1	8	35	11	41	139	4	1	1	5	6	7	22	24	69
		F	117	5	2	—	1	1	6	19	23	60	108	3	—	3	2	2	6	23	18	51
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	1	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WARWICK—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	836	96	15	30	25	29	103	214	169	155	1138	154	33	25	30	48	128	240	249	231
	F	861	58	15	12	24	36	98	191	173	254	1100	98	17	26	26	52	106	243	223	309
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	1	—	2	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
4 Scarlet fever	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	6	3	—	3	—	—	—	—	—	—	13	9	3	1	—	—	—	—	—	—
	F	8	2	5	1	—	—	—	—	—	—	10	5	3	2	—	—	—	—	—	—
6 Diphtheria	M	2	—	1	1	—	—	—	—	—	—	12	—	—	6	5	—	1	—	—	—
	F	5	—	—	3	2	—	—	—	—	—	7	—	—	3	4	—	—	—	—	—
7 Influenza	M	21	1	—	1	1	1	4	7	3	3	42	3	—	—	—	1	6	14	9	9
	F	23	—	—	—	1	1	3	7	9	2	36	1	—	2	—	1	2	11	10	9
8 Encephalitis lethargica	M	6	1	—	—	1	2	—	2	—	—	7	—	1	2	—	1	—	2	1	—
	F	9	—	—	2	1	2	2	2	—	—	4	—	—	—	1	1	1	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	59	—	—	1	3	13	26	13	2	1	75	—	—	—	2	12	43	15	2	1
	F	51	—	—	—	1	18	21	9	1	1	61	—	1	—	2	20	24	12	2	—
11 Other tuberculous diseases	M	17	1	2	5	4	1	1	2	1	—	24	4	4	3	6	4	3	—	—	—
	F	11	2	1	1	2	3	1	1	—	—	20	2	—	3	4	3	5	2	1	—
12 Cancer, malignant disease	M	77	—	—	—	1	1	5	43	21	6	103	—	1	1	—	—	4	39	41	17
	F	121	—	—	—	—	2	13	52	29	25	145	—	—	—	—	2	10	70	43	20
13 Rheumatic fever	M	3	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	3	—	—	—	—	—	3	—	—	—	1	1	1	—	—	—
14 Diabetes	M	7	—	—	—	—	—	—	2	5	—	6	—	—	—	—	—	3	—	—	3
	F	17	—	—	—	1	—	3	3	4	6	10	—	—	—	—	1	—	5	3	1
15 Cerebral hæmorrhage, &c.	M	62	—	—	—	—	—	1	20	21	20	68	—	—	—	—	—	2	18	26	22
	F	64	—	—	—	—	1	2	13	17	31	99	—	—	—	—	—	1	22	33	43
16 Heart disease	M	98	—	—	1	2	—	9	33	28	25	141	—	—	—	1	4	10	35	55	36
	F	129	—	—	—	1	—	7	36	38	47	152	—	—	1	1	2	11	42	50	45
17 Arterio-sclerosis	M	31	—	—	—	—	—	—	5	17	9	37	—	—	—	—	—	—	2	15	20
	F	45	—	—	—	—	—	1	8	10	26	28	—	—	—	—	—	—	3	9	16
18 Bronchitis	M	55	5	1	1	—	1	1	8	15	23	89	12	—	2	—	—	3	9	26	37
	F	52	6	2	—	—	—	—	2	18	24	84	4	—	1	—	1	—	9	22	47
19 Pneumonia (all forms)	M	64	11	6	3	1	4	11	14	8	6	91	32	16	—	2	8	7	15	5	6
	F	42	6	3	—	3	1	6	6	11	6	59	13	7	7	1	3	3	10	7	8
20 Other respiratory diseases	M	9	—	—	1	—	—	3	3	—	2	10	—	—	2	1	—	3	2	2	—
	F	11	—	—	—	—	—	4	1	3	3	8	—	1	—	—	—	2	1	2	2
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	1	3	2	—	14	—	—	—	—	—	1	9	4	—
	F	4	—	—	—	—	1	1	2	—	—	4	—	—	—	—	—	1	2	1	—
22 Diarrhœa, &c.	M	17	11	2	1	—	—	1	1	1	—	14	8	1	—	—	—	—	1	4	—
	F	6	2	—	1	—	—	—	1	1	1	7	3	—	1	1	—	—	—	1	1
23 Appendicitis and typhlitis	M	6	—	—	2	2	1	1	—	—	—	8	—	—	—	2	2	2	2	—	—
	F	8	—	—	—	1	2	2	2	1	—	6	—	—	—	2	1	1	2	—	—
24 Cirrhosis of liver	M	6	—	—	—	—	—	3	3	—	—	4	—	—	—	—	—	—	1	2	1
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis	M	33	—	—	—	—	2	4	12	10	5	43	—	—	—	—	2	7	16	10	8
	F	34	—	—	—	—	—	2	12	8	12	27	1	—	—	—	—	5	9	6	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	1	8	—	—	—	11	—	—	—	—	2	9	—	—	—
28 Congenital debility and malformation, premature birth	M	44	44	—	—	—	—	—	—	—	—	59	57	—	1	1	—	—	—	—	—
	F	35	34	—	—	1	—	—	—	—	—	48	46	1	—	—	1	—	—	—	—
29 Suicide	M	12	—	—	—	—	—	3	5	2	2	12	—	—	—	—	2	2	6	1	1
	F	5	—	—	—	—	1	1	2	—	1	7	—	—	—	—	—	3	3	1	—
30 Other deaths from violence	M	31	2	—	4	3	2	7	5	6	2	52	3	1	4	4	7	14	10	7	2
	F	13	2	—	2	1	1	3	—	2	2	25	5	1	—	1	4	1	4	2	7
31 Other defined diseases	M	159	17	2	6	6	1	19	31	26	51	207	26	4	2	6	5	16	41	39	68
	F	146	4	3	2	4	1	14	30	21	67	223	18	2	4	6	7	21	32	29	104
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	4	—	—	1	—	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WESTMORLAND—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	196	19	3	4	—	9	24	52	46	39	288	24	7	2	6	9	26	64	67	83
	F	196	17	1	2	8	8	20	48	39	53	241	12	1	4	2	13	22	61	57	69
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	2	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
4 Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	12	—	—	—	—	2	3	5	2	—	13	3	—	—	—	—	—	4	2	4
	F	9	1	—	—	—	—	—	4	1	3	18	—	—	1	—	1	3	6	3	4
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	4	—	—	—	—	2	2	—	—	—	12	—	—	—	—	3	5	4	—	—
	F	9	—	—	—	1	4	3	1	—	—	12	—	—	—	—	1	8	2	1	—
11 Other tuberculous diseases	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	1	—	2	—	1	—
	F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	1	—	2	1	—	—
12 Cancer, malignant disease	M	20	—	—	1	—	—	1	7	7	4	26	—	—	—	—	—	—	12	9	5
	F	25	—	—	—	1	—	5	8	7	4	34	—	—	—	—	—	1	15	14	4
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	—	1	—	1	—	1
14 Diabetes	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	1	1	—	—	1
	F	5	—	—	1	—	1	2	—	—	1	3	—	—	—	—	—	—	1	2	—
15 Cerebral hæmorrhage, &c.	M	15	—	—	—	—	—	—	3	7	5	14	—	—	—	—	—	—	2	8	4
	F	20	—	—	—	—	—	—	4	5	11	27	—	—	—	—	—	1	6	11	9
16 Heart disease	M	36	—	—	—	—	—	5	10	10	11	50	—	—	—	1	—	1	10	16	22
	F	39	—	—	—	1	1	2	13	12	10	39	—	—	—	—	1	1	7	13	17
17 Arterio-sclerosis	M	8	—	—	—	—	—	—	1	2	5	20	—	—	—	—	—	—	3	4	13
	F	6	—	—	—	—	—	—	1	4	1	8	—	—	—	—	—	—	1	2	5
18 Bronchitis	M	14	3	—	1	—	—	1	2	4	3	12	—	—	1	—	—	—	1	6	4
	F	7	1	—	—	—	—	—	1	2	3	10	—	1	—	—	—	—	—	4	5
19 Pneumonia (all forms)	M	13	1	—	1	—	2	4	5	—	—	18	2	3	—	—	—	6	3	1	3
	F	7	—	—	—	1	—	3	2	—	1	5	1	—	—	—	3	—	—	—	1
20 Other respiratory diseases	M	5	—	—	—	—	—	2	1	2	—	3	—	—	—	—	—	—	1	1	1
	F	3	1	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	—
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	2	3	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c.	M	4	3	—	—	—	—	—	—	1	—	3	1	—	—	—	—	—	1	—	1
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	2	—	—	1	—	—	1	—	—	—	3	—	—	—	—	—	2	—	1	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	1	—	—	1	1	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	7	—	—	—	—	—	—	3	2	2	10	—	—	—	—	—	—	4	4	2
	F	4	—	—	—	—	—	—	2	2	—	8	—	—	—	—	1	—	4	1	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	2	1	—	—	—
28 Congenital debility and malformation, premature birth	M	10	10	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
	F	10	9	—	—	1	—	—	—	—	—	8	8	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence	M	10	—	—	—	—	1	2	5	1	1	11	—	1	1	1	1	2	3	2	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	—	—	1	—	—	2
31 Other defined diseases	M	27	2	2	—	—	2	2	4	7	8	59	4	2	—	2	3	4	11	11	22
	F	41	4	—	1	—	1	3	8	5	19	39	2	—	—	1	3	2	8	4	19
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WIGHT, ISLE OF—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	392	37	7	7	8	11	36	86	92	108	172	10	2	1	1	6	25	28	36	6
	F	465	31	3	3	9	7	38	87	98	189	176	10	1	1	6	4	16	40	35	6
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	10	1	3	4	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	14	—	—	—	1	3	3	—	2	5	7	—	—	—	—	—	1	—	2	
	F	29	2	—	1	—	1	2	7	5	11	10	—	—	1	1	—	1	4	1	
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	26	—	—	—	—	4	13	9	—	—	12	—	—	—	—	2	6	4	—	—
	F	21	—	—	—	1	1	7	11	1	—	6	—	—	—	—	1	3	2	—	—
11 Other tuberculous diseases	M	4	—	1	1	1	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—
	F	8	1	1	—	2	3	1	—	—	—	1	1	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	51	—	—	—	1	—	1	13	25	11	14	—	—	—	—	—	—	1	7	
	F	47	—	—	—	—	—	3	19	12	13	32	—	—	—	—	—	3	10	11	
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	5	—	—	—	—	—	1	3	1	—	3	—	—	—	—	1	—	—	1	
	F	8	—	—	—	—	—	1	3	4	—	4	—	—	—	—	—	—	3	1	—
15 Cerebral hæmorrhage, &c.	M	23	—	—	—	—	—	—	6	8	9	14	—	—	—	—	—	—	3	1	1
	F	41	—	—	—	—	—	—	6	13	22	15	—	—	—	—	—	—	3	3	
16 Heart disease	M	46	—	—	—	—	—	1	12	14	19	33	—	—	—	—	—	2	5	14	1
	F	77	—	—	—	—	—	1	18	23	35	28	—	—	—	—	—	2	6	10	1
17 Arterio-sclerosis	M	14	—	—	—	—	—	—	—	6	8	4	—	—	—	—	—	—	—	1	
	F	23	—	—	—	—	—	—	3	5	15	4	—	—	—	—	—	—	—	1	
18 Bronchitis	M	26	1	—	—	—	—	1	2	9	13	8	—	—	—	—	—	1	2	—	
	F	31	2	—	—	—	—	1	2	5	21	13	—	—	—	—	—	—	4	—	
19 Pneumonia (all forms)	M	19	4	2	1	1	—	2	3	3	3	5	1	1	—	—	—	—	2	—	
	F	16	4	—	1	—	—	3	1	2	5	7	—	—	—	1	—	1	1	3	
20 Other respiratory diseases	M	5	—	—	—	—	—	—	1	3	1	1	—	—	—	—	—	—	—	—	
	F	11	—	—	—	—	—	2	2	3	4	3	1	—	—	—	—	—	1	—	
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	6	5	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	
	F	3	—	—	1	—	—	—	—	2	—	2	—	1	—	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	2	—	—	—	2	—	—	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	5	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	22	1	—	—	—	—	4	4	8	5	1	—	—	—	—	—	1	—	—	—
	F	10	—	—	—	—	—	—	4	5	1	3	—	—	—	1	—	—	1	—	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	1	9	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	20	19	1	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	8	—	—	—	1	—	4	—	3	—	11	1	—	—	1	2	4	2	1	—
	F	7	1	—	—	1	—	—	—	—	5	5	—	—	—	—	1	—	—	1	
31 Other defined diseases	M	73	6	—	—	—	4	5	17	8	33	42	—	—	1	—	1	6	6	9	1
	F	99	6	2	—	3	—	5	11	18	54	30	2	—	—	—	1	3	4	4	1
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WILTS—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	730	66	13	13	18	31	58	188	177	166	960	105	16	17	18	37	59	201	229	278
	F	804	49	9	13	15	28	72	186	166	266	874	66	15	8	20	32	90	148	193	302
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	6	1	1	4	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	4	4	—	—	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—	—
	F	4	2	1	—	1	—	—	—	—	—	8	5	3	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	1	—	1	—	—	—	—	—	—	4	1	1	—	2	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	5	—	—	1	4	—	—	—	—	—
7 Influenza	M	26	1	2	—	—	2	4	8	6	3	52	2	3	1	—	—	4	13	17	12
	F	40	2	1	—	2	1	5	8	8	13	57	1	2	—	1	3	2	7	18	23
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	1	—	1	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
0 Tuberculosis of respiratory system	M	52	—	—	—	1	8	23	19	1	—	43	—	—	1	—	13	12	13	3	1
	F	36	—	—	—	3	8	16	8	1	—	51	—	—	—	2	12	28	8	1	—
1 Other tuberculous diseases	M	16	1	1	2	2	7	1	1	1	—	20	4	—	3	3	3	4	3	—	—
	F	17	—	1	3	—	4	5	2	1	1	11	—	—	3	2	—	3	2	—	1
2 Cancer, malignant disease	M	99	—	1	—	—	—	3	43	29	23	93	—	—	—	—	—	6	35	38	14
	F	119	—	—	—	—	—	8	48	37	26	96	—	—	—	—	—	7	35	33	21
3 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	—	—	1	—	1	—
	F	2	—	—	—	1	—	1	—	—	—	4	—	—	—	2	1	—	1	—	—
4 Diabetes	M	8	—	—	—	—	1	—	3	2	2	7	—	—	—	1	—	—	1	2	3
	F	4	—	—	—	—	—	—	4	—	—	12	—	—	—	1	—	—	4	6	1
5 Cerebral hæmorrhage, &c. ..	M	45	—	—	—	—	—	1	10	20	14	47	—	—	—	—	1	—	5	18	23
	F	61	—	—	—	—	—	—	14	20	27	67	—	—	—	—	—	2	11	25	29
6 Heart disease ..	M	110	—	—	1	—	1	6	32	35	35	167	—	—	—	—	2	5	43	57	60
	F	135	—	1	—	—	3	7	37	43	44	151	—	—	—	—	2	6	32	49	62
7 Arterio-sclerosis ..	M	27	—	—	—	—	—	—	7	9	11	59	—	—	—	—	—	1	10	21	27
	F	32	—	—	—	—	—	—	7	8	17	33	—	—	—	—	—	—	3	8	22
8 Bronchitis ..	M	45	1	—	—	—	—	1	5	14	24	58	4	—	—	—	—	—	3	17	34
	F	70	4	—	—	—	—	1	10	15	40	49	2	3	—	—	—	—	3	11	30
9 Pneumonia (all forms)	M	45	10	4	1	5	—	6	10	8	1	43	6	6	3	1	1	2	9	9	6
	F	38	6	2	3	—	1	7	6	4	9	28	5	4	—	2	—	5	3	7	2
0 Other respiratory diseases	M	12	—	—	—	—	1	1	3	5	2	10	1	—	—	—	—	2	1	4	2
	F	10	—	—	—	—	1	—	—	3	6	5	1	—	—	—	—	—	1	2	1
1 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	—	1	6	1	—	6	1	—	—	—	—	1	2	—	2
	F	3	—	—	—	—	—	1	1	1	—	4	—	—	—	—	—	1	3	—	—
2 Diarrhœa, &c. ..	M	6	2	2	—	—	—	—	1	—	1	3	2	—	1	—	—	—	—	—	—
	F	4	1	1	—	—	—	1	—	—	1	8	3	1	—	—	1	—	—	1	2
3 Appendicitis and typhlitis.. ..	M	4	—	—	1	—	1	—	2	—	—	7	—	—	—	2	—	1	2	1	1
	F	8	—	—	—	1	2	2	3	—	—	2	—	—	—	—	1	—	1	—	—
4 Cirrhosis of liver ..	M	6	—	—	—	—	—	—	3	3	—	6	—	—	—	—	—	2	2	2	—
	F	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	—	2	—
5 Acute and chronic nephritis ..	M	23	—	1	—	1	1	2	3	9	6	19	1	—	—	2	—	—	3	4	9
	F	23	—	—	—	—	1	4	7	7	4	18	—	—	—	—	1	5	5	3	4
6 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	8	—	—	—	—	3	5	—	—	—
7 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	1	1	—	—	8	—	—	—	—	—	8	—	—	—
8 Congenital debility and malformation, premature birth.. ..	M	36	36	—	—	—	—	—	—	—	—	61	60	—	1	—	—	—	—	—	—
	F	29	29	—	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—	—
9 Suicide	M	4	—	—	—	—	—	1	1	1	1	13	—	—	—	—	3	2	7	1	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	1	1	—	—	—
0 Other deaths from violence.. ..	M	18	—	2	—	1	1	2	6	5	1	33	3	—	3	4	9	3	7	1	3
	F	6	1	—	1	1	1	1	—	—	1	16	2	1	1	2	1	1	3	3	2
Other defined diseases	M	125	10	—	4	6	7	6	23	28	41	199	16	6	2	3	5	13	40	33	81
	F	142	3	1	1	5	5	5	28	17	77	187	12	—	2	3	5	15	25	23	102
2 Causes ill-defined or unknown ..	M	3	—	—	—	—	—	—	2	—	1	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WORCESTER—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	7
All Causes	M	958	123	21	23	31	41	102	239	195	183	821	94	17	18	26	40	72	180	161	
	F	959	91	22	23	19	48	79	209	189	279	764	36	12	13	19	38	81	162	154	
1 Enteric fever	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	3	—	3	—	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—	
	F	4	—	1	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
4 Scarlet fever	M	6	—	—	3	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	
5 Whooping cough	M	8	4	2	2	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	
	F	7	3	3	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	
6 Diphtheria	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Influenza	M	61	5	1	1	1	3	11	19	14	6	33	—	—	1	1	2	3	8	8	
	F	50	1	—	1	1	3	4	11	18	11	42	—	1	1	—	1	7	10	13	
8 Encephalitis lethargica	M	5	—	—	—	—	1	—	3	1	—	3	—	—	—	1	2	—	—	—	
	F	2	—	—	—	1	—	—	1	—	—	2	—	—	—	—	1	1	—	—	
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	M	61	1	—	—	1	12	29	16	2	—	53	—	1	—	2	14	29	7	—	
	F	53	—	—	—	2	17	23	10	1	—	46	—	—	—	2	20	19	5	—	
11 Other tuberculous diseases	M	19	5	3	4	4	—	1	2	—	—	8	1	1	1	2	—	2	1	—	
	F	21	1	—	4	1	6	6	2	1	—	9	—	1	1	2	4	—	—	1	
12 Cancer, malignant disease	M	92	—	—	—	1	—	4	36	35	16	70	—	—	—	—	1	3	40	14	
	F	126	—	1	2	—	—	9	56	30	28	103	—	—	—	—	—	9	42	29	
13 Rheumatic fever	M	2	—	—	—	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—	
	F	5	—	—	—	1	2	—	—	1	1	5	—	—	—	1	2	1	1	—	
14 Diabetes	M	7	—	—	—	—	1	—	4	2	—	3	—	—	—	—	—	—	2	1	
	F	9	—	—	—	1	—	—	3	3	2	6	—	—	—	—	1	—	5	—	
15 Cerebral hæmorrhage, &c.	M	70	—	—	—	—	—	2	17	25	26	65	—	—	—	—	—	2	13	23	
	F	77	—	—	—	—	—	—	15	27	35	69	—	—	—	—	—	—	15	22	
16 Heart disease	M	98	—	—	—	3	1	5	33	40	16	113	—	—	—	1	1	3	33	38	
	F	119	—	—	—	1	2	5	34	36	41	110	—	—	—	—	1	9	28	34	
17 Arterio-sclerosis	M	30	—	—	—	—	—	—	4	7	19	34	—	—	—	—	—	—	5	9	
	F	31	—	—	—	—	—	—	4	7	20	17	—	—	—	—	—	—	1	2	
18 Bronchitis	M	81	5	—	—	—	—	2	15	23	36	56	10	—	—	—	—	1	6	15	
	F	99	6	4	1	—	—	1	17	28	42	58	1	1	2	—	1	2	8	13	
19 Pneumonia (all forms)	M	76	22	6	6	3	5	13	13	5	3	56	19	5	6	2	3	3	7	7	
	F	45	12	9	3	1	—	5	5	6	4	45	8	6	4	2	—	4	9	5	
20 Other respiratory diseases	M	12	1	2	—	—	—	1	6	1	1	11	2	—	—	1	—	2	3	3	
	F	8	—	—	1	—	—	—	4	—	3	8	—	—	1	—	—	2	—	2	
21 Ulcer of stomach or duodenum	M	10	—	—	—	—	1	1	6	—	2	4	—	—	—	—	—	1	2	—	
	F	5	—	—	—	—	—	2	2	1	—	3	—	—	—	—	—	1	1	1	
22 Diarrhœa, &c.	M	11	5	—	1	—	—	1	2	—	2	10	8	2	—	—	—	—	—	—	
	F	13	8	1	2	—	1	—	—	1	—	5	2	—	—	—	—	2	—	1	
23 Appendicitis and typhlitis	M	6	—	—	—	1	1	2	1	1	—	2	—	—	—	1	1	—	—	—	
	F	5	—	—	—	—	2	2	1	—	—	1	—	—	—	—	—	1	—	—	
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	3	2	—	7	—	—	—	—	—	—	3	4	
	F	4	—	—	—	—	—	—	4	—	—	4	—	—	—	—	—	1	2	—	
25 Acute and chronic nephritis	M	28	—	—	—	—	1	6	13	5	3	22	—	—	—	—	2	2	10	6	
	F	20	1	—	—	—	4	2	8	2	3	15	—	—	—	—	—	1	4	6	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	1	2	1	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	—	5	—	—	—	5	—	—	—	—	1	4	—	—	
28 Congenital debility and malformation, premature birth	M	59	57	—	—	—	1	1	—	—	—	44	43	1	—	—	—	—	—	—	
	F	35	35	—	—	—	—	—	—	—	—	20	19	—	—	1	—	—	—	—	
29 Suicide	M	13	—	—	—	—	1	6	3	3	—	10	—	—	—	—	—	2	5	3	
	F	4	—	—	—	—	2	—	2	—	—	4	—	—	—	—	1	—	2	—	
30 Other deaths from violence	M	33	3	1	1	3	4	7	4	5	5	42	—	—	5	3	7	9	10	4	
	F	21	3	1	3	—	4	—	2	4	4	16	—	—	2	—	1	3	2	3	
31 Other defined diseases	M	156	15	3	4	9	9	9	36	24	47	158	8	4	1	10	5	9	23	26	
	F	183	21	2	2	8	3	12	27	23	85	163	6	2	1	9	3	12	26	22	
32 Causes ill-defined or unknown	M	3	—	—	—	—	—	1	2	—	—	6	1	—	—	—	2	1	2	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, EAST RIDING—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	427	37	9	8	11	12	44	120	85	101	591	63	19	15	12	23	45	116	131	167
	F	462	37	12	10	16	16	41	88	95	147	590	52	12	12	12	20	62	114	120	186
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough	M	3	3	—	—	—	—	—	—	—	—	8	3	5	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	7	2	3	2	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	8	—	—	—	1	—	1	1	3	2	34	—	1	2	1	1	4	5	8	12
	F	15	1	—	—	1	—	2	6	3	2	35	—	—	1	1	1	5	8	6	13
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	28	—	—	—	2	5	14	6	1	—	27	—	—	—	1	9	12	4	1	—
	F	24	—	—	—	5	6	6	6	1	—	29	—	1	—	2	4	15	6	1	—
11 Other tuberculous diseases	M	6	—	2	1	—	1	1	1	—	—	7	—	—	4	3	—	—	—	—	—
	F	12	1	1	2	2	3	1	2	—	—	13	2	1	2	—	2	5	—	1	—
12 Cancer, malignant disease	M	42	—	—	—	—	—	1	21	13	7	72	—	—	1	—	1	3	29	27	11
	F	70	—	—	1	—	1	6	26	21	15	70	—	—	—	—	—	2	29	22	17
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	10	—	—	—	—	—	—	5	2	3	7	—	—	—	1	—	—	1	4	1
15 Cerebral hæmorrhage, &c.	M	31	—	—	—	—	1	2	9	4	15	40	—	—	—	—	—	—	8	14	18
	F	34	—	—	—	—	—	—	6	13	15	46	—	—	—	—	—	1	13	11	21
16 Heart disease	M	65	—	—	2	1	—	5	20	22	15	72	—	—	—	1	2	6	10	28	25
	F	60	—	—	—	2	—	6	11	16	25	95	—	—	—	1	—	6	21	35	32
17 Arterio-sclerosis	M	15	—	—	—	—	—	—	2	7	6	23	—	—	—	—	—	—	2	6	15
	F	17	—	—	—	—	—	—	3	6	8	20	—	—	—	—	—	1	—	3	16
18 Bronchitis	M	32	3	1	—	—	—	1	5	10	12	45	7	3	—	—	1	—	5	7	22
	F	48	5	2	—	—	1	2	3	9	26	34	4	—	—	—	—	—	5	10	15
19 Pneumonia (all forms)	M	30	6	3	2	2	1	6	7	3	—	42	7	4	3	—	2	6	10	7	3
	F	22	2	5	6	1	1	1	4	—	2	20	4	2	—	—	1	1	4	4	4
20 Other respiratory diseases	M	4	—	—	1	—	—	—	1	1	1	6	—	—	—	—	—	1	1	2	2
	F	4	—	—	—	1	—	—	—	1	2	5	—	—	1	—	—	1	2	—	1
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	—	—	1	—
22 Diarrhœa, &c.	M	6	2	1	—	—	—	—	2	—	1	4	2	—	—	—	—	1	—	1	—
	F	4	1	1	—	—	1	—	—	—	1	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	4	—	—	—	2	—	—	2	—	—	4	—	—	2	—	—	1	—	1	—
	F	2	—	—	—	1	—	1	—	—	—	5	—	1	—	—	2	1	1	—	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	3	1	—	4	—	—	—	—	—	—	1	1	2
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis	M	17	—	—	—	1	—	—	7	5	4	12	—	—	—	—	1	2	3	4	2
	F	10	—	—	—	—	—	—	4	4	2	12	—	—	—	—	1	3	3	4	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	5	—	—	—	—	—	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	6	—	—	—	—	2	4	—	—	—
28 Congenital debility and malformation, premature birth	M	17	16	—	—	—	—	—	1	—	—	26	26	—	—	—	—	—	—	—	—
	F	19	18	—	—	1	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	3	1	—	—	7	—	—	—	—	—	1	6	—	—
	F	3	—	—	—	—	—	1	2	—	—	3	—	—	—	—	—	—	1	1	1
30 Other deaths from violence	M	9	—	—	—	—	2	2	5	—	—	20	—	1	2	2	4	2	4	4	1
	F	7	—	—	—	—	—	—	4	1	2	13	—	—	—	2	2	2	4	—	3
31 Other defined diseases	M	97	7	2	2	2	1	8	24	13	38	129	18	4	1	3	2	4	24	20	53
	F	89	7	2	1	2	3	7	6	17	44	129	15	3	5	1	4	9	14	17	61
32 Causes ill-defined or unknown	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	1	—	1
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, NORTH RIDING—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1227	164	53	41	37	53	152	266	264	197	908	105	24	13	11	28	100	168	187	
	F	1171	138	45	41	33	38	126	229	212	309	577	71	13	24	19	22	84	199	203	
1 Enteric fever ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	
	F	5	—	—	—	1	2	1	1	—	—	3	—	—	—	2	—	1	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	3	—	1	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	
4 Scarlet fever ..	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	7	—	—	1	3	1	2	—	—	—	3	—	—	—	1	1	1	—	—	
5 Whooping cough ..	M	14	9	3	2	—	—	—	—	—	—	14	9	4	1	—	—	—	—	—	
	F	14	5	5	4	—	—	—	—	—	—	12	2	4	4	—	—	1	—	—	
6 Diphtheria ..	M	4	—	1	2	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—	
	F	4	—	—	3	1	—	—	—	—	—	4	—	—	3	1	—	—	—	—	
7 Influenza	M	84	5	—	5	2	3	17	22	15	15	53	6	2	—	—	—	8	15	11	
	F	80	3	1	2	2	—	11	17	21	23	60	1	1	4	—	—	5	14	16	
8 Encephalitis lethargica ..	M	3	—	1	—	—	2	—	—	—	—	2	—	—	—	—	1	—	—	1	
	F	3	—	—	—	1	—	1	1	—	—	3	—	—	1	—	1	1	—	—	
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	M	87	1	1	—	3	15	43	19	4	1	37	—	—	—	—	7	25	5	—	
	F	67	—	—	4	2	20	26	12	3	—	41	—	—	1	1	10	20	6	3	
11 Other tuberculous diseases	M	19	2	2	4	3	3	2	3	—	—	17	1	3	1	1	1	6	3	1	
	F	23	1	6	6	1	2	4	2	1	—	12	1	1	2	1	1	3	2	1	
12 Cancer, malignant disease	M	85	—	—	—	—	1	9	32	30	13	83	—	—	1	—	—	5	31	27	
	F	102	—	—	—	1	—	8	50	17	26	96	—	—	—	—	—	6	45	31	
13 Rheumatic fever ..	M	3	—	—	1	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	
	F	5	—	—	—	4	—	—	1	—	—	5	—	—	—	2	1	1	1	—	
14 Diabetes	M	6	—	—	—	—	—	1	2	2	1	10	—	—	—	—	1	2	4	3	
	F	10	—	—	—	—	—	—	6	1	3	9	—	—	—	2	—	2	2	3	
15 Cerebral hæmorrhage, &c. ..	M	78	—	—	—	2	—	2	23	33	18	66	—	—	—	—	—	3	13	21	
	F	83	—	—	—	1	—	1	20	31	30	75	—	—	—	—	—	1	18	27	
16 Heart disease ..	M	139	—	—	—	1	2	14	40	53	29	125	—	—	—	—	—	8	28	38	
	F	130	—	—	—	2	5	11	35	35	42	131	—	—	—	—	1	8	37	46	
17 Arterio-sclerosis ..	M	42	—	—	—	—	—	—	7	17	18	35	—	—	—	—	—	—	4	9	
	F	48	—	—	—	—	—	—	5	13	30	27	—	—	—	—	—	—	5	9	
18 Bronchitis ..	M	92	17	5	1	—	1	7	8	33	20	62	9	3	—	—	1	—	2	13	
	F	90	8	8	2	—	—	2	8	21	41	57	5	—	1	1	—	—	8	15	
19 Pneumonia (all forms)	M	130	33	25	9	5	6	12	23	13	4	62	11	5	4	2	4	14	9	6	
	F	86	21	14	9	3	—	12	5	12	10	39	9	3	2	1	2	6	9	3	
20 Other respiratory diseases	M	20	2	2	1	1	1	1	5	6	1	9	—	—	—	—	—	—	6	2	
	F	6	—	—	1	—	—	3	—	2	—	10	—	—	—	—	—	2	3	3	
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	4	—	2	—	9	—	—	—	—	—	4	3	2	
	F	2	—	1	—	—	—	—	1	—	—	4	—	—	—	—	—	2	—	1	
22 Diarrhœa, &c. ..	M	24	10	6	3	1	2	—	1	—	1	6	4	—	—	—	—	—	—	2	
	F	19	13	4	—	1	—	—	—	1	—	8	4	—	1	—	—	—	—	1	
23 Appendicitis and typhlitis.. ..	M	8	—	—	—	3	3	—	1	—	1	5	—	—	—	—	2	1	—	1	
	F	2	—	—	—	—	1	—	—	1	—	6	—	—	—	1	—	2	3	—	
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	4	1	—	6	—	—	—	—	—	—	4	2	
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
25 Acute and chronic nephritis ..	M	32	—	—	1	—	—	3	12	9	7	22	—	1	—	—	—	1	6	10	
	F	44	—	—	—	1	—	5	12	9	17	30	—	—	—	1	1	2	14	5	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	2	3	—	—	—	2	—	—	—	—	—	2	—	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	13	—	—	—	—	1	12	—	—	—	5	—	—	—	—	1	4	—	—	
28 Congenital debility and malformation, premature birth.. ..	M	66	64	—	1	—	1	—	—	—	—	44	43	—	—	1	—	—	—	—	
	F	57	55	—	1	—	—	—	1	—	—	38	36	1	1	—	—	—	—	—	
29 Suicide	M	13	—	—	—	—	—	6	5	2	—	15	—	—	—	—	1	5	7	1	
	F	7	—	—	—	—	—	1	5	1	—	—	—	—	—	—	—	—	—	—	
30 Other deaths from violence.. ..	M	42	—	1	3	4	5	12	13	2	2	36	2	1	2	1	7	6	7	3	
	F	16	1	1	1	3	—	1	3	1	5	10	—	—	2	1	1	1	2	3	
31 Other defined diseases	M	211	19	5	6	9	8	17	39	42	66	181	20	4	2	4	2	11	21	32	
	F	238	30	5	7	6	4	22	41	41	82	181	13	2	2	4	2	13	28	33	
32 Causes ill-defined or unknown ..	M	7	1	—	—	—	—	1	5	—	—	3	—	—	—	—	—	1	—	2	
	F	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	—	3	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, WEST RIDING—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	7445	1115	273	234	207	312	832	1993	1522	957	2455	389	96	88	86	109	269	557	461	400
	F	7339	780	234	237	194	294	852	1719	1599	1430	2247	286	92	69	74	94	253	472	427	480
1 Enteric fever	M	13	—	—	1	—	—	9	2	1	—	6	—	—	—	—	1	3	2	—	—
	F	13	—	—	1	3	2	6	1	—	—	5	—	—	1	—	—	3	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	64	15	29	15	4	—	1	—	—	—	21	5	9	5	2	—	—	—	—	—
	F	56	13	18	17	6	—	1	1	—	—	11	1	5	2	3	—	—	—	—	—
4 Scarlet fever	M	12	—	1	4	6	1	—	—	—	—	5	—	—	4	1	—	—	—	—	—
	F	18	—	1	6	6	2	3	—	—	—	2	—	—	1	—	1	—	—	—	—
5 Whooping cough	M	64	35	17	10	2	—	—	—	—	—	25	11	7	7	—	—	—	—	—	—
	F	64	20	21	22	1	—	—	—	—	—	40	17	15	6	2	—	—	—	—	—
6 Diphtheria	M	31	—	4	17	10	—	—	—	—	—	4	—	1	2	1	—	—	—	—	—
	F	29	—	2	15	9	2	1	—	—	—	6	—	2	1	3	—	—	—	—	—
7 Influenza	M	330	23	11	18	15	9	50	109	64	31	114	6	4	2	5	5	18	36	20	18
	F	418	13	13	8	4	15	69	116	88	92	116	4	5	1	5	1	29	31	19	21
8 Encephalitis lethargica	M	17	—	2	—	4	4	1	6	—	—	8	—	—	—	2	1	3	2	—	—
	F	15	1	—	2	1	5	3	2	1	—	8	—	—	2	—	3	1	1	1	—
9 Meningococcal meningitis	M	3	—	—	—	1	—	1	1	—	—	2	1	—	—	1	—	—	—	—	—
	F	4	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0 Tuberculosis of respiratory system	M	459	2	2	3	10	85	202	134	19	2	119	—	1	—	3	18	59	34	3	1
	F	365	—	3	5	20	109	146	64	17	1	123	—	1	2	8	33	53	22	2	2
1 Other tuberculous diseases	M	150	20	23	18	26	25	21	12	4	1	51	10	12	4	7	7	5	5	1	—
	F	129	7	13	25	28	21	17	14	3	1	50	5	8	6	15	7	6	2	1	—
2 Cancer, malignant disease	M	591	—	—	2	2	3	44	289	196	55	198	—	1	1	1	1	14	80	76	24
	F	795	—	—	2	2	8	89	382	221	91	222	—	—	—	1	1	18	100	73	29
3 Rheumatic fever	M	27	—	—	1	10	6	6	4	—	—	9	1	—	1	1	5	1	—	—	—
	F	35	—	—	1	8	9	12	4	1	—	10	—	—	—	1	4	1	3	1	—
4 Diabetes	M	65	—	—	—	—	3	8	24	23	7	30	—	1	—	3	—	7	5	11	3
	F	70	—	—	—	2	3	7	30	20	8	25	—	—	—	—	1	2	7	12	3
5 Cerebral hæmorrhage, &c.	M	437	—	—	—	—	—	11	142	176	108	145	—	—	—	—	—	1	41	58	45
	F	528	—	1	—	—	3	20	143	215	146	176	—	—	—	—	—	3	44	72	57
6 Heart disease	M	874	1	—	2	9	20	77	324	290	151	257	—	—	2	5	5	18	81	95	51
	F	1008	—	1	2	12	21	81	334	354	203	304	—	1	1	6	10	32	93	77	84
7 Arterio-sclerosis	M	296	—	—	—	—	—	3	65	123	105	84	—	—	—	—	—	—	16	19	49
	F	211	—	—	—	—	—	1	32	72	106	53	—	—	—	—	—	1	8	16	28
8 Bronchitis	M	602	81	16	11	3	3	17	125	199	147	167	26	4	4	—	—	4	22	47	60
	F	616	60	17	9	5	—	12	94	204	215	168	24	6	4	1	—	1	16	47	69
9 Pneumonia (all forms)	M	820	220	115	69	27	30	81	174	69	35	271	71	36	26	12	10	33	47	21	15
	F	617	146	102	61	22	9	66	97	66	48	189	44	30	24	7	6	20	22	15	21
0 Other respiratory diseases	M	105	5	4	8	4	5	17	39	18	5	39	2	2	5	2	3	2	13	6	4
	F	72	9	3	7	1	1	9	16	16	10	29	3	1	2	1	1	4	5	4	8
1 Ulcer of stomach or duodenum	M	70	—	—	—	—	6	21	36	7	—	25	—	—	—	—	1	9	12	3	—
	F	26	—	—	—	—	—	9	12	2	3	6	—	—	—	—	—	—	2	3	1
2 Diarrhœa, &c.	M	130	93	18	4	—	2	3	3	3	4	37	23	4	4	1	—	1	2	1	1
	F	120	69	14	8	3	1	3	4	8	10	43	24	4	1	1	1	—	5	5	2
3 Appendicitis and typhlitis	M	38	—	—	2	8	9	9	5	4	1	19	—	—	1	4	2	3	6	3	—
	F	39	—	—	1	9	6	6	12	3	2	11	—	—	—	2	5	2	2	—	—
4 Cirrhosis of liver	M	25	—	—	—	—	—	3	14	7	1	5	—	—	—	—	—	1	3	1	—
	F	6	—	—	—	—	—	1	4	1	—	5	—	—	—	—	—	1	3	1	—
5 Acute and chronic nephritis	M	209	—	—	3	8	9	30	90	54	15	61	1	1	1	4	—	3	26	17	8
	F	243	2	1	1	5	8	35	92	71	28	48	—	—	1	3	—	5	17	16	6
6 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	38	—	—	—	—	7	31	—	—	—	11	—	—	—	—	3	8	—	—	—
7 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	64	—	—	—	—	7	56	1	—	—	29	—	—	—	—	4	23	2	—	—
8 Congenital debility and malformation, premature birth	M	439	433	—	2	3	1	—	—	—	—	167	165	—	2	—	—	—	—	—	—
	F	319	316	—	1	—	1	1	—	—	—	119	115	2	—	1	1	—	—	—	—
9 Suicide	M	107	—	—	—	—	8	28	57	12	2	22	—	—	—	1	1	4	10	5	1
	F	28	—	—	—	—	3	9	14	2	—	2	—	—	—	—	—	2	—	—	—
0 Other deaths from violence	M	311	4	4	19	26	47	79	90	28	14	159	4	1	6	18	38	44	35	8	5
	F	127	11	4	15	12	17	19	18	16	15	33	4	1	1	6	3	1	5	2	10
Other defined diseases	M	1136	183	26	25	28	34	106	240	221	273	398	62	11	11	12	11	35	75	66	115
	F	1251	112	19	27	34	32	138	223	215	451	399	45	11	13	8	9	36	78	60	139
? Causes ill-defined or unknown	M	20	—	1	—	1	2	4	8	4	—	7	1	1	—	—	—	1	4	—	—
	F	15	—	1	—	1	—	1	9	3	—	4	—	—	—	—	—	1	3	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ANGLESEY—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	139	22	6	5	3	3	17	30	24	29	260	29	2	4	10	6	18	62	56
	F	159	18	10	5	6	8	20	19	33	40	258	20	1	4	2	10	32	50	54
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	4	1	2	1	—	—	—	—	—	—	6	4	—	2	—	—	—	—	—
	F	9	4	2	3	—	—	—	—	—	—	6	4	—	2	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	11	1	1	2	—	—	—	1	2	4	29	—	—	—	—	—	2	8	8
	F	10	—	1	1	—	1	1	—	2	4	28	1	—	1	—	—	1	6	8
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	9	—	—	—	—	2	5	2	—	—	13	—	—	—	1	—	6	5	1
	F	10	—	—	—	1	4	4	1	—	—	20	—	—	—	—	5	14	1	—
11 Other tuberculous diseases	M	4	1	—	—	1	—	—	2	—	—	9	1	—	—	2	3	3	—	—
	F	8	—	—	—	2	2	4	—	—	—	4	1	—	—	1	1	1	—	—
12 Cancer, malignant disease	M	12	—	—	—	—	—	—	4	6	2	29	—	—	—	—	—	2	16	8
	F	16	—	—	—	—	—	1	5	7	3	37	—	—	—	—	—	4	17	12
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
14 Diabetes	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—
15 Cerebral hæmorrhage, &c.	M	7	—	—	—	—	—	—	—	5	2	28	—	—	—	—	—	—	7	7
	F	11	—	—	—	—	—	—	2	5	4	31	—	—	—	—	—	—	4	13
16 Heart disease	M	17	—	—	—	—	—	1	4	8	4	30	—	—	—	—	—	1	7	11
	F	13	—	—	—	—	1	—	4	4	4	44	—	—	—	—	—	1	10	10
17 Arterio-sclerosis	M	4	—	—	—	—	—	—	—	—	4	5	—	—	—	—	—	—	—	1
	F	6	—	—	—	—	—	—	—	3	3	1	—	—	—	—	—	—	—	1
18 Bronchitis	M	9	4	—	—	—	—	—	2	—	3	12	1	—	—	—	—	—	1	4
	F	8	—	—	—	—	—	1	1	2	4	11	—	1	—	—	—	—	1	2
19 Pneumonia (all forms)	M	5	1	1	—	—	—	—	2	—	1	13	4	1	—	—	—	—	4	3
	F	13	2	3	1	1	—	4	1	—	1	4	—	—	—	1	—	1	1	—
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	—	1	—	—	1	3	—	—	—	—	—	1	—	1
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	7	4	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis	M	6	—	—	1	—	—	1	3	1	—	8	—	—	—	1	—	—	2	3
	F	6	—	—	—	—	—	—	2	3	1	4	—	—	—	—	1	—	2	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—
28 Congenital debility and malformation, premature birth	M	9	9	—	—	—	—	—	—	—	—	15	13	1	—	—	1	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
30 Other deaths from violence	M	4	—	—	—	—	—	2	2	—	—	5	—	—	—	2	—	—	2	1
	F	2	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—
31 Other defined diseases	M	23	1	2	—	—	—	4	5	2	9	43	6	—	2	—	2	2	8	4
	F	26	1	3	—	—	—	1	1	6	14	42	5	—	1	—	2	2	7	5
32 Causes ill-defined or unknown	M	1	—	—	—	1	—	—	—	—	—	6	—	—	—	—	—	—	1	3
	F	1	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BRECKNOCK—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	99	13	2	1	3	6	6	27	25	16	302	39	12	3	13	20	28	69	57	61
	F	121	12	—	2	3	2	20	22	28	32	273	34	7	7	4	14	38	65	43	61
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
6 Diphtheria	M	2	—	—	1	1	—	—	—	—	—	5	—	—	1	4	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	2	—	—	—	1	—	—	—	1	—	7	—	—	—	—	—	1	4	—	2
	F	4	—	—	—	—	—	1	2	—	1	13	1	—	—	—	—	4	3	1	4
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	6	—	1	—	1	1	1	2	—	—	19	—	—	—	1	6	7	3	2	—
	F	5	—	—	—	—	1	3	1	—	—	25	—	—	2	1	5	14	3	—	—
11 Other tuberculous diseases	M	3	—	—	—	—	2	—	—	1	—	4	1	—	—	1	1	1	—	—	—
	F	4	—	—	—	2	1	—	—	—	1	6	1	2	1	1	1	—	—	—	—
12 Cancer, malignant disease	M	7	—	—	—	—	—	—	6	1	—	19	—	—	—	—	—	—	8	6	5
	F	19	—	—	—	—	—	3	10	2	4	22	—	—	—	—	—	2	14	2	4
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	3	—
15 Cerebral hæmorrhage, &c.	M	10	—	—	—	—	—	—	4	3	3	22	—	—	—	—	—	—	4	9	9
	F	10	—	—	—	—	—	—	1	5	4	19	—	—	—	—	—	3	8	4	4
16 Heart disease	M	13	—	—	—	—	—	—	5	4	4	37	—	—	—	—	2	3	12	14	6
	F	14	—	—	—	—	—	2	2	5	5	44	—	—	—	—	2	2	20	12	8
17 Arterio-sclerosis	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2	—
18 Bronchitis	M	12	1	—	—	—	—	1	2	6	2	36	2	3	1	1	—	—	5	10	14
	F	12	1	—	—	—	—	1	1	5	4	19	2	—	1	—	—	1	—	5	10
19 Pneumonia (all forms)	M	6	4	—	—	—	—	—	—	2	—	21	5	4	1	2	3	2	4	—	—
	F	7	—	—	—	—	—	2	1	3	1	13	7	2	—	1	—	1	—	2	—
20 Other respiratory diseases	M	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—
	F	4	—	—	1	—	—	—	1	1	1	8	—	1	—	—	—	—	1	4	2
21 Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c.	M	4	3	1	—	—	—	—	—	—	—	3	—	2	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	1	—	2	2	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	—	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	3	5	2	1
	F	2	—	—	—	—	—	—	—	2	—	7	—	—	1	—	1	3	2	—	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	3	2	—	—	—
28 Congenital debility and malformation, premature birth	M	2	2	—	—	—	—	—	—	—	—	25	24	1	—	—	—	—	—	—	—
	F	6	6	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	—	1	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	4	—	—	—	—	1	1	1	1	—	15	—	—	—	2	5	2	5	1	—
	F	4	1	—	—	1	—	1	—	1	—	4	1	—	—	—	—	—	1	2	—
31 Other defined diseases	M	22	2	—	—	—	1	2	6	5	6	55	7	1	—	1	2	5	10	6	23
	F	21	3	—	—	—	—	4	2	2	10	45	3	—	—	—	—	2	6	5	29
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	4	—	1	—	1	—	1	—	1	—
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	3	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CARDIGAN—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75
All Causes	M	115	9	—	1	1	5	9	31	33	26	372	36	3	7	3	14	38	81	86	1
	F	134	8	1	3	4	6	10	32	32	38	383	15	2	3	5	17	47	76	95	1
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	3	—	—	—	—	—	—	2	1	—	17	—	—	—	—	1	2	3	6	
	F	11	—	—	—	—	—	1	—	7	3	23	—	—	—	—	1	4	6	6	
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	13	—	—	—	—	4	5	3	1	—	28	—	—	—	1	6	12	6	2	
	F	12	—	—	—	1	2	5	3	1	—	38	—	—	—	—	12	15	11	—	—
11 Other tuberculous diseases	M	2	—	—	—	—	1	—	1	—	—	5	—	—	1	1	3	—	—	—	—
	F	6	—	—	—	1	2	—	3	—	—	6	—	—	1	2	1	1	—	1	—
12 Cancer, malignant disease	M	8	—	—	—	—	—	—	6	2	—	37	—	—	—	—	—	1	15	13	
	F	15	—	—	—	—	1	1	6	5	2	44	—	—	—	—	—	3	17	15	
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1	—
	F	3	—	—	—	—	—	—	—	2	1	4	—	—	—	—	—	—	1	1	
15 Cerebral hæmorrhage, &c.	M	9	—	—	—	—	—	—	3	5	1	15	—	—	—	—	—	—	4	7	
	F	9	—	—	—	—	—	—	2	2	5	29	—	—	—	—	—	—	6	11	
16 Heart disease	M	18	—	—	—	—	—	1	4	9	4	69	—	—	—	—	—	6	17	20	
	F	11	—	—	—	—	1	—	4	3	3	63	—	—	—	—	—	1	14	22	
17 Arterio-sclerosis	M	6	—	—	—	—	—	—	1	2	3	14	—	—	—	—	—	—	4	6	
	F	5	—	—	—	—	—	—	1	1	3	8	—	—	—	—	—	—	1	2	
18 Bronchitis	M	5	1	—	—	—	—	—	—	—	4	31	3	—	—	—	—	1	1	6	
	F	10	1	—	—	—	—	—	1	3	5	20	1	—	—	—	—	1	4	8	
19 Pneumonia (all forms)	M	1	—	—	—	—	—	—	—	1	—	19	5	2	—	—	—	1	5	6	—
	F	8	2	—	2	—	—	—	1	—	3	13	3	1	1	—	1	—	1	5	
20 Other respiratory diseases	M	4	—	—	—	—	—	—	1	3	—	7	—	—	—	—	—	—	1	1	
	F	1	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—	1	—	1	
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c.	M	1	—	—	—	—	—	—	1	—	—	4	2	1	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis	M	7	—	—	—	—	—	—	1	3	3	9	—	—	—	—	—	—	3	2	
	F	11	—	—	—	—	—	1	4	5	1	26	—	—	—	1	—	4	3	7	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth	M	6	6	—	—	—	—	—	—	—	—	15	14	—	—	—	1	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	2	—	—	8	—	—	—	—	—	3	4	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	—	1	
30 Other deaths from violence	M	2	—	—	—	—	—	—	2	—	—	11	1	—	2	—	1	3	3	1	—
	F	2	—	—	1	—	—	—	1	—	—	2	—	—	—	—	—	—	—	1	
31 Other defined diseases	M	20	1	—	—	—	—	2	2	4	11	65	9	—	2	1	—	6	10	10	
	F	19	1	—	—	1	—	—	4	3	10	77	4	1	1	1	1	7	10	14	
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	1	4	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 20—*contd.*

Causes of Death at Different Periods of Life in the Administrative County of Carmarthen—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	468	71	12	22	12	25	55	120	87	64	718	91	16	20	12	38	95	178	141	127
	F	428	49	9	11	13	25	59	89	85	88	719	93	9	16	27	42	86	129	143	174
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough	M	5	—	3	2	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	9	6	2	1	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—	—
6 Diphtheria	M	4	1	—	3	—	—	—	—	—	—	4	—	—	3	1	—	—	—	—	—
	F	7	—	—	5	2	—	—	—	—	—	5	—	—	1	4	—	—	—	—	—
7 Influenza	M	10	—	—	—	—	—	3	5	1	1	24	1	2	—	—	—	8	7	4	2
	F	10	—	—	—	1	1	—	2	5	1	30	—	—	2	4	—	3	4	8	9
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0 Tuberculosis of respiratory system	M	29	1	—	—	—	7	15	6	—	—	58	—	—	—	4	12	17	20	5	—
	F	36	—	—	—	1	15	16	3	1	—	58	—	1	—	5	20	21	6	2	3
1 Other tuberculous diseases	M	11	2	2	2	1	2	1	—	1	—	8	1	—	1	—	—	3	3	—	—
	F	7	—	1	1	2	1	2	—	—	—	15	2	—	3	2	4	4	—	—	—
2 Cancer, malignant disease	M	37	—	—	—	—	—	3	20	11	3	54	—	—	—	—	1	5	21	19	8
	F	43	—	—	—	—	—	4	26	8	5	64	—	—	2	—	1	5	29	16	11
3 Rheumatic fever	M	7	—	—	1	1	1	1	2	1	—	6	—	—	—	1	3	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	4	—	1	—	—
4 Diabetes	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	2
	F	5	—	—	—	—	—	1	3	1	—	6	—	—	—	1	—	—	4	1	—
5 Cerebral hæmorrhage, &c.	M	11	—	—	—	—	—	—	4	2	5	26	—	—	—	—	—	—	7	9	10
	F	36	—	—	—	—	—	—	12	12	12	60	—	—	—	—	1	3	15	19	22
6 Heart disease	M	56	—	—	—	—	2	2	19	21	12	107	—	—	—	—	4	11	34	29	29
	F	84	—	—	—	1	3	9	19	29	23	124	—	—	—	3	4	12	30	35	40
7 Arterio-sclerosis	M	8	—	—	—	—	—	1	6	8	3	14	—	—	—	—	—	—	2	5	7
	F	6	—	—	—	—	—	1	1	3	1	17	—	—	—	—	—	—	1	5	11
8 Bronchitis	M	25	3	1	—	—	—	1	7	4	9	53	5	1	—	1	—	2	13	14	17
	F	16	1	1	—	—	—	—	2	4	8	44	5	1	—	—	—	1	6	12	19
9 Pneumonia (all forms)	M	49	16	4	4	1	2	6	8	4	4	57	7	6	3	—	—	7	11	13	10
	F	26	10	3	1	—	—	2	2	5	3	35	8	4	1	2	2	4	4	5	5
0 Other respiratory diseases	M	14	—	—	1	1	1	1	7	2	1	9	—	—	1	—	—	1	3	4	—
	F	5	—	—	—	—	—	2	1	1	1	4	1	—	—	2	—	—	—	—	1
1 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	1	1	1	—	7	—	—	—	—	—	1	6	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—
2 Diarrhœa, &c.	M	9	6	—	—	—	—	2	—	1	—	2	2	—	—	—	—	—	—	—	—
	F	11	5	1	—	—	3	—	—	1	1	11	7	—	—	—	—	—	—	4	—
3 Appendicitis and typhlitis	M	5	—	—	1	3	1	—	—	—	—	3	—	—	—	1	—	1	1	—	—
	F	3	—	—	1	1	—	1	—	—	—	3	—	—	—	—	1	1	1	—	—
4 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	3	—	1
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5 Acute and chronic nephritis	M	21	—	—	—	—	—	2	10	7	2	29	—	—	—	—	—	1	6	15	7
	F	10	—	—	—	—	—	2	5	3	—	33	—	—	—	—	1	3	7	12	10
6 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	—	4	—	—	—
7 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	14	—	—	—	—	2	11	1	—	—
8 Congenital debility and malformation, premature birth	M	28	27	—	—	1	—	—	—	—	—	50	47	—	—	—	3	—	—	—	—
	F	19	18	1	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—	—
9 Suicide	M	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	1	1	3	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
0 Other deaths from violence	M	25	2	1	4	1	4	6	4	2	1	55	—	2	4	2	12	24	9	1	1
	F	8	—	—	1	1	—	2	1	2	1	7	—	—	2	—	1	2	—	—	2
Other defined diseases	M	92	13	—	4	3	5	7	17	20	23	123	26	4	5	1	2	10	25	18	32
	F	76	9	—	1	3	1	11	10	9	32	130	26	2	5	3	1	10	20	22	41
2 Causes ill-defined or unknown	M	3	—	—	—	—	—	1	2	—	—	7	—	—	—	—	—	1	3	3	—
	F	1	—	—	—	—	—	—	1	—	—	3	1	—	—	—	—	1	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CARNARVON—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75
All Causes	M	382	31	2	6	14	19	38	109	86	77	493	48	7	8	7	20	45	114	131	1
	F	459	24	2	2	6	18	50	126	95	136	469	31	5	5	11	23	45	101	102	1
1 Enteric fever	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	10	—	—	—	—	—	2	3	2	3	23	—	1	—	—	3	2	10	3	
	F	24	—	—	—	—	—	4	4	11	5	25	2	—	—	—	—	4	5	8	
8 Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	34	—	—	—	1	8	8	15	2	—	49	—	—	—	1	7	12	20	9	—
	F	39	—	1	—	3	10	19	5	—	1	52	—	—	1	1	17	20	10	2	
11 Other tuberculous diseases	M	7	—	—	—	—	4	1	2	—	—	10	1	—	2	—	1	1	5	—	—
	F	5	1	—	—	1	—	2	1	—	—	9	—	—	1	4	2	1	1	—	—
12 Cancer, malignant disease	M	42	—	—	—	—	—	3	16	12	11	31	—	—	—	—	1	—	12	13	
	F	56	—	—	—	—	—	3	30	15	8	54	—	—	—	—	—	1	24	18	
13 Rheumatic fever	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	1	—	1	—	—	3	—	—	—	1	—	1	1	—	—
14 Diabetes	M	5	—	—	—	—	—	—	3	1	1	4	—	—	—	1	—	2	1	—	—
	F	3	—	—	—	—	—	1	1	—	1	3	—	—	—	—	—	2	1	—	—
15 Cerebral hæmorrhage, &c.	M	24	—	—	—	—	—	—	6	10	8	34	—	—	—	—	—	—	3	11	
	F	43	—	—	—	—	—	1	15	13	14	38	—	—	—	—	—	—	12	13	
16 Heart disease	M	57	—	—	—	—	—	5	12	22	18	70	—	—	—	—	1	5	14	34	
	F	65	—	—	—	—	1	7	18	15	24	56	—	—	—	—	—	4	14	16	
17 Arterio-sclerosis	M	10	—	—	—	—	—	—	3	6	1	22	—	—	—	—	—	—	2	11	
	F	13	—	—	—	—	—	—	3	5	5	13	—	—	—	—	—	—	1	4	
18 Bronchitis	M	11	1	—	1	—	—	—	1	2	6	21	3	—	—	—	1	—	—	6	
	F	25	2	—	—	—	—	—	4	6	13	33	—	1	—	—	—	—	4	5	
19 Pneumonia (all forms)	M	25	4	2	—	1	—	3	9	2	4	39	9	1	1	—	2	6	10	8	
	F	16	2	—	—	—	—	—	4	6	4	19	6	1	1	1	—	2	2	4	
20 Other respiratory diseases	M	9	1	—	—	—	—	1	3	2	2	4	—	1	—	—	—	—	2	1	—
	F	8	—	—	—	—	—	—	2	—	6	4	—	—	—	1	—	—	—	1	
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	—	3	1	2	—
22 Diarrhœa, &c.	M	5	4	—	—	—	1	—	—	—	—	5	2	—	1	1	—	—	1	—	—
	F	2	—	—	—	—	—	—	—	2	—	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	4	—	—	—	2	1	—	—	1	—	4	—	—	1	—	—	1	2	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis	M	17	—	—	—	2	—	3	6	4	2	30	—	—	1	—	—	—	9	9	
	F	22	—	—	—	—	2	1	9	6	4	32	—	—	—	—	1	—	9	10	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth	M	19	18	—	—	—	1	—	—	—	—	17	17	—	—	—	—	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	2	2	—	—	2	—	—	—	—	—	1	—	1	—
	F	4	—	—	—	—	—	1	3	—	—	2	—	—	—	—	—	—	1	1	—
30 Other deaths from violence	M	17	—	—	—	6	2	3	5	1	—	21	—	1	—	—	2	10	2	3	
	F	9	1	1	—	—	1	—	—	2	4	3	—	—	—	1	1	—	—	—	
31 Other defined diseases	M	71	3	—	4	—	1	4	20	18	21	96	13	2	1	3	2	4	20	20	
	F	99	7	—	1	2	1	6	24	11	47	92	9	2	2	1	1	3	14	16	
32 Causes ill-defined or unknown	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	1	
	F	4	—	—	1	—	—	—	2	1	—	1	—	—	—	—	—	—	1	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DENBIGH—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	335	33	9	4	4	10	29	100	75	71	619	104	14	13	21	17	63	143	127	117
	F	402	30	9	6	13	21	42	77	89	115	610	74	14	10	16	26	77	120	124	149
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	—	4	—	1	2	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	9	4	4	1	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	1	—	—	—
7 Influenza	M	7	—	—	—	—	1	1	2	2	1	26	1	—	1	—	—	7	8	5	4
	F	26	2	—	1	—	1	2	8	6	6	19	—	—	—	1	—	4	3	3	8
8 Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	2	—	—	—	1	1	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	28	—	—	—	1	5	13	9	—	—	21	—	—	—	1	2	11	6	1	—
	F	27	—	—	—	2	7	11	7	—	—	36	—	—	—	2	11	18	4	1	—
11 Other tuberculous diseases	M	6	1	—	—	2	—	1	1	—	1	8	2	—	2	1	—	1	1	1	—
	F	7	—	—	—	2	1	1	2	1	—	7	—	—	1	2	1	2	1	—	—
12 Cancer, malignant disease	M	33	—	—	—	—	—	—	14	11	8	56	—	—	—	—	1	3	27	19	6
	F	45	—	—	1	—	—	5	18	9	12	56	—	—	1	—	—	5	23	16	11
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	1	—	—	—
	F	3	—	—	—	—	1	—	2	—	—	5	—	—	—	1	1	2	1	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
	F	4	—	—	—	—	1	1	—	2	—	2	—	—	—	—	—	—	—	1	1
15 Cerebral hæmorrhage, &c.	M	31	—	—	—	—	—	1	7	15	8	34	—	—	—	—	—	2	9	16	7
	F	38	—	—	—	—	—	2	4	19	13	66	—	—	—	—	—	3	13	21	29
16 Heart disease	M	51	—	—	—	—	—	1	14	15	21	90	—	—	—	1	4	4	20	31	30
	F	57	—	—	—	—	1	—	13	23	20	106	—	—	—	1	2	7	26	35	35
17 Arterio-sclerosis	M	8	—	—	—	—	—	—	3	1	4	17	—	—	—	—	—	—	1	6	10
	F	13	—	—	—	—	—	—	1	4	8	6	—	—	—	—	—	—	1	—	5
18 Bronchitis	M	21	5	—	—	—	—	1	5	6	4	38	6	—	—	1	—	—	7	12	12
	F	23	3	4	—	—	1	1	1	2	11	40	5	1	—	—	—	—	5	10	19
19 Pneumonia (all forms)	M	32	6	4	1	—	—	3	10	5	3	79	19	7	2	4	2	8	26	7	4
	F	16	2	3	1	—	—	1	3	2	4	48	14	4	1	1	3	5	9	7	4
20 Other respiratory diseases	M	3	1	—	—	—	—	—	1	1	—	16	2	—	1	—	—	1	4	2	6
	F	4	1	—	—	—	—	1	1	1	—	15	3	—	1	—	1	1	3	2	4
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	—	—	2	—	4	—	—	—	—	—	—	2	2	—
22 Diarrhœa, &c.	M	5	4	—	—	—	—	—	—	1	—	16	11	2	—	—	—	—	—	2	1
	F	1	1	—	—	—	—	—	—	—	—	7	4	1	—	—	—	—	1	—	1
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	2	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	M	10	—	—	—	—	—	2	4	3	1	14	—	—	—	—	—	—	7	5	
	F	17	1	—	—	1	—	1	4	6	4	11	—	—	—	—	—	3	5	3	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	1	1	—	—	8	—	—	—	—	1	7	—	—	—
28 Congenital debility and malformation, premature birth	M	9	9	—	—	—	—	—	—	—	—	42	42	—	—	—	—	—	—	—	—
	F	11	9	—	—	1	1	—	—	—	—	30	30	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	—	3	1	—	5	—	—	—	—	—	2	2	—	1
	F	3	—	—	—	—	—	2	1	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence	M	14	—	1	1	1	2	4	4	—	1	32	1	—	1	1	4	16	7	2	—
	F	8	—	1	1	2	1	—	1	—	2	12	—	1	3	—	1	2	1	—	4
31 Other defined diseases	M	61	7	3	1	—	1	2	17	12	18	101	19	1	2	6	4	6	13	16	34
	F	80	10	—	2	2	4	9	8	11	34	103	14	3	—	6	4	8	17	23	28
32 Causes ill-defined or unknown	M	1	—	1	—	—	—	—	—	—	—	5	—	1	—	—	—	—	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	4	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of FLINT—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	253	35	7	9	6	7	37	69	44	39	398	41	12	9	10	13	48	84	90	9
	F	239	22	3	6	6	14	20	63	48	57	400	27	5	8	12	14	39	103	81	11
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	1	3	—	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	6	2	1	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
6 Diphtheria	M	2	1	—	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	18	2	—	1	—	1	3	6	3	2	16	1	—	1	—	1	3	4	4	
	F	13	—	—	1	—	2	1	3	3	3	15	—	—	—	—	—	5	3	5	
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	14	—	—	—	1	3	6	3	1	—	25	—	1	—	—	2	13	9	—	—
	F	9	—	—	—	2	1	5	1	—	—	25	—	—	—	1	4	11	8	1	—
11 Other tuberculous diseases	M	—	—	—	—	—	—	—	—	—	—	7	—	1	1	2	1	—	1	1	—
	F	3	—	—	—	—	1	1	1	—	—	4	—	1	—	—	1	—	2	—	—
12 Cancer, malignant disease	M	18	—	—	—	—	—	1	10	3	4	44	—	—	—	—	1	2	17	15	
	F	27	—	—	—	—	1	4	11	7	4	44	—	—	1	—	1	2	19	13	
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	1	3	—	
	F	5	—	—	—	—	1	—	2	1	1	4	—	—	—	—	—	—	—	3	
15 Cerebral hæmorrhage, &c.	M	16	—	—	—	—	—	—	4	7	5	22	—	—	—	—	—	1	9	10	
	F	21	—	—	—	—	—	1	5	8	7	44	—	—	—	—	—	—	18	11	1
16 Heart disease	M	23	—	—	—	—	—	1	9	9	4	45	—	—	—	1	2	4	6	15	1
	F	25	—	—	—	—	2	—	11	7	5	41	—	—	—	—	—	2	14	14	1
17 Arterio-sclerosis	M	6	—	—	—	—	—	1	—	3	2	13	—	—	—	—	—	—	1	5	
	F	4	—	—	—	—	—	—	1	1	2	6	—	—	—	—	—	—	—	2	
18 Bronchitis	M	11	—	—	1	—	1	1	3	3	2	27	5	—	—	—	—	—	—	5	1
	F	19	1	—	—	—	—	1	3	4	10	28	1	—	1	—	—	—	5	9	1
19 Pneumonia (all forms)	M	29	4	1	3	—	1	6	11	1	2	39	9	5	1	1	—	6	4	12	
	F	17	5	1	2	2	1	1	3	1	1	36	6	4	1	1	2	2	12	2	
20 Other respiratory diseases	M	7	—	—	1	—	—	2	1	2	1	6	1	—	—	—	—	—	2	1	
	F	6	—	—	—	—	—	—	2	3	1	5	—	—	—	—	—	—	—	3	
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	1	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	6	3	1	1	—	—	—	1	—	—	4	2	1	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	4	2	—	—	—	—	—	1	—	
23 Appendicitis and typhlitis	M	4	—	—	—	1	—	1	2	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	8	—	—	—	—	—	1	3	3	1	6	—	—	—	—	1	1	3	1	—
	F	10	—	—	—	—	—	1	5	3	1	12	—	—	1	—	—	2	3	2	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth	M	14	14	—	—	—	—	—	—	—	—	18	17	—	1	—	—	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	11	9	—	—	2	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	13	—	—	—	2	1	7	3	—	—	15	—	—	1	2	1	5	2	3	
	F	2	—	1	—	—	—	—	—	—	1	10	—	—	1	4	—	1	2	1	
31 Other defined diseases	M	45	10	1	1	—	—	3	6	8	16	80	3	3	1	3	2	8	16	14	3
	F	50	3	—	—	2	—	3	13	9	20	87	7	—	2	3	4	3	13	13	4
32 Causes ill-defined or unknown	M	2	—	—	—	—	—	—	2	—	—	7	—	—	—	—	1	1	1	2	
	F	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	1	3	2	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLAMORGAN—1924 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	3750	651	134	110	134	231	467	1045	604	374	1160	212	27	36	42	75	150	286	174	158
		F	3251	504	102	127	115	220	527	723	486	447	967	129	34	27	45	62	135	220	128	187
1	Enteric fever	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	8	1	5	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	4	1	1	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4	Scarlet fever	M	2	—	—	1	—	1	—	—	—	—	5	1	1	2	1	—	—	—	—	—
		F	8	—	1	5	2	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
5	Whooping cough	M	33	17	11	5	—	—	—	—	—	—	14	10	1	2	1	—	—	—	—	—
		F	45	21	15	8	1	—	—	—	—	—	10	5	3	1	1	—	—	—	—	—
6	Diphtheria	M	20	1	1	10	6	1	1	—	—	—	9	—	—	6	3	—	—	—	—	—
		F	29	—	—	15	12	1	1	—	—	—	12	1	—	3	7	1	—	—	—	—
7	Influenza	M	161	6	9	5	5	10	21	54	39	12	42	—	—	1	1	2	7	18	8	5
		F	115	4	3	4	5	8	21	35	23	12	28	3	—	2	2	1	5	3	4	8
8	Encephalitis lethargica	M	6	—	—	1	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	1	—	—	—	2	3	1	—	—	1	—	—	—	—	—	—	1	—	—
9	Meningococcal meningitis	M	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	236	1	1	2	4	54	93	72	9	—	71	—	2	1	1	15	31	20	1	—
		F	284	2	1	2	11	98	141	27	2	—	79	—	—	—	7	37	27	7	1	—
11	Other tuberculous diseases	M	82	10	13	9	18	19	10	2	1	—	26	2	5	3	3	8	4	1	—	—
		F	82	9	8	12	11	22	13	4	2	1	19	2	2	—	4	5	3	3	—	—
12	Cancer, malignant disease	M	225	—	1	—	2	3	20	134	49	16	70	—	—	—	—	1	7	31	20	11
		F	293	—	—	—	2	2	44	153	63	29	98	—	—	—	1	1	10	48	24	14
13	Rheumatic fever	M	19	—	—	—	4	3	8	3	1	—	10	—	—	—	3	2	4	—	—	1
		F	31	—	—	—	8	7	8	7	1	—	5	—	—	1	—	—	1	2	—	1
14	Diabetes	M	17	—	—	—	—	2	3	10	1	1	6	—	—	—	—	—	—	5	—	1
		F	20	—	—	—	—	—	2	12	5	1	14	—	—	—	—	1	1	6	4	2
15	Cerebral hæmorrhage, &c.	M	186	—	—	—	2	1	6	71	62	44	42	—	—	—	—	—	1	15	14	12
		F	216	—	—	—	—	—	9	90	73	44	75	—	—	—	—	—	5	23	22	25
16	Heart disease	M	386	—	—	—	18	18	43	155	98	54	132	—	—	—	3	7	13	55	33	21
		F	381	—	—	3	12	16	59	131	90	70	124	—	—	—	6	2	16	57	24	19
17	Arterio-sclerosis	M	88	—	—	—	—	—	3	21	32	32	23	—	—	—	—	—	1	7	5	10
		F	44	—	—	—	—	—	—	8	15	21	13	—	—	—	—	—	—	2	4	7
18	Bronchitis	M	383	64	8	6	1	4	14	108	120	58	95	21	2	—	—	—	6	20	23	23
		F	248	44	8	9	1	1	15	35	73	62	64	11	4	1	—	—	3	7	14	24
19	Pneumonia (all forms)	M	361	102	48	26	13	22	43	73	27	7	94	38	11	4	—	4	10	17	7	3
		F	254	70	34	34	11	6	35	33	16	15	64	23	12	6	2	2	6	3	6	4
20	Other respiratory diseases	M	74	—	4	2	2	2	7	30	19	8	22	2	1	—	—	—	5	10	4	—
		F	34	2	2	2	2	2	5	4	7	8	11	1	1	—	—	2	3	1	1	2
21	Ulcer of stomach or duodenum	M	35	1	—	—	—	1	12	17	3	1	8	—	—	—	—	—	3	2	3	—
		F	14	—	—	—	—	1	6	7	—	—	2	—	—	—	—	1	—	1	—	—
22	Diarrhœa, &c.	M	84	56	9	6	4	—	3	2	3	1	23	17	1	—	2	—	—	—	—	3
		F	62	37	6	7	—	1	2	3	3	3	14	5	3	1	—	—	1	2	1	1
23	Appendicitis and typhlitis	M	30	—	—	4	10	8	4	3	—	1	6	—	—	—	2	2	2	—	—	—
		F	19	—	—	—	6	6	6	1	—	—	5	—	—	—	—	1	2	2	—	—
24	Cirrhosis of liver	M	9	—	—	—	—	—	1	5	3	—	6	—	—	—	—	—	—	5	1	—
		F	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—	—
25	Acute and chronic nephritis	M	89	1	1	—	2	3	12	44	21	5	36	—	—	—	2	6	4	9	11	4
		F	97	—	—	—	1	7	16	49	15	9	26	—	—	—	—	1	6	13	3	3
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	2	20	—	—	—	8	—	—	—	—	2	6	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	55	—	—	—	—	8	47	—	—	—	13	—	—	—	—	1	12	—	—	—
28	Congenital debility and malformation, premature birth	M	255	247	1	4	2	—		—	—	—	68	66	—	2	—	—	—	—	—	—
		F	217	216	—	—	1	—	—	—	—	—	46	45	1	—	—	—	—	—	—	—
29	Suicide	M	28	—	—	—	—	1	8	17	1	1	9	—	—	—	—	1	2	5	1	—
		F	13	—	—	—	—	4	5	3	1	—	5	—	—	—	—	—	3	2	—	—
30	Other deaths from violence	M	263	4	7	7	19	55	82	73	11	5	101	3	—	7	11	24	33	19	1	3
		F	62	4	5	11	11	4	2	7	6	12	16	1	1	3	3	1	3	2	—	2
31	Other defined diseases	M	663	138	15	20	19	22	69	148	104	128	234	49	2	8	9	2	15	46	42	61
		F	584	91	15	14	17	22	65	111	90	159	207	32	6	7	11	3	21	32	20	75
32	Causes ill-defined or unknown	M	5	2	—	—	1	—	—	2	—	—	4	2	—	—	—	—	1	1	—	—
		F	6	1	3	—	—	—	—	2	—	—	3	—	—	—	—	—	1	2	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MERIONETH—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75
ALL CAUSES ..	M	169	15	3	2	2	5	22	45	42	33	161	13	1	—	3	4	19	42	36	
	F	173	8	2	2	1	6	18	34	45	57	181	20	—	2	2	12	21	42	32	
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
7 Influenza	M	13	—	—	1	—	1	4	5	2	—	13	—	—	—	—	—	2	2	5	
	F	13	—	—	1	—	—	2	3	4	3	5	—	—	—	—	—	—	1	2	
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	19	—	—	—	—	2	7	8	2	—	16	—	—	—	—	1	10	4	1	—
	F	10	—	—	—	—	3	6	—	1	—	16	—	—	—	—	4	7	4	—	
11 Other tuberculous diseases	M	9	—	1	—	1	1	2	2	2	—	3	—	—	—	—	1	—	1	—	
	F	4	—	1	—	1	—	1	1	—	—	5	—	—	—	—	2	2	1	—	—
12 Cancer, malignant disease	M	15	—	—	—	—	—	—	7	6	2	17	—	—	—	1	—	1	5	6	
	F	29	—	—	—	—	—	1	11	12	5	20	—	—	—	—	—	1	11	5	
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	1	1	—	—
14 Diabetes	M	3	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	1	—
	F	9	—	—	—	—	—	2	3	2	2	3	—	—	—	1	1	—	—	1	—
15 Cerebral hæmorrhage, &c. ..	M	12	—	—	—	—	—	—	3	3	6	14	—	—	—	—	—	—	4	4	
	F	17	—	—	—	—	—	—	1	3	13	16	—	—	—	—	—	1	2	2	
16 Heart disease ..	M	21	—	—	—	—	—	—	8	5	8	25	—	—	—	—	—	—	10	4	
	F	19	—	—	—	—	1	—	4	8	6	33	—	—	—	—	—	2	9	11	
17 Arterio-sclerosis ..	M	4	—	—	—	—	—	—	2	1	1	8	—	—	—	—	—	—	2	2	
	F	8	—	—	—	—	—	—	—	2	6	10	—	—	—	—	—	—	—	4	
18 Bronchitis ..	M	7	—	—	—	—	—	1	—	4	2	3	—	—	—	—	—	—	—	2	
	F	6	—	—	—	—	—	—	1	3	2	3	1	—	—	—	—	—	1	1	—
19 Pneumonia (all forms)	M	7	1	2	—	1	—	1	1	1	—	8	—	—	—	—	1	1	3	3	—
	F	2	—	1	—	—	—	1	—	—	—	3	—	—	—	—	—	1	1	—	
20 Other respiratory diseases	M	4	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	—	1	3	1	1	—	—	—	—	1	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	5	—	—	—	—	—	—	1	1	3	11	—	1	—	—	—	—	4	3	
	F	5	1	—	—	—	1	—	1	1	1	5	—	—	—	—	1	1	1	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	2	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	8	8	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—	—
29 Suicide	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	4	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
31 Other defined diseases	M	32	5	—	1	—	—	4	2	9	11	30	8	—	—	2	1	2	4	4	
	F	34	2	—	—	—	—	2	7	5	18	40	9	—	1	1	—	3	9	3	
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—

Table 20—*contd.*

Causes of Death at Different Periods of Life in the Administrative County of Monmouth—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1889	333	60	75	56	110	246	466	337	206	280	29	3	3	7	11	21	72	72	62
	F	1546	244	54	69	78	103	213	329	228	228	247	27	3	3	4	13	30	48	50	69
Enteric fever	M	6	—	—	—	—	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	4	1	1	1	1	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
	F	5	2	1	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Scarlet fever	M	4	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	1	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	17	6	6	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	3	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	18	2	2	9	4	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	17	1	—	8	7	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	M	74	8	2	4	1	2	12	25	14	6	6	—	—	—	1	—	—	1	4	—
	F	59	3	1	3	2	4	11	20	8	7	16	—	—	1	—	1	3	1	6	4
Encephalitis lethargica	M	8	—	—	—	1	3	1	3	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	2	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system	M	102	—	—	2	2	33	45	18	2	—	19	—	—	—	—	6	5	7	1	—
	F	106	1	2	—	9	50	32	10	2	—	29	—	—	—	—	7	15	4	3	—
Other tuberculous diseases	M	36	4	1	4	12	6	7	1	—	1	5	1	—	—	1	1	1	1	—	—
	F	32	2	3	3	10	8	3	2	1	—	2	—	—	—	1	1	—	—	—	—
Cancer, malignant disease	M	139	—	—	1	1	1	12	60	48	16	30	—	—	—	—	1	2	11	14	2
	F	115	—	—	—	—	—	16	63	27	9	29	—	—	—	—	1	1	12	10	5
Rheumatic fever	M	9	—	—	1	4	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	2	2	3	1	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	M	11	—	—	—	—	4	4	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	17	—	—	1	—	1	—	9	5	1	1	—	—	—	—	—	—	1	—	—
Cerebral hæmorrhage, &c.	M	98	—	—	—	1	2	2	27	40	26	18	—	—	—	—	—	—	1	10	7
	F	92	—	—	1	—	—	5	46	24	16	22	—	—	—	—	—	—	6	9	7
Heart disease	M	185	—	—	—	3	4	24	77	59	18	40	—	—	—	—	1	1	10	16	12
	F	182	—	—	—	5	9	29	66	40	33	33	—	—	—	—	1	1	10	7	14
Arterio-sclerosis	M	38	—	—	—	—	—	2	13	11	12	16	—	—	—	—	—	—	5	5	6
	F	18	—	—	—	—	—	—	3	2	13	11	—	—	—	—	—	—	1	3	7
Bronchitis	M	184	26	5	3	—	—	7	50	56	37	19	3	—	1	1	—	2	—	4	8
	F	145	22	2	2	2	3	2	28	43	41	11	1	—	1	—	—	—	—	—	9
Pneumonia (all forms)	M	194	61	29	12	2	7	26	28	22	7	15	1	—	1	1	—	2	5	3	2
	F	122	33	22	16	5	3	11	13	15	4	11	2	1	—	—	—	2	2	4	—
Other respiratory diseases	M	37	2	2	—	1	2	4	19	6	1	3	—	—	—	—	—	—	1	1	1
	F	30	3	2	2	—	—	7	6	5	5	6	—	—	—	—	—	—	1	2	3
Ulcer of stomach or duodenum	M	21	—	—	—	—	—	13	7	1	—	3	—	—	—	—	—	1	2	—	—
	F	6	—	—	—	—	—	3	2	1	—	1	—	—	—	—	—	—	—	1	—
Diarrhœa, &c.	M	30	20	5	—	1	—	—	1	—	3	1	—	—	—	—	—	—	—	—	1
	F	31	15	7	4	—	—	2	2	—	1	3	—	1	—	—	—	—	1	—	1
Appendicitis and typhlitis	M	11	—	—	2	1	3	2	1	2	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	5	—	1	3	—	—	2	—	—	—	—	—	1	1	—	—
Cirrhosis of liver	M	5	—	—	—	—	—	1	2	2	—	3	—	—	—	—	—	—	2	1	—
	F	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—
Acute and chronic nephritis	M	37	—	1	—	1	2	9	15	6	3	9	—	—	—	—	—	1	1	3	4
	F	28	—	—	2	2	4	12	8	—	—	4	—	—	—	1	—	—	3	—	—
Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	9	—	—	—	1	—	—	—	—	1	—	—	—	—
Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	—	3	19	—	—	—	1	—	—	—	—	—	1	—	—	—
Congenital debility and malformation, premature birth	M	132	130	1	1	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
	F	111	110	—	1	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
Suicide	M	10	—	—	—	—	—	4	6	—	—	8	—	—	—	—	—	1	7	—	—
	F	4	—	—	—	—	—	3	1	—	—	1	—	—	—	—	—	1	—	—	—
Other deaths from violence	M	137	2	—	10	10	27	36	43	5	4	6	—	—	—	—	2	—	2	1	1
	F	25	1	1	3	7	1	3	4	4	1	7	1	—	—	1	—	2	—	1	2
Other defined diseases	M	339	71	5	18	9	10	31	61	62	72	53	4	—	—	1	—	5	16	9	18
	F	321	48	8	16	14	14	38	37	49	97	39	8	—	1	—	1	3	5	4	17
Causes ill-defined or unknown	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MONTGOMERY—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	130	13	1	3	4	4	10	38	28	29	242	25	3	3	5	14	12	47	54	7
	F	104	7	1	1	—	3	14	24	26	28	229	17	1	9	5	9	16	50	51	7
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza	M	2	—	—	—	—	2	—	—	—	—	12	1	1	—	—	1	—	1	2	6
	F	2	—	—	—	—	—	—	1	—	1	8	1	—	—	—	—	1	2	—	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	6	—	—	—	—	2	1	3	—	—	15	—	—	—	1	5	5	4	—	—
	F	7	—	—	—	—	—	5	2	—	—	10	—	—	—	1	3	2	3	1	—
11 Other tuberculous diseases	M	2	—	—	1	—	—	1	—	—	—	4	—	—	—	—	2	—	1	1	—
	F	2	—	—	—	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—
12 Cancer, malignant disease	M	15	—	—	—	—	—	—	11	2	2	17	—	—	—	—	—	1	5	7	4
	F	13	—	—	—	—	—	2	5	3	3	31	—	—	—	—	—	5	16	9	1
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—	3	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	—	1	1	—	—
15 Cerebral hæmorrhage, &c. ..	M	12	—	—	—	—	—	—	3	6	3	14	—	—	—	—	—	—	5	2	7
	F	8	—	—	—	—	—	—	3	1	4	22	—	—	—	—	—	—	4	8	10
16 Heart disease ..	M	17	—	—	—	2	—	2	5	2	6	36	—	—	—	—	—	2	11	10	13
	F	12	—	—	—	—	—	—	2	7	3	41	—	—	—	1	—	—	7	15	18
17 Arterio-sclerosis ..	M	1	—	—	—	—	—	—	—	1	—	9	—	—	—	—	—	—	1	2	6
	F	4	—	—	—	—	—	—	1	1	2	10	—	—	—	—	—	—	—	4	6
18 Bronchitis ..	M	13	—	—	—	—	—	—	2	3	8	23	4	1	—	—	—	—	—	4	14
	F	10	—	—	—	—	—	—	—	5	5	20	3	—	—	—	—	—	—	3	14
19 Pneumonia (all forms)	M	5	2	—	1	—	—	1	—	1	—	17	2	—	—	—	1	1	7	5	1
	F	6	—	—	—	—	—	1	—	3	2	9	—	—	4	—	—	1	2	—	2
20 Other respiratory diseases	M	2	—	—	—	—	—	1	—	1	—	3	—	—	1	—	—	—	1	—	1
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1	—
22 Diarrhœa, &c. ..	M	5	3	1	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	—
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	7	—	—	—	—	—	—	4	2	1	12	—	—	—	1	—	—	1	6	4
	F	5	—	—	—	—	—	1	3	1	—	5	—	—	—	—	—	—	4	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	4	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	7	7	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
	F	6	6	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	1	—	1	—	3	—	—	—	—	—	1	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
30 Other deaths from violence.. ..	M	2	1	—	—	—	—	1	—	—	—	5	—	—	1	—	—	2	2	—	—
	F	2	—	—	1	—	—	—	—	—	1	4	1	—	1	—	—	—	1	—	1
31 Other defined diseases	M	29	—	—	—	2	—	1	9	8	9	46	2	1	—	1	5	—	5	10	22
	F	19	1	1	—	—	1	2	3	4	7	39	2	1	1	1	2	4	6	7	15
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PEMBROKE—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	293	24	7	5	6	16	41	77	59	58	345	47	4	4	9	10	32	65	76	98
	F	282	35	11	5	9	10	23	64	51	74	355	13	8	10	8	10	27	86	75	118
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	—	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	4	1	—	2	1	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	1	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	5	—	1	2	1	—	1	—	—	—
7 Influenza	M	13	1	—	—	—	1	2	7	2	—	16	1	1	—	1	1	1	2	3	6
	F	14	—	—	—	—	—	1	5	2	6	10	—	1	—	—	—	3	3	—	3
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	32	—	—	—	—	7	15	6	4	—	15	—	—	—	2	1	9	3	—	—
	F	24	—	—	—	3	9	6	4	2	—	26	—	—	1	2	4	7	10	1	1
11 Other tuberculous diseases	M	7	—	1	2	1	2	1	—	—	—	4	—	—	—	1	—	2	1	—	—
	F	7	1	3	—	—	—	2	1	—	—	9	—	—	1	2	2	—	2	2	—
12 Cancer, malignant disease	M	25	1	—	—	—	—	1	8	10	5	35	—	—	1	—	—	1	12	10	11
	F	35	—	—	—	—	—	4	15	12	4	39	—	—	—	—	—	1	16	12	10
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	1
	F	4	—	—	—	—	—	1	1	1	1	3	—	—	—	—	—	1	—	1	1
15 Cerebral hæmorrhage, &c. ..	M	20	—	—	—	—	—	1	10	6	3	29	—	—	—	—	—	1	5	13	10
	F	18	—	—	—	—	—	—	4	5	9	25	—	—	—	—	—	—	8	5	12
16 Heart disease ..	M	41	—	—	—	—	1	4	16	7	13	51	—	—	—	—	—	3	6	23	19
	F	34	—	—	—	—	1	2	9	10	12	56	—	—	—	1	—	1	17	16	21
17 Arterio-sclerosis ..	M	12	—	—	—	—	—	1	3	5	3	13	—	—	—	—	—	—	4	5	4
	F	4	—	—	—	—	—	—	1	—	3	16	—	—	—	—	—	—	—	5	11
18 Bronchitis ..	M	17	4	—	—	—	—	1	3	5	4	22	6	—	—	—	—	—	2	5	9
	F	24	4	—	—	—	—	1	4	5	10	28	2	1	—	—	—	1	4	10	10
19 Pneumonia (all forms)	M	17	4	2	—	2	—	—	4	3	2	22	7	1	1	—	—	4	5	1	3
	F	16	3	3	1	—	—	1	3	4	1	18	2	2	1	—	—	2	4	1	6
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	—	1	1
	F	3	—	—	—	—	—	—	1	1	1	7	—	1	—	—	—	—	4	2	—
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	—	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c. ..	M	4	1	2	1	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	7	5	1	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	2	1	—	—	—	3	—	—	1	—	2	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	4	—	—	—	—	2	1	1	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	11	—	—	1	—	1	1	4	4	—	12	—	—	—	1	1	1	2	3	4
	F	10	—	—	1	—	—	1	4	1	3	13	—	—	—	—	—	—	3	4	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	9	8	—	—	1	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
	F	14	14	—	—	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	2	—	—	—	5	—	—	—	—	—	3	1	—	1
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence.. ..	M	6	—	1	—	—	2	2	1	—	—	10	2	—	—	—	2	—	2	1	3
	F	3	1	—	—	—	—	—	—	1	1	5	—	1	1	—	—	—	1	1	1
31 Other defined diseases	M	61	4	—	—	2	—	6	10	11	28	68	11	1	1	2	1	5	13	10	24
	F	47	6	3	—	1	—	2	7	5	23	71	2	1	2	2	1	3	12	12	36
32 Causes ill-defined or unknown ..	M	6	—	—	—	—	—	2	2	2	—	7	1	—	—	—	—	—	4	1	1
	F	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	—	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of RADNOR—1924 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	44	3	1	—	3	1	3	7	9	17	111	11	1	1	2	5	8	20	23	40
	F	32	1	—	1	—	1	—	16	4	9	113	11	1	5	2	7	15	15	23	34
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
7 Influenza	M	2	—	1	—	—	—	—	—	—	1	10	—	—	—	1	—	1	2	3	3
	F	2	—	—	—	—	1	—	—	—	1	5	—	—	—	—	—	—	3	1	1
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	5	—	—	—	1	—	2	1	1	—	5	—	—	—	—	1	2	2	—	—
	F	3	—	—	—	—	—	—	3	—	—	7	—	—	—	1	3	2	1	—	—
11 Other tuberculous diseases	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	1	—	—	—	—	—	—	—	1	—	13	—	—	—	—	—	1	5	3	4
	F	3	—	—	—	—	—	—	2	—	1	9	—	—	1	—	—	1	3	3	1
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
15 Cerebral hæmorrhage, &c.	M	5	—	—	—	—	—	—	1	—	4	8	—	—	—	—	—	—	1	3	4
	F	4	—	—	—	—	—	—	2	—	2	13	—	—	—	—	—	—	1	4	8
16 Heart disease	M	7	—	—	—	—	—	—	2	3	2	14	—	—	—	—	—	—	3	4	7
	F	5	—	—	—	—	—	—	2	3	—	14	—	—	—	—	—	2	1	6	5
17 Arterio-sclerosis	M	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	2	2
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
18 Bronchitis	M	2	1	—	—	—	—	—	—	—	1	14	1	—	—	—	—	—	3	1	9
	F	2	—	—	—	—	—	—	—	—	2	10	—	—	—	—	1	—	2	2	5
19 Pneumonia (all forms)	M	2	—	—	—	—	—	—	1	—	1	7	2	—	—	—	1	2	1	—	1
	F	3	—	—	1	—	—	—	2	—	—	7	2	—	1	—	—	1	2	—	1
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
22 Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	3	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	—	1	2	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	3	2	—	—	—	1	—	—	—	—	4	4	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	1	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	—	1	1	—	—	1
31 Other defined diseases	M	8	—	—	—	—	—	—	—	1	7	19	3	—	1	1	—	—	1	5	8
	F	4	—	—	—	—	—	—	1	—	3	23	2	—	—	—	2	4	1	3	11
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only).

NOTE.—This table relates to Municipal Boroughs, other Urban Districts and Rural Districts which, as now constituted, had civilian populations exceeding 10,000 at the Census of 1921. The corresponding statistics for Districts not shown in this table are available for reference in the General Register Office, Somerset House, London.

BEDFORDSHIRE.

Causes of Death.	Bedford M.B.		Luton M.B.		Ampthill. R.D.		Bedford R.D.		Biggleswade R.D.		Luton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	220	236	281	319	157	149	130	141	143	145	54	65	
1 Enteric fever	—	—	12	2	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	4	1	2	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	2	1	2	2	4	1	1	—	1	—	—	5
6 Diphtheria	1	3	2	10	1	—	—	—	—	—	—	—	6
7 Influenza	12	6	6	12	11	9	5	11	5	5	2	2	7
8 Encephalitis lethargica	—	—	1	4	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	19	16	25	20	10	6	5	8	10	12	2	3	10
11 Other tuberculous diseases	5	2	2	5	2	2	1	—	1	—	1	1	11
12 Cancer, malignant disease	27	34	22	41	19	20	14	24	29	32	8	10	12
13 Rheumatic fever	—	1	2	—	—	—	1	—	—	—	—	—	13
14 Diabetes	2	4	3	4	4	2	3	2	2	—	1	—	14
15 Cerebral hæmorrhage, &c.	12	22	15	27	10	20	5	9	6	9	3	11	15
16 Heart disease	21	37	43	58	14	19	12	20	14	22	8	10	16
17 Arterio-sclerosis	20	10	8	3	6	5	14	4	7	7	2	1	17
18 Bronchitis	8	20	16	28	10	15	8	16	10	13	8	2	18
19 Pneumonia (all forms)	11	10	15	18	4	5	5	4	10	4	3	—	19
20 Other respiratory diseases	4	1	6	3	2	1	2	—	5	2	—	1	20
21 Ulcer of stomach or duodenum	3	—	3	—	1	1	1	1	2	2	—	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	2	4	1	—	—	2	—	1	—	—	22
23 Appendicitis and typhlitis	2	—	1	1	—	—	1	1	—	—	2	—	23
24 Cirrhosis of liver	1	—	1	—	2	1	2	—	1	1	—	—	24
25 Acute and chronic nephritis	14	3	14	6	5	3	4	6	4	2	1	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	1	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	13	7	11	11	6	3	4	6	7	8	3	1	28
29 Suicide	1	2	5	2	1	—	3	—	1	1	—	—	29
30 Other deaths from violence	8	5	9	8	2	1	7	—	3	1	1	2	30
31 Other defined diseases	35	50	51	44	36	29	32	24	25	20	9	15	31
32 Causes ill-defined or unknown	—	—	1	—	5	2	—	2	—	—	—	1	32

BERKSHIRE.

Causes of Death.	Maidenhead M.B.		Newbury M.B.		New Windsor M.B.		Abingdon R.D.		Bradfield R.D.		Cookham R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	99	99	80	81	106	113	51	59	94	81	73	91	
1 Enteric fever	1	1	—	—	—	—	2	—	—	—	1	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	2	2	—	—	—	—	1	1	—	—	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	2	—	—	1	—	—	—	5
6 Diphtheria	—	—	—	—	—	—	—	1	—	1	1	—	6
7 Influenza	5	4	2	4	3	1	—	3	2	4	3	2	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	4	3	4	9	3	3	1	7	4	3	5	10
11 Other tuberculous diseases	2	—	—	1	4	2	3	1	1	1	1	—	11
12 Cancer, malignant disease	14	13	10	7	12	15	5	5	11	16	12	23	12
13 Rheumatic fever	—	2	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	1	—	1	1	1	1	—	1	—	1	—	2	14
15 Cerebral hæmorrhage, &c.	9	14	8	2	4	14	5	10	3	8	1	12	15
16 Heart disease	14	14	7	9	14	13	7	7	17	11	18	10	16
17 Arterio-sclerosis	3	1	6	6	12	17	2	1	13	3	3	3	17
18 Bronchitis	5	10	2	10	5	9	5	6	1	8	6	6	18
19 Pneumonia (all forms)	6	6	7	6	7	7	4	2	4	2	5	—	19
20 Other respiratory diseases	1	1	2	1	1	2	—	1	—	—	1	1	20
21 Ulcer of stomach or duodenum	2	2	—	1	—	—	—	—	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	3	—	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	—	—	3	—	1	1	—	1	1	—	—	—	23
24 Cirrhosis of liver	2	—	1	—	1	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	3	1	—	3	5	2	—	—	1	2	1	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	2	—	—	—	3	—	—	27
28 Congenital debility and malformation, premature birth	6	1	2	2	9	3	3	2	1	2	1	2	28
29 Suicide	2	1	2	—	—	1	—	—	—	1	2	—	29
30 Other deaths from violence	3	1	—	3	2	1	—	2	3	—	3	3	30
31 Other defined diseases	11	19	20	13	14	15	10	15	26	13	11	19	31
32 Causes ill-defined or unknown	—	1	2	—	2	—	2	—	1	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

BERKSHIRE—*cont.*

Causes of Death.	East hampstead R.D.		Faringdon * (pt.) R.D.		Newbury R.D.		Wantage R.D.		Wokingham R.D.									
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.								
All Causes	76	86	61	58	68	50	65	59	113	106								
1 Enteric fever	—	—	—	—	—	—	—	—	—	—								1
2 Small-pox	—	—	—	—	—	—	—	—	—	—								2
3 Measles	—	—	—	—	—	2	—	2	2	3								3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—								4
5 Whooping cough	—	—	—	1	—	—	—	—	1	—								5
6 Diphtheria	—	—	—	—	—	—	—	—	—	1								6
7 Influenza	1	4	2	2	3	3	—	2	4	2								7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	2								8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—								9
10 Tuberculosis of respiratory sys.	7	1	3	3	1	2	5	3	10	6								10
11 Other tuberculous diseases	—	3	1	2	2	1	2	—	1	1								11
12 Cancer, malignant disease	6	12	8	4	7	6	8	7	11	14								12
13 Rheumatic fever	—	1	—	1	—	—	—	2	—	—								13
14 Diabetes	—	—	—	—	—	—	2	—	2	—								14
15 Cerebral hæmorrhage, &c.	4	5	9	8	4	7	6	5	7	15								15
16 Heart disease	8	8	8	6	8	7	7	11	17	17								16
17 Arterio-sclerosis	5	4	—	2	7	3	1	1	3	4								17
18 Bronchitis	16	3	5	2	6	3	4	5	12	11								18
19 Pneumonia (all forms)	3	3	2	2	1	1	5	1	5	2								19
20 Other respiratory diseases	—	1	—	—	3	—	1	—	1	2								20
21 Ulcer of stomach or duodenum	1	—	—	—	—	—	1	—	1	—								21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	1	—	—	—								22
23 Appendicitis and typhlitis	—	—	—	—	1	—	—	—	1	—								23
24 Cirrhosis of liver	—	1	—	—	1	—	—	—	1	—								24
25 Acute and chronic nephritis	1	3	2	4	1	1	—	2	5	2								25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	3								26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	1	—	2								27
28 Congenital debility and malformation, premature birth	2	4	4	2	2	2	3	2	5	2								28
29 Suicide	2	—	2	—	—	—	—	—	1	—								29
30 Other deaths from violence	1	—	1	—	3	—	3	—	1	—								30
31 Other defined diseases	19	30	12	18	17	12	16	15	22	17								31
32 Causes ill-defined or unknown	—	—	1	1	1	—	—	—	—	—								32

BUCKINGHAMSHIRE.

Causes of Death.	Aylesbury M.B.		Chepping Wycombe M.B.		Slough U.D.		Wolverton U.D.		Amersham R.D.		Aylesbury R.D.		Eton R.D.		Newport Pagnell R.D.		Wycombe R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	90	74	95	88	88	73	66	77	113	119	103	103	185	141	78	93	159	150	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	1	—	—	—	—	—	—	—	2	—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	—	—	—	—	—	—	—	4	1	—	—	—	—	1	—	—	—	—	5
6 Diphtheria	1	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	6
7 Influenza	6	3	1	6	4	4	4	3	8	9	4	8	3	7	1	6	6	9	7
8 Encephalitis lethargica	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	1	5	9	7	5	3	3	5	5	3	2	10	8	4	6	12	7	10
11 Other tuberculous diseases	2	—	1	—	—	—	1	1	1	2	1	1	4	3	—	1	1	2	11
12 Cancer, malignant disease	12	8	9	10	8	7	5	10	19	25	9	13	23	21	14	14	28	22	12
13 Rheumatic fever	—	—	—	2	1	1	—	—	—	—	—	1	1	—	—	1	—	—	13
14 Diabetes	—	—	1	2	1	2	—	—	—	1	1	1	4	2	2	4	—	1	14
15 Cerebral hæmorrhage, &c.	1	13	9	9	4	7	5	8	2	9	8	11	11	8	7	8	6	13	15
16 Heart disease	8	12	7	9	16	10	11	9	10	21	19	16	38	22	14	15	17	22	16
17 Arterio-sclerosis	6	2	3	—	2	—	—	1	5	4	2	—	9	3	4	1	9	7	17
18 Bronchitis	2	6	9	8	2	4	4	3	8	5	5	9	11	11	2	5	7	14	18
19 Pneumonia (all forms)	7	4	3	6	1	4	2	5	9	6	4	3	10	10	2	2	9	6	19
20 Other respiratory diseases	3	3	1	2	1	—	—	1	1	2	4	—	2	4	1	—	1	1	20
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	—	—	2	—	—	—	1	—	—	—	3	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	1	—	—	—	1	2	—	2	—	—	—	1	—	22
23 Appendicitis and typhlitis	—	1	1	—	—	—	—	—	2	—	—	1	1	—	1	—	2	1	23
24 Cirrhosis of liver	2	—	1	—	—	—	—	—	1	1	—	—	2	1	—	1	—	—	24
25 Acute and chronic nephritis	8	3	5	—	3	2	3	5	2	1	9	9	3	2	1	4	2	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	2	—	3	—	—	—	3	—	2	—	2	27
28 Congenital debility and malformation, premature birth	5	2	5	2	8	1	4	2	4	3	4	4	7	5	4	3	15	6	28
29 Suicide	2	—	6	—	—	1	2	1	1	1	1	—	—	—	3	1	1	—	29
30 Other deaths from violence	3	1	2	2	2	2	3	1	3	1	2	2	3	1	1	—	10	6	30
31 Other defined diseases	19	15	24	20	24	17	17	18	29	18	25	22	40	26	17	17	25	29	31
32 Causes ill-defined or unknown	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—	1	1	1	32

* The remainder of Faringdon R.D. is in Gloucestershire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

CAMBRIDGESHIRE.

Causes of Death.	Cambridge M.B.		Chesterton R.D.		Newmarket R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	317	382	135	173	117	126	
1 Enteric fever	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	2
3 Measles	—	—	—	—	3	1	3
4 Scarlet fever	—	—	—	—	1	—	4
5 Whooping cough	—	—	—	3	—	2	5
6 Diphtheria	2	4	—	—	—	1	6
7 Influenza	11	15	3	3	6	6	7
8 Encephalitis lethargica	3	—	—	—	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	23	23	4	8	4	5	10
11 Other tuberculous diseases	4	12	1	2	1	3	11
12 Cancer, malignant disease	38	54	23	27	18	17	12
13 Rheumatic fever	—	—	—	—	—	—	13
14 Diabetes	5	3	3	—	3	2	14
15 Cerebral hæmorrhage, &c.	17	25	10	16	8	7	15
16 Heart disease	43	46	20	27	10	19	16
17 Arterio-sclerosis	7	10	6	5	4	10	17
18 Bronchitis	20	25	13	24	7	13	18
19 Pneumonia (all forms)	14	17	6	9	3	5	19
20 Other respiratory diseases	3	5	1	6	—	1	20
21 Ulcer of stomach or duodenum	4	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	—	1	—	—	22
23 Appendicitis and typhlitis	5	1	1	2	1	—	23
24 Cirrhosis of liver	1	2	1	—	—	—	24
25 Acute and chronic nephritis	11	15	4	2	2	6	25
26 Puerperal sepsis	—	2	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	6	—	1	—	1	27
28 Congenital debility and malformation, premature birth	15	5	8	2	9	3	28
29 Suicide	7	1	2	—	3	1	29
30 Other deaths from violence	12	5	4	3	2	1	30
31 Other defined diseases	69	105	23	31	29	19	31
32 Causes ill-defined or unknown	1	—	1	—	1	2	32

CHESHIRE.

Causes of Death.	Altrincham U.D.		Bebington & Bromborough U.D.		Cheadle & Gatley U.D.		Congleton M.B.		Crewe M.B.		Dukinfield M.B.		Ellesmere Port & Whitby U.D.		Hazel Grove & Bramhall U.D.		Hoylake & West Kirby U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	133	124	88	80	74	70	91	100	286	263	124	124	85	51	81	63	81	99	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	—	1	2	—	—	—	4	2	5	5	4	2	1	3	—	—	3
4 Scarlet fever	—	1	—	—	—	—	2	1	2	—	—	—	—	1	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	—	2	1	—	1	—	—	1	1	—	—	—	1	4	—	—	—	—	6
7 Influenza	4	8	3	3	1	3	3	4	11	13	2	2	—	1	4	1	3	7	7
8 Encephalitis lethargica	2	2	—	—	2	—	1	—	—	1	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	10	10	3	5	4	4	4	6	13	20	7	8	6	5	1	2	5	2	10
11 Other tuberculous diseases	1	2	2	4	5	—	1	1	5	7	5	2	4	2	1	—	1	2	11
12 Cancer, malignant disease	14	13	10	5	9	11	11	10	33	24	12	13	7	4	3	9	16	14	12
13 Rheumatic fever	—	1	—	—	—	1	1	—	—	1	—	1	1	1	—	—	—	—	13
14 Diabetes	—	1	3	—	—	—	—	—	1	1	—	1	—	—	2	—	—	1	14
15 Cerebral hæmorrhage, &c.	13	8	7	9	3	5	5	7	15	25	10	10	4	4	5	3	4	10	15
16 Heart disease	12	13	11	14	7	10	10	12	31	37	12	19	8	5	10	7	12	11	16
17 Arterio-sclerosis	6	3	4	4	10	5	6	4	7	4	7	2	2	1	5	7	5	8	17
18 Bronchitis	18	12	3	6	4	3	5	16	18	18	14	12	6	2	11	7	1	4	18
19 Pneumonia (all forms)	8	6	8	3	3	5	9	5	18	15	15	4	14	7	11	6	8	11	19
20 Other respiratory diseases	1	—	—	1	—	2	2	1	3	6	1	3	1	1	1	1	3	—	20
21 Ulcer of stomach or duodenum	1	—	2	—	3	1	1	1	3	1	1	—	—	—	1	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	2	—	2	—	1	2	2	2	1	1	3	—	—	—	—	—	22
23 Appendicitis and typhlitis	4	2	1	—	—	—	—	1	2	2	—	—	—	—	1	1	—	1	23
24 Cirrhosis of liver	3	—	2	1	—	—	2	—	—	1	—	1	—	—	2	1	2	—	24
25 Acute and chronic nephritis	6	5	6	1	4	3	1	—	12	10	2	5	3	1	3	1	—	2	25
26 Puerperal sepsis	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	2	—	1	—	1	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	3	3	3	2	3	1	7	2	16	11	3	6	7	1	3	1	2	1	28
29 Suicide	1	1	1	2	1	—	3	—	5	1	2	1	1	1	1	—	2	1	29
30 Other deaths from violence	6	3	3	1	3	1	3	1	12	7	2	1	2	1	2	—	2	2	30
31 Other defined diseases	18	24	12	16	7	13	13	20	68	51	22	26	11	6	13	12	14	20	31
32 Causes ill-defined or unknown	—	—	1	1	—	—	—	—	1	2	—	—	—	—	—	1	—	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

CHESHIRE—*cont.*

Causes of Death.	Hyde M.B.		Macclesfield. M.B.		Northwich U.D.		Runcorn U.D.		Sale U.D.		Stalybridge M.B.		Winsford U.D.						
	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.					
All Causes	225	248	203	248	119	126	125	101	87	105	179	202	81	69					
1 Enteric fever	1	—	—	—	—	—	1	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	13	11	—	—	6	4	—	1	1	1	9	10	4	—					3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	1	—					4
5 Whooping cough	1	1	—	2	—	3	—	—	—	1	—	—	—	4					5
6 Diphtheria	—	1	2	2	—	2	—	—	—	—	—	—	—	—					6
7 Influenza	5	7	4	6	4	7	5	4	4	5	3	3	3	—					7
8 Encephalitis lethargica	—	1	—	3	—	—	—	—	—	—	1	—	1	1					8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	17	11	13	8	4	4	7	6	7	1	14	6	2	2					10
11 Other tuberculous diseases	5	4	6	5	2	2	4	2	3	3	6	1	—	1					11
12 Cancer, malignant disease	24	30	30	33	8	10	14	11	6	24	22	15	6	8					12
13 Rheumatic fever	—	1	—	1	1	—	2	—	—	2	—	1	—	—					13
14 Diabetes	1	2	1	1	1	1	1	—	—	—	—	2	—	—					14
15 Cerebral hæmorrhage, &c.	8	12	11	14	5	8	5	8	4	5	11	16	8	3					15
16 Heart disease	36	45	23	39	17	22	7	8	9	16	16	17	13	23					16
17 Arterio-sclerosis	8	9	8	16	3	7	10	3	9	2	2	3	2	—					17
18 Bronchitis	19	27	14	17	6	8	4	4	7	9	18	28	10	12					18
19 Pneumonia (all forms)	21	13	10	10	6	11	10	17	3	6	13	16	4	5					19
20 Other respiratory diseases	2	1	3	3	—	1	4	1	3	—	4	4	1	—					20
21 Ulcer of stomach or duodenum	2	—	1	2	—	—	3	1	—	—	1	1	—	—					21
22 Diarrhœa, &c. (under 2 years)	3	3	3	2	1	—	2	2	—	—	2	—	—	—					22
23 Appendicitis and typhlitis	—	—	1	—	1	1	—	—	—	—	1	—	1	—					23
24 Cirrhosis of liver	3	—	1	—	—	—	1	—	—	—	—	1	2	—					24
25 Acute and chronic nephritis	5	8	8	9	8	3	8	3	5	3	10	8	1	2					25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	1	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	1	—	—	—	3	—	2					27
28 Congenital debility and malformation, premature birth	9	11	15	10	7	6	10	4	6	3	5	4	2	1					28
29 Suicide	2	2	2	2	1	—	1	—	—	1	6	1	—	—					29
30 Other deaths from violence	6	5	6	1	10	1	6	2	4	2	5	6	5	1					30
31 Other defined diseases	34	41	41	60	27	23	19	23	15	21	30	53	15	4					31
32 Causes ill-defined or unknown	—	—	—	—	1	—	1	—	1	—	—	2	—	—					32

CHESHIRE—*cont.*

Causes of Death.	Bucklow R.D.		Chester R.D.		Congleton R.D.		Macclesfield R.D.		Nantwich R.D.		Northwich R.D.		Runcorn R.D.		Tarvin R.D.		Wirral R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	
All Causes	125	114	66	71	68	84	109	91	165	159	166	139	140	153	69	88	163	121	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	3	—	—	1	—	1	—	—	2	1	—	—	1	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	1	—	1	1	—	—	2	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	1	—	—	—	—	—	3	—	—	—	—	2	1	5
6 Diphtheria	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	6
7 Influenza	2	5	2	3	3	1	5	3	12	7	3	4	2	6	7	6	3	8	7
8 Encephalitis lethargica	1	—	1	—	—	1	2	—	—	1	3	1	—	—	1	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	4	1	2	2	5	1	3	6	6	9	5	11	13	5	3	7	5	10
11 Other tuberculous diseases	4	—	—	—	—	1	1	1	3	5	3	1	2	6	—	—	5	1	11
12 Cancer, malignant disease	17	23	10	9	9	12	11	12	15	16	19	15	19	14	4	8	23	13	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	2	1	2	—	—	1	1	—	13
14 Diabetes	4	2	1	—	—	—	1	3	—	1	1	2	—	2	—	1	1	—	14
15 Cerebral hæmorrhage, &c.	7	10	7	5	4	4	2	4	13	17	6	5	7	11	5	4	16	5	15
16 Heart disease	18	15	10	17	4	10	22	13	31	33	34	31	19	26	15	14	22	23	16
17 Arterio-sclerosis	4	12	3	4	1	4	7	1	4	3	10	7	9	9	2	—	8	7	17
18 Bronchitis	6	9	3	3	5	5	8	9	7	6	8	10	6	9	1	3	8	3	18
19 Pneumonia (all forms)	8	4	5	3	7	5	6	5	13	8	8	6	6	7	3	4	13	9	19
20 Other respiratory diseases	1	1	—	—	2	—	3	2	1	2	1	2	1	1	1	1	1	1	20
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	—	1	—	1	1	1	—	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	1	1	3	—	—	—	3	—	2	1	—	1	3	1	22
23 Appendicitis and typhlitis	1	1	1	2	1	1	1	—	—	2	—	1	2	—	1	1	—	1	23
24 Cirrhosis of liver	1	—	—	—	—	—	1	—	2	—	—	—	3	—	1	—	1	—	24
25 Acute and chronic nephritis	6	2	2	2	—	1	1	2	5	1	5	2	8	5	2	4	7	3	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	1	—	1	—	2	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	3	—	2	—	—	—	—	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	3	3	3	2	8	4	6	4	15	8	11	16	4	3	3	4	9	7	28
29 Suicide	3	1	—	1	1	—	1	2	3	—	1	1	1	1	—	—	3	1	29
30 Other deaths from violence	5	1	3	2	3	—	6	1	10	5	7	—	8	5	—	4	10	5	30
31 Other defined diseases	26	17	13	15	15	22	19	22	23	33	29	22	25	29	18	29	17	24	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	1	—	1	—	3	1	—	—	—	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

CORNWALL.

Causes of Death.	Camborne U.D.		Falmouth M.B.		Penzance M.B.		Truro M.B.				Bodmin R.D.		Helston R.D.		Liskeard R.D.		Redruth R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	88	117	95	67	77	101	67	76			60	63	95	99	100	94	108	135	
1 Enteric fever	1	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—	—	—			—	1	—	—	—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—			—	1	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	1	—	—	4	4			—	—	—	1	—	—	1	—	5
6 Diphtheria	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1	—	6
7 Influenza	1	6	4	2	2	5	2	1			—	1	2	1	2	—	1	5	7
8 Encephalitis lethargica	—	—	1	—	1	—	—	—			—	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—			—	—	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	14	9	13	3	10	8	5	3			3	6	4	3	6	4	18	16	10
11 Other tuberculous diseases	3	1	2	1	1	1	1	3			2	—	3	1	4	—	2	2	11
12 Cancer, malignant disease	13	17	14	12	5	10	8	11			2	12	7	12	7	15	10	15	12
13 Rheumatic fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1	1	13
14 Diabetes	3	—	2	—	2	—	1	—			2	—	1	3	1	2	—	3	14
15 Cerebral hæmorrhage, &c.	7	9	4	6	5	5	3	3			2	9	7	5	6	8	1	11	15
16 Heart disease	13	25	17	9	10	23	9	8			12	12	12	14	10	13	18	37	16
17 Arterio-sclerosis	1	1	4	3	2	1	4	3			—	2	3	3	7	—	1	1	17
18 Bronchitis	1	8	4	9	4	11	6	10			7	1	8	7	10	14	6	4	18
19 Pneumonia (all forms)	4	6	3	1	2	3	2	1			2	2	2	1	4	1	3	1	19
20 Other respiratory diseases	3	—	2	2	—	1	—	—			3	1	1	1	4	1	2	—	20
21 Ulcer of stomach or duodenum	—	—	—	—	—	1	—	1			—	—	1	1	1	—	—	2	21
22 Diarrhœa, &c. (under 2 years)	—	1	2	—	—	1	—	—			—	—	1	—	—	—	5	—	22
23 Appendicitis and typhlitis	—	2	—	—	2	1	1	—			—	—	—	—	—	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	—	2	—	—			1	—	1	—	—	—	—	1	24
25 Acute and chronic nephritis	4	6	—	2	1	4	1	1			4	—	1	3	5	7	3	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1			—	—	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	3	2	4	2	7	1	5	4			—	3	5	2	5	6	5	5	28
29 Suicide	—	—	—	—	—	—	2	2			—	—	1	—	—	2	1	—	29
30 Other deaths from violence	6	4	4	1	—	1	4	1			4	1	7	3	3	—	4	—	30
31 Other defined diseases	11	20	12	13	23	22	9	19			14	10	28	37	25	18	24	29	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—			2	—	—	—	—	1	—	—	32

CORNWALL—*cont.*

Causes of Death.	St. Austell R.D.		St. Columb Major R.D.		St. Germans R.D.		Truro R.D.		West Penwith R.D.								
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
All Causes	208	205	73	76	71	83	112	156	67	75							
1 Enteric fever	1	—	—	—	—	—	—	—	—	—							1
2 Small-pox	—	—	—	—	—	—	—	—	—	—							2
3 Measles	1	—	1	—	—	—	—	—	—	—							3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—							4
5 Whooping cough	—	2	—	—	1	—	2	4	—	—							5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—							6
7 Influenza	8	7	1	4	8	4	9	8	2	2							7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	3							8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—							9
10 Tuberculosis of respiratory sys.	15	13	3	5	7	7	12	7	5	4							10
11 Other tuberculous diseases	2	5	—	—	—	2	—	—	2	3							11
12 Cancer, malignant disease	15	20	11	6	8	13	14	18	6	8							12
13 Rheumatic fever	—	1	—	1	—	—	—	2	—	—							13
14 Diabetes	3	5	3	3	—	1	1	4	1	1							14
15 Cerebral hæmorrhage, &c.	12	15	7	6	5	7	6	15	6	1							15
16 Heart disease	24	30	11	12	8	10	8	33	8	18							16
17 Arterio-sclerosis	8	7	3	2	4	2	6	6	2	2							17
18 Bronchitis	19	17	1	3	1	7	8	2	4	6							18
19 Pneumonia (all forms)	13	4	1	6	2	2	4	2	9	5							19
20 Other respiratory diseases	4	5	1	3	—	1	1	3	2	—							20
21 Ulcer of stomach or duodenum	1	—	1	1	1	—	—	—	—	—							21
22 Diarrhœa, &c. (under 2 years)	1	1	—	—	—	—	—	2	1	—							22
23 Appendicitis and typhlitis	2	2	—	—	—	—	2	2	—	—							23
24 Cirrhosis of liver	—	—	2	—	1	—	3	—	—	—							24
25 Acute and chronic nephritis	11	4	—	3	2	2	4	8	1	3							25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—							26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	2	—	—	—	1	—	—							27
28 Congenital debility and malformation, premature birth	12	5	5	3	2	4	2	3	3	3							28
29 Suicide	—	1	1	—	2	2	3	—	—	2							29
30 Other deaths from violence	10	1	1	—	3	—	1	2	4	2							30
31 Other defined diseases	39	57	18	15	16	17	25	33	11	12							31
32 Causes ill-defined or unknown	7	1	2	—	—	—	1	1	—	—							32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

CUMBERLAND.

Causes of Death.	Maryport U.D.		Whitehaven M.B.		Workington M.B.		Carlisle R.D.		Cockermouth R.D.		Penrith R.D.		Whitehaven R.D.		Wigton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	71	76	163	143	189	148	68	76	152	144	85	84	78	66	73	77	
1 Enteric fever	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	4
5 Whooping cough	2	5	1	1	1	3	1	—	—	2	—	1	—	—	4	9	5
6 Diphtheria	1	—	—	—	3	—	1	—	—	—	—	—	—	—	2	1	6
7 Influenza	—	—	5	13	4	4	3	3	4	2	2	1	9	3	5	6	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	3	8	13	11	8	4	2	4	6	1	5	5	5	4	6	10
11 Other tuberculous diseases	1	3	4	4	2	2	—	1	2	1	—	2	2	3	—	—	11
12 Cancer, malignant disease	8	4	12	15	20	17	4	11	14	14	9	6	7	6	10	7	12
13 Rheumatic fever	—	—	—	—	1	1	—	1	—	—	—	1	1	1	—	—	13
14 Diabetes	1	2	2	1	1	4	1	—	2	2	1	—	—	—	—	—	14
15 Cerebral hæmorrhage, &c.	2	6	10	10	15	18	2	8	11	13	5	8	2	5	2	5	15
16 Heart disease	12	6	21	10	28	21	11	14	20	19	15	16	13	5	8	13	16
17 Arterio-sclerosis	—	—	3	—	3	—	7	1	5	2	8	2	3	3	2	1	17
18 Bronchitis	8	6	11	10	15	6	1	3	14	13	5	2	4	6	4	3	18
19 Pneumonia (all forms)	9	7	23	9	13	9	5	1	14	10	1	5	9	5	2	—	19
20 Other respiratory diseases	1	2	4	1	2	1	—	1	8	2	—	—	2	1	—	1	20
21 Ulcer of stomach or duodenum	—	1	1	—	3	—	—	—	1	1	—	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	5	4	3	2	—	—	2	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	—	—	—	—	2	1	—	—	1	—	1	2	—	—	—	—	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	1	—	—	1	—	2	—	—	—	24
25 Acute and chronic nephritis	—	1	5	1	4	6	2	3	2	1	3	1	1	1	—	2	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	2	—	2	—	—	—	2	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	3	4	6	7	13	5	7	2	6	4	6	4	3	3	1	2	28
29 Suicide	1	—	—	—	1	—	—	1	—	1	—	—	1	—	1	1	29
30 Other deaths from violence	5	—	13	8	12	4	2	1	7	1	2	4	4	—	2	1	30
31 Other defined diseases	12	21	24	31	31	33	16	21	35	45	22	23	10	17	25	14	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	1	—	—	2	1	—	—	—	—	4	32

DERBYSHIRE.

Causes of Death.	Alfreton U.D.		Belper U.D.		Bolsover U.D.		Buxton M.B.		Chesterfield M.B.		Glossop M.B.		Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	102	100	72	71	77	63	86	82	399	350	137	174	101	95	178	191	123	112	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	1	6	2	2	5	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	4
5 Whooping cough	2	—	1	1	—	—	—	—	2	—	1	—	1	1	3	4	2	1	5
6 Diphtheria	1	3	2	3	—	—	—	—	1	2	—	—	1	—	—	—	—	—	6
7 Influenza	13	6	2	7	1	2	5	4	10	11	3	4	4	4	13	10	6	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	3	—	1	—	1	—	1	—	2	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys	2	6	3	—	5	4	3	2	26	23	4	6	9	8	11	11	11	6	10
11 Other tuberculous diseases	4	2	1	—	4	3	1	—	6	11	2	1	—	1	2	3	—	3	11
12 Cancer, malignant disease	3	7	6	7	6	6	11	10	38	27	13	26	7	10	8	23	17	11	12
13 Rheumatic fever	—	—	—	—	—	1	1	—	1	—	—	—	—	1	1	1	—	1	13
14 Diabetes	1	1	2	1	—	1	1	2	3	2	3	2	1	2	1	2	3	—	14
15 Cerebral hæmorrhage, &c.	4	6	3	6	5	2	8	3	29	28	12	17	4	9	10	13	6	7	15
16 Heart disease	10	15	11	12	5	4	6	13	41	53	15	30	11	12	8	16	13	17	16
17 Arterio-sclerosis	2	4	2	1	1	—	5	1	14	8	8	5	4	1	5	5	3	—	17
18 Bronchitis	7	4	7	1	4	3	7	7	43	27	16	17	8	6	24	29	3	11	18
19 Pneumonia (all forms)	11	5	4	3	7	7	10	5	26	31	11	7	11	7	23	17	9	9	19
20 Other respiratory diseases	1	—	1	1	—	—	1	—	3	3	4	3	4	1	2	4	4	4	20
21 Ulcer of stomach or duodenum	1	1	—	1	—	—	—	—	2	2	—	—	—	1	2	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	2	1	1	1	2	3	1	3	2	2	2	2	1	3	2	—	—	22
23 Appendicitis and typhlitis	1	—	—	—	3	1	1	1	5	3	1	—	—	—	1	—	—	1	23
24 Cirrhosis of liver	—	—	1	—	—	—	2	1	2	—	—	—	—	—	1	—	2	—	24
25 Acute and chronic nephritis	2	1	4	3	2	1	1	2	10	9	2	6	3	1	1	3	2	—	25
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	2	—	1	—	—	—	2	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	3	—	4	—	1	—	3	—	2	27
28 Congenital debility and malformation, premature birth	7	6	5	9	11	7	2	5	30	28	5	2	2	7	17	7	9	5	28
29 Suicide	1	3	2	1	2	—	1	—	4	1	1	—	1	—	3	1	—	1	29
30 Other deaths from violence	10	—	3	1	6	1	2	1	28	1	3	3	6	1	10	4	5	1	30
31 Other defined diseases	18	25	11	12	14	16	15	23	61	66	28	31	20	16	28	28	25	25	31
32 Causes ill-defined or unknown	1	—	—	—	—	2	—	—	5	2	1	1	1	—	—	2	2	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

DERBYSHIRE—*cont.*

Causes of Death.	Ripley U.D.		Swadlincote District U.D.		The Matlocks U.D.		Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel-en-le-Frith R.D.		Chesterfield R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	88	68	112	112	11	18	54	77	113	126	147	124	268	192	103	103	446	356	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
3 Measles	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	4	7	3
4 Scarlet fever	—	—	—	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	—	—	—	—	—	—	—	2	1	2	3	—	1	4	1	5
6 Diphtheria	—	—	—	1	—	—	—	—	—	1	1	—	1	1	—	—	5	1	6
7 Influenza	5	2	6	3	—	—	3	5	10	8	2	4	11	3	2	1	13	7	7
8 Encephalitis lethargica	1	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—	4	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	7	6	4	—	—	—	5	6	7	10	6	15	15	4	3	20	25	10
11 Other tuberculous diseases	—	1	4	3	—	—	2	1	2	2	2	—	9	3	1	1	10	6	11
12 Cancer, malignant disease	5	5	3	9	1	1	6	12	10	14	11	7	20	16	14	5	38	39	12
13 Rheumatic fever	—	—	2	1	—	—	—	—	—	—	—	—	—	2	1	1	4	1	13
14 Diabetes	3	1	2	2	—	—	1	—	—	3	—	2	2	—	1	—	4	3	14
15 Cerebral hæmorrhage, &c.	3	2	2	7	—	1	2	8	12	14	11	7	15	12	6	10	25	29	15
16 Heart disease	8	8	8	11	2	4	5	8	14	15	10	17	19	24	8	20	55	53	16
17 Arterio-sclerosis	4	—	4	1	1	1	2	2	4	2	3	6	5	5	3	4	10	6	17
18 Bronchitis	3	2	9	9	1	3	—	6	4	5	9	16	28	10	5	1	34	26	18
19 Pneumonia (all forms)	11	6	12	6	1	—	2	2	6	8	16	13	31	18	7	5	37	26	19
20 Other respiratory diseases	4	2	—	1	—	—	—	—	4	2	3	1	2	—	3	—	2	8	20
21 Ulcer of stomach or duodenum	1	1	—	—	—	—	—	—	1	—	1	—	—	—	3	1	4	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	3	1	—	—	—	1	—	—	3	—	9	10	5	2	4	2	22
23 Appendicitis and typhlitis	—	—	1	1	—	—	—	—	1	—	4	1	2	—	1	1	1	6	23
24 Cirrhosis of liver	2	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	2	—	24
25 Acute and chronic nephritis	2	3	3	3	—	2	3	1	2	3	6	3	7	4	1	2	8	12	25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	3	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	1	—	1	—	—	—	3	—	4	—	2	27
28 Congenital debility and malformation, premature birth	6	5	5	6	—	—	5	4	8	5	8	8	28	14	8	4	28	21	28
29 Suicide	3	—	1	1	—	1	2	—	1	1	1	1	1	—	3	—	14	—	29
30 Other deaths from violence	1	1	14	1	—	—	1	1	4	4	8	—	10	3	4	2	41	2	30
31 Other defined diseases	18	21	25	33	5	4	20	19	21	29	34	27	48	43	21	34	74	62	31
32 Causes ill-defined or unknown	1	1	—	4	—	—	—	—	1	—	—	—	2	2	2	1	5	2	32

DERBYSHIRE—*cont.* DEVONSHIRE.

Causes of Death.	Clowne R.D.		Repton R.D.		Shardlow R.D.		Barnstaple M.B.		Exmouth U.D.		Ilfracombe U.D.		Newton Abbot U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	108	68	84	100	162	197	101	124	79	111	53	91	91	121	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	1	2	—	1	2	2	—	—	—	—	—	—	—	—	5
6 Diphtheria	—	—	1	—	1	2	—	—	—	—	—	—	—	—	6
7 Influenza	2	3	1	7	4	13	1	4	4	8	5	7	7	7	7
8 Encephalitis lethargica	—	—	1	—	—	1	—	—	1	—	—	1	—	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	7	1	2	14	5	8	4	3	2	6	1	8	7	10
11 Other tuberculous diseases	2	—	1	1	2	2	3	—	—	3	—	—	2	2	11
12 Cancer, malignant disease	8	10	8	7	16	18	17	20	6	19	3	14	9	17	12
13 Rheumatic fever	—	—	1	—	—	1	—	1	—	—	—	—	—	—	13
14 Diabetes	2	—	1	—	1	1	—	3	—	1	—	2	—	2	14
15 Cerebral hæmorrhage, &c.	5	3	4	7	9	10	5	5	3	9	5	4	4	9	15
16 Heart disease	6	9	10	18	14	37	11	15	23	19	9	23	7	15	16
17 Arterio-sclerosis	—	—	4	2	4	4	5	4	4	4	5	3	4	9	17
18 Bronchitis	10	9	4	6	10	20	6	16	4	6	4	6	10	13	18
19 Pneumonia (all forms)	16	4	6	5	12	7	4	6	1	6	2	5	8	10	19
20 Other respiratory diseases	4	—	—	2	2	5	3	3	2	2	1	—	2	—	20
21 Ulcer of stomach or duodenum	—	—	—	—	3	1	1	—	—	1	—	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	1	—	1	3	2	—	—	—	—	1	—	22
23 Appendicitis and typhlitis	—	—	1	—	2	4	—	—	2	—	—	—	1	1	23
24 Cirrhosis of liver	—	—	2	1	—	—	—	—	—	—	—	—	—	1	24
25 Acute and chronic nephritis	1	1	1	2	1	9	5	2	4	3	1	—	2	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	2	—	—	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	12	6	3	3	12	6	2	2	1	5	2	1	4	2	28
29 Suicide	3	—	1	1	1	2	1	—	1	1	2	—	—	—	29
30 Other deaths from violence	7	2	2	1	9	4	2	1	1	1	—	2	2	1	30
31 Other defined diseases	22	11	24	30	43	37	24	35	16	20	8	19	19	22	31
32 Causes ill-defined or unknown	1	—	5	1	—	3	—	—	3	—	—	2	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

DEVONSHIRE—*cont.*

Causes of Death.	Paignton U.D.		Teignmouth U.D.		Torquay M.B.		Barnstaple R.D.		Crediton R.D.		Kingsbridge R.D.		Newton Abbot R.D.		Okehampton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	81	131	69	66	252	308	120	108	82	50	85	68	126	141	88	89	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	2	—	1	—	1	1	—	—	—	—	—	—	2	—	5
6 Diphtheria	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	6
7 Influenza	3	8	7	4	3	11	3	6	7	1	6	2	14	8	2	2	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	1	—	—	—	2	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	3	4	6	19	17	6	5	7	3	10	6	5	12	4	6	10
11 Other tuberculous diseases	1	—	1	2	5	5	1	2	3	1	1	1	2	1	4	1	11
12 Cancer, malignant disease	8	20	6	9	27	48	13	17	10	7	10	9	15	13	11	10	12
13 Rheumatic fever	—	—	—	—	2	2	—	1	—	—	—	—	—	—	—	—	13
14 Diabetes	—	1	2	—	4	3	—	—	—	—	—	—	—	2	1	—	14
15 Cerebral hæmorrhage, &c.	6	16	9	5	18	28	7	11	4	6	5	6	8	12	6	6	15
16 Heart disease	11	18	10	7	39	50	17	18	12	9	10	15	20	18	11	27	16
17 Arterio-sclerosis	2	7	4	5	20	32	13	10	—	—	4	1	4	9	4	5	17
18 Bronchitis	3	8	3	5	23	33	7	5	1	5	6	3	8	14	3	3	18
19 Pneumonia (all forms)	3	11	9	4	13	10	4	5	11	1	10	3	8	8	1	2	19
20 Other respiratory diseases	2	3	1	—	7	3	3	—	2	—	2	—	3	—	4	1	20
21 Ulcer of stomach or duodenum	—	1	—	—	2	4	2	—	—	1	—	2	1	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	2	2	1	—	2	2	—	—	—	—	—	1	1	—	—	—	23
24 Cirrhosis of liver	1	—	3	1	2	—	1	—	—	—	—	1	—	—	—	—	24
25 Acute and chronic nephritis	4	3	—	1	11	5	4	4	1	—	1	2	4	1	—	1	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	1	—	—	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	7	2	1	1	9	7	4	6	5	4	3	2	3	5	8	6	28
29 Suicide	1	—	—	—	—	3	2	3	—	—	1	—	2	2	1	1	29
30 Other deaths from violence	2	4	—	—	8	2	4	1	1	—	2	—	3	1	5	2	30
31 Other defined diseases	18	21	5	15	35	40	24	11	16	11	14	14	23	32	17	14	31
32 Causes ill-defined or unknown	—	1	—	—	1	1	—	—	1	1	—	—	—	—	1	1	32

DEVONSHIRE—*cont.*

Causes of Death.	Plymptonton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Totnes R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	117	144	155	152	61	66	84	75	82	87	70	73					
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—					3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—					4
5 Whooping cough	—	—	—	—	—	—	—	1	—	—	—	—					5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—					6
7 Influenza	5	—	11	6	4	6	3	3	8	7	2	5					7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	—	—					8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	6	5	7	11	4	4	3	4	1	4	4	5					10
11 Other tuberculous diseases	4	6	—	2	1	—	2	1	1	1	1	1					11
12 Cancer, malignant disease	11	19	17	17	4	9	13	8	11	13	6	8					12
13 Rheumatic fever	—	1	—	—	—	1	—	—	—	—	—	—					13
14 Diabetes	1	1	1	1	2	1	—	—	—	1	1	1					14
15 Cerebral hæmorrhage, &c.	5	20	8	8	6	7	7	7	5	5	5	5					15
16 Heart disease	19	24	24	25	5	7	15	15	10	15	12	22					16
17 Arterio-sclerosis	10	2	9	13	2	3	1	3	2	2	1	3					17
18 Bronchitis	9	12	15	12	3	3	1	5	8	4	7	2					18
19 Pneumonia (all forms)	6	11	10	5	4	5	2	3	2	7	4	2					19
20 Other respiratory diseases	—	—	2	5	2	3	—	2	—	—	2	—					20
21 Ulcer of stomach or duodenum	2	—	2	1	—	—	—	—	—	1	—	—					21
22 Diarrhœa, &c. (under 2 years)	—	2	1	—	—	—	1	—	—	—	1	—					22
23 Appendicitis and typhlitis	1	—	1	—	1	—	1	—	—	—	2	1					23
24 Cirrhosis of liver	1	—	1	—	—	—	—	—	—	1	—	—					24
25 Acute and chronic nephritis	2	1	6	6	2	—	1	—	3	2	1	1					25
26 Puerperal sepsis	—	1	—	1	—	—	—	—	—	1	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	—	—	—	—	—					27
28 Congenital debility and malformation, premature birth	3	3	3	3	3	3	3	4	5	2	5	2					28
29 Suicide	1	2	2	1	2	1	1	—	3	1	—	—					29
30 Other deaths from violence	7	5	6	2	2	2	3	1	4	1	1	—					30
31 Other defined diseases	24	27	27	31	14	10	27	18	18	17	14	15					31
32 Causes ill-defined or unknown	—	—	2	1	—	—	—	—	1	2	1	—					32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

DORSETSHIRE. **DURHAM**

Causes of Death.	Poole M.B.		Portland U.D.		Weymouth & Melcombe Regis M.B.		Wareham & Purbeck R.D.		Wimborne & Cranborne R.D.		Annfield Plain U.D.		Bishop Auckland U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	244	282	45	53	132	140	71	61	91	90	99	86	115	91	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	—	—	1	—	—	—	6	2	—	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	1	—	—	—	4
5 Whooping cough	—	2	—	—	—	—	—	1	1	—	—	—	1	2	5
6 Diphtheria	1	1	—	—	—	—	—	—	—	—	—	1	—	—	6
7 Influenza	7	16	6	3	11	10	6	5	4	2	1	3	13	8	7
8 Encephalitis lethargica	2	—	—	—	1	—	—	1	1	—	—	—	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	18	21	—	4	8	3	3	4	8	8	3	5	12	6	10
11 Other tuberculous diseases	4	7	1	—	1	5	—	3	1	4	4	2	1	3	11
12 Cancer, malignant disease	21	32	7	8	21	13	8	8	10	12	2	9	6	13	12
13 Rheumatic fever	—	1	1	—	—	—	—	—	1	—	—	1	1	—	13
14 Diabetes	4	2	—	—	2	—	—	—	1	—	1	—	2	1	14
15 Cerebral hæmorrhage, &c.	17	21	2	7	16	15	6	6	7	9	1	6	9	8	15
16 Heart disease	29	37	6	6	11	30	16	14	9	16	4	8	7	7	16
17 Arterio-sclerosis	11	10	3	2	1	1	—	1	3	1	8	3	6	—	17
18 Bronchitis	15	24	3	3	8	9	2	3	3	2	7	3	4	4	18
19 Pneumonia (all forms)	12	11	2	3	4	4	3	—	5	4	9	5	12	7	19
20 Other respiratory diseases	8	8	1	1	1	2	—	—	1	2	4	3	2	—	20
21 Ulcer of stomach or duodenum	2	2	—	—	3	—	—	1	—	—	2	1	2	2	21
22 Diarrhœa, &c. (under 2 years)	3	—	—	—	—	1	1	1	—	—	3	2	4	3	22
23 Appendicitis and typhlitis	—	2	—	—	1	1	—	—	1	—	—	—	1	—	23
24 Cirrhosis of liver	1	—	1	—	—	1	1	—	1	—	—	—	1	—	24
25 Acute and chronic nephritis	4	2	1	2	2	1	2	1	2	4	3	1	2	1	25
26 Puerperal sepsis	—	2	—	—	—	—	—	1	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	—	—	1	—	—	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	11	14	4	1	4	4	4	2	6	2	13	7	6	8	28
29 Suicide	5	2	—	—	1	—	—	—	1	—	1	—	1	—	29
30 Other deaths from violence	13	2	2	1	—	3	4	—	3	—	6	1	—	—	30
31 Other defined diseases	54	58	4	11	34	36	14	8	21	24	20	23	19	15	31
32 Causes ill-defined or unknown	2	1	—	—	2	—	—	1	1	—	—	—	2	—	32

DURHAM—*cont.*

Causes of Death.	Blaydon U.D.		Brandon & Byshottles U.D.		Chester le-Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartlepool M.B.		Hebburn U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	193	181	144	95	118	96	103	85	79	91	143	115	179	176	205	161	180	165	
1 Enteric fever	4	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	3
4 Scarlet fever	—	2	2	1	—	—	—	—	—	—	1	—	—	1	1	1	—	1	4
5 Whooping cough	1	1	—	4	2	1	1	1	1	1	1	1	2	3	—	1	—	1	5
6 Diphtheria	1	—	—	—	—	—	—	1	—	3	1	2	—	1	—	—	—	—	6
7 Influenza	8	7	5	3	5	3	5	10	3	2	2	2	7	12	5	10	23	14	7
8 Encephalitis lethargica	—	2	1	—	1	—	1	—	—	2	—	1	1	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	16	14	8	10	3	4	5	5	1	5	6	9	15	11	14	5	13	25	10
11 Other tuberculous diseases	10	3	5	2	2	—	1	3	2	2	4	4	4	9	7	4	8	6	11
12 Cancer, malignant disease	14	14	9	10	8	7	6	9	4	11	10	17	11	12	14	16	12	9	12
13 Rheumatic fever	—	—	1	—	—	1	1	—	1	1	—	—	—	2	—	1	1	1	13
14 Diabetes	2	3	2	1	—	1	—	—	1	1	3	—	1	3	3	1	—	1	14
15 Cerebral hæmorrhage, &c.	8	11	14	5	10	9	6	5	2	3	7	9	12	9	11	6	13	7	15
16 Heart disease	8	17	8	10	4	13	10	12	3	8	9	7	15	16	17	23	10	15	16
17 Arterio-sclerosis	6	3	1	1	12	7	8	1	12	7	8	6	6	4	4	2	8	—	17
18 Bronchitis	11	11	5	4	14	7	6	9	6	9	20	11	16	11	27	18	15	8	18
19 Pneumonia (all forms)	20	22	21	14	9	8	18	8	10	3	18	13	15	6	30	13	17	13	19
20 Other respiratory diseases	2	2	1	—	3	—	3	1	—	—	1	—	1	2	5	1	2	1	20
21 Ulcer of stomach or duodenum	1	3	—	—	1	—	1	1	2	1	—	—	2	1	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	5	2	5	2	2	1	1	1	1	—	—	1	7	8	—	4	7	7	22
23 Appendicitis and typhlitis	2	2	1	—	—	1	1	—	—	—	—	—	—	—	2	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	4	—	—	1	1	1	2	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	3	8	3	2	3	5	1	2	—	3	2	5	8	9	1	3	2	2	25
26 Puerperal sepsis	—	4	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	—	—	3	—	—	—	2	—	—	—	2	—	2	—	—	27
28 Congenital debility and malformation, premature birth	13	10	9	10	12	7	8	5	5	9	7	3	13	12	20	4	14	16	28
29 Suicide	1	1	1	—	3	—	1	—	2	—	2	1	—	1	1	—	2	—	29
30 Other deaths from violence	14	—	7	—	9	2	4	—	4	3	14	4	13	—	6	1	9	2	30
31 Other defined diseases	42	36	32	14	11	13	15	9	18	13	23	18	29	37	34	42	22	30	31
32 Causes ill-defined or unknown	1	—	3	1	—	2	—	—	—	1	2	—	1	4	—	—	—	3	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

DURHAM—*cont.*

Causes of Death.	Hetton U.D.		Houghton-le-Spring U.D.		Jarrow M.B.		Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		Southwick on Wear U.D.		Spennymoor U.D.		Stanley U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	121	129	78	53	318	282	68	84	152	136	92	95	117	102	139	142	162	145	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	6	6	—	1	6	5	—	—	1	—	—	—	4	5	3
4 Scarlet fever	—	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	4
5 Whooping cough	2	2	—	1	—	—	—	—	5	2	—	—	1	1	2	—	1	—	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	1	3	2	6
7 Influenza	5	8	7	1	12	17	1	3	6	8	3	4	6	3	7	4	5	5	7
8 Encephalitis lethargica	—	—	—	—	—	1	1	—	—	—	1	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	12	8	4	33	28	4	3	7	8	1	4	3	6	9	11	12	9	10
11 Other tuberculous diseases	4	7	2	—	19	14	3	2	2	6	3	3	3	5	1	6	3	6	11
12 Cancer, malignant disease	11	10	4	3	15	23	6	11	4	5	4	10	6	5	6	12	10	11	12
13 Rheumatic fever	2	—	—	1	1	—	1	2	—	—	—	—	—	—	1	—	1	—	13
14 Diabetes	1	—	—	1	1	1	—	1	2	1	—	2	—	1	—	4	1	1	14
15 Cerebral hæmorrhage, &c.	5	8	2	4	9	11	5	5	3	7	7	10	4	10	7	9	8	14	15
16 Heart disease	10	11	4	9	24	22	8	13	10	5	21	10	5	5	10	11	8	16	16
17 Arterio-sclerosis	3	1	4	—	17	17	3	7	13	5	8	3	2	2	7	2	9	6	17
18 Bronchitis	10	11	2	4	23	20	3	4	15	13	9	11	4	10	16	18	10	5	18
19 Pneumonia (all forms)	16	11	8	6	52	31	9	4	22	19	2	6	25	21	15	17	15	18	19
20 Other respiratory diseases	1	5	—	—	6	—	1	—	2	1	1	2	—	—	3	—	2	—	20
21 Ulcer of stomach or duodenum	1	—	1	—	3	2	—	—	—	1	—	2	3	—	—	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	3	6	5	6	5	—	—	7	9	1	2	4	3	1	3	5	3	22
23 Appendicitis and typhlitis	1	—	—	1	—	—	—	—	1	—	1	—	2	1	—	—	1	—	23
24 Cirrhosis of liver	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	4	3	2	3	6	13	2	—	1	3	1	—	1	1	7	6	4	3	25
26 Puerperal sepsis	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	3	—	—	—	—	—	1	—	2	—	2	—	1	27
28 Congenital debility and malformation, premature birth	7	13	9	5	22	14	3	5	20	17	5	5	11	6	15	3	20	14	28
29 Suicide	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	1	1	29
30 Other deaths from violence	5	3	4	—	11	3	2	1	7	1	6	1	6	1	9	2	10	2	30
31 Other defined diseases	23	19	13	4	47	48	15	19	16	18	14	17	28	16	22	29	26	20	31
32 Causes ill-defined or unknown	1	—	—	—	3	—	1	3	2	1	1	—	—	2	1	—	1	2	32

DURHAM—*cont.*

Causes of Death.	Stockton-on-Tees M.B.		Tanfield U.D.		Washington. U.D.		Whickham U.D.		Auckland R.D.		Barnard Castle R.D.		Chester-le-Street R.D.		Durham R.D.		Easington R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	519	463	60	69	112	117	118	96	408	353	79	71	373	316	195	206	621	453	
1 Enteric fever	—	—	—	—	1	—	—	—	3	2	—	—	—	—	—	—	—	2	1
2 Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	4	—	1	1	1	—	1	—	—	—	—	—	—	—	—	2	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	1	—	2	2	1	1	1	1	4
5 Whooping cough	20	28	—	—	3	3	—	2	3	2	—	—	6	11	4	5	16	9	5
6 Diphtheria	4	2	1	—	—	2	—	—	1	—	—	—	2	3	2	1	2	4	6
7 Influenza	35	30	1	1	5	5	8	4	45	23	3	3	15	18	6	4	38	25	7
8 Encephalitis lethargica	—	3	—	—	—	—	3	1	2	2	—	1	—	—	—	2	2	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	42	23	5	3	5	12	8	10	22	22	6	5	26	16	9	13	34	35	10
11 Other tuberculous diseases	11	11	2	1	2	5	4	4	10	5	1	3	10	9	2	7	18	4	11
12 Cancer, malignant disease	32	37	4	8	6	7	12	8	27	32	4	12	13	26	7	17	28	31	12
13 Rheumatic fever	2	2	—	—	—	—	—	1	—	—	—	—	6	3	—	2	5	—	13
14 Diabetes	1	2	—	—	—	2	—	1	1	3	—	—	3	1	1	—	3	6	14
15 Cerebral hæmorrhage, &c.	18	29	7	6	7	12	6	4	29	26	6	6	23	21	10	15	20	28	15
16 Heart disease	39	52	2	6	4	12	8	11	26	35	6	7	35	24	21	19	46	22	16
17 Arterio-sclerosis	19	9	6	4	3	1	9	7	15	8	2	—	17	3	4	4	19	13	17
18 Bronchitis	47	42	5	3	7	8	8	9	37	35	2	3	31	23	16	21	54	41	18
19 Pneumonia (all forms)	91	66	7	3	15	15	13	3	24	32	7	3	24	17	26	20	71	43	19
20 Other respiratory diseases	5	2	1	—	—	1	1	—	6	1	3	2	3	5	3	5	8	2	20
21 Ulcer of stomach or duodenum	6	—	—	—	—	—	—	—	2	—	1	1	1	—	1	1	4	2	21
22 Diarrhœa, &c. (under 2 years)	14	8	—	—	3	1	3	2	7	5	3	2	10	8	7	2	24	18	22
23 Appendicitis and typhlitis	1	1	—	1	2	—	—	—	—	2	—	—	1	—	—	1	4	1	23
24 Cirrhosis of liver	1	2	—	—	—	—	—	—	3	1	—	—	—	3	1	—	—	1	24
25 Acute and chronic nephritis	5	9	4	1	2	2	3	4	4	5	4	1	9	7	5	4	8	10	25
26 Puerperal sepsis	—	2	—	1	—	1	—	2	—	2	—	—	—	3	—	2	—	6	26
27 Other accidents and diseases of pregnancy and parturition	—	9	—	2	—	1	—	—	—	7	—	1	—	1	—	4	—	4	27
28 Congenital debility and malformation, premature birth	26	16	4	10	15	11	7	7	31	21	4	2	42	48	26	18	55	53	28
29 Suicide	5	—	—	—	—	1	1	—	3	—	3	1	2	—	—	—	5	—	29
30 Other deaths from violence	16	6	5	1	7	—	11	1	24	5	2	—	19	5	12	2	41	11	30
31 Other defined diseases	76	67	5	17	24	14	13	13	79	73	20	17	70	54	31	36	108	78	31
32 Causes ill-defined or unknown	2	1	1	—	—	—	—	1	2	4	1	1	3	5	—	—	5	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

DURHAM—*cont.*

Causes of Death.	Houghton-le-Spring R.D.		Lanchester R.D.		Sedgefield R.D.		South Shields R.D.		Sunderland R.D.										
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.									
All Causes	218	168	243	189	244	216	116	104	228	169									
1 Enteric fever	—	—	—	2	—	—	—	—	—	—									1
2 Small-pox	—	—	—	—	—	—	—	—	—	—									2
3 Measles	1	1	1	—	—	1	—	—	—	—									3
4 Scarlet fever	—	—	1	2	—	1	—	1	—	—									4
5 Whooping cough	1	1	1	2	9	14	—	—	3	1									5
6 Diphtheria	—	—	—	4	—	2	2	1	1	3									6
7 Influenza	12	11	10	11	20	13	18	14	7	8									7
8 Encephalitis lethargica	1	—	—	—	2	—	1	1	2	2									8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—									9
10 Tuberculosis of respiratory sys.	12	7	11	10	10	13	5	5	12	11									10
11 Other tuberculous diseases	4	2	5	4	9	7	7	1	4	7									11
12 Cancer, malignant disease	12	14	20	15	11	13	7	15	19	12									12
13 Rheumatic fever	1	1	1	1	2	1	—	2	2	—									13
14 Diabetes	—	3	1	2	3	1	1	—	2	3									14
15 Cerebral hæmorrhage, &c.	11	9	12	11	15	20	3	2	9	9									15
16 Heart disease	12	17	28	24	20	13	12	15	21	14									16
17 Arterio-sclerosis	4	1	7	4	9	4	1	3	5	1									17
18 Bronchitis	27	12	14	13	18	26	7	4	32	20									18
19 Pneumonia (all forms)	20	14	23	16	28	27	11	9	17	11									19
20 Other respiratory diseases	3	1	7	3	3	4	3	2	1	2									20
21 Ulcer of stomach or duodenum	—	—	1	—	—	1	1	—	2	1									21
22 Diarrhœa, &c. (under 2 years)	7	8	4	5	2	—	5	6	17	3									22
23 Appendicitis and typhlitis	3	—	—	—	2	1	1	1	1	3									23
24 Cirrhosis of liver	2	—	—	1	1	2	2	—	—	—									24
25 Acute and chronic nephritis	4	5	8	8	1	2	2	2	6	6									25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—									26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	—	—	3									27
28 Congenital debility and malformation, premature birth	25	17	11	18	26	14	5	—	16	15									28
29 Suicide	3	1	4	1	2	—	1	1	2	1									29
30 Other deaths from violence	12	1	16	2	11	4	4	1	11	3									30
31 Other defined diseases	39	40	57	29	40	30	17	16	36	30									31
32 Causes ill-defined or unknown	2	—	—	1	—	—	—	1	—	—									32

ELY, ISLE OF.

ESSEX.

Causes of Death.	Wisbech M.B.		Ely R.D.		Wisbech R.D.						Barking Town U.D		Chelmsford M.B.		Clacton U.D.		Colchester M.B		
	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	72	62	98	85	77	56					211	168	102	111	64	66	257	241	
1 Enteric fever	—	—	—	—	—	—					—	—	—	—	—	—	2	—	1
2 Small-pox	—	—	—	—	—	—					—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—					8	6	—	1	—	—	—	2	3
4 Scarlet fever	—	—	—	—	—	—					—	—	—	—	—	1	2	2	4
5 Whooping cough	—	—	—	—	—	—					1	3	1	1	—	—	1	7	5
6 Diphtheria	2	2	—	—	—	1					2	1	1	1	—	1	—	2	6
7 Influenza	2	4	5	—	4	3					7	9	3	5	1	—	7	10	7
8 Encephalitis lethargica	—	—	—	—	—	—					1	1	—	—	—	—	2	—	8
9 Meningococcal meningitis	—	—	—	—	—	—					—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	3	5	2	6	6					21	14	9	9	3	4	14	15	10
11 Other tuberculous diseases	—	2	1	1	3	1					4	—	2	3	1	2	5	4	11
12 Cancer, malignant disease	11	6	14	15	11	8					14	18	17	7	10	6	33	28	12
13 Rheumatic fever	—	—	1	—	—	—					1	1	—	—	—	—	—	—	13
14 Diabetes	1	—	—	1	—	1					1	1	1	2	—	1	4	—	14
15 Cerebral hæmorrhage, &c.	6	7	6	7	3	1					12	10	3	4	8	5	18	19	15
16 Heart disease	7	8	12	9	6	5					16	27	15	12	8	14	50	45	16
17 Arterio-sclerosis	1	2	1	1	6	3					3	1	8	4	9	8	4	9	17
18 Bronchitis	7	—	4	7	3	3					21	8	4	11	1	1	19	28	18
19 Pneumonia (all forms)	2	5	4	5	3	5					21	13	7	4	—	3	14	8	19
20 Other respiratory diseases	1	1	1	—	—	—					—	3	4	3	—	—	—	—	20
21 Ulcer of stomach or duodenum	—	1	2	1	—	—					3	—	—	1	—	—	3	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	1					9	6	—	—	1	—	—	—	22
23 Appendicitis and typhlitis	—	—	—	—	—	—					4	—	2	1	—	1	5	1	23
24 Cirrhosis of liver	1	—	—	—	—	—					3	—	1	—	—	3	2	2	24
25 Acute and chronic nephritis	1	—	9	6	1	—					3	6	1	4	3	3	5	4	25
26 Puerperal sepsis	—	—	—	—	—	2					—	1	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—					—	2	—	2	—	—	—	—	27
28 Congenital debility and malformation, premature birth	8	1	2	5	7	1					20	4	6	3	1	2	15	7	28
29 Suicide	—	—	1	—	—	—					1	1	1	1	—	—	1	2	29
30 Other deaths from violence	1	3	3	3	4	1					8	4	1	—	1	1	7	3	30
31 Other defined diseases	19	16	25	21	20	14					27	28	15	31	16	9	42	42	31
32 Causes ill-defined or unknown	—	—	1	1	—	—					—	—	—	—	1	—	2	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

ESSEX—*cont.*

Causes of Death.	Grays Thurrock U.D.		Harwich M.B.		Ilford U.D.		Leyton U.D.		Romford U.D.		Walthamstow U.D.		Wanstead U.D.		Woodford U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	86	68	62	72	415	462	704	621	132	96	678	650	78	87	108	94	
1 Enteric fever	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	7	4	7	6	5	2	5	6	—	1	1	—	3
4 Scarlet fever	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—	4
5 Whooping cough	—	—	—	—	2	—	3	8	—	—	6	11	—	—	—	1	5
6 Diphtheria	—	—	—	—	1	—	6	5	—	1	2	2	—	2	1	—	6
7 Influenza	3	3	2	3	18	23	18	25	7	5	17	23	3	2	3	5	7
8 Encephalitis lethargica	—	—	—	—	2	1	2	2	—	—	2	4	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	7	4	5	2	26	26	58	55	7	3	69	51	5	6	3	8	10
11 Other tuberculous diseases	—	1	—	2	8	7	12	8	2	1	6	17	1	—	3	1	11
12 Cancer, malignant disease	10	8	6	10	47	73	71	85	16	12	72	79	8	15	13	20	12
13 Rheumatic fever	—	—	—	—	3	7	4	2	—	1	2	—	—	—	2	—	13
14 Diabetes	1	—	—	2	5	6	5	2	1	—	5	5	1	1	1	—	14
15 Cerebral hæmorrhage, &c.	3	6	7	2	23	25	34	35	5	9	28	42	5	8	6	6	15
16 Heart disease	9	10	10	10	53	75	69	95	16	13	82	87	10	18	19	9	16
17 Arterio-sclerosis	4	1	—	—	8	8	21	7	1	3	12	6	4	4	—	4	17
18 Bronchitis	7	3	8	5	29	37	58	77	9	7	60	69	4	2	7	5	18
19 Pneumonia (all forms)	3	3	2	1	28	29	75	42	11	10	79	45	5	5	13	3	19
20 Other respiratory diseases	1	1	—	—	8	7	13	3	2	—	15	12	—	1	—	3	20
21 Ulcer of stomach or duodenum	1	—	—	1	3	—	12	5	—	—	9	2	3	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	4	2	1	—	4	2	7	3	—	1	8	4	—	—	—	1	22
23 Appendicitis and typhlitis	—	—	—	1	3	3	3	2	—	—	5	9	—	1	—	—	23
24 Cirrhosis of liver	1	—	—	—	2	2	3	1	—	1	3	3	—	—	—	1	24
25 Acute and chronic nephritis	5	1	2	1	23	9	23	21	6	3	27	12	8	2	4	2	25
26 Puerperal sepsis	—	2	—	—	—	—	—	6	—	—	—	4	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	2	—	—	—	8	—	—	—	—	27
28 Congenital debility and malformation, premature birth	3	3	5	5	16	12	32	18	4	1	29	25	3	—	2	6	28
29 Suicide	—	1	—	1	8	1	11	3	2	—	11	4	—	2	—	—	29
30 Other deaths from violence	7	1	3	3	13	6	28	9	6	2	20	13	2	1	4	—	30
31 Other defined diseases	17	18	10	21	75	96	127	93	31	21	99	105	15	16	25	19	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	1	—	2	1	—	—	1	—	32

ESSEX—*cont.*

Causes of Death.	Billericay R.D.		Braintree R.D.		Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	148	131	107	119	155	147	93	100	85	75	117	118	119	92	54	56	125	106	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	3	3	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	1	—	—	2	3	—	—	—	—	3	—	—	—	—	—	—	—	5
6 Diphtheria	—	—	1	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—	6
7 Influenza	7	7	—	—	3	7	2	3	3	7	1	3	1	1	—	1	3	4	7
8 Encephalitis lethargica	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	8	3	6	9	9	4	4	9	6	6	9	2	4	3	3	5	9	10
11 Other tuberculous diseases	3	6	—	2	2	1	1	—	3	1	1	1	3	—	—	2	4	—	11
12 Cancer, malignant disease	17	21	8	16	16	17	13	17	15	6	17	12	8	8	9	6	20	18	12
13 Rheumatic fever	2	1	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	13
14 Diabetes	1	—	—	2	2	2	1	2	—	—	2	—	1	—	—	1	1	1	14
15 Cerebral hæmorrhage, &c.	11	7	12	6	14	10	10	13	5	6	8	13	6	8	2	3	7	5	15
16 Heart disease	13	16	17	16	15	18	16	17	11	15	14	28	27	22	7	11	15	13	16
17 Arterio-sclerosis	7	1	4	4	10	3	2	1	4	3	8	1	8	1	1	2	5	1	17
18 Bronchitis	8	10	14	10	13	11	8	11	3	5	9	8	10	7	6	5	3	9	18
19 Pneumonia (all forms)	11	4	6	5	7	8	2	3	2	3	4	4	3	5	1	3	5	6	19
20 Other respiratory diseases	3	2	1	1	—	1	—	2	2	2	5	2	—	2	1	3	1	3	20
21 Ulcer of stomach or duodenum	—	—	—	1	2	—	1	—	—	—	1	1	1	1	1	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	2	1	22
23 Appendicitis and typhlitis	1	—	—	—	1	1	—	—	1	—	—	1	—	1	—	—	2	—	23
24 Cirrhosis of liver	1	2	1	—	—	—	1	—	—	—	—	1	—	1	—	—	1	—	24
25 Acute and chronic nephritis	3	5	2	3	4	3	1	2	2	2	2	1	3	1	3	3	3	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	7	3	3	5	4	4	3	2	3	—	6	2	2	3	2	1	2	2	28
29 Suicide	3	1	3	—	2	4	2	—	—	1	1	1	2	—	—	—	2	—	29
30 Other deaths from violence	6	2	3	1	5	2	2	—	1	—	2	1	7	1	—	—	9	3	30
31 Other defined diseases	31	27	29	39	41	37	20	21	18	18	26	28	31	22	17	10	33	24	31
32 Causes ill-defined or unknown	1	1	—	1	1	2	1	—	1	—	—	—	1	1	1	1	1	2	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

ESSEX—*cont.* **GLOUCESTERSHIRE.**

Causes of Death.	Rochford R.D.		Romford R.D.		Saffron Walden R.D.		Tendring R.D.				Cheltenham M.B.		Kingswood U.D.				Chipping Sodbury R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.			M.	F.	
All Causes	144	147	221	193	69	63	141	153			313	394	101	69			134	146	
1 Enteric fever	—	—	—	1	—	—	—	—			—	1	—	—			—	—	1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—			—	—	2
3 Measles	—	—	3	2	—	—	—	—			2	3	—	1			—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—			1	—	—	—			—	—	4
5 Whooping cough	—	—	1	1	1	2	1	1			1	1	—	—			—	—	5
6 Diphtheria	—	—	1	1	1	—	—	—			—	—	1	—			—	1	6
7 Influenza	4	7	3	10	2	3	6	6			16	22	3	2			7	13	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—			1	1	—	—			1	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—			—	—	—	—			—	—	9
10 Tuberculosis of respiratory sys.	9	9	13	12	3	3	4	8			21	21	10	5			7	7	10
11 Other tuberculous diseases	2	3	2	5	—	—	4	5			7	9	2	1			3	2	11
12 Cancer, malignant disease	10	17	20	25	4	9	15	17			39	57	10	8			13	16	12
13 Rheumatic fever	—	2	—	—	—	1	—	—			—	—	—	—			—	—	13
14 Diabetes	—	2	2	2	—	2	4	1			2	4	—	1			2	1	14
15 Cerebral hæmorrhage, &c.	11	17	10	11	3	5	4	7			18	28	10	6			9	9	15
16 Heart disease	23	20	25	26	7	7	25	25			31	70	21	8			16	28	16
17 Arterio-sclerosis	6	5	6	3	21	10	10	5			19	19	1	3			6	2	17
18 Bronchitis	9	8	20	11	5	2	6	7			18	29	7	4			17	17	18
19 Pneumonia (all forms)	9	8	24	14	—	—	8	5			24	18	12	5			5	6	19
20 Other respiratory diseases	2	1	2	2	3	2	1	—			5	4	3	—			3	—	20
21 Ulcer of stomach or duodenum	2	1	2	3	1	—	—	—			4	1	—	—			1	—	21
22 Diarrhœa, &c. (under 2 years)	—	2	4	5	—	—	1	—			1	2	1	2			—	1	22
23 Appendicitis and typhlitis	—	—	2	2	—	1	1	—			5	4	—	—			—	—	23
24 Cirrhosis of liver	—	—	2	1	1	—	—	—			3	—	—	—			—	—	24
25 Acute and chronic nephritis	3	6	5	5	—	1	3	5			9	12	2	—			3	3	25
26 Puerperal sepsis	—	1	—	1	—	—	—	1			—	2	—	—			—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	—			—	1	—	2			—	2	27
28 Congenital debility and malformation, premature birth	11	6	16	11	1	3	6	7			12	8	3	2			4	7	28
29 Suicide	2	—	6	—	2	1	3	—			3	3	—	—			1	—	29
30 Other deaths from violence	7	2	9	3	1	—	6	3			7	6	2	2			7	3	30
31 Other defined diseases	34	29	43	31	13	11	32	30			63	68	13	17			29	27	31
32 Causes ill-defined or unknown	—	1	—	2	—	—	1	—			1	—	—	—			—	1	32

GLOUCESTERSHIRE—*cont.*

Causes of Death.	Cirencester R.D.		Dursley R.D.		East Dean & United Parishes R.D.		Faringdon (Part of)* R.D.		Gloucester R.D.		Stroud R.D.		Thornbury R.D.		Warmley R.D.		West Dean R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	80	81	62	58	123	124	6	12	59	82	155	214	115	93	90	110	96	84	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	2	—	—	—	—	5	2	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	2	—	—	—	4	3	—	—	—	—	1	2	—	—	—	—	1	—	5
6 Diphtheria	—	2	—	—	1	1	—	1	1	3	2	—	—	—	—	—	—	1	6
7 Influenza	2	2	3	3	3	1	—	—	1	5	9	22	5	3	4	8	9	5	7
8 Encephalitis lethargica	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	1	2	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	3	5	3	4	5	3	—	—	2	3	13	19	4	—	8	14	5	10	10
11 Other tuberculous diseases	3	2	2	—	1	1	—	—	2	—	1	2	3	1	—	5	—	2	11
12 Cancer, malignant disease	10	14	9	8	7	20	2	2	12	18	26	21	16	18	12	8	8	6	12
13 Rheumatic fever	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	1	1	—	1	1	—	—	1	—	3	3	5	—	2	2	5	—	—	14
15 Cerebral hæmorrhage, &c.	5	5	5	7	6	9	1	3	5	7	9	14	11	6	—	3	4	3	15
16 Heart disease	10	8	11	11	17	22	—	1	8	7	18	41	11	19	18	21	13	10	16
17 Arterio-sclerosis	3	2	4	1	1	4	—	—	2	—	5	13	16	3	2	8	2	2	17
18 Bronchitis	8	3	3	2	13	7	—	—	12	7	4	7	9	5	7	8	10	11	18
19 Pneumonia (all forms)	7	6	2	6	10	5	—	—	2	5	7	2	5	5	4	2	8	3	19
20 Other respiratory diseases	—	1	2	2	4	1	—	—	2	1	4	—	1	—	2	2	3	1	20
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	—	—	—	—	2	2	—	2	1	3	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	1	—	5	1	—	—	—	—	2	1	—	—	1	1	1	—	22
23 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	1	23
24 Cirrhosis of liver	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	1	24
25 Acute and chronic nephritis	4	2	—	3	5	1	—	—	1	2	2	4	5	6	3	3	2	—	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	—	1	6	1	5	10	—	1	2	3	6	5	3	1	4	3	3	4	28
29 Suicide	1	—	1	—	3	1	—	—	—	—	1	2	1	1	1	—	1	—	29
30 Other deaths from violence	4	1	5	1	5	2	—	—	2	—	5	4	7	1	8	2	5	1	30
31 Other defined diseases	16	22	3	7	21	26	3	3	4	18	29	42	17	20	13	12	16	18	31
32 Causes ill-defined or unknown	1	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	1	—	32

* The remainder of Faringdon R.D. is in Berkshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

HEREFORDSHIRE.

Causes of Death.	Hereford M.B.		Hereford R.D.		Ross R.D.			
	M.	F.	M.	F.	M.	F.		
All Causes	144	176	81	97	65	71		
1 Enteric fever	—	1	1	—	—	—		1
2 Small-pox	—	—	—	—	—	—		2
3 Measles	—	—	—	—	—	1		3
4 Scarlet fever	—	—	—	—	—	—		4
5 Whooping cough	1	—	1	1	1	1		5
6 Diphtheria	—	—	—	—	—	—		6
7 Influenza	6	7	7	7	3	4		7
8 Encephalitis lethargica ..	—	—	—	—	—	1		8
9 Meningococcal meningitis ..	—	—	—	—	—	—		9
10 Tuberculosis of respiratory sys.	13	7	5	7	3	10		10
11 Other tuberculous diseases ..	1	3	1	—	2	1		11
12 Cancer, malignant disease ..	16	24	7	13	6	11		12
13 Rheumatic fever	2	3	—	—	—	—		13
14 Diabetes	1	1	—	—	—	1		14
15 Cerebral hæmorrhage, &c. ..	14	15	3	7	3	7		15
16 Heart disease	21	37	14	21	10	6		16
17 Arterio-sclerosis	2	1	4	4	5	1		17
18 Bronchitis	6	6	10	8	7	6		18
19 Pneumonia (all forms) ..	6	5	5	4	2	2		19
20 Other respiratory diseases ..	3	1	3	—	1	—		20
21 Ulcer of stomach or duodenum	2	2	—	—	1	—		21
22 Diarrhœa, &c. (under 2 years)	1	2	1	—	—	—		22
23 Appendicitis and typhlitis ..	4	1	2	—	—	—		23
24 Cirrhosis of liver	1	2	—	—	—	—		24
25 Acute and chronic nephritis ..	2	2	—	1	5	1		25
26 Puerperal sepsis	—	1	—	—	—	—		26
27 Other accidents and diseases of pregnancy and parturition..	—	4	—	1	—	—		27
28 Congenital debility and malformation, premature birth	7	4	2	4	2	1		28
29 Suicide	1	2	—	—	1	—		29
30 Other deaths from violence ..	3	4	5	1	2	2		30
31 Other defined diseases ..	31	40	10	18	11	15		31
32 Causes ill-defined or unknown	—	1	—	—	—	—		32

HERTFORDSHIRE.

Causes of Death.	Barnet U.D.		Cheshunt U.D.		East Barnet Valley U.D.		Hemel Hempstead M.B.		Hertford M.B.		Hitchin U.D.		Letchworth U.D.		St. Albans M.B.		Watford M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	58	62	83	53	62	80	74	66	64	51	70	78	44	51	127	169	259	222	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	1	2	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	3	1	1	1	1	—	1	1	—	—	—	—	—	—	—	—	—	1	5
6 Diphtheria	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	3	2	6
7 Influenza	1	2	1	1	2	2	8	3	2	1	4	2	1	5	4	1	8	9	7
8 Encephalitis lethargica ..	1	—	4	—	—	1	—	—	—	—	—	—	—	—	1	1	—	1	8
9 Meningococcal meningitis ..	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	2	4	3	2	3	5	3	2	—	6	4	2	3	4	6	13	22	12	10
11 Other tuberculous diseases ..	2	1	4	2	—	—	—	2	2	—	—	1	1	1	1	5	2	4	11
12 Cancer, malignant disease ..	7	17	10	10	8	14	10	9	10	8	11	8	4	6	15	28	27	35	12
13 Rheumatic fever	1	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	13
14 Diabetes	—	2	—	1	—	2	—	—	2	2	—	2	2	2	4	1	2	6	14
15 Cerebral hæmorrhage, &c. ..	3	2	6	3	5	5	2	4	1	—	5	6	3	5	9	9	10	21	15
16 Heart disease	7	4	9	5	6	13	14	15	12	6	10	14	8	7	19	34	39	21	16
17 Arterio-sclerosis	6	4	5	3	1	4	3	4	2	3	—	—	—	3	3	4	7	3	17
18 Bronchitis	2	6	7	5	8	4	7	2	4	—	7	13	3	2	7	12	24	18	18
19 Pneumonia (all forms) ..	3	5	5	2	8	11	3	2	2	4	4	4	2	1	11	8	12	11	19
20 Other respiratory diseases ..	3	1	2	—	1	1	3	2	—	2	—	—	—	—	1	2	5	4	20
21 Ulcer of stomach or duodenum	1	—	2	—	1	—	—	1	1	1	2	1	—	—	1	—	4	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	1	1	2	22
23 Appendicitis and typhlitis ..	1	1	—	—	1	1	1	—	1	1	3	—	1	—	—	2	6	1	23
24 Cirrhosis of liver	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	24
25 Acute and chronic nephritis ..	1	2	3	—	2	1	2	3	4	2	2	1	4	2	7	2	6	5	25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition..	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	3	27
28 Congenital debility and malformation, premature birth	—	2	—	2	1	4	3	5	3	—	5	3	5	—	10	9	16	13	28
29 Suicide	2	—	1	1	—	—	1	1	3	2	—	1	—	—	1	2	3	2	29
30 Other deaths from violence ..	1	2	2	1	—	2	2	1	3	1	3	3	1	—	1	2	10	2	30
31 Other defined diseases ..	11	6	16	12	13	5	8	7	9	10	9	15	3	9	23	31	47	40	31
32 Causes ill-defined or unknown	—	—	1	1	—	—	—	—	2	—	—	—	—	1	—	—	3	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

HERTFORDSHIRE—*cont.* HUNTS.

Causes of Death.	Hitchin R.D.		St. Albans R.D.		Ware R.D.		Watford R.D.		Thrapston (part of) R.D.*		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	94	93	79	66	70	61	52	55	7	5	
1 Enteric fever	—	—	—	1	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	2	1	—	—	—	—	—	—	1	—	5
6 Diphtheria	—	—	—	—	—	—	—	1	—	—	6
7 Influenza	4	7	2	1	2	1	2	2	—	1	7
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	2	4	7	4	5	5	7	1	—	10
11 Other tuberculous diseases	—	1	1	1	2	1	—	1	1	—	11
12 Cancer, malignant disease	10	8	9	11	8	11	5	6	1	—	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	—	1	—	2	1	—	1	1	—	—	14
15 Cerebral hæmorrhage, &c.	12	9	4	5	10	4	1	3	—	1	15
16 Heart disease	11	11	17	11	11	14	10	10	2	—	16
17 Arterio-sclerosis	1	—	2	1	—	—	4	2	—	1	17
18 Bronchitis	6	12	4	2	8	5	3	7	—	1	18
19 Pneumonia (all forms)	2	5	5	7	3	2	2	2	—	—	19
20 Other respiratory diseases	1	1	1	—	3	2	1	—	—	—	20
21 Ulcer of stomach or duodenum	—	—	—	—	—	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	2	1	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	—	2	1	1	1	1	—	—	—	—	23
24 Cirrhosis of liver	2	1	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	3	—	2	4	4	4	—	3	—	—	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	5	1	6	2	1	1	2	—	—	—	28
29 Suicide	3	—	2	—	—	—	—	—	—	—	29
30 Other deaths from violence	5	4	3	1	4	2	2	1	—	—	30
31 Other defined diseases	21	21	14	8	8	6	12	8	1	1	31
32 Causes ill-defined or unknown	1	4	—	—	—	1	—	—	—	—	32

KENT.

Causes of Death.	Ashford U.D.		Beckenham U.D.		Bexley U.D.		Broadstairs & St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Crayford U.D.		Dartford U.D.		Deal M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	92	75	158	180	117	104	59	76	197	197	308	252	54	64	126	114	76	86	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	5	2	2	1	1	—	1	—	—	—	12	6	—	—	—	—	1	—	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	4
5 Whooping cough	—	—	3	—	1	—	—	1	1	2	3	1	—	—	1	1	—	—	5
6 Diphtheria	—	—	1	2	1	—	—	—	—	—	—	—	1	—	—	2	—	—	6
7 Influenza	6	7	8	14	3	2	4	—	6	12	6	7	—	1	4	5	1	2	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	6	11	8	10	9	3	6	11	11	21	16	6	5	8	11	1	4	10
11 Other tuberculous diseases	1	2	5	—	3	—	—	—	1	4	7	6	2	1	4	1	2	2	11
12 Cancer, malignant disease	13	9	25	27	14	18	10	12	28	30	37	28	10	15	19	14	12	14	12
13 Rheumatic fever	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—	—	—	13
14 Diabetes	3	1	2	6	—	1	2	—	3	3	2	2	1	2	—	1	3	1	14
15 Cerebral hæmorrhage, &c.	8	4	10	14	11	8	3	4	9	16	10	12	1	1	13	8	5	4	15
16 Heart disease	10	9	18	25	24	17	8	13	23	29	28	32	9	14	22	19	10	13	16
17 Arterio-sclerosis	2	1	7	10	3	1	2	2	7	9	16	9	1	—	3	5	2	—	17
18 Bronchitis	3	7	13	9	3	5	—	2	20	17	27	18	6	6	8	7	4	6	18
19 Pneumonia (all forms)	2	4	8	16	9	8	1	7	26	16	20	18	3	5	8	4	3	1	19
20 Other respiratory diseases	3	1	1	3	—	2	1	—	—	1	6	3	2	1	2	—	2	1	20
21 Ulcer of stomach or duodenum	—	—	3	1	2	—	1	—	1	1	2	2	—	—	4	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	3	—	—	—	—	—	—	1	—	—	6	2	—	—	—	—	—	1	22
23 Appendicitis and typhlitis	—	1	1	2	1	—	—	1	1	1	3	1	—	—	—	1	—	—	23
24 Cirrhosis of liver	—	—	—	1	—	—	—	—	2	—	4	1	—	—	1	1	1	1	24
25 Acute and chronic nephritis	2	1	4	3	1	1	1	4	8	4	7	5	2	3	1	4	5	3	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	1	—	3	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	2	—	1	—	2	—	7	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	5	1	6	4	6	8	2	1	8	3	13	15	—	1	10	7	3	3	28
29 Suicide	1	1	2	1	1	—	1	—	3	1	4	1	—	—	4	—	—	—	29
30 Other deaths from violence	3	3	3	1	7	1	1	3	11	5	9	1	2	3	3	5	—	1	30
31 Other defined diseases	14	15	24	30	16	20	16	18	28	28	64	51	8	5	11	13	19	26	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	1	—	—	—	1	3	—	—	—	—	1	1	32

* The remainder of Thrapston R.D. is in Northamptonshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

KENT—*cont.*

Causes of Death.	Dover M.B.		Erith U.D.		Faversham M.B.		Folkestone M.B.*		Gillingham M.B.		Gravesend M.B.		Herne Bay U.D.		Maidstone M.B.		Margate M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	225	212	162	142	62	53	190	205	261	260	210	185	50	62	207	200	141	177
1 Enteric fever	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	3	—	—	—	2	—	—	—	—	—	—	—	—	1	—
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5 Whooping cough	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	2
6 Diphtheria	—	—	5	4	—	—	—	—	—	2	5	9	—	—	2	1	—	—
7 Influenza	15	10	2	3	2	2	7	6	8	8	7	5	1	1	9	7	2	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1
9 Meningococcal meningitis	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	18	13	16	15	4	3	21	15	17	20	18	12	4	4	23	13	13	9
11 Other tuberculous diseases	4	7	—	1	—	—	3	4	1	8	1	2	—	1	5	1	2	5
12 Cancer, malignant disease	21	32	17	17	9	8	28	27	30	28	23	23	5	12	18	33	16	32
13 Rheumatic fever	2	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1
14 Diabetes	2	—	2	1	—	1	4	1	2	1	2	1	—	4	1	1	3	1
15 Cerebral hæmorrhage, &c.	13	16	8	9	3	2	10	16	12	14	9	13	2	8	16	18	10	15
16 Heart disease	23	23	18	27	4	5	20	37	32	26	20	29	9	6	26	34	19	24
17 Arterio-sclerosis	10	7	7	2	—	1	9	8	7	4	3	3	6	3	8	7	9	7
18 Bronchitis	18	15	12	9	4	5	8	15	24	32	25	18	1	5	18	20	7	7
19 Pneumonia (all forms)	17	13	16	10	2	1	12	13	21	14	27	16	3	1	7	9	13	8
20 Other respiratory diseases	2	3	—	2	1	—	2	1	4	3	2	1	—	1	1	2	3	1
21 Ulcer of stomach or duodenum	2	—	2	—	1	1	—	—	2	—	—	1	—	—	—	—	—	1
22 Diarrhœa, &c. (under 2 years)	1	—	3	—	—	—	1	—	—	1	4	2	—	—	1	—	—	—
23 Appendicitis and typhlitis	—	—	1	2	—	—	—	2	1	3	2	—	—	2	2	1	—	2
24 Cirrhosis of liver	—	—	—	—	—	—	3	2	—	2	1	—	1	1	—	—	2	2
25 Acute and chronic nephritis	3	5	7	3	5	2	2	3	6	7	1	2	—	1	7	4	2	7
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	—	1	—	3	—	1	—	—	—	1	—	—
28 Congenital debility and malformation, premature birth	12	7	12	5	2	—	9	7	17	9	7	10	6	—	12	4	7	5
29 Suicide	4	3	3	—	—	—	2	1	5	—	1	1	1	1	5	1	1	—
30 Other deaths from violence	10	1	6	8	3	3	3	1	12	4	8	3	—	1	11	4	1	4
31 Other defined diseases	48	51	24	17	21	19	46	39	59	67	41	32	10	9	34	39	30	35
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	2	1	—	1	—	1	—	—	—	—	1

KENT—*cont.*

Causes of Death.	North-fleet U.D.		Penge U.D.		Ramsgate M.B.		Rochester M.B.		Royal Tunbridge Wells M.B.		Sheerness U.D.		Tonbridge U.D.		Bridge R.D.		Bromley R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	100	79	143	161	202	212	178	191	179	239	110	69	89	106	60	54	161	127
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	2	3	2	—	—	—	—	—	3	1	3	1	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
5 Whooping cough	—	—	3	—	2	4	3	—	—	—	—	—	—	—	—	—	3	—
6 Diphtheria	2	6	1	—	2	1	1	1	1	—	—	—	—	—	—	—	1	—
7 Influenza	3	—	2	5	7	3	2	5	7	8	2	1	3	3	5	3	12	8
8 Encephalitis lethargica	—	—	1	—	—	1	1	1	—	—	1	2	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	9	4	14	9	17	13	11	12	10	9	9	4	9	6	6	3	16	9
11 Other tuberculous diseases	5	2	3	3	2	4	3	9	2	4	1	—	1	2	—	2	5	4
12 Cancer, malignant disease	4	7	14	25	29	31	20	25	24	32	14	5	9	13	11	10	21	23
13 Rheumatic fever	—	—	—	1	—	—	—	2	—	1	—	—	—	—	1	—	2	—
14 Diabetes	—	—	—	2	3	2	2	—	—	2	1	—	—	3	—	1	—	3
15 Cerebral hæmorrhage, &c.	4	3	7	8	6	18	10	12	7	22	4	2	9	11	1	6	5	14
16 Heart disease	14	15	16	15	24	34	22	33	29	58	19	8	12	20	3	6	22	15
17 Arterio-sclerosis	1	2	7	14	2	3	10	7	5	16	7	5	—	—	1	—	5	1
18 Bronchitis	7	7	9	10	11	13	12	10	10	15	12	6	8	5	4	2	7	8
19 Pneumonia (all forms)	9	6	15	11	17	14	10	11	11	5	7	4	8	6	2	—	9	6
20 Other respiratory diseases	3	1	3	1	6	5	2	1	2	1	1	—	1	2	1	—	1	1
21 Ulcer of stomach or duodenum	4	1	3	1	2	1	4	—	1	2	1	—	—	1	—	—	4	1
22 Diarrhœa, &c. (under 2 years)	—	—	2	1	1	1	3	2	2	—	4	2	—	—	1	—	—	1
23 Appendicitis and typhlitis	1	—	1	2	1	—	—	—	2	2	—	—	—	—	1	—	2	—
24 Cirrhosis of liver	—	—	—	1	1	—	2	—	1	—	—	1	—	—	—	—	—	1
25 Acute and chronic nephritis	2	4	1	2	7	8	6	3	3	4	1	1	2	4	3	1	7	2
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	1	—	1	—	—	—	2	—	—	—	1
28 Congenital debility and malformation, premature birth	3	9	4	2	2	5	9	9	5	2	4	4	5	3	1	1	11	3
29 Suicide	3	—	1	1	2	1	2	2	1	1	1	—	1	1	1	—	4	1
30 Other deaths from violence	6	1	5	3	10	2	9	2	7	5	3	1	1	3	2	2	2	1
31 Other defined diseases	18	11	29	39	41	46	34	43	47	49	15	20	16	20	16	16	22	23
32 Causes ill-defined or unknown	2	—	—	—	5	1	—	—	1	—	—	—	1	—	—	—	—	—

* Excluding the civil parish of Folkestone next Sandgate.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

KENT—*cont.*

Causes of Death.	Cranbrook R.D.		Dartford R.D.		East Ashford R.D.		Eastry R.D.		Faversham R.D.		Hollingbourne R.D.		Isle of Thanet R.D.		Maidstone R.D.		Malling R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	71	88	180	146	111	101	71	64	83	83	86	91	57	61	107	84	162	145	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	1	—	—	—	—	—	—	—	—	3	—	1	—	3
4 Scarlet fever	—	—	3	—	1	—	—	—	1	—	—	—	—	—	—	—	—	2	4
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5
6 Diphtheria	—	—	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	6
7 Influenza	5	7	8	5	3	6	2	3	2	4	3	4	6	3	3	1	7	5	7
8 Encephalitis lethargica	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	9
10 Tuberculosis of respiratory sys.	6	3	17	9	11	5	3	2	6	8	5	3	5	5	5	12	13	11	10
11 Other tuberculous diseases	1	2	3	1	3	2	2	—	2	2	2	3	2	2	1	2	4	3	11
12 Cancer, malignant disease	7	15	15	14	7	13	7	7	11	8	8	14	7	10	11	14	17	17	12
13 Rheumatic fever	—	—	1	—	2	—	2	—	1	—	1	—	—	1	—	—	—	—	13
14 Diabetes	—	2	3	—	1	—	—	1	—	—	2	—	1	—	1	3	2	2	14
15 Cerebral hæmorrhage, &c.	4	5	10	10	4	3	6	6	6	4	4	8	4	7	5	6	9	6	15
16 Heart disease	14	15	35	30	14	9	8	12	11	11	9	12	7	11	21	9	16	23	16
17 Arterio-sclerosis	2	5	4	4	1	7	—	1	1	—	6	4	3	—	7	2	5	4	17
18 Bronchitis	6	6	14	10	10	7	6	5	5	7	4	15	2	—	7	8	9	5	18
19 Pneumonia (all forms)	3	1	12	8	4	1	5	1	5	9	4	1	3	2	6	4	8	8	19
20 Other respiratory diseases	3	—	1	1	2	1	2	1	1	—	2	2	—	1	1	1	4	—	20
21 Ulcer of stomach or duodenum	—	1	5	2	—	—	—	1	—	—	1	1	—	—	2	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	4	3	3	1	1	—	1	1	—	—	1	—	2	1	1	1	22
23 Appendicitis and typhlitis	—	—	—	1	—	2	—	—	—	—	—	1	—	1	1	—	—	1	23
24 Cirrhosis of liver	—	1	—	1	1	—	—	—	—	—	1	—	—	—	—	1	1	—	24
25 Acute and chronic nephritis	1	1	2	—	3	5	2	1	3	1	3	2	2	—	1	—	5	3	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	1	—	1	—	1	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	5	3	9	11	2	1	6	4	1	5	3	1	1	2	1	4	3	3	28
29 Suicide	—	—	—	—	—	1	1	—	—	—	2	1	—	—	1	—	3	—	29
30 Other deaths from violence	4	1	8	2	5	4	2	2	2	—	4	1	1	1	5	—	7	3	30
31 Other defined diseases	10	19	25	30	29	29	15	15	24	21	21	15	12	13	23	14	40	46	31
32 Causes ill-defined or unknown	—	1	—	—	1	1	1	—	—	1	—	1	—	1	—	—	4	1	32

KENT—*cont.* **LANCASHIRE.**

Causes of Death.	Milton R.D.		Sevenoaks R.D.		Strood R.D.		Tonbridge R.D.						Accrington M.B.		Ashton in Makerfield U.D.		Ashton-under-Lyne M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	
All Causes	63	75	147	142	65	62	95	89					312	300	152	120	305	278	
1 Enteric fever	—	—	2	1	—	—	—	—					—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3 Measles	1	—	1	—	1	—	1	1					2	3	2	1	7	4	3
4 Scarlet fever	—	—	—	—	—	—	—	—					—	—	—	—	2	1	4
5 Whooping cough	1	—	—	—	—	—	1	—					3	2	4	6	—	—	5
6 Diphtheria	—	—	—	1	—	—	1	1					—	2	—	—	1	—	6
7 Influenza	6	1	5	2	4	5	3	3					11	11	10	10	9	5	7
8 Encephalitis lethargica	—	—	2	—	—	—	—	—					—	3	—	—	1	3	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—					—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	6	10	11	3	5	6	5					18	9	8	7	19	11	10
11 Other tuberculous diseases	1	—	3	4	2	—	—	—					2	6	4	—	5	4	11
12 Cancer, malignant disease	7	17	17	14	9	6	14	14					34	34	9	10	28	33	12
13 Rheumatic fever	—	—	—	—	—	1	—	—					—	1	—	—	—	—	13
14 Diabetes	—	2	—	—	—	2	1	2					3	8	2	1	5	8	14
15 Cerebral hæmorrhage, &c.	4	4	13	16	5	6	5	6					26	29	5	4	10	19	15
16 Heart disease	5	5	21	21	10	9	17	21					46	47	12	14	34	50	16
17 Arterio-sclerosis	1	12	2	4	1	1	3	2					9	5	1	1	12	5	17
18 Bronchitis	4	3	7	3	5	2	2	1					25	24	12	11	24	33	18
19 Pneumonia (all forms)	3	3	9	10	5	4	2	5					37	22	24	15	34	17	19
20 Other respiratory diseases	1	—	—	3	1	—	—	3					5	3	4	2	10	4	20
21 Ulcer of stomach or duodenum	—	—	3	—	1	1	—	—					1	3	—	—	3	—	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	1	—	1	—	—					1	1	4	2	6	2	22
23 Appendicitis and typhlitis	—	—	1	2	—	1	—	1					2	2	—	—	—	—	23
24 Cirrhosis of liver	—	1	2	—	—	—	1	1					—	—	—	—	5	—	24
25 Acute and chronic nephritis	2	4	5	—	2	1	1	2					9	5	4	2	8	12	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—					—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	—					—	4	—	4	—	—	27
28 Congenital debility and malformation, premature birth	3	3	2	4	1	1	9	5					12	9	10	9	17	9	28
29 Suicide	—	—	5	2	1	—	1	—					2	2	1	—	5	1	29
30 Other deaths from violence	2	—	4	1	6	1	3	—					5	3	13	1	10	6	30
31 Other defined diseases	15	14	32	38	8	14	24	15					56	57	23	20	50	48	31
32 Causes ill-defined or unknown	—	—	1	3	—	—	—	1					3	4	—	—	—	2	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Atherton U.D.		Bacup M.B.		Chadderton U.D.		Chorley M.B.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Dalton-in-Furness U.D.		Darwen M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	123	101	156	173	157	150	194	207	69	84	171	148	98	101	71	57	274	308	
1 Enteric fever	—	—	—	—	—	—	—	4	—	—	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	4	1	1	—	—	—	—	—	—	1	2	3	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	4
5 Whooping cough	1	2	1	2	—	—	—	—	—	—	1	5	1	—	—	—	—	3	5
6 Diphtheria	1	—	—	—	1	1	—	1	1	—	1	1	—	—	—	—	—	—	6
7 Influenza	6	6	12	10	4	3	7	16	2	1	8	10	2	2	7	6	21	17	7
8 Encephalitis lethargica	—	1	—	—	3	—	2	—	—	—	—	—	1	—	—	—	—	4	8
9 Meningococcal meningitis	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	12	7	7	3	12	8	10	6	5	5	13	6	9	5	5	7	5	16	10
11 Other tuberculous diseases	1	3	4	2	1	4	4	5	2	1	3	2	2	3	1	1	4	1	11
12 Cancer, malignant disease	10	5	10	17	20	20	14	23	6	7	15	29	15	5	5	5	29	42	12
13 Rheumatic fever	—	—	1	—	—	2	1	—	—	—	1	—	2	—	1	—	—	—	13
14 Diabetes	2	4	2	4	1	5	—	2	—	3	—	—	1	—	1	1	3	1	14
15 Cerebral hæmorrhage, &c.	5	5	21	25	6	10	9	18	6	12	12	7	7	13	9	4	11	26	15
16 Heart disease	19	21	11	14	14	24	14	24	5	12	19	20	11	10	6	7	28	36	16
17 Arterio-sclerosis	11	5	2	2	5	3	10	11	2	—	8	4	3	2	—	—	16	8	17
18 Bronchitis	12	3	22	18	17	13	15	21	7	7	13	15	9	12	9	4	23	25	18
19 Pneumonia (all forms)	13	7	5	6	15	9	16	13	7	5	21	8	3	8	3	—	37	30	19
20 Other respiratory diseases	3	1	1	3	3	1	1	1	1	1	7	6	—	—	2	—	1	1	20
21 Ulcer of stomach or duodenum	2	—	2	1	—	—	2	—	2	1	1	—	1	—	—	—	—	3	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	4	1	5	3	—	—	8	1	1	2	—	—	1	3	22
23 Appendicitis and typhlitis	—	2	1	—	1	—	2	1	1	1	—	1	—	—	1	—	2	2	23
24 Cirrhosis of liver	—	2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	24
25 Acute and chronic nephritis	3	8	5	6	5	4	12	9	2	3	5	2	4	3	2	1	14	12	25
26 Puerperal sepsis	—	1	—	2	—	—	—	2	—	—	—	—	—	1	—	—	—	4	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	3	—	2	—	—	—	2	—	1	—	—	—	3	27
28 Congenital debility and malformation, premature birth	5	6	9	5	13	3	20	12	5	5	7	3	6	6	2	2	17	7	28
29 Suicide	—	—	4	1	2	1	4	—	—	—	1	—	2	2	—	1	1	—	29
30 Other deaths from violence	2	—	4	4	5	1	7	2	1	3	6	2	—	—	—	—	10	2	30
31 Other defined diseases	13	8	26	47	24	34	33	28	14	17	21	20	15	22	15	18	49	57	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	5	3	—	—	—	3	—	1	—	—	1	4	32

LANCASHIRE—*cont.*

Causes of Death.	Denton U.D.		Droylsden U.D.		Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	105	107	88	97	286	258	105	83	163	177	120	116	80	74	79	95	118	125	
1 Enteric fever	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	2	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	4	3	4	5	4	6	—	—	—	—	1	3	1	—	—	—	1	1	3
4 Scarlet fever	—	1	—	—	—	—	—	2	1	—	1	—	1	—	—	—	—	—	4
5 Whooping cough	1	1	—	—	4	7	1	—	10	6	2	—	—	—	1	—	1	—	5
6 Diphtheria	—	—	2	—	1	1	—	2	—	—	1	—	—	—	—	1	—	—	6
7 Influenza	3	2	2	4	9	11	10	2	4	5	4	5	2	4	5	4	6	5	7
8 Encephalitis lethargica	—	1	—	—	2	—	1	4	—	—	—	—	—	—	1	2	4	1	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	3	6	9	20	16	6	8	14	7	10	9	7	2	3	6	3	5	10
11 Other tuberculous diseases	—	1	—	1	3	1	5	1	2	3	1	1	2	—	—	—	—	2	11
12 Cancer, malignant disease	7	12	3	10	25	29	12	13	16	16	14	13	8	12	8	7	8	15	12
13 Rheumatic fever	1	2	—	1	—	1	—	—	3	—	2	1	—	—	1	1	—	—	13
14 Diabetes	1	4	1	—	—	2	—	2	—	1	4	1	—	2	1	1	1	2	14
15 Cerebral hæmorrhage, &c.	7	12	3	6	16	13	9	9	7	11	6	9	8	7	6	7	4	10	15
16 Heart disease	7	14	10	12	35	33	12	7	12	29	14	22	6	6	12	13	20	23	16
17 Arterio-sclerosis	1	2	2	3	7	6	6	2	8	12	2	1	3	5	1	3	4	6	17
18 Bronchitis	11	10	12	13	30	28	4	3	9	16	9	7	2	4	6	12	11	14	18
19 Pneumonia (all forms)	14	8	13	10	26	16	4	5	22	20	5	3	8	6	11	10	11	9	19
20 Other respiratory diseases	5	1	—	1	1	1	2	1	1	2	1	—	—	1	1	—	2	2	20
21 Ulcer of stomach or duodenum	—	—	—	—	3	1	2	—	2	—	—	—	1	1	—	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	3	2	1	2	1	2	3	1	1	1	1	1	3	—	22
23 Appendicitis and typhlitis	1	1	1	—	2	1	1	1	2	1	—	—	—	1	—	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	2	—	—	1	—	1	1	—	1	—	1	—	—	—	24
25 Acute and chronic nephritis	5	—	4	5	7	5	2	7	3	5	5	3	2	1	4	1	3	3	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	1	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	3	—	1	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	8	3	8	—	15	12	3	2	14	3	4	6	2	3	5	6	6	—	28
29 Suicide	1	1	1	—	2	—	1	—	—	—	1	—	—	—	3	3	1	—	29
30 Other deaths from violence	4	2	4	2	11	9	4	1	8	4	3	3	3	2	2	1	4	4	30
31 Other defined diseases	16	21	12	15	57	53	17	8	23	29	24	26	22	14	6	16	22	19	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	1	—	—	—	2	—	—	1	—	—	1	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Haydock U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		Ince in Makerfield U.D.		Lancaster M.B.		Leigh M.B.		Litherland U.D.		Littleboro' U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	68	53	199	203	150	153	93	84	202	162	274	291	287	283	107	118	78	83	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	2	7	2	5	2	1	—	19	13	1	3	8	8	2	—	2	—	3
4 Scarlet fever	1	—	1	—	—	—	—	—	—	—	—	—	2	1	2	1	—	—	4
5 Whooping cough	1	—	1	1	—	2	—	—	5	1	—	1	1	4	2	—	1	1	5
6 Diphtheria	—	1	2	1	—	1	1	—	—	—	—	2	1	—	—	3	—	—	6
7 Influenza	—	2	7	7	8	5	3	4	9	9	9	13	6	13	—	—	6	7	7
8 Encephalitis lethargica	2	—	—	—	1	—	—	2	—	1	—	1	—	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	7	10	7	9	9	6	4	11	11	13	22	18	18	6	12	3	1	10
11 Other tuberculous diseases	1	4	5	3	5	1	3	3	2	1	4	6	3	6	1	1	2	1	11
12 Cancer, malignant disease	3	1	20	19	7	11	10	12	14	7	31	33	26	22	12	6	7	6	12
13 Rheumatic fever	—	—	2	2	2	2	—	—	—	1	1	1	2	3	1	—	—	—	13
14 Diabetes	—	1	—	4	2	4	1	—	1	3	3	2	3	2	2	4	—	1	14
15 Cerebral hæmorrhage, &c.	2	3	4	5	5	10	4	4	7	6	16	22	16	23	4	7	6	12	15
16 Heart disease	5	2	39	37	13	17	6	15	6	8	44	35	30	39	11	14	3	6	16
17 Arterio-sclerosis	3	2	11	14	5	3	6	3	8	5	4	11	9	5	—	5	5	—	17
18 Bronchitis	7	7	14	20	21	18	7	7	29	22	21	35	40	29	6	3	11	10	18
19 Pneumonia (all forms)	9	4	30	15	22	13	10	6	31	21	28	11	24	28	17	22	3	4	19
20 Other respiratory diseases	—	1	2	4	—	3	1	1	3	2	5	1	1	1	1	2	4	2	20
21 Ulcer of stomach or duodenum	1	—	1	—	1	2	—	—	—	—	3	2	2	—	3	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	2	—	—	4	5	—	—	6	7	3	3	6	3	2	—	2	—	22
23 Appendicitis and typhlitis	—	—	2	1	1	2	2	—	1	—	2	2	5	—	—	—	—	—	23
24 Cirrhosis of liver	1	—	1	—	—	—	1	—	—	—	3	—	—	1	—	1	1	—	24
25 Acute and chronic nephritis	3	—	9	2	2	1	3	1	1	4	9	1	6	4	4	5	4	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	3	—	3	—	—	—	2	—	2	—	2	—	1	—	2	27
28 Congenital debility and malformation, premature birth	6	3	7	10	9	11	5	6	18	9	7	9	12	16	8	7	7	5	28
29 Suicide	1	—	2	1	—	2	3	1	—	—	8	—	3	1	1	—	1	—	29
30 Other deaths from violence	3	2	2	5	5	2	1	1	8	1	7	2	18	3	4	2	1	3	30
31 Other defined diseases	10	5	18	40	21	24	18	13	22	27	52	70	45	48	17	21	9	18	31
32 Causes ill-defined or unknown	1	1	1	—	1	—	1	1	1	1	—	1	—	1	—	1	—	—	32

LANCASHIRE—*cont.*

Causes of Death.	Lytham St. Annes M.B.		Middleton M.B.		Morecambe M.B.		Mossley M.B.		Nelson M.B.		Newton in Makerfield U.D.		Oswaldtwistle U.D.		Padiham U.D.		Prestwich U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	139	162	187	178	110	118	86	73	256	280	125	108	102	123	93	99	84	78	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	1	—	—	1	1	—	—	3	7	1	—	1	5	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	1	3	—	—	—	—	2	2	—	—	1	3	1	1	—	—	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	2	1	3	—	—	—	—	—	—	6
7 Influenza	2	5	3	4	9	5	2	1	15	26	9	11	10	1	8	12	1	3	7
8 Encephalitis lethargica	—	—	2	2	1	—	—	—	3	2	1	2	—	—	—	—	1	1	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	5	10	9	7	4	5	4	14	10	7	10	2	4	2	3	5	2	10
11 Other tuberculous diseases	5	3	2	6	1	—	4	2	8	1	1	—	3	3	—	1	1	2	11
12 Cancer, malignant disease	7	24	26	23	9	12	10	3	19	34	13	8	10	13	5	8	9	8	12
13 Rheumatic fever	—	—	2	—	1	2	1	—	1	3	—	—	—	1	1	1	1	—	13
14 Diabetes	3	3	1	1	2	2	—	1	4	6	—	1	—	2	—	1	—	—	14
15 Cerebral hæmorrhage, &c.	10	10	8	10	10	12	6	5	21	28	8	7	9	8	7	6	7	7	15
16 Heart disease	18	31	24	28	9	17	9	12	37	34	7	7	7	23	11	14	8	14	16
17 Arterio-sclerosis	12	10	14	12	3	2	3	2	11	6	7	3	3	3	6	2	3	4	17
18 Bronchitis	9	4	24	21	13	17	16	12	25	35	4	4	8	10	13	11	9	4	18
19 Pneumonia (all forms)	12	8	14	10	4	3	3	1	13	13	18	10	11	8	4	1	5	3	19
20 Other respiratory diseases	—	1	1	1	5	2	1	1	5	—	1	—	—	—	1	3	3	1	20
21 Ulcer of stomach or duodenum	4	1	1	3	1	2	—	—	3	2	—	—	2	1	—	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	3	1	1	—	1	—	2	1	3	2	1	2	1	1	—	4	22
23 Appendicitis and typhlitis	2	2	1	—	—	—	—	—	5	1	—	—	—	2	1	—	2	—	23
24 Cirrhosis of liver	1	1	—	—	1	1	—	—	—	—	—	—	1	—	—	—	1	—	24
25 Acute and chronic nephritis	10	7	9	8	4	4	2	10	8	9	4	1	3	6	1	1	7	4	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	3	—	5	—	1	—	2	—	2	—	—	27
28 Congenital debility and malformation, premature birth	2	5	5	3	3	3	6	1	11	3	10	5	3	3	5	4	—	2	28
29 Suicide	2	—	3	2	1	—	—	—	6	1	2	1	—	—	2	1	1	—	29
30 Other deaths from violence	7	4	4	7	3	2	3	2	5	4	7	2	3	1	1	—	3	—	30
31 Other defined diseases	25	30	28	22	22	28	13	11	35	48	16	21	24	24	22	20	15	17	31
32 Causes ill-defined or unknown	3	4	—	—	—	—	—	—	3	2	2	2	—	2	—	—	1	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Radcliffe U.D.		Ramsbottom U.D.		Rawtenstall M.B.		Royton U.D.		Stretford U.D.		Swinton & Pendlebury U.D.		Turton U.D.		Tyldesley with Shakerley U.D.		Ulverston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	167	190	96	110	204	222	119	113	321	280	221	186	65	56	105	68	75	57	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	5	3	1	—	—	2	2	1	2	1	7	2	—	1	—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	1	—	1	—	—	2	2	5	4	—	—	3	—	—	—	5
6 Diphtheria	—	1	—	—	—	2	1	—	—	—	2	2	1	—	—	3	—	—	6
7 Influenza	8	2	2	1	6	9	—	2	11	14	4	7	4	2	3	1	5	—	7
8 Encephalitis lethargica	—	—	—	—	3	1	2	1	4	1	—	—	1	—	1	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	6	6	5	5	15	8	6	8	25	23	13	11	3	3	6	4	9	2	10
11 Other tuberculous diseases	1	7	4	3	3	4	1	—	5	3	1	2	1	—	1	—	2	2	11
12 Cancer, malignant disease	15	12	9	15	23	25	15	10	38	46	13	23	5	7	9	7	8	11	12
13 Rheumatic fever	—	1	—	1	1	2	—	—	1	—	1	1	—	1	—	—	1	—	13
14 Diabetes	1	1	1	3	2	2	1	2	2	—	2	4	2	—	—	2	1	2	14
15 Cerebral hæmorrhage, &c.	20	29	3	4	14	17	7	10	18	18	8	8	4	6	8	6	7	9	15
16 Heart disease	16	25	10	24	25	32	16	24	36	44	28	27	14	9	11	9	8	11	16
17 Arterio-sclerosis	6	1	6	3	18	3	1	—	16	13	9	6	3	2	3	1	3	4	17
18 Bronchitis	16	19	8	10	15	22	18	13	20	20	23	10	4	4	14	5	3	1	18
19 Pneumonia (all forms)	18	5	10	8	11	16	10	7	22	18	20	24	2	4	16	6	2	2	19
20 Other respiratory diseases	—	4	—	1	2	1	—	—	6	5	4	2	4	1	4	1	3	—	20
21 Ulcer of stomach or duodenum	3	—	—	1	2	—	1	—	2	—	4	—	—	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	1	2	2	1	3	—	2	3	6	3	—	—	4	—	1	2	22
23 Appendicitis and typhlitis	2	2	—	1	—	2	2	2	4	1	1	—	—	—	1	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	1	1	2	2	—	—	—	—	1	—	—	24
25 Acute and chronic nephritis	7	5	5	4	9	4	—	4	10	4	10	6	2	2	1	1	2	—	25
26 Puerperal sepsis	—	2	—	—	—	—	—	1	—	1	—	2	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	3	—	—	—	1	—	2	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	9	8	5	4	8	17	9	5	8	8	13	9	1	—	5	4	1	2	28
29 Suicide	3	2	1	1	—	—	2	1	4	2	—	1	—	1	1	—	—	—	29
30 Other deaths from violence	2	5	2	—	8	7	2	1	14	6	13	4	2	—	4	1	3	3	30
31 Other defined diseases	28	48	22	16	33	39	19	20	64	44	32	26	12	12	9	12	15	6	31
32 Causes ill-defined or unknown	—	—	—	—	3	1	1	—	1	—	—	—	—	—	—	—	—	—	32

LANCASHIRE—*cont.*

Causes of Death.	Walton le Dale U.D.		Waterloo with Seaforth U.D.		Westhoughton U.D.		Widnes M.B.		Worsley U.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	83	86	131	174	97	99	312	242	94	93		
1 Enteric fever	—	—	—	—	1	—	2	—	—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—		2
3 Measles	2	2	—	1	—	—	8	1	—	—		3
4 Scarlet fever	—	—	—	—	—	—	4	2	—	1		4
5 Whooping cough	—	—	2	1	—	1	6	6	1	—		5
6 Diphtheria	—	—	1	1	1	—	7	11	—	1		6
7 Influenza	6	1	3	3	12	13	18	13	5	3		7
8 Encephalitis lethargica	1	—	1	—	1	1	—	—	1	—		8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	—		9
10 Tuberculosis of respiratory sys.	8	4	20	15	—	2	30	12	8	4		10
11 Other tuberculous diseases	3	1	3	3	3	4	4	4	2	1		11
12 Cancer, malignant disease	8	7	11	18	5	8	22	16	12	10		12
13 Rheumatic fever	—	—	—	—	1	1	1	1	—	1		13
14 Diabetes	2	2	2	3	—	1	1	4	—	2		14
15 Cerebral hæmorrhage, &c.	3	5	6	14	3	3	13	14	3	8		15
16 Heart disease	9	12	12	17	4	14	16	15	10	14		16
17 Arterio-sclerosis	3	3	6	13	4	4	11	1	2	1		17
18 Bronchitis	2	10	6	14	8	9	32	27	6	5		18
19 Pneumonia (all forms)	10	6	13	9	8	9	31	20	14	9		19
20 Other respiratory diseases	1	—	1	1	2	—	7	3	1	1		20
21 Ulcer of stomach or duodenum	—	—	1	1	—	1	3	1	—	—		21
22 Diarrhœa, &c. (under 2 years)	1	1	2	2	—	1	3	4	1	1		22
23 Appendicitis and typhlitis	—	2	2	—	—	1	1	—	1	—		23
24 Cirrhosis of liver	—	—	1	1	1	—	—	—	—	—		24
25 Acute and chronic nephritis	9	3	11	5	3	—	4	5	3	3		25
26 Puerperal sepsis	—	1	—	1	—	—	—	2	—	—		26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	1	—	1	—	1		27
28 Congenital debility and malformation, premature birth	5	3	10	8	10	2	20	17	6	4		28
29 Suicide	1	—	—	1	1	1	4	3	1	—		29
30 Other deaths from violence	1	—	4	4	10	1	14	5	2	2		30
31 Other defined diseases	7	19	12	34	18	21	49	53	15	21		31
32 Causes ill-defined or unknown	1	3	1	1	1	—	1	—	—	—		32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Barton upon Irwell R.D.		Burnley R.D.		Chorley R.D.		Fylde R.D.		Garstang R.D.		Leigh R.D.		Preston R.D.		Ulverston R.D.		Warrington R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	68	56	130	136	138	135	79	71	63	53	76	54	112	119	116	104	70	67	
1 Enteric fever	—	—	—	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	1	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	1	—	1	1	—	—	1	1	—	—	1	1	—	—	—	—	—	—	5
6 Diphtheria	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—	—	6
7 Influenza	3	—	16	7	5	6	—	2	2	4	4	1	7	5	3	2	7	7	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	3	4	10	6	9	2	3	2	1	4	3	4	4	6	6	3	5	10
11 Other tuberculous diseases	2	—	2	1	2	1	3	1	3	—	2	2	1	2	4	1	1	—	11
12 Cancer, malignant disease	9	6	6	15	12	15	5	12	4	7	4	2	12	15	13	13	13	6	12
13 Rheumatic fever	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—	1	13
14 Diabetes	2	1	—	1	1	1	2	—	1	—	—	—	1	2	3	2	—	1	14
15 Cerebral hæmorrhage, &c.	1	5	10	6	6	10	5	3	12	5	2	5	5	4	4	12	1	5	15
16 Heart disease	11	9	12	19	25	28	6	6	11	8	9	5	7	14	21	16	7	8	16
17 Arterio-sclerosis	2	3	6	9	6	5	3	2	2	2	2	2	6	4	6	2	6	1	17
18 Bronchitis	4	6	12	15	10	10	8	3	4	3	3	9	9	13	8	7	3	9	18
19 Pneumonia (all forms)	7	2	8	3	8	8	5	5	5	5	12	7	9	7	8	7	2	2	19
20 Other respiratory diseases	—	—	3	2	2	2	1	1	—	—	—	—	5	—	1	—	1	—	20
21 Ulcer of stomach or duodenum	—	—	3	—	—	1	—	—	1	—	—	—	1	1	1	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	2	1	1	1	—	—	—	—	—	—	—	—	1	—	—	—	22
23 Appendicitis and typhlitis	—	—	1	—	—	1	—	1	—	—	1	—	1	1	—	—	1	—	23
24 Cirrhosis of liver	1	—	—	1	1	—	—	1	1	—	—	—	2	1	—	—	—	—	24
25 Acute and chronic nephritis	2	—	4	1	6	5	1	1	—	1	3	2	2	4	3	2	1	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	6	—	4	—	1	—	—	—	—	—	2	—	1	—	—	27
28 Congenital debility and malformation, premature birth	1	1	7	4	6	5	7	5	—	2	3	4	5	5	2	4	3	4	28
29 Suicide	—	—	1	2	2	—	1	—	—	—	—	—	1	2	—	2	—	—	29
30 Other deaths from violence	9	2	6	1	7	1	3	—	2	1	7	1	9	5	5	—	6	3	30
31 Other defined diseases	8	16	24	26	27	19	22	23	12	13	15	9	22	25	26	24	15	9	31
32 Causes ill-defined or unknown	—	—	1	2	3	1	1	—	—	—	—	—	—	2	—	2	—	3	32

LANCASHIRE—*cont.* LEICESTERSHIRE.

Causes of Death.	West Lancashire R.D.		Whiston R.D.		Coalville U.D.		Hinckley U.D.		Loughborough M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	123	140	111	95	122	123	92	91	162	149	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	1	—	1	—	1	—	—	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	1	—	—	2	1	5
6 Diphtheria	1	—	—	1	—	2	—	—	—	1	6
7 Influenza	5	6	3	2	4	5	3	5	4	6	7
8 Encephalitis lethargica	2	—	—	—	1	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	5	7	7	10	7	9	8	11	11	10
11 Other tuberculous diseases	—	1	—	2	3	4	2	3	3	—	11
12 Cancer, malignant disease	12	11	13	12	11	13	11	12	15	20	12
13 Rheumatic fever	—	—	—	—	—	—	1	—	1	—	13
14 Diabetes	4	3	2	2	2	2	1	2	—	1	14
15 Cerebral hæmorrhage, &c.	10	14	7	6	5	8	9	8	10	9	15
16 Heart disease	19	27	9	5	11	16	15	11	26	19	16
17 Arterio-sclerosis	2	2	3	2	2	3	—	—	3	2	17
18 Bronchitis	10	11	12	9	11	7	5	8	11	7	18
19 Pneumonia (all forms)	7	9	19	8	15	9	3	3	6	9	19
20 Other respiratory diseases	3	3	—	—	1	—	2	—	1	3	20
21 Ulcer of stomach or duodenum	—	—	1	1	1	1	3	1	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	2	3	1	1	4	1	22
23 Appendicitis and typhlitis	—	—	—	—	—	1	—	1	1	—	23
24 Cirrhosis of liver	2	1	—	—	—	1	1	—	—	1	24
25 Acute and chronic nephritis	1	—	1	3	—	2	3	3	5	1	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	—	—	1	27
28 Congenital debility and malformation, premature birth	4	7	5	5	8	2	1	5	9	11	28
29 Suicide	—	—	1	1	1	2	—	—	2	1	29
30 Other deaths from violence	1	2	6	2	4	1	2	—	7	4	30
31 Other defined diseases	33	35	20	21	30	30	19	17	38	40	31
32 Causes ill-defined or unknown	1	—	—	2	—	1	—	1	1	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

LEICESTERSHIRE—*cont.*

Causes of Death.	Ashby-de-la-Zouch R.D.		Barrow upon-Soar R.D.		Blaby R.D.		Hinckley R.D.		Lutterworth R.D.		Market Bosworth R.D.		Melton Mowbray R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	96	97	141	172	91	83	94	84	53	85	146	126	97	88
1 Enteric fever	—	—	—	—	—	1	1	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	—	1	—	—
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5 Whooping cough	1	—	—	—	—	1	—	1	—	—	—	—	2	—
6 Diphtheria	1	3	—	—	—	—	—	1	—	—	4	2	—	1
7 Influenza	8	4	6	4	3	1	4	6	5	7	2	8	4	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	1
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory sys.	3	4	13	14	6	8	12	12	3	6	9	11	3	3
11 Other tuberculous diseases	1	—	2	3	—	1	3	2	—	—	2	2	1	2
12 Cancer, malignant disease	8	12	14	21	10	9	8	14	6	11	9	12	15	15
13 Rheumatic fever	—	1	—	6	—	—	—	1	2	—	—	—	—	—
14 Diabetes	3	2	—	—	—	2	2	—	—	1	1	1	1	—
15 Cerebral hæmorrhage, &c.	4	8	6	7	4	6	7	11	10	14	6	7	2	9
16 Heart disease	13	18	19	38	7	8	17	9	5	17	16	13	19	10
17 Arterio-sclerosis	3	2	11	6	1	1	—	—	1	—	8	3	8	6
18 Bronchitis	11	5	13	7	12	8	2	4	2	—	16	12	6	7
19 Pneumonia (all forms)	2	5	7	4	4	3	3	4	2	5	14	14	5	5
20 Other respiratory diseases	—	—	3	2	2	1	3	1	—	1	1	—	—	—
21 Ulcer of stomach or duodenum	—	1	1	3	—	—	—	1	—	1	—	—	—	—
22 Diarrhœa, &c. (under 2 years)	1	—	1	1	—	1	—	—	—	—	1	—	1	—
23 Appendicitis and typhlitis	—	1	1	—	1	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver	—	—	—	—	—	1	—	—	2	1	2	—	1	—
25 Acute and chronic nephritis	1	—	2	5	3	2	1	—	2	1	2	3	3	1
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	1	—	2	—	—	—	2	—	1
28 Congenital debility and malformation, premature birth	3	1	9	6	1	3	5	3	2	2	13	6	3	2
29 Suicide	—	—	2	1	3	1	3	—	—	—	1	1	1	—
30 Other deaths from violence	4	2	5	6	5	—	3	1	3	—	9	1	5	—
31 Other defined diseases	27	25	25	37	28	24	20	10	7	18	27	25	17	18
32 Causes ill-defined or unknown	2	1	1	—	—	—	—	—	1	—	2	—	—	—

LINCOLNSHIRE (PARTS OF HOLLAND)

Causes of Death.	Boston M.B.		Spalding U.D.		Boston R.D.		Spalding (part of) R.D.*	
	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	105	106	57	61	121	145	74	73
1 Enteric fever	—	—	—	—	—	1	—	—
2 Small-pox	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	1	—	—
5 Whooping cough	1	1	—	—	—	—	—	—
6 Diphtheria	—	—	—	—	—	—	—	—
7 Influenza	8	3	—	2	5	7	2	2
8 Encephalitis lethargica	3	1	1	—	1	1	1	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	11	10	2	1	9	8	4	4
11 Other tuberculous diseases	2	2	—	3	2	5	1	1
12 Cancer, malignant disease	14	13	10	6	15	21	13	15
13 Rheumatic fever	1	—	—	—	—	2	—	—
14 Diabetes	2	—	—	2	3	2	1	—
15 Cerebral hæmorrhage, &c.	8	7	4	6	6	13	2	4
16 Heart disease	8	10	8	16	15	21	8	12
17 Arterio-sclerosis	2	—	—	—	4	3	2	2
18 Bronchitis	4	8	4	3	5	5	4	2
19 Pneumonia (all forms)	1	4	5	4	7	2	3	1
20 Other respiratory diseases	—	4	2	2	1	—	—	1
21 Ulcer of stomach or duodenum	1	2	—	—	—	—	—	—
22 Diarrhœa, &c. (under 2 years)	2	3	1	—	3	4	3	1
23 Appendicitis and typhlitis	1	—	—	—	1	—	1	1
24 Cirrhosis of liver	1	1	1	—	—	—	—	—
25 Acute and chronic nephritis	2	—	2	2	2	1	4	1
26 Puerperal sepsis	—	1	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—		—	1	—	2	—	—
28 Congenital debility and malformation, premature birth	5	3	4	2	6	7	10	3
29 Suicide	3	1	—	—	—	—	1	1
30 Other deaths from violence	2	—	3	—	10	3	2	—
31 Other defined diseases	23	31	10	11	26	36	12	22
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—

LINCOLNSHIRE (PARTS OF KESTEVEN)

Causes of Death.	Grantham M.B.		Bourne R.D.		Branston R.D.	
	M.	F.	M.	F.	M.	F.
All Causes	102	107	94	82	89	69
1 Enteric fever	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—
5 Whooping cough	—	—	—	—	2	—
6 Diphtheria	—	—	—	—	—	—
7 Influenza	2	3	1	2	1	5
8 Encephalitis lethargica	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	5	11	6	5	6	8
11 Other tuberculous diseases	—	2	2	—	2	—
12 Cancer, malignant disease	17	10	12	19	11	11
13 Rheumatic fever	1	—	—	—	—	—
14 Diabetes	1	1	1	1	—	1
15 Cerebral hæmorrhage, &c.	10	8	5	9	7	2
16 Heart disease	9	17	16	15	13	8
17 Arterio-sclerosis	5	5	2	1	3	2
18 Bronchitis	6	9	5	5	4	5
19 Pneumonia (all forms)	4	5	1	1	4	4
20 Other respiratory diseases	2	2	5	—	3	1
21 Ulcer of stomach or duodenum	—	—	1	1	1	—
22 Diarrhœa, &c. (under 2 years)	3	—	—	1	—	—
23 Appendicitis and typhlitis	—	—	—	1	—	—
24 Cirrhosis of liver	—	—	—	—	—	—
25 Acute and chronic nephritis	4	1	3	—	2	3
26 Puerperal sepsis	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—
28 Congenital debility and malformation, premature birth	3	3	9	3	8	4
29 Suicide	2	1	—	—	—	—
30 Other deaths from violence	2	2	5	1	4	—
31 Other defined diseases	25	25	20	15	17	15
32 Causes ill-defined or unknown	1	1	—	1	1	—

* The remainder of Spalding R.D. is in Lincolnshire (Parts of Kesteven).

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.* **LINCOLNSHIRE (PARTS OF LINDSEY).**

Causes of Death.	Grantham R.D.		Sleaford R.D.		Spalding (part of) R.D.*		Cleethorpes U.D.		Gainsborough U.D.		Scunthorpe & Frodingham U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	
All Causes	80	70	106	106	4	3	137	157	111	110	187	137	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	1	—	—	2	3	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	—	—	1	3	—	—	—	3	1	2	—	1	5
6 Diphtheria	—	—	—	—	1	—	3	4	1	—	1	1	6
7 Influenza	6	3	10	10	—	—	4	2	3	9	7	6	7
8 Encephalitis lethargica	—	—	1	1	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	1	5	7	1	—	10	15	9	9	12	8	10
11 Other tuberculous diseases	3	2	4	1	—	—	4	4	4	3	6	4	11
12 Cancer, malignant disease	10	5	6	9	1	—	17	21	16	13	12	12	12
13 Rheumatic fever	—	—	—	—	—	—	3	1	1	1	—	—	13
14 Diabetes	1	1	3	2	—	—	2	—	2	4	—	2	14
15 Cerebral hæmorrhage, &c.	2	5	9	8	—	—	9	9	10	9	17	6	15
16 Heart disease	10	10	15	15	—	1	15	25	10	14	17	12	16
17 Arterio-sclerosis	7	1	3	4	—	—	5	1	—	—	2	—	17
18 Bronchitis	6	2	7	6	—	—	3	7	10	5	10	9	18
19 Pneumonia (all forms)	2	4	4	5	—	—	16	13	13	8	27	18	19
20 Other respiratory diseases	1	—	—	4	—	—	3	2	—	1	2	1	20
21 Ulcer of stomach or duodenum	—	—	—	—	—	—	1	—	1	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	1	1	1	1	2	5	22
23 Appendicitis and typhlitis	2	2	1	—	—	—	1	—	1	—	—	2	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	1	—	—	—	24
25 Acute and chronic nephritis	2	—	3	4	—	—	4	4	—	—	2	3	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	1	—	3	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	—	—	2	27
28 Congenital debility and malformation, premature birth	6	2	9	6	—	1	3	12	5	3	19	7	28
29 Suicide	—	—	2	2	—	—	1	1	—	2	4	—	29
30 Other deaths from violence	3	2	2	2	—	—	4	2	3	1	11	4	30
31 Other defined diseases	14	28	20	16	1	1	27	29	19	22	32	28	31
32 Causes ill-defined or unknown	—	1	—	1	—	—	—	—	—	1	—	—	32

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

Causes of Death.	Caistor R.D.		Gainsborough R.D.		Glanford Brigg R.D.		Grimsby R.D.		Horncastle R.D.		Louth R.D.		Spilsby R.D.		Welton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	89	64	87	82	148	153	85	65	74	76	113	102	123	129	73	54	
1 Enteric fever	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5 Whooping cough	—	—	1	—	—	1	1	—	—	—	—	1	—	—	—	1	5
6 Diphtheria	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	6
7 Influenza	3	3	8	4	9	13	4	—	—	5	5	9	4	9	6	6	7
8 Encephalitis lethargica	—	—	—	—	2	—	—	—	1	—	2	—	1	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	1	2	4	5	7	12	5	6	6	4	7	2	8	8	3	2	10
11 Other tuberculous diseases	—	2	3	2	2	3	1	3	1	1	4	3	2	5	3	—	11
12 Cancer, malignant disease	10	8	9	8	16	22	12	13	3	13	10	15	17	12	5	4	12
13 Rheumatic fever	—	—	—	—	2	—	1	—	—	—	1	—	—	1	1	—	13
14 Diabetes	2	—	1	—	4	2	2	—	1	1	2	1	1	1	—	1	14
15 Cerebral hæmorrhage, &c.	8	4	5	7	5	8	3	5	1	4	6	7	14	7	4	9	15
16 Heart disease	11	10	5	6	19	20	13	5	10	12	15	19	22	27	10	6	16
17 Arterio-sclerosis	5	—	2	1	7	4	—	3	3	1	8	2	4	4	2	1	17
18 Bronchitis	7	2	6	10	8	5	4	4	4	5	6	—	6	6	3	1	18
19 Pneumonia (all forms)	5	2	3	3	8	6	10	6	4	5	6	4	5	5	4	4	19
20 Other respiratory diseases	1	2	—	—	1	1	1	—	2	—	—	—	2	—	1	1	20
21 Ulcer of stomach or duodenum	2	1	—	—	1	—	1	—	1	—	—	1	—	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	—		—	2	1	—	—	1	—	—	—	—	—	1	—	—	22
23 Appendicitis and typhlitis	—	—	1	—	2	2	—	—	—	1	—	1	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	5	2	4	1	3	1	2	—	1	2	—	3	—	4	2	—	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	—	—	1	—	2	—	2	—	—	27
28 Congenital debility and malformation, premature birth	3	—	8	5	7	7	5	5	4	3	4	3	7	6	—	2	28
29 Suicide	2	—	1	—	2	—	—	1	2	—	4	—	—	1	—	—	29
30 Other deaths from violence	1	3	4	3	5	4	2	1	4	1	4	5	4	—	5	—	30
31 Other defined diseases	22	23	21	22	32	40	18	12	26	17	27	22	26	26	23	14	31
32 Causes ill-defined or unknown	—	—	1	—	1	1	—	—	—	—	2	1	—	—	—	—	32

* The remainder of Spalding R.D. is in Lincolnshire (parts of Holland).

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

MIDDLESEX.

Causes of Death.	Acton M.B.		Brentford U.D.		Chiswick U.D.		Ealing M.B.		Edmonton U.D.		Enfield U.D.		Finchley U.D.		Friern Barnet U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	320	394	109	105	226	285	349	410	356	342	287	311	214	243	67	74	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	10	7	4	1	5	—	3	4	5	8	—	4	2	5	3	3	3
4 Scarlet fever	—	1	—	—	—	—	2	—	—	—	—	1	2	1	—	—	4
5 Whooping cough	3	—	—	1	—	1	—	—	4	3	4	3	—	2	2	1	5
6 Diphtheria	2	3	2	3	2	1	6	—	5	4	1	1	—	2	—	—	6
7 Influenza	6	17	2	5	4	13	14	17	8	7	10	9	5	7	2	5	7
8 Encephalitis lethargica	—	2	1	—	1	—	2	1	2	—	3	1	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	33	15	5	11	17	11	26	15	32	28	20	27	16	15	7	4	10
11 Other tuberculous diseases	5	3	1	1	1	1	6	4	5	9	7	6	2	3	1	3	11
12 Cancer, malignant disease	45	49	15	9	18	38	41	58	34	45	26	43	27	29	6	8	12
13 Rheumatic fever	1	3	—	1	—	—	—	1	1	1	—	—	—	2	—	—	13
14 Diabetes	3	2	—	3	4	3	6	5	1	3	3	3	2	4	1	—	14
15 Cerebral hæmorrhage, &c.	13	23	6	2	7	11	26	28	13	14	12	12	5	21	4	1	15
16 Heart disease	36	44	6	14	27	35	44	61	49	65	34	38	32	38	5	14	16
17 Arterio-sclerosis	12	11	4	2	4	12	16	13	8	3	12	15	12	9	7	3	17
18 Bronchitis	23	32	12	10	23	31	18	34	36	27	20	29	12	15	4	8	18
19 Pneumonia (all forms)	31	38	13	6	24	25	25	22	38	33	27	18	15	17	5	3	19
20 Other respiratory diseases	7	8	—	1	3	5	5	8	2	3	5	—	6	6	—	1	20
21 Ulcer of stomach or duodenum	2	4	1	1	2	4	4	2	2	1	2	4	3	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	3	3	2	2	5	3	2	7	2	4	1	1	1	1	—	22
23 Appendicitis and typhlitis	1	1	—	1	2	—	1	3	1	4	3	—	2	5	—	—	23
24 Cirrhosis of liver	—	1	1	2	1	2	—	1	—	—	1	2	1	1	1	—	24
25 Acute and chronic nephritis	11	6	3	2	8	4	8	10	8	3	8	10	5	7	4	1	25
26 Puerperal sepsis	—	2	—	1	—	3	—	2	—	5	—	2	—	4	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	5	—	—	—	2	—	3	—	2	—	1	—	1	—	3	27
28 Congenital debility and malformation, premature birth	10	19	9	3	6	10	12	8	19	7	10	12	17	7	3	2	28
29 Suicide	4	2	1	—	1	1	3	4	5	3	2	—	2	2	—	—	29
30 Other deaths from violence	8	3	7	2	13	9	13	8	13	5	15	7	12	—	1	3	30
31 Other defined diseases	52	90	13	21	51	57	65	96	58	56	58	62	32	37	10	11	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	32

MIDDLESEX—*cont.*

Causes of Death.	Hampton U.D.		Hanwell U.D.		Harrow-on-the-Hill U.D.		Hendon U.D.		Heston & Isleworth U.D.		Hornsey M.B.		Southall Norwood U.D.		Southgate U.D.		Teddington U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	55	67	116	128	96	85	234	297	262	245	466	472	145	142	180	197	112	114	
1 Enteric fever	—	—	—	—	—	1	—	1	—	—	—	—	1	—	2	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	1	—	1	—	4	1	7	7	2	—	4	—	—	1	4	1	3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	1	1	1	—	—	2	—	1	—	—	1	—	5
6 Diphtheria	—	—	7	16	—	—	2	2	8	2	1	1	—	—	2	—	3	1	6
7 Influenza	6	2	4	4	4	8	5	8	4	7	10	12	5	2	6	8	3	4	7
8 Encephalitis lethargica	—	—	—	—	1	—	—	3	3	—	1	1	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	5	6	6	8	4	21	18	23	13	30	25	16	12	11	10	7	5	10
11 Other tuberculous diseases	—	—	2	2	—	1	3	—	8	5	1	6	6	5	4	—	3	2	11
12 Cancer, malignant disease	5	7	12	13	17	12	35	48	31	32	70	76	20	18	31	25	14	18	12
13 Rheumatic fever	—	—	1	2	—	1	—	2	1	—	2	1	1	—	—	2	—	—	13
14 Diabetes	—	2	—	1	—	—	3	3	—	2	4	5	1	—	3	5	4	4	14
15 Cerebral hæmorrhage, &c.	1	8	8	9	9	3	9	20	6	15	25	28	9	6	5	13	5	4	15
16 Heart disease	9	12	24	24	15	13	33	53	35	36	66	75	16	19	27	46	12	18	16
17 Arterio-sclerosis	3	6	5	—	6	5	7	9	8	8	27	19	6	9	13	10	3	3	17
18 Bronchitis	5	6	7	7	1	7	15	16	16	22	28	43	8	11	4	13	3	7	18
19 Pneumonia (all forms)	3	2	10	8	7	6	21	16	19	18	40	27	6	7	12	15	5	9	19
20 Other respiratory diseases	—	—	—	1	—	2	1	3	3	3	8	8	—	—	6	1	2	—	20
21 Ulcer of stomach or duodenum	—	—	—	—	2	—	4	1	1	3	4	2	1	2	3	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	2	—	1	—	3	2	3	1	—	1	1	—	—	3	2	22
23 Appendicitis and typhlitis	—	1	1	2	—	1	1	3	1	3	5	4	1	4	—	1	1	2	23
24 Cirrhosis of liver	—	—	—	—	1	—	1	1	3	2	2	2	—	1	1	—	—	1	24
25 Acute and chronic nephritis	—	2	1	4	2	2	13	4	5	4	19	16	5	3	5	3	4	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	1	—	—	—	2	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	1	2	6	4	5	2	12	10	18	8	19	10	8	12	4	6	5	5	28
29 Suicide	—	—	—	—	1	1	1	7	4	—	4	6	2	2	1	3	1	—	29
30 Other deaths from violence	1	1	5	2	6	2	6	8	7	2	13	7	6	4	12	2	4	4	30
31 Other defined diseases	18	10	14	21	10	11	36	53	48	49	83	92	21	22	27	33	24	20	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

MIDDLESEX—*cont.*

Causes of Death.	Tottenham U.D.		Twickenham U.D.		Uxbridge U.D.		Wealdstone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	801	766	191	221	76	69	43	83	79	106	891	865	248	265					
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	1	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	1	2	—	—					2
3 Measles	12	15	5	1	1	5	3	2	—	—	22	20	2	1					3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	2	1	—					4
5 Whooping cough	4	5	1	4	—	—	—	—	—	—	7	5	2	1					5
6 Diphtheria	—	7	—	2	—	—	—	—	1	—	5	3	1	—					6
7 Influenza	16	22	5	3	4	1	2	4	6	6	25	26	6	11					7
8 Encephalitis lethargica	6	2	—	—	1	—	—	—	—	2	3	2	—	1					8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	1	1	—					9
10 Tuberculosis of respiratory sys.	81	52	20	16	6	3	3	4	11	3	91	65	20	24					10
11 Other tuberculous diseases	17	10	3	4	4	2	1	—	2	2	9	10	4	3					11
12 Cancer, malignant disease	81	95	18	37	6	9	3	17	11	18	94	122	30	35					12
13 Rheumatic fever	2	5	—	1	—	—	—	2	—	—	3	3	—	—					13
14 Diabetes	5	2	—	2	—	1	—	1	—	1	9	9	—	1					14
15 Cerebral hæmorrhage, &c.	45	35	6	17	3	6	1	7	1	8	34	45	15	21					15
16 Heart disease	99	137	31	40	9	11	7	11	11	9	101	120	28	48					16
17 Arterio-sclerosis	23	14	6	4	5	2	4	3	6	10	35	15	17	11					17
18 Bronchitis	62	64	14	17	3	8	7	8	3	4	69	91	19	29					18
19 Pneumonia (all forms)	63	59	13	11	4	3	1	4	3	6	96	65	17	14					19
20 Other respiratory diseases	9	11	2	—	1	—	1	1	2	1	16	15	2	1					20
21 Ulcer of stomach or duodenum	11	3	3	1	—	1	—	—	—	—	9	2	2	—					21
22 Diarrhœa, &c. (under 2 years)	10	4	1	1	—	—	—	—	—	—	7	8	1	—					22
23 Appendicitis and typhlitis	5	5	—	1	—	—	—	—	—	1	4	5	4	2					23
24 Cirrhosis of liver	3	4	—	—	—	—	—	—	1	1	5	3	2	1					24
25 Acute and chronic nephritis	18	17	4	3	3	1	—	1	2	5	15	17	10	3					25
26 Puerperal sepsis	—	7	—	—	—	1	—	1	—	—	—	2	—	1					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	—	—	1	—	2					27
28 Congenital debility and malformation, premature birth	47	44	5	8	2	1	3	7	2	1	51	34	9	8					28
29 Suicide	8	5	3	3	2	—	—	—	1	2	3	11	3	—					29
30 Other deaths from violence	38	10	14	4	2	1	2	—	1	3	36	16	9	10					30
31 Other defined diseases	136	127	37	40	20	12	5	10	15	23	141	144	43	36					31
32 Causes ill-defined or unknown	—	3	—	1	—	—	—	—	—	—	—	—	—	1					32

MIDDLESEX—*cont.* NORFOLK.

Causes of Death.	Hendon R.D.		Staines R.D.		Uxbridge R.D.		King's Lynn M.B.		Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	82	97	133	144	62	73	112	113	101	86	61	62	104	117	96	101	100	84	
1 Enteric fever	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	1	2	5	—	—	—	—	—	—	1	—	2	—	1	—	5
6 Diphtheria	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	6
7 Influenza	5	7	3	4	2	3	2	2	4	—	—	1	1	2	1	3	4	2	7
8 Encephalitis lethargica	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	6	6	9	13	4	5	10	7	5	5	5	6	2	—	7	3	6	4	10
11 Other tuberculous diseases	—	2	3	1	1	1	2	3	2	1	—	1	2	3	5	1	—	1	11
12 Cancer, malignant disease	12	14	13	20	6	5	18	17	6	11	6	9	13	15	9	17	10	11	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14 Diabetes	1	2	2	1	—	1	3	—	1	2	2	—	1	1	1	—	—	1	14
15 Cerebral hæmorrhage, &c.	4	11	8	10	—	4	4	8	4	5	6	4	6	9	6	6	5	5	15
16 Heart disease	10	8	22	17	7	6	11	11	17	11	16	16	19	31	16	13	19	14	16
17 Arterio-sclerosis	4	7	—	6	—	3	11	8	3	2	2	—	8	6	6	13	6	1	17
18 Bronchitis	5	11	7	4	9	5	10	6	6	9	4	4	9	6	7	8	6	8	18
19 Pneumonia (all forms)	4	3	10	9	5	5	10	13	2	1	4	3	6	4	4	1	4	2	19
20 Other respiratory diseases	2	—	1	2	—	—	2	3	1	—	—	1	—	2	1	1	3	2	20
21 Ulcer of stomach or duodenum	—	—	—	1	2	—	—	1	1	1	—	—	1	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	2	2	—	—	1	—	1	1	2	—	1	—	—	1	22
23 Appendicitis and typhlitis	—	2	2	1	—	—	—	1	—	—	1	1	—	—	—	2	—	—	23
24 Cirrhosis of liver	1	—	1	1	1	—	—	—	2	—	—	—	—	—	—	1	—	—	24
25 Acute and chronic nephritis	3	3	4	3	4	3	2	5	2	2	—	—	1	1	2	1	2	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	2	—	1	—	—	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	8	3	6	7	2	2	5	6	6	2	—	1	6	3	2	5	5	9	28
29 Suicide	1	—	2	—	—	—	—	—	3	1	1	—	1	1	1	1	3	1	29
30 Other deaths from violence	1	1	6	4	1	2	5	3	1	3	1	1	2	2	4	3	5	3	30
31 Other defined diseases	15	17	28	37	13	17	17	16	29	22	12	12	19	30	19	21	18	15	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	4	2	—	—	4	—	2	—	1	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

NORFOLK—*cont.*

Causes of Death.	East & West Flegg R.D.		Erpingham R.D.		Forehoe R.D.		Freebridge Lynn R.D.		Loddon & Clavering R.D.		Marshland R.D.		Mitford & Launditch R.D.		St. Faith's R.D.		Smallburgh R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	73	61	104	115	53	64	70	71	92	73	83	70	98	114	64	54	71	88
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—
5 Whooping cough	1	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	—	—
6 Diphtheria	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—
7 Influenza	1	3	7	17	—	2	1	1	5	1	2	2	3	7	1	—	—	3
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	4	4	4	4	2	9	7	3	7	6	5	3	—	9	4	4	4	5
11 Other tuberculous diseases	1	—	1	1	1	—	1	3	5	1	3	3	—	1	1	—	1	—
12 Cancer, malignant disease	8	14	6	17	9	9	8	11	9	14	11	9	10	17	12	6	5	11
13 Rheumatic fever	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes	—	2	4	—	1	2	—	—	2	1	1	—	1	1	1	—	—	—
15 Cerebral hæmorrhage, &c.	5	6	3	6	5	3	8	6	3	4	5	3	5	7	1	6	4	9
16 Heart disease	4	6	13	9	7	15	8	8	17	9	8	4	17	20	9	13	11	15
17 Arterio-sclerosis	4	—	4	5	5	3	5	2	2	2	3	3	6	1	3	2	2	1
18 Bronchitis	7	5	9	5	—	1	3	11	1	11	7	9	4	6	4	3	5	8
19 Pneumonia (all forms)	2	2	2	5	2	4	3	2	6	4	3	2	4	2	—	3	4	3
20 Other respiratory diseases	3	1	—	1	—	1	1	1	1	—	—	—	1	1	1	—	1	1
21 Ulcer of stomach or duodenum	1	—	2	1	—	—	1	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c. (under 2 years)	1	1	2	—	—	—	—	—	1	—	—	—	4	1	1	—	—	—
23 Appendicitis and typhlitis	1	—	—	—	—	1	—	1	—	—	2	—	1	1	—	—	—	2
24 Cirrhosis of liver	—	—	1	1	1	—	—	1	—	2	1	—	—	—	—	—	—	—
25 Acute and chronic nephritis	1	1	2	3	4	3	7	5	4	1	—	—	6	7	5	1	1	3
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	8	1	7	6	—	2	1	2	3	5	5	6	6	4	5	2	2	3
29 Suicide	3	1	2	—	—	—	1	1	1	—	—	1	1	1	—	—	1	—
30 Other deaths from violence	2	1	4	—	3	1	1	1	4	1	5	1	2	2	2	1	2	2
31 Other defined diseases	15	12	30	31	12	8	13	12	18	8	20	22	24	20	10	13	24	20
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—	—	—	—	—	—	2	2	—	2	—

NORFOLK—*cont.* NORTHAMPTONSHIRE.

Causes of Death.	Walsingham R.D.		Wayland R.D.		Kettering U.D.		Rushden U.D.		Wellingborough U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	106	92	80	100	174	157	71	64	132	123
1 Enteric fever	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—
3 Measles	—	1	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	2	1	—	—	—	1
5 Whooping cough	2	1	—	1	—	1	—	—	—	1
6 Diphtheria	—	—	—	—	4	3	—	—	—	—
7 Influenza	3	2	1	4	9	4	—	4	6	10
8 Encephalitis lethargica	—	—	—	—	1	1	—	—	1	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—
10 Tuberculosis of respiratory sys.	5	4	5	5	9	17	8	4	17	6
11 Other tuberculous diseases	2	—	—	—	4	—	2	1	—	5
12 Cancer, malignant disease	13	19	6	11	13	19	5	15	9	14
13 Rheumatic fever	—	—	—	—	—	—	—	1	—	1
14 Diabetes	—	3	—	2	2	—	1	2	1	—
15 Cerebral hæmorrhage, &c.	4	11	6	9	9	12	4	2	4	10
16 Heart disease	18	9	9	24	20	28	6	11	16	21
17 Arterio-sclerosis	10	4	18	10	10	4	4	3	3	2
18 Bronchitis	3	9	3	5	15	11	5	4	11	9
19 Pneumonia (all forms)	4	1	2	5	15	9	5	4	5	2
20 Other respiratory diseases	4	—	1	1	2	1	1	—	1	2
21 Ulcer of stomach or duodenum	1	2	—	—	1	—	1	—	2	—
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	2	1	1	—	2	1
23 Appendicitis and typhlitis	1	1	2	—	2	1	2	—	2	—
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	1	2	2	2	3	3	2	1	1	2
26 Puerperal sepsis	—	—	—	—	—	1	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	1	—	1
28 Congenital debility and malformation, premature birth	3	5	2	3	9	6	5	—	3	7
29 Suicide	1	—	2	—	4	—	1	—	4	1
30 Other deaths from violence	5	2	1	4	6	4	—	1	8	2
31 Other defined diseases	26	15	19	13	29	29	15	9	33	25
32 Causes ill-defined or unknown	—	—	1	—	3	—	2	—	2	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

NORTHAMPTONSHIRE—*cont.* NORTHUMBERLAND.

Causes of Death.	Brixworth R.D.		Daventry R.D.		Thrapston (part of) R.D.*		Wellingborough R.D.						Ashington U.D.		Bedlingtonshire U.D.		Berwick upon Tweed M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	
All Causes	71	70	96	87	70	73	86	76					201	175	197	154	127	115	
1 Enteric fever	—	—	—	—	—	—	—	1					—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—					—	1	—	—	—	—	2
3 Measles	3	—	—	—	—	—	—	—					—	1	—	2	4	3	3
4 Scarlet fever	—	—	—	—	—	—	—	—					—	—	—	—	2	—	4
5 Whooping cough	—	1	2	—	—	—	—	—					1	4	5	8	5	5	5
6 Diphtheria	—	—	—	—	—	1	2	—					—	1	1	—	—	—	6
7 Influenza	1	1	7	5	1	1	4	2					5	6	8	8	1	4	7
8 Encephalitis lethargica	1	—	—	1	—	1	—	—					—	—	3	1	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—					—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	8	3	8	8	1	7	2	6					18	7	16	12	7	3	10
11 Other tuberculous diseases	1	1	—	—	—	1	2	1					5	2	6	5	2	1	11
12 Cancer, malignant disease	7	9	8	13	5	10	12	9					15	16	6	18	15	14	12
13 Rheumatic fever	—	—	—	—	—	—	—	—					1	—	—	—	—	—	13
14 Diabetes	—	1	—	1	—	1	1	2					1	5	1	2	—	1	14
15 Cerebral hæmorrhage, &c.	8	4	3	9	4	8	10	4					7	9	8	7	12	12	15
16 Heart disease	7	14	10	12	12	11	14	17					11	17	22	20	13	11	16
17 Arterio-sclerosis	3	2	4	1	1	2	3	4					9	4	10	2	2	1	17
18 Bronchitis	3	8	2	1	2	7	6	8					25	9	9	4	4	6	18
19 Pneumonia (all forms)	6	3	1	3	4	2	3	1					21	21	11	12	12	8	19
20 Other respiratory diseases	—	1	—	2	1	—	1	1					—	3	—	—	—	3	20
21 Ulcer of stomach or duodenum	—	—	1	1	—	—	—	1					1	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	1	—	—	—					10	12	3	1	1	—	22
23 Appendicitis and typhlitis	—	—	2	—	3	—	2	—					1	1	—	—	2	5	23
24 Cirrhosis of liver	—	—	2	—	—	—	2	—					—	—	—	—	—	—	24
25 Acute and chronic nephritis	2	1	3	4	2	3	1	1					2	7	3	2	3	5	25
26 Puerperal sepsis	—	2	—	—	—	—	—	—					—	2	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—					—	2	—	—	—	—	27
28 Congenital debility and malformation, premature birth	4	2	3	2	1	2	4	—					23	14	21	9	13	6	28
29 Suicide	—	—	3	1	—	—	3	—					2	—	1	—	—	—	29
30 Other deaths from violence	6	1	3	1	4	1	1	4					10	4	9	5	6	2	30
31 Other defined diseases	10	16	32	21	26	15	12	13					31	25	49	35	21	23	31
32 Causes ill-defined or unknown	1	—	—	—	2	—	1	1					2	2	3	1	1	1	32

NORTHUMBERLAND—*cont.*

Causes of Death.	Blyth M.B.		Earsdon U.D.		Gosforth U.D.		Longbenton U.D.		Newburn U.D.		Wallsend M.B.		Whitley & Monkseaton U.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	229	193	61	62	74	86	81	79	131	95	306	263	111	114					
1 Enteric fever	1	—	—	—	—	—	—	—	1	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	2	1	—	—	—	—	—	—	—	—	—	1	—	—					3
4 Scarlet fever	—	—	—	—	1	—	—	1	—	—	—	—	—	1					4
5 Whooping cough	1	2	1	—	1	—	—	1	2	—	1	1	—	—					5
6 Diphtheria	—	1	2	—	1	—	—	—	1	—	—	1	—	—					6
7 Influenza	9	6	1	2	3	3	3	3	7	7	19	19	2	3					7
8 Encephalitis lethargica	1	1	—	—	—	—	2	—	2	1	1	2	1	—					8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	23	17	5	3	4	5	2	9	7	5	29	38	6	—					10
11 Other tuberculous diseases	7	9	4	4	2	1	2	3	4	1	10	10	1	1					11
12 Cancer, malignant disease	12	16	5	8	7	18	6	10	8	8	26	24	18	19					12
13 Rheumatic fever	2	—	—	—	—	—	—	—	—	1	1	—	1	1					13
14 Diabetes	1	2	—	1	—	2	—	—	1	2	2	4	4	4					14
15 Cerebral hæmorrhage, &c.	8	9	2	4	4	6	7	6	18	11	13	15	7	10					15
16 Heart disease	16	16	9	3	4	5	13	8	17	9	22	28	12	22					16
17 Arterio-sclerosis	6	3	—	—	5	3	2	—	2	—	11	5	9	12					17
18 Bronchitis	10	11	3	2	4	6	4	5	13	8	20	11	4	7					18
19 Pneumonia (all forms)	32	24	10	6	7	4	7	3	9	7	39	25	10	6					19
20 Other respiratory diseases	2	5	—	—	3	1	—	1	1	—	2	1	1	2					20
21 Ulcer of stomach or duodenum	3	2	—	—	—	—	1	—	2	—	2	1	—	—					21
22 Diarrhœa, &c. (under 2 years)	6	1	1	—	1	—	2	1	1	2	1	5	2	—					22
23 Appendicitis and typhlitis	2	1	—	1	2	—	—	—	1	—	1	—	1	2					23
24 Cirrhosis of liver	1	1	—	—	2	—	1	1	—	—	2	1	—	—					24
25 Acute and chronic nephritis	8	8	1	5	1	9	8	5	2	3	19	15	4	2					25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	2	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	1	—	2	—	—	—	1	—	1					27
28 Congenital debility and malformation, premature birth	21	12	3	7	6	2	5	5	6	2	21	18	2	4					28
29 Suicide	4	2	—	—	—	1	—	—	4	—	1	—	2	1					29
30 Other deaths from violence	15	2	3	1	3	1	5	1	4	2	12	1	1	—					30
31 Other defined diseases	33	34	10	13	11	16	11	14	17	24	45	32	21	15					31
32 Causes ill-defined or unknown	3	3	1	1	2	2	—	—	1	2	6	2	2	1					32

* The remainder of Thrapston R.D. is in Huntingdonshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

NORTHUMBERLAND—*cont.* **NOTTINGHAMSHIRE.**

Causes of Death.	Alnwick R.D.		Castle Ward R.D.		Hexham R.D.		Morpeth R.D.				Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	74	79	55	60	135	126	100	73			58	53	75	74	105	99	88	101	
1 Enteric fever	—	—	—	1	—	—	—	—			—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—			—	1	—	1	—	1	—	—	4
5 Whooping cough	—	—	—	—	1	1	—	2			7	1	—	—	3	6	—	—	5
6 Diphtheria	—	1	—	—	1	—	—	—			—	1	—	—	—	1	—	—	6
7 Influenza	1	1	3	2	5	5	6	1			2	—	2	1	3	4	5	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	5	6	1	4	8	6	8	6			4	7	9	8	9	10	4	5	10
11 Other tuberculous diseases	1	4	2	—	—	—	1	2			2	3	—	—	2	4	1	3	11
12 Cancer, malignant disease	10	8	5	7	16	19	4	5			7	5	6	7	11	10	5	8	12
13 Rheumatic fever	1	—	—	—	2	—	3	—			—	—	1	—	1	—	—	—	13
14 Diabetes	—	—	—	—	1	—	1	4			1	—	—	2	1	—	1	1	14
15 Cerebral hæmorrhage, &c.	4	11	4	6	12	9	3	5			5	4	4	8	2	9	8	10	15
16 Heart disease	7	10	5	5	23	31	10	7			1	2	6	7	9	14	6	4	16
17 Arterio-sclerosis	3	—	2	3	11	8	7	5			1	1	1	2	5	—	6	—	17
18 Bronchitis	—	4	1	4	2	5	6	2			5	7	6	10	4	8	7	13	18
19 Pneumonia (all forms)	8	6	3	3	6	9	17	2			8	5	13	8	15	7	6	6	19
20 Other respiratory diseases	2	1	—	—	1	1	2	—			—	1	1	—	3	1	—	2	20
21 Ulcer of stomach or duodenum	—	—	1	1	—	2	—	—			—	1	2	1	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	1	—			—	—	—	1	—	1	1	2	22
23 Appendicitis and typhlitis	1	1	—	1	—	—	—	1			—	—	1	—	—	—	2	1	23
24 Cirrhosis of liver	—	—	1	—	1	1	1	2			—	—	—	1	—	—	3	—	24
25 Acute and chronic nephritis	2	1	2	3	5	3	3	4			1	1	1	2	3	—	6	2	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—			—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	1			—	1	—	2	—	—	—	1	27
28 Congenital debility and malformation, premature birth	2	6	3	5	9	4	5	9			4	2	6	3	5	—	6	7	28
29 Suicide	—	—	1	—	2	—	—	—			2	—	1	1	—	2	—	—	29
30 Other deaths from violence	4	1	4	4	5	1	4	1			1	1	2	2	5	1	4	4	30
31 Other defined diseases	21	17	16	7	22	19	17	14			7	9	12	6	18	17	15	26	31
32 Causes ill-defined or unknown	2	—	1	1	1	1	1	—			—	—	1	1	5	3	—	1	32

NOTTINGHAMSHIRE—*cont.*

Causes of Death.	Huck-nall U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood-house U.D.		Newark M.B.		Sutton in Ashfield U.D.		West Bridg-ford U.D.		Work-sop U.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	105	96	109	83	254	207	81	71	109	105	145	121	64	74	129	137			
1 Enteric fever	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—			1
2 Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3 Measles	—	1	—	—	—	—	—	—	5	3	—	—	—	—	—	—			3
4 Scarlet fever	—	—	—	1	2	1	1	2	—	1	1	—	—	—	—	—			4
5 Whooping cough	—	—	4	2	6	1	—	1	—	—	—	—	—	—	1	2			5
6 Diphtheria	2	—	—	—	2	1	—	1	4	8	—	—	—	—	—	—			6
7 Influenza	3	3	6	1	7	9	—	2	7	2	1	4	2	2	5	5			7
8 Encephalitis lethargica	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2	—			8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—			9
10 Tuberculosis of respiratory sys.	3	4	5	9	11	16	3	5	12	8	5	12	6	5	16	8			10
11 Other tuberculous diseases	1	1	1	2	5	4	—	1	4	2	2	1	1	—	3	2			11
12 Cancer, malignant disease	10	12	8	8	24	20	3	8	9	13	19	17	12	14	8	16			12
13 Rheumatic fever	1	—	1	2	—	1	1	2	2	—	—	—	1	—	1	—			13
14 Diabetes	—	—	—	—	1	—	—	1	—	2	1	—	2	1	2	1			14
15 Cerebral hæmorrhage, &c.	5	7	5	2	9	12	2	5	7	9	9	12	5	10	3	11			15
16 Heart disease	13	8	11	7	28	24	9	3	10	7	9	8	7	4	12	20			16
17 Arterio-sclerosis	10	1	5	6	6	6	1	1	2	3	2	—	4	1	2	—			17
18 Bronchitis	11	10	16	12	18	19	6	6	7	7	8	9	2	8	14	9			18
19 Pneumonia (all forms)	7	8	7	5	21	14	9	3	7	5	12	10	2	3	12	13			19
20 Other respiratory diseases	3	2	3	1	6	5	1	—	1	—	1	2	—	1	—	1			20
21 Ulcer of stomach or duodenum	4	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—			21
22 Diarrhœa, &c. (under 2 years)	—	1	—	2	6	1	3	2	—	1	4	1	—	—	3	2			22
23 Appendicitis and typhlitis	1	—	2	—	2	1	—	1	—	—	—	—	1	1	1	—			23
24 Cirrhosis of liver	—	—	—	—	—	1	—	1	—	—	—	1	—	—	1	1			24
25 Acute and chronic nephritis	—	—	1	1	6	5	2	—	3	5	3	3	2	2	2	4			25
26 Puerperal sepsis	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—			26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	3	—	—	—	—	—	—	—	3			27
28 Congenital debility and malformation, premature birth	12	6	6	8	23	11	14	12	3	5	12	10	4	1	6	15			28
29 Suicide	1	—	—	—	2	3	—	—	3	—	5	1	—	1	1	—			29
30 Other deaths from violence	4	1	8	3	12	2	5	—	2	2	9	5	1	1	8	3			30
31 Other defined diseases	13	29	16	11	52	43	20	10	20	22	38	22	10	19	24	20			31
32 Causes ill-defined or unknown	—	—	2	—	3	1	1	1	—	—	3	2	1	—	1	1			32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

NOTTINGHAMSHIRE—*cont.* **OXFORDSHIRE.**

Causes of Death.	Basford R.D.		Bingham R.D.		East Retford R.D.		Southwell R.D.		Stapleford R.D.						Banbury M.B.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.			
All Causes	249	247	91	112	87	101	130	120	60	61					67	85			
1 Enteric fever	1	1	—	—	—	—	—	—	—	—					—	—			1
2 Small-pox	—	—	—	—	—	—	—	—	1	—					—	—			2
3 Measles	1	—	—	—	—	—	1	—	—	—					—	—			3
4 Scarlet fever	1	1	—	—	—	1	—	—	—	—					—	—			4
5 Whooping cough	4	10	1	1	—	—	—	1	—	—					—	—			5
6 Diphtheria	1	—	—	1	1	—	—	1	1	—					—	—			6
7 Influenza	10	11	5	13	2	2	9	6	1	3					2	3			7
8 Encephalitis lethargica	1	—	1	—	1	—	1	1	—	—					—	—			8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—					—	—			9
10 Tuberculosis of respiratory sys.	5	13	4	5	6	7	8	11	4	8					6	6			10
11 Other tuberculous diseases	4	2	—	2	1	2	2	2	2	—					2	2			11
12 Cancer, malignant disease	18	32	4	14	9	12	12	13	3	6					6	16			12
13 Rheumatic fever	2	4	—	—	—	2	1	—	—	—					—	—			13
14 Diabetes	3	3	—	—	1	3	—	3	1	1					—	1			14
15 Cerebral hæmorrhage, &c.	11	17	7	9	4	9	8	9	3	6					3	11			15
16 Heart disease	18	29	13	21	10	8	11	18	10	4					6	11			16
17 Arterio-sclerosis	6	3	1	1	2	3	4	2	2	—					1	—			17
18 Bronchitis	29	22	12	11	7	10	12	9	4	7					9	7			18
19 Pneumonia (all forms)	21	25	6	3	3	4	8	7	7	4					4	4			19
20 Other respiratory diseases	4	1	—	1	1	1	4	—	1	2					—	—			20
21 Ulcer of stomach or duodenum	1	4	1	—	—	—	2	1	—	—					1	—			21
22 Diarrhœa, &c. (under 2 years)	4	1	—	1	—	—	2	—	—	—					—	—			22
23 Appendicitis and typhlitis	2	2	1	1	—	—	—	—	—	1					1	2			23
24 Cirrhosis of liver	—	—	—	1	1	—	2	—	1	—					2	—			24
25 Acute and chronic nephritis	2	3	6	2	3	6	7	1	—	2					3	4			25
26 Puerperal sepsis	—	2	—	—	—	2	—	1	—	—					—	3			26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	1	—	—	—	—	—	—					—	—			27
28 Congenital debility and malformation, premature birth	17	11	7	7	4	6	3	3	6	3					1	3			28
29 Suicide	3	—	2	—	—	1	2	1	—	1					1	—			29
30 Other deaths from violence	16	2	4	2	4	2	3	1	—	—					3	—			30
31 Other defined diseases	58	40	15	15	27	20	28	29	12	13					16	12			31
32 Causes ill-defined or unknown	6	4	1	—	—	—	—	—	1	—					—	—			32

OXFORDSHIRE—*cont.* **PETERBOROUGH, SOKE OF.**

Causes of Death.	Banbury R.D.		Chipping Norton R.D.		Headington R.D.		Henley R.D.		Witney R.D.		Woodstock R.D.						Peterborough M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	
All Causes	86	65	80	70	75	72	62	68	109	87	68	51					215	196	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—					1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—					1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—					—	—	4
5 Whooping cough	—	—	—	—	—	1	—	—	—	—	—	—					—	—	5
6 Diphtheria	—	—	—	—	—	1	—	—	—	—	—	—					1	—	6
7 Influenza	—	—	3	6	3	2	—	3	8	1	4	6					10	10	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—					1	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—					—	—	9
10 Tuberculosis of respiratory sys.	7	5	3	1	3	3	4	2	4	3	2	4					11	7	10
11 Other tuberculous diseases	2	—	—	—	1	3	—	—	1	1	1	—					3	1	11
12 Cancer, malignant disease	6	5	11	7	7	14	6	12	14	8	9	9					32	18	12
13 Rheumatic fever	—	—	1	—	—	—	—	—	—	—	—	—					—	2	13
14 Diabetes	2	—	—	2	1	1	1	—	3	2	—	—					1	3	14
15 Cerebral hæmorrhage, &c.	13	9	6	2	3	4	6	6	7	8	6	8					14	17	15
16 Heart disease	9	16	10	14	13	9	4	5	20	18	8	8					20	33	16
17 Arterio-sclerosis	2	—	9	3	1	1	1	2	3	2	2	3					11	10	17
18 Bronchitis	11	5	3	5	6	5	2	8	4	5	4	—					13	20	18
19 Pneumonia (all forms)	3	1	4	1	8	1	3	4	5	3	4	—					10	8	19
20 Other respiratory diseases	1	2	—	—	—	—	—	—	5	1	3	1					7	1	20
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	1	—	—	—	—	—					2	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	—	—	—	—	—					3	—	22
23 Appendicitis and typhlitis	—	—	—	1	1	—	2	—	—	1	—	—					—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	1	—	—					—	—	24
25 Acute and chronic nephritis	—	1	1	1	4	2	3	—	4	2	1	—					10	3	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	1	—	—					—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	—	—	1	—	1					—	—	27
28 Congenital debility and malformation, premature birth	3	1	1	3	4	3	5	4	4	5	7	3					12	4	28
29 Suicide	1	—	1	—	—	—	2	1	—	—	2	—					4	3	29
30 Other deaths from violence	5	1	6	2	6	2	2	1	4	2	1	1					4	2	30
31 Other defined diseases	20	19	18	19	13	17	16	19	22	21	13	7					42	53	31
32 Causes ill-defined or unknown	1	—	1	1	—	1	4	1	—	1	1	—					2	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

SHROPSHIRE.

Causes of Death.	Oakengates U.D.		Shrewsbury M.B.		Wenlock M.B.				Atcham R.D.		Oswestry R.D.		Wellington R.D.						
	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.					
All Causes	65	70	180	196	103	103			124	108	89	99	81	67					
1 Enteric fever	—	—	1	—	—	—			—	1	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—			—	—	—	—	—	—					2
3 Measles	—	1	—	—	—	—			—	—	1	—	1	—					3
4 Scarlet fever	—	—	—	—	—	—			—	1	—	1	—	—					4
5 Whooping cough	—	—	—	2	1	—			3	—	—	—	—	—					5
6 Diphtheria	—	1	—	—	—	—			—	—	—	1	—	—					6
7 Influenza	3	3	14	25	5	14			7	8	3	3	8	4					7
8 Encephalitis lethargica	—	—	3	1	—	—			—	—	—	—	1	—					8
9 Meningococcal meningitis	—	—	—	—	—	—			—	1	—	—	—	—					9
10 Tuberculosis of respiratory sys.	3	3	21	13	7	3			4	4	2	7	2	6					10
11 Other tuberculous diseases	1	2	2	3	2	1			3	1	4	—	2	—					11
12 Cancer, malignant disease	8	5	13	28	8	14			10	10	5	14	10	6					12
13 Rheumatic fever	—	—	1	2	—	—			—	—	—	1	—	—					13
14 Diabetes	—	—	—	1	3	—			1	3	—	2	1	—					14
15 Cerebral hæmorrhage, &c.	4	5	4	13	11	5			9	7	2	7	6	7					15
16 Heart disease	3	5	32	33	11	15			12	11	11	19	8	10					16
17 Arterio-sclerosis	4	5	5	3	4	3			3	1	5	6	6	1					17
18 Bronchitis	6	7	8	18	7	5			7	5	5	—	4	7					18
19 Pneumonia (all forms)	4	2	19	10	11	7			11	10	6	9	9	2					19
20 Other respiratory diseases	—	—	3	4	3	—			3	2	2	2	1	—					20
21 Ulcer of stomach or duodenum	2	—	2	1	—	—			—	—	1	—	—	—					21
22 Diarrhœa, &c. (under 2 years)	1	1	—	—	—	—			—	—	—	—	—	1					22
23 Appendicitis and typhlitis	—	1	2	2	3	—			2	—	1	1	1	—					23
24 Cirrhosis of liver	—	—	1	—	—	1			1	—	1	—	—	—					24
25 Acute and chronic nephritis	1	3	8	1	4	5			5	—	5	5	1	1					25
26 Puerperal sepsis	—	—	—	1	—	—			—	1	—	2	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1			—	1	—	2	—	—					27
28 Congenital debility and malformation, premature birth	2	7	10	5	5	1			9	12	13	4	—	1					28
29 Suicide	2	—	3	—	1	—			1	—	1	1	—	—					29
30 Other deaths from violence	3	—	8	1	2	2			7	3	8	3	3	1					30
31 Other defined diseases	17	18	20	27	15	25			23	26	12	9	17	19					31
32 Causes ill-defined or unknown	1	1	—	—	—	1			3	—	1	—	—	1					32

SOMERSETSHIRE.

Causes of Death.	Bridgwater M.B.		Frome U.D.		Taunton M.B.		Weston-super-Mare U.D.		Yeovil M.B.				Axbridge R.D.		Bath R.D.		Bridgwater R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	
All Causes	100	106	65	83	139	148	140	196	94	80			129	145	96	82	117	121	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—			2	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3 Measles	2	1	—	—	—	—	—	—	—	3			—	1	—	—	1	1	3
4 Scarlet fever	—	—	—	—	—	—	—	2	—	—			1	1	—	—	—	—	4
5 Whooping cough	—	1	1	—	—	—	—	—	—	—			—	—	—	1	—	—	5
6 Diphtheria	1	—	1	—	—	—	—	—	—	—			—	—	1	—	1	1	6
7 Influenza	3	2	2	1	4	10	2	7	6	4			5	9	5	3	6	5	7
8 Encephalitis lethargica	—	—	—	—	2	—	1	2	—	—			—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	—			—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	10	6	2	12	14	8	9	7	3			8	5	4	8	8	9	10
11 Other tuberculous diseases	2	1	—	1	2	2	2	—	1	3			—	2	—	—	1	4	11
12 Cancer, malignant disease	11	14	4	11	16	20	20	28	12	10			13	18	12	15	9	19	12
13 Rheumatic fever	—	—	—	—	—	1	1	—	1	—			—	—	—	—	—	1	13
14 Diabetes	—	—	—	—	2	3	—	3	1	1			2	2	1	—	—	—	14
15 Cerebral hæmorrhage, &c.	6	8	5	5	12	13	12	19	5	6			9	11	2	3	5	9	15
16 Heart disease	8	14	11	20	14	17	23	28	17	14			22	31	14	13	16	17	16
17 Arterio-sclerosis	7	2	8	2	6	3	8	7	—	—			3	8	6	1	4	2	17
18 Bronchitis	7	5	1	1	3	15	7	13	6	4			8	8	10	3	8	9	18
19 Pneumonia (all forms)	11	13	4	10	5	2	9	11	3	3			6	8	6	6	10	4	19
20 Other respiratory diseases	3	2	1	2	2	—	3	3	—	—			2	3	3	1	1	—	20
21 Ulcer of stomach or duodenum	1	1	—	—	2	—	1	1	—	—			—	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	2	1	1	1	1	—			2	1	—	1	—	1	22
23 Appendicitis and typhlitis	—	—	1	—	—	2	1	3	—	—			—	3	1	1	1	—	23
24 Cirrhosis of liver	1	1	—	—	2	1	—	1	—	—			1	—	—	—	—	—	24
25 Acute and chronic nephritis	—	2	1	3	3	3	8	6	3	2			5	1	5	3	1	2	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	1			—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	1	—	2	—	—			—	2	—	2	—	1	27
28 Congenital debility and malformation, premature birth	8	4	2	2	6	3	4	3	10	2			3	1	5	1	8	5	28
29 Suicide	—	—	1	1	2	—	—	4	1	—			2	—	2	—	—	1	29
30 Other deaths from violence	10	1	1	1	3	4	6	2	2	1			9	1	4	3	5	3	30
31 Other defined diseases	15	23	15	18	39	32	22	41	18	23			25	27	15	17	31	26	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—			1	1	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

SOMERSETSHIRE—*cont.*

Causes of Death.	Chard R.D.		Clutton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		Taunton R.D.		Wells R.D.		Williton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	103	85	100	95	56	52	62	52	82	81	129	101	98	87	48	65	63	84	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	4
5 Whooping cough	1	1	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—	5
6 Diphtheria	—	—	1	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	6
7 Influenza	10	16	9	12	6	4	6	4	5	4	8	5	1	3	3	3	3	5	7
8 Encephalitis lethargica	—	1	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	5	4	5	2	2	3	5	5	1	6	2	4	6	2	2	2	3	10
11 Other tuberculous diseases	2	2	1	—	2	2	—	—	1	1	—	1	—	2	1	—	—	3	11
12 Cancer, malignant disease	8	14	6	11	6	6	4	6	11	7	15	12	9	6	4	11	7	13	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	1	1	—	—	2	1	—	—	—	13
14 Diabetes	—	2	1	1	—	1	1	—	—	2	—	1	—	2	1	1	2	—	14
15 Cerebral hæmorrhage, &c.	4	1	8	5	3	4	5	4	3	12	11	7	11	8	2	5	2	6	15
16 Heart disease	21	10	13	14	3	10	9	9	19	9	20	15	16	13	14	22	17	14	16
17 Arterio-sclerosis	4	1	3	2	4	2	2	2	—	—	4	4	4	1	2	5	2	—	17
18 Bronchitis	10	6	13	4	2	1	5	5	5	5	7	7	10	6	4	3	9	4	18
19 Pneumonia (all forms)	3	1	7	7	1	—	6	2	2	7	10	5	5	3	—	2	3	4	19
20 Other respiratory diseases	2	2	2	1	—	1	—	—	—	—	—	1	2	—	1	—	—	—	20
21 Ulcer of stomach or duodenum	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	22
23 Appendicitis and typhlitis	1	—	1	—	—	—	—	—	2	1	2	—	—	—	2	—	—	1	23
24 Cirrhosis of liver	—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	1	—	2	4	3	2	3	—	3	6	6	5	1	—	1	—	1	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	2	27
28 Congenital debility and malformation, premature birth	5	—	5	5	5	—	1	1	5	4	4	3	1	1	4	1	3	1	28
29 Suicide	—	—	2	—	1	—	—	—	—	—	2	1	3	—	—	—	—	—	29
30 Other deaths from violence	2	—	7	5	2	1	5	—	—	2	—	1	2	3	—	1	2	2	30
31 Other defined diseases	22	22	9	14	14	16	10	13	21	18	29	27	26	30	6	8	8	20	31
32 Causes ill-defined or unknown	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	32

SOMERSETSHIRE—*cont.* SOUTHAMPTON.

Causes of Death.	Wincanton R.D.		Yeovil R.D.		Aldershot M.B.		Basingstoke M.B.		Eastleigh & Bishopstoke U.D.		Fareham U.D.		Farnborough U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	103	116	101	112	144	133	71	73	83	80	59	46	65	47	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	—	1	2	1	2	—	—	3	—	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	3	2	3	2	—	—	—	—	1	—	—	5
6 Diphtheria	—	—	—	—	3	6	—	—	—	—	1	—	—	1	6
7 Influenza	3	7	4	6	7	9	—	1	6	4	4	5	3	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	5	2	7	9	11	7	4	4	7	4	2	6	1	10
11 Other tuberculous diseases	1	3	—	—	3	1	1	4	3	—	1	—	1	—	11
12 Cancer, malignant disease	12	15	5	12	12	15	5	13	12	14	5	5	7	6	12
13 Rheumatic fever	1	—	—	—	—	—	—	—	1	2	—	—	—	—	13
14 Diabetes	—	4	1	1	—	3	1	—	—	—	2	1	—	—	14
15 Cerebral hæmorrhage, &c.	8	11	6	11	9	4	3	5	4	7	3	5	3	2	15
16 Heart disease	16	12	15	22	10	16	14	12	11	13	8	3	14	8	16
17 Arterio-sclerosis	2	4	6	5	8	2	—	1	—	1	2	2	2	4	17
18 Bronchitis	5	11	5	5	10	9	3	—	3	4	5	4	4	6	18
19 Pneumonia (all forms)	5	11	4	5	18	10	2	1	1	2	4	1	3	1	19
20 Other respiratory diseases	1	—	—	1	1	1	1	—	1	2	1	1	—	1	20
21 Ulcer of stomach or duodenum	3	—	2	—	—	—	—	—	1	1	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	1	—	1	2	—	1	—	1	—	—	2	—	22
23 Appendicitis and typhlitis	—	—	2	1	2	—	1	—	4	—	1	1	—	—	23
24 Cirrhosis of liver	1	1	1	—	—	—	1	—	—	—	—	1	—	—	24
25 Acute and chronic nephritis	8	5	—	1	3	7	3	—	8	4	1	—	3	2	25
26 Puerperal sepsis	—	—	—	1	—	2	—	1	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	2	4	7	4	12	8	5	3	5	4	1	1	3	4	28
29 Suicide	1	—	1	—	—	—	—	—	1	—	2	1	—	—	29
30 Other deaths from violence	5	3	2	1	5	4	—	3	2	1	1	3	5	—	30
31 Other defined diseases	21	17	36	25	26	19	20	21	14	10	11	9	5	7	31
32 Causes ill-defined or unknown	1	1	—	—	1	—	—	1	1	—	1	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

SOUTHAMPTON—*cont.*

Causes of Death.	Gosport M.B.		Winchester M.B.		Alton R.D.		Andover R.D.		Basingstoke R.D.		Droxford R.D.		Fareham R.D.		Hartley Wintney R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	169	169	146	158	97	94	55	62	65	70	81	100	68	68	96	116	
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	1	1	—	—	—	—	—	—	—	1	—	—	—	1	3
4 Scarlet fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	2	3	1	1	1	—	—	—	—	2	2	—	—	—	1	2	5
6 Diphtheria	1	3	1	—	—	—	—	—	—	—	—	1	—	1	—	1	6
7 Influenza	8	7	3	11	5	6	2	5	—	2	3	6	2	3	1	5	7
8 Encephalitis lethargica	1	—	—	—	—	1	1	2	—	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	16	16	12	7	7	7	3	2	4	5	5	11	4	3	6	4	10
11 Other tuberculous diseases	2	—	4	1	3	4	—	1	1	2	1	4	—	—	1	3	11
12 Cancer, malignant disease	21	20	20	22	7	11	7	6	6	6	16	13	4	9	12	17	12
13 Rheumatic fever	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	13
14 Diabetes	—	—	2	1	—	—	—	1	1	2	2	2	—	—	1	3	14
15 Cerebral hæmorrhage, &c.	13	12	7	14	8	6	1	3	2	4	2	9	7	7	1	10	15
16 Heart disease	15	22	13	36	11	13	6	14	16	13	16	18	9	6	24	28	16
17 Arterio-sclerosis	4	3	3	3	1	1	2	5	1	3	3	7	3	1	4	8	17
18 Bronchitis	12	16	7	5	9	8	2	1	7	2	3	3	8	3	4	2	18
19 Pneumonia (all forms)	13	11	7	6	14	3	7	6	1	4	1	3	5	2	4	4	19
20 Other respiratory diseases	1	5	5	3	—	—	1	—	—	—	3	—	2	—	1	1	20
21 Ulcer of stomach or duodenum	—	—	2	—	—	1	—	—	2	—	—	—	—	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	22
23 Appendicitis and typhlitis	—	—	2	2	—	—	—	—	—	1	—	—	—	—	1	—	23
24 Cirrhosis of liver	1	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	5	2	2	4	—	1	3	1	1	1	5	4	2	1	—	1	25
26 Puerperal sepsis	—	2	—	2	—	—	—	—	—	—	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	1	—	—	—	2	—	1	27
28 Congenital debility and malformation, premature birth	13	8	13	3	7	2	6	2	2	4	3	2	7	6	3	6	28
29 Suicide	4	—	—	—	—	2	—	—	—	1	—	1	—	1	4	—	29
30 Other deaths from violence	1	2	3	3	1	3	1	1	1	2	4	3	2	2	1	1	30
31 Other defined diseases	32	34	38	31	22	21	12	11	18	15	9	10	13	18	25	17	31
32 Causes ill-defined or unknown	1	—	—	—	1	2	—	1	—	—	1	—	—	—	—	—	32

SOUTHAMPTON—*cont.* **STAFFORDSHIRE.**

Causes of Death.	Lymington R.D.		New Forest R.D.		Petersfield R.D.		South Stoneham R.D.		Winchester R.D.		Audley U.D.		Bilston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	91	83	95	102	67	65	61	52	52	52	84	73	197	185	
1 Enteric fever	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	—	—	—	—	—	—	1	—	1	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	1	—	—	—	—	—	—	2	1	—	1	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	2	—	1	6
7 Influenza	3	4	1	3	1	2	5	—	4	1	2	5	18	11	7
8 Encephalitis lethargica	—	—	—	1	—	1	—	—	1	—	—	—	2	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	5	7	4	9	4	3	2	7	1	4	4	8	9	10
11 Other tuberculous diseases	2	—	1	2	3	1	1	—	—	—	3	2	5	—	11
12 Cancer, malignant disease	16	5	7	16	8	11	8	10	4	10	6	6	17	11	12
13 Rheumatic fever	—	—	—	—	—	1	—	—	—	1	—	—	—	2	13
14 Diabetes	1	1	2	2	—	1	1	—	1	—	—	—	1	3	14
15 Cerebral hæmorrhage, &c.	4	8	6	7	1	—	1	5	2	4	5	7	9	14	15
16 Heart disease	13	10	12	19	12	9	11	12	8	6	8	9	17	20	16
17 Arterio-sclerosis	3	5	3	1	2	6	1	—	1	3	4	2	—	—	17
18 Bronchitis	3	7	6	6	4	6	2	3	1	7	5	7	22	30	18
19 Pneumonia (all forms)	4	4	5	4	3	5	3	4	2	1	9	2	32	18	19
20 Other respiratory diseases	4	—	3	1	2	—	—	—	1	1	—	1	1	1	20
21 Ulcer of stomach or duodenum	—	1	—	—	—	1	—	—	1	—	—	—	5	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	—	—	2	—	—	—	1	1	6	5	22
23 Appendicitis and typhlitis	1	—	1	—	1	—	—	—	—	2	—	—	1	1	23
24 Cirrhosis of liver	1	2	—	1	—	—	—	—	1	—	—	—	—	1	24
25 Acute and chronic nephritis	4	3	7	1	—	1	5	5	1	—	1	3	4	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	1	—	1	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	3	4	7	4	4	1	4	—	4	3	7	2	19	13	28
29 Suicide	—	4	1	—	—	—	1	—	—	—	—	—	1	—	29
30 Other deaths from violence	3	1	4	3	1	1	4	2	1	1	7	—	6	3	30
31 Other defined diseases	16	16	21	22	16	13	8	7	12	10	19	18	22	35	31
32 Causes ill-defined or unknown	1	—	—	1	—	—	1	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

STAFFORDSHIRE—*cont.*

Causes of Death.	Brierley Hill U.D.		Brownhills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Heathtown or Wednesfield Heath U.D.		Leek U.D.		Newcastle under Lyme M.B.		Rowley Regis U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	76	61	114	90	217	156	169	149	126	125	87	74	98	125	172	141	227	206	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	4	3	—	—	—	—	3	2	5	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	1	1	1	1	2	—	4
5 Whooping cough	—	—	—	—	1	—	—	—	—	—	1	—	—	1	2	7	10	8	5
6 Diphtheria	1	—	2	1	—	—	—	1	1	—	—	—	2	—	—	—	—	1	6
7 Influenza	6	7	4	2	13	4	15	9	6	3	1	3	—	2	10	2	19	14	7
8 Encephalitis lethargica	1	—	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	2	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	4	2	5	8	6	9	4	12	10	7	2	7	6	20	19	10	20	10
11 Other tuberculous diseases	1	2	1	—	2	5	3	—	2	2	2	6	—	1	5	4	2	1	11
12 Cancer, malignant disease	7	6	10	6	18	13	15	13	6	13	4	3	6	19	12	8	20	21	12
13 Rheumatic fever	1	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	—	—	—	—	2	—	—	1	—	—	2	1	3	3	2	—	2	—	14
15 Cerebral hæmorrhage, &c.	2	8	5	5	14	11	6	9	7	9	3	4	5	12	12	4	13	12	15
16 Heart disease	6	5	16	13	21	23	14	16	6	18	10	5	23	32	17	10	14	22	16
17 Arterio-sclerosis	2	—	2	1	12	4	4	3	1	—	1	—	2	1	—	—	4	3	17
18 Bronchitis	7	4	16	10	10	7	12	14	14	5	18	7	1	10	12	13	25	22	18
19 Pneumonia (all forms)	11	9	11	5	16	15	28	21	25	11	8	8	10	5	26	24	25	12	19
20 Other respiratory diseases	1	—	—	2	2	1	5	—	4	3	—	1	—	1	2	3	3	5	20
21 Ulcer of stomach or duodenum	—	—	—	1	2	—	1	—	—	—	—	2	—	—	—	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	1	1	5	3	2	1	5	2	2	—	1	1	2	1	1	3	22
23 Appendicitis and typhlitis	—	1	—	—	1	4	2	2	1	—	1	2	—	—	2	1	—	2	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	3	—	—	—	—	1	1	3	—	24
25 Acute and chronic nephritis	1	1	1	2	6	2	—	3	1	3	3	—	—	5	4	8	5	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	4	—	—	—	1	—	—	—	1	—	1	—	1	27
28 Congenital debility and malformation, premature birth	6	4	19	14	16	20	11	11	9	13	6	8	5	3	10	6	14	12	28
29 Suicide	—	—	2	—	1	1	1	1	2	1	—	—	2	—	—	—	5	—	29
30 Other deaths from violence	1	1	6	2	14	1	6	2	3	3	5	—	4	1	5	1	12	1	30
31 Other defined diseases	15	7	13	19	48	25	30	33	20	25	12	22	23	17	21	23	35	39	31
32 Causes ill-defined or unknown	—	—	2	—	3	4	—	—	1	—	—	—	—	1	1	2	1	—	32

STAFFORDSHIRE—*cont.*

Causes of Death.	Sedgley U.D.		Stafford M.B.		Tipton U.D.		Wednesbury M.B.		Willenhall U.D.		Wolstanton United U.D.						Cannock R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	
All Causes	114	138	147	132	235	180	212	210	136	115	181	139					129	118	
1 Enteric fever	—	—	—	—	1	1	—	—	—	—	—	1					—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					—	—	2
3 Measles	—	1	1	1	8	4	2	—	—	—	—	—					2	—	3
4 Scarlet fever	—	—	1	1	1	—	—	2	—	—	—	1					—	—	4
5 Whooping cough	—	2	—	1	—	—	1	—	1	—	—	—					1	—	5
6 Diphtheria	—	—	—	1	—	—	1	—	2	—	2	1					2	1	6
7 Influenza	8	10	4	2	14	10	9	7	4	7	5	2					7	10	7
8 Encephalitis lethargica	—	—	1	1	—	—	1	2	—	—	—	—					—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—					—	—	9
10 Tuberculosis of respiratory sys.	7	6	17	12	16	8	17	19	7	13	9	12					5	7	10
11 Other tuberculous diseases	3	3	1	5	2	3	7	5	2	1	4	4					3	—	11
12 Cancer, malignant disease	3	10	16	16	19	10	17	31	22	6	19	14					10	10	12
13 Rheumatic fever	—	1	—	—	—	1	—	1	—	1	—	1					—	—	13
14 Diabetes	2	2	1	1	—	—	3	—	—	3	5	3					—	4	14
15 Cerebral hæmorrhage, &c.	6	7	7	13	11	8	15	9	5	10	11	14					10	7	15
16 Heart disease	14	12	16	23	8	10	15	23	5	10	16	14					16	13	16
17 Arterio-sclerosis	—	—	—	—	8	—	3	2	1	1	6	6					2	1	17
18 Bronchitis	7	9	12	16	15	14	31	19	14	10	18	13					11	5	18
19 Pneumonia (all forms)	17	13	11	4	33	37	25	19	15	6	22	16					12	12	19
20 Other respiratory diseases	2	3	—	2	4	2	2	6	2	1	3	1					1	1	20
21 Ulcer of stomach or duodenum	1	—	4	—	2	1	4	—	—	1	1	—					2	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	1	—	4	3	2	4	2	—	7	1					—	1	22
23 Appendicitis and typhlitis	1	—	—	1	2	—	—	2	1	—	1	2					3	1	23
24 Cirrhosis of liver	1	—	3	—	—	—	2	1	—	—	2	—					—	—	24
25 Acute and chronic nephritis	2	2	5	5	6	2	7	2	4	1	1	2					2	—	25
26 Puerperal sepsis	—	—	—	2	—	2	—	—	—	—	—	2					—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	3	—	1	—	—	—	1					—	4	27
28 Congenital debility and malformation, premature birth	8	7	9	3	16	18	12	11	15	11	12	2					13	7	28
29 Suicide	2	3	2	1	4	—	—	—	1	2	2	—					1	1	29
30 Other deaths from violence	2	2	6	2	11	5	4	10	5	4	8	3					3	5	30
31 Other defined diseases	27	44	29	17	47	37	32	34	28	27	27	23					23	27	31
32 Causes ill-defined or unknown	—	—	—	—	3	1	—	—	—	—	—	—					—	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

STAFFORDSHIRE—*cont.*

Causes of Death.	Cheadle R.D.		Kingswinford R.D.		Leek R.D.		Lichfield R.D.		Seisdon R.D.		Stafford R.D.		Stone R.D.		Tamworth (part of) R.D.*		Walsall R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	144	122	135	117	88	91	175	154	110	110	59	54	85	69	32	32	66	59	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	2	—	—	—	—	—	—	1	1	—	—	—	—	3
4 Scarlet fever	—	—	1	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	4
5 Whooping cough	1	1	—	1	2	1	—	—	2	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	6
7 Influenza	4	3	4	6	2	6	12	11	6	7	7	2	4	3	1	—	—	3	7
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	—	1	3	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	6	9	7	5	4	12	9	5	5	1	2	7	2	—	1	2	7	10
11 Other tuberculous diseases	3	3	3	3	2	1	3	3	2	—	2	2	1	3	—	1	1	—	11
12 Cancer, malignant disease	12	13	8	16	7	8	18	21	11	8	2	5	9	5	—	3	8	7	12
13 Rheumatic fever	2	—	—	3	2	—	—	1	1	—	—	—	1	1	—	—	1	—	13
14 Diabetes	—	—	2	2	1	3	4	1	2	1	1	—	—	1	—	1	—	1	14
15 Cerebral hæmorrhage, &c.	5	7	6	8	4	6	16	13	5	8	2	3	4	5	2	—	1	5	15
16 Heart disease	29	13	16	12	16	21	22	18	15	23	11	12	12	4	6	5	6	4	16
17 Arterio-sclerosis	14	7	7	5	5	4	10	4	2	2	5	—	1	4	1	—	2	—	17
18 Bronchitis	5	14	8	10	5	3	13	11	6	7	3	4	4	5	3	1	9	4	18
19 Pneumonia (all forms)	6	8	16	10	6	3	9	13	11	7	2	6	5	5	6	3	5	4	19
20 Other respiratory diseases	1	—	2	1	1	—	2	3	3	1	—	—	3	—	2	1	2	—	20
21 Ulcer of stomach or duodenum	1	—	2	1	1	—	1	1	—	1	1	1	1	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	2	—	2	2	—	—	2	2	1	1	—	1	1	—	1	—	1	2	22
23 Appendicitis and typhlitis	2	1	2	1	1	1	1	1	3	—	1	—	—	1	—	2	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	1	4	1	3	2	2	5	4	4	—	—	1	1	—	2	—	2	—	25
26 Puerperal sepsis	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	5	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	17	11	8	5	6	2	16	9	6	3	5	1	4	5	1	2	5	3	28
29 Suicide	4	—	5	1	1	—	1	1	1	—	3	1	1	—	1	1	1	1	29
30 Other deaths from violence	5	2	7	4	3	3	10	1	4	2	1	1	4	4	2	1	6	1	30
31 Other defined diseases	25	20	25	15	15	20	16	26	18	30	11	8	20	19	4	9	12	15	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	32

SUFFOLK, EAST.

Causes of Death.	Felixstowe U.D.		Lowestoft M.B.		Blything R.D.		Bosmere & Claydon R.D.		Hartismere R.D.		Mutford & Lothingland R.D.		Plomesgate R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	56	50	253	220	116	102	87	85	71	71	60	59	106	81	
1 Enteric fever	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	3	—	2	1	—	—	—	1	—	—	—	1	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	—	—	5	1	—	—	—	—	—	—	—	1	—	—	5
6 Diphtheria	—	1	—	2	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	—	1	5	6	1	4	—	1	3	—	—	1	6	2	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	—	1	1	8
9 Meningococcal meningitis	—	—	1	1	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	2	25	15	9	12	8	6	2	5	4	4	6	4	10
11 Other tuberculous diseases	1	—	8	5	1	3	—	3	—	1	—	1	1	1	11
12 Cancer, malignant disease	7	12	15	27	10	15	11	9	6	8	7	4	9	12	12
13 Rheumatic fever	—	1	1	2	—	—	—	—	—	—	—	—	—	1	13
14 Diabetes	—	—	4	4	2	3	2	—	3	2	—	1	—	—	14
15 Cerebral hæmorrhage, &c.	4	3	13	10	8	4	9	6	4	7	4	2	5	10	15
16 Heart disease	5	10	39	32	11	9	16	20	12	12	11	12	15	12	16
17 Arterio-sclerosis	4	—	8	8	6	4	1	—	1	1	3	3	2	1	17
18 Bronchitis	6	3	14	25	2	13	9	6	4	8	3	4	4	3	18
19 Pneumonia (all forms)	2	1	10	10	9	3	4	6	5	2	4	5	3	2	19
20 Other respiratory diseases	—	1	4	1	2	—	2	1	—	—	—	—	2	1	20
21 Ulcer of stomach or duodenum	—	—	1	—	—	1	2	—	—	—	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	—	—	—	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	1	1	1	1	—	1	—	—	1	—	—	—	1	2	23
24 Cirrhosis of liver	—	—	2	—	1	—	—	1	—	1	—	—	—	—	24
25 Acute and chronic nephritis	1	1	7	2	3	1	2	—	1	—	1	2	1	—	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	—	—	1	—	—	—	1	27
28 Congenital debility and malformation, premature birth	8	1	15	13	10	4	2	6	4	4	—	3	7	3	28
29 Suicide	1	1	3	5	4	—	2	1	—	—	2	—	—	—	29
30 Other deaths from violence	2	1	7	5	3	—	2	3	3	—	5	2	5	—	30
31 Other defined diseases	12	8	58	44	29	21	14	15	22	17	15	14	36	22	31
32 Causes ill-defined or unknown	—	1	1	—	3	—	—	1	—	—	1	—	1	2	32

* The remainder of Tamworth R.D. is in Warwickshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

SUFFOLK, EAST—*cont.* SUFFOLK, WEST.

Causes of Death.	Samford R.D.		Wood-bridge R.D.		Bury St. Edmunds M.B.		Cosford R.D.		Melford R.D.		Thingoe R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	70	77	99	96	100	100	69	71	77	70	94	94	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	1	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	—	—	—	1	—	—	—	—	—	—	—	—	6
7 Influenza	—	3	—	—	2	1	—	1	2	1	—	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	1	5	8	11	6	6	3	6	2	4	2	10
11 Other tuberculous diseases	2	—	2	3	1	2	1	2	—	1	—	—	11
12 Cancer, malignant disease	5	8	7	14	13	12	12	9	11	7	15	16	12
13 Rheumatic fever	—	—	1	—	1	1	1	—	—	—	—	—	13
14 Diabetes	1	2	—	1	—	1	1	1	2	—	—	—	14
15 Cerebral hæmorrhage, &c.	6	10	6	7	9	7	5	7	3	5	2	5	15
16 Heart disease	13	16	14	18	15	21	9	15	20	18	16	16	16
17 Arterio-sclerosis	5	3	4	—	3	5	2	3	—	1	6	4	17
18 Bronchitis	5	4	13	6	5	8	6	9	5	9	5	4	18
19 Pneumonia (all forms)	5	4	4	2	4	3	—	1	4	3	3	4	19
20 Other respiratory diseases	2	—	2	1	1	2	—	—	1	1	—	—	20
21 Ulcer of stomach or duodenum	—	—	2	—	2	2	—	1	1	2	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	1	—	—	—	—	1	—	1	1	22
23 Appendicitis and typhlitis	—	—	—	—	1	—	—	—	1	—	1	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	1	—	—	24
25 Acute and chronic nephritis	1	1	1	4	6	2	4	2	2	—	6	2	25
26 Puerperal sepsis	—	3	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	1	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	5	3	9	1	4	5	5	1	—	2	7	1	28
29 Suicide	—	—	2	1	1	—	1	—	—	1	—	1	29
30 Other deaths from violence	2	2	1	1	2	3	1	2	4	2	7	3	30
31 Other defined diseases	13	15	22	23	18	18	13	14	13	13	18	33	31
32 Causes ill-defined or unknown	—	1	1	1	—	—	1	—	—	—	2	1	32

SURREY.

Causes of Death.	Barnes U.D.		Bedding-ton & Wal-lington U.D.		Car-shalton U.D.		Caterham U.D.		Chertsey U.D.		Coulsdon & Purley U.D.		Egham U.D.		Epsom U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	170	185	84	82	75	77	49	57	95	80	94	89	59	75	86	70	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	5	1	—	—	—	—	—	—	1	2	—	1	—	—	1	—	3
4 Scarlet fever	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4
5 Whooping cough	1	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	5
6 Diphtheria	5	2	—	—	—	—	—	1	—	—	2	—	—	1	1	1	6
7 Influenza	3	15	1	—	2	3	3	1	5	7	8	3	2	2	2	1	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	14	7	2	11	6	4	5	3	5	4	4	8	6	8	7	4	10
11 Other tuberculous diseases	2	2	—	—	1	1	1	2	3	—	—	—	1	1	2	2	11
12 Cancer, malignant disease	23	30	11	12	8	9	4	15	11	5	12	13	5	11	9	14	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14 Diabetes	3	5	—	—	—	1	—	1	1	2	—	2	—	—	—	—	14
15 Cerebral hæmorrhage, &c.	11	10	3	8	3	5	1	—	2	4	8	3	2	7	3	2	15
16 Heart disease	12	19	9	9	11	12	2	5	14	13	14	12	10	7	9	9	16
17 Arterio-sclerosis	8	8	5	3	4	2	6	8	2	2	4	8	3	—	9	7	17
18 Bronchitis	13	12	3	3	3	10	1	3	8	9	3	5	7	11	10	4	18
19 Pneumonia (all forms)	7	12	8	6	7	5	3	4	6	4	7	7	4	2	5	2	19
20 Other respiratory diseases	3	3	2	2	—	2	2	—	4	—	2	2	—	—	1	—	20
21 Ulcer of stomach or duodenum	1	1	1	1	—	1	1	—	—	1	1	1	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	1	—	—	—	2	—	—	1	1	—	—	1	22
23 Appendicitis and typhlitis	1	2	1	2	1	—	—	—	1	1	2	—	—	1	1	—	23
24 Cirrhosis of liver	1	2	1	—	—	1	1	—	—	—	—	—	—	2	—	—	24
25 Acute and chronic nephritis	2	3	5	3	1	2	2	1	3	1	2	2	3	—	2	2	25
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	3	5	5	4	3	4	5	—	2	3	6	1	5	3	2	2	28
29 Suicide	1	1	2	—	5	2	—	—	—	—	1	1	—	—	1	1	29
30 Other deaths from violence	9	2	4	—	2	2	4	3	4	3	1	2	1	2	3	2	30
31 Other defined diseases	40	41	20	18	15	8	8	9	20	17	16	15	8	16	16	14	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

SURREY—*cont.*

Causes of Death.	Esher and The Dittons U.D.		Farnham U.D.		Frimley U.D.		Guildford M.B.		Kingston-on-Thames M.B.		Merton & Morden U.D.		Mitcham U.D.		Reigate M.B.		Richmond M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	70	75	77	92	58	61	139	178	249	253	84	86	176	170	143	196	226	245	
1 Enteric fever	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	—	—	—	1	4	4	2	—	3	—	1	—	—	—	3
4 Scarlet fever	—	1	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	4
5 Whooping cough	1	—	1	1	1	1	—	—	1	6	—	—	1	1	—	—	—	—	5
6 Diphtheria	2	—	1	—	—	—	—	—	—	—	3	3	1	—	—	—	1	5	6
7 Influenza	1	2	4	1	3	2	6	15	3	9	2	4	6	2	10	17	7	13	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	3	—	2	—	—	1	—	2	1	—	—	8
9 Meningococcal meningitis	1	1	—	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	1	4	5	6	3	13	11	13	13	10	5	16	12	4	5	17	10	10
11 Other tuberculous diseases	2	1	1	—	1	3	—	1	8	5	3	1	1	2	2	2	4	6	11
12 Cancer, malignant disease	5	12	8	11	7	15	12	14	37	38	7	14	14	28	20	25	39	45	12
13 Rheumatic fever	1	1	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	13
14 Diabetes	—	1	1	—	—	—	3	2	1	1	2	2	1	4	—	4	2	4	14
15 Cerebral hæmorrhage, &c.	1	6	5	8	3	2	10	12	12	18	5	1	8	5	8	11	10	18	15
16 Heart disease	9	6	12	13	15	9	24	26	48	46	7	9	19	27	21	28	36	26	16
17 Arterio-sclerosis	3	5	9	11	1	5	8	12	8	4	10	8	13	10	7	10	10	8	17
18 Bronchitis	1	8	1	8	4	2	9	14	14	18	2	12	12	13	7	13	20	26	18
19 Pneumonia (all forms)	5	4	4	2	1	4	2	4	18	11	8	6	13	17	11	12	11	13	19
20 Other respiratory diseases	2	—	1	—	—	—	4	5	2	1	2	—	5	4	2	3	2	2	20
21 Ulcer of stomach or duodenum	3	1	2	1	1	—	2	1	3	1	—	—	2	—	2	2	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	1	—	1	3	1	—	—	—	2	1	1	1	—	22
23 Appendicitis and typhlitis	1	—	—	—	—	—	—	1	2	2	—	2	3	—	2	—	—	2	23
24 Cirrhosis of liver	1	—	—	—	1	—	1	1	—	1	—	—	1	—	—	—	2	1	24
25 Acute and chronic nephritis	8	2	4	2	—	—	4	2	7	3	2	—	8	4	3	5	6	3	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	7	3	1	5	2	2	6	5	6	4	5	4	11	5	3	8	3	2	28
29 Suicide	1	2	1	—	—	—	1	1	2	1	1	—	2	2	3	1	3	5	29
30 Other deaths from violence	1	2	3	2	4	1	8	1	11	6	—	3	7	1	6	5	4	4	30
31 Other defined diseases	12	15	12	21	8	9	23	42	45	56	13	10	24	28	27	42	45	49	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	32

SURREY—*cont.*

Causes of Death.	Surbiton U.D.		Sutton U.D.		The Maldens & Coombe U.D.		Walton upon Thames U.D.		Wimbledon M.B.		Woking U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	108	124	98	120	74	69	63	76	302	343	119	123	
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	7	2	1	—	1	—	—	—	4	5	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	2	2	—	—	4
5 Whooping cough	—	—	3	—	—	1	—	—	1	2	—	1	5
6 Diphtheria	1	—	—	1	—	—	—	—	1	—	—	1	6
7 Influenza	4	3	1	7	1	3	4	2	10	15	1	2	7
8 Encephalitis lethargica	1	—	1	—	1	—	1	—	—	1	—	1	8
9 Meningococcal meningitis	—	1	—	—	—	—	1	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	6	3	13	10	10	3	7	7	17	20	7	6	10
11 Other tuberculous diseases	4	2	—	2	1	2	1	2	2	5	2	2	11
12 Cancer, malignant disease	10	23	9	11	8	8	8	14	35	51	16	14	12
13 Rheumatic fever	—	—	—	1	1	1	1	—	1	—	—	—	13
14 Diabetes	1	—	—	1	1	1	1	3	5	5	—	3	14
15 Cerebral hæmorrhage, &c.	8	9	2	11	1	1	4	4	13	17	10	8	15
16 Heart disease	8	12	14	24	9	4	9	11	44	61	25	21	16
17 Arterio-sclerosis	11	13	5	5	6	3	2	3	21	16	4	2	17
18 Bronchitis	7	9	10	4	5	8	4	5	16	21	7	8	18
19 Pneumonia (all forms)	12	11	1	7	3	3	1	—	33	22	7	8	19
20 Other respiratory diseases	1	1	3	—	—	2	1	4	3	6	2	—	20
21 Ulcer of stomach or duodenum	1	1	2	1	2	—	1	—	5	1	7	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	—	—	—	—	1	2	—	—	22
23 Appendicitis and typhlitis	—	—	—	—	1	3	—	—	3	3	1	1	23
24 Cirrhosis of liver	1	—	—	1	—	—	—	—	3	2	—	—	24
25 Acute and chronic nephritis	3	4	2	2	2	—	1	2	7	8	4	2	25
26 Puerperal sepsis	—	1	—	1	—	—	—	—	—	2	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	9	2	5	1	1	7	1	3	16	5	7	4	28
29 Suicide	2	1	1	1	1	1	2	—	1	4	2	—	29
30 Other deaths from violence	—	2	5	—	2	4	4	2	8	5	2	4	30
31 Other defined diseases	10	23	20	29	17	14	9	14	49	60	15	34	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

SURREY—*cont.*

Causes of Death.	Chertsey R.D.		Dorking R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hambledon R.D.		Reigate R.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	59	43	60	50	206	162	89	96	148	125	110	110	122	113	116	122		
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	1	—	—	—	3	—	1	—	1	—	1	2	—	—	1	1		3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		4
5 Whooping cough	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—		5
6 Diphtheria	—	—	—	2	—	6	—	—	—	1	1	1	—	—	—	1		6
7 Influenza	1	2	3	4	6	2	10	8	3	10	6	8	8	10	14	19		7
8 Encephalitis lethargica	1	1	—	—	1	—	—	—	1	—	2	2	1	—	1	1		8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		9
10 Tuberculosis of respiratory sys.	4	2	5	1	10	5	3	6	10	6	5	3	6	6	9	7		10
11 Other tuberculous diseases	1	—	1	—	1	1	2	1	5	4	2	3	—	1	1	—		11
12 Cancer, malignant disease	5	9	6	9	26	31	11	15	14	17	19	15	16	18	14	20		12
13 Rheumatic fever	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—		13
14 Diabetes	—	—	—	1	2	4	—	—	2	3	1	1	1	1	2	1		14
15 Cerebral hæmorrhage, &c.	4	2	3	4	12	8	—	8	7	5	4	10	4	7	9	7		15
16 Heart disease	11	6	7	9	35	24	10	14	21	17	19	12	14	20	15	17		16
17 Arterio-sclerosis	2	1	7	5	17	10	6	5	18	6	5	3	7	5	1	6		17
18 Bronchitis	5	7	5	2	11	9	8	8	9	7	4	6	5	4	2	4		18
19 Pneumonia (all forms)	1	5	6	3	18	13	3	4	15	6	5	5	12	4	8	4		19
20 Other respiratory diseases	2	—	1	—	4	1	1	1	—	3	1	1	—	2	—	1		20
21 Ulcer of stomach or duodenum	2	—	1	1	2	—	—	—	3	1	1	—	2	—	1	—		21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	—	1	—	—	—	—	1	—	1	—		22
23 Appendicitis and typhlitis	—	—	1	—	3	2	—	—	1	1	1	—	1	3	3	1		23
24 Cirrhosis of liver	—	1	2	—	1	2	—	—	—	—	—	—	—	1	1	—		24
25 Acute and chronic nephritis	1	—	1	1	6	4	5	2	5	3	5	3	4	4	2	4		25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	2	—	1	—	1	—	—		26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	6	—	1	—	1	—	1	—	1	—	—		27
28 Congenital debility and malformation, premature birth	3	3	3	3	4	1	6	3	6	4	4	2	3	4	5	3		28
29 Suicide	—	—	—	—	4	—	—	1	—	1	—	2	—	—	3	2		29
30 Other deaths from violence	7	1	1	—	8	2	8	—	3	2	8	1	2	—	2	2		30
31 Other defined diseases	8	3	5	4	30	29	14	17	23	24	15	28	35	21	20	21		31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		32

SUSSEX, EAST.

Causes of Death.	Bexhill M.B.		Hove M.B.		Lewes M.B.		Chailey R.D.		Cuckfield R.D.		East Grinstead R.D.		Hailsham R.D.		Ticehurst R.D.		Uckfield R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	100	114	270	370	67	62	54	62	103	100	79	76	111	107	90	74	131	155	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1	3
4 Scarlet fever	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	4	5	17	22	5	2	2	2	6	2	5	2	1	2	7	1	2	5	7
8 Encephalitis lethargica	1	—	2	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	1	17	18	3	4	1	2	5	6	6	7	9	7	7	4	9	9	10
11 Other tuberculous diseases	2	—	1	7	1	1	1	1	1	1	1	1	3	1	1	2	2	2	11
12 Cancer, malignant disease	14	21	36	67	7	19	6	14	8	14	11	10	6	18	7	9	20	22	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	2	13
14 Diabetes	—	3	4	6	1	—	—	1	—	1	1	—	—	—	—	2	—	1	14
15 Cerebral hæmorrhage, &c.	5	6	11	30	5	5	6	5	7	11	3	12	9	10	3	5	11	14	15
16 Heart disease	16	19	39	42	9	4	7	13	9	17	10	15	19	19	17	20	25	31	16
17 Arterio-sclerosis	10	13	8	16	2	—	—	—	11	5	2	2	1	1	2	4	3	3	17
18 Bronchitis	2	4	10	19	3	3	7	4	10	7	6	3	8	12	6	1	4	6	18
19 Pneumonia (all forms)	8	9	21	15	6	2	4	4	5	3	5	2	4	4	3	1	2	10	19
20 Other respiratory diseases	3	—	7	6	1	—	1	—	—	—	1	1	1	1	2	—	4	3	20
21 Ulcer of stomach or duodenum	1	1	3	1	—	—	—	—	—	—	2	—	—	1	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	22
23 Appendicitis and typhlitis	1	—	3	2	—	3	1	1	2	1	—	—	1	—	2	—	1	1	23
24 Cirrhosis of liver	4	—	3	7	—	—	—	1	1	—	—	—	—	—	2	—	—	1	24
25 Acute and chronic nephritis	2	4	11	24	4	1	2	—	1	2	1	2	4	—	2	1	3	7	25
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	2	2	9	4	4	2	2	3	4	3	5	5	4	3	1	5	9	3	28
29 Suicide	2	1	6	—	2	1	1	1	4	—	1	2	1	—	1	—	—	1	29
30 Other deaths from violence	2	2	10	16	2	1	1	—	4	2	3	1	5	1	6	2	3	2	30
31 Other defined diseases	14	21	51	66	12	12	11	10	24	23	14	10	32	27	17	14	30	29	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	1	1	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

SUSSEX, WEST.

Causes of Death.	Bognor U.D.		Chichester M.B.		Horsham U.D.		Littlehampton U.D.		Worthing M.B.										
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.									
All Causes	53	61	78	75	75	84	64	63	208	329									
1 Enteric fever	—	—	—	—	—	—	—	—	—	—									1
2 Small-pox	—	—	—	—	—	—	—	—	—	—									2
3 Measles	1	—	1	1	2	1	—	—	—	—									3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—									4
5 Whooping cough	—	1	—	—	—	—	—	—	1	—									5
6 Diphtheria	—	—	—	—	—	—	—	1	—	—									6
7 Influenza	4	2	4	3	4	3	6	1	6	18									7
8 Encephalitis lethargica	—	—	—	—	—	1	1	1	—	—									8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—									9
10 Tuberculosis of respiratory sys.	3	3	3	3	3	3	3	6	13	17									10
11 Other tuberculous diseases	—	1	3	1	—	2	—	—	1	1									11
12 Cancer, malignant disease	9	15	7	12	13	15	17	9	35	46									12
13 Rheumatic fever	—	—	1	1	—	—	—	2	—	—									13
14 Diabetes	—	—	—	2	—	—	1	1	3	3									14
15 Cerebral hæmorrhage, &c.	2	7	8	5	4	9	2	5	11	31									15
16 Heart disease	8	6	5	7	14	20	8	6	36	64									16
17 Arterio-sclerosis	—	1	5	3	2	—	5	5	10	17									17
18 Bronchitis	2	5	2	7	10	6	4	5	11	28									18
19 Pneumonia (all forms)	3	2	7	3	6	11	5	4	12	7									19
20 Other respiratory diseases	2	1	1	—	2	1	—	1	2	12									20
21 Ulcer of stomach or duodenum	1	—	1	—	—	—	1	1	—	1									21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	—	—	—	—	1	—									22
23 Appendicitis and typhlitis	1	1	—	—	—	1	—	1	1	3									23
24 Cirrhosis of liver	—	3	1	—	—	—	—	—	2	1									24
25 Acute and chronic nephritis	—	1	5	2	—	3	2	—	11	8									25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—									26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	1									27
28 Congenital debility and malformation, premature birth	3	1	4	3	1	2	—	—	5	4									28
29 Suicide	2	—	2	—	—	—	—	1	2	1									29
30 Other deaths from violence	3	—	1	2	1	1	1	2	2	3									30
31 Other defined diseases	7	11	17	20	13	4	8	10	43	63									31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—									32

SUSSEX, WEST—*cont.* WARWICKSHIRE.

Causes of Death.	Horsham R.D.		Midhurst R.D.		Steyning West R.D.		Westhampnett R.D.				Nuneaton M.B.		Royal Leamington Spa M.B.		Rugby U.D.		Stratford on Avon M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	128	104	100	78	48	55	100	93			234	204	191	216	131	121	54	50	
1 Enteric fever	—	—	—	—	—	—	—	—			1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	1	—	—	1	1			1	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—			—	2	—	—	2	—	—	—	4
5 Whooping cough	—	—	—	—	—	1	3	—			1	—	3	4	1	—	—	—	5
6 Diphtheria	—	—	—	—	1	—	—	—			—	2	—	1	—	1	1	—	6
7 Influenza	7	13	1	8	—	3	6	7			7	5	3	5	4	4	—	1	7
8 Encephalitis lethargica	—	—	2	1	—	—	—	—			2	3	1	2	—	2	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—			—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	5	8	4	7	3	7	8			22	16	10	11	8	9	3	1	10
11 Other tuberculous diseases	2	—	—	—	—	2	1	2			4	4	3	—	3	2	1	—	11
12 Cancer, malignant disease	18	13	12	6	6	4	10	5			21	23	17	29	9	14	10	6	12
13 Rheumatic fever	—	1	1	—	—	—	—	—			2	2	—	—	—	—	—	1	13
14 Diabetes	—	—	1	1	—	—	—	3			1	5	1	5	1	2	—	2	14
15 Cerebral hæmorrhage, &c.	11	7	4	8	4	6	11	8			13	8	20	20	7	15	4	3	15
16 Heart disease	19	24	14	3	8	11	17	13			27	33	26	42	16	14	6	5	16
17 Arterio-sclerosis	2	1	2	4	2	2	4	5			8	8	8	13	3	8	1	—	17
18 Bronchitis	4	5	6	5	3	4	1	7			20	11	7	19	10	9	1	3	18
19 Pneumonia (all forms)	6	4	6	2	1	1	1	4			17	9	12	11	16	2	4	4	19
20 Other respiratory diseases	2	4	1	2	—	1	1	5			1	3	7	2	—	1	—	—	20
21 Ulcer of stomach or duodenum	—	—	—	1	—	—	1	—			—	3	4	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	—	—	1	—			5	1	4	—	1	—	—	—	22
23 Appendicitis and typhlitis	—	—	2	1	—	—	1	—			2	2	3	2	—	2	1	—	23
24 Cirrhosis of liver	—	2	—	—	—	—	1	—			1	1	1	1	1	—	—	—	24
25 Acute and chronic nephritis	5	1	2	2	3	1	3	3			5	2	9	11	4	5	6	5	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1			—	2	—	—	—	2	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	2			—	5	—	2	—	—	—	—	27
28 Congenital debility and malformation, premature birth	1	4	8	2	—	—	1	2			16	11	6	3	9	7	3	1	28
29 Suicide	2	2	—	—	—	—	—	1			4	2	4	—	1	1	—	—	29
30 Other deaths from violence	7	2	2	3	2	2	5	1			13	5	2	5	2	—	1	—	30
31 Other defined diseases	34	16	26	24	10	14	24	15			40	35	40	28	32	21	12	18	31
32 Causes ill-defined or unknown	—	—	1	—	1	—	—	—			—	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

WARWICKSHIRE—*cont.*

Causes of Death.	Sutton Coldfield M.B.		Warwick M.B.		Alcester R.D.		Atherstone R.D.		Foleshill R.D.		Meriden R.D.		Rugby R.D.		Solihull R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	108	122	69	82	83	89	142	102	204	154	99	103	99	119	109	116	
1 Enteric fever	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	1	—	—	—	1	1	—	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	1	1	—	2	—	—	—	1	2	2	2	—	1	2	2	—	5
6 Diphtheria	—	1	—	—	—	—	2	4	2	—	—	—	—	—	—	—	6
7 Influenza	6	4	—	1	3	5	5	2	8	3	3	5	5	2	6	6	7
8 Encephalitis lethargica	—	1	2	—	—	—	1	—	1	2	1	1	—	—	2	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	3	8	7	13	2	7	6	11	14	1	3	7	4	12	3	10
11 Other tuberculous diseases	1	2	2	1	1	2	1	1	7	2	1	2	3	3	1	2	11
12 Cancer, malignant disease	13	22	4	21	6	12	15	19	12	16	11	15	7	14	11	16	12
13 Rheumatic fever	—	—	1	—	—	1	—	—	—	—	—	1	1	—	—	—	13
14 Diabetes	3	1	1	1	1	1	1	—	1	2	—	—	—	3	1	1	14
15 Cerebral hæmorrhage, &c.	9	6	8	7	2	8	7	12	13	10	4	13	5	7	11	16	15
16 Heart disease	13	16	5	9	9	15	25	15	21	18	12	10	9	16	14	14	16
17 Arterio-sclerosis	4	6	5	8	5	2	3	1	2	4	5	1	5	4	1	3	17
18 Bronchitis	9	2	5	5	6	5	4	5	23	18	5	4	6	16	8	7	18
19 Pneumonia (all forms)	6	9	5	2	7	3	15	6	20	9	3	5	10	6	5	7	19
20 Other respiratory diseases	1	2	—	1	1	1	1	—	2	1	2	2	—	1	—	—	20
21 Ulcer of stomach or duodenum	—	1	—	—	—	—	1	—	1	3	5	—	1	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	3	1	—	—	1	—	3	—	4	1	—	—	—	1	—	1	22
23 Appendicitis and typhlitis	—	1	—	1	—	—	—	—	2	2	1	1	1	1	3	1	23
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	24
25 Acute and chronic nephritis	5	4	2	2	2	4	8	1	7	4	4	3	4	2	6	1	25
26 Puerperal sepsis	—	—	—	—	—	1	—	1	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	1	—	1	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	4	6	1	4	4	2	11	7	12	10	4	3	6	5	2	2	28
29 Suicide	3	1	—	—	1	1	1	1	1	—	3	1	—	—	—	2	29
30 Other deaths from violence	5	—	4	2	2	3	8	1	12	4	2	1	7	4	3	4	30
31 Other defined diseases	17	29	16	8	18	18	22	18	39	23	26	31	21	26	19	27	31
32 Causes ill-defined or unknown	1	—	—	—	—	2	1	—	1	1	2	—	—	—	—	—	32

WARWICKSHIRE—*cont.* WESTMORLAND.

Causes of Death.	Southam R.D.		Tamworth (part of) R.D.*		Warwick R.D.		Kendal M.B.		East Westmorland R.D.		South Westmorland R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	67	79	103	86	66	83	117	102	88	93	155	117	
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	1	1	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	1	1	—	—	—	1	4
5 Whooping cough	3	1	—	—	2	1	—	—	—	—	1	—	5
6 Diphtheria	—	—	6	2	—	—	—	—	—	—	—	—	6
7 Influenza	4	2	5	4	—	—	7	2	6	14	6	2	7
8 Encephalitis lethargica	—	1	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	12	7	4	5	4	1	5	2	2	9	9	10
11 Other tuberculous diseases	1	2	2	1	4	2	1	—	—	3	4	—	11
12 Cancer, malignant disease	7	8	11	13	6	9	13	10	7	12	18	17	12
13 Rheumatic fever	—	—	—	—	—	—	—	1	—	—	1	3	13
14 Diabetes	1	1	—	1	—	1	2	3	—	2	2	1	14
15 Cerebral hæmorrhage, &c.	4	6	3	7	3	9	10	12	3	10	10	13	15
16 Heart disease	10	8	7	13	8	18	15	22	12	14	28	23	16
17 Arterio-sclerosis	1	1	7	3	4	4	4	1	5	2	9	4	17
18 Bronchitis	5	4	10	10	7	6	12	7	3	5	7	2	18
19 Pneumonia (all forms)	2	2	12	6	6	4	11	4	6	1	11	3	19
20 Other respiratory diseases	1	1	2	—	—	—	2	2	3	—	—	2	20
21 Ulcer of stomach or duodenum	1	—	—	1	—	—	1	—	—	1	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	3	1	1	—	—	1	22
23 Appendicitis and typhlitis	—	—	1	—	—	—	—	—	1	—	1	2	23
24 Cirrhosis of liver	1	—	—	—	2	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	3	4	3	1	3	3	6	1	3	5	5	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	2	—	1	—	1	—	1	—	1	27
28 Congenital debility and malformation, premature birth	—	3	8	4	1	1	7	8	10	3	3	5	28
29 Suicide	—	—	—	1	1	—	1	—	—	1	3	—	29
30 Other deaths from violence	3	3	4	1	6	3	3	—	5	1	3	3	30
31 Other defined diseases	17	16	14	12	7	17	16	20	18	16	32	18	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	2	—	—	2	32

* The remainder of Tamworth R.D. is in Staffordshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

WIGHT, ISLE OF. **WILTSHIRE.**

Causes of Death.	Cowes. U.D.		Newport M.B.		Ryde M.B.		I. of Wight R.D.						Salisbury M.B.		Swindon M.B.		Trowbridge U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	
All Causes	72	79	75	79	82	110	172	176					127	125	317	293	66	91	
1 Enteric fever	—	—	—	—	—	—	—	1					—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3 Measles	2	—	6	—	—	1	1	1					—	—	2	5	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—					1	—	1	—	—	—	4
5 Whooping cough	—	1	—	—	—	—	—	—					—	1	3	2	—	—	5
6 Diphtheria	—	1	—	—	—	—	—	—					1	1	—	—	—	—	6
7 Influenza	1	6	3	3	—	5	7	10					5	9	15	13	—	4	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—					—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—					—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	10	7	3	3	3	7	12	6					6	5	26	16	3	—	10
11 Other tuberculous diseases	—	3	—	1	1	—	2	1					2	4	6	5	3	—	11
12 Cancer, malignant disease	13	9	4	4	16	10	14	32					19	13	41	38	11	13	12
13 Rheumatic fever	—	—	—	—	—	—	1	—					—	—	—	2	1	—	13
14 Diabetes	—	1	1	3	—	—	3	4					2	—	3	3	—	—	14
15 Cerebral hæmorrhage, &c.	3	4	5	8	5	9	14	15					10	11	16	14	5	10	15
16 Heart disease	5	13	8	7	10	25	33	28					17	21	51	57	7	12	16
17 Arterio-sclerosis	3	4	3	4	—	4	4	4					4	5	6	12	5	3	17
18 Bronchitis	5	4	4	10	8	6	8	13					5	8	22	28	2	11	18
19 Pneumonia (all forms)	3	—	4	2	2	3	5	7					4	7	30	17	4	2	19
20 Other respiratory diseases	—	1	—	2	4	2	1	3					2	—	6	5	1	2	20
21 Ulcer of stomach or duodenum	2	1	—	—	2	—	—	—					2	1	4	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	4	—	—	—	1	1					1	—	2	2	—	—	22
23 Appendicitis and typhlitis	—	—	—	—	—	—	—	2					—	1	3	4	—	—	23
24 Cirrhosis of liver	2	1	2	—	1	—	2	—					2	—	—	—	1	—	24
25 Acute and chronic nephritis	5	2	3	1	3	2	1	3					6	2	7	8	2	3	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1					—	—	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	1					—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	5	1	2	3	4	3	7	6					6	1	19	14	2	7	28
29 Suicide	1	—	1	—	—	—	2	1					1	2	2	—	—	—	29
30 Other deaths from violence	2	1	2	2	2	1	11	5					3	2	9	3	1	—	30
31 Other defined diseases	9	17	19	24	21	30	43	31					26	30	43	43	18	22	31
32 Causes ill-defined or unknown	—	—	1	—	—	1	—	—					2	—	—	—	—	—	32

WILTSHIRE—*cont.*

Causes of Death.	Amesbury R.D.		Chippenham R.D.		Cricklade & Wootton Bassett R.D.		Devizes R.D.		Highworth R.D.		Pewsey R.D.		Salisbury R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	65	57	90	102	89	58	73	67	96	75	77	72	74	52					
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	—	1	—	—	—	—	—	—	—	—	1	—	—	—					3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—					4
5 Whooping cough	—	—	—	—	—	2	—	1	—	1	1	3	—	—					5
6 Diphtheria	—	—	2	4	—	—	—	—	1	1	1	—	—	—					6
7 Influenza	4	5	3	4	5	4	3	11	7	2	5	5	4	3					7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—					8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	1	—	—	—					9
10 Tuberculosis of respiratory sys.	1	7	5	4	4	2	2	2	5	6	2	7	4	4					10
11 Other tuberculous diseases	1	—	2	2	1	1	—	1	2	—	1	2	5	2					11
12 Cancer, malignant disease	9	1	6	11	10	7	7	8	5	10	5	5	8	6					12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	2	—					13
14 Diabetes	2	2	—	—	—	—	—	—	1	—	1	1	—	2					14
15 Cerebral hæmorrhage, &c.	3	4	2	9	4	3	4	7	4	4	7	12	7	7					15
16 Heart disease	4	12	21	20	19	11	15	12	14	10	11	5	13	2					16
17 Arterio-sclerosis	1	—	6	3	3	—	7	—	2	—	7	4	4	—					17
18 Bronchitis	4	2	9	4	4	5	4	2	6	6	7	2	3	2					18
19 Pneumonia (all forms)	5	4	4	2	5	3	2	—	6	3	6	4	1	—					19
20 Other respiratory diseases	2	—	2	—	1	1	—	1	2	—	—	—	—	—					20
21 Ulcer of stomach or duodenum	—	1	—	—	1	—	—	—	1	1	—	—	2	1					21
22 Diarrhœa, &c. (under 2 years)	—	—	1	1	—	—	—	—	—	—	—	1	—	—					22
23 Appendicitis and typhlitis	1	1	2	—	—	1	1	—	—	—	1	—	—	—					23
24 Cirrhosis of liver	—	—	2	—	1	—	—	—	—	—	—	1	—	—					24
25 Acute and chronic nephritis	—	—	—	4	3	2	3	1	—	—	2	2	1	1					25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	3	—	1	—	1					26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	2	—	1	—	—					27
28 Congenital debility and malformation, premature birth	8	5	1	4	5	2	7	6	10	4	6	—	4	3					28
29 Suicide	—	—	1	1	1	1	1	—	2	—	—	—	1	—					29
30 Other deaths from violence	4	2	3	—	2	3	3	1	4	2	1	1	2	1					30
31 Other defined diseases	16	8	18	29	20	10	14	13	24	20	11	15	12	17					31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	1	—					32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

WORCESTERSHIRE.

Causes of Death.	Kidderminster M.B.		Lye & Wollescote U.D.		Malvern U.D.		Oldbury U.D.		Redditch U.D.		Stourbridge M.B.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	180	166	81	60	81	111	204	176	104	85	89	105					
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	—	—	—	—	—	—	1	—	—	—	—	—					3
4 Scarlet fever	3	1	—	—	—	—	1	—	—	1	—	—					4
5 Whooping cough	—	—	—	—	—	—	6	4	—	—	—	—					5
6 Diphtheria	—	—	—	—	—	—	2	—	—	—	—	—					6
7 Influenza	11	14	2	—	6	5	17	6	13	9	4	4					7
8 Encephalitis lethargica	—	1	—	—	1	—	2	—	1	1	—	—					8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	12	10	6	3	8	6	18	13	5	3	2	6					10
11 Other tuberculous diseases	3	7	3	1	2	4	6	4	1	1	1	1					11
12 Cancer, malignant disease	17	25	3	7	12	18	15	19	13	12	8	16					12
13 Rheumatic fever	—	2	1	—	—	—	1	1	—	—	—	1					13
14 Diabetes	1	—	1	—	1	1	1	3	—	—	—	1					14
15 Cerebral hæmorrhage, &c.	10	10	9	8	6	16	18	11	9	3	2	10					15
16 Heart disease	24	18	7	6	10	18	18	15	7	14	15	14					16
17 Arterio-sclerosis	8	3	1	—	1	5	2	5	4	1	1	1					17
18 Bronchitis	15	28	11	4	2	4	12	20	11	11	10	12					18
19 Pneumonia (all forms)	4	3	7	2	9	4	22	14	7	4	9	7					19
20 Other respiratory diseases	1	2	2	—	1	1	3	1	1	1	2	3					20
21 Ulcer of stomach or duodenum	2	1	1	1	1	—	—	1	2	—	1	—					21
22 Diarrhœa, &c. (under 2 years)	—	3	—	—	—	—	—	2	2	1	1	—					22
23 Appendicitis and typhlitis	—	2	1	—	—	1	2	—	—	1	2	—					23
24 Cirrhosis of liver	1	—	—	—	1	—	1	2	—	—	1	—					24
25 Acute and chronic nephritis	10	6	1	2	5	2	4	5	2	1	1	—					25
26 Puerperal sepsis	—	—	—	1	—	—	—	2	—	—	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	2	—	—	—	—					27
28 Congenital debility and malformation, premature birth	11	7	6	4	—	—	18	4	8	4	6	4					28
29 Suicide	2	—	3	—	—	—	—	2	3	—	3	2					29
30 Other deaths from violence	10	4	2	1	1	2	5	4	3	—	4	1					30
31 Other defined diseases	32	18	14	20	13	23	29	36	12	17	16	22					31
32 Causes ill-defined or unknown	3	—	—	—	—	—	—	—	—	—	—	—					32

WORCESTERSHIRE—*cont.*

Causes of Death.	Bromsgrove R.D.		Droitwich R.D.		Halesowen R.D.		Martley R.D.		Pershore R.D.		Upton on Severn R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	94	111	74	78	147	139	90	72	92	82	86	70					
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	1	—	—	—	—	—	—	—	3	1	—	—					3
4 Scarlet fever	—	—	—	—	1	1	—	—	—	—	—	—					4
5 Whooping cough	1	—	—	1	3	1	—	—	—	—	—	—					5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—					6
7 Influenza	7	6	2	7	4	2	1	5	3	5	10	6					7
8 Encephalitis lethargica	—	1	—	—	2	—	1	—	—	1	—	—					8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	4	8	5	4	12	10	5	4	3	5	7	3					10
11 Other tuberculous diseases	1	—	1	1	2	2	2	4	—	1	—	—					11
12 Cancer, malignant disease	7	21	9	11	10	18	5	8	10	11	8	7					12
13 Rheumatic fever	—	—	—	—	1	1	—	—	—	2	—	—					13
14 Diabetes	—	1	—	1	—	—	—	1	—	—	1	1					14
15 Cerebral hæmorrhage, &c.	6	9	2	3	10	12	14	11	12	8	10	8					15
16 Heart disease	13	12	14	16	18	17	12	10	12	10	13	9					16
17 Arterio-sclerosis	8	3	4	—	2	6	7	2	3	—	3	—					17
18 Bronchitis	7	11	6	7	12	12	6	5	2	7	2	3					18
19 Pneumonia (all forms)	1	7	4	4	17	12	9	5	6	3	4	5					19
20 Other respiratory diseases	2	1	1	2	1	—	1	1	3	1	1	—					20
21 Ulcer of stomach or duodenum	1	—	—	—	1	2	—	—	—	—	—	—					21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	2	1	1	1	2	—	2	—					22
23 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	1	—					23
24 Cirrhosis of liver	—	1	1	—	2	1	—	—	1	—	—	2					24
25 Acute and chronic nephritis	2	—	2	1	4	4	2	—	5	3	2	4					25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	1	—	1					27
28 Congenital debility and malformation, premature birth	8	4	3	2	11	7	3	1	2	3	5	1					28
29 Suicide	3	—	1	—	—	—	1	—	1	—	2	1					29
30 Other deaths from violence	4	3	6	2	5	2	3	1	6	2	3	1					30
31 Other defined diseases	16	22	13	16	26	27	17	13	18	18	12	18					31
32 Causes ill-defined or unknown	1	—	—	—	1	—	—	—	—	—	—	—					32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

YORKSHIRE, EAST RIDING.

Causes of Death.	Beverley M.B.		Bridlington M.B.				Beverley R.D.		Driffield R.D.		Howden R.D.		Pocklington R.D.		Sculcoates R.D.				
	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	92	111	97	118			65	74	68	77	77	73	64	67	56	49			
1 Enteric fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—			1
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—			2
3 Measles	—	—	—	—			—	—	1	1	—	—	—	1	—	—			3
4 Scarlet fever	—	—	—	—			—	1	—	—	—	—	—	—	—	—			4
5 Whooping cough	1	—	—	1			1	1	1	—	—	—	1	2	—	—			5
6 Diphtheria	—	—	—	—			—	—	—	—	—	—	—	—	—	—			6
7 Influenza	2	8	1	1			3	6	7	7	5	2	2	4	1	3			7
8 Encephalitis lethargica	—	—	—	—			—	—	—	—	—	—	—	—	1	1			8
9 Meningococcal meningitis	—	—	—	—			—	—	—	—	—	—	—	—	—	—			9
10 Tuberculosis of respiratory sys.	5	6	6	2			3	4	2	6	3	4	1	—	5	3			10
11 Other tuberculous diseases	1	1	1	4			1	2	1	4	—	—	—	—	1	1			11
12 Cancer, malignant disease	9	17	13	22			10	10	5	7	9	12	4	5	7	7			12
13 Rheumatic fever	—	—	—	—			—	—	—	—	—	—	1	—	—	1			13
14 Diabetes	—	2	1	1			—	—	—	1	—	2	1	2	—	—			14
15 Cerebral hæmorrhage, &c.	10	12	2	6			4	4	3	6	4	4	7	4	5	3			15
16 Heart disease	11	13	14	17			4	11	9	12	8	11	5	15	11	6			16
17 Arterio-sclerosis	2	—	6	9			4	2	1	—	5	5	3	1	—	2			17
18 Bronchitis	11	10	7	14			6	3	6	2	10	5	5	3	4	3			18
19 Pneumonia (all forms)	9	6	5	4			5	2	4	3	9	4	5	1	—	4			19
20 Other respiratory diseases	2	1	1	—			1	—	—	—	2	1	1	1	—	—			20
21 Ulcer of stomach or duodenum	—	1	—	—			—	—	—	1	—	—	—	—	1	—			21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—			—	—	—	—	—	—	—	—	—	—			22
23 Appendicitis and typhlitis	—	—	1	—			—	1	2	1	—	—	1	—	—	1			23
24 Cirrhosis of liver	2	—	2	—			1	—	—	—	1	1	—	—	—	—			24
25 Acute and chronic nephritis	1	3	4	3			3	4	1	1	—	—	1	1	—	3			25
26 Puerperal sepsis	—	2	—	—			—	2	—	—	—	—	—	1	—	—			26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1			—	1	—	1	—	1	—	1	—	—			27
28 Congenital debility and malformation, premature birth	1	6	7	2			—	1	6	3	4	5	4	2	3	1			28
29 Suicide	—	1	2	—			1	—	1	1	1	1	—	—	1	—			29
30 Other deaths from violence	2	1	—	2			2	3	2	3	4	2	1	2	2	2			30
31 Other defined diseases	23	18	24	29			16	16	15	17	12	13	20	21	13	8			31
32 Causes ill-defined or unknown	—	—	—	—			—	—	1	—	—	—	1	—	1	—			32

YORKSHIRE, NORTH RIDING.

Causes of Death.	Eston U.D.		Redcar M.B.		Scarborough M.B.		Skelton & Brotton U.D.		Thornaby on Tees M.B.		Whitby U.D.				Stokesley R.D.		Thirsk R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	
All Causes	249	190	98	104	244	305	98	90	176	128	77	80			90	93	89	76	
1 Enteric fever	—	—	—	—	1	3	—	1	1	—	—	—			—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3 Measles	1	1	1	—	—	—	—	—	—	—	—	—			—	—	—	—	3
4 Scarlet fever	1	3	—	—	—	—	—	1	—	—	1	1			—	1	—	—	4
5 Whooping cough	3	2	1	1	4	2	—	—	4	8	—	—			2	2	—	1	5
6 Diphtheria	—	1	—	—	—	1	1	2	3	—	—	—			—	—	—	—	6
7 Influenza	16	4	7	14	20	18	4	4	6	4	14	12			7	6	7	3	7
8 Encephalitis lethargica	—	—	—	—	1	2	1	1	—	—	—	—			—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	9
10 Tuberculosis of respiratory sys.	22	12	6	9	25	10	8	4	7	12	5	3			6	5	3	4	10
11 Other tuberculous diseases	3	5	2	—	3	6	1	1	1	4	3	3			2	2	2	—	11
12 Cancer, malignant disease	19	10	5	6	17	34	3	6	4	10	8	10			8	8	6	11	12
13 Rheumatic fever	2	2	—	1	—	—	—	1	—	—	—	—			—	2	—	1	13
14 Diabetes	1	1	1	—	3	4	—	—	1	—	—	1			1	1	2	1	14
15 Cerebral hæmorrhage, &c.	17	11	4	6	21	26	8	7	3	2	4	6			2	7	7	4	15
16 Heart disease	19	18	14	14	35	45	11	9	14	9	5	3			16	10	18	11	16
17 Arterio-sclerosis	5	1	4	3	9	25	—	2	4	—	5	5			2	4	6	6	17
18 Bronchitis	12	13	7	9	17	28	16	7	19	12	4	4			5	4	3	3	18
19 Pneumonia (all forms)	35	23	8	7	15	19	8	1	41	20	3	5			11	4	6	3	19
20 Other respiratory diseases	5	1	3	—	4	1	2	1	3	—	—	—			2	3	—	2	20
21 Ulcer of stomach or duodenum	1	—	1	1	1	—	1	1	1	—	—	—			—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	5	6	4	—	1	—	2	2	3	7	1	—			—	—	—	1	22
23 Appendicitis and typhlitis	3	—	1	—	—	—	—	—	—	—	1	—			—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	1	—	1	—			—	—	1	1	24
25 Acute and chronic nephritis	6	7	2	1	6	14	4	9	1	1	3	5			1	4	2	—	25
26 Puerperal sepsis	—	1	—	1	—	1	—	—	—	1	—	1			—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	2	—	3	—	1	—	3	—	—			—	1	—	—	27
28 Congenital debility and malformation, premature birth	13	18	6	4	10	5	4	5	17	9	3	4			2	6	3	5	28
29 Suicide	4	1	2	2	1	1	—	1	2	1	1	—			1	—	3	—	29
30 Other deaths from violence	14	3	6	—	3	4	4	—	6	2	3	1			5	—	2	—	30
31 Other defined diseases	41	41	12	23	45	53	19	23	32	22	12	15			17	21	18	19	31
32 Causes ill-defined or unknown	1	1	1	—	1	—	1	—	2	1	—	1			—	1	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING.

Causes of Death.	Adwick-le-Street U.D.		Barn-oldswick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		Bolton upon Dearne U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	71	57	73	73	240	251	66	59	122	151	105	84	
1 Enteric fever	—	1	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	—	—	—	—	—	—	—	—	4	6	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	1	—	4
5 Whooping cough	2	—	1	1	1	2	—	—	—	1	—	—	5
6 Diphtheria	2	—	—	—	—	1	2	—	—	1	2	1	6
7 Influenza	2	2	7	9	20	16	—	—	8	16	2	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	1	3	7	11	3	3	1	14	11	4	4	10
11 Other tuberculous diseases	3	3	3	3	9	3	1	1	2	—	—	2	11
12 Cancer, malignant disease	4	4	5	7	19	34	—	4	10	17	4	8	12
13 Rheumatic fever	1	—	—	—	—	—	—	—	—	—	1	—	13
14 Diabetes	—	—	1	2	2	2	—	—	2	2	2	—	14
15 Cerebral hæmorrhage, &c.	1	5	2	2	17	29	—	4	8	9	3	6	15
16 Heart disease	2	4	15	16	33	37	10	9	23	22	11	10	16
17 Arterio-sclerosis	2	—	1	1	16	4	2	3	4	2	2	—	17
18 Bronchitis	1	1	4	—	23	33	6	5	7	14	7	3	18
19 Pneumonia (all forms)	11	7	4	4	20	18	12	8	4	7	22	15	19
20 Other respiratory diseases	—	—	—	1	5	4	1	1	1	—	1	1	20
21 Ulcer of stomach or duodenum	—	—	1	1	6	1	1	1	—	1	—	1	21
22 Diarrhœa, &c. (under 2 years)	3	3	—	—	—	1	4	1	—	—	3	4	22
23 Appendicitis and typhlitis	—	—	—	—	1	1	1	1	2	2	—	2	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	1	—	2	2	6	6	2	—	2	4	4	—	25
26 Puerperal sepsis	—	1	—	—	—	2	—	2	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	4	—	1	—	1	—	1	27
28 Congenital debility and malformation, premature birth	4	5	3	5	11	9	7	3	8	5	13	3	28
29 Suicide	1	—	3	—	4	2	3	—	2	—	—	2	29
30 Other deaths from violence	10	3	3	1	9	2	3	2	3	—	9	3	30
31 Other defined diseases	15	14	14	10	25	36	8	11	21	35	10	8	31
32 Causes ill-defined or unknown	—	—	1	—	—	1	—	1	—	1	—	2	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Brig-house M.B.		Castle-ford U.D.		Conis-brough U.D.		Darton U.D.		Doncas-ter M.B.		Elland U.D.		Feather-stone U.D.		Golcar U.D.		Goole U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	141	142	193	155	121	82	49	79	367	296	49	89	133	91	54	83	156	127	
1 Enteric fever	—	—	1	1	1	—	1	—	1	1	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	6	2	2	—	—	6	3	—	—	7	3	—	2	—	1	3
4 Scarlet fever	1	3	2	—	—	1	—	—	—	1	—	—	—	2	—	1	—	—	4
5 Whooping cough	—	3	4	1	—	5	—	—	1	2	—	—	4	3	—	—	1	—	5
6 Diphtheria	—	2	1	—	—	—	—	—	2	1	—	—	1	2	1	—	3	2	6
7 Influenza	11	12	7	2	3	2	4	8	18	15	4	6	12	6	1	3	5	11	7
8 Encephalitis lethargica	2	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	17	6	17	9	8	3	3	4	28	17	3	3	11	4	6	2	11	11	10
11 Other tuberculous diseases	4	3	2	6	—	—	—	1	6	5	1	2	4	—	2	2	8	5	11
12 Cancer, malignant disease	9	19	11	10	8	5	1	9	40	40	4	12	7	4	2	15	12	11	12
13 Rheumatic fever	—	2	1	3	1	3	—	—	2	1	—	—	—	1	—	—	—	—	13
14 Diabetes	—	1	3	1	—	—	1	—	1	4	—	3	3	1	1	—	1	—	14
15 Cerebral hæmorrhage, &c.	11	8	7	15	3	3	3	3	16	17	2	4	5	4	2	5	5	10	15
16 Heart disease	17	20	18	17	7	2	8	8	35	34	8	21	13	9	11	13	13	15	16
17 Arterio-sclerosis	8	5	3	1	3	1	—	1	10	7	2	4	1	2	3	3	1	1	17
18 Bronchitis	16	19	22	17	13	9	3	5	27	20	6	4	14	14	4	5	7	5	18
19 Pneumonia (all forms)	11	8	35	17	19	18	3	7	43	27	3	2	17	7	3	6	35	20	19
20 Other respiratory diseases	3	1	2	1	—	—	1	2	8	2	—	1	—	—	2	—	—	1	20
21 Ulcer of stomach or duodenum	1	1	1	—	—	—	—	—	6	1	2	—	2	1	1	1	4	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	8	5	8	8	—	1	7	2	—	—	—	5	—	—	—	—	22
23 Appendicitis and typhlitis	—	—	2	—	—	—	—	—	—	1	—	1	—	3	1	—	—	—	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	24
25 Acute and chronic nephritis	3	3	2	1	2	—	1	—	8	8	2	4	3	1	—	4	4	1	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	4	—	1	—	2	—	1	—	1	27
28 Congenital debility and malformation, premature birth	3	1	14	12	8	3	3	5	26	13	—	1	12	5	2	1	6	7	28
29 Suicide	3	—	—	1	3	—	2	1	2	3	1	—	1	—	1	—	—	—	29
30 Other deaths from violence	5	1	8	1	9	3	5	3	15	8	1	—	4	2	1	2	5	2	30
31 Other defined diseases	13	22	18	27	23	14	10	20	51	53	10	20	11	9	10	16	33	22	31
32 Causes ill-defined or unknown	1	—	1	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Harrogate M.B.		Hemsworth U.D.		Holmfirth U.D.		Hoyland Nether U.D.		Keighley M.B.		Mexborough U.D.		Mirfield U.D.		Morley M.B.		Normanton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	01	239	82	61	60	76	99	89	321	283	99	75	92	97	167	179	111	111	
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	3	1	—	2	—	—	—	—	—	—	—	—	3	2	4	2	3
4 Scarlet fever	—	1	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	4
5 Whooping cough	3	7	2	1	—	1	3	2	7	4	1	—	1	—	2	2	—	1	5
6 Diphtheria	2	—	—	—	—	—	—	2	1	—	—	—	—	—	2	3	1	—	6
7 Influenza	4	28	2	3	6	3	5	2	22	19	3	5	4	7	10	12	2	6	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	15	7	1	3	4	2	6	4	17	10	4	4	5	4	8	9	9	10	10
11 Other tuberculous diseases	3	5	3	3	3	1	4	2	2	2	4	1	3	—	—	2	6	4	11
12 Cancer, malignant disease	21	31	2	5	9	13	7	6	22	29	10	11	6	9	13	14	7	9	12
13 Rheumatic fever	—	4	—	—	—	—	—	—	—	4	—	—	1	—	—	—	1	—	13
14 Diabetes	—	2	—	—	1	—	—	—	3	1	—	1	—	1	1	1	3	2	14
15 Cerebral hæmorrhage, &c.	12	14	2	6	1	4	4	5	18	16	7	3	12	15	10	10	1	6	15
16 Heart disease	39	36	2	6	9	14	6	13	41	37	4	6	12	17	23	25	11	14	16
17 Arterio-sclerosis	19	15	3	—	5	7	5	2	7	5	2	2	1	1	15	13	1	4	17
18 Bronchitis	13	11	3	1	3	7	9	13	31	24	15	7	13	11	6	12	9	9	18
19 Pneumonia (all forms)	15	18	15	8	1	3	13	8	40	19	8	9	3	4	22	17	16	16	19
20 Other respiratory diseases	5	4	1	—	2	1	2	2	4	—	3	—	4	3	4	1	—	—	20
21 Ulcer of stomach or duodenum	2	5	—	1	—	—	—	—	2	1	1	—	1	—	2	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	4	1	—	2	3	1	4	1	2	2	1	—	2	4	6	—	22
23 Appendicitis and typhlitis	—	—	—	1	1	—	—	1	1	3	—	—	1	—	—	—	2	—	23
24 Cirrhosis of liver	—	—	—	1	—	—	—	—	—	—	—	—	1	—	2	—	—	—	24
25 Acute and chronic nephritis	5	7	3	2	1	3	—	3	13	27	5	4	5	2	4	7	1	3	25
26 Puerperal sepsis	—	1	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	4	—	1	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	9	6	10	4	2	2	3	3	16	12	6	5	2	4	11	9	9	7	28
29 Suicide	1	2	1	—	—	—	3	2	3	2	2	1	4	—	1	—	—	—	29
30 Other deaths from violence	3	10	9	4	—	—	8	1	9	2	3	1	4	2	5	7	9	2	30
31 Other defined diseases	29	25	16	7	12	10	18	15	57	56	17	12	8	16	20	28	12	12	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Ossett M.B.		Pontefract M.B.		Pudsey M.B.		Rawmarsh U.D.		Rothwell U.D.		Saddleworth U.D.		Shipley U.D.		Skipton U.D.		Sowerby Bridge U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	84	116	138	118	84	92	105	115	80	84	74	80	199	231	96	91	86	93	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	4	4	—	—	1	—	—	—	1	—	—	1	—	—	—	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	1	1	1	1	—	—	—	3	—	—	—	—	—	1	3	6	—	—	5
6 Diphtheria	—	—	1	2	—	—	1	1	—	—	—	—	—	—	1	1	—	—	6
7 Influenza	1	3	2	6	2	3	3	5	3	5	2	5	8	11	4	8	10	10	7
8 Encephalitis lethargica	—	—	—	1	—	1	—	1	—	—	—	—	—	—	2	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	6	7	12	6	4	7	13	8	4	5	4	14	17	3	4	6	6	10
11 Other tuberculous diseases	2	2	3	4	3	1	4	7	—	1	—	1	4	1	1	1	1	1	11
12 Cancer, malignant disease	6	12	9	8	10	8	6	7	5	11	8	6	21	29	10	8	7	19	12
13 Rheumatic fever	—	—	1	—	—	1	—	—	—	—	1	—	1	2	—	1	—	—	13
14 Diabetes	—	2	1	—	—	2	—	—	1	1	1	—	1	3	—	1	—	2	14
15 Cerebral hæmorrhage, &c.	7	9	7	3	6	8	7	10	6	5	4	8	11	21	10	3	6	9	15
16 Heart disease	6	17	9	8	13	13	5	7	7	16	10	9	30	28	8	7	17	20	16
17 Arterio-sclerosis	6	2	—	5	2	3	—	1	1	—	3	8	5	6	9	4	2	1	17
18 Bronchitis	9	12	19	6	3	10	8	8	7	5	3	4	12	25	5	13	6	5	18
19 Pneumonia (all forms)	11	10	24	18	8	5	12	7	8	5	6	6	26	29	10	5	11	4	19
20 Other respiratory diseases	3	3	1	1	5	1	3	4	1	1	3	2	4	2	1	1	—	—	20
21 Ulcer of stomach or duodenum	1	—	2	—	1	—	1	1	1	—	4	—	3	1	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	5	3	—	—	5	4	—	2	—	1	—	—	—	1	—	—	22
23 Appendicitis and typhlitis	2	1	—	—	—	1	1	—	—	—	—	—	—	—	1	2	1	1	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	2	8	—	4	6	2	3	4	4	1	2	4	2	7	1	2	—	1	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	3	—	1	—	—	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	3	4	10	14	3	4	12	6	11	6	1	7	12	9	4	3	1	1	28
29 Suicide	1	—	6	—	2	—	3	1	—	—	—	—	3	—	1	—	3	—	29
30 Other deaths from violence	5	—	3	2	2	2	5	1	4	2	3	2	4	1	9	1	4	4	30
31 Other defined diseases	13	22	21	15	10	23	18	21	13	17	15	13	38	36	12	15	11	9	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	1	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Spenborough U.D.		Stanley U.D.		Swinton U.D.		Todmorden M.B.		Wath-upon-Dearne U.D.		Wombwell U.D.		Worsborough U.D.				Doncaster R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	
All Causes	217	219	79	75	82	76	173	202	85	77	127	96	88	60			168	139	
Enteric fever	1	—	—	—	—	—	—	—	—	—	—	1	—	—			2	—	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
Measles	—	—	2	—	1	—	3	3	3	2	—	—	3	4			1	—	3
Scarlet fever	—	—	—	—	—	—	—	1	1	1	—	—	—	—			—	—	4
Whooping cough	1	1	1	—	—	—	1	—	—	—	—	2	—	—			2	1	5
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	1			1	1	6
Influenza	18	18	2	—	5	2	9	14	—	—	6	2	3	4			10	8	7
Encephalitis lethargica	—	1	—	1	2	—	—	—	—	—	—	1	—	—			—	—	8
Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	9
Tuberculosis of respiratory sys.	12	9	7	6	9	3	6	2	4	6	10	12	6	5			10	8	10
Other tuberculous diseases	1	6	2	3	1	2	3	1	4	1	1	4	2	2			2	4	11
Cancer, malignant disease	15	24	2	8	3	9	15	17	7	9	7	3	2	4			13	7	12
Rheumatic fever	1	—	—	1	1	—	2	—	1	—	1	2	—	1			—	1	13
Diabetes	—	5	1	1	—	—	2	4	—	—	—	4	—	1			1	2	14
Cerebral hæmorrhage, &c.	22	17	8	5	1	6	18	28	4	9	4	—	5	5			6	5	15
Heart disease	28	22	12	14	12	15	11	23	12	11	16	11	9	5			11	10	16
Arterio-sclerosis	8	6	2	1	2	1	13	8	1	—	1	—	2	1			6	3	17
Bronchitis	27	26	2	3	5	4	17	28	10	2	15	11	13	6			9	14	18
Pneumonia (all forms)	26	20	10	15	8	8	13	9	8	10	14	9	10	5			22	14	19
Other respiratory diseases	4	2	—	—	1	1	1	3	—	—	1	—	2	1			—	2	20
Ulcer of stomach or duodenum	1	1	—	1	—	—	3	1	—	—	2	—	—	—			2	—	21
Diarrhœa, &c. (under 2 years)	—	—	2	1	4	6	1	—	2	1	3	5	—	1			5	4	22
Appendicitis and typhlitis	—	1	—	1	—	1	2	3	1	—	3	2	—	—			1	1	23
Cirrhosis of liver	4	1	—	—	—	—	1	—	—	—	—	—	1	—			—	—	24
Acute and chronic nephritis	5	2	2	—	—	2	10	12	1	3	2	2	3	5			1	1	25
Puerperal sepsis	—	6	—	—	—	—	—	1	—	1	—	1	—	1			—	1	26
Other accidents and diseases of pregnancy and parturition	—	4	—	—	—	1	—	—	—	1	—	—	—	—			—	2	27
Congenital debility and malformation, premature birth	10	7	7	3	6	5	6	8	8	3	13	6	7	4			18	18	28
Suicide	2	1	1	—	2	—	2	2	—	—	5	—	4	—			1	—	29
Other deaths from violence	3	2	5	—	8	—	9	1	4	2	11	2	2	1			14	3	30
Other defined diseases	28	37	11	11	10	10	25	33	14	15	12	16	14	3			30	29	31
Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	—	—	—			—	—	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Great Ouseburn R.D.		Hemsworth R.D.		Kiveton Park R.D.		Pontefract R.D.		Rotherham R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	63	65	237	221	88	69	138	130	266	199	90	92	127	144	164	165	106	89	
Enteric fever	—	—	1	1	—	1	—	—	1	2	—	—	—	—	—	1	1	—	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Measles	—	—	2	3	1	—	5	2	4	1	—	—	—	—	1	—	2	1	3
Scarlet fever	—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	4
Whooping cough	—	—	12	10	1	1	2	4	2	3	—	—	1	3	—	6	1	2	5
Diphtheria	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	6
Influenza	4	3	9	17	3	—	6	2	2	11	4	5	14	7	10	6	3	8	7
Encephalitis lethargica	—	2	—	2	2	1	1	—	—	1	—	—	—	1	—	—	—	—	8
Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
Tuberculosis of respiratory sys.	2	2	15	12	6	5	6	10	14	14	1	2	5	3	6	13	7	6	10
Other tuberculous diseases	1	2	4	9	2	1	2	2	8	6	1	1	—	3	8	3	5	5	11
Cancer, malignant disease	7	7	9	19	5	5	10	11	13	14	6	10	11	17	12	18	15	6	12
Rheumatic fever	—	—	2	2	—	—	—	1	1	1	1	—	1	1	2	1	—	—	13
Diabetes	1	—	2	2	1	—	—	1	3	2	1	2	7	4	4	1	—	—	14
Cerebral hæmorrhage, &c.	1	7	9	7	7	3	2	8	13	10	3	8	13	11	8	11	10	16	15
Heart disease	12	11	13	15	5	9	10	12	18	22	21	20	19	25	17	13	7	12	16
Arterio-sclerosis	3	3	5	2	—	3	6	—	4	4	4	5	11	8	3	2	2	2	17
Bronchitis	7	4	26	17	9	6	7	10	14	10	3	4	7	18	11	18	3	3	18
Pneumonia (all forms)	2	6	47	29	9	9	18	22	32	27	5	—	5	4	19	11	9	6	19
Other respiratory diseases	—	1	1	3	2	1	2	1	5	5	1	—	2	1	4	4	—	—	20
Ulcer of stomach or duodenum	2	—	3	—	2	—	1	—	1	—	2	—	1	1	—	1	1	—	21
Diarrhœa, &c. (under 2 years)	—	—	2	5	1	1	5	1	4	4	—	—	—	—	—	1	1	1	22
Appendicitis and typhlitis	—	1	2	3	2	1	1	—	1	—	1	1	—	—	1	1	—	—	23
Cirrhosis of liver	—	—	2	2	—	—	—	—	2	—	—	—	—	—	—	1	—	—	24
Acute and chronic nephritis	2	—	4	5	2	4	2	3	6	2	1	2	3	2	4	2	3	1	25
Puerperal sepsis	—	1	—	1	—	—	—	1	—	2	—	—	—	—	—	1	—	1	26
Other accidents and diseases of pregnancy and parturition	—	—	—	5	—	—	—	6	—	1	—	—	—	—	—	3	—	—	27
Congenital debility and malformation, premature birth	3	—	19	16	7	6	15	6	18	15	4	2	5	3	9	8	15	4	28
Suicide	2	—	2	—	—	—	1	—	3	—	—	—	1	1	2	—	—	—	29
Other deaths from violence	2	—	16	1	3	—	9	2	50	3	8	1	2	4	9	2	10	2	30
Other defined diseases	12	15	27	32	18	12	27	24	44	37	22	27	18	26	34	37	8	13	31
Causes ill-defined or unknown	—	—	—	—	—	—	—	—	2	—	1	2	1	1	—	—	2	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Wakefield R.D.		Wetherby R.D.		Wharfedale North R.D.		Wharfedale South R.D.		Wortley R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	146	119	86	104	35	21	27	21	176	122
1 Enteric fever	—	—	—	—	—	—	—	—	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—
3 Measles	3	1	—	—	—	—	—	—	2	1
4 Scarlet fever	1	—	—	—	—	—	—	—	1	—
5 Whooping cough	2	3	—	—	—	—	—	—	—	—
6 Diphtheria	—	—	—	1	—	—	—	—	—	—
7 Influenza	9	4	7	8	1	1	—	3	8	6
8 Encephalitis lethargica	1	—	—	—	—	—	—	—	3	—
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	8	12	2	2	1	—	4	1	3	7
11 Other tuberculous diseases	3	1	—	3	—	—	1	—	7	1
12 Cancer, malignant disease	8	10	12	18	4	3	3	2	16	16
13 Rheumatic fever	—	—	—	—	—	—	—	—	2	1
14 Diabetes	1	—	2	2	—	—	—	1	—	—
15 Cerebral hæmorrhage, &c.	8	9	6	8	3	1	2	1	13	16
16 Heart disease	14	20	5	14	5	3	4	2	23	24
17 Arterio-sclerosis	6	4	14	8	—	—	1	1	6	1
18 Bronchitis	6	5	2	7	1	1	1	2	19	10
19 Pneumonia (all forms)	24	17	7	4	1	3	4	1	17	7
20 Other respiratory diseases	3	—	—	2	1	1	—	1	7	3
21 Ulcer of stomach or duodenum	3	—	1	2	1	1	—	—	2	—
22 Diarrhœa, &c. (under 2 years)	4	3	—	1	1	1	—	—	1	2
23 Appendicitis and typhlitis	2	—	1	—	—	—	—	—	—	—
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis	2	1	2	4	2	—	1	—	6	5
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	2
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	10	5	6	1	4	1	—	3	10	1
29 Suicide	2	1	—	—	—	—	1	—	2	—
30 Other deaths from violence	6	3	3	3	1	1	—	—	2	3
31 Other defined diseases	19	18	16	15	9	3	5	3	24	16
32 Causes ill-defined or unknown	—	—	—		—	1	—	—	—	—

ANGLESEY.

Causes of Death.	Holyhead U.D.		Valley R.D.	
	M.	F.	M.	F.
All Causes	74	89	98	101
1 Enteric fever	—	—	—	—
2 Small-pox	—	—	—	—
3 Measles	—	—	—	—
4 Scarlet fever	1	1	—	—
5 Whooping cough	4	7	1	2
6 Diphtheria	—	2	1	—
7 Influenza	1	3	12	15
8 Encephalitis lethargica	—	—	—	—
9 Meningococcal meningitis	—	—	—	—
10 Tuberculosis of respiratory sys.	5	9	4	7
11 Other tuberculous diseases	3	7	3	2
12 Cancer, malignant disease	6	6	11	11
13 Rheumatic fever	—	—	—	—
14 Diabetes	1	—	—	1
15 Cerebral hæmorrhage, &c.	3	5	10	14
16 Heart disease	8	7	8	15
17 Arterio-sclerosis	3	5	1	—
18 Bronchitis	3	4	4	4
19 Pneumonia (all forms)	3	9	5	2
20 Other respiratory diseases	—	—	1	1
21 Ulcer of stomach or duodenum	1	—	—	—
22 Diarrhœa, &c. (under 2 years)	2	1	—	—
23 Appendicitis and typhlitis	1	—	1	—
24 Cirrhosis of liver	—	—	—	1
25 Acute and chronic nephritis	3	2	4	1
26 Puerperal sepsis	—	1	—	1
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2
28 Congenital debility and malformation, premature birth	6	7	8	2
29 Suicide	—	—	1	2
30 Other deaths from violence	3	1	4	1
31 Other defined diseases	16	11	17	17
32 Causes ill-defined or unknown	1	—	2	—

BRECKNOCKSHIRE.

Causes of Death.	Ystradgynlais R.D.	
	M.	F.
All Causes	76	62
1 Enteric fever	—	—
2 Small-pox	—	—
3 Measles	—	1
4 Scarlet fever	—	—
5 Whooping cough	—	1
6 Diphtheria	2	—
7 Influenza	1	2
8 Encephalitis lethargica	—	—
9 Meningococcal meningitis	—	—
10 Tuberculosis of respiratory sys.	3	7
11 Other tuberculous diseases	2	1
12 Cancer, malignant disease	3	6
13 Rheumatic fever	1	—
14 Diabetes	—	1
15 Cerebral hæmorrhage, &c.	6	3
16 Heart disease	5	8
17 Arterio-sclerosis	—	—
18 Bronchitis	11	3
19 Pneumonia (all forms)	6	6
20 Other respiratory diseases	—	1
21 Ulcer of stomach or duodenum	1	1
22 Diarrhœa, &c. (under 2 years)	2	1
23 Appendicitis and typhlitis	2	—
24 Cirrhosis of liver	—	—
25 Acute and chronic nephritis	2	4
26 Puerperal sepsis	—	1
27 Other accidents and diseases of pregnancy and parturition	—	2
28 Congenital debility and malformation, premature birth	7	5
29 Suicide	—	—
30 Other deaths from violence	5	—
31 Other defined diseases	17	8
32 Causes ill-defined or unknown	—	—

CARDIGANSHIRE.

Causes of Death.	Aberystwyth M.B.		Aberystwyth North R.D.		Aberystwyth South R.D.	
	M.	F.	M.	F.	M.	F.
All Causes	49	71	57	68	39	50
1 Enteric fever	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—
3 Measles	1	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—
5 Whooping cough	1	1	2	1	—	—
6 Diphtheria	1	—	—	—	—	—
7 Influenza	1	9	—	4	3	2
8 Encephalitis lethargica	—	—	—	—	1	—
9 Meningococcal meningitis	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	6	6	5	7	5	5
11 Other tuberculous diseases	—	3	1	2	—	2
12 Cancer, malignant disease	4	7	6	6	3	3
13 Rheumatic fever	1	—	1	—	—	—
14 Diabetes	—	1	—	—	1	—
15 Cerebral hæmorrhage, &c.	4	5	1	5	—	5
16 Heart disease	9	5	12	17	5	11
17 Arterio-sclerosis	2	5	2	1	1	2
18 Bronchitis	—	4	5	1	3	2
19 Pneumonia (all forms)	—	2	3	4	3	1
20 Other respiratory diseases	2	—	—	—	1	2
21 Ulcer of stomach or duodenum	1	—	—	1	2	—
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—
23 Appendicitis and typhlitis	—	—	—	—	—	—
24 Cirrhosis of liver	1	—	—	—	—	—
25 Acute and chronic nephritis	1	5	3	3	—	5
26 Puerperal sepsis	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1
28 Congenital debility and malformation, premature birth	1	2	5	1	2	—
29 Suicide	3	—	—	—	—	—
30 Other deaths from violence	1	2	2	1	2	—
31 Other defined diseases	9	13	9	14	6	9
32 Causes ill-defined or unknown	—	—	—	—	—	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

CARMARTHENSHIRE.

Causes of Death.	Carmarthen M.B.		Llanelly M.B.						Carmarthen R.D.		Llandilo Fawr R.D.		Llanelly R.D.						
	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.					
All Causes	61	62	240	221					163	191	158	122	236	223					
1 Enteric fever	—	—	—	2					—	—	—	—	3	—					1
2 Small-pox	—	—	—	—					—	—	—	—	—	—					2
3 Measles	—	—	—	—					—	—	—	—	—	—					3
4 Scarlet fever	—	—	—	—					—	1	1	—	2	—					4
5 Whooping cough	—	—	3	6					1	1	1	—	1	2					5
6 Diphtheria	1	—	—	6					—	—	1	1	3	4					6
7 Influenza	1	—	7	8					8	7	7	7	4	5					7
8 Encephalitis lethargica	1	—	—	—					—	—	—	—	—	—					8
9 Meningococcal meningitis	—	—	1	—					—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	5	5	14	22					14	20	16	9	18	17					10
11 Other tuberculous diseases	2	1	5	4					2	2	1	1	4	8					11
12 Cancer, malignant disease	6	7	23	17					8	21	7	10	17	14					12
13 Rheumatic fever	—	—	2	—					1	1	3	—	2	4					13
14 Diabetes	—	—	1	2					1	2	1	1	—	—					14
15 Cerebral hæmorrhage, &c.	—	4	4	16					7	13	4	16	11	16					15
16 Heart disease	9	23	28	35					28	34	20	15	27	41					16
17 Arterio-sclerosis	1	1	13	5					1	—	2	2	4	4					17
18 Bronchitis	4	1	12	8					10	17	12	10	26	13					18
19 Pneumonia (all forms)	5	5	29	12					8	6	10	5	28	14					19
20 Other respiratory diseases	2	—	5	4					2	—	1	2	5	1					20
21 Ulcer of stomach or duodenum	—	—	1	1					3	1	1	—	1	—					21
22 Diarrhœa, &c. (under 2 years)	—	—	5	6					1	3	—	1	1	2					22
23 Appendicitis and typhlitis	1	—	1	2					1	—	—	2	1	—					23
24 Cirrhosis of liver	—	—	1	—					3	—	—	—	—	—					24
25 Acute and chronic nephritis	9	2	4	4					10	13	4	—	7	8					25
26 Puerperal sepsis	—	—	—	—					—	1	—	2	—	1					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2					—	3	—	4	—	6					27
28 Congenital debility and malformation, premature birth	2	—	16	7					11	12	14	8	12	19					28
29 Suicide	1	—	—	—					1	—	2	—	—	—					29
30 Other deaths from violence	1	2	13	4					10	1	18	—	20	1					30
31 Other defined diseases	9	11	51	47					28	30	31	26	38	42					31
32 Causes ill-defined or unknown	1	—	1	1					4	2	1	—	1	1					32

CARNARVONSHIRE. DENBIGHSHIRE.

Causes of Death.	Bangor M.B.		Llandudno U.D.						Gwyrfai R.D.		Lleyn R.D.		Colwyn Bay & Colwyn U.D.		Wrexham M.B.				Wrexham R.D.		
	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	
All Causes	67	82	58	81					233	218	134	117	108	133	120	132			384	373	
1 Enteric fever	—	—	—	—					—	—	—	—	—	—	—	—			—	1	1
2 Small-pox	—	—	—	—					—	—	—	—	—	—	—	—			—	—	2
3 Measles	—	—	—	—					1	—	—	—	—	—	—	—			4	1	3
4 Scarlet fever	1	—	—	—					—	—	—	—	—	—	—	—			1	1	4
5 Whooping cough	—	—	—	—					1	—	—	—	—	—	—	—			4	7	5
6 Diphtheria	—	—	—	—					—	—	—	—	—	—	—	—			1	1	6
7 Influenza	1	3	4	5					8	6	3	3	3	6	3	5			18	9	7
8 Encephalitis lethargica	1	1	—	—					—	1	—	—	1	3	—	—			1	1	8
9 Meningococcal meningitis	—	—	—	—					—	—	—	—	—	—	—	—			—	—	9
10 Tuberculosis of respiratory sys.	5	6	4	4					25	32	13	9	8	13	19	9			11	21	10
11 Other tuberculous diseases	2	1	—	2					5	6	2	2	1	3	1	2			4	5	11
12 Cancer, malignant disease	9	6	11	14					15	27	11	17	14	16	6	10			27	26	12
13 Rheumatic fever	—	—	—	—					1	—	—	2	—	—	1	—			1	5	13
14 Diabetes	1	—	—	3					2	1	—	1	—	1	1	1			1	1	14
15 Cerebral hæmorrhage, &c.	8	8	2	5					12	12	11	9	10	11	7	18			19	35	15
16 Heart disease	6	9	9	14					31	22	22	17	17	26	18	16			51	67	16
17 Arterio-sclerosis	2	1	2	5					17	11	2	—	5	10	1	1			9	3	17
18 Bronchitis	1	7	1	3					10	18	5	7	1	4	9	9			28	33	18
19 Pneumonia (all forms)	3	3	4	3					22	9	10	7	10	5	13	7			55	33	19
20 Other respiratory diseases	1	3	2	1					3	2	1	1	1	3	1	1			10	8	20
21 Ulcer of stomach or duodenum	—	—	1	—					—	1	1	4	—	1	1	1			1	3	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—					2	1	—	—	1	1	1	—			8	2	22
23 Appendicitis and typhlitis	1	1	1	—					2	1	—	1	—	—	—	2			2	2	23
24 Cirrhosis of liver	—	—	—	1					—	—	—	1	1	1	2	—			—	—	24
25 Acute and chronic nephritis	3	1	3	3					18	16	8	5	4	7	6	3			6	8	25
26 Puerperal sepsis	—	—	—	—					—	—	—	1	—	—	—	1			—	3	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1					—	2	—	2	—	—	—	2			—	4	27
28 Congenital debility and malformation, premature birth	2	3	3	1					6	4	6	8	4	1	2	7			26	22	28
29 Suicide	—	—	—	—					1	2	1	—	1	1	1	2			3	1	29
30 Other deaths from violence	1	1	1	2					10	1	8	2	4	3	8	2			22	6	30
31 Other defined diseases	19	27	7	13					40	43	29	18	21	17	19	33			70	62	31
32 Causes ill-defined or unknown	—	1	2	1					1	—	1	—	1	—	—	—			1	2	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

FLINTSHIRE.

Causes of Death.	Rhyl U.D.		Hawarden R.D.		Holywell (Holywell Div.) R.D.		Holywell (Mold Div.) R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	70	56	141	136	121	124	59	62	
1 Enteric fever	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	2
3 Measles	3	3	1	1	1	—	—	—	3
4 Scarlet fever	—	—	1	—	—	1	—	—	4
5 Whooping cough	1	—	3	2	—	—	—	—	5
6 Diphtheria	1	—	1	—	1	—	—	—	6
7 Influenza	4	5	1	7	8	1	3	2	7
8 Encephalitis lethargica	1	1	1	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	5	8	11	12	11	—	1	10
11 Other tuberculous diseases	—	1	1	—	3	1	—	2	11
12 Cancer, malignant disease	2	10	14	9	13	13	10	10	12
13 Rheumatic fever	—	—	—	1	1	—	—	—	13
14 Diabetes	—	2	2	1	2	—	—	—	14
15 Cerebral hæmorrhage, &c.	8	1	7	15	10	14	1	5	15
16 Heart disease	10	8	9	15	16	14	6	5	16
17 Arterio-sclerosis	1	1	2	—	1	2	6	1	17
18 Bronchitis	3	3	8	11	7	6	5	6	18
19 Pneumonia (all forms)	5	—	17	17	9	9	6	3	19
20 Other respiratory diseases	1	2	4	2	1	—	1	1	20
21 Ulcer of stomach or duodenum	1	—	1	—	—	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	2	1	—	1	—	22
23 Appendicitis and typhlitis	3	—	—	2	—	—	—	—	23
24 Cirrhosis of liver	1	—	2	—	—	—	—	—	24
25 Acute and chronic nephritis	1	—	4	2	1	6	1	2	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	2	—	2	27
28 Congenital debility and malformation, premature birth	1	1	5	5	5	4	4	2	28
29 Suicide	—	—	1	—	—	—	—	—	29
30 Other deaths from violence	1	1	7	6	5	2	—	2	30
31 Other defined diseases	14	12	40	22	20	37	11	15	31
32 Causes ill-defined or unknown	1	—	1	2	3	1	2	3	32

GLAMORGANSHIRE.

Causes of Death.	Aberdare U.D.		Barry U.D.		Caerphilly U.D.		Gelligaer U.D.		Glyncorwg U.D.		Maesteg U.D.		Mountain Ash U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	342	311	255	215	246	211	257	241	59	54	170	119	282	228	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	1	1	1	—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	2	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	—	1	—	5	9	4	—	—	1	3	2	3	3	5
6 Diphtheria	1	1	4	6	3	—	5	2	—	—	2	—	2	3	6
7 Influenza	21	21	16	7	4	3	15	7	1	2	8	3	12	5	7
8 Encephalitis lethargica	3	2	—	—	—	—	1	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	23	33	18	20	15	19	14	25	7	4	5	13	24	19	10
11 Other tuberculous diseases	5	2	7	7	6	5	6	10	2	1	1	5	3	3	11
12 Cancer, malignant disease	16	25	16	31	16	14	14	11	4	6	9	10	21	21	12
13 Rheumatic fever	1	5	2	1	—	2	3	2	1	—	2	1	1	—	13
14 Diabetes	—	1	4	2	1	—	—	—	1	1	1	1	—	1	14
15 Cerebral hæmorrhage, &c.	25	25	13	20	8	16	12	12	2	1	7	6	9	12	15
16 Heart disease	29	40	24	12	16	19	21	22	3	5	15	10	31	34	16
17 Arterio-sclerosis	4	2	12	6	3	2	4	1	—	—	2	—	9	2	17
18 Bronchitis	43	31	15	9	9	8	20	16	2	2	14	6	19	14	18
19 Pneumonia (all forms)	33	19	23	20	36	25	27	22	4	7	20	13	33	25	19
20 Other respiratory diseases	9	5	7	1	9	1	4	4	—	—	1	1	7	3	20
21 Ulcer of stomach or duodenum	2	1	2	3	1	—	2	1	1	1	4	2	5	2	21
22 Diarrhœa, &c. (under 2 years)	7	1	5	2	4	1	6	7	2	4	4	2	7	2	22
23 Appendicitis and typhlitis	—	2	2	1	2	—	1	1	1	—	2	—	3	—	23
24 Cirrhosis of liver	2	—	1	—	—	—	2	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	7	7	9	9	7	12	5	3	3	—	3	4	6	7	25
26 Puerperal sepsis	—	1	—	—	—	3	—	2	—	—	—	3	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	7	—	1	—	4	—	3	—	1	—	3	—	6	27
28 Congenital debility and malformation, premature birth	16	15	12	12	25	15	25	27	4	4	17	9	17	15	28
29 Suicide	2	1	1	3	5	1	1	—	1	—	2	—	2	—	29
30 Other deaths from violence	25	3	8	4	18	5	23	4	12	3	15	4	22	4	30
31 Other defined diseases	68	61	53	36	52	42	40	56	8	11	33	21	44	44	31
32 Causes ill-defined or unknown	—	—	—	1	1	1	—	1	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

GLAMORGANSHIRE—*cont.*

Causes of Death.	Neath M.B.		Ogmore & Garw U.D.		Penarth U.D.		Pontypridd U.D.		Port Talbot M.B.		Rhondda U.D.		Cardiff R.D.		Llantrisant & Llantwitfardre R.D.		Neath R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	203	191	156	149	113	95	298	278	239	230	1034	821	107	119	191	119	200	189	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	—	—	1	—	—	—	—	—	3	2	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	1	—	—	1	4	—	1	1	1	1	—	4
5 Whooping cough	—	—	—	2	1	2	5	12	5	8	5	6	—	1	5	1	2	2	5
6 Diphtheria	2	7	—	3	—	1	1	—	—	1	—	5	—	—	—	2	3	—	6
7 Influenza	11	3	3	2	4	5	16	6	14	11	31	30	5	1	2	3	9	3	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	1	1	—	1	2	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	14	17	16	16	7	4	14	23	17	12	57	73	5	7	10	5	10	26	10
11 Other tuberculous diseases	4	2	6	6	3	—	10	9	2	6	24	20	2	1	7	1	4	3	11
12 Cancer, malignant disease	13	16	12	14	6	19	17	24	17	25	57	61	5	14	7	14	11	22	12
13 Rheumatic fever	3	3	1	1	—	—	1	4	1	5	3	7	1	1	—	2	4	1	13
14 Diabetes	—	3	2	1	1	—	2	2	2	3	3	5	—	5	1	—	1	1	14
15 Cerebral hæmorrhage, &c.	11	15	9	6	6	8	10	17	8	17	58	53	6	10	4	9	6	16	15
16 Heart disease	28	28	15	18	10	8	32	30	28	28	122	111	12	23	20	13	20	23	16
17 Arterio-sclerosis	8	4	3	2	7	4	2	2	6	4	23	13	7	3	4	1	3	2	17
18 Bronchitis	13	12	12	12	9	5	32	29	24	22	157	77	5	9	22	10	23	13	18
19 Pneumonia (all forms)	21	13	9	9	10	7	19	17	28	14	87	55	9	11	17	7	19	7	19
20 Other respiratory diseases	3	1	1	2	4	1	3	3	3	2	22	8	3	1	3	2	5	4	20
21 Ulcer of stomach or duodenum	2	—	3	—	—	—	3	—	4	—	5	4	1	1	3	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	3	3	4	2	1	—	5	6	1	3	16	10	1	—	4	—	3	2	22
23 Appendicitis and typhlitis	3	—	3	2	2	—	4	2	2	2	5	7	—	3	2	—	1	1	23
24 Cirrhosis of liver	1	—	—	—	—	—	2	—	—	—	1	2	—	—	1	1	1	—	24
25 Acute and chronic nephritis	3	2	3	8	7	4	8	4	5	13	21	21	5	2	3	6	9	7	25
26 Puerperal sepsis	—	3	—	—	—	—	—	1	—	2	—	5	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	4	—	—	—	7	—	2	—	13	—	2	—	2	—	1	27
28 Congenital debility and malformation, premature birth	9	12	8	9	5	4	19	17	15	15	77	60	5	2	15	4	11	12	28
29 Suicide	1	1	2	1	—	—	—	1	—	—	10	4	3	1	1	—	2	—	29
30 Other deaths from violence	8	1	16	1	7	4	24	6	23	2	60	20	3	3	19	1	17	6	30
31 Other defined diseases	40	42	28	27	22	19	67	52	33	33	182	142	28	17	38	32	35	35	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	2	—	—	3	1	—	—	2	1	—	1	32

GLAMORGANSHIRE—*cont.* MONMOUTHSHIRE.

Causes of Death.	Penybont R.D.		Pontardawe R.D.		Swansea R.D.		Abercarn U.D.		Abersychan U.D.		Abertillery U.D.		Bedwellty U.D.		Blaenavon U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	156	117	221	193	155	121	122	95	143	126	192	183	180	146	117	94	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	1	—	2	1	3	3	—	—	1	3	—	—	—	—	4
5 Whooping cough	2	—	1	3	3	2	—	—	1	1	2	5	4	—	—	—	5
6 Diphtheria	2	3	3	5	1	2	2	3	—	1	2	1	1	2	1	2	6
7 Influenza	4	3	8	9	9	5	6	1	7	1	8	11	8	10	3	3	7
8 Encephalitis lethargica	—	—	—	1	—	—	1	1	—	—	2	1	—	—	1	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	11	13	14	13	13	8	4	5	8	5	8	13	11	6	—	3	10
11 Other tuberculous diseases	5	4	4	4	3	3	2	1	1	3	3	7	3	2	3	1	11
12 Cancer, malignant disease	10	11	16	17	11	7	6	2	13	11	14	15	11	8	6	5	12
13 Rheumatic fever	4	—	1	—	—	—	1	1	1	—	3	1	—	—	—	3	13
14 Diabetes	1	1	—	4	1	2	1	—	—	4	1	3	2	—	—	—	14
15 Cerebral hæmorrhage, &c.	6	8	9	16	4	11	6	8	5	7	5	5	5	7	7	12	15
16 Heart disease	17	20	20	15	15	18	13	6	12	12	21	24	15	17	7	9	16
17 Arterio-sclerosis	—	—	2	2	4	1	1	1	—	1	10	3	—	—	1	1	17
18 Bronchitis	18	3	12	12	9	8	14	9	20	14	16	8	13	11	13	16	18
19 Pneumonia (all forms)	7	8	17	16	22	12	20	14	18	7	23	26	21	17	2	1	19
20 Other respiratory diseases	4	—	5	3	2	1	—	2	1	3	1	2	4	1	7	4	20
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	1	—	2	—	2	1	1	1	3	1	21
22 Diarrhœa, &c. (under 2 years)	—	2	2	1	8	3	1	2	1	2	5	3	7	4	1	—	22
23 Appendicitis and typhlitis	—	—	—	—	2	—	1	—	1	—	2	1	—	—	—	—	23
24 Cirrhosis of liver	—	—	1	—	1	—	1	—	—	—	1	1	—	—	—	—	24
25 Acute and chronic nephritis	8	3	4	3	4	3	2	3	4	1	3	1	1	5	3	1	25
26 Puerperal sepsis	—	2	—	3	—	1	—	—	—	1	—	2	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	4	—	2	—	2	—	1	—	1	—	4	—	—	27
28 Congenital debility and malformation, premature birth	4	5	18	7	6	10	10	11	14	8	13	15	16	17	3	7	28
29 Suicide	2	3	1	1	—	—	—	—	—	1	1	—	—	—	2	—	29
30 Other deaths from violence	14	2	29	3	6	1	15	3	7	1	15	4	21	2	7	2	30
31 Other defined diseases	36	24	48	49	28	20	11	16	27	41	28	26	36	31	47	23	31
32 Causes ill-defined or unknown	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1924 (Civilian population only)—*cont.*

MONMOUTHSHIRE—*cont.*

Causes of Death.	Ebbw Vale U.D.		Mynyddislwyn U.D.		Nantyglo & Blaina U.D.		Panteg U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		St. Mellons R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	215	179	85	68	95	65	66	43	82	75	87	87	165	102	72	50	
1 Enteric fever	—	—	—	—	3	—	—	1	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	—	1	—	—	—	3	3	—	—	3	1	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	3	1	1	—	1	—	—	—	2	1	1	1	—	—	—	—	5
6 Diphtheria	5	4	—	—	—	—	—	1	2	1	2	1	1	1	—	—	6
7 Influenza	7	5	1	—	1	5	1	—	14	7	1	2	7	5	—	3	7
8 Encephalitis lethargica	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	12	15	5	7	3	5	4	2	5	3	6	10	13	8	4	5	10
11 Other tuberculous diseases	3	2	4	—	1	1	2	1	—	4	5	2	8	4	1	—	11
12 Cancer, malignant disease	16	12	12	7	8	7	4	1	8	4	7	6	8	5	12	5	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	1	1	1	—	1	—	—	—	13
14 Diabetes	1	1	1	2	2	1	—	—	—	—	—	2	1	1	—	—	14
15 Cerebral hæmorrhage, &c.	13	15	8	7	6	3	4	3	2	3	3	3	12	4	2	2	15
16 Heart disease	23	19	9	2	15	15	5	2	6	8	14	15	14	15	10	9	16
17 Arterio-sclerosis	1	2	2	—	3	3	—	—	3	1	2	—	4	—	3	3	17
18 Bronchitis	29	23	4	5	13	5	12	10	4	5	10	8	14	6	4	1	18
19 Pneumonia (all forms)	21	17	12	5	9	3	7	2	7	11	8	2	13	6	5	5	19
20 Other respiratory diseases	4	3	3	2	1	—	3	1	—	—	1	1	3	2	—	1	20
21 Ulcer of stomach or duodenum	—	1	1	—	2	—	—	—	1	—	1	1	—	1	1	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	1	1	—	—	—	2	3	—	—	—	3	—	—	22
23 Appendicitis and typhlitis	2	2	—	2	2	1	1	1	—	—	—	1	—	—	—	—	23
24 Cirrhosis of liver	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	24
25 Acute and chronic nephritis	4	2	1	1	1	2	—	1	—	4	—	1	2	4	—	—	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	2	—	1	—	—	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	11	9	5	5	10	3	2	2	8	3	4	10	10	9	5	3	28
29 Suicide	1	—	1	1	1	—	—	—	—	1	—	—	1	—	2	1	29
30 Other deaths from violence	19	1	5	3	4	1	2	2	7	—	6	1	12	—	3	3	30
31 Other defined diseases	37	39	10	16	7	8	16	11	10	12	12	17	40	26	17	6	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	32

MONTGOMERYSHIRE.

Causes of Death.	Llanfyllin R.D.		Newtown & Llanidloes R.D.		
	M.	F.	M.	F.	
All Causes	83	94	89	65	
1 Enteric fever	—	—	—	—	1
2 Small-pox	—	—	—	—	2
3 Measles	1	1	—	—	3
4 Scarlet fever	—	—	—	—	4
5 Whooping cough	—	—	—	—	5
6 Diphtheria	—	—	—	1	6
7 Influenza	4	4	1	3	7
8 Encephalitis lethargica	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	1	7	4	10
11 Other tuberculous diseases	1	1	2	—	11
12 Cancer, malignant disease	8	15	5	6	12
13 Rheumatic fever	—	—	—	—	13
14 Diabetes	1	—	1	1	14
15 Cerebral hæmorrhage, &c.	4	11	7	5	15
16 Heart disease	18	18	8	12	16
17 Arterio-sclerosis	1	2	3	6	17
18 Bronchitis	3	11	15	5	18
19 Pneumonia (all forms)	2	4	11	—	19
20 Other respiratory diseases	2	—	1	—	20
21 Ulcer of stomach or duodenum	1	—	—	2	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	22
23 Appendicitis and typhlitis	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	24
25 Acute and chronic nephritis	5	1	4	1	25
26 Puerperal sepsis	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	2	27
28 Congenital debility and malformation, premature birth	6	3	5	5	28
29 Suicide	2	1	1	—	29
30 Other deaths from violence	1	1	1	—	30
31 Other defined diseases	15	17	16	12	31
32 Causes ill-defined or unknown	2	1	—	—	32

PEMBROKESHIRE.

Causes of Death.	Pembroke M.B.		Haverfordwest R.D.		Narberth R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	105	81	154	133	67	94	
1 Enteric fever	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	4
5 Whooping cough	—	1	1	2	2	1	5
6 Diphtheria	—	1	—	1	1	—	6
7 Influenza	4	2	5	5	5	4	7
8 Encephalitis lethargica	—	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	9	7	5	9	2	8	10
11 Other tuberculous diseases	2	—	3	5	—	3	11
12 Cancer, malignant disease	14	9	12	13	9	8	12
13 Rheumatic fever	—	—	1	—	—	—	13
14 Diabetes	—	1	1	1	—	1	14
15 Cerebral hæmorrhage, &c.	2	3	10	10	3	2	15
16 Heart disease	12	7	23	20	6	16	16
17 Arterio-sclerosis	5	3	7	7	4	5	17
18 Bronchitis	5	6	9	5	4	8	18
19 Pneumonia (all forms)	7	6	12	5	5	7	19
20 Other respiratory diseases	—	2	2	4	1	2	20
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	2	1	1	—	22
23 Appendicitis and typhlitis	—	2	1	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	24
25 Acute and chronic nephritis	4	3	4	4	3	4	25
26 Puerperal sepsis	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	1	27
28 Congenital debility and malformation, premature birth	3	1	8	1	2	2	28
29 Suicide	—	—	3	1	1	—	29
30 Other deaths from violence	3	—	4	3	2	1	30
31 Other defined diseases	30	24	35	30	14	21	31
32 Causes ill-defined or unknown	4	2	4	1	1	—	32

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924.

(The deaths in these tables have been classified in accordance with the verdict of the Jury, and include deaths of non-civilians.)

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total	**M.**	**11953**	**365**	**811**	**534**	**390**	**704**	**777**	**1281**	**1597**	**1899**	**1761**	**1179**	**655**
		F.	**5230**	**336**	**552**	**257**	**132**	**194**	**154**	**345**	**451**	**566**	**585**	**634**	**1024**
165–174	Suicide	M.	2635	—	—	—	3	48	105	264	462	657	640	363	93
		F.	1085	—	—	—	—	33	59	151	232	275	215	95	25
197–199	Murder	M.	57	26	8	5	3	—	—	6	4	4	1	—	—
		F.	97	34	9	9	2	2	5	10	12	3	5	4	2
	Manslaughter	M.	58	5	2	1	2	2	5	8	9	13	7	2	2
		F.	8	2	—	—	2	2	—	—	—	—	2	—	—
	Justifiable Homicide	M.	4	—	—	—	—	—	—	1	1	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190	Battle	M.	61	—	—	—	—	—	1	35	19	5	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
202 pt	Execution	M.	10	—	—	—	—	—	3	4	—	3	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Accident	M.	9128	334	801	528	382	654	663	963	1102	1215	1113	813	560
		F.	4040	300	543	248	128	157	90	184	207	288	363	535	997
	"Open Verdicts"*	M.	759	32	9	17	5	16	45	63	115	202	150	78	27
		F.	300	38	9	2	2	18	24	46	41	45	40	27	8
165–174	Suicide :—														
165 & 166	By Solid or Liquid Poisons and Corrosive Substances	M.	214	—	—	—	—	4	22	23	38	51	56	19	1
		F.	197	—	—	—	—	10	19	37	38	50	26	13	4
	Hydrochloric acid	M.	25	—	—	—	—	1	2	4	2	7	7	2	—
		F.	35	—	—	—	—	1	2	3	6	11	8	2	2
	Potassium cyanide	M.	22	—	—	—	—	1	2	—	6	3	6	4	—
		F.	5	—	—	—	—	—	3	—	2	—	—	—	—
	Prussic acid, hydrocyanic acid	M.	23	—	—	—	—	—	3	1	3	7	9	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Oxalic acid	M.	16	—	—	—	—	—	2	—	3	4	5	2	—
		F.	22	—	—	—	—	2	4	4	2	6	4	—	—
	Carbolic acid	M.	17	—	—	—	—	—	—	5	3	3	3	3	1
		F.	17	—	—	—	—	2	—	1	5	3	5	1	—
	Opium, laudanum, morphia	M.	3	—	—	—	—	—	1	—	—	1	1	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—	1	—
	Ammonia	M.	12	—	—	—	—	—	1	3	1	3	3	1	—
		F.	5	—	—	—	—	—	—	—	2	3	—	—	—
	Lysol	M.	41	—	—	—	—	—	6	6	10	9	8	2	—
		F.	69	—	—	—	—	—	4	24	18	13	5	4	1
	Strychnine	M.	7	—	—	—	—	1	3	—	1	1	1	—	—
		F.	3	—	—	—	—	1	—	1	—	1	—	—	—
	Corrosive (not stated) ..	M.	3	—	—	—	—	—	—	1	1	—	—	1	—
		F.	9	—	—	—	—	—	1	—	1	5	1	1	—
	Other solid or liquid poisons (or kind not stated) † ..	M.	45	—	—	—	—	1	2	3	8	13	13	4	—
		F.	31	—	—	—	—	4	5	4	2	8	3	4	1

* These deaths (*i.e.* those which cannot be definitely classified as suicidal, homicidal, or accidental in causation) are included under "Accident" in the detailed tables as follows:—International List No. 175, 1 M.; No. 177, 15 M., 11 F.; No. 178, 2 M.; No. 179, 2 M., 6 F.; No. 180, 19 M., 26 F.; No. 181, 13 M., 13 F.; No. 182, 572 M., 193 F.; No. 183, 9 M.; No. 184, 2 M.; No. 185, 11 M., 8 F.; No. 186, 4 M.; No. 188, 61 M., 8 F.; No. 201, 20 M., 3 F.; No. 202, 9 M., 21 F.; No. 203, 19 M., 11 F.

† Including cyanide (not stated), 1 M.; irritant (not stated), 3 M., 1 F.; nitric acid, 3 M., 1 F.; sulphuric acid, 3 M.; corrosive sublimate, 3 M., 1 F.; perchloride of mercury, 1 M., 3 F.; zinc chloride, 1 M.; creosote, 1 M.; chloral hydrate, 1 M.; chloroform, 1 M., 1 F.; nicotine, 3 M.; mercuric oxide, 1 F.; binoxalate of potassium, 1 F.; Jeyes' fluid, 1 F.; veronal, 2 M.; heroin, 1 M.; belladonna, 1 F.; aconite and belladonna mixture, 2 F.; Easton's syrup, 1 M.; Izal, 3 M.; evansol, 1 M.; camphorated oil, 1 M.; liniment, 3 M., 1 F.; flux, 1 M.; embrocation, 1 M.; acetic acid, 1 F.; carbolic preparation (not stated), 1 F.; cresolene, 2 F.; iodine, 2 M., 1 F.; lotion containing crude tar products, 1 F.; weed killer, 2 M., 2 F.; rat poison, 1 M., 1 F.; vermin killer, 3 F.; barium carbonate, 1 F.; X.L. vaporizing fumigator, 1 F.; opiate (not stated), 1 F.; narcotic (not stated), 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924—*cont.*

International List. No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Suicide—*cont.*														
167	By poisonous gas	M.	373	—	—	—	—	2	8	38	70	96	98	54	7
		F.	212	—	—	—	—	3	6	23	57	66	40	13	4
	Coal gas	M.	370	—	—	—	—	2	8	37	70	95	97	54	7
		F.	212	—	—	—	—	3	6	23	57	66	40	13	4
	Others*	M.	3	—	—	—	—	—	—	1	—	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
168	Hanging or strangulation ..	M.	579	—	—	—	2	16	21	40	84	144	158	83	31
		F.	148	—	—	—	—	—	2	19	25	38	39	23	2
169	Drowning	M.	504	—	—	—	1	12	15	50	82	125	120	81	18
		F.	320	—	—	—	—	18	19	43	60	77	66	30	7
170	Firearms	M.	190	—	—	—	—	9	12	25	43	50	33	18	—
		F.	9	—	—	—	—	—	4	1	1	—	2	1	—
171	Cutting or piercing instruments	M.	532	—	—	—	—	1	12	54	95	140	125	75	30
		F.	99	—	—	—	—	1	3	7	20	26	27	10	5
172	Jumping from high places ..	M.	69	—	—	—	—	—	1	2	14	14	21	13	4
		F.	43	—	—	—	—	—	—	8	10	8	10	4	3
173	Crushing	M.	170	—	—	—	—	4	13	32	36	36	27	20	2
		F.	35	—	—	—	—	—	3	8	10	9	4	1	—
	On railway	M.	162	—	—	—	—	4	11	31	34	36	25	19	2
		F.	35	—	—	—	—	—	3	8	10	9	4	1	—
	Others†	M.	8	—	—	—	—	—	2	1	2	—	2	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
174	Suicide by other means ..	M.	4	—	—	—	—	—	1	—	—	1	2	—	—
		F.	22	—	—	—	—	1	3	5	11	1	1	—	—
	Setting fire to clothing ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	7	—	—	—	—	—	1	2	3	—	1	—	—
	Burns (not stated)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	2	—	—	—	—	—	—	—	2	—	—	—	—
	Operation, abortion.. ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	9	—	—	—	—	1	1	2	5	—	—	—	—
	Others (or not stated)‡ ..	M.	4	—	—	—	—	—	1	—	—	1	2	—	—
		F.	4	—	—	—	—	—	1	1	1	1	—	—	—
	Accident:—														
175	Food poisoning	M.	20	—	2	1	1	1	—	2	4	6	—	1	2
		F.	14	—	2	3	1	—	—	1	1	1	2	3	—
	"Ptomaine poisoning" ..	M.	10	—	1	1	1	—	—	—	1	5	—	—	1
		F.	6	—	—	1	1	—	—	1	—	—	2	1	—
	"Food poisoning"	M.	5	—	—	—	—	—	—	1	3	—	—	—	1
		F.	2	—	1	—	—	—	—	—	—	—	—	1	—
	Others§	M.	5	—	1	—	—	1	—	1	—	1	—	1	—
		F.	6	—	1	2	—	—	—	—	1	1	—	1	—
176	Poisoning by venomous animals	M.	4	1	—	—	—	—	—	1	—	1	—	1	—
		F.	8	—	—	—	1	1	—	2	2	1	—	—	1
	"Insect" (undefined) ..	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
		F.	7	—	—	—	—	1	—	2	2	1	—	—	1
	Others‖	M.	2	1	—	—	—	—	—	1	—	—	—	—	—
		F.	1	—	—	—	1	—	—	—	—	—	—	—	—

* Carbon monoxide, 2 M.

† Motor bus, 2 M.; motor lorry, 3 M.; steam waggon, 1 M.; motor car, 1 M.; drop hammer, 1 M.

‡ Charge of gelignite, 1 M.; explosive in mouth, 2 M.; swallowing spoons, 1 M.; swallowing needles, 1 F.; swallowing key, 1 F.; jumping into boiling water, 2 F.

§ Fish poisoning, 1 F.; cod fish, 1 F.; tinned salmon, 1 F.; shell fish, 1 M.; potato scallop, 1 M.; sardines, 1 M.; pork pie, 1 M.; rabbit pudding, 1 F.; tinned mutton, 1 F.; sausage, 1 M., 1 F.

‖ Mosquito, 2 M.; gnat, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924—*cont.*

International List. No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Accident—*cont.*														
177	Other acute accidental poisonings	M.	66	2	14	3	3	2	4	4	10	12	11	1	—
		F.	40	—	2	—	2	1	3	5	8	7	7	2	3
	Carbolic acid	M.	3	—	1	—	—	—	—	—	1	1	—	—	—
		F.	3	—	—	—	—	—	—	1	—	1	—	—	1
	Hydrochloric acid	M.	4	—	1	—	—	—	—	—	—	2	1	—	—
		F.	2	—	—	—	—	—	—	—	—	1	1	—	—
	Opium, laudanum, morphia ..	M.	12	—	—	2	1	—	—	1	4	2	2	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—	—	1
	Belladonna	M.	2	—	1	—	—	—	—	—	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or kind not stated)*..	M.	45	2	11	1	2	2	4	3	5	7	7	1	—
		F.	34	—	2	—	2	1	3	4	8	5	6	2	1
178	Conflagration	M.	29	1	3	1	—	—	—	4	4	2	4	6	4
		F.	14	—	1	—	—	—	—	1	3	2	4	2	1
179	Accidental burns (Conflagration excepted)	M.	660	43	407	42	9	11	11	14	21	17	14	34	37
		F.	905	42	314	78	42	45	23	35	40	45	53	70	118
	1. Burns	M.	245	15	84	20	4	8	7	9	12	12	10	31	33
		F.	616	13	112	65	37	36	18	34	35	42	49	62	113
	By Flannelette clothes† ..	M.	3	—	3	—	—	—	—	—	—	—	—	—	—
		F.	18	—	4	3	—	—	1	2	—	2	—	—	6
	„ Clothes (other or not described)‡	M.	63	2	29	10	—	2	2	1	—	2	—	8	7
		F.	268	—	39	31	22	19	8	15	15	23	26	25	45
	„ Molten Metal	M.	3	—	—	—	—	1	—	—	—	1	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ Playing with Fire, &c..	M.	7	—	7	—	—	—	—	—	—	—	—	—	—
		F.	10	—	6	2	2	—	—	—	—	—	—	—	—
	„ Falling into Fire ..	M.	16	4	—	—	1	—	—	—	—	—	—	6	5
		F.	23	1	3	—	—	—	—	2	2	—	1	5	9
	„ Bedding	M.	3	1	—	—	—	—	—	—	—	1	—	1	—
		F.	7	3	—	—	—	—	—	—	1	1	1	—	1
	„ Lamp accident ..	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
		F.	6	1	1	—	—	—	—	—	—	—	1	1	2
	Otherwise (or not stated how) :—														
	Ships, docks, etc. ..	M.	2	—	—	—	—	—	1	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others‖	M.	146	8	45	10	3	5	4	8	12	7	10	13	21
		F.	284	8	59	29	13	17	9	15	17	16	20	31	50
	2. Scalds	M.	400	28	323	22	5	2	4	—	5	4	—	3	4
		F.	276	29	202	13	5	1	1	—	5	3	4	8	5
	By Steam	M.	4	—	2	—	—	—	1	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ Drinking Hot Liquids..	M.	2	—	2	—	—	—	—	—	—	—	—	—	—
		F.	2	—	2	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated how)	M.	394	28	319	22	5	2	3	—	5	4	—	2	4
		F.	274	29	200	13	5	1	1	—	5	3	4	8	5

* Including oxalic acid, 1 F.; morphine tartrate, 1 F.; ammonia, 3 M., 3 F.; corrosive (not stated), 3 M.; mercury, 1 M., 1 F.; bichromate of potash, 1 M.; tablets of mercury, 1 F.; chloride of zinc, 2 M.; zinc, 1 M.; vitriol, 1 F.; cyanide of potassium, 1 M.; permanganate of potash, 1 M.; veronal, 2 M., 3 F.; strychnine, 2 M., 1 F.; lysol, 4 M., 3 F.; chloral hydrate, 1 M.; medicine containing strychnine, 1 F.; tablets containing strychnine, 1 F.; tablets containing strychnine sulphate, 1 F.; chloral hydrate and ammon. bromide, 1 M.; metallic poison (not stated), 1 M.; Jeyes' fluid, 1 M.; camphorated oil, 1 M.; creosote, 1 F.; turpentine, 1 F.; chlorodyne, 1 F.; narcotic (not stated), 1 M.; aconite, belladonna, and chloroform mixture, 2 M., 1 F.; Sloan's liniment, 1 M.; liniment containing methyl salicylate, 1 F.; liniment (not stated), 1 F.; quinine and iron, 1 F.; Izal, 1 F.; Dial, 1 F.; aspirin tablets, 1 F.; paraldehyde, 1 F.; "Cleanswell," 1 M.; "Mikozone," 1 M.; cresoline, 2 M.; cough mixture, 1 M.; Fellow's syrup, 1 M.; Easton's syrup tablets, 1 M.; hyoscyamus and colocynth pills, 1 M.; poisonous fungi, 2 M.; poisonous berries, 2 M., 1 F.; deadly nightshade, 1 M.; vegetable irritant (not stated) 1 M.; irritant poison (not stated), 1 M.

† Including gas fire, 1 M., 1 F.; playing with matches, 1 M., 1 F.; lamp, 1 F.; whilst burning letters, 1 F.; unguarded fire, 3 F.; protected fire, 1 F.

‡ Including unguarded grate, 1 M., 13 F.; playing with fire, &c., 4 M., 5 F.; gas stove ring, 5 F.; petrol, 2 M.; at copper whilst washing, 2 F.; falling on fire, 1 F.; candle, 3 M., 13 F.; tin of extract at cable works, 1 M.; paraffin lamp, 5 F.; explosion of Phœbus lamp, 1 F.; paraffin, 1 F.; methylated spirits, 1 F.; drawing fire with paper, 1 F.

‖ Including oil stove, 2 M.; unguarded grate, 1 M., 1 F.; gas stove, ring, 1 M., 2 F.; petrol, 1 M., 3 F.; petrol stove, 1 M.; naphthaline, 2 M.; candle, 1 F.; paraffin, 2 F.; celluloid comb, 1 F.; at furnaces and works, 8 M.; electric wires firing, 1 F.; burning paper, 1 M.; cinema film fire, 1 F.; sitting on hot poker, 1 F.; petrol vehicles, 8 M., 5 F.; turpentine, 1 M.; hot water pipes, 1 M.; burning gorse, 1 M.; fall into vat of acid, 1 M.; fall into vitriol at steel works, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924—*cont.*

International List No.	Cause or Character of Violence.		All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Accident—*cont.*														
	3. Explosions	M.	15	—	—	—	—	1	—	5	4	1	4	—	—
		F.	13	—	—	—	—	8	4	1	—	—	—	—	—
	In Ships, Docks, etc. ..	M.	4	—	—	—	—	—	—	1	2	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other (or not stated)* ..	M.	11	—	—	—	—	1	—	4	2	—	4	—	—
		F.	13	—	—	—	—	8	4	1	—	—	—	—	—
180	Accidental Mechanical Suffocation	M.	322	242	12	5	3	1	4	7	10	10	15	6	7
		F.	251	227	3	5	1	—	1	3	1	1	3	4	2
	In bed	M.	190	187	3	—	—	—	—	—	—	—	—	—	—
		F.	177	175	1	—	—	—	1	—	—	—	—	—	—
	,, Cot, Cradle, etc.	M.	15	15	—	—	—	—	—	—	—	—	—	—	—
		F.	12	12	—	—	—	—	—	—	—	—	—	—	—
	Falling on face	M.	3	1	—	—	—	—	—	1	—	—	1	—	—
		F.	5	1	—	—	—	—	—	—	—	—	1	2	1
	Heavy substance on	M.	11	—	—	2	2	1	—	2	—	2	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Food, etc.	M.	63	22	5	1	1	—	4	1	7	3	11	4	4
		F.	31	17	1	5	1	—	—	3	1	—	1	1	1
	Others (or not stated) :—														
	In Ships, Docks, etc. ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others†	M.	40	17	4	2	—	—	—	3	3	5	1	2	3
		F.	26	22	1	—	—	—	—	—	—	1	1	1	—
181	Accidental absorption of irrespirable or poisonous gas	M.	88	—	—	1	1	4	8	11	10	18	19	9	7
		F.	45	—	1	—	—	3	3	3	5	5	2	10	13
	Coal gas	M.	47	—	—	1	—	1	3	5	7	7	10	6	7
		F.	42	—	—	—	—	2	3	3	4	5	2	10	13
	Carbon monoxide	M.	12	—	—	—	1	—	1	4	—	4	1	1	—
		F.	2	—	1	—	—	1	—	—	—	—	—	—	—
	Carbon dioxide	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) :—														
	Ships, docks etc.	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others‡	M.	26	—	—	—	—	3	3	2	3	6	8	1	—
		F.	1	—	—	—	—	—	—	—	1	—	—	—	—
182	Accidental Drowning	M.	1250	11	111	113	56	118	95	111	153	205	151	95	31
		F.	305	11	31	20	10	27	20	40	41	44	36	21	4
	Bathing	M.	106	—	—	8	12	50	18	9	5	3	—	1	—
		F.	8	—	—	—	2	2	1	1	1	1	—	—	—
	Shipwreck	M.	19	—	—	—	—	1	2	4	8	3	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Boat upset, fall overboard ..	M.	85	—	1	3	2	15	16	17	12	13	3	2	1
		F.	4	—	1	—	—	1	—	1	—	—	1	—	—
	Collision	M.	8	—	—	—	—	—	3	3	—	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Whilst attempting rescue ..	M.	3	—	—	—	—	—	—	1	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including bursting of blow off pipe, 1 M.; blow lamp burst, 1 F.; breaking down "Very" lights, 1 M., 12 F.; petrol blow lamp, 1 M.; vapour in oil drum, 1 M.; naphtha, 2 M.; petrol, 1 M.; Japan stove, 1 M.; Primus lamp, 1 M.; distilling carbon bi-sulphide, 1 M.; at ironworks, 1 M.

† Including at mother's breast, 3 M., 1 F.; cat or dog on face, 2 M., 1 F.; child craning from adjacent cot, 1 M.; whilst intoxicated, 6 M., 3 F.

‡ Including smoke of burning bed, 1 F.; carbon dioxide (building operation), 1 M.; phosgene, 1 M.; sulphuretted hydrogen, 2 M.; fumes, charcoal brazier, 1 M.; carbonic acid gases, 1 M.; fumes, motor car engine exhaust, 2 M.; fumes, dye works, 1 M.; fumes, coal fire, 1 M.; fumes, burst paraffin lamp, 1 M.; fumes, gas tar, 1 M.; fumes, coke fire, 1 M.; fumes, lime kiln, 1 M.; overturning oil stove, 1 M.; clothing, 1 M.; nitric acid fumes, breaking of carboy, 1 M.; nitrous oxide, experimenting with gas mask, 1 M.; sulphuric acid, asleep on stone heap at Colliery, 1 M.; carbide fumes, 1 M.; gases, brick kiln, 1 M.; foul gas, public works 2 M. cleaning gas tubes at iron works, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
182 —*cont.*	Accidental drowning—*cont.*														
	Otherwise (or not stated how)*	M.	457	3	102	87	37	42	26	32	36	26	33	23	10
		F.	100	—	26	19	6	9	7	6	7	6	7	5	2
	"Found" (open verdict) ..	M.	572	8	8	15	5	10	30	45	90	159	113	69	20
		F.	193	11	4	1	2	15	12	32	33	37	28	16	2
183	Accidental injury by firearms ..	M.	71	—	1	2	3	8	14	10	11	11	6	3	2
		F.	8	—	—	—	2	2	—	2	1	1	—	—	—
184	Accidental injury by cutting or piercing instruments	M.	14	2	2	—	—	2	2	1	—	3	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
185	Accidental injury by fall ..	M.	1439	11	33	38	37	52	38	84	133	191	228	293	301
		F.	1327	5	32	10	8	10	5	15	18	64	123	287	750
	In Ships, Docks, etc.:— ..	M.	106	—	—	—	3	7	10	12	24	26	13	10	1
		F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	Down hold	M.	34	—	—	—	—	3	3	2	9	6	7	4	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Into dock	M.	10	—	—	—	—	—	—	1	2	2	2	2	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how) †	M.	62	—	—	—	3	4	7	9	13	18	4	4	—
		F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	In building operations ..	M.	172	—	—	—	—	7	11	24	32	32	41	24	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Downstairs	M.	245	1	5	—	—	3	1	6	14	36	45	72	62
		F.	318	1	4	3	—	2	1	2	6	28	48	88	135
	From window..	M.	57	1	5	2	2	1	1	7	8	14	5	6	5
		F.	45	—	6	1	1	3	—	1	2	10	6	7	8
	In house, room, etc.	M.	68	1	2	—	—	—	—	—	—	3	2	19	41
		F.	199	—	3	—	—	—	—	—	1	1	16	46	132
	Out of bed	M.	14	1	2	1	—	—	—	—	—	3	—	1	6
		F.	43	2	1	—	—	—	—	—	—	—	2	8	30
	In street..	M.	79	—	2	1	2	1	—	2	3	5	15	20	28
		F.	74	—	2	—	1	—	—	1	1	3	4	26	36
	Diving	M.	8	—	—	—	—	4	1	2	—	1	—	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	Down area	M.	6	—	—	1	—	1	—	—	1	—	—	3	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Down lift well	M.	8	—	—	—	—	2	3	—	1	1	1	—	—
		F.	3	—	—	—	—	1	—	—	—	—	2	—	—
	From horse	M.	41	—	—	4	1	5	1	7	4	8	4	3	4
		F.	5	—	—	1	—	1	1	2	—	—	—	—	—
	From cliff	M.	14	—	—	1	3	3	—	1	2	—	2	2	—
		F.	14	—	2	2	—	—	3	2	—	2	2	1	—
	From ladder	M.	41	—	—	—	—	2	—	5	2	5	15	8	4
		F.	9	—	2	—	—	—	—	1	—	1	1	2	2
	Otherwise (or not stated how)‡	M.	580	7	17	28	26	16	10	18	42	57	85	125	149
		F.	615	2	12	3	6	2	—	5	8	19	42	109	407
186	Accidental injury in mining and quarrying.	M.	1116	—	—	—	22	129	127	230	245	195	132	34	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	1. Coal mining	M.	1039	—	—	—	22	123	122	215	225	175	122	33	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall of coal, stone, &c.	M.	567	—	—	—	3	37	57	132	144	118	63	12	1
	Crushing	M.	10	—	—	—	—	—	2	—	2	2	2	1	1
	Fall down shaft ..	M.	19	—	—	—	—	1	—	7	4	4	1	2	—
	Fall (not otherwise described).	M.	11	—	—	—	—	—	—	2	1	3	5	—	—
	Machinery	M.	59	—	—	—	7	7	10	10	10	9	5	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including skating, sliding, 6 M., 1 F.

† Including from staging, 17 M.; from mast, 4 M., down gangway, 1 F.

‡ Including 40 M., 126 F., aged 60 years and upwards, from fracture of leg; from hayrick, 10 M., 1 F.; from tree, 13 M.; from bridge, 8 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186 —*cont.*	Accidental injury in mining and quarrying—*cont.*														
	1. Coal mining—*cont.*														
	Trams	M.	107	—	—	—	1	13	15	14	21	16	20	7	—
	Tubs	M.	131	—	—	—	11	50	16	14	11	10	14	5	—
	Electric shock	M.	4	—	—	—	—	1	—	3	—	—	—	—	—
	Explosion of gas ..	M.	21	—	—	—	—	2	6	2	8	1	1	1	—
	" Others (or not stated).*	M.	46	—	—	—	—	4	7	18	11	5	—	1	—
	Shot firing	M.	13	—	—	—	—	1	—	1	4	3	4	—	—
	Blow (not otherwise defined).	M.	13	—	—	—	—	—	2	4	3	1	2	1	—
	Otherwise (or not stated how).†	M.	38	—	—	—	—	7	7	8	6	3	5	2	—
	2. Other mining	M.	13	—	—	—	—	1	—	3	6	2	1	—	—
	Fall of stone, &c. ..	M.	4	—	—	—	—	—	—	—	2	2	—	—	—
	Others‡	M.	9	—	—	—	—	1	—	3	4	—	1	—	—
	3. Quarrying	M.	64	—	—	—	—	5	5	12	14	18	9	1	—
	Fall of stone, &c. ..	M.	37	—	—	—	—	1	2	7	7	16	3	1	—
	Fall (not otherwise described).	M.	8	—	—	—	—	—	1	1	4	1	1	—	—
	Machinery	M.	8	—	—	—	—	2	1	2	1	1	1	—	—
	Otherwise §	M.	11	—	—	—	—	2	1	2	2	—	4	—	—
187	Accidental injury by machines ..	M.	222	—	1	5	4	23	15	39	43	47	30	14	1
		F.	7	—	—	2	1	1	—	1	1	1	—	—	—
	In ships, docks, &c. ..	M.	18	—	—	—	—	—	—	6	5	2	4	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In metal works ..	M.	28	—	—	—	1	4	2	4	8	7	1	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In textile factories ..	M.	11	—	—	—	—	1	—	2	5	1	—	1	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In other factories ..	M.	18	—	—	—	—	3	1	2	4	6	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Agricultural machinery	M.	20	—	—	1	1	1	1	5	2	5	—	4	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lift	M.	9	—	—	—	1	2	—	1	2	1	1	1	—
		F.	2	—	—	—	—	1	—	—	—	1	—	—	—
	Crane	M.	22	—	—	—	—	2	3	2	3	6	4	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Circular saw	M.	10	—	—	—	—	—	—	1	3	3	2	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other machinery‖ ..	M.	86	—	1	4	1	10	8	16	11	16	16	3	—
		F.	5	—	—	2	1	—	—	1	1	—	—	—	—
188	Accidental injury by other forms of crushing	M.	3459	5	185	306	221	266	317	411	408	458	454	279	149
		F.	977	4	140	122	58	60	25	52	73	98	126	127	92
	1. Railways	M.	512	—	8	11	7	19	44	95	79	106	94	41	8
		F.	56	1	3	2	3	1	4	5	7	10	15	1	4
	Run over on line ..	M.	348	—	7	7	5	13	25	55	51	77	72	30	6
		F.	37	—	3	1	2	1	2	3	6	7	8	1	3
	Collision	M.	10	—	—	—	—	—	1	2	5	—	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall from carriage or engine	M.	35	—	1	2	1	—	3	5	5	10	7	—	1
		F.	10	1	—	1	—	—	—	—	—	2	5	—	1
	Fall (not otherwise described)	M.	8	—	—	—	—	—	—	—	1	2	3	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Crushing by carriage or engine	M.	84	—	—	2	1	4	8	28	13	11	8	8	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including fire damp, 4 M.

† Including suffocation, black damp, 7 M.; fumes from petrol engine, 1 M.; pony, 7 M.; burns, 1 M.; scalds, 1 M.; collapse of staging 1 M.

‡ Including waggons, trucks, &c., 1 M.; fall from staging, 2 M.; fall from gantry, 1 M.; blasting, 1 M.; shot firing, 1 M.; fall of staging, 1 M.

§ Including explosion, 3 M.; tub, 4 M.; waggon, 2 M.; trolley, 1 M.; blow, 1 M.

‖ Including electrical machinery, 2 M.; building operations, 2 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 —*cont.*	Accidental injury by other forms of crushing—*cont.*														
	1. Railways—*cont.*														
	Striking bridge ..	M.	4	—	—	—	—	1	1	2	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow (not otherwise described)	M.	4	—	—	—	—	—	1	2	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated how)*	M.	19	—	—	—	—	1	5	1	4	5	2	1	—
		F.	9	—	—	—	1	—	2	2	1	1	2	—	—
	2. Other vehicles mechanically propelled.	M.	2249	3	151	269	176	198	235	258	228	235	226	160	110
		F.	784	3	113	108	48	57	21	44	56	73	95	100	66
	Motor car	M.	645	1	57	120	57	26	23	37	54	79	86	59	46
		F.	362	—	44	60	25	17	7	16	27	32	46	50	38
	Motor van, lorry, &c. ..	M.	504	1	57	88	64	47	25	39	39	44	41	39	20
		F.	150	1	37	30	10	5	2	10	6	14	12	12	11
	Electric tramcar ..	M.	51	—	5	2	—	2	3	1	5	5	7	7	14
		F	31	—	2	1	—	1	—	1	1	5	10	6	4
	Motor cab	M.	40	—	2	7	2	1	2	—	4	8	7	6	1
		F.	17	—	3	—	—	2	—	—	2	2	4	3	1
	Motor omnibus ..	M.	231	1	10	17	22	27	17	27	32	22	30	17	9
		F.	86	—	8	12	5	12	4	5	6	8	12	10	4
	Motor char-a-banc, coach, &c.	M.	36	—	4	5	1	1	—	8	7	6	4	—	—
		F.	18	—	4	1	2	2	—	1	2	3	1	2	—
	Motor cycle	M.	311	—	5	8	3	34	67	64	42	32	21	18	17
		F.	53	1	6	3	—	5	4	5	2	2	7	10	8
	Steam waggon, &c. ..	M.	96	—	7	12	18	17	4	14	8	6	6	4	—
		F.	18	1	4	—	2	5	1	2	—	—	1	2	—
	Aeroplane, airship ..	M.	43	—	—	—	—	—	26	13	4	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor vehicles (others or undefined)†	M.	48	—	3	9	3	1	6	7	5	4	7	3	—
		F.	12	—	1	1	1	1	1	—	2	2	—	3	—
	Collisions‡:—	M.	244	—	1	1	6	42	62	48	28	29	17	7	3
		F.	37	—	4	—	3	7	2	4	8	5	2	2	—
	Motor car and motor cycle	M.	60	—	—	—	—	9	15	12	12	5	4	2	1
		F.	10	—	2	—	—	2	—	1	1	2	1	1	—
	Motor car and cycle (not stated)	M.	31	—	1	—	3	9	3	3	2	6	2	1	1
		F.	5	—	—	—	—	2	—	1	1	1	—	—	—
	Motor van, &c., and motor cycle	M.	30	—	—	—	—	5	10	9	3	2	1	—	—
		F.	3	—	1	—	—	1	—	1	—	—	—	—	—
	Motor van, &c., and cycle (not stated)	M.	9	—	—	—	1	3	1	2	1	1	—	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	Motor cycle and cycle (pedal or not stated)	M.	10	—	—	—	—	1	4	1	1	3	—	—	—
		F.	2	—	—	—	1	—	1	—	—	—	—	—	—
	Motor 'bus and motor cycle	M.	20	—	—	—	—	1	8	7	1	2	1	—	—
		F.	4	—	—	—	1	1	1	1	—	—	—	—	—
	Motor bus and cycle (not stated)	M.	15	—	—	—	1	6	4	—	2		—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others‖	M.	69	—	—	1	1	8	17	14	6	8	9	4	1
		F.	12	—	1	—	1	—	—	—	6	2	1	1	—

* Including train off rails, 8 M., 6 F.; machinery, 1 M., 1 F.; heavy substance on (not otherwise defined), 5 M.; fracture of skull, 1 F.; fall from platform, 1 F

† Including steam roller, 3 M.; traction engine, 10 M.; ambulance, 5 M., 3 F.; hearse, 1 M.; fire engine, 4 M.; patrol waggon (police), 1 M.; petrol tank, 1 M.; tractor, 2 M., 2 F.

‡ In these cases the verdict of the jury did not state which vehicle caused death.

‖ Including motor car and:—pedal cycle, 5 M.; motor lorry, 5 M., 2 F.; motor 'bus 1 M., 2 F.; cart, 5 M., 1 F.; steam waggon, 1 M., 1 F.; funeral coach, 1 M.; tramcar, 2 M.; dray, 1 F. Motor lorry and:—pedal bicycle, 1 M; motor chassis, 1 M.; horse lorry, 1 M.; tram, 1 M., 1 F. Electric tram and:—motor cycle, 3 M.; cycle (not stated), 2 M.; horse van, 2 M.; mail van (not stated), 1 M.; cart, 1 F. Motor 'bus and motor char-a-banc, 1 M.; cart (not stated), 1 M.; rubbish van (not stated), 1 M. Motor cycle and:—motor cab, 3 M.; motor char-a-banc, 3 M.; steam waggon, 4 M.; motor vehicle, (not stated), 1 M.; trap, 4 M.; horse cart, 3 M., 1 F.; cart (not stated), 4 M.; dray (not stated), 1 M.; trailer (not stated), 1 M; lorry (not stated), 1 M.; van (not stated), 1 M., 1 F. Steam waggon and:—bicycle (not stated), 3 M.; horse van, 1 M.; railway van (not stated), 1 M. Motor car, motor 'bus and bicycle, 1 M.; motor ambulance and bicycle, 1 M.; motor (not stated) and van (not stated), 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 —*cont.*	Accidental injury by other forms of crushing—(*cont.*)														
	3. Horse drawn vehicles and horses.	M.	218	—	13	10	12	12	5	11	24	37	47	30	17
		F.	37	—	13	3	2	1	—	1	2	4	5	3	3
	Dogcart, trap	M.	19	—	—	—	—	—	—	1	1	3	6	3	5
		F.	5	—	—	—	—	—	—	—	—	3	2	—	—
	Cart	M.	82	—	4	2	5	4	1	5	9	15	19	12	6
		F.	10	—	4	—	1	—	—	1	1	—	1	1	1
	Van, waggon	M.	72	—	7	6	6	4	—	5	7	14	12	7	4
		F.	14	—	8	2	1	—	—	—	—	1	2	—	—
	Dray	M.	5	—	—	1	—	—	—	—	1	—	3	—	—
		F.	1	—	1	—	—	—	—	—	—	—	—	—	—
	Collisions*	M.	3	—	—	—	—	1	1	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or kind not stated)†	M.	28	—	2	1	1	3	2	—	4	3	5	6	1
		F.	5	—	—	—	—	1	—	—	1	—	—	1	2
	Horses	M.	9	—	—	—	—	—	1	—	1	2	2	2	1
		F.	2	—	—	1	—	—	—	—	—	—	—	1	—
	4. Other and undefined vehicles.	M.	205	2	6	9	11	23	14	17	23	29	34	26	11
		F.	82	—	7	4	5	1	—	2	7	8	10	21	17
	Truck	M.	4	—	—	2	—	—	—	—	—	—	1	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Van, waggon	M.	34	—	3	3	1	1	1	5	6	5	2	6	1
		F.	8	—	3	3	1	—	—	—	—	—	—	1	—
	Dray	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
		F.	1	—	1	—	—	—	—	—	—	—	—	—	—
	Bicycle, tricycle ..	M.	152	—	1	4	9	21	11	11	17	21	29	18	10
		F.	67	—	2	—	4	1	—	2	7	8	9	19	15
	Char-a-banc	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collisions	M.	2	—	—	—	—	1	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or kind not stated)‡	M.	12	2	2	—	1	—	1	1	—	3	2	—	—
		F.	6	—	1	1	—	—	—	—	—	—	1	1	2
	5. Other crushing	M.	275	—	7	7	15	14	19	30	54	51	53	22	3
		F.	18	—	4	5	—	—	—	—	1	3	1	2	2
	Fall of heavy substance—														
	In ships, docks, &c.	M.	47	—	—	1	—	2	—	12	10	8	11	3	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In building operations	M.	36	—	—	—	—	2	7	—	6	13	5	3	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In excavations ..	M.	16	—	—	—	—	—	—	1	5	1	7	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Trees	M.	13	—	—	—	—	1	—	3	2	1	2	4	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how)	M.	145	—	7	6	15	6	11	12	26	27	26	7	2
		F.	18	—	4	5	—	—	—	—	1	3	1	2	2
	Other crushings (or not stated how):—														
	In ships, docks, etc.	M.	17	—	—	—	—	3	1	2	5	1	2	2	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including cart and bicycle (not stated), 1 M.; horse lorry and cycle (not stated), 1 M.; hansom cab and cycle (not stated), 1 M.

† Including tumbril, 6 M.; horse roller, 1 M.; timber carriage, 3 M.; trolly, 6 M. 1 F.; float, 6 M., 2 F.; truck, 2 M.; jaunting car, 1 M.; horse and gambo, 1 M.; horse bus, 1 F.; waggonette, 1 F.

‡ Including handcart, 2 M,; tar spraying tank, 1 M. watercart, 1 M.; perambulator, 2 M., 2 F.; bath chair 1 F.; coster barrow, 1 F.; push cart, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
189	Injury by animals (poisoning excepted)	M.	59	2	7	1	6	7	4	3	10	6	8	2	3
		F.	7	1	2	—	—	1	—	—	—	2	—	—	1
	Horse	M.	41	—	7	1	6	6	4	2	6	2	5	1	1
		F.	7	1	2	—	—	1	—	—	—	2	—	—	1
	Bull or cow, etc.	M.	18	2	—	—	—	1	—		4	4	3	1	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190	Wounds of war	M.	61	—	—	—	—	—	1	35	19	5	—	1	—
192	Hunger or thirst	M.	10	—	—	—	—	—	—	—	1	1	5	3	—
		F.	5	—	—	—	—	—	—	—	—	5	—	—	—
193	Excessive cold	M.	31	—	—	—	—	—	—	2	3	2	9	8	7
		F.	9	—	—	—	—	—	—	—	—	1	3	—	5
194	Excessive heat	M.	18	1	1	3	—	—	—	1	—	4	3	4	1
		F.	12	—	1	1	—	—	2	—	2	1	2	1	2
195	Lightning..	M.	12	—	—	—	—	2	—	1	4	3	—	2	—
		F.	3	—	—	—	—	—	—	2	—	1	—	—	—
196	Electricity (lightning excepted)	M.	37	—	—	2	1	8	7	6	8	3	1	1	—
		F.	1	—	—	1	—	—	—	—	—	—	—	—	—
197	Homicide by firearms	M.	7	—	—	—	—	—	—	3	2	2	—	—	—
		F.	3	—	—	—	—	1	—	—	—	—	1	1	—
	Murder	M.	6	—	—	—	—	—	—	2	2	2	—	—	—
		F.	3	—	—	—	—	1	—	—	—	—	1	1	—
	Manslaughter	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
198	Homicide by cutting or piercing instruments	M.	12	2	2	—	1	—	—	4	1	1	1	—	—
		F.	27	1	3	2	1	1	1	6	6	2	2	1	1
	Murder	M.	9	2	2	—	1	—	—	3	—	—	1	—	—
		F.	27	1	3	2	1	1	1	6	6	2	2	1	1
	Manslaughter	M.	3	—	—	—	—	—	—	1	1	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
199	Homicide by other means ..	M.	100	29	8	6	4	2	5	8	11	16	7	2	2
		F.	75	35	6	7	3	2	4	4	6	1	4	2	1
	Murder	M.	42	24	6	5	2	—	—	1	2	2	—	—	—
		F.	67	33	6	7	1	—	4	4	6	1	2	2	1
	By drowning	M.	8	4	2	2	—	—	—	—	—	—	—	—	—
		F.	13	8	4	1	—	—	—	—	—	—	—	—	—
	By strangulation	M.	12	10	1	1	—	—	—	—	—	—	—	—	—
		F.	21	16	—	1	—	—	1	2	—	—	—	1	—
	Attempt to procure abortion	F.	6	—	—	—	—	—	2	1	3	—	—	—	—
	Others (or not stated how)*	M.	22	10	3	2	2	—	—	1	2	2	—	—	—
		F.	27	9	2	5	1	—	1	1	3	1	2	1	1
	Manslaughter	M.	55	5	2	1	2	2	5	7	8	12	7	2	2
		F.	8	2	—	—	2	2	—	—	—	—	2	—	—
	By motor car	M.	13	—	—	1	1	1	1	3	1	3	2	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	„ blow	M.	13	—	—	—	1	—	—	1	3	4	2	1	1
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	„ attempt to procure abortion	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how)†	M.	29	5	2	—	—	1	4	3	4	5	3	1	1
		F.	6	2	—	—	2	1	—	—	—	—	1	—	—
	Justifiable homicide	M.	3	—	—	—	—	—	—	—	1	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including suffocation, 4 M.; blow, 3 M., 2 F.; coal gas, 6 M., 3 F.; carbon monoxide, 1 M.; strychrine, 1 M.; fracture of skull, 2 M.; motor car, 2 M., 1 F.; neglect at birth, 1 M., 1 F,; laceration of gut, 1 M.; morphia, 1 F.; lysol, 1 F.; burns, 1 F.; asphyxia, 3 F.: struck by hammer, 3 F.; struck by stone, 1 F.; injury to head, 4 F.; thrown from window, 4 F.; severing umbilical cord, 1 F.

† Including train, 1 M.; motor lorry, 1 M.; motor cycle, 6 M., 2 F.; bicycle, 1 M.; fight, 7 M.; suffocation, 1 M.; strangulation, 1 M.; iron thrown, 1 M.; stone flung, 1 M.; starvation, 2 M.; neglect, 4 M., 1 F.; diphtheria (negligence by doctor), 1 F.; char-a-banc, 1 F.; neglect at birth, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1924—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
201	Fracture (cause not specified) ..	M.	27	3	—	—	—	2	1	—	4	6	7	4	—
		F.	4	1	—	—	—	—	—	—	—	—	—	3	—
	In ships, docks, &c.	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	27	3	—	—	—	2	1	—	4	6	7	4	—
		F.	4	1	—	—	—	—	—	—	—	—	—	3	—
202	Other and unstated forms of accidental violence; execution	M.	165	8	21	5	15	18	17	24	18	14	10	10	5
		F.	87	9	11	6	2	6	8	20	11	7	1	4	2
	Swallowing foreign body ..	M.	18	3	6	—	—	—	2	3	1	1	1	1	—
		F.	30	4	4	2	—	4	1	6	4	3	1	1	—
	Blow :—														
	In ships, docks, &c. ..	M.	2	—	1	—	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	27	1	4	—	3	4	1	1	4	1	3	4	1
		F.	13	—	3	2	1	—	—	2	1	2	—	1	1
	Football, cricket, &c. ..	M.	18	—	—	1	2	4	5	5	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	M.	20	1	4	1	5	2	2	—	2	1	1	1	—
		F.	10	5	3	—	—	1	—	—	—	1	—	—	—
	Explosions :—														
	In ships, docks, &c. ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Shell	M.	4	—	—	—	1	1	1	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others*	M.	19	—	—	—	1	4	1	4	6	1	2	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—	1	—
	Abortion :—														
	By operation	F.	17	—	—	—	—	1	6	6	4	—	—	—	—
	,, lead	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Not stated	F.	6	—	—	—	—	—	1	4	1	—	—	—	—
	Execution	M.	10	—	—	—	—	—	3	4	—	3	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other accidents (otherwise or not stated how) :—														
	In ships, docks, &c. ..	M.	3	—	—	—	—	1	—	1	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others†	M.	44	3	6	3	3	2	2	5	3	7	3	3	4
		F.	10	—	1	2	1	—	—	2	1	1	—	1	1
203	Violent deaths of unknown causation	M.	19	2	1	—	—	—	2	1	2	3	4	3	1
		F.	11	—	3	—	—	—	—	2	—	1	1	1	3
	Summarized headings :—														
	Ships, docks, &c.	M.	312	—	2	4	5	29	34	58	67	56	35	19	3
		F.	5	—	1	—	—	1	—	2	—	—	1	—	—
	Building operations ..	M.	211	—	—	—	—	9	18	24	38	46	48	27	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Criminal abortion	F.	38	—	—	—	—	2	10	13	13	—	—	—	—

* Including burst siege gun, 1 M.; acetylene lamp, 4 M.; electric lamp, 1 M.; petrol, 2 M.; benzol drum, 1 M; ammonia tank, 1 M.; coal gas, 1 M., 1 F.; gas (not stated), iron works, 1 M.; gelignite, 3 M., coal dust, 2 M.; sulphur and chlorate of potash, 1 M.; tube in scrap metal, 1 M.

† Including boxing, 1 M.; fight, 5 M.; shock from immersion, 3 M., 1 F.; strain, 2 M.; head between rails of bed, 2 M.; concussion of brain, 1 M.; overbalancing trestle in playground, 1 M.; overturning tripod (raising cow from ditch), 1 M.; constriction of chest by belt, 1 M. Wounds:—Spindle, 1 M.; pointed stump of bush, 1 M.; steel tube, 1 M.; steel wire, 1 M.; iron rod, 1 M.; iron fork, 1 F.; needle in heart, 1 F.; hay fork, 1 M.; control lever of motor bicycle, 1 M.; nail, 1 M.; brush, 1 M.; glass, 4 M., 1 F.; spiked railings, 2 M. Other wounds, 4 M.; tobogganing, 2 M.; exposure, 2 F.; foreign body impacted in uterus, 1 F.; perforation of uterus by syringe (non-pregnant), 1 F.

England and Wales and Certain Aggregates.

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of— England (excluding London).	Aggregate of Administrative Counties of— Wales (including Monmouth).	Aggregate of County Boroughs of— England.	Aggregate of County Boroughs of— Wales (including Monmouth).	Aggregate of Non-County Boroughs and Urban Districts of— England (excluding London).	Aggregate of Non-County Boroughs and Urban Districts of— Wales (including Monmouth).	Aggregate of Rural Districts of— England.	Aggregate of Rural Districts of— Wales (including Monmouth.)
Smallpox	1914	0·00	0·00	0·00	0·00	0·00	—	0·00	0·01	0·00	—	0·00	—
	1915	0·00	0·00	—	0·00	0·00	—	0·00	—	0·00	—	—	—
	1916	0·00	0·00	0·03	0·00	0·00	0·01	0·00	0·12	0·00	0·01	0·00	0·00
	1917	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00
	1918	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00
	1919	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·04	0·01	0·00	0·00	—
	1920	0·01	0·01	0·00	0·00	0·01	0·00	0·01	—	0·01	0·00	0·02	0·00
	1921	0·01	0·01	—	0·00	0·01	—	0·01	—	0·01	—	0·00	—
	1922	0·03	0·03	0·00	0·01	0·03	0·00	0·03	0·00	0·04	0·00	0·02	0·00
	1923	0·06	0·07	0·01	0·00	0·08	0·01	0·07	0·01	0·08	0·01	0·08	0·00
	1924	0·10	0·10	—	0·00	0·15	—	0·06	—	0·18	—	0·11	—
Scarlet Fever ..	1914	4·47	4·38	5·40	5·54	3·87	5·28	4·74	5·90	4·12	6·07	3·45	4·13
	1915	3·59	3·53	4·39	3·94	3·32	4·66	3·71	3·17	3·43	5·36	3·14	3·66
	1916	2·19	2·14	2·89	2·07	2·12	3·02	2·21	2·31	2·21	3·51	1·96	2·32
	1917	1·45	1·44	1·57	1·52	1·32	1·64	1·58	1·30	1·36	1·78	1·26	1·42
	1918	1·44	1·44	1·44	1·72	1·18	1·35	1·72	1·84	1·21	1·27	1·14	1·48
	1919	2·29	2·23	3·11	2·97	1·91	2·45	2·43	5·66	2·04	2·58	1·68	2·25
	1920	3·19	3·10	4·35	5·01	2·45	4·15	3·38	5·11	2·64	4·70	2·11	3·27
	1921	3·64	3·61	3·84	7·25	2·80	3·80	3·49	3·96	3·25	4·78	2·03	2·31
	1922	2·85	2·85	2·75	3·80	2·40	2·92	3·18	2·10	2·68	3·55	1·92	1·94
	1923	2·24	2·26	1·93	2·21	2·00	1·96	2·67	1·81	2·12	2·27	1·80	1·46
	1924	2·16	2·18	1·83	2·51	1·91	1·89	2·47	1·61	2·03	2·03	1·73	1·67
Diphtheria	1914	1·61	1·60	1·53	2·02	1·53	1·42	1·54	2·02	1·66	1·54	1·32	1·24
	1915	1·52	1·52	1·43	2·11	1·40	1·38	1·49	1·64	1·49	1·43	1·25	1·30
	1916	1·50	1·51	1·35	2·06	1·41	1·32	1·45	1·46	1·53	1·34	1·20	1·30
	1917	1·28	1·31	0·89	2·06	1·20	0·85	1·21	1·09	1·31	0·81	1·02	0·91
	1918	1·31	1·33	0·97	2·07	1·18	0·94	1·29	1·08	1·29	0·90	1·00	0·99
	1919	1·50	1·52	1·21	2·18	1·38	1·10	1·47	1·63	1·48	1·12	1·22	1·07
	1920	1·86	1·85	1·94	3·05	1·63	1·83	1·72	2·37	1·78	1·68	1·38	2·06
	1921	1·76	1·75	1·89	3·62	1·46	1·90	1·50	1·87	1·63	1·82	1·16	2·02
	1922	1·37	1·38	1·25	3·37	1·05	1·22	1·14	1·38	1·20	1·22	0·78	1·22
	1923	1·05	1·04	1·13	2·27	0·74	1·10	1·04	1·26	0·81	1·24	0·61	0·88
	1924	1·07	1·06	1·21	2·31	0·73	1·19	1·11	1·28	0·81	1·30	0·59	1·00

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1914—1924. ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Enteric Fever ..	1914	0·24	0·23	0·17	0·17	0·23	0·17	0·24	0·13	0·25	0·20	0·20	0·13
	1915	0·18	0·18	0·15	0·14	0·17	0·16	0·20	0·10	0·19	0·19	0·14	0·11
	1916	0·16	0·16	0·18	0·11	0·17	0·19	0·16	0·14	0·17	0·21	0·17	0·14
	1917	0·14	0·13	0·15	0·11	0·15	0·17	0·11	0·08	0·15	0·17	0·17	0·17
	1918	0·13	0·13	0·12	0·09	0·15	0·13	0·10	0·07	0·17	0·14	0·13	0·13
	1919	0·10	0·09	0·11	0·08	0·10	0·13	0·08	0·06	0·11	0·13	0·09	0·12
	1920	0·08	0·08	0·06	0·09	0·09	0·07	0·07	0·03	0·09	0·08	0·09	0·05
	1921	0·10	0·10	0·10	0·07	0·12	0·11	0·08	0·07	0·14	0·12	0·09	0·09
	1922	0·06	0·06	0·05	0·06	0·07	0·05	0·05	0·03	0·08	0·05	0·06	0·05
	1923	0·08	0·08	0·07	0·07	0·10	0·08	0·07	0·02	0·09	0·08	0·10	0·08
	1924	0·11	0·10	0·09	0·09	0·12	0·10	0·09	0·04	0·13	0·10	0·10	0·11
Puerperal Fever ..	1914	0·06	0·06	0·07	0·09	0·05	0·07	0·08	0·07	0·05	0·08	0·04	0·06
	1915	0·06	0·06	0·07	0·06	0·04	0·07	0·08	0·07	0·05	0·08	0·04	0·06
	1916	0·06	0·06	0·07	0·07	0·04	0·05	0·08	0·15	0·05	0·06	0·04	0·05
	1917	0·04	0·04	0·04	0·05	0·03	0·04	0·05	0·05	0·03	0·03	0·03	0·04
	1918	0·04	0·04	0·03	0·03	0·03	0·03	0·05	0·04	0·03	0·03	0·02	0·03
	1919	0·06	0·06	0·05	0·07	0·04	0·04	0·07	0·07	0·04	0·04	0·04	0·04
	1920	0·08	0·08	0·05	0·10	0·06	0·05	0·10	0·07	0·06	0·05	0·05	0·04
	1921	0·06	0·06	0·04	0·08	0·04	0·05	0·08	0·04	0·05	0·05	0·03	0·04
	1922	0·06	0·06	0·05	0·07	0·04	0·04	0·08	0·08	0·04	0·04	0·03	0·04
	1923	0·06	0·06	0·06	0·08	0·04	0·04	0·08	0·10	0·04	0·05	0·04	0·04
	1924	0·06	0·06	0·05	0·06	0·04	0·04	0·08	0·07	0·05	0·04	0·03	0·04
Erysipelas	1914	0·73	0·74	0·58	1·10	0·59	0·57	0·84	0·64	0·66	0·67	0·47	0·43
	1915	0·66	0·67	0·53	0·89	0·56	0·52	0·76	0·60	0·62	0·58	0·46	0·43
	1916	0·54	0·54	0·42	0·67	0·48	0·40	0·59	0·48	0·52	0·46	0·42	0·32
	1917	0·40	0·41	0·25	0·58	0·35	0·24	0·43	0·29	0·37	0·27	0·31	0·20
	1918	0·37	0·38	0·23	0·31	0·32	0·21	0·43	0·33	0·35	0·24	0·28	0·16
	1919	0·44	0·45	0·29	0·65	0·37	0·27	0·49	0·40	0·42	0·31	0·29	0·20
	1920	0·43	0·44	0·32	0·57	0·38	0·31	0·48	0·37	0·41	0·36	0·32	0·21
	1921	0·35	0·36	0·23	0·47	0·30	0·22	0·41	0·26	0·34	0·25	0·23	0·18
	1922	0·35	0·36	0·22	0·43	0·29	0·21	0·43	0·26	0·32	0·23	0·24	0·17
	1923	0·32	0·33	0·24	0·40	0·27	0·20	0·39	0·36	0·31	0·24	0·21	0·14
	1924	0·33	0·34	0·19	0·41	0·28	0·18	0·40	0·25	[illegible]	[illegible]	[illegible]	[illegible]

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1914—1924.
ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Cerebro-Spinal Fever	1914	0·01	0·01	0·00	0·02	0·01	0·00	0·01	0·01	0·00	0·01	0·01	—
	1915	0·07	0·08	0·04	0·14	0·07	0·03	0·06	0·07	0·07	0·03	0·07	0·02
	1916	0·04	0·04	0·01	0·10	0·03	0·01	0·03	0·02	0·03	0·01	0·02	0·01
	1917	0·04	0·05	0·01	0·09	0·04	0·01	0·04	0·02	0·04	0·01	0·03	0·01
	1918	0·02	0·02	0·01	0·05	0·02	0·01	0·02	0·01	0·02	0·01	0·02	0·01
	1919	0·02	0·02	0·01	0·04	0·02	0·01	0·02	0·01	0·02	0·02	0·02	0·01
	1920	0·02	0·02	0·01	0·03	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·00
	1921	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01
	1922	0·01	0·01	0·00	0·02	0·01	0·00	0·01	0·01	0·01	0·01	0·01	0·00
	1923	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
	1924	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·00	0·00
Poliomyelitis ..	1914	0·01	0·01	0·00	0·02	0·01	0·00	0·02	0·01	0·01	0·00	0·01	—
	1915	0·01	0·02	0·01	0·02	0·02	0·01	0·01	0·01	0·02	0·00	0·01	0·01
	1916	0·02	0·02	0·01	0·04	0·02	0·00	0·01	0·02	0·02	0·01	0·01	0·00
	1917	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
	1918	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·00	0·01	0·00	0·01	0·00
	1919	0·02	0·02	0·01	0·02	0·02	0·01	0·01	0·01	0·01	0·01	0·02	0·01
	1920	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
	1921	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·02	0·01	0·01
	1922	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·01	0·01	0·00
	1923	0·02	0·01	0·03	0·02	0·01	0·01	0·01	0·13	0·01	0·01	0·01	—
	1924	0·02	0·02	0·02	0·03	0·02	0·01	0·02	0·06	0·02	0·02	0·02	0·01

TABLE 24.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES. ENGLAND AND WALES, 1924.

(1924) Week ended	Scarlet Fever.	Diphtheria.	Enteric Fever.	Cerebro-Spinal Fever.	Poliomyelitis.	Encephalitis Lethargica.
Jan. 5	106	92	51	71	47	13
,, 12	94	96	77	**157**	67	11
,, 19	95	99	59	129	53	21
,, 26	101	98	67	29	40	19
Feb. 2	96	105	78	86	20	18
,, 9	92	93	67	114	27	38
,, 16	87	92	67	**157**	33	36
,, 23	91	91	54	71	40	64
March 1	81	93	53	86	27	88
,, 8	89	85	38	**171**	7	98
,, 15	83	83	56	**200**	20	89
,, 22	88	82	40	71	27	**131**
,, 29	86	90	46	**214**	27	**164**
April 5	84	81	50	**171**	20	**204**
,, 12	95	81	54	100	13	**216**
,, 19	83	68	63	**157**	7	**264**
,, 26	83	77	68	**157**	33	**225**
May 3	79	81	87	**143**	27	**291**
,, 10	89	78	83	129	40	**308**
,, 17	94	90	122	**200**	47	**303**
,, 24	94	95	**151**	100	53	**269**
,, 31	91	98	115	**200**	40	**261**
June 7	84	82	101	43	20	188
,, 14	82	78	106	100	33	184
,, 21	85	82	**171**	114	33	**166**
,, 28	86	89	**236**	**157**	60	**141**
July 5	80	79	**168**	**157**	80	104
,, 12	88	81	**163**	86	**153**	81
,, 19	84	87	118	100	**180**	84
,, 26	92	84	**131**	114	127	71
Aug. 2	84	83	121	29	**180**	71
,, 9	79	73	128	43	**200**	48
,, 16	90	79	119	100	**193**	71
,, 23	80	79	108	100	**233**	65
,, 30	87	75	115	129	**253**	56
Sept. 6	89	83	**136**	43	**240**	48
,, 13	100	93	**150**	100	**160**	45
,, 20	106	111	129	100	**180**	40
,, 27	114	110	117	100	**213**	58
Oct. 4	128	128	**178**	114	**227**	58
,, 11	**143**	**140**	**194**	29	**233**	45
,, 18	**135**	**137**	**135**	86	**187**	54
,, 25	**135**	**144**	95	**143**	**180**	45
Nov. 1	**141**	**147**	119	29	**187**	42
,, 8	**133**	**134**	78	71	**200**	45
,, 15	**137**	**147**	87	86	**140**	33
,, 22	**132**	**143**	64	100	127	45
,, 29	**144**	**137**	76	100	**147**	58
Dec. 6	**130**	**143**	82	86	47	46
,, 13	127	**139**	86	129	100	45
,, 20	122	125	90	71	67	43
,, 27	91	107	65	29	40	46
Jan. 3 (1925)	116	**137**	72	71	47	44
	100	100	100	100	100	100
Average weekly number of cases notified	1,597	792	78	7	15	95

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week, any seasonal excess of 30 per cent. over the mean for the year being shown by black type.

Table 25.—Notifications of Tuberculosis, 1915–1924.

—	Tuberculosis of Respiratory System.																			
	1915.		1916.		1917.		1918.		1919.		1920.		1921.		1922.		1923.		1924.	
	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.
England and Wales (including cases notified in Port Sanitary Districts)	73,538	2·07	72,479	2·10	73,654	2·18	72,741	2·17	65,229	1·81	61,655	1·65	59,299	1·57	55,798	1·47	57,007	1·49	57,737	1·47
England (excluding London)	54,510	1·90	54,643	1·96	54,928	2·01	53,714	1·98	49,514	1·70	47,893	1·58	46,503	1·52	43,528	1·41	45,133	1·46	46,172	1·45
London	14,717	3·41	13,544	3·19	14,869	3·69	15,286	3·86	12,386	2·84	10,653	2·35	9,731	2·16	8,721	1·92	8,165	1·79	7,941	1·71
Wales (including Monmouth) ..	4,127	1·70	4,107	1·74	3,741	1·57	3,675	1·57	3,208	1·26	2,922	1·10	2,897	1·09	3,415	1·27	3,504	1·30	3,390	1·22

—	Other Tuberculosis.																			
	1915.		1916.		1917.		1918.		1919.		1920.		1921.		1922.		1923.		1924.	
	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.
England and Wales (including cases notified in Port Sanitary Districts)	22,864	0·65	23,777	0·69	22,096	0·66	19,391	0·58	16,821	0·47	15,851	0·42	15,653	0·42	16,178	0·43	18,494	0·48	18,711	0·48
England (excluding London)	17,761	0·62	18,432	0·66	17,122	0·63	14,927	0·55	12,721	0·44	12,458	0·41	12,644	0·41	12,909	0·42	15,022	0·49	15,212	0·48
London	3,948	0·92	4,083	0·96	3,864	0·96	3,447	0·87	3,233	0·74	2,511	0·55	2,267	0·50	2,235	0·49	2,298	0·50	2,330	0·50
Wales (including Monmouth) ..	1,108	0·46	1,221	0·52	1,055	0·44	999	0·43	850	0·33	874	0·33	732	0·28	1,020	0·38	1,154	0·43	1,156	0·42

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES, IN ADMINISTRATIVE COUNTIES AND IN COUNTY BOROUGHS: 53 WEEKS ENDED 3RD JANUARY, 1925.

Note.—Cases notified in Port Sanitary Districts are included only in the figures for England and Wales as a whole.

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-Spinal Fever Cases.	Poliomyelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND AND WALES	84,654	2·16	41,980	1·07	4,121	0·11	2,183	0·06	12,879	0·33	3,765	8	37	397	777	5,039	6,267	57,737	18,711
ENGLAND	79,542	2·18	38,599	1·06	3,805	0·10	2,053	0·06	12,329	0·34	3,757	8	35	382	716	4,907	5,872	54,113	17,542
ENGLAND AND WALES, Administrative Counties, excluding London	40,943	1·91	16,541	0·77	2,533	0·12	883	0·04	5,804	0·27	2,940	—	8	148	368	2,072	1,840	25,743	9,221
ENGLAND, Administrative Counties, excluding London	36,795	1·91	13,934	0·73	2,309	0·12	791	0·04	5,407	0·28	2,940	—	7	136	340	1,960	1,586	23,296	8,355
†ALL AREAS:																			
England and Wales	84,654	2·16	41,980	1·07	4,121	0·11	2,183	0·06	12,879	0·33	3,765	8	37	397	777	5,039	6,267	57,737	18,711
North	33,740	2·55	10,028	0·76	1,529	0·12	817	0·06	5,125	0·39	1,395	8	5	131	195	2,218	2,829	21,667	8,362
Midlands	25,501	2·05	13,555	1·09	1,112	0·09	715	0·06	3,992	0·32	2,354	—	5	88	282	1,626	1,826	16,682	4,694
South‡	20,301	1·89	15,016	1·40	1,164	0·11	521	0·05	3,212	0·30	8	—	25	163	239	1,063	1,217	15,764	4,486
Wales	5,079	1·83	3,349	1·21	246	0·09	130	0·05	539	0·19	—	—	1	15	61	129	395	3,390	1,156
Port Sanitary Districts.	33	?	32	?	70	?	—	?	11	?	8	—	1	—	—	3	—	234	13
LONDON	11,686	2·51	10,737	2·31	417	0·09	298	0·06	1,903	0·41	4	—	21	99	123	614	730	7,941	2,330
COUNTY BOROUGHS:																			
England and Wales	31,992	2·43	14,670	1·11	1,101	0·08	1,002	0·08	5,161	0·39	813	8	7	150	286	2,350	3,697	23,819	7,147
North	17,883	2·55	5,768	0·82	701	0·10	548	0·08	2,874	0·41	531	8	4	96	121	1,457	2,174	13,540	4,561
Midlands	10,750	2·58	6,492	1·56	226	0·05	359	0·09	1,770	0·43	282	—	3	36	113	764	1,197	7,200	1,745
South	2,428	1·74	1,668	1·20	152	0·11	57	0·04	375	0·27	—	—	—	15	19	112	185	2,136	551
Wales	931	1·61	742	1·28	22	0·04	38	0·07	142	0·25	—	—	—	3	33	17	141	943	290

OTHER URBAN DISTRICTS:																			
England and Wales	27,104	2·03	11,463	0·86	1,712	0·13	608	0·05	4,046	0·30	2,162	—	5	112	248	1,426	1,345	17,091	6,378
North	11,321	2·55	3,200	0·72	624	0·14	208	0·05	1,691	0·38	746	—	1	30	49	584	499	6,002	2,822
Midlands	9,171	1·87	4,707	0·96	584	0·12	234	0·05	1,485	0·30	1,415	—	1	35	105	566	423	6,109	1,901
South	3,861	1·45	1,787	0·67	369	0·14	105	0·04	589	0·22	1	—	3	36	71	203	208	3,390	1,033
Wales	2,751	2·03	1,769	1·30	135	0·10	61	0·04	281	0·21	—	—	—	11	23	73	215	1,590	622
RURAL DISTRICTS:																			
England and Wales	13,839	1·72	5,078	0·63	821	0·10	275	0·03	1,758	0·22	778	—	3	36	120	646	495	8,652	2,843
North	4,536	2·56	1,060	0·60	204	0·12	61	0·03	560	0·32	118	—	—	5	25	177	156	2,125	979
Midlands	5,580	1·65	2,356	0·70	302	0·09	122	0·04	737	0·22	657	—	1	17	64	296	206	3,373	1,048
South	2,326	1·14	824	0·40	226	0·11	61	0·03	345	0·17	3	—	1	13	26	134	94	2,297	572
Wales	1,397	1·67	838	1·00	89	0·11	31	0·04	116	0·14	—	—	1	1	5	39	39	857	244
ENGLAND, Administrative Counties, excluding London:																			
Bedfordshire ..	134	0·63	176	0·82	174	0·81	3	0·01	31	0·14	4	—	—	2	—	11	15	307	51
Berkshire.. ..	331	1·62	104	0·51	11	0·05	6	0·03	30	0·15	—	—	—	—	3	16	10	186	43
Buckinghamshire	361	1·48	115	0·47	12	0·05	3	0·01	48	0·20	3	—	—	1	2	11	6	167	51
Cambridgeshire ..	262	1·99	78	0·59	9	0·07	8	0·06	43	0·33	—	—	—	1	2	10	5	307	155
Cheshire	2,013	3·08	523	0·80	52	0·08	39	0·06	157	0·24	34	—	—	3	4	79	63	589	380
Cornwall	222	0·69	66	0·20	23	0·07	6	0·02	50	0·15	—	—	—	2	2	18	12	287	83
Cumberland ..	438	1·95	144	0·64	26	0·12	10	0·04	38	0·17	186	—	—	2	3	7	9	270	77
Derbyshire ..	1,448	2·34	636	1·03	52	0·08	35	0·06	221	0·36	139	—	—	1	13	81	67	645	300
Devonshire ..	496	1·14	128	0·29	90	0·21	19	0·04	85	0·19	—	—	—	4	7	35	29	668	147
Dorsetshire ..	210	0·93	39	0·17	12	0·05	6	0·03	39	0·17	—	—	—	1	7	16	13	324	88
Durham	4,084	4·06	924	0·92	102	0·10	43	0·04	465	0·46	19	—	—	3	12	111	216	1,099	776
Ely, Isle of ..	70	0·91	70	0·91	7	0·09	4	0·05	22	0·28	—	—	—	3	—	2	5	86	42
Essex	1,529	1·59	982	1·02	105	0·11	40	0·04	275	0·29	—	—	2	5	17	83	53	1,175	345
Gloucestershire ..	477	1·40	243	0·71	35	0·10	10	0·03	51	0·15	127	—	—	4	10	34	17	312	112
Herefordshire ..	103	0·89	49	0·42	4	0·03	2	0·02	21	0·18	—	—	—	—	6	13	7	112	37
Hertfordshire ..	401	1·15	104	0·30	82	0·23	15	0·04	88	0·25	4	—	—	1	7	32	9	426	146
Huntingdonshire..	42	0·74	21	0·37	12	0·21	3	0·05	10	0·18	—	—	—	1	—	1	4	52	25
Kent	1,529	1·39	789	0·71	202	0·18	35	0·03	260	0·24	3	—	2	15	23	70	81	1,471	498
Lancashire ..	3,400	1·88	1,210	0·67	237	0·13	78	0·04	674	0·37	103	—	—	16	21	295	154	2,105	1,201
Leicestershire ..	246	0·89	315	1·13	8	0·03	4	0·01	71	0·26	98	—	—	1	6	28	27	341	91

† For the constitution of the several areas, North, Midlands, South, and Wales, *see* the footnote to Table 14. ‡ Including London.

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-Spinal Fever Cases.	Poliomyelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, Administrative Counties, excluding London—*cont.*																			
Lincolnshire—																			
Holland	140	1·58	41	0·46	2	0·02	3	0·03	20	0·23	—	—	—	—	—	11	6	75	27
Kesteven	66	0·61	33	0·30	21	0·19	1	0·01	20	0·18	—	—	—	1	13	9	5	78	25
Lindsey	408	1·54	144	0·55	13	0·05	4	0·02	72	0·27	120	—	—	—	4	30	18	309	145
Middlesex ..	2,321	1·77	1,487	1·13	87	0·07	62	0·05	387	0·30	17	—	—	12	28	160	83	1,635	347
Norfolk	551	1·68	93	0·28	34	0·10	7	0·02	60	0·18	—	—	—	4	2	13	11	330	98
Northamptonshire	1,026	4·69	185	0·85	18	0·08	12	0·05	63	0·29	—	—	—	2	7	19	14	257	43
Northumberland..	1,151	2·76	234	0·56	61	0·15	10	0·02	174	0·42	392	—	—	2	7	91	50	614	310
Nottinghamshire..	839	2·11	324	0·81	35	0·09	22	0·06	136	0·34	518	—	—	5	3	45	47	475	112
Oxfordshire ..	227	1·66	37	0·27	8	0·06	13	0·10	44	0·32	—	—	—	2	2	14	9	122	28
Peterborough, Soke of	41	0·83	19	0·39	—	—	2	0·04	14	0·28	—	—	—	—	—	5	5	75	13
Rutlandshire ..	27	1·44	9	0·48	2	0·11	1	0·05	—	—	—	—	—	—	—	4	—	9	4
Shropshire ..	466	1·86	239	0·96	30	0·12	14	0·06	32	0·13	—	—	—	—	3	28	43	292	130
Somersetshire ..	518	1·28	153	0·38	32	0·08	16	0·04	115	0·28	—	—	—	4	8	61	23	612	140
Southampton ..	598	1·46	194	0·47	62	0·15	21	0·05	69	0·17	—	—	—	2	11	14	30	433	105
Staffordshire ..	1,791	2·45	1,065	1·46	33	0·05	42	0·06	239	0·33	1	—	—	2	15	88	98	744	245
Suffolk—East ..	404	1·89	65	0·30	35	0·16	7	0·03	23	0·11	—	—	—	2	—	11	14	266	98
Suffolk—West ..	101	0·90	15	0·13	6	0·05	4	0·04	19	0·17	—	—	—	1	1	4	4	101	26
Surrey	1,194	1·58	740	0·98	81	0·11	30	0·04	177	0·23	1	—	1	13	22	70	48	750	214
Sussex—East ..	331	1·27	48	0·18	18	0·07	5	0·02	32	0·12	—	—	1	2	6	15	8	310	71
Sussex—West ..	272	1·40	53	0·27	35	0·18	6	0·03	24	0·12	—	—	—	4	5	7	17	257	81
Warwickshire ..	665	1·83	380	1·04	46	0·13	22	0·06	134	0·37	41	—	—	1	12	85	35	433	143
Westmorland ..	191	3·01	10	0·16	2	0·03	2	0·03	9	0·14	—	—	—	—	9	11	1	72	20

ENGLAND, Administrative Counties, excludingLondon—*cont.*																			
Wight, Isle of ..	202	2·31	33	0·38	17	0·19	2	0·02	11	0·13	—	—	—	1	—	3	3	86	10
Wiltshire ..	284	0·95	264	0·88	12	0·04	14	0·05	42	0·14	—	—	—	1	3	12	28	303	125
Worcestershire ..	605	1·93	138	0·44	16	0·05	13	0·04	78	0·25	—	—	—	—	16	30	22	351	110
Yorkshire—																			
East Riding	302	1·79	48	0·28	18	0·11	12	0·07	33	0·20	5	—	—	—	1	9	8	123	38
North Riding	808	2·51	164	0·51	46	0·14	4	0·01	86	0·27	54	—	—	1	4	20	11	303	135
West Riding	3,470	2·24	1,003	0·65	284	0·18	71	0·05	615	0·40	71	—	1	8	13	138	143	2,952	864
WALES, Administrative Counties, including Monmouthshire	4,148	1·89	2,607	1·19	224	0·10	92	0·04	397	0·18	—	—	1	12	28	112	254	2,447	866
Anglesey	122	2·30	52	0·98	1	0·02	2	0·04	2	0·04	—	—	—	—	—	—	4	56	25
Brecknockshire ..	63	1·00	70	1·11	20	0·32	5	0·08	6	0·10	—	—	—	—	1	2	4	52	30
Cardiganshire ..	62	1·05	26	0·44	24	0·41	5	0·08	6	0·10	—	—	—	—	1	2	3	93	23
Carmarthenshire ..	411	2·23	295	1·60	19	0·10	8	0·04	38	0·21	—	—	—	2	2	4	7	220	68
Carnarvonshire ..	75	0·61	58	0·47	13	0·11	1	0·01	17	0·14	—	—	—	—	1	10	2	175	51
Denbighshire ..	244	1·52	93	0·58	33	0·21	6	0·04	32	1·99	—	—	—	—	—	19	11	218	37
Flintshire ..	415	3·91	115	1·08	27	0·25	5	0·05	18	0·17	—	—	—	—	—	17	4	70	17
Glamorganshire ..	1,879	2·20	1,230	1·44	27	0·03	39	0·05	171	0·20	—	—	1	6	15	23	164	936	411
Merionethshire ..	63	1·44	25	0·57	3	0·07	1	0·02	8	0·18	—	—	—	—	—	—	3	76	24
Monmouthshire ..	700	1·84	535	1·41	41	0·11	15	0.04	72	0·19	—	—	—	3	4	25	42	372	111
Montgomeryshire	37	0·70	40	0·76	7	0·13	2	0·04	14	0·27	—	—	—	—	—	3	6	38	20
Pembrokeshire ..	59	0·63	56	0·60	8	0·09	2	0·02	12	0·13	—	—	—	1	3	5	3	110	43
Radnorshire ..	18	0·80	12	0·53	1	0·04	1	0·04	1	0·04	—	—	—	—	1	2	1	31	6

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-Spinal Fever Cases.	Poliomyelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County Boroughs	31,061	2·47	13,928	1·11	1,079	0·09	964	0·08	5,019	0·40	813	8	7	147	253	2,333	3,556	22,876	6,857
Barnsley	191	2·66	69	0·96	5	0·07	17	0·24	48	0·67	7	—	—	1	2	2	15	121	34
Barrow in Furness	81	1·08	36	0·48	5	0·07	—	—	26	0·35	—	—	—	—	—	6	9	92	36
Bath, City of ..	60	0·85	85	1·21	1	0·01	3	0·04	23	0·33	—	—	—	—	—	9	14	62	5
Birkenhead ..	337	2·15	145	0·93	14	0·09	9	0·06	61	0·39	—	—	—	2	1	13	50	209	89
Birmingham, City of	2,269	2·36	2,045	2·12	52	0·05	119	0·12	405	0·42	—	—	1	12	41	301	417	1,789	364
Blackburn ..	70	0·54	62	0·48	3	0·02	10	0·08	46	0·35	—	—	—	—	1	31	17	152	59
Blackpool ..	110	1·40	48	0·61	6	0·08	11	0·14	17	0·22	—	—	—	2	1	29	28	129	39
Bolton	269	1·46	32	0·17	18	0·10	5	0·03	48	0·26	—	—	—	7	1	40	25	152	49
Bootle	320	3·79	58	0·69	6	0·07	9	0·11	27	0·32	—	—	—	1	2	11	35	202	76
Bournemouth ..	97	1·13	128	1·49	11	0·13	—	—	16	0·19	—	—	—	2	2	6	6	146	7
Bradford, City of	445	1·51	240	0·81	47	0·16	20	0·07	159	0·54	1	—	—	3	8	35	26	338	142
Brighton	253	1·81	116	0·83	10	0·07	2	0·01	33	0·24	—	—	—	1	3	7	12	244	87
Bristol, City of ..	830	2·11	969	2·47	43	0·11	43	0·11	175	0·45	—	—	—	3	9	162	89	797	203
Burnley	79	0·75	106	1·01	23	0·22	4	0·04	71	0·68	—	—	—	—	3	5	21	147	97
Burton upon Trent	88	1·74	16	0·32	3	0·06	3	0·06	11	0·22	12	—	—	—	3	26	17	60	41
Bury	133	2·30	50	0·87	1	0·02	1	0·02	20	0·35	—	—	—	—	1	11	8	74	26
Canterbury, City of	42	1·77	5	0·21	—	—	2	0·08	8	0·34	—	—	—	—	—	2	2	1	6
Carlisle, City of ..	244	4·37	60	1·08	6	0·11	4	0·07	19	0·34	—	—	—	3	—	1	10	105	25
Chester, City of ..	78	1·84	51	1·20	5	0·12	2	0·05	8	0·19	—	—	—	—	1	1	7	47	26
Coventry, City of	268	2·04	70	0·53	5	0·04	5	0·04	45	0·34	26	—	—	3	3	47	21	194	68
Croydon	291	1·46	212	1·06	5	0·03	9	0·05	47	0·24	—	—	—	7	2	21	19	222	139
Darlington ..	147	2·11	39	0·56	1	0·01	3	0·04	34	0·49	—	—	—	—	1	8	9	125	65
Derby	372	2·74	240	1·77	3	0·02	11	0·08	35	0·26	211	—	1	—	—	18	20	285	53
Dewsbury ..	61	1·10	27	0·48	9	0·16	2	0·04	11	0·20	—	—	—	—	—	5	8	38	7
Dudley	62	1·04	32	0·54	1	0·02	—	—	10	0·17	—	—	—	—	—	4	3	67	23
Eastbourne ..	24	0·43	14	0·25	11	0·20	2	0·04	12	0·22	—	—	—	2	1	5	3	108	16
East Ham ..	221	1·48	133	0·89	5	0·03	5	0·03	39	0·26	—	—	—	1	1	8	11	283	114
Exeter, City of ..	53	0·87	38	0·62	9	0·15	5	0·08	19	0·31	—	—	—	—	2	3	15	116	17
Gateshead ..	434	3·32	127	0·97	5	0·04	4	0·03	44	0·34	—	—	—	1	4	13	15	242	116

ENGLAND, County Boroughs—*cont.*																			
Gloucester, City of	103	1·91	103	1·91	20	0·37	6	0·11	22	0·41	18	—	—	—	—	9	12	82	34
Great Yarmouth..	143	2·43	35	0·60	1	0·02	2	0·03	14	0·24	—	—	—	—	—	—	6	90	6
Grimsby	103	1·17	126	1·43	5	0·06	4	0·05	11	0·12	—	—	—	2	—	8	9	170	38
Halifax	109	1·09	38	0·38	10	0·10	3	0·03	24	0·24	—	—	—	—	—	11	9	70	33
Hastings	193	3·14	34	0·55	3	0·05	3	0·05	21	0·34	—	—	—	—	3	4	7	102	24
Huddersfield ..	109	0·96	91	0·80	38	0·33	6	0·05	27	0·24	1	—	—	4	—	3	18	174	68
Ipswich	124	1·47	20	0·24	3	0·04	21	0·25	33	0·39	—	—	—	—	1	1	10	142	53
Kingston upon Hull, City of	393	1·30	328	1·09	23	0·08	15	0·05	108	0·36	4	—	—	3	1	35	71	514	172
Leeds, City of ..	1,270	2·65	293	0·61	26	0·05	53	0·11	240	0·50	7	—	—	5	—	42	71	1,203	183
Leicester, City of..	343	1·40	421	1·71	4	0·02	12	0·05	96	0·39	5	—	—	2	11	20	29	741	62
Lincoln, City of ..	64	0·94	60	0·88	4	0·06	4	0·06	10	0·15	—	—	—	—	—	15	6	104	50
Liverpool, City of	3,834	4·43	1,124	1·30	47	0·05	65	0·08	387	0·45	1	—	—	13	13	190	694	2,361	733
Manchester, City of	1,799	2·34	574	0·75	106	0·14	109	0·14	283	0·37	—	—	—	13	7	245	351	1,568	632
Middlesbrough ..	717	5·18	94	0·68	5	0·04	2	0·01	78	0·56	485	—	—	1	—	7	12	436	153
Newcastle upon Tyne, City of	822	2·83	261	0·90	27	0·09	17	0·06	155	0·53	5	—	—	5	2	93	57	547	275
Northampton ..	1,057	11·11	87	0·91	7	0·07	11	0·12	54	0·57	—	—	—	1	7	2	11	111	14
Norwich, City of..	609	4·84	116	0·92	11	0·09	8	0·06	69	0·55	—	—	—	2	—	10	24	135	35
Nottingham, City of	570	2·07	239	0·87	14	0·05	8	0·03	91	0·33	9	—	—	1	3	29	105	197	59
Oldham	143	0·96	83	0·55	3	0·02	7	0·05	38	0·25	—	—	—	1	3	30	28	124	80
Oxford, City of ..	173	2·97	24	0·41	4	0·07	2	0·04	10	0·17	1	—	—	—	1	5	6	64	23
Plymouth ..	364	1·86	184	0·94	20	0·10	6	0·03	44	0·22	—	—	—	1	3	21	22	294	93
Portsmouth ..	576	2·44	501	2·12	49	0·21	11	0·05	58	0·25	—	—	—	—	1	22	52	440	105
Preston	221	1·77	134	1·07	15	0·12	6	0·05	40	0·32	1	—	—	1	1	5	6	188	47
Reading	134	1·41	43	0·45	5	0·05	5	0·05	44	0·46	—	—	—	2	1	1	3	126	16
Rochdale ..	254	2·69	80	0·85	12	0·13	3	0·03	26	0·28	—	—	—	1	—	13	13	81	29
Rotherham ..	470	6·57	53	0·74	1	0·01	2	0·03	30	0·42	13	—	—	—	1	13	15	182	38
St. Helens ..	166	1·50	93	0·84	2	0·02	17	0·15	42	0·38	—	8	—	2	1	4	34	171	77
Salford	416	1·68	290	1·17	26	0·10	18	0·07	89	0·36	—	—	—	5	1	59	57	572	95
Sheffield, City of..	1,354	2·54	525	0·98	46	0·09	84	0·16	286	0·54	4	—	4	10	53	336	212	1,474	343
Smethwick ..	126	1·57	141	1·76	3	0·04	15	0·19	40	0·50	—	—	1	—	2	13	27	113	17
Southampton ..	341	2·01	308	1·81	28	0·16	9	0·05	50	0·29	—	—	—	—	1	11	30	275	36
Southend on Sea..	109	1·11	51	0·52	5	0·05	11	0·11	32	0·33	—	—	—	—	2	4	44	183	51

TABLE 26.—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES.—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-Spinal Fever Cases.	Poliomyelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County Boroughs—*cont.*																			
Southport ..	108	1·44	35	0·47	18	0·24	3	0·04	37	0·49	—	—	—	—	—	11	10	106	35
South Shields ..	744	5·78	70	0·54	12	0·09	5	0·04	24	0·19	1	—	—	1	3	9	18	274	104
Stockport ..	360	2·81	58	0·45	6	0·05	6	0·05	33	0·26	—	—	—	3	2	37	26	177	90
Stoke on Trent ..	1,888	6·68	229	0·81	4	0·01	24	0·08	201	0·71	—	—	—	4	3	9	219	357	109
Sunderland ..	227	1·35	66	0·39	5	0·03	1	0·01	67	0·40	—	—	—	4	2	37	115	236	88
Tynemouth ..	138	2·06	30	0·45	55	0·82	2	0·03	23	0·34	1	—	—	1	1	5	19	151	65
Wakefield ..	136	2·48	56	1·02	6	0·11	5	0·09	21	0·38	—	—	—	1	—	2	6	74	27
Wallasey ..	170	1·84	35	0·38	11	0·12	1	0·01	19	0·21	—	—	—	—	1	3	7	161	49
Walsall	222	2·15	363	3·52	1	0·01	17	0·16	77	0·75	—	—	—	1	14	9	25	169	67
Warrington ..	319	4·02	66	0·83	4	0·05	7	0·09	55	0·69	—	—	—	—	—	14	8	151	85
West Bromwich ..	219	2·74	87	1·09	—	—	5	0·06	37	0·46	—	—	—	—	5	8	4	61	40
West Ham ..	388	1·20	801	2·48	19	0·06	15	0·05	177	0·55	—	—	—	2	2	26	24	772	171
West Hartlepool..	330	4·53	44	0·60	8	0·11	5	0·07	29	0·40	—	—	—	—	—	5	18	86	49
Wigan	80	0·86	25	0·27	19	0·21	2	0·02	41	0·44	—	—	—	1	—	7	5	119	77
Wolverhampton	159	1·45	57	0·52	3	0·03	6	0·05	23	0·21	—	—	—	2	1	25	46	149	22
Worcester, City of	240	4·70	27	0·53	6	0·12	2	0·04	53	1·04	—	—	—	—	4	5	12	85	28
York, City of ..	195	2·27	72	0·84	16	0·19	3	0·03	33	0·38	—	—	—	1	3	30	11	167	48
WALES, including Monmouth, County Boroughs	931	1·61	742	1·28	22	0·04	38	0·07	142	0·25	—	—	—	3	33	17	141	943	290
Cardiff	190	0·83	204	0·89	12	0·05	24	0·10	78	0·34	—	—	—	—	22	10	96	370	94
Merthyr Tydfil ..	124	1·46	184	2·17	3	0·04	2	0·02	18	0·21	—	—	—	—	6	1	15	83	51
Newport (Mon.) ..	162	1·66	38	0·39	5	0·05	6	0·06	17	0·17	—	—	—	—	3	4	9	155	70
Swansea	455	2·75	316	1·91	2	0·01	6	0·04	29	0·18	—	—	—	3	2	2	21	335	75

TABLE 27.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1914–1924. ENGLAND AND WALES.

(*a*) Civilians (excluding cases in Port Sanitary Districts).

Diseases.	Cases Notified.										
	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
Cerebro-spinal Fever	313	2,558	1,305	1,462	798	843	581	411	344	300	397
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	81	57	79	50	22	39	30	37	15	21	36
Diphtheria (including Membranous Croup)	58,856	53,549	51,674	43,274	43,678	53,843	69,407	66,452	52,072	39,953	41,948
‖Dysentery..	—	—	—	—	—	1,638	1,169	1,193	757	458	356
§Encephalitis Lethargica (Acute) ..	—	—	—	—	—	541	889	1,470	451	1,023	5,036
Enteric Fever	8,281	6,203	5,438	4,505	4,232	3,308	2,994	3,776	2,365	3,139	4,051
Erysipelas..	26,889	23,346	18,482	13,299	12,455	15,752	16,029	13,220	13,157	12,321	12,868
‖Malaria (contracted in England and Wales)	—	—	—	—	—	93	32	10	6	3	4
‡Ophthalmia Neonatorum	6,166	6,802	7,611	6,712	6,532	8,648	10,302	8,312	7,106	6,592	6,267
Plague	9	—	12	—	2	1	1	—	—	—	—
‖Pneumonia (Acute Primary and Acute Influenzal)	—	—	—	—	—	45,063	38,685	33,744	52,435	44,543	60,723
§Polio-encephalitis (Acute)	—	—	—	—	—	62	36	51	31	57	83
Poliomyelitis (Acute)	509	517	688	357	228	553	293	488	355	587	777
Puerperal Fever	2,337	2,057	1,993	1,344	1,206	2,016	2,898	2,211	2,134	2,190	2,183
Relapsing Fever	1	—	—	3	2	4	7	1	—	2	—
Scarlet Fever	164,306	127,021	75,683	48,785	48,170	82,358	119,445	137,012	108,199	85,582	84,621
Small-pox	57	78	135	6	51	262	243	311	967	2,477	3,757
‖Trench Fever	—	—	—	—	—	99	39	15	6	3	3
Tuberculosis of Respiratory System ..	80,862	73,354	72,294	73,538	72,675	65,108	61,468	59,131	55,664	56,802	57,503
Tuberculosis (other forms)	24,344	22,817	23,736	22,041	19,373	16,804	15,843	15,643	16,164	18,474	18,698
Typhus Fever	15	44	4	4	8	2	—	3	13	—	8

‡ Notifiable since 1st April, 1914. § Notifiable since 1st January, 1919. ‖ Notifiable since 1st March, 1919.

TABLE 27—*continued.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1914–1919. ENGLAND AND WALES.

(*b*) Non-Civilians.

Diseases.	Cases Notified.					
	1914.	1915.	1916.	1917.	1918.	1919.*
Cerebro-spinal Fever	—	930	778	1,023	578	106
Continued Fever	—	3	3	—	1	—
Diphtheria (including Membranous Croup)	469	1,183	1,633	1,296	1,618	677
Encephalitis Lethargica (Acute)	—	—	—	—	—	11
Enteric Fever	333	594	893	177	425	467
Erysipelas	69	264	468	442	384	99
Poliomyelitis (Acute)	—	3	15	1	8	1
Scarlet Fever	678	1,998	1,783	1,244	1,457	402
Small-pox	1	2	10	2	2	67
Tuberculosis of Respiratory System	—	516	1,706	2,210	4,124	1,338
Tuberculosis (other forms)	—	64	122	122	149	99
Typhus Fever	—	1	4	—	1	151

* The figures for 1919 include the following convalescent cases:—Cerebro-spinal Fever, 1; Diphtheria, 8; Enteric Fever, 64; Scarlet Fever, 1; Small-pox, 50; and Typhus Fever, 149. Three convalescent cases of Cholera were also notified.

TABLE 27—*continued.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1914–1924. ENGLAND AND WALES.

(*c*) In Port Sanitary Districts.

Diseases.	Cases Notified.										
	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
Cerebro-spinal Fever	2	8	1	3	—	5	2	—	—	1	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	5	6	3	8	2	—	5	8	3	4	1
Diphtheria (including Membranous Croup)	32	48	33	41	35	75	74	54	81	56	32
Dysentery	—	—	—	—	—	19	84	30	32	26	32
Encephalitis Lethargica (Acute) ..	—	—	—	—	—	—	1	—	3	2	3
Enteric Fever	164	161	126	96	74	139	115	59	49	72	70
Erysipelas	19	36	28	26	8	11	22	11	14	14	11
Ophthalmia Neonatorum	—	4	2	4	—	—	2	1	1	—	—
Plague	—	—	—	8	5	11	2	—	—	—	—
Pneumonia (Acute Primary and Acute Influenzal)	—	—	—	—	—	197	174	86	78	81	71
Polio-encephalitis (Acute)	—	—	—	—	—	—	—	—	—	—	—
Poliomyelitis (Acute)	—	—	1	—	—	—	—	—	—	—	—
Puerperal Fever	1	—	3	1	—	—	—	—	—	1	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	1	—
Scarlet Fever	61	65	39	32	10	40	45	61	43	21	33
Small-pox	7	12	14	1	12	32	20	4	6	8	8
Tuberculosis of Respiratory System ..	297	184	185	116	66	121	187	168	134	205	234
Tuberculosis (other forms)	22	47	41	55	18	17	8	10	14	20	13
Typhus Fever	—	1	—	—	—	1	2	—	—	1	—

See footnotes to page 445.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population.

(Excluding cases among men in Establishments of the Armed Forces.)

Cases of Membranous Croup are included under the heading of Diphtheria.

For the populations of the several areas see Table 14.

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
BEDFORD*	4	0·02	134	0·63	176	0·82	174	0·81	3	0·01	31	0·14
AGGREGATE OF M.Bs. AND U.Ds.	4	0·03	80	0·61	126	0·96	157	1·19	–	–	21	0·16
AGGREGATE OF R.Ds. ..	–	–	54	0·65	50	0·60	17	0·21	3	0·04	10	0·12
BOROUGHS AND URBAN DISTRICTS :—												
Ampthill	–	–	–	–	1	0·45	–	–	–	–	1	0·45
Bedford M.B.	–	–	18	0·43	33	0·78	1	0·02	–	–	6	0·14
Biggleswade	–	–	–	–	–	–	–	–	–	–	3	0·53
Dunstable M.B.	–	–	4	0·44	13	1·43	1	0·11	–	–	–	–
Kempston	–	–	4	0·77	17	3·28	–	–	–	–	–	–
Leighton Buzzard ..	–	–	3	0·43	5	0·72	1	0·14	–	–	1	0·14
Luton M.B.	4	0·07	51	0·85	57	0·95	154	2·56	–	–	10	0·17
RURAL DISTRICTS :—												
Ampthill	–	–	11	0·56	9	0·46	1	0·05	2	0·10	5	0·26
Bedford	–	–	16	0·79	16	0·79	–	–	–	–	1	0·05
Biggleswade	–	–	4	0·17	12	0·51	4	0·17	–	–	2	0·08
Eaton Bray	–	–	13	3·33	7	1·79	1	0·26	1	0·26	–	–
Eaton Socon (No. 1 Div.)	–	–	3	1·25	–	–	–	–	–	–	–	–
Eaton Socon (No. 2 Div.)	–	–	1	0·99	–	–	–	–	–	–	1	0·99
Luton	–	–	6	0·50	6	0·50	11	0·91	–	–	1	0·08
BERKS†	–	–	465	1·55	147	0·49	16	0·05	11	0·04	74	0·25
READING C.B.	–	–	134	1·41	43	0·45	5	0·05	5	0·05	44	0·46
AGGREGATE OF M.Bs. AND U.D.	–	–	75	1·10	36	0·53	4	0·06	1	0·01	11	0·16
AGGREGATE OF R.Ds. ..	–	–	256	1·87	68	0·50	7	0·05	5	0·04	19	0·14
BOROUGHS AND URBAN DISTRICT :—												
Abingdon M.B.	–	–	5	0·67	27	3·64	2	0·27	–	–	1	0·13
Maidenhead M.B. ..	–	–	2	0·12	–	–	1	0·06	–	–	–	–
Newbury M.B.	–	–	13	1·03	7	0·56	–	–	–	–	–	–
New Windsor M.B. ..	–	–	43	2·20	1	0·05	1	0·05	–	–	9	0·46
Wallingford M.B... ..	–	–	5	1·80	–	–	–	–	1	0·36	–	–
Wantage	–	–	–	–	–	–	–	–	–	–		–
Wokingham M.B. ..	–	–	7	1·57	1	0·22	–	–	–	–	1	0·22
RURAL DISTRICTS :—												
Abingdon	–	–	18	1·66	13	1·20	2	0·18	–	–	2	0·18
Bradfield	–	–	16	1·09	4	0·27	1	0·07	1	0·07	5	0·34
Cookham	–	–	5	0·36	4	0·29	2	0·14	–	–		–
Easthampstead	–	–	69	3·77	3	0·16	–	–	1	0·05	1	0·05
Faringdon (part of)‡ ..	–	–	21	2·05	2	0·19	–	–	1	0·10	–	–
Hungerford	–	–	6	0·68	6	0·68	–	–	–	–	–	–
Newbury	–	–	12	1·11	3	0·28	1	0·09	–	–	4	0·37
Wallingford	–	–	16	1·94	–	–	–	–	1	0·12	1	0·12
Wantage	–	–	5	0·41	1	0·08	–	–	–	–	3	0·25
Windsor	–	–	41	4·23	11	1·14	1	0·10	1	0·10	2	0·21
Wokingham	–	–	47	2·44	21	1·09	–	–	–	–	1	0·05
‖ – ‖ – ‖			24	2·12	6	0·53	–	–	1	0·09	1	0·09

* Administrative County.

† Administrative County with associated County Borough.

‡ The remaining part of the Rural District of Faringdon is in the Administrative County of Gloucester. The figures for the entire District are :—

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate
BUCKINGHAM*	3	0·01	361	1·48	115	0·47	12	0·05	3	0·01	48	0·20
AGGREGATE OF M.Bs. AND U.Ds.	–	–	204	1·95	59	0·57	9	0·09	1	0·01	25	0·24
AGGREGATE OF R.Ds. ..	3	0·02	157	1·13	56	0·40	3	0·02	2	0·01	23	0·17
BOROUGHS AND URBAN DISTRICTS :—												
Aylesbury M.B.	–	–	13	1·02	7	0·55	–	–	–	–	3	0·23
Beaconsfield	–	–	–	–	–	–	1	0·26	–	–	–	–
Bletchley	–	–	1	0·18	23	4·13	3	0·54	1	0·18	2	0·36
Buckingham M.B. ..	–	–	–	–	–	–	–	–	–	–	–	–
Chepping Wycombe M.B.	–	–	61	2·62	5	0·21	1	0·04	–	–	2	0·09
Chesham	–	–	27	2·99	2	0·22	–	–	–	–	–	–
Eton	–	–	5	1·45	2	0·58	1	0·29	–	–	–	–
Linslade	–	–	3	1·26	3	1·26	–	–	–	–	1	0·42
Marlow	–	–	4	0·76	8	1·52	–	–	–	–	–	–
Newport Pagnell	–	–	–	–	–	–	1	0·24	–	–	1	0·24
Slough	–	–	78	4·54	8	0·47	–	–	–	–	4	0·23
Wolverton	–	–	12	0·83	1	0·07	2	0·14	–	–	12	0·83
RURAL DISTRICTS :—												
Amersham	–	–	10	0·42	4	0·17	–	–	–	–	1	0·04
Aylesbury‡	–	–	10	0·57	–	–	–	–	–	–	7	0·40
Buckingham	–	–	4	0·53	3	0·40	–	–	1	0·13	3	0·40
Eton	3	0·10	41	1·38	4	0·13	1	0·03	–	–	1	0·03
Hambleden	–	–	–	–	–	–	–	–	–	–	–	–
Long Crendon	–	–	7	1·83	1	0·26	–	–	–	–	–	–
Newport Pagnell	–	–	18	1·21	8	0·54	1	0·07	–	–	6	0·40
Wing	–	–	14	2·47	2	0·35	1	0·18	–	–	1	0·18
Winslow	–	–	–	–	–	–	–	–	–	–	1	0·16
Wycombe‡	–	–	53	1·88	34	1·21	–	–	1	0·04	3	0·11
CAMBRIDGE*	–	–	262	1·99	78	0·59	9	0·07	8	0·06	43	0·33
MUNICIPAL BOROUGH ..	–		104	1·73	57	0·95	7	0·12	5	0·08	26	0·43
AGGREGATE OF R.Ds. ..	–	–	158	2·20	21	0·29	2	0·03	3	0·04	17	0·24
BOROUGH :—												
Cambridge M.B.	–	–	104	1·73	57	0·95	7	0·12	5	0·08	26	0·43
RURAL DISTRICTS :—												
Caxton and Arrington ..	–	–	6	0·80	3	0·40	–	–	–	–	1	0·13
Chesterton	–	–	39	1·59	6	0·24	1	0·04	1	0·04	6	0·24
Linton	–	–	6	0·62	–	–	–	–	2	0·21	–	–
Melbourn	–	–	24	2·91	–	–	–	–	–	–	1	0·12
Newmarket	–	–	83	4·29	12	0·62	–	–	–	–	7	0·36
Swavesey	–	–	–	–	–	–	1	0·40	–	–	2	0·79
CHESTER†	34	0·03	2,958	2·76	812	0·76	88	0·08	57	0·05	278	0·26
BIRKENHEAD C.B.	–	–	337	2·15	145	0·93	14	0·09	9	0·06	61	0·39
CHESTER C.B...	–	–	78	1·84	51	1·20	5	0·12	2	0·05	8	0·19
STOCKPORT C.B.	–	–	360	2·81	58	0·45	6	0·05	6	0·05	33	0·26
WALLASEY C.B.	–	–	170	1·84	35	0·38	11	0·12	1	0·01	19	0·21
AGGREGATE OF M.Bs. AND U.Ds.	34	0·08	1,450	3·21	392	0·87	32	0·07	29	0·06	113	0·25
AGGREGATE OF R.Ds. ..	–	–	563	2·79	131	0·65	20	0·10	10	0·05	44	0·22
BOROUGHS AND URBAN DISTRICTS :—												
Alderley Edge	–	–	10	3·19	6	1·91	3	0·96	5	1·59	1	0·32
Alsager	–	–	8	2·96	1	0·37	–	–	2	0·74	1	0·37
Altrincham	–	–	43	2·02	23	1·08	–	–	–	–	7	0·33
Ashton upon Mersey ..	–	–	3	0·37	2	0·24	–	–	–	–	–	–
Bebington & Bromborough	2	0·10	33	1·60	2	0·10	2	0·10	2	0·10	7	0·34

* Administrative County.
† Administrative County with associated County Boroughs.
‡ Rates adjusted to allow for change in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
CHESTER—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Bollington..	–	–	46	8·64	1	0·19	1	0·19	2	0·38	1	0·19
Bowdon	–	–	1	0·33	27	8·99	3	1·00	–	–	1	0·33
Bredbury and Romiley ..	–	–	9	0·96	11	1·17	1	0·11	–	–	7	0·75
Buglawton	–	–	6	3·26	1	0·54	–	–	–	–	2	1·09
Cheadle and Gatley ..	–	–	64	5·43	5	0·42	4	0·34	–	–	6	0·51
Compstall	–	–	–	–	15	15·24	–	–	–	–	–	–
Congleton M.B.	–	–	67	5·43	14	1·13	1	0·08	1	0·08	4	0·32
Crewe M.B.	–	–	308	6·38	34	0·70	–	–	1	0·02	10	0·21
Dukinfield M.B.	24	1·19	36	1·78	13	0·64	1	0·05	3	0·15	6	0·30
Ellesmere Port and Whitby	–	–	60	4·11	7	0·48	–	–	–	–	–	–
Hale	–	–	6	0·63	69	7·28	–	–	–	–	2	0·21
Handforth	–	–	–	–	–	–	–	–	–	–	–	–
Hazel Grove and Bramhall	–	–	39	3·65	3	0·28	2	0·19	–	–	–	–
Hollingworth	–	–	2	0·80	1	0·40	–	–	–	–	–	–
Hoole	–	–	6	0·97	3	0·49	–	–	2	0·32	–	–
Hoylake and West Kirby	–	–	27	1·57	1	0·06	5	0·29	1	0·06	3	0·17
Hyde M.B.	–	–	92	2·68	14	0·41	1	0·03	1	0·03	8	0·23
Knutsford..	–	–	3	0·54	1	0·18	–	–	–	–	–	–
Lymm	–	–	3	0·54	–	–	1	0·18	–	–	–	–
Macclesfield M.B... ..	–	–	125	3·51	54	1·52	–	–	2	0·06	12	0·34
Marple	–	–	8	1·19	6	0·89	–	–	1	0·15	2	0·30
Middlewich	–	–	56	9·82	15	2·63	–	–	–	–	1	0·18
Mottram in Longdendale	–	–	–	–	–	–	–	–	–	–	1	0·35
Nantwich	–	–	126	16·60	1	0·13	–	–	–	–	6	0·79
Neston and Parkgate ..	–	–	3	0·55	11	2·01	–	–	–	–	–	–
Northwich..	1	0·05	28	1·46	6	0·31	2	0·10	–	–	–	–
Runcorn	–	–	18	0·92	13	0·66	2	0·10	1	0·05	12	0·61
Sale	–	–	7	0·42	6	0·36	–	–	1	0·06	1	0·06
Sandbach	–	–	84	13·58	5	0·81	–	–	1	0·16	1	0·16
Stalybridge M.B... ..	7	0·27	44	1·70	10	0·39	1	0·04	3	0·12	10	0·39
Tarporley	–	–	1	0·39	–	–	–	–	–	–	–	–
Wilmslow	–	–	19	2·20	2	0·23	1	0·12	–	–	–	–
Winsford	–	–	59	5·06	8	0·69	–	–	–	–	1	0·09
Yeardsley cum Whaley ..	–	–	–	–	1	0·59	1	0·59	–	–	–	–
RURAL DISTRICTS:—												
Bucklow	–	–	31	1·37	19	0·84	–	–	1	0·04	7	0·31
Chester	–	–	37	2·73	4	0·30	10	0·74	–	–	6	0·44
Congleton	–	–	117	8·54	30	2·19	–	–	1	0·07	3	0·22
Disley	–	–	11	3·56	1	0·32	–	–	–	–	2	0·65
Macclesfield	–	–	90	5·06	14	0·79	–	–	1	0·06	3	0·17
Malpas	–	–	2	0·44	5	1·10	–	–	–	–	–	–
Nantwich	–	–	111	4·26	15	0·58	1	0·04	1	0·04	3	0·12
Northwich..	–	–	39	1·49	11	0·42	–	–	1	0·04	3	0·11
Runcorn	–	–	50	1·67	24	0·80	3	0·10	2	0·07	8	0·27
Tarvin	–	–	9	0·65	1	0·07	2	0·15	–	–	2	0·15
Tintwistle	–	–	2	0·96	–	–	–	–	–	–	1	0·48
Wirral	–	–	64	2·26	7	0·25	4	0·14	3	0·11	6	0·21
CORNWALL*	–	–	222	0·69	66	0·20	23	0·07	6	0·02	50	0·15
AGGREGATE OF M.Bs. AND U.Ds.	–	–	117	0·83	32	0·23	18	0·13	5	0·04	25	0·18
AGGREGATE OF R.Ds. ..	–	–	105	0·58	34	0·19	5	0·03	1	0·01	25	0·14
BOROUGHS AND URBAN DISTRICTS:—												
Bodmin M.B.	–	–	19	3·41	–	–	5	0·90	–	–	–	–
Callington..	–	–	6	3·39	2	1·13	–	–	1	0·56	–	–
Camborne..	–	–	2	0·14	6	0·41	4	0·27	–	–	3	0·20
Falmouth M.B.	–	–	10	0.74	3	0·22	1	0·07	–	–	2	0·15
Fowey M.B.	–	–	1	0·49	–	–	1	0·49	–	–	1	0·49

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
CORNWALL—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Hayle	–	–	–	–	–	–	–	–	–	–	1	1·02
Helston M.B.	–	–	7	2·53	–	–	–	–	2	0·72	–	–
Launceston M.B... ..	–	–	–	–	–	–	–	–	1	0·25	1	0·25
Liskeard M.B.	–	–	17	3·85	–	–	–	–	–	–	–	–
Looe	–	–	2	0·72	1	0·36	–	–	–	–	1	0·36
Lostwithiel M.B... ..	–	–	3	2·29	–	–	–	–	–	–	–	–
Ludgvan	–	–	–	–	1	0·48	1	0·48	–	–	–	–
Madron	–	–	2	0·57	1	0·28	–	–	–	–	–	–
Newquay	–	–	–	–	–	–	1	0·19	–	–	1	0·19
Padstow	–	–	–	–	1	0·60	–	–	–	–	1	0·60
Paul	–	–	6	1·03	1	0·17	2	0·34	–	–	–	–
Penryn M.B.	–	–	1	0·31	–	–	–	–	–	–	1	0·31
Penzance M.B.	–	–	5	0·43	4	0·34	1	0·09	–	–	–	–
Phillack	–	–	6	1·75	–	–	–	–	–	–	3	0·87
Redruth	–	–	–	–	–	–	–	–	–	–	3	0·30
St. Austell..	–	–	1	0·29	4	1·17	–	–	–	–	3	0·88
St. Ives M.B.	–	–	–	–	2	0·31	–	–	–	–	–	–
St. Just	–		–	–	–	–	–	–	–	–	1	0·19
Saltash M.B.	–	–	11	3·01	6	1·64	–	–	1	0·27	–	–
Stratton and Bude ..	–	–	6	1·87	–	–	1	0·31	–	–	–	–
Torpoint	–	–	1	0·22	–	–	1	0·22	–	–	2	0·44
Truro M.B.	–	–	8	0·70	–	–	–	–	–	–	1	0·09
Wadebridge	–	–	3	1·26	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Bodmin	–	–	6	0·58	2	0·19	1	0·10	–	–	–	–
Calstock	–	–	1	0·21	2	0·41	–	–	–	–	–	–
Camelford..	–	–	–	–	–	–	–	–	–	–	1	0·13
East Kerrier	–	–	14	1·67	–	–	–	–	–	–	1	0·12
Helston	–	–	–	–	1	0·06	1	0·06	–	–	–	–
Holsworthy (part of)* ..	–	–	1	2·65	–	–	–	–	–	–	–	–
Launceston	–	–	1	0·14	1	0·14	–	–	–	–	4	0·54
Liskeard	–	–	15	0·99	–	–	–	–	–	–	–	–
Redruth	–	–	9	0·51	7	0·40	–	–	–	–	8	0·46
St. Austell..	–	–	23	0·71	11	0·34	–	–	1	0·03	9	0·28
St. Columb Major ..	–	–	2	0·17	1	0·08	–	–	–	–	1	0·08
St. Germans	–	–	5	0·41	2	0·16	3	0·25	–	–	–	–
Scilly, Isles of	–	–	–	–	–	–	–	–	–	–	–	–
Stratton	–	–	1	0·19	3	0·58	–	–	–	–	–	–
Truro	–	–	24	1·24	1	0·05	–	–	–	–	1	0·05
West Penwith	–	–	3	0·28	3	0·28	–	–	–	–	–	–
CUMBERLAND†	186	0·66	682	2·43	204	0·73	32	0·11	14	0·05	57	0·20
CARLISLE C.B.	–	–	244	4·37	60	1·08	6	0·11	4	0·07	19	0·34
AGGREGATE OF M.Bs. AND U.Ds.	118	0·94	227	1·82	76	0·61	10	0·08	6	0·05	26	0·21
AGGREGATE OF R.Ds. ..	68	0·68	211	2·12	68	0·68	16	0·16	4	0·04	12	0·12
BOROUGHS AND URBAN DISTRICTS :—												
Arlecdon and Frizington	–	–	1	0·19	2	0·37	–	–	–	–	1	0·19
Aspatria	–	–	7	1·88	5	1·34	–	–	–	–	2	0·54
Cleator Moor	–	–	17	1·98	12	1·40	–	–	1	0·12	3	0·35
Cockermouth	–	–	15	3·03	–	–	–	–	–	–	–	–
Egremont	–	–	6	0·82	12	1·64	–	–	–	–	2	0·27
Harrington	–	–	3	0·65	–	–	1	0·22	1	0·22	–	–
Holme Cultram	–	–	8	1·62	2	0·41	–	–	–	–	3	0·61
Keswick	–	–	4	0·93	–	–	2	0·47	–	–	–	–
Maryport	6	0·53	44	3·87	8	0·70	–	–	–	–	3	0·26
Millom	–	–	7	0·80	2	0·23	–	–	–	–	2	0·23
Penrith	–	–	22	2·62	4	0·48	–	–	2	0·24	–	–
Whitehaven M.B. ..	7	0·33	35	1·67	7	0·33	4	0·19	1	0·05	6	0·29
Wigton	–	–	16	4·17	10	2·61			1	0·26	1	0·26
Workington M.B. ..	105	3·76	42	1·51	12	0·43	3	0·11	–	–	3	0·11

* The remaining part of the Rural District of Holsworthy is in the Administrative County of Devon.
† Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate.
CUMBERLAND—*cont.*												
RURAL DISTRICTS :—												
Alston with Garrigill ..	1	0·36	6	2·16	2	0·72	1	0·36	–	–	1	0·36
Bootle	–	–	10	1·63	2	0·33	–	–	–	–	–	–
Brampton..	–	–	55	6·65	–	–	–	–	2	0·24	–	–
Carlisle	–	–	24	1·97	4	0·33	2	0·16	1	0·08	4	0·33
Cockermouth	67	2·84	53	2·25	21	0·89	4	0·17	1	0·04	3	0·13
Longtown..	–	–	10	1·51	6	0·91	1	0·15	–	–	–	–
Penrith	–	–	20	1·61	2	0·16	7	0·56	–	–	–	–
Whitehaven	–	–	11	0·70	16	1·01	1	0·06	–	–	2	0·13
Wigton	–	–	22	1·86	15	1·27	–	–	–	–	2	0·17
DERBY*	1350	1·79	1,820	2·42	876	1·16	55	0·07	46	0·06	256	0·34
DERBY C.B.	211	1·55	372	2·74	240	1·77	3	0·02	11	0·08	35	0·26
AGGREGATE OF M.Bs. AND U.Ds.‡	735	2·28	725	2·25	242	0·75	34	0·11	23	0·07	100	0·31
AGGREGATE OF R.Ds.‡ ..	404	1·37	723	2·45	394	1·34	18	0·06	12	0·04	121	0·41
BOROUGHS AND URBAN DISTRICTS :—												
Alfreton	1	0·05	44	1·99	40	1·81	2	0·09	1	0·05	7	0·32
Alvaston and Boulton ..	–	–	8	4·93	1	0·62	–	–	1	0·62	–	–
Ashbourne‡	–	–	2	0·44	–	–	–	–	–	–	–	–
Bakewell	–	–	8	2·63	–	–	–	–	1	0·33	2	0·66
Baslow and Bubnell ..	–	–	3	3·58	–	–	–	–	–	–	–	–
Belper	–	–	45	3·45	20	1·53	–	–	–	–	3	0·23
Bolsover	35	2·74	18	1·41	4	0·31	2	0·16	–	–	8	0·63
Bonsall	–	–	–	–	3	2·45	6	4·91	–	–	–	–
Brampton and Walton ..	–	–	5	2·28	–	–	–	–	–	–	–	–
Buxton M.B.	–	–	43	2·77	8	0·52	2	0·13	–	–	6	0·39
Chesterfield M.B... ..	530	8·05	89	1·35	65	0·99	10	0·15	7	0·11	12	0·18
Clay Cross..	3	0·31	6	0·63	1	0·10	1	0·10	–	–	1	0·10
Dronfield	–	–	3	0·66	1	0·22	–	–	1	0·22	2	0·44
Glossop M.B.	–	–	45	2·17	16	0·77	2	0·10	3	0·14	7	0·34
Heage	–	–	29	6·99	1	0·24	–	–	–	–	2	0·48
Heanor	13	0·58	123	5·44	17	0·75	3	0·13	1	0·04	6	0·27
Ilkeston M.B.	3	0·09	110	3·22	8	0·23	1	0·03	2	0·06	5	0·15
Long Eaton	12	0·53	26	1·14	2	0·09	–	–	1	0·04	4	0·18
Matlock‡§	–	–	1	0·21	2	0·42	3	0·63	1	0·21	–	–
Matlock Bath and Scarthin Nick.‡§	–	–	–	–	2	1·53	1	0·76	–	–	–	–
New Mills	–	–	57	6·28	16	1·76	–	–	1	0·11	7	0·77
North Darley	–	–	1	0·29	3	0·88	–	–	–	–	–	–
Ripley	1	0·07	28	1·99	8	0·57	–	–	–	–	16	1·14
South Darley	–	–	–	–	1	1·41	–	–	–	–	–	–
Swadlincote District ..	137	6·27	24	1·10	17	0·78	–	–	1	0·0 5	12	0·55
The Matlocks‡‖	–	–	5	1·99	6	2·39	–	–	1	0·40	–	–
Wirksworth	–	–	2	0·51	–	–	1	0·25	1	0·25	–	–
RURAL DISTRICTS :—												
Ashbourne‡	–	–	25	2·34	–	–	–	–	1	0·09	2	0·19
Bakewell‡..	–	–	32	1·61	3	0·15	2	0·10	–	–	6	0·30
Belper	–	–	109	4·47	23	0·94	1	0·04	1	0·04	8	0·33
Blackwell	156	3·42	83	1·82	58	1·27	4	0·09	3	0·07	17	0·37
Chapel en le Frith ..	–	–	84	5·09	13	0·79	–	–	–	–	2	0·12
Chesterfield	216	2·65	171	2·10	213	2·61	5	0·06	5	0·06	35	0·43
Clowne	4	0·21	39	2·07	37	1·97	4	0·21	–	–	22	1·17
Glossop Dale	–	–	12	3·14	13	3·40	–	–	–	–	–	–
Hartshorn and Seals ..	1	0·11	6	0·67	3	0·34	–	–	–	–	4	0·45
Hayfield	–	–	27	6·07	5	1·12	1	0·22	–	–	3	0·67
Norton	–	–	15	3·33	1	0·22	–	–	–	–	4	0·89
Repton	5	0·29	31	1·80	11	0·64	–	–	–	–	4	0·23
Shardlow	22	0·64	86	2·52	11	0·32	1	0·03	2	0·06	14	0·41
Sudbury	–	–	–	–	–	–	–	–	–	–	–	–
Codnor Park and Shipley (parishes).†	–	–	3	1·90	3	1·90	–	–	–	–	–	–

* Administrative County with associated County Borough.
† These Parishes are administered by the Rural District Council of Basford (Notts).
‡ Rates adjusted to allow for changes in boundary during the year.
§ Abolished 1st October, 1924.
‖ Created 1st October, 1924.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
DEVON*	–	–	913	1·32	350	0·50	119	0·17	30	0·04	148	0·21
EXETER C.B.	–	–	53	0·87	38	0·62	9	0·15	5	0·08	19	0·31
PLYMOUTH C.B.	–	–	364	1·86	184	0·94	20	0·10	6	0·03	44	0·22
AGGREGATE OF M.Bs. AND U.Ds.	–	–	261	1·23	67	0·32	54	0·25	9	0·04	54	0·25
AGGREGATE OF R.Ds. ..	–	–	235	1·04	61	0·27	36	0·16	10	0·04	31	0·14
BOROUGHS AND URBAN DISTRICTS :—												
Ashburton..	–	–	12	4·87	–	–	–	–	–	–	1	0·41
Axminster..	–	–	–	–	–	–	–	–	–	–	1	0·46
Bampton	–	–	15	9·89	2	1·32	–	–	–	–	–	–
Barnstaple M.B.	–	–	3	0·20	14	0·94	1	0·07	1	0·07	6	0·40
Bideford M.B.	–	–	10	1·07	3	0·32	3	0·32	–	–	1	0·11
Brixham	–	–	4	0·49	5	0·61	14	1·71	–	–	4	0·49
Buckfastleigh	–	–	5	2·11	–	–	–	–	–	–	–	–
Budleigh Salterton ..	–	–	–	–	–	–	–	–	–	–	–	–
Crediton	–	–	3	0·84	2	0·56	7	1·96	–	–	1	0·28
Dartmouth M.B. ..	–	–	–	–	1	0·15	2	0·29	–	–	2	0·29
Dawlish	–	–	–	–	1	0·22	–	–	–	–	–	–
Exmouth	–	–	22	1·65	4	0·30	–	–	1	0·07	7	0·52
Great Torrington M.B. ..	–	–	2	0·65	–	–	1	0·33	–	–	–	–
Holsworthy	–	–	–	–	–	–	–	–	–	–	–	–
Honiton M.B.	–	–	3	0·96	–	–	–	–	1	0·32	–	–
Ilfracombe	–	–	2	0·22	5	0·55	–	–	–	–	2	0·22
Ivybridge	–	–	6	3·52	1	0·59	–	–	–	–	–	–
Kingsbridge	–	–	–	–	1	0·34	–	–	–	–	1	0·34
Lynton	–	–	–	–	–	–	1	0·55	–	–	–	–
Newton Abbot	–	–	21	1·46	4	0·28	3	0·21	–	–	6	0·42
Northam	–	–	2	0·33	1	0·16	–	–	–	–	–	–
Okehampton M.B. ..	–	–	–	–	1	0·29	–	–	5	1·44	2	0·57
Ottery St. Mary	–	–	2	0·54	–	–	1	0·27	–	–	–	–
Paignton	–	–	13	0·92	4	0·28	14	0·99	–	–	5	0·35
Salcombe	–	–	14	6·71	–	–	–	–	–	–	–	–
Seaton	–	–	3	1·63	1	0·54	–	–	–	–	–	–
Sidmouth	–	–	4	0·77	–	–	–	–	–	–	1	0·19
South Molton M.B. ..	–	–	2	0·70	2	0·70	–	–	–	–	2	0·70
Tavistock	–	–	5	1·13	1	0·23	–	–	–	–	1	0·23
Teignmouth	–	–	4	0·41	1	0·10	1	0·10	–	–	3	0·31
Tiverton M.B.	–	–	18	1·87	3	0·31	1	0·10	–	–	3	0·31
Torquay M.B.	–	–	84	2·37	10	0·28	4	0·11	1	0·03	5	0·14
Totnes M.B.	–	–	2	0·49	–	–	1	0·24	–	–	–	–
RURAL DISTRICTS :—												
Axminster..	–	–	5	0·50	–	–	–	–	1	0·10	1	0·10
Barnstaple	–	–	17	0·90	2	0·11	–	–	–	–	4	0·21
Bideford	–	–	7	1·13	1	0·16	2	0·32	1	0·16	1	0·16
Broadwood Widger ..	–	–	–	–	–	–	–	–	–	–	1	0·43
Crediton	–	–	3	0·29	2	0·19	6	0·58	1	0·10	2	0·19
Culmstock..	–	–	3	0·91	–	–	–	–	–	–	1	0·30
Holsworthy (part of)† ..	–	–	11	1·57	–	–	–	–	–	–	–	–
Honiton	–	–	6	0·63	4	0·42	1	0·10	–	–	–	–
Kingsbridge	–	–	1	0·09	–	–	–	–	–	–	1	0·09
Newton Abbot	–	–	27	1·30	–	–	7	0·34	–	–	1	0·05
Okehampton	–	–	8	0·59	10	0·74	–	–	2	0·15	1	0·07
Plympton St. Mary ..	–	–	61	2·71	9	0·40	1	0·04	2	0·09	3	0·13
St. Thomas	–	–	41	1·51	17	0·63	14	0·52	–	–	5	0·18
South Molton	–	–	13	1·26	4	0·39	–	–	–	–	2	0·19
Tavistock	–	–	3	0·19	8	0·51	2	0·13	–	–	4	0·26
Tiverton	–	–	13	0·88	–	–	–	–	1	0·07	–	–
Torrington	–	–	9	1·03	3	0·34	1	0·11	–	–	3	0·34
Totnes	–	–	7	0·57	1	0·08	2	0·16	2	0·16	1	0·08

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Holsworthy is in the Administrative County of Cornwall. The figures or the entire District are :—

–	–	12	1·63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.
DORSET*	–	–	210	0·93	39	0·17	12	0·05	6	0·03	39	0·17
AGGREGATE OF M.BS. AND U.DS.	–	–	116	0·96	29	0·24	2	0·02	3	0·02	28	0·23
AGGREGATE OF R.DS. ..	–	–	94	0·89	10	0·09	10	0·09	3	0·03	11	0·10
BOROUGHS AND URBAN DISTRICTS :—												
Blandford Forum M.B. ..	–	–	–	–	–	–	–	–	–	–	–	–
Bridport M.B.	–	–	–	–	–	–	–	–	–	–	–	–
Dorchester M.B.	–	–	7	0·71	2	0·20	–	–	–	–	6	0·61
Lyme Regis M.B. ..	–	–	–	–	–	–	–	–	–	–	–	–
Poole M.B.	–	–	38	0·83	21	0·46	1	0·02	1	0·02	10	0·22
Portland	–	–	21	2·02	–	–	1	0·10	–	–	5	0·48
Shaftesbury M.B. ..	–	–	–	–	–	–	–	–	–	–	1	0·41
Sherborne	–	–	18	2·76	–	–	–	–	–	–	2	0·31
Swanage	–	–	24	4·22	–	–	–	–	1	0·18	1	0·18
Wareham M.B.	–	–	–	–	4	1·94	–	–	1	0·48	–	–
Weymouth and Melcombe Regis M.B.	–	–	8	0·36	–	–	–	–	–	–	3	0·13
Wimborne Minster ..	–	–	–	–	2	0·54	–	–	–	–	–	–
RURAL DISTRICTS :—												
Beaminster	–	–	9	1·05	2	0·23	1	0·12	–	–	2	0·23
Blandford	–	–	16	1·95	–	–	2	0·24	–	–	–	–
Bridport	–	–	4	0·56	–	–	1	0·14	1	0·14	–	–
Cerne	–	–	1	0·22	–	–	–	–	1	0·22	1	0·22
Dorchester	–	–	23	2·57	1	0·11	1	0·11	–	–	1	0·11
Poole	–	–	6	0·75	2	0·25	3	0·37	–	–	1	0·12
Shaftesbury	–	–	1	0·10	4	0·41	–	–	–	–	2	0·20
Sherborne..	–	–	2	0·36	–	–	–	–	–	–	1	0·18
Sturminster	–	–	3	0·37	–	–	1	0·12	–	–	–	–
Wareham and Purbeck ..	–	–	4	0·32	1	0·08	–	–	–	–	–	–
Weymouth	–	–	4	0·45	–	–	–	–	1	0·11	1	0·11
Wimborne and Cranborne	–	–	21	1·35	–	–	1	0·	–	–	2	0·13
DURHAM†	20	0·01	5,966	3·79	1,270	0·81	133	0·08	61	0·04	663	0·42
DARLINGTON C.B.	–	–	147	2·11	39	0·56	1	0·01	3	0·04	34	0·49
GATESHEAD C.B.	–	–	434	3·32	127	0·97	5	0·04	4	0·03	44	0·34
SOUTH SHIELDS C.B. ..	1	0·01	744	5·78	70	0·54	12	0·09	5	0·04	24	0·19
SUNDERLAND C.B.	–	–	227	1·35	66	0·39	5	0·03	1	0·01	67	0·40
WEST HARTLEPOOL C.B. ..	–	–	330	4·53	44	0·60	8	0·11	5	0·07	29	0·40
AGGREGATE OF M.BS. AND U.DS.	15	0·03	2,395	4·20	584	1·03	58	0·10	26	0·05	286	0·50
AGGREGATE OF R.DS. ..	4	0·01	1,689	3·88	340	0·78	44	0·10	17	0·04	179	0·41
BOROUGHS AND URBAN DISTRICTS :—												
Annfield Plain	–	–	183	10·59	109	6·31	2	0·12	2	0·12	21	1·22
Barnard Castle	–	–	13	2·64	–	–	–	–	–	–	–	–
Benfieldside	–	–	21	2·27	21	2·27	–	–	1	0·11	12	1·30
Billingham	6	0·65	76	8·21	6	0·65	1	0·11	1	0·11	2	0·22
Bishop Auckland.. ..	–	–	32	2·17	1	0·07	1	0·07	–	–	2	0·14
Blaydon	–	–	291	8·18	13	0·37	14	0·39	3	0·08	19	0·53
Brandon and Byshottles	–	–	60	3·04	1	0·05	–	–	–	–	4	0·20
Chester le Street	–	–	55	3·07	4	0·22	8	0·45	–	–	7	0·39
Consett	–	–	35	2·63	23	1·73	–	–	2	0·15	1	0·08
Crook	–	–	18	1·33	33	2·44	–	–	1	0·07	4	0·30

* Administrative County.

† Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
DURHAM—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Durham M.B.	4	0·23	18	1·02	21	1·19	2	0·11	–	–	8	0·45
Felling	–	–	96	3·43	5	0·18	–	–	–	–	12	0·43
Hartlepool M.B.	–	–	46	2·07	4	0·18	2	0·09	–	–	9	0·41
Hebburn	–	–	91	3·48	29	1·11	1	0·04	–	–	15	0·57
Hetton	–	–	119	6·47	6	0·33	–	–	–	–	9	0·49
Houghton le Spring ..	–	–	43	3·87	12	1·08	3	0·27	–	–	3	0·27
Jarrow M.B.	–	–	97	2·62	13	0·35	2	0·05	8	0·22	24	0·65
Leadgate	–	–	30	4·94	38	6·26	4	0·66	–	–	4	0·66
Ryton	–	–	143	9·12	7	0·45	3	0·19	–	–	7	0·45
Seaham Harbour.. ..	–	–	8	0·43	15	0·81	–	–	–	–	10	0·54
Shildon	–	–	29	1·92	15	0·99	1	0·07	–	–	16	1·06
Southwick on Wear ..	–	–	16	0·99	7	0·43	3	0·19	–	–	3	0·19
Spennymoor	–	–	102	5·32	6	0·31	–	–	–	–	1	0·05
Stanhope	–	–	7	3·57	2	1·02	4	2·04	–	–	2	1·02
Stanley	–	–	129	4·56	64	2·26	5	0·18	1	0·04	10	0·35
Stockton on Tees M.B. ..	4	0·06	248	3·61	62	0·90	–	–	4	0·06	31	0·45
Tanfield	–	–	133	12·09	22	2·00	–	–	–	–	12	1·09
Tow Law	–	–	12	2·74	1	0·23	–	–	–	–	2	0·46
Washington	–	–	110	6·11	28	1·56	1	0·06	2	0·11	23	1·28
Whickham	–	–	88	4·27	10	0·49	–	–	1	0·05	9	0·44
Willington..	1	0·10	46	4·64	6	0·60	1	0·10	–	–	4	0·40
RURAL DISTRICTS :—												
Auckland	1	0·02	190	2·98	69	1·08	13	0·20	1	0·02	22	0·35
Barnard Castle	–	–	18	1·51	1	0·08	1	0·08	–	–	–	–
Chester le Street ..	1	0·02	383	6·64	47	0·81	1	0·02	3	0·05	34	0·59
Darlington	–	–	11	1·09	1	0·10	–	–	–	–	5	0·50
Durham	–	–	141	4·22	22	0·66	2	0·06	1	0·03	2	0·06
Easington..	–	–	286	3·50	60	0·73	10	0·12	4	0·05	43	0·53
Hartlepool	–	–	10	2·54	1	0·25	2	0·51	4	1·01	2	0·51
Houghton le Spring ..	–	–	141	4·76	12	0·40	4	0·13	1	0·03	15	0·51
Lanchester	–	–	183	5·08	63	1·75	3	0·08	–	–	14	0·39
Sedgefield	–	–	127	3·22	17	0·43	6	0·15	–	–	13	0·33
South Shields	–	–	81	4·40	24	1·30	2	0·11	3	0·16	7	0·38
Stockton	2	0·29	24	3·47	2	0·29	–	–	–	–	1	0·14
Sunderland	–	–	45	1·39	17	0·52	–	–	–	–	21	0·65
Weardale	–	–	49	5·04	4	0·41	–	–	–	–	–	–
ELY, ISLE OF*	–	–	70	0·91	70	0·91	7	0·09	4	0·05	22	0·28
AGGREGATE OF M.B. AND U.Ds.	–	–	43	1·10	46	1·18	4	0·10	1	0·03	15	0·39
AGGREGATE OF R.Ds. ..	–	–	27	0·70	24	0·63	3	0·08	3	0·08	7	0·18
BOROUGH AND URBAN DISTRICTS :—												
Chatteris	–	–	10	1·88	1	0·19	–	–	–	–	1	0·19
Ely	–	–	14	1·80	18	2·32	1	0·13	–	–	4	0·51
March	–	–	11	1·13	1	0·10	1	0·10	1	0·10	3	0·31
Whittlesey	–	–	5	1·15	1	0·23	2	0·46	–	–	1	0·23
Wisbech M.B.	–	–	3	0·25	25	2·11	–	–	–	–	6	0·51
RURAL DISTRICTS :—												
Ely..	–	–	17	1·28	15	1·13	2	0·15	–	–	2	0·15
North Witchford.. ..	–	–	–	–	–	–	1	0·19	2	0·38	–	–
Thorney	–	–	–	–	–	–	–	–	–	–	–	–
Whittlesey	–	–	2	0·56	–	–	–	–	–	–	2	0·56
Wisbech	–	–	8	0·58	9	0·65	–	–	1	0·07	3	0·22

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
ESSEX*	–	–	2,247	1·46	1,967	1·28	134	0·09	71	0·05	523	0·34
EAST HAM C.B.	–	–	221	1·48	133	0·89	5	0·03	5	0·03	39	0·26
SOUTHEND ON SEA C.B. ..	–	–	109	1·11	51	0·52	5	0·05	11	0·11	32	0·33
WEST HAM C.B.	–	–	388	1·20	801	2·48	19	0·06	15	0·05	177	0·55
AGGREGATE OF M.Bs. AND U.Ds.	–	–	1,084	1·61	837	1·25	75	0·11	27	0·04	228	0·34
AGGREGATE OF R.Ds. ..	–	–	445	1·52	145	0·49	30	0·10	13	0·04	47	0·16
BOROUGHS AND URBAN DISTRICTS :—												
Barking Town	–	–	42	1·09	52	1·35	1	0·03	3	0·08	18	0·47
Braintree	–	–	2	0·28	2	0·28	1	0·14	1	0·14	1	0·14
Brentwood	–	–	9	1·25	5	0·70	–	–	–	–	2	0·28
Brightlingsea	–	–	3	0·67	–	–	–	–	–	–	2	0·45
Buckhurst Hill	–	–	11	2·14	5	0·97	1	0·19	–	–	3	0·58
Burnham on Crouch ..	–	–	3	0·86	–	–	–	–	–	–	–	–
Chelmsford M.B. ..	–	–	17	0·77	67	3·04	1	0·05	1	0·05	2	0·09
Chingford	–	–	20	1·98	7	0·69	1	0·10	–	–	2	0·20
Clacton	–	–	7	0·56	3	0·24	3	0·24	–	–	3	0·24
Colchester M.B.	–	–	180	4·03	30	0·67	6	0·13	2	0·04	11	0·25
Epping	–	–	2	0·44	2	0·44	–	–	–	–	3	0·67
Frinton on Sea	–	–	2	0·96	–	–	–	–	–	–	–	–
Grays Thurrock	–	–	57	3·09	21	1·14	1	0·05	2	0·11	9	0·49
Halstead	–	–	9	1·48	4	0·66	25	4·12	–	–	–	–
Harwich M.B.	–	–	26	2·08	20	1·60	2	0·16	–	–	4	0·32
Ilford	–	–	163	1·74	84	0·89	5	0·05	4	0·04	41	0·44
Leyton	–	–	146	1·08	160	1·18	4	0·03	6	0·04	43	0·32
Loughton	–	–	5	0·84	–	–	–	–	–	–	–	–
Maldon M.B.	–	–	7	1·09	5	0·78	4	0·62	–	–	–	–
Romford	–	–	38	1·83	26	1·25	1	0·05	2	0·10	3	0·14
Saffron Walden M.B. ..	–	–	10	1·74	10	1·74	1	0·17	–	–	1	0·17
Shoeburyness	–	–	4	0·77	4	0·77	2	0·39	1	0·19	7	1·35
Tilbury	–	–	8	0·65	27	2·20	–	–	–	–	1	0·08
Waltham Holy Cross ..	–	–	7	0·99	13	1·84	–	–	–	–	–	–
Walthamstow	–	–	190	1·43	259	1·94	6	0·05	4	0·03	55	0·41
Walton on the Naze ..	–	–	1	0·39	1	0·39	–	–	–	–	1	0·39
Wanstead	–	–	25	1·60	20	1·28	7	0·45	1	0·06	5	0·32
Witham	–	–	11	2·89	–	–	–	–	–	–	2	0·53
Wivenhoe	–	–	7	2·95	–	–	–	–	–	–	–	–
Woodford	–	–	72	3·28	10	0·46	3	0·14	–	–	9	0·41
RURAL DISTRICTS :—												
Belchamp	–	–	–	–	–	–	–	–	–	–	1	0·24
Billericay	–	–	86	3·22	14	0·52	2	0·07	1	0·04	4	0·15
Braintree	–	–	12	0·62	14	0·72	1	0·05	1	0·05	2	0·10
Bumpstead	–	–	–	–	–	–	1	0·41	–	–	1	0·41
Chelmsford	–	–	30	1·15	28	1·07	1	0·04	1	0·04	1	0·04
Dunmow	–	–	6	0·39	6	0·39	–	–	–	–	4	0·26
Epping	–	–	16	1·04	8	0·52	1	0·07	–	–	8	0·52
Halstead	–	–	28	2·81	7	0·70	10	1·00	–	–	–	–
Lexden and Winstree ..	–	–	28	1·41	2	0·10	1	0·05	1	0·05	1	0·05
Maldon	–	–	14	0·83	5	0·30	3	0·18	1	0·06	2	0·12
Ongar	–	–	11	1·05	4	0·38	–	–	–	–	3	0·29
Orsett	–	–	28	1·17	10	0·42	2	0·08	1	0·04	5	0·21
Rochford	–	–	64	2·43	2	0·08	1	0·04	3	0·11	1	0·04
Romford	–	–	65	1·81	36	1·00	2	0·06	1	0·03	10	0·28
Saffron Walden	–	–	1	0·10	5	0·49	–	–	1	0·10	–	–
Stansted	–	–	8	1·13	1	0·14	–	–	–	–	1	0·14
Tendring	–	–	48	2·12	3	0·13	5	0·22	2	0·09	3	0·13

* Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases	Rate	Cases.	Rate.
GLOUCESTER*	145	0·18	1,410	1·79	1,315	1·67	98	0·12	59	0·08	248	0·32
BRISTOL C.B.	–	–	830	2·11	969	2·47	43	0·11	43	0·11	175	0·45
GLOUCESTER C.B.	18	0·33	103	1·91	103	1·91	20	0·37	6	0·11	22	0·41
AGGREGATE OF M.Bs. AND U.Ds.	–	–	134	1·31	80	0·78	7	0·07	4	0·04	23	0·22
AGGREGATE OF R.Ds. ..	127	0·54	343	1·45	163	0·69	28	0·12	6	0·03	28	0·12
BOROUGHS AND URBAN DISTRICTS :—												
Awre	–	–	1	0·83	–	–	–	–	–	–	–	–
Charlton Kings	–	–	2	0·45	1	0·23	2	0·45	–	–	–	–
Cheltenham M.B.	–	–	47	0·95	39	0·79	3	0·06	3	0·06	13	0·26
Cirencester	–	–	9	1·17	1	0·13	–	–	–	–	1	0·13
Coleford	–	–	5	1·72	9	3·10	1	0·34	–	–	–	–
Kingswood	–	–	14	1·01	10	0·72	–	–	1	0·07	3	0·22
Nailsworth	–	–	4	1·20	–	–	1	0·30	–	–	1	0·30
Newnham	–	–	7	5·57	1	0·80	–	–	–	–	–	–
Stow on the Wold ..	–	–	–	–	–	–	–	–	–	–	–	–
Stroud	–	–	9	1·03	9	1·03	–	–	–	–	1	0·11
Tetbury	–	–	–	–	–	–	–	–	–	–	–	–
Tewkesbury M.B. ..	–	–	9	1·85	4	0·82	–	–	–	–	4	0·82
Westbury on Severn ..	–	–	27	14·27	6	3·17	–	–	–	–	–	–
RURAL DISTRICTS :—												
Campden	–	–	7	1·28	1	0·18	–	–	–	–	1	0·18
Cheltenham	–	–	2	0·37	2	0·37	–	–	–	–	–	–
Chipping Sodbury ..	–	–	17	0·76	10	0·45	–	–	–	–	4	0·18
Cirencester	–	–	18	1·48	3	0·25	1	0·08	–	–	–	–
Dursley	–	–	6	0·46	1	0·08	1	0·08	1	0·08	1	0·08
East Dean and United Parishes	127	5·85	47	2·16	32	1·47	1	0·05	–	–	1	0·05
Faringdon (part of)† ..	–	–	3	2·82	4	3·76	–	–	–	–	1	0·94
Gloucester	–	–	13	0·97	28	2·09	14	1·04	1	0·07	1	0·07
Lydney	–	–	12	1·18	3	0·29	2	0·20	–	–	2	0·20
Marston Sicca	–	–	1	0·59	–	–	–	–	–	–	–	–
Newent	–	–	16	2·37	2	0·30	–	–	–	–	1	0·15
Northleach	–	–	6	0·79	–	–	2	0·26	–	–	–	–
Pebworth	–	–	–	–	–	–	–	–	–	–	–	–
Stow on the Wold (part of)‡	–	–	5	0·80	–	–	–	–	–	–	2	0·32
Stroud	–	–	115	3·96	24	0·83	3	0·10	–	–	2	0·07
Tetbury (part of)‡ ..	–	–	1	0·28	1	0·28	–	–	–	–	2	0·55
Tewkesbury (part of)‡ ..	–	–	6	1·28	7	1·49	2	0·43	1	0·21	–	–
Thornbury	–	–	13	0·67	7	0·36	–	–	–	–	3	0·16
Warmley	–	–	18	0·92	9	0·46	–	–	1	0·05	2	0·10
West Dean	–	–	29	1·90	18	1·18	2	0·13	2	0·13	1	0·07
Wheatenhurst	–	–	4	0·63	10	1·57	–	–	–	–	1	0·16
Winchcomb (part of)‡ ..	–	–	4	0·44	1	0·11	–	–	–	–	3	0·33

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Faringdon is in the Administrative County of Berks.

‡ The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Worcester, and the remaining part of the Rural District of Tetbury is in the Administrative County of Wilts. The figures for the entire Districts are :—

Stow on the Wold ..	–	–	5	0·76	–	–	–	–	–	–	2	0·31
Tetbury	–	–	1	0·25	1	0·25	–	–	–	–	2	0·50
Tewkesbury	–	–	12	1·75	8	1·17	2	0·29	1	0·15	1	0·15
Winchcomb	–	–	4	0·44	1	0·11	–	–	–	–	3	0·33

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases	Rate.
HEREFORD*	–	–	103	0·89	49	0·42	4	0·03	2	0·02	21	0·18
AGGREGATE OF M.Bs. AND U.Ds.	–	–	42	1·01	23	0·55	2	0·05	1	0·02	9	0·22
AGGREGATE OF R.Ds. ..	–	–	61	0·82	26	0·35	2	0·03	1	0·01	12	0·16
BOROUGHS AND URBAN DISTRICTS:—												
Bromyard..	–	–	–	–	1	0·64	–	–	–	–	–	–
Hereford M.B.	–	–	33	1·34	14	0·57	1	0·04	1	0·04	4	0·16
Kington	–	–	–	–	3	1·74	–	–	–	–	–	–
Ledbury	–	–	–	–	2	0·61	–	–	–	–	2	0·61
Leominster M.B... ..	–	–	8	1·38	1	0·17	–	–	–	–	3	0·52
Ross	–	–	1	0·21	2	0·41	1	0·21	–	–	–	–
RURAL DISTRICTS:—												
Bredwardine	–	–	–	–	–	–	–	–	–	–	–	–
Bromyard..	–	–	3	0·38	–	–	–	–	–	–	2	0·25
Dore	–	–	2	0·31	–	–	–	–	–	–	1	0·16
Hereford	–	–	11	0·80	–	–	1	0·07	–	–	5	0·36
Kington	–	–	2	0·40	1	0·20	–	–	1	0·20	–	–
Ledbury	–	–	11	1·20	6	0·66	–	–	–	–	–	–
Leominster	–	–	7	0·91	5	0·65	–	–	–	–	2	0·26
Ross	–	–	8	0·78	5	0·49	1	0·10	–	–	1	0·10
Weobley	–	–	4	0·60	1	0·15	–	–	–	–	1	0·15
Whitchurch	–	–	–	–	1	0·57	–	–	–	–	–	–
Wigmore	–	–	13	3·55	7	1·91	–	–	–	–	–	–
HERTFORD*	4	0·01	401	1·15	104	0·30	82	0·23	15	0·04	88	0·25
AGGREGATE OF M.Bs. AND U.Ds.†	3	0·01	274	1·14	81	0·34	51	0·21	11	0·05	60	0·25
AGGREGATE OF R.Ds.† ..	1	0·01	127	1·16	23	0·21	31	0·28	4	0·04	28	0·26
BOROUGHS AND URBAN DISTRICTS:—												
Baldock	–	–	–	–	–	–	–	–	1	0·37	1	0·37
Barnet	–	–	12	0·98	3	0·24	–	–	1	0·08	2	0·16
Bishop's Stortford ..	–	–	14	1·57	1	0·11	1	0·11	–	–	5	0·56
Bushey	–	–	31	3·67	3	0·35	2	0·24	–	–	1	0·12
Cheshunt	–	–	8	0·55	4	0·28	3	0·21	1	0·07	4	0·28
Chorleywood		–	2	0·80	–	–	–	–	–	–	–	–
East Barnet Valley ..	–	–	13	0·91	7	0·49	–	–	–	–	3	0·21
Great Berkhampstead ..	–	–	9	1·19	2	0·26	–	–	–	–	10	1·32
Harpenden	–	–	15	2·22	3	0·44	1	0·15	–	–	1	0·15
Hemel Hempstead M.B...	–	–	13	0·91	3	0·21	–	–	–	–	1	0·07
Hertford M.B.	–	–	30	2·71	11	0·99	14	1·26	1	0·09	5	0·45
Hitchin	3	0·22	27	1·99	–	–	1	0·07	2	0·15	1	0·07
Hoddesdon	–	–	5	0·90	1	0·18	–	–	–	–	–	–
Letchworth	–	–	9	0·77	4	0·34	1	0·09	2	0·17	3	0·26
Rickmansworth†.. ..	–	–	3	0·35	–	–	–	–	–	–	1	0·12
Royston	–	–	10	2·61	–	–	3	0·78	1	0·26	3	0·78
St. Albans M.B.	–	–	18	0·68	6	0·23	4	0·15	–	–	5	0·19
Sawbridgeworth	–	–	3	1·26	–	–	–	–	–	–	–	–
Stevenage..	–	–	9	1·74	1	0·19	–	–	–	–	2	0·39
Tring	–	–	13	2·99	1	0·23	1	0·23	–	–	1	0·23
Ware	–	–	3	0·49	5	0·82	12	1·96	–	–	1	0·16
Watford M.B.†	–	–	27	0·55	26	0·53	8	0·16	2	0·04	10	0·20
RURAL DISTRICTS:—												
Ashwell	–	–	1	0·27	–	–	–	–	–	–	3	0·82
Barnet	–	–	8	1·65	4	0·83	–	–	–	–	1	0·21
Berkhampstead	–	–	17	3·52	2	0·41	1	0·21	1	0·21	3	0·62
Buntingford	–	–	9	1·78	–	–	–	–	–	–	1	0·20
Hadham	–	–	6	1·09	–	–	1	0·18	–	–	1	0·18

* Administrative County.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
HERTFORD—*cont.*												
RURAL DISTRICTS—*cont.*												
Hatfield	–	–	3	0·34	–	–	–	–	–	–	–	–
Hemel Hempstead ..	–	–	8	1·09	1	0·14	2	0·27	–	–	–	–
Hertford	–	–	1	0·14	1	0·14	1	0·14	1	0·14	4	0·55
Hitchin	1	0·07	13	0·95	1	0·07	3	0·22	1	0·07	3	0·22
St. Albans..	–	–	12	0·76	3	0·19	9	0·57	–	–	3	0·19
Ware	–	–	26	2·24	4	0·34	7	0·60	–	–	2	0·17
Watford‖	–	–	17	1·02	7	0·42	3	0·18	1	0·06	7	0·42
Welwyn	–	–	6	1·41	–	–	4	0·94	–	–	–	–
HUNTINGDON*	–	–	42	0·74	21	0·37	12	0·21	3	0·05	10	0·18
AGGREGATE OF M.Bs. AND U.Ds.	–	–	20	0·80	9	0·36	4	0·16	1	0·04	6	0·24
AGGREGATE OF R.Ds. ..	–	–	22	0·69	12	0·38	8	0·25	2	0·06	4	0·13
BOROUGHS AND URBAN DISTRICTS :—												
Godmanchester M.B. ..	–	–	–	–	2	0·95	–	–	–	–	1	0·47
Huntingdon M.B. ..	–	–	4	0·98	4	0·98	2	0·49	1	0·25	–	–
Old Fletton	–	–	5	0·82	1	0·16	–	–	–	–	5	0·82
Ramsey	–	–	–	–	2	0·37	–	–	–	–	–	–
St. Ives M.B.	–	–	2	0·69	–	–	2	0·69	–	–	–	–
St. Neots	–	–	9	2·10	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Huntingdon	–	–	2	0·29	4	0·58	1	0·15	–	–	–	–
Norman Cross	–	–	–	–	1	0·17	–	–	–	–	1	0·17
Oundle (part of)†	–	–	1	0·98	1	0·98	–	–	–	–	–	–
St. Ives	–	–	8	0·81	4	0·40	4	0·40	1	0·10	1	0·10
St. Neots, No. 1	–	–	4	1·68	–	–	–	–	–	–	1	0·42
,, ,, 2	–	–	–	–	–	–	–	–	–	–	–	–
,, ,, 3	–	–	5	2·20	2	0·88	1	0·44	1	0·44	–	–
,, ,, 4	–	–	2	1·02	–	–	2	1·02	–	–	–	–
Thrapston (part of)† ..	–	–	–	–	–	–	–	–	–	–	1	1·17
Sibson cum Stibbington (parish)‡	–	–	–	–	–	–	–	–	–	–	–	–
KENT §	3	0·00	1,571	1·39	794	0·70	202	0·18	37	0·03	268	0·24
CANTERBURY C.B.	–	–	42	1·77	5	0·21	–	–	2	0·08	8	0·34
AGGREGATE OF M.Bs. AND U.Ds.	–	–	1,136	1·47	631	0·82	148	0·19	29	0·04	181	0·23
AGGREGATE OF R.Ds. ..	3	0·01	393	1·18	158	0·48	54	0·16	6	0·02	79	0·24
BOROUGHS AND URBAN DISTRICTS :—												
Ashford	–	–	6	0·42	–	–	–	–	–	–	3	0·21
Beckenham	–	–	65	1·91	18	0·53	8	0·24	3	0·09	5	0·15
Bexley	–	–	50	2·14	12	0·51	2	0·09	1	0·04	8	0·34
Broadstairs and St. Peter's	–	–	10	0·87	12	1·04	–	–	1	0·09	3	0·26
Bromley M.B.	–	–	58	1·62	11	0·31	2	0·06	1	0·03	15	0·42
Chatham M.B.	–	–	46	1·08	15	0·35	16	0·37	4	0·09	7	0·16
Cheriton	–	–	4	0·76	1	0·19	–	–	–	–	–	–
Chislehurst	–	–	13	1·41	–	–	2	0·22	1	0·11	2	0·22
Crayford	–	–	62	4·72	9	0·69	–	–	–	–	–	–
Dartford	–	–	80	2·89	25	0·90	4	0·14	1	0·04	17	0·62

* Administrative County.

† The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Northampton.

‡ This Parish is administered by the Rural District Council of Barnack Soke of Peterborough).

§ Administrative County with associated County Borough.

‖ Rates adjusted to allow for change in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
KENT—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Deal M.B.	–	–	5	0·40	3	0·24	1	0·08	1	0·08	1	0·08
Dover M.B.	–	–	47	1·14	15	0·36	51	1·24	2	0·05	8	0·19
Erith	–	–	111	3·30	99	2·95	4	0·12	1	0·03	4	0·12
Faversham M.B.	–	–	18	1·65	18	1·65	1	0·09	1	0·09	4	0·37
Folkestone M.B.	–	–	41	1·18	2	0·06	1	0·03	2	0·06	3	0·09
Gillingham M.B. ..	–	–	94	1·92	13	0·27	3	0·06	3	0·06	7	0·14
Gravesend M.B.	–	–	22	0·67	128	3·87	2	0·06	–	–	14	0·42
Herne Bay	–	–	19	1·83	3	0·29	–	–	–	–	1	0·10
Hythe M.B.	–	–	–	–	–	–	–	–	–	–	2	0·27
Lydd M.B.	–	–	1	0·44	1	0·44	–	–	–	–	1	0·44
Maidstone M.B.	–	–	44	1·11	25	0·63	8	0·20	2	0·05	12	0·30
Margate M.B.	–	–	63	2·18	25	0·87	6	0·21	–	–	4	0·14
Milton Regis	–	–	3	0·39	2	0·26	1	0·13	–	–	1	0·13
New Romney M.B. ..	–	–	–	–	–	–	–	–	–	–	1	0·66
Northfleet..	–	–	5	0·29	107	6·23	1	0·06	1	0·06	2	0·12
Penge	–	–	27	0·98	10	0·36	–	–	–	–	9	0·33
Queenborough M.B. ..	–	–	2	0·61	–	–	–	–	–	–	–	–
Ramsgate M.B.	–	–	23	0·74	10	0·32	2	0·06	1	0·03	8	0·26
Rochester M.B.	–	–	36	1·10	11	0·34	8	0·25	1	0·03	8	0·25
Royal Tunbridge Wells M.B.	–	–	28	0·80	11	0·32	10	0·29	–	–	10	0·29
Sandgate	–	–	3	1·36	–	–	–	–	–	–	1	0·45
Sandwich M.B.	–	–	5	1·55	–	–	–	–	–	–	3	0·93
Sevenoaks..	–	–	5	0·54	1	0·11	4	0·43	–	–	–	–
Sheerness	–	–	61	3·55	–	–	3	0·17	–	–	4	0·23
Sidcup	–	–	12	1·32	1	0·11	2	0·22	–	–	1	0·11
Sittingbourne	–	–	6	0·60	16	1·61	–	–	–	–	1	0·10
Southborough	–	–	23	3·20	9	1·25	–	–	2	0·28	2	0·28
Tenterden M.B.	–	–	1	0·30	–	–	1	0·30	–	–	–	–
Tonbridge	–	–	20	1·24	7	0·43	4	0·25	–	–	6	0·37
Walmer	–	–	3	0·66	1	0·22	1	0·22	–	–	–	–
Whitstable	–	–	5	0·51	2	0·20	–	–	–	–	3	0·30
Wrotham	–	–	9	2·06	8	1·83	–	–	–	–	–	–
RURAL DISTRICTS:—												
Blean	–	–	16	1·80	–	–	1	0·11	–	–	1	0·11
Bridge	–	–	3	0·26	6	0·53	1	0·09	–	–	3	0·26
Bromley	–	–	58	2·15	10	0·37	1	0·04	1	0·04	9	0·33
Cranbrook..	–	–	4	0·30	4	0·30	1	0·08	–	–	2	0·15
Dartford	–	–	88	2·17	48	1·18	–	–	–	–	14	0·35
Dover	3	0·36	18	2·14	2	0·24	–	–	1	0·12	–	–
East Ashford	–	–	6	0·39	4	0·26	2	0·13	–	–	3	0·19
Eastry	–	–	10	0·73	3	0·22	1	0·07	–	–	2	0·15
Elham	–	–	5	0·63	–	–	1	0·13	1	0·13	8	1·01
Faversham	–	–	21	1·44	13	0·89	–	–	–	–	4	0·27
Hollingbourne	–	–	12	0·88	3	0·22	3	0·22	–	–	–	–
Hoo	–	–	16	3·35	–	–	1	0·21	–	–	–	–
Isle of Thanet	–	–	18	1·48	1	0·08	–	–	–	–	6	0·49
Maidstone..	–	–	14	0·80	19	1·09	2	0·11	–	–	1	0·06
Malling	–	–	45	1·70	3	0·11	3	0·11	1	0·04	11	0·42
Milton	–	–	5	0·34	4	0·28	3	0·21	1	0·07	1	0·07
Romney Marsh	–	–	–	–	3	0·94	–	–	–	–	–	–
Sevenoaks..	–	–	26	1·06	11	0·45	29	1·18	–	–	2	0·08
Sheppey	–	–	3	0·64	–	–	–	–	–	–	1	0·21
Strood	–	–	8	0·48	14	0·83	1	0·06	–	–	1	0·06
Tenterden..	–	–	2	0·33	–	–	2	0·33	–	–	–	–
Tonbridge	–	–	11	0·60	9	0·49	2	0·11	1	0·05	10	0·55
West Ashford	–	–	4	0·50	1	0·13	–	–	–	–	–	–

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases	Rate	Cases	Rate
LANCASTER* ..	105	0·02	11,802	2·30	4,106	0·80	551	0·11	355	0·07	1,967	0·38
BARROW IN FURNESS C.B. ..	–	–	81	1·08	36	0·48	5	0·07	–	–	26	0·35
BLACKBURN C.B.	–	–	70	0·54	62	0·48	3	0·02	10	0·08	46	0·35
BLACKPOOL C.B.	–	–	110	1·40	48	0·61	6	0·08	11	0·14	17	0·22
BOLTON C.B.	–	–	269	1·46	32	0·17	18	0·10	5	0·03	48	0·26
BOOTLE C.B.	–	–	320	3·79	58	0·69	6	0·07	9	0·11	27	0·32
BURNLEY C.B.	–	–	79	0·75	106	1·01	23	0·22	4	0·04	71	0·68
BURY C.B.	–	–	133	2·30	50	0·87	1	0·02	1	0·02	20	0·35
LIVERPOOL C.B.	1	0·00	3,834	4·43	1,124	1·30	47	0·05	65	0·08	387	0·45
MANCHESTER C.B.	–	–	1,799	2·34	574	0·75	106	0·14	109	0·14	283	0·37
OLDHAM C.B...	–	–	143	0·96	83	0·55	3	0·02	7	0·05	38	0·25
PRESTON C.B.	1	0·01	221	1·77	134	1·07	15	0·12	6	0·05	40	0·32
ROCHDALE C.B.	–	–	254	2·69	80	0·85	12	0·13	3	0·03	26	0·28
ST. HELENS C.B.†	–	–	166	1·50	93	0·84	2	0·02	17	0·15	42	0·38
SALFORD C.B...	–	–	416	1·68	290	1·17	26	0·10	18	0·07	89	0·36
SOUTHPORT C.B.	–	–	108	1·44	35	0·47	18	0·24	3	0·04	37	0·49
WARRINGTON C.B.	–	–	319	4·02	66	0·83	4	0·05	7	0·09	55	0·69
WIGAN C.B.	–	–	80	0·86	25	0·27	19	0·21	2	0·02	41	0·44
AGGREGATE OF M.Bs. AND U.Ds.	102	0·07	2,991	1·92	1,092	0·70	198	0·13	71	0·05	594	0·38
AGGREGATE OF R.Ds. ..	1	0·00	409	1·62	118	0·47	39	0·15	7	0·03	80	0·32
BOROUGHS AND URBAN DISTRICTS :—												
Abram	–	–	24	3·41	4	0·57	4	0·57	–	–	3	0·43
Accrington M.B.	–	–	42	0·94	5	0·11	1	0·02	2	0·04	12	0·27
Adlington	–	–	1	0·22	7	1·51	1	0·22	1	0·22	2	0·43
Ashton in Makerfield ..	–	–	59	2·44	49	2·03	4	0·17	1	0·04	6	0·25
Ashton under Lyne M.B.	77	1·72	141	3·15	15	0·34	7	0·16	2	0·04	6	0·13
Aspull	–	–	14	1·68	15	1·80	2	0·24	–	–	7	0·84
Atherton	–	–	84	4·04	41	1·97	2	0·10	–	–	11	0·53
Audenshaw	4	0·48	16	1·91	1	0·12	–	–	–	–	2	0·24
Bacup M.B.	–	–	21	0·97	6	0·28	1	0·05	2	0·09	24	1·11
Barrowford	–	–	4	0·70	1	0·17	–	–	–	–	–	–
Billinge	–	–	7	1·31	–	–	–	–	–	–	2	0·37
Blackrod	–	–	10	2·47	2	0·49	–	–	–	–	–	–
Brierfield	–	–	10	1·18	9	1·06	–	–	–	–	4	0·47
Carnforth	–	–	14	4·20	1	0·30	–	–	–	–	–	–
Chadderton	–	–	52	1·75	35	1·18	–	–	1	0·03	16	0·54
Chorley M.B.	–	–	6	0·19	3	0·09	58	1·81	–	–	19	0·59
Church	–	–	–	–	1	0·14	–	–	1	0·14	3	0·43
Clayton le Moors.. ..	–	–	4	0·45	1	0·11	–	–	–	–	1	0·11
Clitheroe M.B.	–	–	1	0·08	33	2·62	1	0·08	1	0·08	–	–
Colne M.B.	–	–	26	1·01	29	1·12	2	0·08	1	0·04	20	0·78
Crompton	–	–	7	0·45	2	0·13	–	–	1	0·06	5	0·32
Croston	–	–	1	0·50	–	–	–	–	–	–	–	–
Dalton in Furness ..	–	–	17	1·37	–	–	1	0·08	–	–	–	–
Darwen M.B.	–	–	37	0·93	2	0·05	–	–	5	0·13	6	0·15
Denton	1	0·05	42	2·31	5	0·27	1	0·05	–	–	5	0·27
Droylsden..	–	–	39	2·73	7	0·49	1	0·07	–	–	4	0·28
Eccles M.B.	1	0·02	46	0·98	18	0·38	3	0·06	2	0·04	7	0·15
Failsworth	–	–	63	3·60	38	2·17	10	0·57	1	0·06	12	0·69
Farnworth	–	–	61	2·07	17	0·58	3	0·10	3	0·10	14	0·48
Fleetwood..	–	–	18	0·87	6	0·29	–	–	1	0·05	6	0·29
Formby	–	–	4	0·60	2	0·30	2	0·30	–	–	1	0·15
Fulwood	–	–	4	0·64	–	–	–	–	–	–	5	0·80
Golborne	–	–	28	3·63	33	4·27	–	–	1	0·13	4	0·52
Grange	–	–	5	2·40	–	–	–	–	–	–	–	–
Great Crosby	–	–	36	2·56	7	0·50	4	0·28	1	0·07	5	0·35

* Administrative County with associated County Boroughs.

† Eight cases of Typhus Fever were notified.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
LANCASTER—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*:—												
Great Harwood	–	–	17	1·20	12	0·85	–	–	–	–	3	0·21
Haslingden M.B.	–	–	10	0·56	6	0·34	4	0·22	–	–	8	0·45
Haydock	–	–	30	2·67	8	0·71	1	0·09	–	–	15	1·33
Heysham	–	–	9	2·10	6	1·40	–	–	–	–	2	0·47
Heywood M.B.	–	–	136	4·96	8	0·29	1	0·04	–	–	13	0·47
Hindley	–	–	33	1·31	9	0·36	3	0·12	1	0·04	18	0·71
Horwich	–	–	19	1·16	9	0·55	–	–	–	–	–	–
Hurst	19	2·27	28	3·34	2	0·24	–	–	–	–	1	0·12
Huyton with Roby ..	–	–	6	1·11	2	0·37	–	–	–	–	2	0·37
Ince in Makerfield ..	–	–	27	1·08	8	0·32	2	0·08	–	–	3	0·12
Irlam	–	–	19	1·58	26	2·17	–	–	–	–	1	0·08
Kearsley	–	–	9	0·85	10	0·95	–	–	–	–	2	0·19
Kirkham	–	–	1	0·26	1	0·26	–	–	1	0·26	2	0·52
Lancaster M.B.	–	–	79	1·92	41	0·99	1	0·02	1	0·02	12	0·29
Lathom and Burscough ..	–	–	8	1·02	2	0·26	–	–	–	–	1	0·13
Lees	–	–	4	0·81	1	0·20	–	–	–	–	–	–
Leigh M.B.	–	–	137	2·87	25	0·52	3	0·06	3	0·06	27	0·57
Leyland	–	–	36	3·81	4	0·42	2	0·21	1	0·11	4	0·42
Litherland	–	–	68	3·86	21	1·19	2	0·11	1	0·06	3	0·17
Littleborough	–	–	29	2·45	–	–	–	–	–	–	–	–
Little Crosby	–	–	3	2·41	1	0·80	–	–	–	–	–	–
Little Hulton	–	–	16	1·93	7	0·84	4	0·48	–	–	3	0·36
Little Lever	–	–	1	0·19	–	–	–	–	–	–	1	0·19
Longridge	–	–	1	0·23	2	0·46	–	–	–	–	–	–
Lytham St. Anne's M.B.	–	–	24	1·09	15	0·68	2	0·09	2	0·09	3	0·14
Middleton M.B.	–	–	56	1·91	9	0·31	1	0·03	1	0·03	9	0·31
Milnrow	–	–	14	1·59	–	–	1	0·11	–	–	4	0·45
Morecambe M.B. ..	–	–	18	1·25	7	0·49	1	0·07	–	–	5	0·35
Mossley M.B.	–	–	22	1·71	6	0·47	–	–	3	0·23	–	–
Nelson M.B.	–	–	45	1·10	10	0·24	1	0·02	1	0·02	13	0·32
Newton in Makerfield ..	–	–	32	1·59	14	0·69	2	0·10	2	0·10	9	0·45
Norden	–	–	2	0·47	1	0·24	–	–	–	–	–	–
Ormskirk	–	–	13	1·69	1	0·13	1	0·13	–	–	2	0·26
Orrell	–	–	11	1·52	8	1·10	4	0·55	–	–	6	0·83
Oswaldtwistle	–	–	25	1·61	8	0·51	–	–	–	–	9	0·58
Padiham	–	–	21	1·65	8	0·63	–	–	4	0·31	7	0·55
Poulton le Fylde	–	–	6	2·11	1	0·35	–	–	–	–	1	0·35
Preesall	–	–	1	0·55	–	–	–	–	–	–	–	–
Prescot	–	–	44	4·40	20	2·00	–	–	1	0·10	1	0·10
Prestwich	–	–	24	1·21	6	0·30	1	0·05	1	0·05	9	0·46
Radcliffe	–	–	14	0·54	17	0·66	1	0·04	3	0·12	17	0·66
Rainford	–	–	5	1·33	5	1·33	–	–	–	–	1	0·27
Ramsbottom	–	–	33	2·13	6	0·39	2	0·13	1	0·06	6	0·39
Rawtenstall M.B. ..	–	–	24	0·81	15	0·51	3	0·10	–	–	11	0·37
Rishton	–	–	6	0·83	6	0·83	–	–	–	–	7	0·96
Royton	–	–	5	0·28	7	0·39	–	–	1	0·06	8	0·45
Skelmersdale	–	–	6	0·84	–	–	2	0·28	–	–	4	0·56
Standish with Langtree ..	–	–	4	0·51	4	0·51	5	0·64	–	–	7	0·90
Stretford	–	–	120	2·43	33	0·67	3	0·06	2	0·04	19	0·38
Swinton and Pendlebury	–	–	66	1·99	22	0·66	2	0·06	1	0·03	22	0·66
Thornton	–	–	6	1·00	–	–	–	–	–	–	–	–
Tottington	–	–	58	8·29	5	0·71	1	0·14	–	–	14	2·00
Trawden	–	–	1	0·36	–	–	–	–	–	–	–	–
Turton	–	–	13	1·04	5	0·40	–	–	1	0·08	3	0·24
Tyldesley with Shakerley	–	–	25	1·52	33	2·01	4	0·24	–	–	6	0·36
Ulverston	–	–	17	1·67	2	0·20	–	–	–	–	10	0·98
Upholland	–	–	26	4·57	1	0·18	5	0·88	–	–	4	0·70
Urmston	–	–	6	0·70	–	–	–	–	–	–	3	0·35
Walton le Dale	–	–	8	0·64	3	0·24	2	0·16	–	–	2	0·16
Wardle	–	–	2	0·43	–	–	1	0·22	–	–	1	0·22
Waterloo with Seaforth ..	–	–	94	3·08	30	0·98	6	0·20	1	0·03	11	0·36
Westhoughton	–	–	32	1·90	4	0·24	2	0·12	4	0·24	5	0·30
Whitefield	–	–	14	1·92	11	1·51	4	0·55	–	–	3	0·41
Whitworth	–	–	1	0·11	6	0·67	–	–	–	–	4	0·45
Widnes M.B.	–	–	320	7·52	152	3·57	10	0·23	7	0·16	9	0·21

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
LANCASTER—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*:—												
Withnell	–	–	1	0·28	–	–	–	–	–	–	–	–
Worsley	–	–	56	3·82	5	0·34	–	–	–	–	6	0·41
RURAL DISTRICTS:—												
Barton upon Irwell ..	–	–	18	1·76	4	0·39	–	–	–	–	3	0·29
Blackburn..	–	–	7	0·67	–	–	1	0·10	–	–	1	0·10
Burnley	–	–	24	1·21	9	0·45	3	0·15	–	–	5	0·25
Bury	–	–	6	0·61	2	0·20	2	0·20	–	–	1	0·10
Chorley	–	–	9	0·39	3	0·13	9	0·39	–	–	8	0·35
Clitheroe	–	–	8	1·14	5	0·71	–	–	–	–	3	0·43
Fylde	–	–	21	1·57	8	0·60	2	0·15	–	–	1	0·07
Garstang	–	–	5	0·44	8	0·71	–	–	–	–	1	0·09
Lancaster	–	–	44	4·68	2	0·21	3	0·32	–	–	1	0·11
Leigh	–	–	73	6·21	14	1·19	2	0·17	–	–	11	0·94
Limehurst	1	0·11	14	1·49	4	0·42	1	0·11	2	0·21	8	0·85
Lunesdale..	–	–	12	1·83	9	1·37	–	–	1	0·15	–	–
Preston	–	–	33	1·35	7	0·29	4	0·16	1	0·04	7	0·29
Sefton	–	–	8	1·74	7	1·53	–	–	–	–	–	–
Ulverston	–	–	19	1·06	2	0·11	4	0·22	–	–	3	0·17
Warrington	–	–	28	2·15	8	0·61	–	–	2	0·15	7	0·54
West Lancashire	–	–	23	1·03	5	0·22	4	0·18	1	0·04	9	0·40
Whiston	–	–	53	2·53	19	0·91	2	0·10	–	–	7	0·33
Wigan	–	–	4	0·62	2	0·31	2	0·31	–	–	4	0·62
LEICESTER*	103	0·20	589	1·13	736	1·41	12	0·02	16	0·03	167	0·32
LEICESTER C.B.	5	0·02	343	1·40	421	1·71	4	0·02	12	0·05	96	0·39
AGGREGATE OF M.B. AND U.Ds.†	87	0·75	101	0·87	129	1·12	3	0·03	2	0·02	26	0·23
AGGREGATE OF R.Ds.† ..	11	0·07	145	0·89	186	1·15	5	0·03	2	0·01	45	0·28
BOROUGH AND URBAN DISTRICTS:—												
Ashby de la Zouch ..	4	0·76	9	1·71	4	0·76	–	–	–	–	–	–
Ashby Woulds	29	8·09	4	1·12	3	0·84	–	–	–	–	–	–
Coalville	–	–	9	0·40	74	3·31	–	–	–	–	8	0·36
Hinckley	–	–	5	0·34	6	0·41	1	0·07	1	0·07	5	0·34
Loughborough M.B. ..	–	–	57	2·11	17	0·63	1	0·04	–	–	7	0·26
Market Harborough† ..	–	–	2	0·22	1	0·11	–	–	1	0·11	–	–
Melton Mowbray.. ..	54	5·41	3	0·30	8	0·80	–	–	–	–	3	0·30
Oadby	–	–	5	1·55	–	–	–	–	–	–	–	–
Quorndon	–	–	4	1·57	1	0·39	–	–	–	–	–	–
Shepshed	–	–	–	–	5	0·85	–	–	–	–	–	–
Thurmaston	–	–	–	–	1	0·40	–	–	–	–	–	–
Wigston Magna	–		3	0·32	9	0·95	1	0·11	–	–	3	0·32
RURAL DISTRICTS:—												
Ashby de la Zouch ..	7	0·38	10	0·55	42	2·31	–	–	–	–	9	0·49
Barrow upon Soar ..	–	–	20	0·74	13	0·48	–	–	–	–	11	0·41
Belvoir	–	–	8	2·36	1	0·30	–	–	–	–	3	0·89
Billesdon	–	–	3	0·36	10	1·20	1	0·12	–	–	1	0·12
Blaby	–	–	27	1·46	14	0·76	1	0·05	–	–	8	0·43
Castle Donington.. ..	–	–	15	2·32	4	0·62	–	–	–	–	–	–
Hallaton	–	–	–	–	–	–	–	–	–	–	–	–
Hinckley	–	–	10	0·64	29	1·84	–	–	–	–	7	0·44
Loughborough	–	–	5	1·08	2	0·43	–	–	–	–	–	–
Lutterworth	–	–	10	0·95	5	0·47	–	–	–	–	–	–
Market Bosworth.. ..	–	–	22	0·90	55	2·24	–	–	1	0·04	2	0·08
Market Harborough† ..	–	–	12	1·54	–	–	–	–	1	0·13	–	–
Melton Mowbray.. ..	4	0·26	3	0·20	11	0·73	3	0·20	–	–	4	0·26

* Administrative County with associated County Borough.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
LINCOLN, PARTS OF HOLLAND*	–	–	140	1·58	41	0·46	2	0·02	3	0·03	20	0·23
AGGREGATE OF M.B. AND U.Ds.	–	–	76	1·94	25	0·64	1	0·03	2	0·05	18	0·46
AGGREGATE OF R.Ds. ..	–	–	64	1·29	16	0·32	1	0·02	1	0·02	2	0·04
BOROUGH AND URBAN DISTRICTS :—												
Boston M.B.	–	–	58	3·52	8	0·49	1	0·06	1	0·06	11	0·67
Holbeach	–	–	–	–	–	–	–	–	–	–	1	0·17
Long Sutton	–	–	–	–	1	0·30	–	–	–	–	–	–
Spalding	–	–	18	1·63	16	1·45	–	–	1	0·09	6	0·54
Sutton Bridge	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Boston	–	–	51	2·22	6	0·26	1	0·04	1	0·04	1	0·04
Crowland	–	–	–	–	3	1·06	–	–	–	–	1	0·35
East Elloe..	–	–	2	0·20	5	0·49	–	–	–	–	–	–
Spalding (part of) ‡ ..	–	–	11	0·79	2	0·14	–	–	–	–	–	–
LINCOLN, PARTS OF KESTEVEN*	–	–	66	0·61	33	0·30	21	0·19	1	0·01	20	0·18
AGGREGATE OF M.Bs. AND U.Ds.	–	–	29	0·69	12	0·28	13	0·31	–	–	9	0·21
AGGREGATE OF R.Ds. ..	–	–	37	0·56	21	0·32	8	0·12	1	0·02	11	0·17
BOROUGHS AND URBAN DISTRICTS :—												
Bourne	–	–	2	0·45	–	–	–	–	–	–	2	0·45
Grantham M.B.	–	–	19	0·98	2	0·10	10	0·51	–	–	2	0·10
Ruskington	–	–	–	–	3	2·63	–	–	–	–	–	–
Sleaford	–	–	6	0·85	4	0·56	–	–	–	–	5	0·70
Stamford M.B.	–	–	2	0·20	3	0·30	3	0·30	–	–	–	–
RURAL DISTRICTS :—												
Bourne	–	–	13	1·00	2	0·15	–	–	–	–	2	0·15
Branston	–	–	10	0·73	6	0·44	–	–	–	–	2	0·15
Claypole	–	–	4	0·50	8	1·00	3	0·38	–	–	1	0·13
Grantham..	–	–	6	0·49	2	0·16	4	0·33	1	0·08	2	0·16
Sleaford	–	–	2	0·11	2	0·11	1	0·06	–	–	4	0·23
Spalding (part of)‡ ..	–	–	2	3·03	1	1·51	–	–	–	–	–	–
Uffington	–	–	–	–	–	–	–	–	–	–	–	–
LINCOLN, PARTS OF LINDSEY†	120	0·29	575	1·37	330	0·79	22	0·05	12	0·03	93	0·22
GRIMSBY C.B.	–	–	103	1·17	126	1·43	5	0·06	4	0·05	11	0·12
LINCOLN C.B.	–	–	64	0·94	60	0·88	4	0·06	4	0·06	10	0·15
AGGREGATE OF M.B. AND U.Ds.	95	0·78	241	1·97	97	0·79	7	0·06	4	0·03	44	0·36
AGGREGATE OF R.Ds. ..	25	0·18	167	1·18	47	0·33	6	0·04	–	–	28	0·20
BOROUGH AND URBAN DISTRICTS :—												
Alford	–	–	1	0·45	1	0·45	–	–	–	–	–	–
Barton upon Humber ..	–	–	21	3·20	7	1·07	–	–	–	–	5	0·76
Brigg	–	–	7	2·01	1	0·29	–	–	–	–	–	–
Cleethorpes	–	–	41	1·40	35	1·20	–	–	1	0·03	7	0·24
Crowle	–	–	–	–	1	0·33	1	0·33	–	–	1	0·33
Gainsborough	95	4·72	14	0·69	15	0·74	–	–	1	0·0	8	0·40
Horncastle	–	–	3	0·87	–	–	–	–	–	–	2	0·58
Louth M.B.	–	–	39	4·04	8	0·83	–	–	–	–	7	0·72
Mablethorpe	–	–	8	3·74	–	–	–	–	–	–	–	–
Market Rasen	–	–	–	–	–	–	–	–	1	0·47	–	–

* Administrative County.
† Administrative County with associated County Boroughs.
‡ The Rural District of Spalding is partly in the Parts of Holland and partly in the Parts of Kesteven. The figures for the entire District are :— – | – | 13 | 0·90 | 3 | 0·21 | – | – | – | – | – | –

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate.
LINCOLN, PARTS OF LINDSEY—*cont.*												
BOROUGH AND URBAN DISTRICTS—*cont.*												
Roxby cum Risby ..	–	–	4	6·25	–	–	–	–	–	–	–	–
Scunthorpe and Frodingham	–	–	99	3·14	27	0·86	5	0·16	1	0·03	13	0·41
Skegness	–	–	3	0·63	1	0·21	–	–	–	–	–	–
Winterton..	–	–	–	–	1	0·56	1	0·56	–	–	–	–
Woodhall Spa	–	–	1	0·70	–	–	–	–	–	–	1	0·70
RURAL DISTRICTS :—												
Caistor	–	–	9	0·68	2	0·15	2	0·15	–	–	5	0·38
Gainsborough	1	0·07	15	1·03	8	0·55	1	0·07	–	–	2	0·14
Glanford Brigg	24	0·85	48	1·71	15	0·53	–	–	–	–	7	0·25
Grimsby	–	–	22	1·62	5	0·37	–	–	–	–	5	0·37
Horncastle	–	–	4	0·33	3	0·25	–	–	–	–	2	0·16
Isle of Axholme	–	–	12	1·71	3	0·43	1	0·14	–	–	1	0·14
Louth	–	–	21	1·19	1	0·06	–	–	–	–	4	0·23
Sibsey	–	–	3	0·96	–	–	–	–	–	–	–	–
Spilsby	–	–	14	0·65	7	0·33	1	0·05	–	–	2	0·09
Welton	–	–	19	1·70	3	0·27	1	0·09	–	–	–	–
LONDON*	4	0·00	11,686	2·51	10,737	2·31	417	0·09	298	0·06	1,903	0·41
CITY OF LONDON	–	–	13	0·96	10	0·74	2	0·15	–	–	–	–
Inner and Middle Temples	–	–	–	–	–	–	–	–	–	–	–	
METROPOLITAN BOROUGHS :—												
Battersea	–	–	403	2·32	439	2·53	9	0·05	17	0·10	76	0·44
Bermondsey	–	–	396	3·19	543	4·38	2	0·02	2	0·02	42	0·34
Bethnal Green	–	–	428	3·53	572	4·72	92	0·76	6	0·05	77	0·64
Camberwell	–	–	603	2·17	833	2·99	10	0·04	15	0·05	112	0·40
Chelsea	1	0·02	87	1·33	81	1·23	9	0·14	1	0·02	36	0·55
Deptford	–	–	295	2·52	355	3·03	19	0·16	7	0·06	81	0·69
Finsbury	–	–	218	2·78	195	2·49	5	0·06	7	0·09	97	1·24
Fulham	–	–	365	2·20	265	1·60	7	0·04	26	0·16	95	0·57
Greenwich..	–	–	293	2·81	329	3·16	10	0·10	5	0·05	50	0·48
Hackney	–	–	529	2·29	556	2·41	8	0·03	11	0·05	48	0·21
Hammersmith	–	–	241	1·77	270	1·98	6	0·04	12	0·09	36	0·26
Hampstead	–	–	164	1·84	104	1·17	11	0·12	4	0·04	15	0·17
Holborn	–	–	108	2·46	81	1·84	4	0·09	2	0·05	22	0·50
Islington	–	–	1,079	3·15	859	2·50	14	0·04	19	0·06	116	0·34
Kensington	1	0·01	325	1·79	229	1·26	32	0·18	5	0·03	63	0·35
Lambeth	–	–	955	3·04	607	1·93	19	0·06	22	0·07	104	0·33
Lewisham..	–	–	368	1·96	184	0·98	12	0·06	11	0·06	56	0·30
Paddington	–	–	294	1·98	287	1·93	18	0·12	9	0·06	71	0·48
Poplar	–	–	495	2·91	407	2·39	10	0·06	8	0·05	58	0·34
St. Marylebone	–	–	184	1·72	139	1·30	17	0·16	10	0·09	49	0·46
St. Pancras	1	0·00	761	3·49	622	2·86	12	0·06	16	0·07	110	0·50
Shoreditch	–	–	372	3·44	392	3·62	4	0·04	10	0·09	55	0·51
Southwark	–	–	534	2·80	795	4·17	12	0·06	20	0·10	126	0·66
Stepney	–	–	571	2·21	568	2·20	28	0·11	14	0·05	108	0·42
Stoke Newington.. ..	–	–	97	·80	108	2·01	1	0·02	1	0·02	10	0·19
Wandsworth	–	–	889	2·59	467	1·36	17	0·05	21	0·06	115	0·33
Westminster, City of ..	1	0·01	210	1·48	241	1·69	16	0·11	10	0·07	29	0·20
Woolwich	–	–	409	2·87	199	1·40	11	0·08	7	0·05	46	0·32

* Administrative County and City.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate.
MIDDLESEX*	17	0·01	2,321	1·77	1,487	1·13	87	0·07	62	0·05	387	0·30
AGGREGATE OF M.BS. AND U.DS.†	17	0·01	2,232	1·79	1,447	1·16	82	0·07	61	0·05	376	0·30
AGGREGATE OF R.DS.† ..	–	–	89	1·46	40	0·66	5	0·08	1	0·02	11	0·18
BOROUGHS AND URBAN DISTRICTS :—												
Acton M.B.	–	–	108	1·69	43	0·67	–	–	5	0·08	22	0·34
Brentford	–	–	32	1·79	47	2·63	4	0·22	1	0·06	2	0·11
Chiswick	–	–	32	0·78	23	0·56	3	0·07	5	0·12	7	0·17
Ealing M.B.	–	–	128	1·84	63	0·91	9	0·13	3	0·04	25	0·36
Edmonton..	–	–	153	2·14	78	1·09	1	0·01	7	0·10	34	0·47
Enfield†	–	–	80	1·25	14	0·22	1	0·02	1	0·02	15	0·23
Feltham	–	–	13	1·84	18	2·55	–	–	–	–	3	0·43
Finchley	–	–	141	2·90	77	1·58	1	0·02	2	0·04	14	0·29
Friern Barnet	–	–	28	1·51	5	0·27	4	0·22	1	0·05	8	0·43
Greenford	–	–	2	1·32	1	0·66	–	–	–	–	–	–
Hampton	–	–	21	1·91	14	1·27	2	0·18	–	–	3	0·27
Hampton Wick	–	–	5	1·60	3	0·96	1	0·32	–	–	1	0·32
Hanwell	–	–	48	2·26	128	6·02	1	0·05	1	0·05	5	0·24
Harrow on the Hill ..	–	–	24	1·16	12	0·58	1	0·05	–	–	3	0·15
Hayes	–	–	17	2·03	2	0·24	1	0·12	–	–	–	–
Hendon	–	–	110	1·88	72	1·23	7	0·12	1	0·02	25	0·43
Heston and Isleworth ..	7	0·15	119	2·49	100	2·09	4	0·08	10	0·21	32	0·67
Hornsey M.B.	–	–	216	2·44	40	0·45	2	0·02	1	0·01	26	0·29
Kingsbury..	–	–	4	1·88	1	0·47	–	–	–	–	–	–
Ruislip Northwood ..	–	–	4	0·40	2	0·20	1	0·10	1	0·10	–	–
Southall Norwood ..	–	–	24	0·74	5	0·15	4	0·12	–	–	9	0·28
Southgate..	–	–	46	1·15	18	0·45	6	0·15	1	0·03	12	0·30
Staines	–	–	10	1·32	11	1·45	1	0·13	–	–	–	–
Sunbury on Thames ..	–	–	6	1·04	3	0·52	–	–	–	–	1	0·17
Teddington	–	–	43	1·94	21	0·95	1	0·05	–	–	4	0·18
Tottenham	–	–	364	2·34	238	1·53	5	0·03	6	0·04	24	0·15
Twickenham	–	–	27	0·76	20	0·56	1	0·03	–	–	12	0·34
Uxbridge	–	–	10	0·83	7	0·58	–	–	1	0·08	10	0·83
Wealdstone	–	–	52	3·68	3	0·21	–	–	1	0·07	1	0·07
Wembley	–	–	27	1·44	19	1·01	2	0·11	1	0·05	9	0·48
Willesden	10	0·06	244	1·42	327	1·90	19	0·11	12	0·07	46	0·27
Wood Green	–	–	88	1·67	24	0·46	–	–	–	–	16	0·30
Yiewsley	–	–	6	1·07	8	1·43	–	–	–	–	7	1·25
RURAL DISTRICTS :—												
Hendon	–	–	27	1·43	5	0·27	2	0·11	–	–	5	0·27
South Mimms†	–	–	1	0·29	1	0·29	–	–	–	–	–	–
Staines	–	–	55	2·06	28	1·05	2	0·07	1	0·04	2	0·07
Uxbridge	–	–	6	0·50	6	0·50	1	0·08	–	–	4	0·33
NORFOLK‡	–	–	1,303	2·54	244	0·48	46	0·09	17	0·03	143	0·28
GREAT YARMOUTH C.B. ..	–	–	143	2·43	35	0·60	1	0·02	2	0·03	14	0·24
NORWICH C.B.	–	–	609	4·84	116	0·92	11	0·09	8	0·06	69	0·55
AGGREGATE OF M.BS. AND U.DS.	–	–	61	0·97	11	0·18	14	0·22	3	0·05	17	0·27
AGGREGATE OF R.DS. ..	–	–	490	1·85	82	0·31	20	0·08	4	0·02	43	0·16
BOROUGHS AND URBAN DISTRICTS :—												
Cromer	–	–	1	0·23	–	–	2	0·46	–	–	3	0·70
Diss	–	–	7	1·95	–	–	–	–	–	–	–	–
Downham Market ..	–	–	1	0·42	1	0·42	3	1·26	–	–	1	0·42
East Dereham	–	–	6	1·04	–	–	1	0·17	–	–	1	0·17
King's Lynn M.B. ..	–	–	3	0·14	2	0·10	6	0·29	1	0·05	6	0·29

* Administrative County.
† Rates adjusted to allow for changes in boundary during the year.
‡ Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate.
NORFOLK—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
New Hunstanton.. ..	–	–	–	–	–	–	–	–	1	0·32	–	–
North Walsham	–	–	29	6·73	2	0·46	–	–	1	0·23	1	0·23
Sheringham	–	–	1	0·26	–	–	–	–	–	–	1	0·26
Swaffham	–	–	8	2·75	1	0·34	–	–	–	–	1	0·34
Thetford M.B.	–	–	–	–	1	0·21	1	0·21	–	–	1	0·21
Walsoken	–	–	5	1·24	3	0·74	1	0·25	–	–	1	0·25
Wells	–	–	–	–	1	0·37	–	–	–	–	1	0·37
RURAL DISTRICTS :—												
Aylsham	–	–	38	1·93	8	0·47	–	–	2	0·12	5	0·29
Blofield	–	–	63	4·85	5	0·38	–	–	–	–	–	–
Depwade	–	–	44	2·26	3	0·15	2	0·10	1	0·05	1	0·05
Docking	–	–	16	0·94	5	0·29	–	–	–	–	2	0·12
Downham..	–	–	1	0·07	1	0·07	1	0·07	1	0·07	10	0·66
East and West Flegg ..	–	–	8	0·75	1	0·09	2	0·19	–	–	2	0·19
Erpingham	–	–	14	0·78	5	0·28	1	0·06	–	–	–	–
Forehoe	–	–	18	1·48	3	0·25	1	0·08	–	–	3	0·25
Freebridge Lynn	–	–	1	0·08	5	0·41	–	–	–	–	1	0·08
Henstead	–	–	20	1·93	–	–	–	–	–	–	1	0·10
King's Lynn	–	–	–	–	–	–	–	–	–	–	–	–
Loddon and Clavering ..	–	–	9	0·72	2	0·16	1	0·08	–	–	–	–
Marshland..	–	–	9	0·61	10	0·67	–	–	–	–	3	0·20
Mitford and Launditch ..	–	–	49	2·65	15	0·81	7	0·38	–	–	2	0·11
St. Faith's	–	–	87	7·45	12	1·03	1	0·09	–	–	–	–
Smallburgh	–	–	46	3·21	3	0·21	2	0·14	–	–	4	0·28
Swaffham	–	–	2	0·27	1	0·13	–	–	–	–	1	0·13
Thetford	–	–	16	1·66	–	–	1	0·10	–	–	–	–
Walsingham	–	–	42	2·53	1	0·06	1	0·06	–	–	5	0·30
Wayland	–	–	12	0·89	2	0·15	–	–	–	–	3	0·22
NORTHAMPTON*	–		2,083	6·64	272	0·87	25	0·08	23	0·07	117	0·37
NORTHAMPTON C.B.	–		1,057	11·11	87	0·91	7	0·07	11	0·12	54	0·57
AGGREGATE OF M.BS. AND U.DS.	–	–	615	5·96	55	0·53	7	0·07	9	0·09	36	0·35
AGGREGATE OF R.DS. ..	–		411	3·56	130	1·13	11	0·10	3	0·03	27	0·23
BOROUGHS AND URBAN DISTRICTS :—												
Brackley M.B.	–	–	1	0·43	–	–	–	–	–	–	–	–
Burton Latimer ..	–	–	23	6·49	–	–	–	–	–	–	–	–
Daventry M.B.	–	–	35	9·77	3	0·84	–	–	–	–	2	0·56
Desborough	–	–	5	1·14	1	0·23	–	–	1	0·23	1	0·23
Finedon	–	–	15	3·56	–	–	1	0·24	3	0·71	1	0·24
Higham Ferrers M.B. ..	–	–	11	3·65	1	0·33	2	0·66	–	–	–	–
Irthlingborough	–	–	23	4·52	12	2·36	–	–	–	–	–	–
Kettering	–	–	428	13·84	33	1·07	–	–	3	0·10	13	0·42
Oundle	–	–	5	1·83	1	0·37	1	0·37	–	–	1	0·37
Raunds	–	–	4	1·03	–	–	1	0·26	–	–	1	0·26
Rothwell	–	–	21	4·56	1	0·22	–	–	–	–	–	–
Rushden	–	–	22	1·57	2	0·14	1	0·07	2	0·14	6	0·43
Wellingborough	–	–	22	1·05	1	0·05	1	0·05	–	–	11	0·53
RURAL DISTRICTS :—												
Brackley	–	–	12	1·80	–	–	–	–	–	–	3	0·45
Brixworth..	–	–	19	1·57	7	0·58	1	0·08	1	0·08	1	0·08
Crick	–	–	1	0·41	–	–	–	–	–	–	–	–
Daventry	–	–	34	2·38	4	0·28	–	–	–	–	4	0·28
Easton on the Hill ..	–	–	5	3·37	–	–	–	–	–	–	–	–

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate.
NORTHAMPTON—*cont.*												
RURAL DISTRICTS—*cont.*												
Gretton	–	–	4	2·83	–	–	–	–	–	–	2	1·42
Hardingstone	–	–	38	4·99	5	0·66	–	–	1	0·13	3	0·39
Kettering	–	–	71	7·38	19	1·97	–	–	–	–	4	0·42
Middleton Cheney ..	–	–	2	0·81	–	–	–	–	–	–	–	–
Northampton	–	–	88	11·10	8	1·01	9	1·14	–	–	1	0·13
Oundle (part of)*	–	–	15	2·24	5	0·75	–	–	–	–	–	–
Oxendon	–	–	2	0·49	2	0·49	–	–	1	0·25	1	0·25
Potterspury	–	–	6	1·24	1	0·21	–	–	–	–	3	0·62
Thrapston (part of)* ..	–	–	20	1·87	66	6·18	–	–	–	–	–	–
Towcester	–	–	14	1·38	3	0·30	–	–	–	–	–	–
Wellingborough	–	–	80	6·17	10	0·77	1	0·08	–	–	5	0·39
NORTHUMBERLAND† ..	398	0·51	2,111	2·72	525	0·68	143	0·18	29	0·04	352	0·45
NEWCASTLE UPON TYNE C.B.	5	0·02	822	2·83	261	0·90	27	0·09	17	0·06	155	0·53
TYNEMOUTH C.B.	1	0·01	138	2·06	30	0·45	55	0·82	2	0·03	23	0·34
AGGREGATE OF M.Bs. AND U.Ds.	381	1·23	857	2·76	176	0·57	54	0·17	6	0·02	141	0·45
AGGREGATE OF R.Ds. ..	11	0·10	294	2·75	58	0·54	7	0·07	4	0·04	33	0·31
BOROUGHS AND URBAN DISTRICTS:—												
Alnwick	1	0·14	14	1·96	–		1	0·14	–	–	–	–
Amble	–	–	5	1·05	5	1·05	–	–	–	–	–	–
Ashington	298	9·34	81	2·54	7	0·22	6	0·19	1	0·03	22	0·69
Bedlingtonshire	25	0·87	75	2·61	11	0·38	6	0·21	–	–	5	0·17
Berwick pon Tweed M.B.	1	0·08	15	1·19	7	0·56	–	–	–	–	2	0·16
Blyth M.B.	2	0·06	167	4·93	26	0·77	9	0·27	1	0·03	19	0·56
Cramlington	2	0·21	42	4·44	8	0·85	–	–	–	–	8	0·85
Earsdon	–	–	14	1·15	5	0·41	2	0·16	–	–	5	0·41
Gosforth	–	–	35	2·20	23	1·44	2	0·13	–	–	2	0·13
Hexham	–	–	16	1·84	5	0·58	3	0·35	1	0·12	3	0·35
Longbenton	–	–	64	4·54	4	0·28	1	0·07	–	–	4	0·28
Morpeth M.B.	–	–	37	4·76	3	0·39	2	0·26	–	–	2	0·26
Newbiggin by the Sea ..	43	6·17	14	2·01	1	0·14	–	–	–	–	8	1·15
Newburn	5	0·24	27	1·30	9	0·43	5	0·24	–	–	9	0·43
Prudhoe	–	–	27	2·86	4	0·42	5	0·53	–	–	4	0·42
Rothbury	–	–	8	6·38	–	–	–	–	–	–	3	2·39
Seaton Delaval	–	–	30	3·68	5	0·61	1	0·12	–	–	14	1·72
Seghill	–	–	2	0·95	3	1·42	–	–	–	–	1	0·47
Wallsend M.B.	–	–	79	1·71	33	0·71	5	0·11	2	0·04	21	0·45
Weetslade	4	0·53	9	1·20	3	0·40	–	–	–	–	4	0·53
Whitley and Monkseaton	–	–	96	4·60	14	0·67	6	0·29	1	0·05	5	0·24
RURAL DISTRICTS:—												
Alnwick	–	–	28	2·19	14	1·10	–	–	1	0·08	5	0·39
Belford	–	–	5	1·00	2	0·40	–	–	1	0·20	–	–
Bellingham	–	–	13	2·24	3	0·52	–	–	–	–	–	–
Castle Ward	–	–	35	2·64	7	0·53	1	0·08	–	–	11	0·83
Glendale	–	–	2	0·25	–	–	1	0·12	–	–	4	0·49
Haltwhistle	–	–	90	9·28	8	0·82	–	–	–	–	–	–
Hexham	–	–	63	2·79	12	0·53	2	0·09	1	0·04	5	0·22
Morpeth	11	0·57	48	2·50	10	0·52	3	0·16	1	0·05	7	0·36
Newcastle upon Tyne (Moot Hall & Precincts)‡												
Norham and Islandshires	–	–	8	1·47	1	0·18	–	–	–	–	1	0·18
Rothbury	–	–	2	0·40	1	0·20	–	–	–	–	–	–

* The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Huntingdon. The figures for the entire Districts are:—

Oundle	–	–	16	2·07	6	0·78	–	–	–	–	–	–
Thrapston	–	–	20	1·73	66	5·72	–	–	–	–	1	0·09

† Administrative County with associated County Boroughs.

‡ Cases, if any, are included with those for Newcastle upon Tyne C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
NOTTINGHAM*	527	0·78	1,409	2·09	563	0·84	49	0·07	30	0·04	227	0·34
NOTTINGHAM C.B.	9	0·03	570	2·07	239	0·87	14	0·05	8	0·03	91	0·33
AGGREGATE OF M.BS. AND U.DS.	437	1·70	651	2·53	247	0·96	15	0·06	16	0·06	91	0·35
AGGREGATE OF R.DS. ..	81	0·57	188	1·33	77	0·55	20	0·14	6	0·04	45	0·32
BOROUGHS AND URBAN DISTRICTS :—												
Arnold	–	–	71	5·74	2	0·16	–	–	–	–	–	–
Beeston	–	–	22	1·68	18	1·37	–	–	–	–	5	0·38
Carlton	–	–	24	1·22	13	0·66	–	–	1	0·05	8	0·41
East Retford M.B. ..	–	–	8	0·59	16	1·18	–	–	–	–	23	1·69
Eastwood	–	–	5	0·90	4	0·72	2	0·36	1	0·18	–	–
Hucknall	201	11·20	15	0·84	4	0·22	1	0·06	3	0·17	9	0·50
Huthwaite	5	0·87	1	0·17	3	0·52	1	0·17	1	0·17	–	–
Kirkby in Ashfield ..	97	5·12	34	1·79	4	0·21	5	0·26	1	0·05	8	0·42
Mansfield M.B.	82	1·73	142	2·99	54	1·14	1	0·02	3	0·06	13	0·27
Mansfield Woodhouse ..	41	2·81	118	8·08	6	0·41	–	–	–	–	10	0·69
Newark M.B.	–	–	129	7·59	87	5·12	–	–	–	–	3	0·18
Sutton in Ashfield ..	11	0·43	40	1·58	6	0·24	4	0·16	–	–	4	0·16
Warsop	–	–	15	1·87	8	1·00	–	–	4	0·50	1	0·12
West Bridgford	–	–	20	1·49	5	0·37	–	–	1	0·07	2	0·15
Worksop	–	–	7	0·29	17	0·70	1	0·04	1	0·04	5	0·21
RURAL DISTRICTS :—												
Basford	43	0·95	56	1·24	16	0·35	8	0·18	2	0·04	15	0·33
Bingham	–	–	14	0·95	6	0·41	–	–	–	–	3	0·20
Blyth and Cuckney ..	4	0·70	13	2·28	2	0·35	–	–	–	–	2	0·35
East Retford	–	–	13	0·86	10	0·66	–	–	2	0·13	8	0·53
Leake	–	–	6	1·58	–	–	1	0·26	–	–	1	0·26
Misterton	–	–	10	2·33	3	0·70	–	–	–	–	–	–
Newark	–	–	17	1·85	31	3·38	–	–	–	–	2	0·22
Nottingham (Shire Hall)†												
Skegby	2	0·20	7	0·70	5	0·50	11	1·10	–	–	–	–
Southwell	–	–	47	2·27	2	0·10	–	–	1	0·05	3	0·14
Stapleford	32	2·72	5	0·43	2	0·17	–	–	1	0·09	11	0·94
Kingston upon Soar and Ratcliffe upon Soar (parishes)‡	–	–	–	–	–	–	–	–	–	–	–	–
OXFORD*	1	0·01	400	2·06	61	0·31	12	0·06	15	0·08	54	0·28
OXFORD C.B.	1	0·02	173	2·97	24	0·41	4	0·07	2	0·04	10	0·17
AGGREGATE OF M.BS. AND U.DS.	–	–	64	1·76	11	0·30	2	0·05	7	0·19	14	0·38
AGGREGATE OF R.DS. ..	–	–	163	1·63	26	0·26	6	0·06	6	0·06	30	0·30
BOROUGHS AND URBAN DISTRICTS :—												
Banbury M.B.	–	–	16	1·15	2	0·14	2	0·14	6	0·43	12	0·86
Bicester	–	–	7	2·27	1	0·32	–	–	1	0·32	–	–
Chipping Norton M.B. ..	–	–	2	0·56	1	0·28	–	–	–	–	1	0·28
Henley on Thames M.B. ..	–	–	14	2·08	1	0·15	–	–	–	–	1	0·15
Thame	–	–	4	1·35	–	–	–	–	–	–	–	–
Wheatley	–	–	15	14·84	6	5·93	–	–	–	–	–	–
Witney	–	–	4	1·13	–	–	–	–	–	–	–	–
Woodstock M.B.	–	–	2	1·25	–	–	–	–	–	–	–	–

* Administrative County with associated County Borough.
† Cases, if any, are included with those for Nottingham C.B.
‡ These Parishes are administered by the Rural District Council of Shardlow (Derbyshire).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
OXFORD—*cont.*												
RURAL DISTRICTS:—												
Banbury	–	–	6	0·52	1	0·09	2	0·17	–	–	4	0·35
Bicester	–	–	17	1·93	1	0·11	–	–	–	–	4	0·45
Chipping Norton.. ..	–	–	1	0·10	3	0·29	–	–	–	–	9	0·86
Crowmarsh	–	–	3	0·58	1	0·19	1	0·19	1	0·19	1	0·1
Culham	–	–	19	7·38	2	0·78	–	–	–	–	–	–
Goring	–	–	–	–	–	–	–	–	–	–	1	0·30
Headington	–	–	66	4·48	10	0·68	1	0·07	4	0·27	4	0·27
Henley	–	–	9	0·81	2	0·18	–	–	–	–	1	0·09
Thame	–	–	6	1·14	–	–	–	–	–	–	–	–
Witney	–	–	22	1·34	3	0·18	–	–	–	–	3	0·18
Woodstock	–	–	14	1·32	3	0·28	2	0·19	1	0·09	3	0·28
PETERBOROUGH, SOKE OF*	–	–	41	0·83	19	0·39	–	–	2	0·04	14	0·28
MUNICIPAL BOROUGH ..	–	–	38	1·02	10	0·27	–	–	1	0·03	10	0·27
AGGREGATE OF R.Ds. ..	–	–	3	0·25	9	0·74	–	–	1	0·08	4	0·33
BOROUGH:—												
Peterborough M.B. ..	–	–	38	1·02	10	0·27	–	–	1	0·03	10	0·27
RURAL DISTRICTS:—												
Barnack	–	–	–	–	1	0·50	–	–	–	–	–	–
Peterborough	–	–	3	0·30	8	0·79	–	–	1	0·10	4	0·40
RUTLAND*	–	–	27	1·44	9	0·48	2	0·11	1	0·05	–	–
URBAN DISTRICT	–	–	–	–	–	–	–	–	–	–	–	–
AGGREGATE OF R.Ds. ..	–	–	27	1·76	9	0·59	2	0·13	1	0·07	–	–
URBAN DISTRICT:—												
Oakham	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:—												
Ketton	–	–	5	1·69	–	–	–	–	–	–	–	–
Oakham	–	–	18	2·95	2	0·33	1	0·16	1	0·16	–	–
Uppingham	–	–	4	0·64	7	1·11	1	0·16	–	–	–	–
SALOP*	–	–	466	1·86	239	0·96	30	0·12	14	0·06	32	0·13
AGGREGATE OF M.Bs. AND U.Ds.	–	–	247	2·14	147	1·27	8	0·07	8	0·07	15	0·13
AGGREGATE OF R.Ds. ..	–	–	219	1·63	92	0·68	22	0·16	6	0·04	17	0·13
BOROUGHS AND URBAN DISTRICTS:—												
Bishop's Castle M.B. ..	–	–	1	0·77	1	0·77	–	–	–	–	–	–
Bridgnorth M.B.	–	–	–	–	5	0·98	2	0·39	–	–	2	0·39
Church Stretton	–	–	1	0·62	1	0·62	–	–	–	–	–	–
Dawley	–	–	10	1·30	7	0·91	1	0·13	–	–	–	–
Ellesmere	–	–	3	1·60	1	0·53	1	0·53	–	–	–	–
Ludlow M.B.	–	–	5	0·90	6	1·08	–	–	1	0·18	–	–
Market Drayton	–	–	16	3·32	5	1·04	–	–	–	–	1	0·21
Newport	–	–	5	1·57	4	1·26	1	0·31	–	–	2	0·63
Oakengates	–	–	35	2·91	7	0·58	–	–	1	0·08	3	0·25
Oswestry M.B. ..	–	–	32	3·18	5	0·50	–	–	–	–	–	–
Shrewsbury M.B. ..	–	–	99	3·08	28	0·87	1	0·03	4	0·12	4	0·12
Wellington	–	–	16	1·95	1	0·12	1	0·12	–	–	–	–
Wem	–	–	4	1·76	2	0·88	–	–	–	–	–	–
Wenlock M.B.	–	–	11	0·78	19	1·35	–	–	2	0·14	2	0·14
Whitchurch	–	–	9	1·57	55	9·61	1	0·17	–	–	1	0·17

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate.
SALOP—*cont.*												
RURAL DISTRICTS :—												
Atcham	–	–	36	1·58	16	0·70	8	0·35	–	–	5	0·22
Bridgnorth	–	–	6	0·69	1	0·11	–	–	–	–	–	–
Burford	–	–	9	7·06	–	–	–	–	–	–	–	–
Chirbury	–	–	6	1·76	–	–	–	–	–	–	–	–
Church Stretton	–	–	11	2·40	3	0·65	–	–	–	–	1	0·22
Cleobury Mortimer ..	–	–	2	0·25	18	2·28	–	–	–	–	–	–
Clun	–	–	–	–	4	0·62	–	–	–	–	1	0·16
Drayton	–	–	22	2·95	1	0·13	1	0·13	–	–	–	–
Ellesmere	–	–	8	0·97	7	0·85	–	–	1	0·12	1	0·12
Ludlow	–	–	4	0·44	3	0·33	–	–	–	–	1	0·11
Newport	–	–	29	4·92	7	1·19	–	–	–	–	2	0·34
Oswestry	–	–	47	2·80	15	0·89	11	0·66	3	0·18	–	–
Shifnal	–	–	16	2·06	3	0·39	–	–	–	–	3	0·39
Teme	–	–	1	0·59	–	–	–	–	–	–	–	–
Wellington	–	–	14	1·22	4	0·35	1	0·09	2	0·17	1	0·09
Wem	–	–	6	0·68	5	0·57	1	0·11	–	–	2	0·23
Whitchurch	–	–	2	0·93	5	2·33	–	–	–	–	–	–
SOMERSET*	–	–	578	1·22	238	0·50	33	0·07	19	0·04	138	0·29
BATH C.B.	–	–	60	0·85	85	1·21	1	0·01	3	0·04	23	0·33
AGGREGATE OF M.Bs. AND U.Ds.	–	–	240	1·41	43	0·25	11	0·06	5	0·03	46	0·27
AGGREGATE OF R.Ds. ..	–	–	278	1·18	110	0·47	21	0·09	11	0·05	69	0·29
BOROUGHS AND URBAN DISTRICTS :—												
Bridgwater M.B.	–	–	26	1·56	4	0·24	–	–	–	–	4	0·24
Burnham on Sea	–	–	11	2·17	–	–	1	0·20	–	–	–	–
Chard M.B.	–	–	2	0·45	–	–	–	–	–	–	2	0·45
Clevedon	–	–	9	1·42	1	0·16	–	–	–	–	–	–
Crewkerne	–	–	2	0·53	–	–	–	–	–	–	–	–
Frome	–	–	7	0·64	–	–	–	–	–	–	4	0·36
Glastonbury M.B. ..	–	–	6	1·33	2	0·44	1	0·22	–	–	1	0·22
Highbridge	–	–	–	–	–	–	–	–	–	–	–	–
Ilminster	–	–	–	–	–	–	1	0·43	–	–	3	1·29
Midsomer Norton ..	–	–	16	1·93	4	0·48	–	–	–	–	1	0·12
Minehead	–	–	10	1·83	1	0·18	–	–	–	–	–	–
Portishead	–	–	5	1·26	–	–	–	–	–	–	1	0·25
Radstock	–	–	5	1·28	1	0·26	–	–	–	–	1	0·26
Shepton Mallet	–	–	–	–	–	–	–	–	–	–	1	0·23
Street	–	–	51	11·28	1	0·22	–	–	–	–	1	0·22
Taunton M.B.	–	–	21	0·84	11	0·44	5	0·20	3	0·12	10	0·40
Watchet	–	–	5	2·71	–	–	–	–	–	–	4	2·16
Wellington	–	–	2	0·28	–	–	–	–	–	–	–	–
Wells M.B.	–	–	13	2·91	2	0·45	–	–	–	–	1	0·22
Weston super Mare ..	–	–	25	0·96	15	0·57	2	0·08	2	0·08	5	0·19
Wiveliscombe	–	–	22	17·17	–	–	–	–	–	–	–	–
Yeovil M.B.	–	–	2	0·12	1	0·06	1	0·06	–	–	7	0·43
RURAL DISTRICTS :—												
Axbridge	–	–	14	0·58	11	0·45	10	0·41	–	–	31	1·28
Bath	–	–	19	1·26	23	1·52	–	–	2	0·13	2	0·13
Bridgwater	–	–	13	0·72	13	0·72	–	–	2	0·11	1	0·06
Chard	–	–	17	1·32	–	–	1	0·08	2	0·15	1	0·08
Clutton	–	–	23	1·38	11	0·66	1	0·06	1	0·06	6	0·36
Dulverton	–	–	3	0·64	–	–	–	–	–	–	–	–
Frome	–	–	4	0·36	3	0·27	–	–	1	0·09	3	0·27
Keynsham	–	–	19	1·71	14	1·26	–	–	–	–	4	0·36
Langport	–	–	42	3·21	–	–	–	–	1	0·08	1	0·08
Long Ashton	–	–	38	2·00	15	0·79	4	0·21	–	–	5	0·26

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
SOMERSET—*cont.*												
RURAL DISTRICTS—*cont.*												
Shepton Mallet	–	–	1	0·10	–	–	1	0·10	–	–	–	–
Taunton	–	–	22	1·33	5	0·30	–	–	–	–	8	0·48
Wellington	–	–	10	1·68	–	–	1	0·17	–	–	–	–
Wells	–	–	12	1·12	3	0·28	2	0·19	–	–	2	0·19
Williton	–	–	22	1·83	–	–	–	–	–	–	1	0·08
Wincanton	–	–	5	0·30	12	0·73	1	0·06	1	0·06	1	0·06
Yeovil	–	–	14	0·80	–	–	–	–	1	0·06	3	0·17
SOUTHAMPTON*	–	–	1,612	1·79	1,131	1·25	150	0·17	41	0·05	193	0·21
BOURNEMOUTH C.B.	–	–	97	1·13	128	1·49	11	0·13	–	–	16	0·19
PORTSMOUTH C.B.	–	–	576	2·44	501	2·12	49	0·21	11	0·05	58	0·25
SOUTHAMPTON C.B.	–	–	341	2·01	308	1·81	28	0·16	9	0·05	50	0·29
AGGREGATE OF M.Bs. AND U.Ds.	–	–	316	1·77	111	0·62	27	0·15	15	0·08	26	0·15
AGGREGATE OF R.Ds. ..	–	–	282	1·22	83	0·36	35	0·15	6	0·03	43	0·19
BOROUGHS AND URBAN DISTRICTS:—												
Aldershot M.B.	–	–	72	2·84	23	0·91	2	0·08	–	–	4	0·16
Alton	–	–	6	1·08	–	–	2	0·36	–	–	1	0·18
Andover M.B.	–	–	3	0·35	3	0·35	–	–	–	–	2	0·23
Basingstoke M.B. ..	–	–	18	1·36	4	0·30	–	–	–	–	–	–
Christchurch M.B. ..	–	–	5	0·72	9	1·29	–	–	–	–	1	0·14
Eastleigh and Bishopstoke	–	–	46	2·83	8	0·49	–	–	–	–	5	0·31
Fareham	–	–	30	2·90	1	0·10	14	1·35	–	–	1	0·10
Farnborough	–	–	19	1·75	3	0·28	–	–	1	0·09	–	–
Fleet	–	–	4	1·07	1	0·27	1	0·27	–	–	–	–
Gosport M.B.	–	–	51	1·64	44	1·42	1	0·03	3	0·10	7	0·23
Havant	–	–	14	3·15	–	–	–	–	–	–	–	–
Lymington M.B.	–	–	–	–	–	–	–	–	–	–	1	0·21
Petersfield	–	–	3	0·75	1	0·25	1	0·25	–	–	3	0·75
Romsey M.B.	–	–	1	0·20	–	–	–	–	–	–	–	–
Warblington	–	–	6	1·49	3	0·75	–	–	–	–	–	–
Winchester M.B. ..	–	–	38	1·56	11	0·45	6	0·25	11	0·45	1	0·04
RURAL DISTRICTS:—												
Alresford	–	–	–	–	–	–	1	0·13	–	–	–	–
Alton	–	–	22	1·38	5	0·31	11	0·69	–	–	–	–
Andover	–	–	6	0·51	2	0·17	–	–	1	0·09	1	0·09
Basingstoke	–	–	6	0·46	2	0·15	1	0·08	1	0·08	2	0·15
Catherington	–	–	11	2·58	2	0·47	1	0·23	–	–	1	0·23
Christchurch	–	–	3	0·53	1	0·18	1	0·18	–	–	2	0·36
Droxford	–	–	32	2·36	1	0·07	1	0·07	2	0·15	3	0·22
Fareham	–	–	25	1·62	15	0·97	4	0·26	–	–	1	0·06
Fordingbridge	–	–	4	0·62	1	0·16	1	0·16	–	–	7	1·09
Hartley Wintney ..	–	–	35	1·71	19	0·93	3	0·15	1	0·05	3	0·15
Havant	–	–	8	1·06	5	0·67	1	0·13	1	0·13	1	0·13
Hursley	–	–	6	1·24	3	0·62	2	0·41	–	–	1	0·21
Kingsclere	–	–	11	1·26	2	0·23	–	–	–	–	3	0·34
Lymington	–	–	11	0·83	2	0·15	1	0·08	–	–	5	0·38
New Forest	–	–	13	0·68	3	0·16	1	0·05	–	–	–	–
Petersfield	–	–	4	0·35	–	–	2	0·17	–	–	1	0·09
Ringwood	–	–	5	0·66	7	0·92	1	0·13	–	–	–	–
Romsey	–	–	10	1·39	3	0·42	–	–	–	–	1	0·14
South Stoneham ..	–	–	30	2·39	1	0·08	1	0·08	–	–	2	0·16
Stockbridge	–	–	3	0·47	–	–	2	0·31	–	–	1	0·16
Whitchurch	–	–	12	1·82	7	1·06	–	–	–	–	7	1·06
Winchester	–	–	25	2·12	2	0·17	–	–	–	–	1	0·08

* Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
STAFFORD*	13	0·01	4,493	3·13	1,958	1·36	47	0·03	112	0·08	628	0·44
BURTON UPON TRENT C.B. ..	12	0·24	88	1·74	16	0·32	3	0·06	3	0·06	11	0·22
SMETHWICK C.B.	–	–	126	1·57	141	1·76	3	0·04	15	0·19	40	0·50
STOKE ON TRENT C.B. ..	–	–	1,888	6·68	229	0·81	4	0·01	24	0·08	201	0·71
WALSALL C.B.	–	–	222	2·15	363	3·52	1	0·01	17	0·16	77	0·75
WEST BROMWICH C.B. ..	–	–	219	2·74	87	1·09	–	–	5	0·06	37	0·46
WOLVERHAMPTON C.B. ..	–	–	159	1·45	57	0·52	3	0·03	6	0·05	23	0·21
AGGREGATE OF M.BS. AND U.DS.	1	0·00	1,180	2·29	721	1·40	28	0·05	23	0·04	192	0·37
AGGREGATE OF R.DS. ..	–	–	611	2·85	344	1·60	5	0·02	19	0·09	47	0·22
BOROUGHS AND URBAN DISTRICTS :—												
Amblecote..	–	–	4	1·20	4	1·20	–	–	–	–	–	–
Audley	–	–	118	7·62	39	2·52	–	–	1	0·06	7	0·45
Biddulph	–	–	57	6·60	23	2·66	–	–	–	–	9	1·04
Bilston	–	–	55	1·79	41	1·33	5	0·16	–	–	4	0·13
Brierley Hill	–	–	29	2·19	68	5·15	1	0·08	1	0·08	2	0·15
Brownhills	–	–	32	1·57	65	3·18	–	–	1	0·05	16	0·78
Cannock	–	–	89	2·52	17	0·48	–	–	3	0·09	11	0·31
Coseley	–	–	22	0·84	10	0·38	1	0·04	–	–	6	0·23
Darlaston	–	–	21	1·07	56	2·86	–	–	–	–	5	0·26
Heath Town or Wednesfield Heath	–	–	50	3·49	3	0·21	–	–	–	–	2	0·14
Kidsgrove	–	–	25	2·34	58	5·44	–	–	3	0·28	4	0·38
Leek	–	–	34	1·98	28	1·63	–	–	–	–	8	0·47
Lichfield M.B.	–	–	14	1·63	5	0·58	–	–	1	0·12	1	0·12
Newcastle under Lyme M.B.	–	–	81	3·72	20	0·92	–	–	1	0·05	4	0·18
Perry Barr	–	–	1	0·32	–	–	–	–	–	–	–	–
Quarry Bank	–	–	15	1·75	10	1·17	1	0·12	–	–	1	0·12
Rowley Regis	–	–	63	1·46	42	0·97	2	0·05	–	–	11	0·25
Rugeley	–	–	12	2·34	4	0·78	–	–	1	0·20	–	–
Sedgley	–	–	13	0·67	8	0·41	–	–	1	0·05	14	0·72
Short Heath	–	–	20	4·14	16	3·31	–	–	–	–	–	–
Stafford M.B.	–	–	57	1·95	31	1·06	–	–	3	0·10	6	0·21
Stone	–	–	37	6·45	–	–	–	–	–	–	1	0·17
Tamworth M.B.	–	–	9	1·08	9	1·08	–	–	–	–	1	0·12
Tettenhall..	–	–	2	0·36	15	2·72	–	–	–	–	3	0·54
Tipton	–	–	43	1·15	10	0·27	7	0·19	1	0·03	17	0·45
Uttoxeter	–	–	11	1·94	–	–	–	–	–	–	1	0·18
Wednesbury M.B. ..	1	0·03	62	1·86	44	1·32	2	0·06	5	0·15	24	0·72
Wednesfield	–	–	7	0·86	6	0·74	–	–	–	–	–	–
Willenhall	–	–	50	2·32	39	1·81	1	0·05	–	–	5	0·23
Wolstanton United ..	–	–	147	4·81	50	1·64	8	0·26	1	0·03	29	0·95
RURAL DISTRICTS :—												
Blore Heath	–	–	6	2·35	–	–	–	–	–	–	–	–
Cannock	–	–	17	0·73	31	1·33	–	–	1	0·04	4	0·17
Cheadle	–	–	57	2·13	84	3·14	2	0·07	4	0·15	6	0·22
Dudley†												
Gnosall	–	–	2	0·42	–	–	–	–	–	–	1	0·21
Kingswinford	–	–	59	2·56	45	1·95	1	0·04	2	0·09	12	0·52
Leek	–	–	111	7·47	6	0·40	–	–	–	–	3	0·20
Lichfield	–	–	63	1·99	100	3·16	–	–	6	0·19	4	0·13
Mayfield	–	–	6	1·47	1	0·25	–	–	–	–	–	–
Newcastle under Lyme ..	–	–	45	7·07	7	1·10	–	–	–	–	3	0·47

* Administrative County with associated County Boroughs.
† Cases, if any, are included with those for Dudley C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate.
STAFFORD—*cont.*												
RURAL DISTRICTS—*cont.*												
Seisdon	–	–	44	2·49	7	0·40	–	–	1	0·06	6	0·34
Stafford	–	–	6	0·64	9	0·96	–	–	–	–	–	–
Stone	–	–	97	7·93	5	0·41	2	0·16	1	0·08	2	0·16
Tamworth (part of)† ..	–	–	8	1·35	6	1·01	–	–	–	–	–	–
Tutbury	–	–	24	2·64	20	2·20	–	–	–	–	–	–
Uttoxeter	–	–	16	1·92	1	0·12	–	–	1	0·12	2	0·24
Walsall	–	–	50	3·58	22	1·57	–	–	3	0·21	4	0·29
Blymhill and Weston under Lizard (parishes)‡	–	–	–	–	–	–	–	–	–	–	–	–
SUFFOLK, EAST*	–	–	528	1·77	85	0·29	38	0·13	28	0·09	56	0·19
IPSWICH C.B...	–	–	124	1·47	20	0·24	3	0·04	21	0·25	33	0·39
AGGREGATE OF M.BS. AND U.DS.	–	–	173	1·89	28	0·31	21	0·23	3	0·03	12	0·13
AGGREGATE OF R.DS. ..	–	–	231	1·89	37	0·30	14	0·11	4	0·03	11	0·09
BOROUGHS AND URBAN DISTRICTS :—												
Aldeburgh M.B.	–	–	1	0·40	–	–	–	–	1	0·40	1	0·40
Beccles M.B.	–	–	12	1·67	–	–	11	1·53	–	–	1	0·14
Bungay	–	–	3	0·92	1	0·31	–	–	–	–	1	0·31
Eye M.B.	–	–	9	4·79	–	–	–	–	–	–	–	–
Felixstowe	–	–	2	0·21	3	0·31	–	–	–	–	2	0·21
Halesworth	–	–	–	–	–	–	–	–	–	–	–	–
Leiston cum Sizewell ..	–	–	2	0·41	2	0·41	–	–	–	–	–	–
Lowestoft M.B.	–	–	105	2·26	22	0·47	10	0·22	1	0·02	6	0·13
Saxmundham	–	–	11	7·96	–	–	–	–	1	0·72	–	–
Southwold M.B.	–	–	–	–	–	–	–	–	–	–	–	–
Stowmarket	–	–	27	6·22	–	–	–	–	–	–	1	0·23
Woodbridge	–	–	1	0·21	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Blything	–	–	15	0·82	4	0·22	–	–	–	–	1	0·05
Bosmere and Claydon ..	–	–	35	2·41	7	0·48	2	0·14	2	0·14	1	0·07
East Stow..	–	–	13	1·95	1	0·15	2	0·30	–	–	1	0·15
Hartismere	–	–	30	2·70	–	–	2	0·18	–	–	–	–
Hoxne	–	–	24	2·42	2	0·20	–	–	–	–	2	0·20
Mutford and Lothingland	–	–	33	2·67	7	0·57	2	0·16	–	–	–	–
Plomesgate	–	–	44	2·85	6	0·39	2	0·13	–	–	3	0·19
Samford	–	–	23	1·80	3	0·23	–	–	2	0·16	1	0·08
Wangford	–	–	3	0·63	–	–	–	–	–	–	–	–
Woodbridge	–	–	11	0·67	7	0·43	4	0·25	–	–	2	0·12
SUFFOLK, WEST§	–	–	101	0·90	15	0·13	6	0·05	4	0·04	19	0·17
AGGREGATE OF M.BS. AND U.DS.	–	–	68	1·61	5	0·12	1	0·02	2	0·05	12	0·28
AGGREGATE OF R.DS. ..	–	–	33	0·48	10	0·14	5	0·07	2	0·03	7	0·10
BOROUGHS AND URBAN DISTRICTS :—												
Bury St. Edmunds M.B.	–	–	7	0·43	2	0·12	–	–	2	0·12	9	0·55
Glemsford..	–	–	1	0·68	–	–	–	–	–	–	–	–
Hadleigh	–	–	–	–	–	–	–	–	–	–	–	–
Haverhill	–	–	–	–	1	0·24	–	–	–	–	1	0·24
Newmarket	–	–	59	5·90	1	0·10	1	0·10	–	–	–	–
Sudbury M.B.	–	–	1	0·14	1	0·14	–	–	–	–	2	0·28

* Administrative County with associated County Borough.

† The remaining part of the Rural District of Tamworth is in the Administrative County of Warwick.

‡ These Parishes are administered by the Rural District Council of Shifnal (Salop).

§ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate.
SUFFOLK, WEST—*cont.*												
RURAL DISTRICTS :—												
Brandon	–	–	8	1·37	4	0·69	1	0·17	–	–	2	0·34
Clare	–	–	4	0·53	–	–	–	–	–	–	–	–
Cosford	–	–	2	0·19	2	0·19	2	0·19	1	0·09	–	–
Melford	–	–	4	0·32	2	0·16	2	0·16	–	–	2	0·16
Mildenhall	–	–	4	0·48	–	–	–	–	1	0·12	1	0·12
Moulton	–	–	2	0·91	–	–	–	–	–	–	–	–
Thedwastre	–	–	3	0·35	1	0·12	–	–	–	–	1	0·12
Thingoe	–	–	6	0·44	1	0·07	–	–	–	–	1	0·07
SURREY*	1	0·00	1,485	1·56	952	1·00	86	0·09	39	0·04	224	0·23
CROYDON C.B.	–	–	291	1·46	212	1·06	5	0·03	9	0·05	47	0·24
AGGREGATE OF M.Bs. AND U.Ds.†	1	0·00	985	1·68	647	1·10	70	0·12	23	0·04	155	0·26
AGGREGATE OF R.Ds.† ..	–	–	209	1·24	93	0·55	11	0·07	7	0·04	22	0·13
BOROUGHS AND URBAN DISTRICTS :—												
Barnes	–	–	62	1·76	60	1·71	7	0·20	1	0·03	6	0·17
Beddington and Wallington	–	–	17	1·01	17	1·01	1	0·06	–	–	2	0·12
Carshalton	–	–	26	1·70	44	2·88	3	0·20	1	0·07	2	0·13
Caterham	–	–	17	1·46	5	0·43	1	0·09	–	–	5	0·43
Chertsey	–	–	34	2·17	4	0·26	2	0·13	–	–	9	0·57
Coulsdon and Purley ..	–	–	58	2·50	103	4·44	5	0·22	–	–	12	0·52
Dorking	–	–	12	1·49	2	0·25	1	0·12	–	–	5	0·62
East and West Molesey..	–	–	1	0·13	8	1·06	3	0·40	1	0·13	–	–
Egham	–	–	54	3·94	15	1·09	1	0·07	–	–	3	0·22
Epsom	1	0·05	11	0·56	22	1·12	8	0·41	1	0·05	8	0·41
Esher and the Dittons ..	–	–	24	1·64	7	0·48	3	0·20	–	–	1	0·07
Farnham†..	–	–	23	1·70	7	0·52	–	–	–	–	–	–
Frimley	–	–	10	0·84	2	0·17	–	–	–	–	–	–
Godalming M.B.	–	–	8	0·85	1	0·11	1	0·11	–	–	2	0·21
Guildford M.B.	–	–	17	0·65	6	0·23	6	0·23	1	0·04	4	0·15
Ham	–	–	–	–	–	–	–	–	–	–	–	–
Haslemere..	–	–	4	1·03	–	–	–	–	1	0·26	1	0·26
Kingston on Thames M.B.	–	–	143	3·50	20	0·49	6	0·15	–	–	27	0·66
Leatherhead	–	–	2	0·33	–	–	2	0·33	–	–	2	0·33
Merton and Morden ..	–	–	75	3·94	68	3·58	–	–	2	0·11	9	0·47
Mitcham	–	–	89	2·33	59	1·55	1	0·03	1	0·03	11	0·29
Reigate M.B.	–	–	7	0·24	6	0·21	1	0·03	2	0·07	2	0·07
Richmond M.B.	–	–	23	0·65	58	1·65	1	0·03	–	–	4	0·11
Surbiton	–	–	35	1·75	4	0·20	1	0·05	2	0·10	2	0·10
Sutton	–	–	24	1·11	25	1·15	2	0·09	4	0·18	–	–
The Maldens and Coombe	–	–	6	0·39	4	0·26	1	0·06	1	0·06	1	0·06
Walton upon Thames ..	–	–	8	0·53	4	0·27	1	0·07	–	–	–	–
Weybridge	–	–	4	0·60	4	0·60	2	0·30	–	–	–	–
Wimbledon M.B. ..	–	–	149	2·52	43	0·73	9	0·15	3	0·05	13	0·22
Windlesham	–	–	8	1·64	–	–	–	–	–	–	1	0·21
Woking	–	–	34	1·27	49	1·82	1	0·04	2	0·07	23	0·86
RURAL DISTRICTS :—												
Chertsey	–	–	9	0·77	11	0·95	1	0·09	–	–	1	0·08
Dorking	–	–	15	1·43	5	0·48	–	–	1	0·10	3	0·29
Epsom	–	–	14	0·38	30	0·82	3	0·08	–	–	7	0·19
Farnham†..	–	–	26	1·50	5	0·29	1	0·06	–	–	1	0·06
Godstone	–	–	41	1·59	21	0·81	2	0·08	2	0·08	3	0·12
Guildford	–	–	18	0·88	12	0·59	1	0·05	2	0·10	–	–
Hambledon	–	–	72	3·07	7	0·30	1	0·04	1	0·04	4	0·17
Reigate	–	–	14	0·60	2	0·09	2	0·09	1	0·04	3	0·13

* Administrative County with associated County Borough.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases	Rate	Cases.	Rate.
SUSSEX, EAST*	–	–	801	1·55	212	0·41	42	0·08	12	0·02	98	0·19
BRIGHTON C.B.	–	–	253	1·81	116	0·83	10	0·07	2	0·01	33	0·24
EASTBOURNE C.B.	–	–	24	0·43	14	0·25	11	0·20	2	0·04	12	0·22
HASTINGS C.B.	–	–	193	3·14	34	0·55	3	0·05	3	0·05	21	0·34
AGGREGATE OF M.Bs. AND U.Ds.	–	–	205	1·60	33	0·26	6	0·05	4	0·03	17	0·13
AGGREGATE OF R.Ds. ..	–	–	126	0·95	15	0·11	12	0·09	1	0·01	15	0·11
BOROUGHS AND URBAN DISTRICTS:—												
Battle	–	–	3	0·98	1	0·33	–	–	–	–	–	–
Bexhill M.B.	–	–	14	0·74	5	0·27	1	0·05	–	–	2	0·11
Burgess Hill	–	–	7	1.23	2	0·35	–	–	–	–	1	0·18
Cuckfield	–	–	8	4·20	–	–	–	–	–	–	–	–
East Grinstead	–	–	19	2·37	11	1·37	2	0·25	–	–	7	0·87
Haywards Heath.. ..	–	–	3	0·59	–	–	–	–	–	–	–	–
Hove M.B.	–	–	90	1·99	10	0·22	–	–	2	0·04	6	0·13
Lewes M.B.	–	–	11	0·98	–	–	1	0·09	–	–	–	–
Newhaven..	–	–	2	0·30	–	–	1	0·15	–	–	–	–
Portslade by Sea.. ..	–	–	27	3·28	–	–	–	–	2	0·24	1	0·12
Rye M.B.	–	–	5	1·27	1	0·25	–	–	–	–	–	–
Seaford	–	–	11	1·72	3	0·47	1	0·16	–	–	–	–
Uckfield	–	–	5	1·45	–	–	–	–	–	–	–	–
RURAL DISTRICTS:—												
Battle	–	–	17	2·65	2	0·31	–	–	–	–	–	–
Chailey	–	–	4	0·31	1	0·08	1	0·08	–	–	2	0·15
Cuckfield	–	–	16	0·96	2	0·12	3	0·18	–	–	1	0·06
Eastbourne	–	–	16	2·65	4	0·66	2	0·33	–	–	2	0·33
East Grinstead	–	–	15	1·05	1	0·07	–	–	–	–	3	0·21
Hailsham	–	–	10	0·53	1	0·05	1	0·05	–	–	2	0·11
Hastings	–	–	7	3.63	1	0·52	–	–	–	–	–	–
Newhaven..	–	–	7	0·94	–	–	–	–	–	–	–	–
Rye	–	–	2	0·28	–	–	1	0·14	–	–	–	–
Steyning East	–	–	5	1·41	–	–	–	–	–	–	1	0·28
Ticehurst	–	–	11	0·84	–	–	1	0·08	–	–	–	–
Uckfield	–	–	16	0·64	3	0·12	3	0·12	1	0·04	4	0·16
SUSSEX, WEST†	–	–	272	1·40	53	0·27	35	0·18	6	0·03	24	0·12
AGGREGATE OF M.Bs. AND U.Ds.	–	–	149	1·58	26	0·28	17	0·18	3	0·03	15	0·16
AGGREGATE OF R.Ds. ..	–	–	123	1·24	27	0·27	18	0·18	3	0·03	9	0·09
BOROUGHS AND URBAN DISTRICTS:—												
Arundel M.B.	–	–	11	3·95	1	0·36	–	–	–	–	–	–
Bognor	–	–	19	1·53	6	0·48	1	0·08	–	–	1	0·08
Chichester M.B.	–	–	3	0·23	1	0·08	6	0·46	1	0·08	6	0·46
Horsham	–	–	14	1·22	3	0·26	–	–	–	–	1	0·09
Littlehampton	–	–	38	4·15	3	0·33	–	–	–	–	2	0·22
Shoreham by Sea ..	–	–	15	2·01	4	0·54	1	0·13	–	–	1	0·13
Southwick..	–	–	10	1·99	–	–	1	0·20	1	0·20	1	0·20
Worthing M.B.	–	–	39	1·19	8	0·24	8	0·24	1	0·03	3	0·09
RURAL DISTRICTS:—												
East Preston	–	–	5	0·65	15	1·96	1	0·13	–	–	2	0·26
Horsham	–	–	43	2·01	–	–	–	–	–	–	4	0·19
Midhurst	–	–	15	0·99	2	0·13	–	–	–	–	–	–
Petworth	–	–	10	1·21	2	0·24	7	0·84	1	0·12	–	–
Steyning West	–	–	8	0·76	2	0·19	–	–	–	–	–	–
Thakeham..	–	–	2	0·23	1	0·12	7	0·81	–	–	–	–
Westbourne	–	–	17	1·86	3	0·33	–	–	–	–	1	0·11
Westhampnett	–	–	23	1·23	2	0·11	3	0·16	2	0·11	2	0·11

* Administrative County with associated County Boroughs.
† Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
WARWICK*	67	0·05	3,202	2·20	2,495	1·71	103	0·07	146	0·10	584	0·40
BIRMINGHAM C.B.	–	–	2,269	2·36	2,045	2·12	52	0·05	119	0·12	405	0·42
COVENTRY C.B.	26	0·20	268	2·04	70	0·53	5	0·04	5	0·04	45	0·34
AGGREGATE OF M.BS. AND U.DS.†	36	0·23	303	1·91	98	0·62	25	0·16	12	0·08	53	0·33
AGGREGATE OF R.DS.† ..	5	0·02	362	1·76	282	1·37	21	0·10	10	0·05	81	0·39
BOROUGHS AND URBAN DISTRICTS:—												
Bulkington	1	0·41	2	0·82	–	–	–	–	–	–	–	–
Kenilworth	–	–	7	0·98	2	0·28	4	0·56	–	–	3	0·42
Nuneaton M.B.	35	0·77	127	2·79	43	0·94	4	0·09	6	0·13	21	0·46
Royal Leamington Spa M.B.	–	–	49	1·65	7	0·24	7	0·24	–	–	10	0·34
Rugby	–	–	43	1·64	20	0·76	5	0·19	5	0·19	11	0·42
Stratford on Avon M.B.†	–	–	41	4·20	17	1·74	1	0·10	–	–	–	–
Sutton Coldfield M.B. ..	–	–	29	1·21	6	0·25	3	0·13	1	0·04	4	0·17
Warwick M.B.	–	–	5	0·37	3	0·22	1	0·07	–	–	4	0·29
RURAL DISTRICTS:—												
Alcester	–	–	18	1·39	27	2·09	–	–	2	0·15	4	0·31
Atherstone	1	0·04	44	1·94	79	3·49	1	0·04	1	0·04	11	0·49
Brailes	–	–	11	1·89	–	–	1	0·17	–	–	1	0·17
Coventry	–	–	39	6·21	3	0·48	–	–	–	–	1	0·16
Farnborough	–	–	–	–	3	2·11	–	–	–	–	–	–
Foleshill	3	0·08	78	2·10	8	0·21	4	0·11	2	0·05	23	0·62
Meriden	1	0·05	27	1·48	20	1·10	3	0·16	2	0·11	1	0·05
Monks Kirby	–	–	–	–	–	–	–	–	–	–	–	–
Nuneaton	–	–	10	2·55	7	1·78	–	–	–	–	1	0·25
Rugby	–	–	41	1·96	14	0·67	6	0·29	2	0·10	14	0·67
Solihull	–	–	51	2·33	3	0·14	1	0·05	–	–	3	0·14
Southam	–	–	7	0·69	8	0·78	3	0·29	–	–	11	1·08
Stratford on Avon† ..	–	–	9	0·83	14	1·29	–	–	–	–	2	0·18
Tamworth (part of)‡ ..	–	–	15	0·79	88	4·65	–	–	–	–	7	0·37
Warwick	–	–	12	0·93	8	0·62	2	0·15	1	0·08	2	0·15
WESTMORLAND§	–	–	191	3·01	10	0·16	2	0·03	2	0·03	9	0·14
AGGREGATE OF M.BS. AND U.DS.	–	–	112	4·14	1	0·04	1	0·04	1	0·04	2	0·07
AGGREGATE OF R.DS. ..	–	–	79	2·17	9	0·25	1	0·03	1	0·03	7	0·19
BOROUGHS AND URBAN DISTRICTS:—												
Ambleside..	–	–	1	0·43	–	–	–	–	–	–	–	–
Appleby M.B.	–	–	8	4·81	–	–	–	–	–	–	–	–
Grasmere	–	–	1	1·12	–	–	–	–	–	–	–	–
Kendal M.B.	–	–	95	6·57	1	0·07	1	0·07	1	0·07	1	0·07
Kirkby Lonsdale.. ..	–	–	4	3·02	–	–	–	–	–	–	–	–
Shap	–	–	–	–	–	–	–	–	–	–	–	–
Windermere	–	–	3	0·56	–	–	–	–	–	–	1	0·19
RURAL DISTRICTS:—												
East Westmorland ..	–	–	21	1·89	2	0·18	–	–	–	–	1	0·09
South Westmorland ..	–	–	55	2·89	6	0·31	1	0·05	1	0·05	3	0·16
West Ward	–	–	3	0·48	1	0·16	–	–	–	–	3	0·48

* Administrative County with associated County Boroughs.
† Rates adjusted to allow for changes in boundary during the year.
‡ The remaining part of the Rural District of Tamworth is in the Administrative County of Stafford. The figures for the entire District are:—

	–	–	23	0·93	94	3·78	–	–	–	–	7	0·288

§ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate.
WIGHT, ISLE OF* ..	–	–	202	2·31	33	0·38	17	0·19	2	0·02	11	0·13
AGGREGATE OF M.Bs. AND U.Ds.	–	–	152	2·62	26	0·45	9	0·15	1	0·02	11	0·19
RURAL DISTRICT	–	–	50	1·71	7	0·24	8	0·27	1	0·03	–	–
BOROUGHS AND URBAN DISTRICTS:—												
Cowes	–	–	37	3·42	10	0·93	–	–	–	–	4	0·37
East Cowes	–	–	33	6·83	2	0·41	–	–	–	–	3	0·62
Newport M.B.	–	–	23	2·01	1	0·09	2	0·17	–	–	4	0·35
Ryde M.B.	–	–	15	1·39	2	0·19	–	–	1	0·09	–	–
St. Helens..	–	–	7	1·31	–	–	6	1·12	–	–	–	–
Sandown	–	–	31	5·60	4	0·72	1	0·18	–	–	–	–
Shanklin	–	–	2	0·46	7	1·62	–	–	–	–	–	–
Ventnor	–	–	4	0·79	–	–	–	–	–	–	–	–
RURAL DISTRICT:—												
Isle of Wight	–	–	50	1·71	7	0·24	8	0·27	1	0·03	–	–
WILTS*	–	–	284	0·95	264	0·88	12	0·04	14	0·05	42	0·14
AGGREGATE OF M.Bs. AND U.Ds.	–	–	109	0·79	106	0·76	3	0·02	7	0·05	20	0·14
AGGREGATE OF R.Ds. ..	–	–	175	1·09	158	0·98	9	0·06	7	0·04	22	0·14
BOROUGHS AND URBAN DISTRICTS:—												
Bradford on Avon	–	–	–	–	3	0·59	1	0·20	–	–	3	0·59
Calne M.B.	–	–	7	1·87	1	0·27	–	–	–	–	2	0·53
Chippenham M.B. ..	–	–	6	0·74	2	0·25	–	–	2	0·25	1	0·12
Devizes M.B	–	–	18	2·94	2	0·33	–	–	1	0·16	–	–
Malmesbury M.B.. ..	–	–	–	–	–	–	–	–	–	–	–	–
Marlborough M.B. ..	–	–	11	2·57	–	–	1	0·23	–	–	–	–
Melksham	–		2	0·53	–	–	1	0·27	–	–	–	–
Salisbury M.B.	–	–	22	0·93	36	1·52	–	–	–	–	–	–
Swindon M.B.	–	–	21	0·37	60	1·04	–	–	2	0·03	14	0·24
Trowbridge	–	–	17	1·36	2	0·16	–	–	2	0·16	–	–
Warminster	–	–	1	0·18	–	–	–	–	–	–	–	–
Westbury	–	–	2	0·52	–	–	–	–	–	–	–	–
Wilton M.B.	–	–	2	0·97	–	–	–	–	–	–	–	–
RURAL DISTRICTS:—												
Amesbury	–	–	17	1·29	4	0·30	1	0·08	1	0·08	2	0·15
Bradford on Avon ..	–	–	–	–	2	0·35	–	–	–	–	1	0·18
Calne	–	–	10	2·06	1	0·21	–	–	–	–	1	0·21
Chippenham	–	–	34	2·30	34	2·30	1	0·07	–	–	–	–
Cricklade and Wootton Bassett	–	–	20	1·77	6	0·53	1	0·09	–	–	4	0·35
Devizes	–	–	13	1·03	8	0·63	1	0·08	–	–	–	–
Highworth	–	–	13	0·75	74	4·28	–	–	3	0·17	4	0·23
Malmesbury	–	–	5	0·58	3	0·35	2	0·23	–	–	–	–
Marlborough	–	–	1	0·23	1	0·23	–	–	–	–	2	0·46
Melksham	–	–	–	–	–	–	–	–	1	0·19	–	–
Mere	–	–	–	–	3	0·64	–	–	1	0·21	–	–
Pewsey	–	–	18	1·37	2	0·15	–	–	1	0·08	1	0·08
Ramsbury..	–	–	9	1·42	2	0·32	–	–	–	–	5	0·79
Salisbury	–	–	4	0·39	4	0·39	1	0·10	–	–	–	–
Tetbury (part of)† ..	–	–	–	–	–	–	–	–	–	–	–	–
Tisbury	–	–	1	0·14	–	–	2	0·28	–	–	2	0·28
Warminster	–	–	1	0·16	5	0·82	–	–	–	–	–	–
Westbury and Whorwellsdown	–	–	13	1·94	1	0·15	–	–	–	–	–	–
Wilton	–	–	16	1·94	8	0·97	–	–	–	–	–	–

* Administrative County.
† The remaining part of the Rural District of Tetbury is in the Administrative County of Gloucester.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WORCESTER*	–	–	907	2·14	197	0·47	23	0·05	15	0·04	141	0·33
DUDLEY C.B. (INCLUDING DUDLEY CASTLE HILL)	–	–	62	1·04	32	0·54	1	0·02	–	–	10	0·17
WORCESTER C.B.	–	–	240	4·70	27	0·53	6	0·12	2	0·04	53	1·04
AGGREGATE OF M.BS. AND U.DS.	–	–	382	2·20	104	0·60	7	0·04	7	0·04	47	0·27
AGGREGATE OF R.DS. ..	–	–	223	1·60	34	0·24	9	0·06	6	0·04	31	0·22
BOROUGHS AND URBAN DISTRICTS:—												
Bewdley M.B.	–	–	7	2·62	–	–	–	–	1	0·37	1	0·37
Bromsgrove	–	–	43	4·35	–	–	–	–	–	–	–	–
Droitwich M.B.	–	–	3	0·77	1	0·26	–	–	–	–	–	–
Evesham M.B.	–	–	2	0·23	4	0·46	1	0·12	–	–	1	0·12
Kidderminster M.B. ..	–	–	100	3·62	21	0·76	2	0·07	–	–	1	0·04
Lye and Wollescote ..	–	–	19	1·47	5	0·39	–	–	1	0·08	1	0·08
Malvern	–	–	7	0·40	30	1·72	2	0·11	–	–	–	–
North Bromsgrove ..	–	–	31	3·55	4	0·46	–	–	–	–	–	–
Oldbury	–	–	29	0·71	27	0·66	–	–	3	0·07	18	0·44
Redditch	–	–	38	2·23	–	–	2	0·12	–	–	12	0·71
Stourbridge M.B... ..	–	–	46	2·44	9	0·48	–	–	2	0·11	12	0·64
Stourport	–	–	57	11·42	3	0·60	–	–	–	–	1	0·20
RURAL DISTRICTS:—												
Bromsgrove	–	–	37	2·07	3	0·17	1	0·06	–	–	4	0·22
Droitwich	–	–	9	0·74	12	0·99	1	0·08	–	–	–	–
Evesham	–	–	1	0·10	–	–	–	–	1	0·10	1	0·10
Feckenham	–	–	36	6·36	–	–	1	0·18	–	–	1	0·18
Halesowen	–	–	34	1·09	4	0·13	–	–	5	0·16	12	0·39
Kidderminster	–	–	22	2·82	–	–	1	0·13	–	–	1	0·13
Martley	–	–	12	0·94	8	0·63	2	0·16	–	–	5	0·39
Pershore	–	–	7	0·53	4	0·30	–	–	–	–	3	0·23
Rock	–	–	1	0·45	–	–	–	–	–	–	–	–
Shipston on Stour ..	–	–	3	0·69	–	–	–	–	–	–	1	0·23
Stow on the Wold (part of)†	–	–	–	–	–	–	–	–	–	–	–	–
Tenbury	–	–	27	5·95	–	–	–	–	–	–	–	–
Tewkesbury (part of)† ..	–	–	6	2·76	1	0·46	–	–	–	–	1	0·46
Upton on Severn ..	–	–	25	1·80	2	0·14	3	0·22	–	–	2	0·14
Winchcomb (part of)† ..	–	–	–	–	–	–	–	–	–	–	–	–
Redmarley d'Abitôt and Staunton parishes)‡ ..	–	–	3	2·93	–	–	–	–	–	–	–	–
YORKS, EAST RIDING* ..	9	0·02	695	1·48	376	0·80	41	0·09	27	0·06	141	0·30
KINGSTON UPON HULL C.B...	4	0·01	393	1·30	328	1·09	23	0·08	15	0·05	108	0·36
AGGREGATE OF M.BS. AND U.DS.	3	0·04	146	2·16	22	0·33	11	0·16	9	0·13	11	0·16
AGGREGATE OF R.DS. ..	2	0·02	156	1·54	26	0·26	7	0·07	3	0·03	22	0·22
BOROUGHS AND URBAN DISTRICTS:—												
Beverley M.B.	1	0·07	61	4·37	3	0·21	–	–	3	0·21	3	0·21
Bridlington M.B... ..	–	–	29	1·78	3	0·18	5	0·31	–	–	2	0·12
Cottingham	–	–	10	1·84	3	0·55	–	–	4	0·74	3	0·55
Filey	–	–	1	0·28	–	–	–	–	–	–	1	0·28
Great Driffield	–	–	20	3·48	1	0·17	3	0·52	2	0·35	1	0·17
Hedon M.B.	–	–	1	0·71	–	–	–	–	–	–	–	–
Hessle	–	–	6	0·95	2	0·32	–	–	–	–	1	0·16
Hornsea	–	–	5	1·25	4	1·00	–	–	–	–	–	–
Norton	–	–	3	0·77	–	–	2	0·51	–	–	–	–
Pocklington	–	–	6	2·20	–	–	–	–	–	–	–	–
Withernsea	2	0·48	4	0·97	6	1·45	1	0·24	–	–	–	–

* Administrative County with associated County Boroughs.

† The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Gloucester.

‡ These Parishes are administered by the Rural District Council of Newent (Glos.).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January, 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate.
YORKS, EAST RIDING—*cont.*												
RURAL DISTRICTS :—												
Beverley	1	0·08	24	2·00	2	0·17	–	–	1	0·08	3	0·25
Bridlington	1	0·13	2	0·25	–	–	–	–	–	–	–	–
Driffield	–	–	12	1·01	9	0·76	–	–	–	–	2	0·17
Escrick	–	–	–	–	3	0·50	–	–	–	–	1	0·17
Howden	–	–	10	0·76	–	–	1	0·08	–	–	1	0·08
Norton	–	–	–	–	–	–	2	0·37	–	–	–	–
Patrington	–	–	5	0·65	2	0·26	–	–	–	–	6	0·79
Pocklington	–	–	62	5·57	–	–	–	–	1	0·09	2	0·18
Riccall	–	–	9	1·60	–	–	1	0·18	1	0·18	1	0·18
Sculcoates..	–	–	16	1·46	2	0·18	3	0·27	–	–	5	0·46
Sherburn	–	–	7	3·16	8	3·61	–	–	–	–	–	–
Skirlaugh	–	–	9	1·26	–	–	–	–	–	–	1	0·14
YORKS, NORTH RIDING*	539	1·17	1,525	3·31	258	0·56	51	0·11	6	0·01	164	0·36
MIDDLESBROUGH C.B. ..	485	3·50	717	5·18	94	0·68	5	0·04	2	0·01	78	0·56
AGGREGATE OF M.Bs. AND U.Ds.	53	0·29	614	3·36	111	0·61	30	0·16	4	0·02	57	0·31
AGGREGATE OF R.Ds. ..	1	0·01	194	1·39	53	0·38	16	0·11	–	–	29	0·21
BOROUGHS AND URBAN DISTRICTS :—												
Eston	12	0·35	187	5·48	31	0·91	–	–	–	–	15	0·44
Guisborough	–	–	120	16·77	–	–	2	0·28	–	–	10	1·40
Hinderwell	–	–	8	3·07	–	–	–	–	–	–	–	–
Kirklington cum Upsland	–	–	–	–	–	–	–	–	–	–	–	–
Loftus	–	–	12	1·26	1	0·11	–	–	–	–	4	0·42
Malton	–	–	3	0·66	1	0·22	–	–	–	–	–	–
Masham	–	–	7	3·19	1	0·46	–	–	–	–	–	–
Northallerton	–	–	13	2·64	–	–	–	–	–	–	–	–
Pickering	–	–	–	–	4	1·16	–	–	–	–	1	0·29
Redcar M.B.	23	1·44	27	1·70	10	0·63	1	0·06	–	–	5	0·31
Richmond M.B.	–	–	–	–	8	2·12	–	–	–	–	3	0·80
Saltburn by the Sea ..	–	–	9	2·30	2	0·51	–	–	–	–	–	–
Scalby	–	–	–	–	–	–	–	–	–	–	1	0·63
Scarborough M.B. ..	17	0·44	107	2·77	16	0·41	24	0·62	1	0·03	3	0·08
Skelton and Brotton ..	–	–	21	1·31	12	0·75	3	0·19	1	0·06	5	0·31
Thornaby on Tees M.B...	1	0·05	28	1·31	8	0·37	–	–	1	0·05	6	0·28
Whitby	–	–	72	5·73	17	1·35	–	–	1	0·08	4	0·32
RURAL DISTRICTS :—												
Aysgarth	–	–	11	2·52	4	0·91	–	–	–	–	1	0·23
Bedale	–	–	1	0·15	3	0·45	3	0·45	–	–	–	–
Croft	–	–	2	0·87	1	0·44	–	–	–	–	–	–
Easingwold	–	–	8	0·79	–	–	3	0·30	–	–	5	0·50
Flaxton	–	–	8	0·79	13	1·29	7	0·69	–	–	–	–
Guisborough	–	–	20	2·38	3	0·36	–	–	–	–	3	0·36
Helmsley	–	–	–	–	–	–	1	0·20	–	–	1	0·20
Kirkby Moorside.. ..	–	–	3	0·61	6	1·22	–	–	–	–	4	0·81
Leyburn	–	–	2	0·32	2	0·32	–	–	–	–	1	0·16
Malton	–	–	5	0·83	2	0·33	–	–	–	–	–	–
Middlesbrough	1	0·38	8	3·07	3	1·15	–	–	–	–	–	–
Northallerton	–	–	7	0·88	–	–	–	–	–	–	–	–
Pickering	–	–	1	0·16	1	0·16	–	–	–	–	–	–
Reeth	–	–	1	0·41	–	–	–	–	–	–	2	0·82
Richmond	–	–	8	0·93	2	0·23	–	–	–	–	1	0·12
Scarborough	–	–	11	1·75	–	–	–	–	–	–	–	–
Startforth..	–	–	10	2·09	2	0·42	–	–	–	–	1	0·21
Stokesley	–	–	45	3·55	5	0·39	–	–	–	–	4	0·32
Thirsk	–	–	7	0·55	1	0·08	1	0·08	–	–	–	–
Wath	–	–	1	0·48	–	–	–	–	–	–	1	0·48
Whitby	–	–	35	3·89	5	0·56	1	0·11	–	–	5	0·56

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING*	104	0·03	7,615	2·29	2,395	0·72	472	0·14	263	0·08	1,461	0·44
BARNSLEY C.B.	7	0·10	191	2·66	69	0·96	5	0·07	17	0·24	48	0·67
BRADFORD C.B.	1	0·00	445	1·51	240	0·81	47	0·16	20	0·07	159	0·54
DEWSBURY C.B.	–	–	61	1·10	27	0·48	9	0·16	2	0·04	11	0·20
HALIFAX C.B...	–	–	109	1·09	38	0·38	10	0·10	3	0·03	24	0·24
HUDDERSFIELD C.B... ..	1	0·01	109	0·96	91	0·80	38	0·33	6	0·05	27	0·24
LEEDS C.B.	7	0·01	1,270	2·65	293	0·61	26	0·05	53	0·11	240	0·50
ROTHERHAM C.B.	13	0·18	470	6·57	53	0·74	1	0·01	2	0·03	30	0·42
SHEFFIELD C.B.	4	0·01	1,354	2·54	525	0·98	46	0·09	84	0·16	286	0·54
WAKEFIELD C.B.	–	–	136	2·48	56	1·02	6	0·11	5	0·09	21	0·38
AGGREGATE OF M.BS. AND U.DS.†	40	0·03	2,529	2·20	746	0·65	230	0·20	56	0·05	461	0·40
AGGREGATE OF R.DS.† ..	31	0·08	941	2·36	257	0·64	54	0·14	15	0·04	154	0·39
BOROUGHS AND URBAN DISTRICTS:—												
Adwick le Street	21	1·40	80	5·34	38	2·53	11	0·73	2	0·13	5	0·33
Altofts	–	–	7	1·31	17	3·18	2	0·37	2	0·37	3	0·56
Ardsley East and West ..	–	–	13	1·43	5	0·55	1	0·11	–	–	3	0·33
Baildon	–	–	16	2·37	1	0·15	2	0·30	–	–	4	0·59
Barkisland	–	–	9	5·60	–	–	–	–	–	–	–	–
Barnoldswick	–	–	8	0·62	2	0·15	4	0·31	–	–	7	0·54
Batley M.B.	–	–	40	1·07	10	0·27	6	0·16	–	–	5	0·13
Bentley with Arksey ..	–	–	21	1·43	32	2·18	1	0·07	–	–	4	0·27
Bingley	–	–	26	1·33	12	0·61	–	–	–	–	7	0·36
Birkenshaw	–	–	2	0·73	–	–	–	–	1	0·37	–	–
Birstal	–	–	6	0·81	4	0·54	1	0·14	–	–	2	0·27
Bolton upon Dearne ..	1	0·07	110	7·70	15	1·05	1	0·07	–	–	8	0·56
Brighouse M.B.	–	–	67	3·28	6	0·29	3	0·15	–	–	3	0·15
Burley in Wharfedale ..	–	–	32	8·19	3	0·77	–	–	–	–	–	–
Calverley	–	–	4	1·15	–	–	1	0·29	–	–	1	0·29
Castleford..	–	–	59	2·32	7	0·28	5	0·20	1	0·04	6	0·24
Clayton	–	–	4	0·77	2	0·38	1	0·19	1	0·19	2	0·38
Clayton West	–	–	–	–	–	–	1	0·48	–	–	–	–
Conisbrough	–	–	105	6·05	21	1·21	–	–	2	0·12	3	0·17
Cudworth	–	–	26	3·09	11	1·31	–	–	2	0·24	12	1·43
Darfield	–	–	13	2·23	7	1·20	1	0·17	3	0·51	8	1·37
Darton	–	–	59	4·88	8	0·66	3	0·25	2	0·17	11	0·91
Denby and Cumberworth	–	–	5	1·34	1	0·27	2	0·54	–	–	–	–
Denholme	–	–	–	–	3	0·96	2	0·64	–	–	–	–
Dodworth..	–	–	5	1·41	–	–	–	–	–	–	2	0·56
Doncaster M.B.	16	0·29	144	2·57	92	1·64	12	0·21	5	0·09	22	0·39
Drighlington	–	–	2	0·47	–	–	–	–	–	–	3	0·71
Earby	–	–	1	0·16	2	0·33	–	–	–	–	1	0·16
Elland	–	–	69	6·37	1	0·09	3	0·28	–	–	7	0·65
Emley	–	–	–	–	–	–	1	0·56	–	–	–	–
Farnley Tyas	–	–	–	–	–	–	–	–	–	–	–	–
Farsley	–	–	6	0·97	–	–	–	–	–	–	1	0·16
Featherstone	–	–	52	3·26	10	0·63	3	0·19	–	–	6	0·38
Flockton	–	–	–	–	–	–	–	–	–	–	3	2·08
Garforth	–	–	4	1·00	5	1·25	3	0·75	–	–	–	–
Gildersome	–	–	–	–	1	0·35	–	–	–	–	2	0·70
Golcar	–	–	7	0·66	5	0·47	2	0·19	–	–	6	0·57
Goole	–	–	27	1·33	26	1·28	6	0·30	1	0·05	18	0·89
Greasbrough	–	–	54	16·46	–	–	–	–	–	–	2	0·61
Greetland	–	–	9	2·05	2	0·46	4	0·91	–	–	3	0·68

* Administrative County with associated County Boroughs.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Guiseley	–	–	7	1·26	1	0·18	1	0 18	–	–	3	0·54
Gunthwaite and Ingbirchworth	–	–	–	–	–	–	–	–	–	–	–	–
Harrogate M.B.	–	–	103	2·95	42	1·20	6	0·17	–	–	8	0·23
Haworth	–	–	6	0·90	5	0·75	–	–	–	–	1	0·15
Hebden Bridge	–	–	6	0·92	3	0·46	1	0·15	–	–	1	0·15
Heckmondwike	–	–	20	2·20	6	0·66	1	0·11	–	–	3	0·33
Hemsworth	–	–	58	4·52	15	1·17	2	0·16	3	0·23	3	0·23
Hipperholme	–	–	16	3·34	1	0·21	3	0·63	–	–	1	0·21
Holme	–	–	–	–	–	–	3	8·29	–	–	–	–
Holmfirth	–	–	13	1·22	5	0·47	25	2·34	1	0·09	4	0·37
Honley	–	–	3	0·63	–	–	–	–	1	0·21	1	0·21
Horbury	–	–	21	2·57	4	0·49	3	0·37	2	0·24	1	0·12
Horsforth	–	–	10	1·00	6	0·60	1	0·10	–	–	1	0·10
Hoyland Nether	–	–	31	1·91	13	0·80	2	0·12	–	–	21	1·29
Hoyland Swaine	–	–	4	5·56	–	–	–	–	–	–	–	–
Hunsworth	–	–	1	0·75	–	–	–	–	–	–	1	0·75
Ilkley	–	–	18	2·05	5	0·57	2	0·23	–	–	4	0·46
Keighley M.B.	–	–	81	1·90	15	0·35	1	0·02	–	–	17	0·40
Kirkburton	–	–	–	–	5	1·40	2	0·56	–	–	–	–
Kirkheaton	–	–	–	–	2	0·71	–	–	–	–	1	0·36
Knaresborough	–	–	6	1·11	5	0·93	1	0·19	–	–	–	–
Knottingley	–	–	29	4·04	1	0·14	–	–	1	0·14	–	–
Lepton	–	–	1	0·30	2	0·61	–	–	–	–	2	0·61
Linthwaite	2	0·20	8	0·80	1	0·10	5	0·50	–	–	–	–
Luddenden Foot	–	–	1	0·35	1	0·35	1	0·35	–	–	–	–
Maltby*†	–	–	6	2·76	1	0·46		–	1	0·46	3	1·38
Marsden	–	–	52	8·68	2	0·33	1	0·17	2	0·33	5	0·84
Meltham	–	–	3	0·58	1	0·19	–	–	–	–	–	–
Methley	–	–	11	2·36	4	0·86	–	–	1	0·21	8	1·72
Mexborough	–	–	44	2·64	9	0·54	–	–	–	–	9	0·54
Midgley	–		1	0·51	–	–	2	1·01	–	–	–	–
Mirfield	–	–	9	0·71	2	0·16	1	0·08	–	–	7	0·55
Morley M.B.	–	–	25	1·03	29	1·19	5	0·21	–	–	14	0·57
Mytholmroyd	–	–	1	0·24	3	0·71	1	0·24	–	–	3	0·71
New Mill	–	–	5	1·10	–	–	4	0·88	–	–	2	0·44
Normanton	–	–	13	0·76	24	1·41	9	0·53	2	0·12	14	0·82
Oakworth	–	–	1	0·24	–	–	–	–	–	–	2	0·48
Ossett M.B.	–	–	25	1·63	–	–	1	0·07	–	–	–	–
Otley	–	–	6	0·61	3	0·30	1	0·10	–	–	3	0·30
Oxenhope	–	–	1	0·41	–	–	–	–	–	–	–	–
Penistone	–		2	0·50	1	0·25	1	0·25	–	–	1	0·25
Pontefract M.B.	–	–	58	3·23	10	0·56	6	0·33	2	0·11	9	0·50
Pudsey M.B.	–	–	16	1·11	19	1·32	–	–	1	0·07	4	0·28
Queensbury	–	–	6	1·02	1	0·17	1	0·17	–	–	4	0·68
Rawdon	–	–	4	1·03	–	–	1	0·26	–	–	–	–
Rawmarsh	–	–	62	3·30	19	1·01	–	–	1	0·05	9	0·48
Ripon M.B.	–	–	3	0·36	1	0·12	2	0·24	–	–	3	0·36
Rishworth	–	–	–	–	–	–	–	–	–	–	–	–
Rothwell	–	–	49	3·09	9	0·57	–	–	–	–	5	0·32
Royston	–	–	7	0·97	–	–	–	–	–	–	1	0·14
Saddleworth	–	–	7	0·55	1	0·08	2	0·16	–	–	2	0·16
Scammonden	–	–	–	–	–	–	–	–	–	–	–	–
Selby	–	–	15	1·43	3	0·29	2	0·19	–	–	2	0·19
Shelf	–	–	1	0·40	–	–	1	0·40	–	–	–	–
Shelley	–	–	1	0·58	1	0·58	2	1·15	–	–	–	–
Shepley	–	–	–	–	1	0·58	6	3·48	–	–	1	0·58
Shipley	–	–	54	1·86	11	0·38	1	0·03	–	–	3	0·10
Silsden	–	–	10	2·06	1	0·21	1	0·21	–	–	–	–
Skelmanthorpe	–	–	1	0·25	–	–	7	1·75	–	–	4	1·00
Skipton	–	–	36	2·92	20	1·62	–	–	–	–	4	0·32

* Created 1st October, 1924.
† Rates adjusted to allow for change in boundary.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Slaithwaite	–	–	17	3·12	2	0·37	1	0·18	–	–	1	0·18
South Crosland	–	–	5	1·63	1	0·33	–	–	1	0·33	2	0·65
Southowram	–	–	14	5·13	–	–	–	–	1	0·37	–	–
Sowerby	–	–	1	0·31	1	0·31	–	–	–	–	–	–
Sowerby Bridge	–	–	8	0·68	11	0·94	3	0·26	–	–	2	0·17
Soyland	–	–	1	0·35	–	–	–	–	–	–	2	0·71
Spenborough	–	–	37	1·16	5	0·16	3	0·09	4	0·13	17	0·53
Springhead	–	–	5	0·95	3	0·57	–	–	–	–	2	0·38
Stainland	–	–	2	0·44	1	0·22	3	0·66	1	0·22	1	0·22
Stanley	–	–	40	2·59	11	0·71	–	–	–	–	8	0·52
Stocksbridge	–	–	28	2·93	5	0·52	2	0·21	–	–	3	0·31
Swinton	–	–	62	4·20	12	0·81	3	0·20	2	0·14	9	0·61
Thurlstone	–	–	2	0·76	–	–	–	–	–	–	1	0·38
Thurnscoe..	–	–	7	1·02	3	0·44	1	0·15	–	–	–	–
Thurstonland	–	–	6	2·33	–	–	5	1·94	–	–	7	2·72
Tickhill	–	–	3	1·35	–	–	–	–	–	–	1	0·45
Todmorden M.B... ..	–	–	3	0·12	6	0·25	1	0·04	2	0·08	7	0·29
Wath upon Dearne ..	–	–	113	8·04	1	0·07	1	0·07	1	0·07	4	0·28
Whitley Upper	–	–	1	1·14	1	1·14	–	–	–	–	–	–
Whitwood..	–	–	18	2·84	1	0·16	–	–	–	–	2	0·32
Wombwell..	–	–	51	2·46	11	0·53	7	0·34	1	0·05	24	1·16
Worsborough	–	–	18	1·42	7	0·55	–	–	3	0·24	1	0·08
Yeadon	–	–	17	2·22	1	0·13	–	–	–	–	2	0·26
RURAL DISTRICTS:—												
Barnsley	–	–	8	1·82	5	1·14	–	–	1	0·23	1	0·23
Bishopthorpe	–	–	1	0·46	2	0·92	–	–	–	–	–	–
Bowland	–	–	2	0·35	–	–	–	–	–	–	2	0·35
Doncaster†	3	0·09	83	2·61	40	1·26	3	0·09	–	–	10	0·31
Goole	–	–	4	0·45	6	0·68	2	0·23	–	–	2	0·23
Great Ouseburn	–	–	5	0·44	2	0·18	1	0·09	–	–	3	0·26
Halifax	–	–	4	0·63	5	0·79	2	0·32	1	0·16	2	0·32
Hemsworth	–	–	166	3·99	70	1·68	9	0·22	1	0·02	20	0·48
Hunslet	–	–	12	1·53	–	–	–	–	–	–	3	0·38
Keighley	–	–	39	5·44	1	0·14	1	0·14	–	–	1	0·14
Kiveton Park	–	–	41	2·45	7	0·42	9	0·54	–	–	4	0·24
Knaresborough	–	–	14	1·59	2	0·23	–	–	–	–	2	0·23
Pateley Bridge	–	–	1	0·14	–	–	–	–	–	–	1	0·14
Penistone	–	–	9	1·52	1	0·17	3	0·51	–	–	3	0·51
Pontefract..	–	–	52	2·41	13	0·60	1	0·05	–	–	5	0·23
Ripon	–	–	–	–	2	0·39	–	–	–	–	1	0·19
Rotherham†	28	0·70	169	4·22	24	0·60	1	0·02	3	0·07	18	0·45
Sedbergh	–	–	3	0·73	–	–	–	–	–	–	–	–
Selby	–	–	3	0·47	–	–	–	–	–	–	–	–
Settle	–	–	11	0·72	4	0·26	–	–	–	–	4	0·26
Skipton	–	–	34	1·79	2	0·11	1	0·05	–	–	1	0·05
Tadcaster	–	–	75	2·50	14	0·47	7	0·23	4	0·13	10	0·33
Thorne	–	–	59	4·50	14	1·07	6	0·46	1	0·08	1	0·08
Todmorden	–	–	2	0·44	2	0·44	2	0·44	–	–	1	0·22
Wakefield	–	–	22	1·19	27	1·46	1	0·05	–	–	13	0·70
Wetherby	–	–	21	1·42	9	0·61	1	0·07	–	–	2	0·14
Wharfedale(NorthDivision)	–	–	2	0·50	1	0·25	–	–	–	–	–	–
Wharfedale(SouthDivision)	–	–	12	1·65	1	0·14	–	–	–	–	12	1·65
Wortley	–	–	87	2·96	3	0·10	4	0·14	4	0·14	32	1·09
YORK, CITY OF*	–	–	195	2·27	72	0·84	16	0·19	3	0·03	33	0·38
YORK C.B.	–	–	195	2·27	72	0·84	16	0·19	3	0·03	33	0·38

* The City of York is a County of itself, outside any of the three Ridings.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
ANGLESEY*	–	–	122	2·30	52	0·98	1	0·02	2	0·04	2	0·04
AGGREGATE OF M.B. AND U.Ds.	–	–	44	2·16	25	1·23	–	–	1	0·05	1	0·05
AGGREGATE OF R.Ds. ..	–	–	78	2·38	27	0·82	1	0·03	1	0·03	1	0·03
BOROUGH AND URBAN DISTRICTS:—												
Amlwch	–	–	1	0·37	–	–	–	–	–	–	–	–
Beaumaris M.B.	–	–	1	0·58	–	–	–	–	–	–	–	–
Holyhead	–	–	39	3·14	24	1·93	–	–	–	–	1	0·08
Llangefni	–	–	3	1·72	–	–	–	–	–	–	–	–
Menai Bridge	–	–	–	–	1	0·57	–	–	1	0·57	–	–
RURAL DISTRICTS:—												
Aethwy	–	–	12	1·41	9	1·06	–	–	–	–	–	–
Dwyran	–	–	2	0·68	1	0·34	–	–	–	–	–	–
Twrcelyn	–	–	22	2·33	–	–	1	0·11	–	–	–	–
Valley	–	–	42	3·53	17	1·43	–	–	1	0·08	1	0·08
BRECKNOCK*	–	–	63	1·00	70	1·11	20	0·32	5	0·08	6	0·10
AGGREGATE OF M.B. AND U.Ds.	–	–	26	1·42	10	0·54	1	0·05	3	0·16	–	–
AGGREGATE OF R.Ds. ..	–	–	37	0·83	60	1·34	19	0·42	2	0·04	6	0·13
BOROUGH AND URBAN DISTRICTS:—												
Brecknock M.B. ..	–	–	5	0·89	3	0·54	–	–	–	–	–	–
Brynmawr	–	–	20	2·27	6	0·68	–	–	3	0·34	–	–
Builth Wells	–	–	–	–	–	–	1	0·62	–	–	–	–
Hay	–	–	1	0·64	1	0·64	–	–	–	–	–	–
Llanwrtyd..	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:—												
Brecknock (Defynnock Div.)	–	–	–	–	10	3·00	–	–	–	–	–	–
Brecknock (Llangorse Div.)	–	–	1	0·29	1	0·29	1	0·29	–	–	–	–
Brecknock (Merthyr Cynog Div.)	–	–	4	1·79	–	–	–	–	–	–	–	–
Builth	–	–	1	0·25	–	–	–	–	–	–	2	0·49
Crickhowell	–	–	7	0·83	19	2·26	18	2·14	–	–	–	–
Hay	–	–	2	0·48	3	0·71	–	–	–	–	–	–
Vaynor and Penderyn ..	–	–	16	2·64	2	0·33	–	–	2	0·33	2	0·33
Ystradgynlais	–	–	6	0·50	23	1·91	–	–	–	–	2	0·17
Llanwrthwl (parish)† ..	–	–	–	–	–	–	–	–	–	–	–	–
Ystradfellte (parish)‡ ..	–	–	–	–	2	3·00	–	–	–	–	–	–
CARDIGAN*	–	–	62	1·05	26	0·44	24	0·41	5	0·08	6	0·10
AGGREGATE OF M.Bs. AND U.Ds.	–	–	14	0·83	4	0·24	17	1·01	1	0·06	1	0·06
AGGREGATE OF R.Ds ..	–	–	48	1·13	22	0·52	7	0·17	4	0·09	5	0·12
BOROUGHS AND URBAN DISTRICTS:—												
Aberayron..	–	–	–	–	–	–	–	–	–	–	–	–
Aberystwyth M.B. ..	–	–	14	1·51	3	0·32	17	1·83	1	0·11	–	–
Cardigan M.B.	–	–	–	–	1	0·29	–	–	–	–	1	0·29
Lampeter M.B.	–	–	–	–	–	–	–	–	–	–	–	–
New Quay..	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:—												
Aberayron..	–	–	11	1·42	5	0·65	–	–	1	0·13	–	–
Aberystwyth (North Div.)	–	–	9	1·28	1	0·14	5	0·71	1	0·14	1	0·14
Aberystwyth (South Div.)	–	–	8	1·55	6	1·16	2	0·39	–	–	2	0·39
Cardigan	–	–	–	–	–	–	–	–	–	–	1	0·31
Lampeter	–	–	1	0·28	8	2·23	–	–	–	–	1	0·28
Llandyssil..	–	–	3	0·37	–	–	–	–	–	–	–	–
Tregaron	–	–	15	2·10	2	0·28	–	–	2	0·28	–	–
Ysgubor y Coed (parish)§	–	–	1	3·00	–	–	–	–	–	–	–	–

* Administrative County.
† This Parish is administered by the Rural District Council of Rhayader (Radnor).
‡ This Parish is administered by the Rural District Council of Neath (Glamorgan).
§ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
CARMARTHEN*	–	–	411	2·23	295	1·60	19	0·10	8	0·04	38	0·21
AGGREGATE OF M.BS. AND U.DS.	–	–	160	2·05	160	2·05	5	0·06	4	0·05	19	0·24
AGGREGATE OF R.DS. ..	–	–	251	2·35	135	1·27	14	0·13	4	0·04	19	0·18
BOROUGHS AND URBAN DISTRICTS :—												
Ammanford	–	–	8	1·05	5	0·66	–	–	–	–	2	0·26
Burry Port	–	–	24	3·64	5	0·76	1	0·15	1	0·15	1	0·15
Carmarthen M.B... ..	–	–	5	0·49	4	0·39	–	–	–	–	–	–
Cwmamman	–	–	8	1·40	19	3·31	–	–	–	–	–	–
Kidwelly M.B.	–	–	19	5·59	2	0·59	–	–	–	–	2	0·59
Llandilo	–	–	2	0·96	5	2·40	–	–	–	–	–	–
Llandovery M.B... ..	–	–	3	1·47	5	2·46	–	–	–	–	–	–
Llanelly M.B.	–	–	85	2·16	115	2·92	4	0·10	3	0·08	14	0·36
Newcastle Emlyn ..	–	–	6	7·33	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Carmarthen	–	–	51	2·04	6	0·24	2	0·08	–	–	1	0·04
Llandilo Fawr	–	–	35	1·53	24	1·05	1	0·04	–	–	8	0·35
Llandovery	–	–	4	0·58	1	0·14	–	–	–	–	1	0·14
Llanelly	–	–	147	4·00	64	1·74	9	0·24	3	0·08	9	0·24
Llanybyther	–	–	7	2·01	34	9·74	–	–	1	0·29	–	–
Newcastle in Emlyn ..	–	–	7	1·10	4	0·63	2	0·32	–	–	–	–
Whitland	–	–	–	–	2	0·39	–	–	–	–	–	–
CARNARVON*	–	–	75	0·61	58	0·47	13	0·11	1	0·01	17	0·14
AGGREGATE OF M.BS. AND U.DS.	–	–	51	0·83	30	0·49	10	0·16	–	–	13	0·21
AGGREGATE OF R.DS. ..	–	–	24	0·40	28	0·46	3	0·05	1	0·02	4	0·07
BOROUGHS AND URBAN DISTRICTS :—												
Bangor M.B.	–	–	15	1·36	10	0·91	1	0·09	–	–	2	0·18
Bethesda	–	–	3	0·71	–	–	1	0·24	–	–	3	0·71
Bettws y Coed	–	–	–	–	–	–	–	–	–	–	–	–
Carnarvon M.B.	–	–	3	0·36	4	0·48	3	0·36	–	–	2	0·24
Conway M.B.	–	–	8	1·19	2	0·30	–	–	–	–	–	–
Criccieth	–	–	–	–	1	0·56	–	–	–	–	1	0·56
Llandudno	–	–	7	0·52	4	0·30	1	0·07	–	–	5	0·37
Llanfairfechan	–	–	14	4·45	1	0·32	3	0·95	–	–	–	–
Penmaenmawr	–	–	1	0·24	2	0·48	–	–	–	–	–	–
Portmadoc	–	–	–	–	6	1·41	1	0·23	–	–	–	–
Pwllheli M.B.	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Conway	–	–	10	1·70	13	2·21	–	–	–	–	–	–
Geirionydd	–	–	1	0·24	3	0·72	–	–	–	–	1	0·24
Glaslyn	–	–	1	0·32	1	0·32	–	–	–	–	–	–
Gwyrfai	–	–	8	0·33	6	0·25	3	0·12	–	–	2	0·08
Lleyn	–	–	1	0·06	2	0·12	–	–	1	0·06	–	–
Ogwen	–	–	3	0·51	3	0·51	–	–	–	–	1	0·17
DENBIGH*	–	–	244	1·52	93	0·58	33	0·21	6	0·04	32	1·99
AGGREGATE OF M.BS. AND U.DS.	–	–	38	0·66	39	0·68	12	0·21	3	0·05	13	0·23
AGGREGATE OF R.DS. ..	–	–	206	2·00	54	0·52	21	0·20	3	0·03	19	0·18
BOROUGHS AND URBAN DISTRICTS :—												
Abergele and Pensarn ..	–	–	–	–	–	–	–	–	–	–	1	0·43
Colwyn Bay and Colwyn	–	–	4	0·20	6	0·30	2	0·10	–	–	3	0·15
Denbigh M.B.	–	–	10	1·45	8	1·16	–	–	2	0·29	3	0·44
Llangollen..	–	–	2	0·60	1	0·30	7	2·12	–	–	–	–
Llanrwst	–	–	1	0·42	2	0·84	–	–	–	–	1	0·42
Ruthin M.B.	–	–	2	0·71	–	–	1	0·35	–	–	1	0·35
Wrexham M.B.	–	–	19	0·97	22	1·12	2	0·10	1	0·05	4	0·20

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
DENBIGH—*cont.*												
RURAL DISTRICTS :—												
Chirk	–	–	7	1·42	11	2·23	2	0·41	–	–	–	–
Llangollen..	–	–	12	3·22	1	0·27	–	–	–	–	–	–
Llanrwst	–	–	–	–	2	0·46	–	–	–	–	–	–
Llansilin	–	–	1	0·34	1	0·34	9	3·03	–	–	–	–
Ruthin	–	–	18	1·93	3	0·32	2	0·21	–	–	2	0·21
St. Asaph (Denbigh) ..	–	–	–	–	1	0·15	–	–	–	–	5	0·73
Uwchaled	–	–	–	–	2	0·93	–	–	–	–	–	–
Wrexham	–	–	168	2·51	30	0·45	8	0·12	3	0·04	12	0·18
Llanelian yn Rhôs and Llansantffraid Glan Conway (parishes)* ..	–	–	–	–	3	1·64	–	–	–	–	–	–
FLINT†	–	–	415	3·91	115	1·08	27	0·25	5	0·05	18	0·17
AGGREGATE OF M.B. AND U.Ds.‡	–	–	207	5·00	30	0·72	23	0·56	1	0·02	9	0·22
AGGREGATE OF R.Ds.‡ ..	–	–	208	3·22	85	1·32	4	0·06	4	0·06	9	0·14
BOROUGH AND URBAN DISTRICTS :—												
Buckley	–	–	41	5·88	2	0·29	–	–	1	0·14	–	–
Connah's Quay	–	–	7	1·25	–	–	–	–	–	–	1	0·18
Flint M.B...	–	–	45	6·60	5	0·73	19	2·79	–	–	2	0·29
Holywell	–	–	11	3·60	9	2·95	–	–	–	–	1	0·33
Mold	–	–	80	16·49	3	0·62	4	0·82	–	–	2	0·41
Prestatyn‡	–	–	1	0·30	1	0·30	–	–	–	–	–	–
Rhyl	–	–	22	2·04	10	0·93	–	–	–	–	3	0·28
RURAL DISTRICTS :—												
Hawarden..	–	–	57	2·24	17	0·67	1	0·04	–	–	5	0·20
Holywell (Holywell Div.)	–	–	42	2·39	35	1·99	–	–	–	–	4	0·23
Holywell (Mold Div.) ..	–	–	52	5·89	18	2·04	–	–	2	0·23	–	–
Overton	–	–	31	5·86	8	1·51	1	0·19	2	0·38	–	–
St. Asaph (Flint)‡ ..	–	–	26	3·48	7	0·94	2	0·27	–	–	–	–
GLAMORGAN§	–	–	2,648	1·99	1,934	1·45	44	0·03	71	0·05	296	0·22
CARDIFF C.B.	–	–	190	0·83	204	0·89	12	0·05	24	0·10	78	0·34
MERTHYR TYDFIL C.B. ..	–	–	124	1·46	184	2·17	3	0·04	2	0·02	18	0·21
SWANSEA C.B.	–	–	455	2·75	316	1·91	2	0·01	6	0·04	29	0·18
AGGREGATE OF M.Bs. AND U.Ds.	–	–	1,492	2·31	892	1·38	23	0·04	32	0·05	142	0·22
AGGREGATE OF R.Ds. ..	–	–	387	1·85	338	1·62	4	0·02	7	0·03	29	0·14
BOROUGHS AND URBAN DISTRICTS :—												
Aberdare	–	–	143	2·43	41	0·70	3	0·05	1	0·02	13	0·22
Barry	–	–	61	1·50	119	2·93	4	0·10	–	–	11	0·27
Bridgend	–	–	–	–	13	1·34	1	0·10	–	–	–	–
Caerphilly	–	–	175	4·32	103	2·54	–	–	1	0·02	7	0·17
Cowbridge M.B.	–	–	1	0·86	–	–	–	–	–	–	–	–
Gelligaer	–	–	52	1·09	92	1·93	3	0·06	3	0·06	14	0·29
Glyncorwg	–	–	5	0·42	13	1·09	–	–	–	–	–	–
Maesteg	–	–	45	1·48	69	2·27	–	–	2	0·07	8	0·26
Mountain Ash	–	–	84	1·81	49	1·05	2	0·04	3	0·06	13	0·28
Neath M.B.	–	–	33	0·94	167	4·75	–	–	4	0·11	9	0·26
Ogmore and Garw ..	–	–	282	8·65	24	0·74	6	0·18	9	0·28	5	0·15
Penarth	–	–	12	0·66	4	0·22	–	–	–	–	–	–
Pontypridd	–	–	80	1·59	16	0·32	2	0·04	2	0·04	8	0·16
Porthcawl..	–	–	2	0·32	5	0·80	–	–	–	–	–	–
Port Talbot M.B. ..	–	–	49	1·12	39	0·89	–	–	–	–	8	0·18
Rhondda	–	–	468	2·74	138	0·81	2	0·01	7	0·04	46	0·27

* These Parishes are administered by the Rural District Council of Conway (Carnarvon).
† Administrative County.
‡ Rates adjusted to allow for changes in boundary during the year.
§ Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
GLAMORGAN—*cont.*												
RURAL DISTRICTS:—												
Cardiff	–	–	19	0·76	53	2·11	1	0·04	–	–	2	0·08
Cowbridge..	–	–	5	0·47	16	1·50	–	–	1	0·09	2	0·19
Gower	–	–	36	3·69	13	1·33	–	–	–	–	–	–
Llantrisant and Llantwit-fardre	–	–	66	2·42	28	1·03	–	–	3	0·11	6	0·22
Neath	–	–	83	2·06	24	0·60	–	–	1	0·02	7	0·17
Penybont	–	–	8	0·26	23	0·74	–	–	1	0·03	2	0·06
Pontardawe	–	–	83	2·21	57	1·52	2	0·05	–	–	7	0·19
Swansea	–	–	87	3·19	124	4·55	1	0·04	1	0·04	3	0·11
MERIONETH*	–	–	63	1·44	25	0·57	3	0·07	1	0·02	8	0·18
AGGREGATE OF U.Ds. ..	–	–	42	2·20	19	1·00	1	0·05	–	–	6	0·31
AGGREGATE OF R.Ds. ..	–	–	21	0·85	6	0·24	2	0·08	1	0·04	2	0·08
URBAN DISTRICTS:												
Bala	–	–	1	0·67	1	0·67	–	–	–	–	1	0·67
Barmouth..	–	–	–	–	–	–	–	–	–	–	–	–
Dolgelley	–	–	4	1·78	7	3·12	–	–	–	–	–	–
Festiniog	–	–	19	2·22	10	1·17	–	–	–	–	5	0·58
Mallwyd	–	–	–	–	1	1·40	–	–	–	–	–	–
Towyn	–	–	18	4·59	–	–	1	0·26	–	–	–	–
RURAL DISTRICTS:—												
Deudraeth..	–	–	6	0·81	3	0·40	2	0·27	–	–	1	0·13
Dolgelley	–	–	4	0·51	2	0·25	–	–	–	–	–	–
Edeirnion	–	–	10	1·98	–	–	–	–	–	–	–	–
Penllyn	–	–	1	0·27	1	0·27	–	–	1	0·27	1	0·27
Pennal (parish)‡	–	–	–	–	–	–	–	–	–	–	–	–
MONMOUTH†	–	–	862	1·80	573	1·20	46	0·10	21	0·04	89	0·19
NEWPORT C.B.	–	–	162	1·66	38	0·39	5	0·05	6	0·06	17	0·17
AGGREGATE OF M.Bs. AND U.Ds.	–	–	637	1·92	521	1·57	38	0·11	15	0·05	66	0·20
AGGREGATE OF R.Ds. ..	–	–	63	1·31	14	0·29	3	0·06	–	–	6	0·12
BOROUGHS AND URBAN DISTRICTS:—												
Abercarn	–	–	76	3·54	52	2·42	–	–	2	0·09	1	0·05
Abergavenny M.B. ..	–	–	15	1·62	1	0·11	3	0·32	–	–	1	0·11
Abersychan	–	–	48	1·63	24	0·81	–	–	–	–	5	0·17
Abertillery	–	–	119	2·96	103	2·56	7	0·17	3	0·07	3	0·07
Bedwas and Machen ..	–	–	29	3·04	10	1·05	–	–	–	–	4	0·42
Bedwellty..	–	–	30	0·88	64	1·87	–	–	1	0·03	2	0·06
Blaenavon..	–	–	2	0·15	10	0·75	–	–	–	–	1	0·07
Caerleon	–	–	2	0·85	–	–	1	0·43	–	–	1	0·43
Chepstow	–	–	4	0·77	2	0·38	1	0·19	–	–	–	–
Ebbw Vale	–	–	72	1·91	45	1·19	3	0·08	–	–	25	0·66

* Administrative County.

† Administrative County with associated County Borough.

‡ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
MONMOUTH—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Llanfrechfa Upper ..	–	–	12	2·41	3	0·60	–	–	–	–	1	0·20
Llantarnam	–	–	15	1·87	11	1·37	–	–	3	0·37	2	0·25
Monmouth M.B.	–	–	2	0·39	10	1·96	–	–	1	0·20	–	–
Mynyddislwyn	–	–	29	1·80	10	0·62	–	–	1	0·06	1	0·06
Nantyglo and Blaina ..	–	–	129	7·49	–	–	19	1·10	–	–	2	0·12
Panteg	–	–	5	0·43	4	0·34	1	0·09	–	–	–	–
Pontypool..	–	–	7	0·92	3	0·39	–	–	–	–	–	–
Rhymney	–	–	12	0·96	56	4·48	1	0·08	1	0·08	7	0·56
Risca	–	–	18	1·00	84	4·66	–	–	1	0·06	–	–
Tredegar	–	–	9	0·34	29	1·08	2	0·07	2	0·07	10	0·37
Usk	–	–	2	1·38	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Abergavenny	–	–	17	1·78	1	0·10	1	0·10	–	–	1	0·10
Chepstow	–	–	4	0·44	2	0·22	–	–	–	–	1	0·11
Magor	–	–	11	1·90	3	0·52	–	–	–	–	–	–
Monmouth	–	–	10	1·47	3	0·44	–	–	–	–	1	0·15
Pontypool..	–	–	6	1·08	–	–	–	–	–	–	–	–
St. Mellons	–	–	15	1·31	5	0·44	2	0·17	–	–	3	0·26
MONTGOMERY*	–	–	37	0·70	40	0·76	7	0·13	2	0·04	14	0·27
AGGREGATE OF M.Bs. AND U.Ds.	–	–	5	0·26	2	0·11	1	0·05	1	0·05	6	0·32
AGGREGATE OF R.Ds. ..	–	–	32	0·96	38	1·13	6	0·18	1	0·03	8	0·24
BOROUGHS AND URBAN DISTRICTS :—												
Llanfyllin M.B.	–	–	2	1·22	–	–	–	–	–	–	1	0·61
Llanidloes M.B.	–	–	–	–	2	0·79	–	–	–	–	–	–
Machynlleth	–	–	2	1·02	–	–	–	–	–	–	–	–
Montgomery M.B. ..	–	–	–	–	–	–	–	–	1	1·04	2	2·08
Newtown and Llanllwchaiarn	–	–	–	–	–	–	1	0·17	–	–	3	0·51
Welshpool M.B.	–	–	1	0·17	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Forden	–	–	–	–	3	0·52	1	0·17	–	–	2	0·35
Llanfyllin	–	–	27	2·20	24	1·95	3	0·24	1	0·08	2	0·16
Machynlleth	–	–	1	0·26	5	1·28	2	0·51	–	–	–	–
Newtown and Llanidloes	–	–	4	0·35	6	0·52	–	–	–	–	4	0·35
PEMBROKE*	–	–	59	0·63	56	0·60	8	0·09	2	0·02	12	0·13
AGGREGATE OF M.Bs. AND U.Ds.	–	–	25	0·58	30	0·69	3	0·07	–	–	5	0·12
AGGREGATE OF R.Ds. ..	–	–	34	0·68	26	0·52	5	0·10	2	0·04	7	0·14
BOROUGHS AND URBAN DISTRICTS :—												
Fishguard..	–	–	2	0·65	–	–	–	–	–	–	–	–
Goodwick	–	–	5	2·05	5	2·05	–	–	–	–	–	–
Haverfordwest M.B. ..	–	–	4	0·65	8	1·31	2	0·33	–	–	1	0·16
Milford Haven	–	–	8	0·93	12	1·39	–	–	–	–	1	0·12
Narberth	–	–	–	–	1	0·86	1	0·86	–	–	–	–
Neyland	–	–	–	–	1	0·36	–	–	–	–	1	0·36
Pembroke M.B. ..	–	–	4	0·27	3	0·20	–	–	–	–	–	–
Tenby M.B.	–	–	2	0·48	–	–	–	–	–	–	2	0·48
RURAL DISTRICTS :—												
Haverfordwest	–	–	9	0·46	7	0·36	3	0·15	2	0·10	3	0·15
Llanfyrnach	–	–	1	0·42	–	–	–	–	–	–	–	–
Narberth	–	–	2	0·18	6	0·54	2	0·18	–	–	1	0·09
Pembroke	–	–	2	0·23	3	·34	–	–	–	–	1	0·11
St. Dogmells	–	–	20	2·52	10	1·26	–	–	–	–	2	0·25

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 3rd January 1925, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases	Rate	Cases.	Rate.
RADNOR*	–	–	18	0·80	12	0·53	1	0·04	1	0·04	1	0·04
AGGREGATE OF U.Ds. ..	–	–	10	1·74	7	1·22	1	0·17	–	–	–	–
AGGREGATE OF R.Ds. ..	–	–	8	0·48	5	0·30	–	–	1	0·06	1	0·06
URBAN DISTRICTS :—												
Knighton	–	–	3	1·73	4	2·30	–	–	–	–	–	–
Llandrindod Wells ..	–	–	7	2·46	2	0·70	1	0·35	–	–	–	–
Presteigne..	–	–	–	–	1	0·86	–	–	–	–	–	–
RURAL DISTRICTS :—												
Colwyn	–	–	2	0·91	–	–	–	–	–	–	–	–
Knighton	–	–	5	1·15	3	0·69	–	–	1	0·23	–	–
New Radnor	–	–	1	0·37	–	–	–	–	–	–	–	–
Painscastle	–	–	–	–	–	–	–	–	–	–	–	–
Rhayader	–	–	–	–	2	0·38	–	–	–	–	1	0·19

* Administrative County.

TABLE 29.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES, DURING THE YEAR 1924*

District.	Air Temperature.						Rainfall.			Sunshine.	
	Highest.	Lowest.	Means of				Total.	Deviation from Normal.	Number of Days.	Daily Mean.	Deviation from Normal.
			Daily Maximum.	Daily Minimum.	Daily Mean.	Deviation from Normal.					
	° F.	° F.	° F.	° F.	° F.	° F.	mm.	mm.		hr.	hr.
England N.E. ..	87	13	53·9	42·1	48·0	+0·3	661	+ 26	190	3·65	−0·28
England E. ..	88	17	55·5	43·5	49·5	+0·8	726	+116	184	4·11	−0·21
Midland Counties	86	3	55·0	41·9	48·5	+0·3	850	+164	189	3·39	−0·44
England S.E. ..	90	16	55·7	43·9	49·8	+0·1	875	+166	184	4·41	−0·08
England N.W.† .	87	14	53·7	43·7	48·7	+0·4	954	+ 53	217	3·56	−0·31
England S.W.† ..	84	14	54·8	44·4	49·6	−0·1	1224	+223	205	3·79	−0·49
Mean	90	3	54·8	43·3	49·0	+0·3	882	+125	195	3·82	−0·30

* For similar values for each month and quarter, *see* the Registrar-General's Quarterly Returns.

† The district known as England N.W. includes the northern half of Wales, whilst England S.W. includes the southern half.

Table 30.—Quarterly Meteorological Elements. Greenwich, 1924.

1st Quarter: Jan., Feb., Mar. 2nd " April, May, June. 3rd " July, Aug., Sept. 4th " Oct., Nov., Dec.	Temperature of Air. Mean of Maximum and Minimum.	Temperature of Air. Difference from Normal of 130 years.	Temperature of Air. Difference from Normal of 60 years.	Temperature of Evaporation. Mean of "Wet Bulb" Readings at 9h. and 21h.	Temperature of Evaporation. Difference from Normal of 60 years.	Temperature of Dew Point. Mean.	Temperature of Dew Point. Difference from Normal of 60 years.	Temperature of Air Daily Range. Mean.	Temperature of Air Daily Range. Difference from Normal of 60 years.	Vapour Pressure in Millibars. Mean.	Vapour Pressure in Millibars. Difference from Normal of 60 years.	Mass of Vapour in a Cubic Metre of Air. Mean.	Mass of Vapour in a Cubic Metre of Air. Difference from Normal of 60 years.	Degree of Humidity. Mean of 9h. and 21h.	Degree of Humidity. Difference from Normal of 60 years.	Mean Air Pressure at Station Level* in Millibars. Mean.	Mean Air Pressure at Station Level* in Millibars. Difference from Normal of 60 years.	Mass of a Cubic Metre of Air. Mean.	Mass of a Cubic Metre of Air. Difference from Normal of 60 years.	Rain. Amount in Millimetres.	Rain. Difference from Normal of 86 years.	Readings of Thermometer on Grass. Number of Nights it was At or below 30° F.	Readings of Thermometer on Grass. Number of Nights it was Between 30° and 40° F.	Readings of Thermometer on Grass. Number of Nights it was Above 40° F.	Readings of Thermometer on Grass. Lowest Reading at Night.	Readings of Thermometer on Grass. Highest Reading at Night.
1924.	° F.	° F.	° F.	°F.	° F.	° F.	° F.	° F.	° F.	mb.	mb.	gms.	gms.	%	%	mb.	mb.	gms.	gms.	mm.	mm.				° F.	° F.
Year ..	50·6	+1·9	+1·2	46·7	+0·2	43·9	+0·4	14·4	−1·4	10·2	+0·3	7·7	−0·1	83	+1	1008·7	−0·2	1237	−4	779	+149	106	115	145	10·0	58·6
1st Quarter	39·8	+0·9	0·0	36·9	−0·9	34·5	−0·7	11·0	−0·8	6·8	−0·2	5·3	−0·2	85	+1	1009·7	+0·9	1266	+2	105	−20	58	28	5	10·0	43·7
2nd "	54·6	+2·2	+1·7	49·5	+0·4	45·7	+0·5	18·7	−1·2	10·8	+0·4	8·0	+0·2	77	0	1008·2	−1·0	1226	−6	205	+62	17	34	40	14·0	53·5
3rd "	60·8	+1·0	+0·4	55·5	−1·0	52·3	−0·7	17·7	−2·0	13·5	−0·1	10·2	−0·3	80	+3	1006·2	−3·4	1209	−5	235	+53	1	18	73	30·0	58·6
4th "	47·1	+3·4	+2·7	45·0	+2·4	43·2	+2·6	10·1	−1·6	9·7	+1·0	7·3	+0·2	89	0	1010·5	+2·4	1246	−7	234	+54	30	35	27	17·0	49·0

* Height of barometer cistern above mean sea level=152 feet (average correction to sea level +5·6 mb.).

In this table + and − respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed.

Pressure is expressed in millibars (1,000 mb. = 29·531 mercury inches).

Density is expressed in grams per cubic metre (2·294 grams per cubic metre=1 grain per cubic foot).

TABLE 31.—METEOROLOGICAL

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910).
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1875 ..	1942	− 9	28·0	710	+100	80	− 1	49·2	− 0·3
1876 ..	2036	+ 85	24·1	612	+ 2	80	− 1	50·1	+ 0·6
1877 ..	2184	+233	27·3	693	+ 83	79	− 2	49·4	− 0·1
1878 ..	1880	− 71	29·0	736	+126	81	0	49·6	+ 0·1
1879 ..	1873	− 78	31·4	797	+187	83	+ 2	46·2	− 3·3
1880 ..	1928	− 23	29·7	754	+144	84	+ 3	49·4	− 0·1
1881 ..	2030	+ 79	25·7	653	+ 43	81	0	48·7	− 0·8
1882 ..	2151	+200	25·2	640	+ 30	84	+ 3	49·7	+ 0·2
1883 ..	2058	+107	21·9	557	− 53	82	+ 1	49·4	− 0·1
1884 ..	2034	+ 83	18·1	458	−152	80	− 1	50·7	+ 1·2
1885 ..	2008	+ 57	24·0	610	0	81	0	48·6	− 0·9
1886 ..	1962	+ 11	24·2	615	+ 5	81	0	48·7	− 0·8
1887 ..	1927	− 24	19·9	504	−106	79	− 2	47·8	− 1·7
1888 ..	2049	+ 98	27·5	699	+ 89	82	+ 1	47·7	− 1·8
1889 ..	1934	− 17	23·3	591	− 19	83	+ 2	48·8	− 0·7
1890 ..	1946	− 5	21·9	555	− 55	81	0	48·6	− 0·9
1891 ..	1945	− 6	25·0	636	+ 26	82	+ 1	48·4	− 1·1
1892 ..	1863	− 88	22·3	567	− 43	80	− 1	48·1	− 1·4
1893 ..	1909	− 42	20·1	511	− 99	76	− 5	51·1	+ 1·6
1894 ..	2019	+ 68	26·9	683	+ 73	81	0	49·9	+ 0·4
1895 ..	1951	0	19·7	501	−109	78	− 3	49·3	− 0·2
1896 ..	1932	− 19	22·4	569	− 41	79	− 2	50·2	+ 0·7
1897 ..	2033	+ 82	22·1	562	− 48	79	− 2	50·3	+ 0·8
1898 ..	1956	+ 5	18·9	479	−131	78	− 3	51·3	+ 1·8
1899 ..	1911	− 40	22·3	567	− 43	77	− 4	50·6	+ 1·1
1900 ..	2050	+ 99	22·3	567	− 43	79	− 2	50·4	+ 0·9
1901 ..	1970	+ 19	20·3	515	− 95	78	− 3	49·2	− 0·3
1902 ..	1933	− 18	19·3	491	−119	80	− 1	49·2	− 0·3
1903 ..	2226	+275	35·5	903	+293	80	− 1	50·1	+ 0·6
1904 ..	1913	− 38	20·7	525	− 85	82	+ 1	49·8	+ 0·3
1905 ..	2063	+112	23·0	585	− 25	81	0	49·9	+ 0·4
1906 ..	2093	+142	24·7	628	+ 18	79	− 2	50·7	+ 1·2
1907 ..	1977	+ 26	22·3	565	− 45	81	0	49·7	+ 0·2
1908 ..	1932	− 19	23·8	604	− 6	83	+ 2	50·1	+ 0·6
1909 ..	2041	+ 90	25·7	653	+ 43	83	+ 2	48·9	− 0·6
1910 ..	2155	+204	28·1	713	+103	84	+ 3	50·2	+ 0·7
1911 ..	2140	+189	23·7	601	− 9	79	− 2	51·8	+ 2·3
1912 ..	2085	+134	24·9	632	+ 22	83	+ 2	51·0	+ 1·5
1913 ..	2030	+ 79	22·4	570	− 40	83	+ 2	51·3	+ 1·8
1914 ..	2087	+136	23·9	606	− 4	81	0	51·5	+ 2·0
1915 ..	1932	− 19	30·6	776	+166	82	+ 1	49·9	+ 0·4
1916 ..	2040	+ 89	29·8	757	+147	84	+ 3	49·9	+ 0·4
1917 ..	2059	+108	26·0	660	+ 50	82	+ 1	48·9	− 0·6
1918 ..	1993	+ 42	28·4	722	+112	82	+ 1	50·6	+ 1·1
1919 ..	1940	− 11	23·0	586	− 24	81	0	48·8	− 0·7
1920 ..	1918	− 33	21·5	546	− 64	82	+ 1	51·1	+ 1·6
1921 ..	1855	− 96	12·8	318	−292	77	− 4	52·7	+ 3·2
1922 ..	2043	+ 92	23·2	589	− 21	80	− 1	49·4	− 0·1
1923 ..	2055	+104	24·0	610	0	81	0	50·3	+ 0·8
1924 ..	1947	− 4	30·6	779	+169	83	+ 2	50·6	+ 1·1
Average 50 years (1861-1910)	1951	—	24·0	610	—	81	—	49·5	—

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1875–1924.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
39·5	− 0·5	53·4	+ 0·4	60·7	+ 0·2	43·1	− 1·2	1875
39·5	− 0·5	51·7	− 1·3	61·8	+ 1·3	47·0	+ 2·7	1876
42·3	+ 2·3	51·9	− 1·1	58·5	− 2·0	45·0	+ 0·7	1877
41·5	+ 1·5	54·6	+ 1·6	60·8	+ 0·3	41·6	− 2·7	1878
37·1	− 2·9	49·5	− 3·5	58·1	− 2·4	39·9	− 4·4	1879
39·8	− 0·2	52·4	− 0·6	61·4	+ 0·9	44·0	− 0·3	1880
37·3	− 2·7	52·9	− 0·1	60·0	− 0·5	44·6	+ 0·3	1881
42·3	+ 2·3	53·0	0·0	58·1	− 2·4	44·7	+ 0·4	1882
40·0	0·0	53·0	0·0	59·5	− 1·0	44·9	+ 0·6	1883
43·4	+ 3·4	52·5	− 0·5	62·7	+ 2·2	44·1	− 0·2	1884
40·3	+ 0·3	52·4	− 0·6	59·1	− 1·4	42·8	− 1·5	1885
36·5	− 3·5	52·5	− 0·5	61·2	+ 0·7	44·6	+ 0·3	1886
37·3	− 2·7	51·6	− 1·4	61·0	+ 0·5	41·3	− 3·0	1887
36·9	− 3·1	51·6	− 1·4	57·6	− 2·9	44·6	+ 0·3	1888
38·2	− 1·8	54·5	+ 1·5	58·9	− 1·6	43·5	− 0·8	1889
41·4	− 1·4	52·8	− 0·2	58·4	− 2·1	40·8	− 3·5	1890
37·6	− 2·4	51·6	− 1·4	59·3	− 1·2	45·0	+ 0·7	1891
37·5	− 2·5	53·4	+ 0·4	59·2	− 1·3	42·3	− 2·0	1892
40·9	+ 0·9	57·0	+ 4·0	61·9	+ 1·4	44·6	+ 0·3	1893
41·4	+ 1·4	53·3	+ 0·3	58·6	− 1·9	46·4	+ 2·1	1894
35·2	− 4·8	55·1	+ 2·1	62·3	+ 1·8	44·7	+ 0·4	1895
42·2	+ 2·2	55·6	+ 2·6	60·4	− 0·1	42·4	− 1·9	1896
41·1	+ 1·1	53·1	+ 0·1	60·9	+ 0·4	46·0	+ 1·7	1897
41·5	+ 1·5	52·4	− 0·6	62·7	+ 2·2	48·5	+ 4·2	1898
41·8	+ 1·8	52·8	− 0·2	63·0	+ 2·5	44·7	+ 0·4	1899
39·2	− 0·8	52·8	− 0·2	61·8	+ 1·3	47·6	+ 3·3	1900
37·8	− 2·2	53·4	+ 0·4	61·7	+ 1·2	43·9	− 0·4	1901
40·5	+ 0·5	51·0	− 2·0	59·6	− 0·9	45·2	+ 0·9	1902
43·9	+ 3·9	51·2	− 1·8	60·0	− 0·5	45·2	+ 0·9	1903
39·5	− 0·5	53·8	+ 0·8	61·5	+ 1·0	44·3	0·0	1904
41·9	+ 1·9	53·8	+ 0·8	61·7	+ 1·2	42·2	− 2·1	1905
41·1	+ 1·1	52·8	− 0·2	63·2	+ 2·7	45·8	+ 1·5	1906
40·0	0·0	52·9	− 0·1	60·1	− 0·4	45·8	+ 1·5	1907
39·5	− 0·5	53·8	+ 0·8	60·3	− 0·2	46·6	+ 2·3	1908
38·4	− 1·6	52·5	− 0·5	59·7	− 0·8	44·8	+ 0·5	1909
41·5	+ 1·5	54·2	+ 1·2	59·3	− 1·2	45·6	+ 1·3	1910
40·3	+ 0·3	54·9	+ 1·9	65·7	+ 5·2	46·2	+ 1·9	1911
43·6	+ 3·6	55·3	+ 2·3	58·9	− 1·6	45·9	+ 1·6	1912
42·4	+ 2·4	54·5	+ 1·5	60·2	− 0·3	47·8	+ 3·5	1913
42·5	+ 2·5	54·9	+ 1·9	62·2	+ 1·7	46·5	+ 2·2	1914
40·8	+ 0·8	53·4	+ 0·4	60·9	+ 0·4	44·3	0·0	1915
41·5	+ 1·5	53·0	0·0	60·4	− 0·1	44·7	+ 0·4	1916
36·4	− 3·6	54·5	+ 1·5	61·7	+ 1·2	43·1	− 1·2	1917
42·3	+ 2·3	53·2	+ 0·2	60·7	+ 0·2	46·1	+ 1·8	1918
38·1	− 1·9	54·3	+ 1·3	60·2	− 0·3	42·5	− 1·8	1919
44·3	+ 4·3	55·3	+ 2·3	59·1	− 1·4	45·4	+ 1·1	1920
44·5	+ 4·5	54·9	+ 1·9	64·2	+ 3·7	47·2	+ 2·9	1921
41·2	+ 1·2	54·2	+ 1·2	58·1	− 2·4	44·2	− 0·1	1922
44·8	+ 4·8	51·4	− 1·6	61·8	+ 1·3	43·0	− 1·3	1923
39·8	− 0·2	54·6	+ 1·6	60·8	+ 0·3	47·1	+ 2·8	1924
40·0	—	53·0	—	60·5	—	44·3	—	Average 50 years (1861-1910)

published in previous Annual Reports.

PRINTED BY H.M.S.O. PRESS, HARROW